

DEPARTMENT OF TRANSPORT

NO. 951

30 September 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**


Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R63 SECTION 11

AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph D(V) of the Schedule, being the descriptive declaration of the route from Somerset East up to Cookhouse, with the accompanying sheets 1 to 11 of Plan No. P1005/17.

In the town of Somerset East the R63 Section 11 starts at the intersection with streets known as Nojoli Street and Worcester Street at time of declaration, therefrom follows the street known as Worcester Street in a general southerly direction, at the time of declaration.

(National Road R63 Section 11: Somerset East – Cookhouse)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 951

30 September 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R63 SEKSIE 11


WYSIGING VAN VERKLARING No. 305 VAN 2012.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf D(V) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Somerset Oos tot by Cookhouse, met bygaande velle 1 tot 11 van Plan No. P1005/17.

In die dorp van Somerset Oos begin die R63 Seksie 11 by die interseksie met strate bekend as Nojolistraat en Worcesterstraat tydens datum van verklaring, daarvandaan volg dit die straat bekend as Worcesterstraat in 'n algemene suidelike rigting, tydens datum van verklaring.

(Nasionale Pad R63 Seksie 11: Somerset Oos – Cookhouse)**MINISTER VAN VERVOER**









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	3 of	11
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	R63	Plan	P1005/17





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route Section	Vel Sheet 5 of 11 Plan P1005/17
---	---------------------------------------	---	------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	
steidie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R63 of National Route	11	Vel Sheet 6 of 11 Plan P1005/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L1	-55 525.22	3	623	398.37	R1	-55 498.87	3	623	401.46
L2	-55 530.39	3	623	426.06	R2	-55 528.74	3	623	656.70
L3	-55 554.05	3	623	609.58	R3	-55 534.08	3	623	678.32
L4	-55 568.60	3	623	707.03	R4	-55 547.40	3	623	737.05
L5	-55 599.24	3	623	783.61	R5	-55 565.77	3	623	795.62
L6	-55 635.97	3	623	861.29	R6	-55 589.57	3	623	846.65
L7	-55 656.98	3	623	905.28	R7	-55 608.82	3	623	882.55
L8	-55 670.14	3	623	921.54	R8	-55 628.36	3	623	906.76
L9	-55 708.83	3	623	967.86	R9	-55 644.23	3	623	930.18
L10	-55 714.00	3	623	975.71	R10	-55 650.78	3	623	940.73
L11	-55 719.27	3	623	982.23	R11	-55 677.09	3	623	984.55
L12	-55 745.44	3	624	006.02	R12	-55 683.76	3	623	993.88
L13	-55 800.34	3	624	053.02	R13	-55 687.70	3	624	000.23
L14	-55 803.74	3	624	055.92	R14	-55 749.39	3	624	061.61
L15	-55 849.32	3	624	092.01	R15	-55 764.46	3	624	071.00
L16	-55 897.91	3	624	119.64	R16	-55 770.43	3	624	074.72
L17	-55 945.37	3	624	146.71	R17	-55 867.27	3	624	140.16
L18	-56 000.07	3	624	167.50	R18	-56 003.17	3	624	196.47
L19	-56 025.50	3	624	174.51	R19	-56 049.94	3	624	207.28
L20	-56 260.86	3	624	235.75	R20	-56 064.29	3	624	231.72
L21	-56 419.60	3	624	276.77	R21	-56 089.68	3	624	234.37
L22	-56 525.71	3	624	303.11	R22	-56 104.46	3	624	223.23
L23	-56 625.90	3	624	321.32	R23	-56 241.29	3	624	259.69
L24	-56 626.35	3	624	321.44	R24	-56 376.24	3	624	295.67
L25	-56 652.69	3	624	328.71	R25	-56 476.42	3	624	322.38
L26	-56 729.09	3	624	349.79	R26	-56 637.01	3	624	365.22
L27	-56 849.28	3	624	382.95	R27	-56 659.35	3	624	371.10
L28	-57 004.49	3	624	425.77	R28	-56 746.59	3	624	394.04
L29	-57 029.48	3	624	432.60	R29	-56 941.13	3	624	436.25
L30	-57 105.36	3	624	453.57	R30	-57 015.23	3	624	455.30
L31	-57 110.52	3	624	454.99	R31	-57 123.67	3	624	485.88
L32	-57 201.25	3	624	487.67	R32	-57 195.49	3	624	511.54
L33	-57 287.88	3	624	526.08	R33	-57 207.64	3	624	515.88
L34	-57 372.68	3	624	571.64	R34	-57 298.77	3	624	563.87
L35	-57 452.75	3	624	623.43	R35	-57 389.67	3	624	612.03
L36	-57 526.97	3	624	675.84	R36	-57 401.82	3	624	620.42
L37	-57 587.47	3	624	728.51	R37	-57 461.85	3	624	661.85
L38	-57 620.71	3	624	760.11	R38	-57 470.00	3	624	667.48
L39	-57 674.87	3	624	814.57	R39	-57 521.40	3	624	709.05
L40	-57 698.76	3	624	848.47	R40	-57 539.41	3	624	723.61
L41	-57 750.79	3	624	892.49	R41	-57 580.60	3	624	760.96
L42	-57 791.15	3	624	961.45	R42	-57 592.02	3	624	771.32
L43	-57 793.27	3	624	967.42	R43	-57 592.40	3	624	771.73
L44	-57 788.23	3	624	971.57	R44	-57 641.59	3	624	823.27
L45	-57 803.64	3	624	994.36	R45	-57 650.79	3	624	834.22
L46	-57 849.40	3	625	062.03	R46	-57 689.58	3	624	880.33
L47	-57 937.14	3	625	189.85	R47	-57 711.81	3	624	909.42
L48	-57 946.50	3	625	201.56	R48	-57 739.40	3	624	948.92
L49	-58 074.17	3	625	384.43	R49	-57 748.71	3	624	962.25
L50	-58 128.16	3	625	461.76	R50	-57 813.63	3	625	055.19
L51	-58 129.70	3	625	460.77	R51	-57 825.26	3	625	075.35
					Vel 8 Van 11 Sheet of P1005/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°			Y	X		
L52	-58 176.73	3 625 527.87		R52	-57 843.60	3 625 107.12			
L53	-58 201.74	3 625 563.56		R53	-57 846.81	3 625 106.65			
L54	-58 245.46	3 625 620.94		R54	-57 885.41	3 625 163.13			
L55	-58 286.68	3 625 663.02		R55	-57 913.92	3 625 199.32			
L56	-58 292.39	3 625 676.61		R56	-57 923.49	3 625 212.85			
L57	-58 376.83	3 625 763.07		R57	-57 935.85	3 625 229.77			
L58	-58 405.99	3 625 792.93		R58	-57 959.32	3 625 263.16			
L59	-58 506.11	3 625 876.86		R59	-57 957.73	3 625 273.05			
L60	-58 623.40	3 625 959.01		R60	-57 977.44	3 625 289.23			
L61	-59 067.62	3 626 233.90		R61	-58 043.82	3 625 384.86			
L62	-59 213.51	3 626 289.98		R62	-58 085.14	3 625 444.40			
L63	-59 218.27	3 626 292.92		R63	-58 100.46	3 625 467.63			
L64	-59 229.65	3 626 299.94		R64	-58 101.01	3 625 471.47			
L65	-59 372.43	3 626 423.87		R65	-58 181.70	3 625 589.29			
L66	-59 593.14	3 626 561.51		R66	-58 193.26	3 625 605.11			
L67	-59 745.78	3 626 654.89		R67	-58 196.58	3 625 609.19			
L68	-59 879.36	3 626 737.75		R68	-58 269.85	3 625 699.26			
L69	-59 975.84	3 626 794.52		R69	-58 306.36	3 625 737.21			
L70	-59 989.89	3 626 802.79		R70	-58 367.96	3 625 801.25			
L71	-60 249.64	3 626 964.37		R71	-58 477.29	3 625 892.90			
L72	-60 300.98	3 626 995.00		R72	-58 584.02	3 625 968.10			
L73	-60 324.08	3 627 010.31		R73	-58 745.53	3 626 068.36			
L74	-60 486.08	3 627 110.67		R74	-58 899.47	3 626 165.37			
L75	-60 484.05	3 627 116.72		R75	-59 052.63	3 626 259.53			
L76	-60 517.33	3 627 138.31		R76	-59 183.74	3 626 378.07			
L77	-60 558.01	3 627 159.37		R77	-59 190.73	3 626 380.96			
L78	-60 577.95	3 627 167.24		R78	-59 356.99	3 626 449.57			
L79	-60 578.85	3 627 171.70		R79	-59 633.13	3 626 623.31			
L80	-60 621.03	3 627 197.09		R80	-59 754.67	3 626 695.18			
L81	-60 653.67	3 627 216.74		R81	-59 997.22	3 626 845.60			
L82	-60 781.38	3 627 296.09		R82	-60 088.29	3 626 902.07			
L83	-60 805.13	3 627 310.84		R83	-60 404.54	3 627 098.20			
L84	-60 902.84	3 627 358.68		R84	-60 488.20	3 627 147.78			
L85	-60 897.15	3 627 371.57		R85	-60 494.91	3 627 153.25			
L86	-60 957.75	3 627 407.71		R86	-60 503.94	3 627 159.76			
L87	-61 036.22	3 627 441.05		R87	-60 510.24	3 627 165.76			
L88	-61 161.66	3 627 471.84		R88	-60 534.16	3 627 185.26			
L89	-61 291.79	3 627 474.34		R89	-60 544.65	3 627 182.58			
L90	-61 409.07	3 627 454.18		R90	-60 606.54	3 627 222.62			
L91	-62 387.27	3 627 285.99		R91	-60 643.16	3 627 246.30			
L92	-62 584.15	3 627 252.61		R92	-60 683.57	3 627 271.45			
L93	-62 997.17	3 627 179.84		R93	-60 787.20	3 627 335.94			
L94	-63 182.32	3 627 155.49		R94	-60 944.65	3 627 432.59			
L95	-63 195.78	3 627 154.25		R95	-61 061.50	3 627 486.04			
L96	-63 256.86	3 627 148.62		R96	-61 132.07	3 627 502.33			
L97	-63 342.86	3 627 143.86		R97	-61 190.04	3 627 509.08			
L98	-63 399.79	3 627 141.51		R98	-61 262.64	3 627 509.64			
L99	-63 529.90	3 627 139.95		R99	-61 334.69	3 627 501.47			
L100	-63 613.69	3 627 141.52		R100	-61 462.95	3 627 504.64			
L101	-63 700.63	3 627 144.87		R101	-61 464.17	3 627 504.40			
L102	-64 282.30	3 627 193.75		R102	-61 486.10	3 627 500.14			
					Vel Sheet	9	Van of	11	P1005/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 25°		Y	X			
L103	-64 636.09	3 627 223.29		R103	-61 527.41	3 627 483.99			
L104	-65 197.20	3 627 270.64		R104	-61 626.22	3 627 445.35			
L105	-65 506.49	3 627 296.85		R105	-61 861.05	3 627 405.59			
L106	-66 103.69	3 627 346.93		R106	-62 044.34	3 627 372.54			
L107	-66 488.56	3 627 379.38		R107	-62 630.71	3 627 273.27			
L108	-66 936.91	3 627 417.04		R108	-62 818.11	3 627 241.24			
L109	-67 072.36	3 627 428.42		R109	-62 947.54	3 627 216.05			
L110	-67 208.91	3 627 436.33		R110	-63 006.98	3 627 209.51			
L111	-67 296.81	3 627 436.51		R111	-63 148.22	3 627 189.15			
L112	-67 339.55	3 627 435.01		R112	-63 195.26	3 627 183.99			
L113	-67 405.58	3 627 432.70		R113	-63 232.70	3 627 179.89			
L114	-67 482.60	3 627 428.16		R114	-63 381.17	3 627 170.40			
L115	-67 623.75	3 627 412.35		R115	-63 510.11	3 627 168.68			
L116	-67 765.81	3 627 387.90		R116	-63 657.51	3 627 172.69			
L117	-68 351.64	3 627 287.09		R117	-63 742.87	3 627 177.83			
L118	-69 844.05	3 627 029.89		R118	-63 936.37	3 627 194.38			
L119	-70 167.76	3 626 974.21		R119	-64 269.50	3 627 222.34			
L120	-70 657.05	3 626 890.04		R120	-64 749.67	3 627 262.64			
L121	-70 723.74	3 626 878.57		R121	-65 206.55	3 627 301.66			
L122	-70 859.15	3 626 846.32		R122	-65 530.01	3 627 328.40			
L123	-70 972.25	3 626 810.64		R123	-66 099.02	3 627 376.66			
L124	-71 359.53	3 626 642.49		R124	-66 104.33	3 627 377.11			
L125	-71 987.29	3 626 371.34		R125	-66 683.29	3 627 425.35			
L126	-72 523.06	3 626 139.85		R126	-66 882.40	3 627 442.17			
L127	-73 257.10	3 625 822.76		R127	-67 073.71	3 627 458.34			
L128	-73 354.23	3 625 780.84		R128	-67 163.27	3 627 464.23			
L129	-73 840.99	3 625 570.75		R129	-67 221.22	3 627 466.18			
L130	-74 340.39	3 625 354.79		R130	-67 312.48	3 627 466.39			
L131	-74 744.16	3 625 180.18		R131	-67 336.34	3 627 465.79			
L132	-74 769.73	3 625 169.53		R132	-67 348.27	3 627 465.49			
L133	-74 836.27	3 625 141.80		R133	-67 446.61	3 627 460.51			
L134	-74 918.17	3 625 117.77		R134	-67 545.86	3 627 451.51			
L135	-74 972.62	3 625 103.88		R135	-67 595.49	3 627 445.51			
L136	-75 050.17	3 625 092.10		R136	-67 686.16	3 627 431.88			
L137	-75 150.00	3 625 078.49		R137	-67 917.18	3 627 392.02			
L138	-75 162.21	3 625 079.73		R138	-68 229.99	3 627 338.06			
L139	-75 217.62	3 625 078.20		R139	-68 273.54	3 627 329.71			
L140	-75 247.63	3 625 077.41		R140	-68 301.99	3 627 326.59			
L141	-75 253.10	3 625 077.27		R141	-68 507.40	3 627 291.18			
L142	-75 321.62	3 625 083.46		R142	-69 205.96	3 627 170.77			
L143	-75 354.87	3 625 081.97		R143	-69 639.22	3 627 095.51			
L144	-75 380.04	3 625 087.51		R144	-69 905.44	3 627 049.41			
L145	-75 432.40	3 625 089.75		R145	-70 172.73	3 627 003.12			
L146	-75 465.83	3 625 091.12		R146	-70 368.99	3 626 969.46			
L147	-75 536.62	3 625 094.03		R147	-70 681.41	3 626 915.83			
L148	-75 564.99	3 625 095.99		R148	-70 733.79	3 626 906.75			
L149	-75 598.58	3 625 098.26		R149	-70 767.29	3 626 899.54			
L150	-75 642.51	3 625 108.01		R150	-70 801.96	3 626 892.08			
L151	-75 658.12	3 625 114.87		R151	-70 857.25	3 626 877.60			
L152	-75 702.20	3 625 143.01		R152	-70 911.21	3 626 861.61			
L153	-75 703.51	3 625 142.98		R153	-70 950.77	3 626 848.46			
Vel Sheet					10	Van of	11	P1005/17	

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES				
LINKERKANT/LEFT HAND SIDE		REGTERKANT/RIGHT HAND SIDE		
Y	X	WG 25°	Y	X
		R154	-71 032.62	3 626 816.37
		R155	-71 391.32	3 626 661.47
		R156	-71 536.56	3 626 598.44
		R157	-71 837.77	3 626 468.48
		R158	-72 004.87	3 626 396.20
		R159	-73 274.15	3 625 847.93
		R160	-73 365.94	3 625 808.30
		R161	-74 347.82	3 625 384.31
		R162	-74 732.65	3 625 217.25
		R163	-74 737.02	3 625 215.41
		R164	-74 753.81	3 625 208.32
		R165	-74 770.59	3 625 201.24
		R166	-74 781.53	3 625 196.63
		R167	-74 804.70	3 625 187.86
		R168	-74 838.43	3 625 175.08
		R169	-74 896.63	3 625 156.49
		R170	-74 955.88	3 625 140.76
		R171	-75 017.17	3 625 128.02
		R172	-75 075.55	3 625 118.38
		R173	-75 090.58	3 625 116.61
		R174	-75 150.47	3 625 111.49
		R175	-75 164.93	3 625 110.68
		R176	-75 251.81	3 625 108.71
		R177	-75 274.92	3 625 107.75
		R178	-75 324.83	3 625 105.69
		R179	-75 337.97	3 625 106.03
		R180	-75 366.68	3 625 110.74
		R181	-75 392.81	3 625 111.04
		R182	-75 411.12	3 625 111.25
		R183	-75 477.40	3 625 115.28
		R184	-75 510.83	3 625 117.31
		R185	-75 567.50	3 625 121.23
		R186	-75 595.70	3 625 123.23
		R187	-75 633.34	3 625 131.58
		R188	-75 647.37	3 625 137.66
		R189	-75 684.94	3 625 161.63
		Vel Sheet	11 Van of 11	P1005/17