
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 977

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30


DECLARATION AMENDMENT OF NATIONAL ROAD R35 SECTION 1

AMENDMENT OF DECLARATION No.'s 922 OF 2010 AND 553 OF 2015.

- i) By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend, Declaration No.'s 922 of 2010 and 553 of 2015 by substituting it in its entirety, with the accompanying sheets 1 to 25 of Plan No. P1010/17.

In the town of Morgenzon the R35 Section 1 enters the town from the South and follows the streets known as Rail Street, De Jager Street, Steyn Street and Louis Street at the time of declaration.

- ii) By virtue of Section 40 (1)(a) of The South African National Road Agency Limited and National Roads Act 1998 (Act No. 7 of 1998), I hereby declare the section of the road, commencing from its junction with National Road N11 Section 5, and from there continuing in a general south westerly direction along the street known as Helm Street in Amersfoort, at time of declaration up to the junction with National Road R35 Section 1, as a National Road.

(National Road R35 Section 1: Amersfoort (N11 Junction) – Bethal (N17 Junction))

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 977

5 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R35 SEKSIE 1


WYSIGING VAN VERKLARING No.'s 922 VAN 2010 EN 553 VAN 2015.

- i) Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No.'s 922 van 2010 en 553 van 2015 deur dit in sy geheel te vervang, met bygaande velle 1 tot 25 van Plan No. P1010/17.


In die dorp Morgenzon kom die R35 Seksie 1 die dorp binne van uit die Suide en volg die strate bekend as Railstraat, De Jagerstraat, Steynstraat en Louisstraat tydens datum van verklaring.

- ii) Kragtens Artikel 40(1)(a) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), verklaar ek hiermee die gedeelte van die pad, beginnende vanaf die aansluiting met Nasionale Pad N11 Seksie 5, en daarvandaan in 'n algemene suid westelike rigting langs die straat bekend as Helmstraat in Amersfoort, tydens datum van verklaring tot by die aansluiting met Nasionale Pad R35 Seksie 1, tot 'n Nasionale Pad.

(Nasionale Pad R35 Seksie 1: Amersfoort (N11 Aansluiting) – Bethal (N17 Aansluiting))
MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padogenenskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route	1	Vel Sheet 1 of 25
					Plan P1010/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd


Die figuur getoon
The figure shown



steeldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R35
of National Route


1

Vel
Sheet 2 of 25
Plan P1010/17




Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	3 of	25
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete R35 of National Route	Plan	P1010/17	






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route Section	Vel Sheet 5 of 25 Plan P1010/17
---	---------------------------------------	--	---






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route	Vel Sheet 7 of 25 Plan P1010/17
---	---------------------------------------	---	---------------------------------------








Die Suid Afrikaanse Nasionale Podagentskap WSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route	1	Vel Sheet 9 of 25
The South African National Roads Agency SOC Ltd	The figure shown				Plan P1010/17




Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
	Vel Sheet	van of
	10 of	25 of
	Plan P1010/17	1 Section









Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route	1	Vel Sheet	13 of	25 of
The South African National Roads Agency SOC Ltd	The figure shown				Plan	P1010/17	



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route	Vel Sheet 14 of 25 Plan P1010/17
---	---------------------------------------	---	--



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route	Vel Sheet	15 of	25
The South African National Roads Agency SOC Ltd	The figure shown			Plan	P1010/17	



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R35 of National Route R35	Vel Sheet 16 of 25 Plan P1010/17
---	---------------------------------------	---	--



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L1	-84 782.61	2 989 370.69		R1	-84 770.86	2 989 335.59
L2	-84 466.23	2 989 476.80		R2	-84 767.70	2 989 341.94
L3	-84 366.28	2 989 507.71		R3	-84 737.38	2 989 352.10
L4	-84 291.65	2 989 525.07		R4	-84 693.25	2 989 366.90
L5	-84 208.19	2 989 536.09		R5	-84 649.18	2 989 381.67
L6	-84 098.63	2 989 539.59		R6	-84 647.33	2 989 376.15
L7	-84 008.33	2 989 533.06		R7	-84 427.24	2 989 449.96
L8	-83 917.57	2 989 517.33		R8	-84 354.37	2 989 471.98
L9	-83 818.82	2 989 487.08		R9	-84 282.24	2 989 488.34
L10	-83 712.68	2 989 447.47		R10	-84 192.61	2 989 499.69
L11	-83 466.17	2 989 311.44		R11	-84 105.77	2 989 502.39
L12	-83 174.60	2 989 138.91		R12	-84 015.79	2 989 495.94
L13	-83 148.66	2 989 133.56		R13	-83 927.89	2 989 480.88
L14	-83 129.25	2 989 129.56		R14	-83 870.91	2 989 465.06
L15	-83 068.65	2 989 094.70		R15	-83 841.55	2 989 457.08
L16	-83 036.39	2 989 057.94		R16	-83 757.67	2 989 424.27
L17	-83 011.74	2 989 043.52		R17	-83 674.84	2 989 381.61
L18	-82 475.09	2 988 729.63		R18	-83 519.81	2 989 292.04
L19	-82 396.14	2 988 671.70		R19	-83 226.90	2 989 122.37
L20	-82 347.81	2 988 629.64		R20	-83 150.38	2 989 078.10
L21	-82 289.91	2 988 571.24		R21	-83 017.04	2 989 000.88
L22	-81 984.92	2 988 231.62		R22	-82 735.23	2 988 837.67
L23	-81 786.67	2 988 014.46		R23	-82 533.53	2 988 720.43
L24	-81 366.20	2 987 544.17		R24	-82 478.77	2 988 685.75
L25	-81 325.62	2 987 521.29		R25	-82 420.44	2 988 642.72
L26	-81 284.06	2 987 542.32		R26	-82 375.25	2 988 603.72
L27	-81 258.42	2 987 525.64		R27	-82 316.78	2 988 544.52
L28	-81 280.56	2 987 480.95		R28	-82 012.25	2 988 206.47
L29	-81 261.01	2 987 436.58		R29	-81 648.42	2 987 800.70
L30	-80 777.41	2 986 898.71		R30	-81 389.23	2 987 513.46
L31	-80 647.46	2 986 744.11		R31	-81 372.90	2 987 472.97
L32	-80 466.46	2 986 542.78		R32	-81 390.85	2 987 433.16
L33	-80 284.56	2 986 340.80		R33	-81 370.72	2 987 410.85
L34	-80 180.55	2 986 225.31		R34	-81 332.62	2 987 428.34
L35	-79 847.81	2 985 854.77		R35	-81 295.70	2 987 409.55
L36	-79 773.35	2 985 771.85		R36	-80 977.85	2 987 055.20
L37	-79 434.13	2 985 395.16		R37	-80 866.68	2 986 930.78
L38	-79 428.42	2 985 388.81		R38	-80 836.51	2 986 886.39
L39	-79 123.49	2 985 048.69		R39	-80 740.49	2 986 774.98
L40	-78 931.88	2 984 835.90		R40	-80 572.14	2 986 579.67
L41	-78 924.04	2 984 827.20		R41	-80 487.50	2 986 487.33
L42	-78 890.36	2 984 804.35		R42	-80 397.67	2 986 384.54
L43	-78 849.93	2 984 776.94		R43	-80 269.83	2 986 250.55
L44	-78 801.54	2 984 788.26		R44	-80 177.24	2 986 153.52
L45	-78 743.04	2 984 823.06		R45	-80 150.70	2 986 132.86
L46	-78 725.22	2 984 793.09		R46	-80 126.10	2 986 108.38
L47	-78 779.78	2 984 760.95		R47	-79 886.60	2 985 841.93
L48	-78 809.79	2 984 726.08		R48	-79 798.84	2 985 744.29
L49	-78 794.21	2 984 683.03		R49	-79 462.29	2 985 370.40
L50	-78 749.67	2 984 633.56		R50	-79 452.43	2 985 359.44
L51	-78 428.12	2 984 276.75		R51	-79 151.74	2 985 024.93
Vel 18				Van 25		P1010/17
Sheet				of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L52	-78 072.28	2	983	880.58	R52	-78 954.61	2	984	805.72
L53	-77 765.56	2	983	539.68	R53	-78 777.68	2	984	608.97
L54	-77 462.84	2	983	202.67	R54	-78 458.34	2	984	253.70
L55	-77 396.43	2	983	128.73	R55	-78 100.65	2	983	856.55
L56	-77 308.24	2	983	030.72	R56	-77 800.60	2	983	522.39
L57	-77 232.88	2	982	956.39	R57	-77 526.15	2	983	217.20
L58	-76 751.34	2	982	420.80	R58	-77 429.27	2	983	109.47
L59	-76 183.64	2	981	789.39	R59	-77 132.55	2	982	779.53
L60	-76 074.55	2	981	667.87	R60	-76 774.93	2	982	381.72
L61	-75 962.44	2	981	573.61	R61	-76 751.84	2	982	356.04
L62	-75 836.35	2	981	498.77	R62	-76 439.24	2	982	008.39
L63	-75 697.76	2	981	445.01	R63	-76 202.94	2	981	745.55
L64	-75 117.23	2	981	311.73	R64	-76 140.47	2	981	676.06
L65	-74 601.03	2	981	193.23	R65	-76 098.56	2	981	632.16
L66	-74 127.83	2	981	084.59	R66	-76 055.49	2	981	593.33
L67	-74 093.97	2	981	069.66	R67	-75 987.65	2	981	534.59
L68	-74 050.36	2	981	059.72	R68	-75 856.81	2	981	456.96
L69	-73 615.31	2	980	960.62	R69	-75 808.22	2	981	420.48
L70	-73 124.01	2	980	847.55	R70	-75 805.88	2	981	370.44
L71	-73 029.02	2	980	825.77	R71	-75 776.08	2	981	360.23
L72	-72 989.64	2	980	815.35	R72	-75 751.43	2	981	399.21
L73	-72 929.15	2	980	796.06	R73	-75 714.95	2	981	401.65
L74	-72 870.72	2	980	771.91	R74	-75 578.78	2	981	372.83
L75	-72 814.93	2	980	742.88	R75	-75 163.37	2	981	277.07
L76	-72 762.39	2	980	710.48	R76	-75 132.98	2	981	267.61
L77	-72 720.70	2	980	678.48	R77	-75 050.20	2	981	241.84
L78	-72 659.82	2	980	627.23	R78	-74 616.48	2	981	146.39
L79	-72 575.69	2	980	546.11	R79	-74 110.41	2	981	035.47
L80	-72 349.08	2	980	328.82	R80	-74 061.20	2	981	024.18
L81	-72 258.87	2	980	242.31	R81	-74 059.12	2	981	023.70
L82	-72 210.46	2	980	204.84	R82	-73 887.45	2	980	978.16
L83	-72 080.64	2	980	080.15	R83	-73 612.66	2	980	915.01
L84	-72 039.98	2	980	032.23	R84	-73 502.87	2	980	896.10
L85	-71 849.05	2	979	848.94	R85	-73 128.26	2	980	809.99
L86	-71 491.86	2	979	504.69	R86	-73 034.50	2	980	788.24
L87	-71 243.30	2	979	265.72	R87	-72 996.16	2	980	778.50
L88	-71 127.03	2	979	153.94	R88	-72 939.85	2	980	759.78
L89	-70 915.33	2	978	952.46	R89	-72 885.00	2	980	736.73
L90	-70 821.02	2	978	850.07	R90	-72 832.26	2	980	709.39
L91	-70 766.60	2	978	770.40	R91	-72 781.77	2	980	677.82
L92	-70 723.33	2	978	686.42	R92	-72 738.00	2	980	645.02
L93	-70 691.70	2	978	601.26	R93	-72 689.57	2	980	603.61
L94	-70 664.77	2	978	478.86	R94	-72 606.88	2	980	524.48
L95	-70 658.57	2	978	417.89	R95	-72 240.29	2	980	172.20
L96	-70 658.29	2	978	323.53	R96	-71 874.95	2	979	821.96
L97	-70 666.04	2	978	078.52	R97	-71 516.83	2	979	478.07
L98	-70 669.49	2	977	971.16	R98	-71 349.53	2	979	317.31
L99	-70 682.55	2	977	564.35	R99	-71 278.65	2	979	240.56
L100	-70 697.36	2	977	110.25	R100	-71 257.13	2	979	219.88
L101	-70 713.30	2	976	612.30	R101	-71 038.19	2	979	009.60
L102	-70 715.27	2	976	547.56	R102	-70 916.20	2	978	892.26
					Vel 19 Van 25 Sheet of P1010/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°		Y	X			
L103	-70 717.50	2 976 474.33		R103	-70 855.70	2 978 826.38			
L104	-70 717.34	2 976 407.44		R104	-70 802.75	2 978 748.86			
L105	-70 712.67	2 976 346.64		R105	-70 761.82	2 978 669.43			
L106	-70 705.71	2 976 294.24		R106	-70 732.09	2 978 589.38			
L107	-70 685.06	2 976 204.62		R107	-70 706.31	2 978 472.20			
L108	-70 607.45	2 975 965.88		R108	-70 700.56	2 978 415.70			
L109	-70 449.85	2 975 491.76		R109	-70 696.13	2 978 326.18			
L110	-70 295.15	2 975 024.31		R110	-70 703.20	2 978 097.02			
L111	-70 138.48	2 974 550.08		R111	-70 703.75	2 978 079.27			
L112	-70 068.91	2 974 340.87		R112	-70 705.94	2 978 011.91			
L113	-70 043.95	2 974 286.73		R113	-70 720.43	2 977 564.70			
L114	-70 017.40	2 974 206.62		R114	-70 734.84	2 977 113.10			
L115	-69 981.03	2 974 096.89		R115	-70 750.95	2 976 613.07			
L116	-69 967.94	2 974 037.07		R116	-70 753.04	2 976 547.69			
L117	-69 823.55	2 973 601.26		R117	-70 755.35	2 976 475.49			
L118	-69 768.86	2 973 436.41		R118	-70 755.00	2 976 406.20			
L119	-69 666.62	2 973 128.20		R119	-70 750.17	2 976 344.48			
L120	-69 509.28	2 972 653.72		R120	-70 741.70	2 976 282.65			
L121	-69 407.26	2 972 345.90		R121	-70 720.66	2 976 191.71			
L122	-69 379.43	2 972 309.63		R122	-70 642.56	2 975 953.76			
L123	-69 334.18	2 972 316.13		R123	-70 484.88	2 975 478.85			
L124	-69 324.62	2 972 287.29		R124	-70 330.68	2 975 012.29			
L125	-69 360.32	2 972 251.97		R125	-70 174.43	2 974 540.79			
L126	-69 359.48	2 972 201.75		R126	-70 078.23	2 974 250.68			
L127	-69 350.84	2 972 175.68		R127	-70 078.43	2 974 203.62			
L128	-69 341.14	2 972 146.73		R128	-70 117.50	2 974 175.84			
L129	-69 305.95	2 972 005.17		R129	-70 202.72	2 974 149.64			
L130	-69 296.02	2 971 878.97		R130	-70 194.23	2 974 121.59			
L131	-69 303.98	2 971 817.17		R131	-70 107.34	2 974 147.86			
L132	-69 305.12	2 971 807.37		R132	-70 059.53	2 974 146.65			
L133	-69 307.57	2 971 786.34		R133	-70 031.00	2 974 108.27			
L134	-69 308.59	2 971 777.60		R134	-70 016.10	2 974 063.35			
L135	-69 312.73	2 971 741.97		R135	-69 859.20	2 973 590.39			
L136	-69 372.11	2 971 233.73		R136	-69 712.34	2 973 146.74			
L137	-69 420.59	2 970 814.04		R137	-69 702.07	2 973 115.73			
L138	-69 423.94	2 970 754.55		R138	-69 544.02	2 972 638.89			
L139	-69 428.12	2 970 718.76		R139	-69 504.92	2 972 520.89			
L140	-69 445.51	2 970 569.93		R140	-69 493.64	2 972 467.49			
L141	-69 453.71	2 970 475.71		R141	-69 369.68	2 972 093.39			
L142	-69 453.33	2 970 392.85		R142	-69 344.47	2 971 986.83			
L143	-69 427.94	2 970 276.10		R143	-69 343.90	2 971 934.91			
L144	-69 380.00	2 970 167.74		R144	-69 343.25	2 971 877.59			
L145	-69 311.26	2 970 071.22		R145	-69 343.20	2 971 812.23			
L146	-69 219.10	2 969 965.53		R146	-69 346.43	2 971 783.29			
L147	-68 487.80	2 969 241.27		R147	-69 347.29	2 971 775.65			
L148	-68 349.99	2 969 106.22		R148	-69 351.98	2 971 733.62			
L149	-68 019.77	2 968 779.20		R149	-69 409.45	2 971 238.48			
L150	-67 673.58	2 968 436.67		R150	-69 461.63	2 970 789.59			
L151	-67 311.47	2 968 078.30		R151	-69 486.88	2 970 574.56			
L152	-67 135.44	2 967 905.44		R152	-69 495.40	2 970 444.08			
L153	-67 044.88	2 967 820.29		R153	-69 488.82	2 970 363.80			
Vel Sheet					20	Van of	25	P1010/17	

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L154	-67 024.38	2 967 809.57		R154	-69 484.70 2 970 326.87
L155	-66 930.25	2 967 728.84		R155	-69 483.62 2 970 317.77
L156	-66 788.86	2 967 614.56		R156	-69 469.44 2 970 264.69
L157	-66 780.81	2 967 600.36		R157	-69 467.75 2 970 211.77
L158	-66 665.47	2 967 509.85		R158	-69 499.90 2 970 172.38
L159	-66 427.74	2 967 323.87		R159	-69 486.89 2 970 145.01
L160	-66 384.69	2 967 315.59		R160	-69 442.08 2 970 156.79
L161	-66 346.10	2 967 336.18		R161	-69 410.74 2 970 130.51
L162	-66 306.36	2 967 394.93		R162	-69 379.17 2 970 083.72
L163	-66 280.95	2 967 378.96		R163	-69 326.62 2 970 024.16
L164	-66 322.42	2 967 317.66		R164	-69 268.99 2 969 962.14
L165	-66 329.48	2 967 272.39		R165	-68 731.07 2 969 430.24
L166	-66 309.45	2 967 231.33		R166	-68 514.98 2 969 216.58
L167	-66 265.27	2 967 196.77		R167	-68 376.87 2 969 080.03
L168	-66 095.55	2 967 063.72		R168	-68 076.95 2 968 783.06
L169	-65 872.08	2 966 888.53		R169	-68 067.90 2 968 777.55
L170	-65 591.52	2 966 668.85		R170	-68 041.06 2 968 752.48
L171	-65 585.23	2 966 663.92		R171	-68 031.56 2 968 738.57
L172	-65 477.47	2 966 579.54		R172	-67 700.33 2 968 410.30
L173	-65 083.84	2 966 271.76		R173	-67 680.10 2 968 390.29
L174	-64 822.96	2 966 067.61		R174	-67 376.31 2 968 089.86
L175	-64 690.50	2 965 963.96		R175	-67 337.53 2 968 051.51
L176	-64 311.82	2 965 667.66		R176	-67 186.23 2 967 901.07
L177	-64 213.62	2 965 590.65		R177	-67 042.58 2 967 765.77
L178	-63 264.86	2 964 848.24		R178	-67 036.58 2 967 771.88
L179	-63 113.78	2 964 741.89		R179	-66 943.75 2 967 689.15
L180	-62 672.71	2 964 396.68		R180	-66 875.39 2 967 637.42
L181	-62 612.81	2 964 345.64		R181	-66 880.95 2 967 630.84
L182	-62 592.19	2 964 320.60		R182	-66 688.79 2 967 480.39
L183	-62 533.73	2 964 249.59		R183	-66 449.50 2 967 293.20
L184	-62 485.53	2 964 160.52		R184	-66 429.65 2 967 252.27
L185	-62 474.72	2 964 149.15		R185	-66 437.45 2 967 207.59
L186	-62 467.15	2 964 146.15		R186	-66 477.68 2 967 153.58
L187	-62 464.29	2 964 138.16		R187	-66 453.74 2 967 135.49
L188	-62 455.17	2 964 128.57		R188	-66 413.81 2 967 189.10
L189	-62 412.79	2 964 127.09		R189	-66 374.47 2 967 209.11
L190	-62 410.21	2 964 118.84		R190	-66 331.25 2 967 200.69
L191	-62 403.83	2 964 098.45		R191	-66 294.88 2 967 172.24
L192	-62 437.25	2 964 071.29		R192	-66 101.10 2 967 020.51
L193	-62 439.51	2 964 028.29		R193	-65 893.79 2 966 858.17
L194	-62 437.36	2 964 021.42		R194	-65 662.86 2 966 677.43
L195	-62 408.65	2 963 815.85		R195	-65 499.39 2 966 549.48
L196	-62 392.46	2 963 656.56		R196	-65 104.93 2 966 240.66
L197	-62 314.99	2 963 101.79		R197	-64 823.82 2 966 020.69
L198	-62 285.21	2 962 869.58		R198	-64 711.94 2 965 933.14
L199	-62 263.58	2 962 713.21		R199	-64 333.93 2 965 637.23
L200	-62 216.78	2 962 374.97		R200	-64 278.58 2 965 590.04
L201	-62 171.27	2 962 050.17		R201	-64 199.83 2 965 528.41
L202	-62 147.34	2 961 879.44		R202	-64 137.38 2 965 483.52
L203	-62 078.05	2 961 384.78		R203	-63 940.71 2 965 329.73
L204	-62 041.23	2 961 120.00		R204	-63 816.31 2 965 231.30
			Vel Sheet	21 Van of 25	P1010/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L205	-62 020.31	2 960 969.52		R205	-63 416.46	2 964 919.27
L206	-61 969.59	2 960 672.05		R206	-63 255.97	2 964 793.35
L207	-61 967.48	2 960 661.62		R207	-63 016.96	2 964 605.85
L208	-61 940.65	2 960 507.05		R208	-62 667.06	2 964 329.66
L209	-61 900.40	2 960 279.93		R209	-62 604.69	2 964 264.08
L210	-61 842.79	2 959 993.30		R210	-62 570.88	2 964 217.88
L211	-61 823.77	2 959 898.03		R211	-62 540.92	2 964 167.05
L212	-61 764.91	2 959 603.16		R212	-62 518.69	2 964 122.91
L213	-61 712.70	2 959 343.44		R213	-62 496.91	2 964 059.98
L214	-61 710.14	2 959 322.74		R214	-62 486.21	2 964 016.86
L215	-61 694.88	2 959 298.12		R215	-62 478.25	2 963 974.39
L216	-61 679.62	2 959 273.49		R216	-62 464.38	2 963 879.05
L217	-61 664.36	2 959 248.88		R217	-62 392.18	2 963 364.04
L218	-61 649.10	2 959 224.26		R218	-62 322.41	2 962 866.28
L219	-61 633.84	2 959 199.64		R219	-62 296.14	2 962 676.75
L220	-61 623.89	2 959 183.58		R220	-62 253.78	2 962 371.13
L221	-61 587.39	2 959 124.71		R221	-62 209.50	2 962 052.61
L222	-61 546.55	2 959 058.82		R222	-62 184.96	2 961 876.08
L223	-61 532.47	2 959 036.11		R223	-62 115.80	2 961 380.41
L224	-61 370.68	2 957 892.22		R224	-62 066.20	2 961 026.83
L225	-61 221.33	2 957 644.49		R225	-62 055.47	2 960 944.92
L226	-61 198.88	2 957 607.09		R226	-62 052.44	2 960 924.08
L227	-61 141.68	2 957 493.10		R227	-62 023.38	2 960 741.15
L228	-61 130.60	2 957 471.74		R228	-62 001.29	2 960 621.43
L229	-61 082.06	2 957 367.96		R229	-61 964.37	2 960 424.42
L230	-61 032.93	2 957 262.42		R230	-61 878.94	2 959 984.74
L231	-61 000.14	2 957 179.06		R231	-61 860.28	2 959 891.59
L232	-60 972.88	2 957 084.25		R232	-61 808.75	2 959 634.28
L233	-60 954.67	2 956 989.23		R233	-61 753.23	2 959 375.39
L234	-60 909.96	2 956 725.51		R234	-61 743.24	2 959 324.50
L235	-60 873.76	2 956 512.67		R235	-61 726.20	2 959 312.79
L236	-60 861.86	2 956 453.10		R236	-61 689.71	2 959 253.91
L237	-60 845.70	2 956 386.01		R237	-61 653.21	2 959 195.04
L238	-60 832.49	2 956 337.39		R238	-61 640.62	2 959 174.73
L239	-60 762.53	2 956 123.50		R239	-61 615.25	2 959 133.79
L240	-60 743.03	2 956 063.88		R240	-61 602.11	2 959 104.74
L241	-60 608.92	2 955 657.05		R241	-61 607.55	2 959 024.12
L242	-60 590.18	2 955 600.21		R242	-61 403.32	2 957 871.99
L243	-60 434.41	2 955 125.73		R243	-61 254.89	2 957 626.41
L244	-60 361.87	2 954 905.45		R244	-61 232.48	2 957 587.96
L245	-60 307.54	2 954 740.50		R245	-61 179.53	2 957 484.98
L246	-60 268.05	2 954 631.65		R246	-61 162.86	2 957 450.08
L247	-60 235.93	2 954 563.12		R247	-61 118.16	2 957 356.33
L248	-60 226.47	2 954 546.60		R248	-61 066.45	2 957 245.22
L249	-60 202.45	2 954 504.66		R249	-61 041.82	2 957 181.83
L250	-59 928.42	2 954 086.25		R250	-61 024.89	2 957 129.84
L251	-59 655.07	2 953 668.58		R251	-61 009.75	2 957 077.10
L252	-59 383.94	2 953 256.47		R252	-60 986.94	2 956 954.68
L253	-59 091.74	2 952 812.45		R253	-60 950.89	2 956 740.70
L254	-59 034.57	2 952 725.31		R254	-60 910.58	2 956 505.58
L255	-58 860.44	2 952 459.91		R255	-60 898.98	2 956 446.35
				Vel Sheet	22 Van of 25	P1010/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L256	-58 812.23	2	952	386.44	R256	-60 884.86	2	956	385.56
L257	-58 661.16	2	952	157.19	R257	-60 867.89	2	956	325.90
L258	-58 554.90	2	951	980.88	R258	-60 778.54	2	956	050.61
L259	-58 530.97	2	951	936.57	R259	-60 765.28	2	956	009.83
L260	-58 372.98	2	951	650.26	R260	-60 736.95	2	955	922.75
L261	-58 066.35	2	951	092.88	R261	-60 727.07	2	955	895.66
L262	-58 018.86	2	951	013.15	R262	-60 648.24	2	955	656.58
L263	-57 952.48	2	950	909.86	R263	-60 630.36	2	955	602.36
L264	-57 781.17	2	950	656.67	R264	-60 469.98	2	955	113.09
L265	-57 666.08	2	950	486.57	R265	-60 398.87	2	954	897.59
L266	-57 384.94	2	950	070.99	R266	-60 389.29	2	954	868.53
L267	-57 029.87	2	949	547.00	R267	-60 343.92	2	954	731.04
L268	-56 951.98	2	949	422.76	R268	-60 263.15	2	954	533.87
L269	-56 902.93	2	949	333.75	R269	-60 256.63	2	954	521.98
L270	-56 744.54	2	949	019.36	R270	-60 232.85	2	954	478.61
L271	-56 694.40	2	948	919.83	R271	-59 961.82	2	954	067.38
L272	-56 495.93	2	948	524.95	R272	-59 685.50	2	953	646.20
L273	-56 449.93	2	948	433.43	R273	-59 431.98	2	953	262.33
L274	-56 302.54	2	948	140.26	R274	-59 407.01	2	953	224.52
L275	-56 224.88	2	947	985.78	R275	-59 110.12	2	952	772.36
L276	-56 128.19	2	947	793.35	R276	-58 882.95	2	952	427.06
L277	-56 001.15	2	947	540.49	R277	-58 842.44	2	952	365.48
L278	-55 905.96	2	947	351.55	R278	-58 691.52	2	952	135.26
L279	-55 892.20	2	947	320.70	R279	-58 628.39	2	952	035.93
L280	-55 662.26	2	946	869.48	R280	-58 590.21	2	951	967.58
L281	-55 450.45	2	946	451.60	R281	-58 566.01	2	951	913.30
L282	-55 216.83	2	945	990.44	R282	-58 400.00	2	951	606.13
L283	-54 992.96	2	945	547.50	R283	-58 102.43	2	951	080.78
L284	-54 903.56	2	945	371.36	R284	-58 051.04	2	950	993.87
L285	-54 880.25	2	945	325.41	R285	-57 985.18	2	950	891.10
L286	-54 755.79	2	945	080.17	R286	-57 827.11	2	950	656.95
L287	-54 530.62	2	944	635.43	R287	-57 517.46	2	950	195.55
L288	-54 487.29	2	944	549.92	R288	-57 284.25	2	949	848.07
L289	-54 431.99	2	944	440.77	R289	-57 102.27	2	949	576.94
L290	-54 393.22	2	944	364.25	R290	-56 994.82	2	949	416.86
L291	-54 304.13	2	944	188.42	R291	-56 928.18	2	949	299.43
L292	-54 161.32	2	943	905.77	R292	-56 786.11	2	949	017.83
L293	-54 078.72	2	943	742.30	R293	-56 715.41	2	948	877.69
L294	-53 839.56	2	943	270.41	R294	-56 540.24	2	948	529.43
L295	-53 758.22	2	943	107.85	R295	-56 481.88	2	948	413.42
L296	-53 739.12	2	943	068.98	R296	-56 346.32	2	948	143.93
L297	-53 658.59	2	942	873.44	R297	-56 258.42	2	947	969.19
L298	-53 588.84	2	942	698.46	R298	-56 171.70	2	947	796.67
L299	-53 466.92	2	942	380.96	R299	-56 033.64	2	947	522.01
L300	-53 344.09	2	942	060.32	R300	-55 930.81	2	947	317.18
L301	-53 232.84	2	941	770.22	R301	-55 921.40	2	947	298.18
L302	-53 194.15	2	941	669.34	R302	-55 695.05	2	946	851.56
L303	-53 165.50	2	941	594.65	R303	-55 474.11	2	946	415.37
L304	-52 999.75	2	941	161.94	R304	-55 436.48	2	946	341.08
L305	-52 930.84	2	940	989.57	R305	-55 251.13	2	945	975.12
L306	-52 909.08	2	940	951.63	R306	-55 027.20	2	945	533.22
					Vel 23 Van of 25 P1010/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L307	-52 897.68	2	940	932.26	R307	-54 934.33	2	945	350.39
L308	-52 856.75	2	940	862.69	R308	-54 873.81	2	945	231.23
L309	-52 705.96	2	940	606.48	R309	-54 788.05	2	945	062.40
L310	-52 668.64	2	940	544.22	R310	-54 563.02	2	944	617.54
L311	-52 662.55	2	940	543.61	R311	-54 516.93	2	944	526.76
L312	-52 634.02	2	940	497.55	R312	-54 336.70	2	944	171.74
L313	-52 622.44	2	940	464.80	R313	-54 201.58	2	943	903.52
L314	-52 527.51	2	940	304.56	R314	-54 105.50	2	943	712.79
L315	-52 368.06	2	940	035.41	R315	-53 876.20	2	943	259.53
L316	-52 097.18	2	939	576.47	R316	-53 792.34	2	943	097.52
L317	-51 868.84	2	939	126.61	R317	-53 772.97	2	943	056.85
L318	-51 810.09	2	939	009.69	R318	-53 690.86	2	942	856.70
L319	-51 596.97	2	938	585.53	R319	-53 619.54	2	942	674.12
L320	-51 418.23	2	938	229.19	R320	-53 500.67	2	942	364.31
L321	-51 325.86	2	938	044.90	R321	-53 377.77	2	942	043.83
L322	-51 194.01	2	937	781.85	R322	-53 267.34	2	941	755.72
L323	-50 970.19	2	937	334.89	R323	-53 219.06	2	941	629.77
L324	-50 796.07	2	936	990.05	R324	-53 199.21	2	941	577.98
L325	-50 571.54	2	936	541.24	R325	-53 034.90	2	941	148.78
L326	-50 373.39	2	936	140.66	R326	-52 979.95	2	941	003.81
L327	-50 365.14	2	936	121.37	R327	-52 952.75	2	940	959.21
L328	-50 344.90	2	936	069.33	R328	-52 906.47	2	940	878.88
L329	-50 163.93	2	935	602.70	R329	-52 804.55	2	940	702.07
L330	-50 050.79	2	935	310.38	R330	-52 733.13	2	940	578.18
L331	-49 974.86	2	935	113.78	R331	-52 657.68	2	940	451.77
L332	-49 834.06	2	934	749.96	R332	-52 572.03	2	940	306.89
L333	-49 777.14	2	934	602.89	R333	-52 389.04	2	939	997.32
L334	-49 727.54	2	934	473.40	R334	-52 136.54	2	939	569.73
L335	-49 599.42	2	934	138.86	R335	-52 093.30	2	939	490.26
L336	-49 466.96	2	933	795.46	R336	-51 901.77	2	939	109.13
L337	-49 287.21	2	933	327.81	R337	-51 802.13	2	938	910.12
L338	-49 225.67	2	933	168.78	R338	-51 642.20	2	938	590.77
L339	-49 222.26	2	933	162.15	R339	-51 443.86	2	938	196.36
L340	-49 203.66	2	933	126.06	R340	-51 369.83	2	938	049.98
L341	-49 155.82	2	932	984.91	R341	-51 226.66	2	937	763.47
L342	-48 975.91	2	932	517.97	R342	-51 002.34	2	937	316.30
L343	-48 795.81	2	932	051.07	R343	-50 765.77	2	936	845.08
L344	-48 762.70	2	931	962.90	R344	-50 604.77	2	936	523.54
L345	-48 724.92	2	931	859.27	R345	-50 425.35	2	936	164.70
L346	-48 555.11	2	931	389.01	R346	-50 403.99	2	936	119.25
L347	-48 479.15	2	931	178.26	R347	-49 876.78	2	934	753.67
L348	-48 385.57	2	930	918.62	R348	-49 769.35	2	934	475.41
L349	-48 363.20	2	930	856.62	R349	-49 712.74	2	934	328.76
L350	-48 219.47	2	930	458.08	R350	-49 246.53	2	933	121.20
L351	-48 046.40	2	929	977.90	R351	-49 191.27	2	932	972.90
L352	-47 935.28	2	929	671.42	R352	-49 011.52	2	932	505.89
L353	-47 890.00	2	929	546.52	R353	-48 831.36	2	932	038.99
L354	-47 870.71	2	929	486.66	R354	-48 798.17	2	931	950.80
L355	-47 873.00	2	929	443.56	R355	-48 760.21	2	931	846.53
L356	-47 883.07	2	929	403.15	R356	-48 590.37	2	931	376.25
					R357	-48 420.82	2	930	905.88
					Vel Sheet 24 Van of 25 P1010/17				

This gazette is also available free online at www.gpwonline.co.za