

DEPARTMENT OF TRANSPORT

NO. 980

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R30 SECTION 1

AMENDMENT OF DECLARATION No. 554 OF 2015.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 554 of 2015 by substituting it in its entirety, with the accompanying sheets 1 to 10 of Plan No. P1083/18.

(National Road R30 Section 1: Glen Lyon (N1/15) – Brandfort)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 980

5 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R30 SEKSIE 1


WYSIGING VAN VERKLARING No. 554 VAN 2015.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 554 van 2015 deur dit in sy geheel te vervang, met bygaande velle 1 tot 10 van Plan No. P1083/18.


(Nasionale Pad R30 Seksie 1: Glen Lyon (N1/15) – Brandfort)**MINISTER VAN VERVOER**




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route	Vel Sheet 1 of 10 Plan P1083/18
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route
Vel Sheet 2 of 10	1	Plan P1083/18	Section R30






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 Section of National Route	Vel Sheet 4 of 10 Plan P1083/18
---	---------------------------------------	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route Section 1	Vel Sheet 5 of 10	Plan P1083/18
---	---------------------------------------	--	----------------------	---------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R30 of National Route	Vel Sheet 6 of 10 Plan P1083/18
---	---------------------------------------	--	---

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	68 895.54	3	206	591.24	R1	68 866.67	3	206	614.44
L2	68 872.25	3	206	564.78	R2	68 800.06	3	206	527.51
L3	68 811.67	3	206	489.52	R3	68 576.89	3	206	246.75
L4	68 589.65	3	206	214.79	R4	68 322.71	3	205	950.97
L5	68 351.20	3	205	936.44	R5	68 281.85	3	205	903.75
L6	68 299.83	3	205	876.59	R6	68 273.32	3	205	894.25
L7	68 129.10	3	205	677.60	R7	68 266.79	3	205	886.54
L8	67 864.61	3	205	368.82	R8	68 108.54	3	205	700.83
L9	67 564.13	3	205	018.19	R9	67 846.32	3	205	395.45
L10	67 343.73	3	204	760.79	R10	67 106.36	3	204	532.79
L11	67 069.33	3	204	440.64	R11	67 044.06	3	204	459.92
L12	67 067.73	3	204	438.50	R12	66 944.59	3	204	343.76
L13	66 969.61	3	204	324.32	R13	66 795.40	3	204	168.99
L14	66 817.88	3	204	135.73	R14	66 715.03	3	204	011.00
L15	66 793.32	3	204	095.64	R15	66 692.97	3	203	966.98
L16	66 748.06	3	204	005.54	R16	66 682.29	3	203	926.25
L17	66 712.11	3	203	905.54	R17	66 648.07	3	203	823.48
L18	66 711.96	3	203	904.90	R18	66 620.52	3	203	689.52
L19	66 685.79	3	203	662.23	R19	66 619.01	3	203	682.15
L20	66 672.46	3	203	650.57	R20	66 623.22	3	203	540.18
L21	66 652.81	3	203	537.83	R21	66 618.88	3	203	524.82
L22	66 660.57	3	203	521.31	R22	66 598.20	3	203	492.17
L23	66 642.33	3	203	390.29	R23	66 576.75	3	203	245.53
L24	66 605.12	3	203	200.45	R24	66 544.33	3	203	098.58
L25	66 604.70	3	203	197.31	R25	66 512.38	3	203	002.94
L26	66 592.06	3	203	135.08	R26	66 458.78	3	202	872.40
L27	66 568.04	3	203	055.18	R27	66 428.13	3	202	837.21
L28	66 484.73	3	202	852.62	R28	66 413.89	3	202	802.63
L29	66 478.53	3	202	802.07	R29	66 410.33	3	202	754.61
L30	66 469.49	3	202	776.74	R30	66 218.58	3	202	286.62
L31	66 441.26	3	202	746.24	R31	66 083.60	3	201	959.56
L32	66 251.43	3	202	273.00	R32	66 042.32	3	201	859.56
L33	66 069.10	3	201	842.74	R33	65 843.52	3	201	377.69
L34	65 870.88	3	201	361.51	R34	65 585.81	3	200	753.43
L35	65 612.23	3	200	734.22	R35	65 410.19	3	200	326.12
L36	65 438.80	3	200	312.95	R36	65 356.73	3	200	183.37
L37	65 385.06	3	200	162.42	R37	65 339.96	3	200	123.92
L38	65 237.30	3	199	645.87	R38	65 316.45	3	200	053.03
L39	65 221.72	3	199	596.28	R39	65 268.31	3	199	879.56
L40	65 165.39	3	199	468.81	R40	65 217.54	3	199	696.65
L41	65 143.14	3	199	435.10	R41	65 199.08	3	199	636.84
L42	65 106.37	3	199	375.07	R42	65 133.80	3	199	483.64
L43	64 669.83	3	198	713.36	R43	65 058.31	3	199	362.89
L44	64 644.49	3	198	654.09	R44	65 022.30	3	199	305.30
L45	64 622.31	3	198	602.22	R45	64 742.22	3	198	881.12
L46	64 634.83	3	198	593.95	R46	64 732.17	3	198	865.89
L47	64 605.70	3	198	549.87	R47	64 680.39	3	198	844.41
L48	64 592.57	3	198	558.54	R48	64 666.76	3	198	823.57
L49	64 578.62	3	198	537.38	R49	64 585.21	3	198	698.89
L50	64 570.52	3	198	542.71	R50	64 541.29	3	198	631.69
L51	64 512.04	3	198	474.88	R51	64 399.23	3	198	417.33
Vel Sheet 7					Van of 10		P1083/18		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	64 321.38	3	198 186.13		R52	64 398.34	3	198 360.45	
L53	64 295.92	3	198 148.08		R53	64 256.89	3	198 146.13	
L54	64 282.15	3	198 127.03		R54	64 210.12	3	198 075.36	
L55	64 234.75	3	198 055.66		R55	63 969.57	3	197 711.10	
L56	63 997.63	3	197 696.33		R56	63 779.69	3	197 423.69	
L57	63 807.88	3	197 403.40		R57	63 651.98	3	197 223.52	
L58	63 702.39	3	197 238.01		R58	63 612.29	3	197 154.06	
L59	63 640.18	3	197 138.33		R59	63 555.55	3	197 046.64	
L60	63 584.59	3	197 033.33		R60	63 512.41	3	196 956.70	
L61	63 540.95	3	196 942.63		R61	63 471.33	3	196 864.79	
L62	63 499.95	3	196 850.31		R62	63 419.22	3	196 732.84	
L63	63 448.22	3	196 719.52		R63	63 260.59	3	196 302.44	
L64	63 283.55	3	196 273.75		R64	63 219.31	3	196 190.17	
L65	63 251.57	3	196 176.00		R65	63 182.49	3	196 096.78	
L66	63 221.21	3	196 083.12		R66	63 150.73	3	196 002.72	
L67	63 165.71	3	195 953.86		R67	63 100.93	3	195 867.99	
L68	63 150.17	3	195 911.47		R68	63 083.40	3	195 820.18	
L69	63 145.89	3	195 887.53		R69	63 072.45	3	195 791.67	
L70	63 145.30	3	195 885.92		R70	63 033.65	3	195 703.62	
L71	63 130.37	3	195 844.91		R71	62 989.94	3	195 619.01	
L72	63 116.42	3	195 807.19		R72	62 940.49	3	195 537.29	
L73	63 106.38	3	195 781.06		R73	62 893.70	3	195 467.19	
L74	63 085.96	3	195 732.06		R74	62 893.78	3	195 467.07	
L75	63 072.43	3	195 701.97		R75	62 862.12	3	195 420.74	
L76	63 057.25	3	195 669.24		R76	62 854.65	3	195 409.73	
L77	63 087.32	3	195 657.69		R77	62 682.42	3	195 155.92	
L78	63 089.03	3	195 643.00		R78	62 677.44	3	195 149.49	
L79	63 044.42	3	195 635.85		R79	62 625.64	3	195 071.06	
L80	62 969.20	3	195 523.07		R80	62 527.26	3	194 926.59	
L81	62 702.41	3	195 129.57		R81	62 462.67	3	194 829.55	
L82	62 395.13	3	194 670.21		R82	62 451.52	3	194 813.30	
L83	62 274.97	3	194 404.43		R83	62 420.68	3	194 768.35	
L84	62 270.57	3	194 391.12		R84	62 407.34	3	194 748.91	
L85	62 239.43	3	194 283.50		R85	62 367.20	3	194 712.57	
L86	62 221.38	3	194 199.58		R86	62 357.52	3	194 698.06	
L87	62 203.55	3	194 064.42		R87	62 354.65	3	194 662.17	
L88	62 198.26	3	193 926.80		R88	62 336.39	3	194 627.69	
L89	62 207.53	3	193 776.48		R89	62 313.71	3	194 582.35	
L90	62 219.08	3	193 670.65		R90	62 292.52	3	194 535.91	
L91	62 221.62	3	193 566.05		R91	62 273.65	3	194 492.26	
L92	62 215.07	3	193 471.09		R92	62 255.13	3	194 443.56	
L93	62 200.79	3	193 375.47		R93	62 219.85	3	194 331.52	
L94	62 172.18	3	193 262.80		R94	62 195.57	3	194 227.83	
L95	62 157.15	3	193 221.41		R95	62 194.61	3	194 222.70	
L96	62 162.17	3	193 213.46		R96	62 182.50	3	194 158.03	
L97	62 160.48	3	193 207.37		R97	62 181.49	3	194 151.06	
L98	62 151.25	3	193 204.61		R98	62 172.19	3	194 068.09	
L99	62 148.48	3	193 196.91		R99	62 171.81	3	194 048.73	
L100	62 113.08	3	193 112.60		R100	62 168.41	3	193 978.20	
L101	61 864.07	3	192 676.18		R101	62 168.85	3	193 895.92	
L102	61 774.27	3	192 498.32		R102	62 168.70	3	193 887.97	
Vel Sheet					8	Van of		10	P1083/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°		Y	X			
L103	61 767.91	3 192 482.33		R103	62 174.60	3 193 795.47			
L104	61 756.56	3 192 453.80		R104	62 187.65	3 193 667.66			
L105	61 755.15	3 192 450.28		R105	62 190.31	3 193 558.68			
L106	61 734.55	3 192 396.19		R106	62 170.20	3 193 380.42			
L107	61 705.61	3 192 307.99		R107	62 125.25	3 193 224.85			
L108	61 641.95	3 192 051.30		R108	62 061.92	3 193 084.01			
L109	61 578.65	3 191 775.08		R109	61 828.92	3 192 676.38			
L110	61 543.08	3 191 619.95		R110	61 773.06	3 192 569.52			
L111	61 528.35	3 191 555.48		R111	61 747.14	3 192 511.47			
L112	61 518.22	3 191 511.34		R112	61 741.52	3 192 499.86			
L113	61 532.32	3 191 494.46		R113	61 727.82	3 192 500.07			
L114	61 528.66	3 191 487.90		R114	61 725.48	3 192 494.13			
L115	61 512.87	3 191 488.03		R115	61 734.55	3 192 482.48			
L116	61 465.97	3 191 283.60		R116	61 720.99	3 192 449.10			
L117	61 374.98	3 190 885.72		R117	61 700.48	3 192 392.75			
L118	61 284.24	3 190 492.19		R118	61 676.72	3 192 320.18			
L119	60 932.28	3 188 951.21		R119	61 649.24	3 192 218.19			
L120	60 506.54	3 187 087.21		R120	61 605.84	3 192 029.92			
L121	60 476.64	3 186 956.30		R121	61 601.78	3 192 013.29			
L122	60 441.11	3 186 913.37		R122	61 508.56	3 191 606.31			
L123	60 440.47	3 186 911.82		R123	61 436.88	3 191 293.94			
L124	60 433.91	3 186 897.42		R124	61 346.52	3 190 898.58			
L125	60 428.52	3 186 885.78		R125	61 258.16	3 190 518.00			
L126	60 412.10	3 186 851.75		R126	61 153.40	3 190 057.86			
L127	60 393.53	3 186 815.77		R127	61 073.15	3 189 705.30			
L128	60 350.90	3 186 746.17		R128	60 981.85	3 189 304.22			
L129	60 346.02	3 186 736.79		R129	60 902.28	3 188 958.39			
L130	60 273.01	3 186 629.48		R130	60 893.99	3 188 919.90			
L131	60 199.45	3 186 538.59		R131	60 800.52	3 188 510.05			
L132	60 130.73	3 186 460.26		R132	60 711.35	3 188 118.60			
L133	59 857.87	3 186 154.55		R133	60 622.82	3 187 730.87			
L134	59 580.95	3 185 842.39		R134	60 527.47	3 187 317.45			
L135	59 307.10	3 185 535.62		R135	60 499.99	3 187 200.51			
L136	59 269.18	3 185 497.33		R136	60 456.81	3 187 056.50			
L137	59 263.19	3 185 490.33		R137	60 438.11	3 187 005.94			
L138	57 930.32	3 184 156.18		R138	60 426.82	3 186 976.95			
L139	57 813.96	3 184 019.18		R139	60 415.45	3 186 949.60			
L140	57 757.31	3 183 952.32		R140	60 406.86	3 186 929.83			
L141	57 531.63	3 183 727.74		R141	60 393.01	3 186 899.51			
L142	57 269.03	3 183 469.28		R142	60 378.46	3 186 868.93			
L143	57 190.23	3 183 391.37		R143	60 350.41	3 186 817.75			
L144	56 964.06	3 183 168.79		R144	60 339.46	3 186 797.59			
L145	56 718.86	3 182 927.71		R145	60 226.25	3 186 654.08			
L146	56 549.47	3 182 761.04		R146	60 156.63	3 186 569.85			
L147	56 268.64	3 182 484.22		R147	60 094.31	3 186 494.86			
L148	56 040.31	3 182 259.37		R148	59 830.36	3 186 176.22			
L149	55 982.99	3 182 202.88		R149	59 555.98	3 185 866.22			
L150	55 894.25	3 182 115.14		R150	59 242.76	3 185 514.34			
L151	55 829.41	3 182 037.97		R151	59 007.18	3 185 281.84			
L152	55 773.82	3 181 959.47		R152	58 632.46	3 184 911.85			
L153	55 725.99	3 181 873.06		R153	58 331.20	3 184 614.02			
Vel Sheet					9	Van of	10	P1083/18	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	55 702.23	3	181	819.90	R154	58 068.17	3	184	354.26
L155	55 668.14	3	181	735.65	R155	57 920.43	3	184	208.00
L156	55 558.29	3	181	350.31	R156	57 774.27	3	184	063.92
L157	55 450.68	3	180	971.96	R157	57 784.57	3	184	055.30
L158	55 344.53	3	180	597.89	R158	56 417.20	3	182	687.49
L159	55 203.75	3	180	102.99	R159	56 416.47	3	182	686.63
L160	55 123.12	3	179	819.43	R160	56 182.96	3	182	453.14
L161	55 096.93	3	179	726.82	R161	56 092.01	3	182	363.39
L162	55 032.55	3	179	501.76	R162	56 000.05	3	182	272.72
L163	54 917.29	3	179	095.24	R163	55 890.62	3	182	164.78
L164	54 898.86	3	179	029.37	R164	55 893.59	3	182	159.03
L165	54 895.69	3	179	018.58	R165	55 781.74	3	182	026.36
L166	54 881.71	3	178	968.29	R166	55 749.91	3	181	977.68
L167	54 870.97	3	178	930.05	R167	55 685.74	3	181	861.02
L168	54 856.16	3	178	877.93	R168	55 672.21	3	181	829.67
L169	54 843.09	3	178	831.95	R169	55 644.41	3	181	763.35
L170	54 828.54	3	178	780.76	R170	55 585.63	3	181	560.40
L171	54 816.89	3	178	739.79	R171	55 376.42	3	180	824.42
L172	54 802.13	3	178	687.83	R172	55 312.16	3	180	598.34
L173	54 787.73	3	178	636.55	R173	55 173.08	3	180	108.80
L174	54 764.07	3	178	549.86	R174	55 059.47	3	179	709.06
L175	54 749.62	3	178	494.42	R175	55 005.34	3	179	517.21
L176	54 728.83	3	178	398.97	R176	54 890.76	3	179	114.11
L177	54 719.32	3	178	331.67	R177	54 786.07	3	178	746.94
L178	54 726.83	3	178	293.06	R178	54 731.63	3	178	553.44
L179	54 721.78	3	178	264.49	R179	54 707.61	3	178	447.83
L180	54 718.76	3	178	255.18	R180	54 687.65	3	178	335.97
L181	54 706.11	3	178	216.22	R181	54 674.93	3	178	228.50
L182	54 699.22	3	178	088.06	R182	54 673.15	3	178	209.38
L183	54 704.71	3	177	692.97	R183	54 667.17	3	178	088.54
L184	54 708.96	3	177	167.15	R184	54 670.03	3	177	720.87
L185	54 709.67	3	177	106.54	R185	54 672.66	3	177	466.26
					R186	54 658.37	3	177	141.55
					R187	54 661.53	3	177	105.98