

DEPARTMENT OF TRANSPORT

NO. 991

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R56 SECTION 6


AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph A(VI) of the Schedule, being the descriptive declaration of the route from Indwe up to Elliot, with the accompanying sheets 1 to 25 of Plan No. P999/17.

In the town of Indwe the R56 Section 6 starts at the junction with streets known as Tilney Street and Voortrekker Street at time of declaration, therefrom follows the street known as Voortrekker Street in a general south easterly direction at the time of declaration.

In the town of Elliot the R56 Section 6 enters the town from the West and follows the street known as and Maclear Road at the time of declaration.

(National Road R56 Section 6: Indwe – Elliot)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 991

5 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R56 SEKSIE 6


WYSIGING VAN VERKLARING No. 305 VAN 2012.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf A(VI) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Indwe tot by Elliot, met bygaande velle 1 tot 25 van Plan No. P999/17.


In die dorp van Indwe begin die R56 Seksie 6 by die interseksie met strate bekend as Tilneystraat en Voortrekkerstraat tydens datum van verklaring, daarvandaan volg dit die straat bekend as Voortrekkerstraat in 'n algemene suid oostelike rigting tydens datum van verklaring.

In die dorp van Elliot kom die R56 Seksie 6 die dorp binne vanuit die Weste en volg die straat bekend as Maclear Pad tydens datum van verklaring.


(Nasionale Pad R56 Seksie 6: Indwe – Elliot)**MINISTER VAN VERVOER**




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route	Vel Sheet 1 of 25	Plan P999/17
6	6	6	6	6



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Val Sheet 2 of 25 Plan P999/17
		6	Section




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route	Vel Sheet 3 of 25
		6	Plan P999/17




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route	Vel Sheet 4 of 25 Plan P999/17
---	---------------------------------------	---	--------------------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route R56	6	Vel Sheet 6 of 25	Plan P999/17
---	---------------------------------------	---	---	-------------------------	-----------------



Vel
Sheet 7 of 25
Plan P999/17


6

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R56 Sektie
of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route	Vel Sheet 8 of 25 Plan P999/17
---	---------------------------------------	---	--------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route R56 Section	Vel Sheet 9 of 25	Plan P999/17
---	---------------------------------------	---	--	----------------------	--------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route R56	Vel Sheet 10 of 25 Plan P999/17
---	---------------------------------------	--	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route Section	Vel Sheet 11 of 25	6	Plan P999/17
---	---------------------------------------	---	-----------------------	---	--------------




Vel Sheet 12 of 25 Plan P999/17	6 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route	Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
---------------------------------------	--	---------------------------------------	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 of National Route R56	Vel Sheet 13 of 25 Plan P999/17	6 Seksie Section
---	---------------------------------------	---	---	---------------------------------------	------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R56 Sektie of National Route Section	Vel van Sheet 14 of 25 Plan P999/17
---	---------------------------------------	---	---



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	-32 623.93	3 483 492.71		R1	-32 600.21	3 483 507.11
L2	-32 680.28	3 483 557.46		R2	-32 614.76	3 483 530.89
L3	-32 769.34	3 483 638.37		R3	-32 654.52	3 483 581.27
L4	-32 846.91	3 483 686.29		R4	-32 672.65	3 483 597.92
L5	-32 911.48	3 483 717.56		R5	-32 733.71	3 483 653.26
L6	-32 986.86	3 483 747.20		R6	-32 748.18	3 483 666.45
L7	-33 455.31	3 483 924.15		R7	-32 830.04	3 483 717.01
L8	-33 603.53	3 483 965.72		R8	-32 897.43	3 483 749.65
L9	-33 683.28	3 483 971.69		R9	-32 974.35	3 483 779.92
L10	-33 790.92	3 483 957.19		R10	-33 457.47	3 483 962.38
L11	-33 845.90	3 483 942.10		R11	-33 597.96	3 483 997.39
L12	-33 906.69	3 483 925.42		R12	-33 684.31	3 484 003.68
L13	-33 982.27	3 483 886.54		R13	-33 766.47	3 483 998.32
L14	-34 063.38	3 483 828.60		R14	-33 791.39	3 483 992.12
L15	-34 119.09	3 483 772.93		R15	-33 855.58	3 483 976.16
L16	-34 229.57	3 483 650.19		R16	-33 920.02	3 483 952.34
L17	-34 333.27	3 483 534.94		R17	-33 996.80	3 483 912.90
L18	-34 386.12	3 483 476.27		R18	-34 082.16	3 483 856.34
L19	-34 589.11	3 483 250.92		R19	-34 114.26	3 483 820.51
L20	-34 614.33	3 483 204.66		R20	-34 136.53	3 483 796.83
L21	-34 618.74	3 483 199.50		R21	-34 493.81	3 483 400.93
L22	-34 632.35	3 483 183.96		R22	-34 627.31	3 483 253.10
L23	-34 676.49	3 483 153.51		R23	-34 676.55	3 483 198.24
L24	-35 330.91	3 482 427.11		R24	-34 687.43	3 483 185.67
L25	-35 377.92	3 482 338.13		R25	-34 703.02	3 483 166.93
L26	-35 428.30	3 482 191.60		R26	-34 716.82	3 483 152.10
L27	-35 432.85	3 482 061.35		R27	-34 778.68	3 483 085.51
L28	-35 411.90	3 481 944.81		R28	-35 184.26	3 482 637.10
L29	-35 418.05	3 481 896.77		R29	-35 264.16	3 482 556.23
L30	-35 396.05	3 481 776.26		R30	-35 315.98	3 482 499.60
L31	-35 397.88	3 481 688.80		R31	-35 337.15	3 482 466.52
L32	-35 416.46	3 481 602.90		R32	-35 363.58	3 482 431.80
L33	-35 441.47	3 481 522.09		R33	-35 414.68	3 482 343.13
L34	-35 477.39	3 481 444.52		R34	-35 440.75	3 482 271.55
L35	-35 518.54	3 481 352.81		R35	-35 451.47	3 482 232.65
L36	-35 584.59	3 481 222.26		R36	-35 460.49	3 482 199.69
L37	-35 639.55	3 481 057.85		R37	-35 472.20	3 482 106.52
L38	-35 676.02	3 480 935.65		R38	-35 470.58	3 481 979.26
L39	-35 719.53	3 480 800.42		R39	-35 468.36	3 481 971.16
L40	-35 750.16	3 480 736.03		R40	-35 455.17	3 481 923.04
L41	-35 893.56	3 480 452.63		R41	-35 450.53	3 481 906.08
L42	-35 937.09	3 480 366.61		R42	-35 430.96	3 481 774.50
L43	-35 984.57	3 480 286.38		R43	-35 430.39	3 481 728.64
L44	-36 036.99	3 480 220.78		R44	-35 442.94	3 481 627.09
L45	-36 102.41	3 480 144.80		R45	-35 469.70	3 481 540.09
L46	-36 127.84	3 480 127.42		R46	-35 504.50	3 481 457.91
L47	-36 145.43	3 480 118.10		R47	-35 554.64	3 481 369.74
L48	-36 163.41	3 480 103.12		R48	-35 601.12	3 481 277.64
L49	-36 166.65	3 480 100.90		R49	-35 654.90	3 481 160.11
L50	-36 255.41	3 480 061.07		R50	-35 685.22	3 481 069.92
L51	-36 351.59	3 480 030.11		R51	-35 748.82	3 480 873.71
				Vel Sheet	16 Van of	25 P999/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-36 445.69	3	480	016.33	R52	-35 833.53	3	480	649.46
L53	-36 894.00	3	479	981.10	R53	-35 923.55	3	480	464.50
L54	-37 265.28	3	479	953.25	R54	-35 967.86	3	480	373.45
L55	-37 669.64	3	479	923.40	R55	-36 007.62	3	480	305.30
L56	-37 800.19	3	479	916.37	R56	-36 064.30	3	480	241.59
L57	-38 745.58	3	479	842.75	R57	-36 114.47	3	480	204.47
L58	-39 444.96	3	479	788.29	R58	-36 134.46	3	480	190.26
L59	-39 802.59	3	479	759.29	R59	-36 146.70	3	480	182.43
L60	-39 873.17	3	479	754.05	R60	-36 161.05	3	480	171.35
L61	-40 159.42	3	479	732.79	R61	-36 196.85	3	480	145.90
L62	-40 369.35	3	479	716.83	R62	-36 266.39	3	480	094.31
L63	-40 377.48	3	479	716.21	R63	-36 356.93	3	480	064.73
L64	-40 410.58	3	479	713.69	R64	-36 448.10	3	480	051.19
L65	-40 740.89	3	479	687.49	R65	-36 757.84	3	480	027.14
L66	-40 917.13	3	479	665.89	R66	-36 978.42	3	480	014.65
L67	-41 266.02	3	479	581.82	R67	-37 172.78	3	479	999.92
L68	-41 572.04	3	479	514.02	R68	-37 258.61	3	479	988.60
L69	-41 620.60	3	479	503.14	R69	-37 800.96	3	479	945.66
L70	-41 814.70	3	479	459.33	R70	-37 856.17	3	479	941.99
L71	-41 897.49	3	479	445.24	R71	-38 257.67	3	479	910.74
L72	-42 376.46	3	479	335.64	R72	-38 754.58	3	479	872.03
L73	-43 507.30	3	479	076.87	R73	-39 656.88	3	479	801.73
L74	-43 913.60	3	478	978.63	R74	-39 879.96	3	479	784.64
L75	-43 977.62	3	478	960.89	R75	-39 945.16	3	479	779.64
L76	-44 065.26	3	478	932.06	R76	-40 300.03	3	479	751.36
L77	-44 152.55	3	478	885.90	R77	-40 371.42	3	479	745.70
L78	-44 230.58	3	478	833.10	R78	-40 391.80	3	479	744.09
L79	-44 283.73	3	478	789.13	R79	-40 415.10	3	479	742.24
L80	-44 302.27	3	478	773.80	R80	-40 430.02	3	479	739.19
L81	-44 430.43	3	478	640.99	R81	-40 742.22	3	479	717.51
L82	-44 485.84	3	478	575.95	R82	-40 922.50	3	479	695.36
L83	-44 618.70	3	478	436.53	R83	-41 031.91	3	479	679.18
L84	-44 679.72	3	478	379.75	R84	-41 267.95	3	479	623.35
L85	-44 858.29	3	478	193.04	R85	-41 569.66	3	479	556.03
L86	-44 923.14	3	478	130.65	R86	-41 649.80	3	479	539.44
L87	-45 002.50	3	478	069.82	R87	-41 667.73	3	479	535.46
L88	-45 086.93	3	478	018.71	R88	-41 715.90	3	479	524.67
L89	-45 180.49	3	477	975.73	R89	-41 824.22	3	479	497.68
L90	-45 260.85	3	477	948.54	R90	-41 905.46	3	479	473.83
L91	-45 374.58	3	477	922.58	R91	-42 376.25	3	479	366.04
L92	-45 874.00	3	477	892.69	R92	-42 443.99	3	479	350.53
L93	-46 336.75	3	477	868.66	R93	-42 472.90	3	479	359.45
L94	-46 430.51	3	477	859.26	R94	-42 499.42	3	479	353.16
L95	-46 521.72	3	477	839.55	R95	-42 538.96	3	479	328.50
L96	-46 613.64	3	477	809.27	R96	-42 942.79	3	479	236.51
L97	-46 703.17	3	477	769.73	R97	-43 512.29	3	479	106.44
L98	-46 782.20	3	477	721.57	R98	-43 695.07	3	479	068.60
L99	-46 855.04	3	477	666.52	R99	-43 922.22	3	479	012.40
L100	-47 160.29	3	477	413.36	R100	-43 989.37	3	478	993.55
L101	-47 206.60	3	477	377.92	R101	-44 068.34	3	478	967.11
L102	-47 254.38	3	477	345.43	R102	-44 171.28	3	478	914.59
					Vel 17 Van 25 Sheet of P999/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L103	-47 353.46	3 477 289.60		R103	-44 251.82	3 478 861.21			
L104	-47 875.10	3 477 023.91		R104	-44 325.60	3 478 799.27			
L105	-47 914.16	3 477 005.85		R105	-44 329.73	3 478 795.05			
L106	-47 971.31	3 476 979.42		R106	-44 416.42	3 478 706.36			
L107	-48 062.77	3 476 948.68		R107	-44 415.45	3 478 697.55			
L108	-48 161.65	3 476 927.45		R108	-44 646.46	3 478 465.39			
L109	-48 250.25	3 476 917.89		R109	-44 943.79	3 478 152.46			
L110	-48 340.07	3 476 916.78		R110	-45 026.92	3 478 087.86			
L111	-48 435.29	3 476 921.25		R111	-45 105.60	3 478 042.30			
L112	-48 950.78	3 476 945.47		R112	-45 194.73	3 478 002.04			
L113	-49 046.30	3 476 941.77		R113	-45 269.22	3 477 976.94			
L114	-49 152.41	3 476 928.32		R114	-45 373.10	3 477 952.50			
L115	-49 193.62	3 476 920.84		R115	-45 545.17	3 477 939.26			
L116	-49 288.39	3 476 901.80		R116	-46 195.68	3 477 905.84			
L117	-50 016.95	3 476 755.47		R117	-46 340.63	3 477 898.48			
L118	-50 024.75	3 476 754.05		R118	-46 433.44	3 477 888.99			
L119	-50 270.26	3 476 709.40		R119	-46 528.59	3 477 868.59			
L120	-50 362.98	3 476 707.25		R120	-46 625.40	3 477 836.24			
L121	-50 383.31	3 476 706.78		R121	-46 658.44	3 477 823.31			
L122	-50 795.06	3 476 697.25		R122	-46 730.98	3 477 788.13			
L123	-50 895.81	3 476 698.83		R123	-46 750.20	3 477 778.34			
L124	-50 963.14	3 476 707.83		R124	-46 797.99	3 477 747.08			
L125	-50 982.66	3 476 710.44		R125	-46 873.37	3 477 690.24			
L126	-50 999.38	3 476 713.81		R126	-47 043.05	3 477 549.20			
L127	-51 004.20	3 476 701.63		R127	-47 183.10	3 477 440.02			
L128	-51 238.55	3 476 796.16		R128	-47 222.83	3 477 412.20			
L129	-51 289.63	3 476 810.06		R129	-47 367.80	3 477 321.56			
L130	-51 307.10	3 476 814.81		R130	-47 524.57	3 477 236.17			
L131	-51 329.34	3 476 820.86		R131	-47 886.02	3 477 051.46			
L132	-51 345.38	3 476 825.22		R132	-47 923.43	3 477 034.27			
L133	-51 426.80	3 476 834.50		R133	-47 984.95	3 477 006.00			
L134	-51 466.10	3 476 834.32		R134	-48 073.15	3 476 976.56			
L135	-51 497.02	3 476 832.61		R135	-48 168.30	3 476 960.52			
L136	-51 568.99	3 476 824.10		R136	-48 262.55	3 476 946.63			
L137	-51 609.17	3 476 819.35		R137	-48 363.19	3 476 947.83			
L138	-51 981.59	3 476 771.11		R138	-48 435.05	3 476 951.29			
L139	-52 111.32	3 476 754.25		R139	-48 849.91	3 476 971.00			
L140	-52 136.98	3 476 748.05		R140	-48 949.28	3 476 975.15			
L141	-52 232.19	3 476 722.77		R141	-49 047.46	3 476 970.80			
L142	-52 276.89	3 476 707.97		R142	-49 144.40	3 476 959.29			
L143	-52 771.64	3 476 549.85		R143	-49 198.36	3 476 946.73			
L144	-52 800.81	3 476 542.47		R144	-49 290.12	3 476 930.87			
L145	-52 838.02	3 476 534.68		R145	-50 026.65	3 476 782.83			
L146	-52 873.71	3 476 528.84		R146	-50 165.53	3 476 755.45			
L147	-53 506.94	3 476 466.70		R147	-50 214.77	3 476 749.14			
L148	-53 610.06	3 476 453.78		R148	-50 311.47	3 476 736.74			
L149	-53 702.91	3 476 433.48		R149	-50 337.53	3 476 736.15			
L150	-53 782.74	3 476 408.23		R150	-50 393.95	3 476 734.90			
L151	-53 850.01	3 476 381.45		R151	-50 795.52	3 476 725.92			
L152	-53 925.84	3 476 342.39		R152	-50 894.52	3 476 727.82			
L153	-53 934.76	3 476 337.43		R153	-50 988.27	3 476 740.63			
					Vel Sheet	18	Van of	25	P999/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L154	-54 013.57	3	476 293.64		R154	-51 081.77	3	476 766.09	
L155	-54 113.22	3	476 234.04		R155	-51 246.62	3	476 828.92	
L156	-54 240.15	3	476 167.47		R156	-51 277.81	3	476 838.12	
L157	-54 349.37	3	476 106.47		R157	-51 281.35	3	476 839.13	
L158	-54 419.92	3	476 067.07		R158	-51 321.52	3	476 850.35	
L159	-54 530.16	3	476 000.85		R159	-51 424.29	3	476 864.05	
L160	-54 688.12	3	475 913.55		R160	-51 467.63	3	476 864.12	
L161	-54 739.26	3	475 882.13		R161	-51 499.59	3	476 862.67	
L162	-54 786.39	3	475 845.30		R162	-51 584.15	3	476 851.99	
L163	-54 840.37	3	475 795.36		R163	-51 999.75	3	476 799.31	
L164	-54 842.24	3	475 791.93		R164	-52 140.82	3	476 777.69	
L165	-54 864.07	3	475 751.96		R165	-52 269.64	3	476 743.00	
L166	-54 883.51	3	475 696.19		R166	-52 583.01	3	476 640.84	
L167	-54 935.48	3	475 609.22		R167	-52 748.60	3	476 587.38	
L168	-54 960.52	3	475 442.23		R168	-52 751.61	3	476 585.76	
L169	-54 973.09	3	475 381.55		R169	-52 756.85	3	476 585.24	
L170	-54 988.62	3	475 330.75		R170	-52 851.69	3	476 566.13	
L171	-55 006.04	3	475 283.78		R171	-52 968.74	3	476 549.22	
L172	-55 043.42	3	475 221.22		R172	-53 415.58	3	476 505.77	
L173	-55 059.22	3	475 195.81		R173	-53 593.63	3	476 486.11	
L174	-55 068.75	3	475 182.33		R174	-53 623.15	3	476 481.71	
L175	-55 078.49	3	475 170.95		R175	-53 709.79	3	476 462.70	
L176	-55 092.30	3	475 154.81		R176	-53 798.78	3	476 434.54	
L177	-55 109.36	3	475 138.76		R177	-53 889.81	3	476 399.71	
L178	-55 146.53	3	475 103.80		R178	-53 965.26	3	476 357.51	
L179	-55 166.53	3	475 087.10		R179	-53 974.16	3	476 352.24	
L180	-55 213.27	3	475 050.17		R180	-54 040.59	3	476 312.88	
L181	-55 261.61	3	475 015.96		R181	-54 178.65	3	476 239.03	
L182	-55 315.92	3	474 989.59		R182	-54 253.04	3	476 194.45	
L183	-55 425.08	3	474 916.53		R183	-54 385.87	3	476 120.30	
L184	-55 503.41	3	474 856.74		R184	-54 438.62	3	476 090.86	
L185	-55 618.46	3	474 762.66		R185	-54 615.82	3	475 992.34	
L186	-55 681.44	3	474 708.72		R186	-54 772.19	3	475 901.75	
L187	-55 755.04	3	474 665.45		R187	-54 838.75	3	475 850.39	
L188	-55 842.79	3	474 625.11		R188	-54 841.18	3	475 847.58	
L189	-56 080.96	3	474 514.27		R189	-54 863.50	3	475 821.84	
L190	-56 097.07	3	474 500.50		R190	-54 920.00	3	475 742.79	
L191	-56 120.27	3	474 480.67		R191	-54 971.15	3	475 596.24	
L192	-56 150.83	3	474 462.86		R192	-54 976.94	3	475 536.60	
L193	-56 169.61	3	474 452.60		R193	-55 005.44	3	475 383.42	
L194	-56 227.02	3	474 437.32		R194	-55 017.45	3	475 338.30	
L195	-56 274.19	3	474 427.84		R195	-55 034.97	3	475 300.24	
L196	-56 348.54	3	474 390.53		R196	-55 063.28	3	475 246.99	
L197	-56 475.96	3	474 346.84		R197	-55 088.02	3	475 207.05	
L198	-56 517.92	3	474 324.00		R198	-55 120.28	3	475 175.42	
L199	-56 594.65	3	474 287.60		R199	-55 122.35	3	475 173.39	
L200	-56 611.35	3	474 281.59		R200	-55 130.29	3	475 166.42	
L201	-56 763.54	3	474 227.37		R201	-55 166.43	3	475 134.70	
L202	-56 837.74	3	474 195.05		R202	-55 310.51	3	475 044.43	
L203	-56 891.08	3	474 168.88		R203	-55 343.34	3	475 022.20	
L204	-57 072.20	3	474 068.10		R204	-55 447.05	3	474 963.96	
					Vel 19 Van 25 Sheet of P999/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L205	-57 104.25	3 474 048.93			R205	-55 504.26	3 474 900.68		
L206	-57 535.68	3 473 811.69			R206	-55 636.51	3 474 785.98		
L207	-57 620.85	3 473 765.18			R207	-55 697.37	3 474 734.11		
L208	-57 677.05	3 473 738.63			R208	-55 773.56	3 474 689.65		
L209	-57 733.83	3 473 719.03			R209	-55 952.69	3 474 606.94		
L210	-57 781.26	3 473 705.50			R210	-56 100.63	3 474 537.12		
L211	-57 818.59	3 473 694.91			R211	-56 107.50	3 474 534.15		
L212	-57 935.34	3 473 677.86			R212	-56 191.59	3 474 497.84		
L213	-57 955.72	3 473 676.65			R213	-56 226.79	3 474 486.84		
L214	-58 036.98	3 473 682.94			R214	-56 533.60	3 474 355.78		
L215	-58 118.46	3 473 679.07			R215	-56 591.77	3 474 346.72		
L216	-58 201.69	3 473 687.23			R216	-56 637.13	3 474 331.79		
L217	-58 276.61	3 473 686.84			R217	-56 781.94	3 474 265.18		
L218	-58 379.10	3 473 661.23			R218	-56 919.94	3 474 184.49		
L219	-58 468.32	3 473 610.04			R219	-57 553.81	3 473 835.53		
L220	-58 516.93	3 473 575.65			R220	-57 604.15	3 473 805.58		
L221	-58 558.16	3 473 532.65			R221	-57 665.58	3 473 778.12		
L222	-58 590.32	3 473 479.76			R222	-57 828.86	3 473 722.71		
L223	-58 635.95	3 473 421.56			R223	-57 952.47	3 473 723.95		
L224	-58 671.52	3 473 383.75			R224	-57 983.90	3 473 715.81		
L225	-58 760.16	3 473 322.06			R225	-58 020.83	3 473 712.73		
L226	-58 807.57	3 473 284.38			R226	-58 073.66	3 473 712.65		
L227	-58 864.54	3 473 265.88			R227	-58 195.75	3 473 716.75		
L228	-58 868.31	3 473 264.67			R228	-58 261.78	3 473 718.20		
L229	-58 923.22	3 473 255.16			R229	-58 312.90	3 473 712.94		
L230	-58 991.50	3 473 257.24			R230	-58 386.34	3 473 704.29		
L231	-59 021.40	3 473 254.95			R231	-58 405.73	3 473 698.15		
L232	-59 309.74	3 473 203.61			R232	-58 451.67	3 473 672.81		
L233	-59 390.28	3 473 184.53			R233	-58 505.48	3 473 635.39		
L234	-59 481.66	3 473 143.09			R234	-58 571.21	3 473 570.21		
L235	-59 485.13	3 473 140.59			R235	-58 619.49	3 473 520.31		
L236	-59 556.24	3 473 089.34			R236	-58 726.33	3 473 396.20		
L237	-59 623.12	3 473 020.58			R237	-58 769.81	3 473 353.33		
L238	-59 767.06	3 472 858.27			R238	-58 801.25	3 473 335.21		
L239	-59 847.81	3 472 769.29			R239	-58 898.81	3 473 306.88		
L240	-59 888.34	3 472 722.95			R240	-58 902.66	3 473 305.76		
L241	-60 075.89	3 472 507.61			R241	-59 091.69	3 473 283.09		
L242	-60 209.31	3 472 354.69			R242	-59 251.36	3 473 273.36		
L243	-60 262.58	3 472 274.46			R243	-59 336.83	3 473 254.39		
L244	-60 289.82	3 472 248.39			R244	-59 405.44	3 473 225.10		
L245	-60 333.40	3 472 216.46			R245	-59 490.83	3 473 174.24		
L246	-60 339.26	3 472 210.96			R246	-59 494.43	3 473 171.80		
L247	-60 396.51	3 472 136.44			R247	-59 552.01	3 473 132.77		
L248	-60 415.64	3 472 106.55			R248	-59 608.73	3 473 083.32		
L249	-60 433.98	3 472 084.52			R249	-59 725.95	3 472 950.78		
L250	-60 503.02	3 472 025.19			R250	-60 092.38	3 472 535.63		
L251	-60 561.67	3 471 954.79			R251	-60 232.23	3 472 374.91		
L252	-60 591.26	3 471 929.17			R252	-60 314.37	3 472 299.62		
L253	-60 628.61	3 471 906.30			R253	-60 354.18	3 472 239.36		
L254	-60 704.17	3 471 885.46			R254	-60 406.26	3 472 186.92		
L255	-60 784.71	3 471 858.29			R255	-60 484.20	3 472 118.87		
					Vel 20 Van 25 Sheet of P999/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	-60 881.49	3	471	838.51	R256	-60 556.72	3	472	015.08
L257	-60 965.55	3	471	832.30	R257	-60 613.32	3	471	972.50
L258	-61 011.38	3	471	837.43	R258	-60 686.53	3	471	924.75
L259	-61 058.98	3	471	847.77	R259	-60 772.36	3	471	892.13
L260	-61 061.54	3	471	848.33	R260	-60 847.19	3	471	875.53
L261	-61 144.40	3	471	868.27	R261	-60 912.15	3	471	867.04
L262	-61 184.43	3	471	882.30	R262	-60 960.69	3	471	869.46
L263	-61 222.91	3	471	899.05	R263	-61 051.15	3	471	876.32
L264	-61 728.80	3	472	209.16	R264	-61 053.56	3	471	876.50
L265	-61 884.08	3	472	297.38	R265	-61 135.40	3	471	898.10
L266	-61 934.61	3	472	326.39	R266	-61 171.92	3	471	912.10
L267	-61 990.89	3	472	349.84	R267	-61 207.62	3	471	928.10
L268	-62 026.53	3	472	361.33	R268	-61 251.52	3	471	953.02
L269	-62 095.36	3	472	379.83	R269	-61 559.11	3	472	140.56
L270	-62 179.62	3	472	394.13	R270	-61 806.74	3	472	306.94
L271	-62 342.03	3	472	388.86	R271	-61 864.84	3	472	339.89
L272	-62 412.41	3	472	380.65	R272	-61 938.99	3	472	367.36
L273	-62 471.58	3	472	370.73	R273	-62 036.42	3	472	397.65
L274	-62 527.87	3	472	352.44	R274	-62 096.92	3	472	413.09
L275	-62 573.86	3	472	334.03	R275	-62 136.06	3	472	420.11
L276	-62 613.90	3	472	315.62	R276	-62 268.38	3	472	442.64
L277	-62 718.75	3	472	260.44	R277	-62 334.96	3	472	436.91
L278	-63 183.05	3	472	016.10	R278	-62 479.26	3	472	400.51
L279	-63 309.26	3	471	943.98	R279	-62 533.07	3	472	384.26
L280	-63 466.61	3	471	866.72	R280	-62 551.12	3	472	378.11
L281	-63 493.58	3	471	847.95	R281	-62 578.21	3	472	366.51
L282	-63 540.04	3	471	814.95	R282	-62 628.77	3	472	343.72
L283	-63 581.81	3	471	787.57	R283	-62 631.07	3	472	342.72
L284	-63 679.29	3	471	754.31	R284	-62 711.59	3	472	301.89
L285	-63 929.12	3	471	629.77	R285	-62 782.67	3	472	260.88
L286	-64 108.14	3	471	586.21	R286	-62 932.73	3	472	182.00
L287	-64 154.43	3	471	570.97	R287	-63 008.65	3	472	143.31
L288	-64 198.49	3	471	554.02	R288	-63 140.20	3	472	072.88
L289	-64 256.35	3	471	537.61	R289	-63 229.16	3	472	032.91
L290	-64 291.26	3	471	534.12	R290	-63 361.22	3	471	964.24
L291	-64 366.54	3	471	530.10	R291	-63 499.92	3	471	886.06
L292	-64 442.72	3	471	516.06	R292	-63 532.63	3	471	866.37
L293	-64 495.32	3	471	509.64	R293	-63 588.66	3	471	841.73
L294	-64 576.38	3	471	509.69	R294	-63 725.04	3	471	765.45
L295	-64 647.71	3	471	528.94	R295	-63 778.51	3	471	737.86
L296	-64 697.57	3	471	542.40	R296	-63 919.82	3	471	671.88
L297	-64 805.90	3	471	581.52	R297	-63 976.53	3	471	654.57
L298	-64 860.34	3	471	606.60	R298	-64 047.64	3	471	643.49
L299	-64 911.66	3	471	638.62	R299	-64 116.26	3	471	622.87
L300	-64 953.71	3	471	661.85	R300	-64 163.05	3	471	606.08
L301	-65 029.36	3	471	699.63	R301	-64 197.82	3	471	596.78
L302	-65 113.56	3	471	745.70	R302	-64 232.62	3	471	588.71
L303	-65 197.02	3	471	793.34	R303	-64 314.70	3	471	570.96
L304	-65 257.15	3	471	833.09	R304	-64 361.89	3	471	561.77
L305	-65 418.03	3	471	923.28	R305	-64 397.53	3	471	557.74
L306	-65 461.41	3	471	944.14	R306	-64 445.63	3	471	557.90
					Vel 21 Van of 25 P999/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L307	-65 587.41	3 471 984.69			R307	-64 536.30	3 471 566.73		
L308	-65 649.41	3 472 003.35			R308	-64 561.97	3 471 567.45		
L309	-65 697.74	3 472 017.78			R309	-64 666.29	3 471 570.37		
L310	-65 789.49	3 472 022.53			R310	-64 726.38	3 471 588.93		
L311	-66 073.93	3 472 031.22			R311	-64 796.31	3 471 615.24		
L312	-66 432.22	3 472 040.00			R312	-64 872.52	3 471 650.59		
L313	-66 512.18	3 472 040.51			R313	-64 939.57	3 471 689.20		
L314	-66 574.08	3 472 031.94			R314	-65 005.76	3 471 734.83		
L315	-66 672.22	3 472 040.19			R315	-65 237.59	3 471 862.30		
L316	-66 726.88	3 472 035.50			R316	-65 433.41	3 471 966.55		
L317	-66 803.65	3 472 047.81			R317	-65 528.18	3 472 017.91		
L318	-66 876.78	3 472 075.39			R318	-65 588.50	3 472 035.66		
L319	-66 912.12	3 472 096.53			R319	-65 636.02	3 472 042.93		
L320	-66 943.53	3 472 107.62			R320	-65 700.11	3 472 052.32		
L321	-67 016.45	3 472 160.50			R321	-65 731.93	3 472 054.32		
L322	-67 046.68	3 472 188.21			R322	-65 784.56	3 472 057.42		
L323	-67 150.20	3 472 258.77			R323	-65 854.41	3 472 057.72		
L324	-67 260.58	3 472 334.01			R324	-66 352.72	3 472 068.42		
L325	-67 314.04	3 472 356.23			R325	-66 628.99	3 472 077.91		
L326	-67 386.28	3 472 380.85			R326	-66 748.91	3 472 082.34		
L327	-67 435.61	3 472 395.71			R327	-66 787.53	3 472 090.97		
L328	-67 519.85	3 472 399.87			R328	-66 842.34	3 472 107.31		
L329	-67 598.28	3 472 392.98			R329	-66 893.81	3 472 129.19		
L330	-67 777.95	3 472 373.34			R330	-66 938.92	3 472 162.00		
L331	-67 860.39	3 472 373.50			R331	-67 027.70	3 472 209.44		
L332	-67 902.79	3 472 378.92			R332	-67 131.37	3 472 283.98		
L333	-67 994.68	3 472 398.00			R333	-67 244.12	3 472 362.05		
L334	-68 036.57	3 472 420.71			R334	-67 299.44	3 472 390.33		
L335	-68 092.04	3 472 451.38			R335	-67 377.69	3 472 416.07		
L336	-68 166.71	3 472 509.98			R336	-67 438.36	3 472 427.53		
L337	-68 413.38	3 472 703.58			R337	-67 500.51	3 472 431.77		
L338	-68 429.98	3 472 715.04			R338	-67 562.72	3 472 427.87		
L339	-68 490.52	3 472 751.88			R339	-67 756.05	3 472 406.28		
L340	-68 579.06	3 472 794.11			R340	-67 779.90	3 472 404.00		
L341	-68 710.67	3 472 837.60			R341	-67 818.81	3 472 402.62		
L342	-68 940.38	3 472 907.38			R342	-67 857.29	3 472 404.64		
L343	-69 074.80	3 472 946.20			R343	-67 876.77	3 472 406.97		
L344	-69 187.95	3 472 982.69			R344	-67 906.50	3 472 411.73		
L345	-69 529.49	3 473 085.54			R345	-67 935.10	3 472 417.91		
L346	-69 588.50	3 473 097.50			R346	-68 027.15	3 472 450.01		
L347	-69 647.87	3 473 117.32			R347	-68 092.76	3 472 488.74		
L348	-69 702.28	3 473 139.57			R348	-68 139.15	3 472 525.71		
L349	-69 808.59	3 473 174.18			R349	-68 291.92	3 472 647.46		
L350	-69 813.41	3 473 175.68			R350	-68 397.81	3 472 730.55		
L351	-70 144.72	3 473 278.90			R351	-68 444.57	3 472 761.15		
L352	-70 430.26	3 473 365.02			R352	-68 493.67	3 472 788.96		
L353	-70 524.26	3 473 390.23			R353	-68 548.66	3 472 814.77		
L354	-70 572.39	3 473 397.82			R354	-68 606.26	3 472 837.27		
L355	-70 706.23	3 473 403.15			R355	-68 706.77	3 472 868.66		
L356	-70 946.17	3 473 363.41			R356	-68 780.34	3 472 895.59		
L357	-71 053.55	3 473 339.75			R357	-68 935.61	3 472 938.68		
					Vel 22 Van of 25 P999/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L358	-71 121.87	3	473	313.46	R358	-69 046.99	3	472	977.67
L359	-71 196.36	3	473	272.53	R359	-69 096.91	3	472	994.38
L360	-71 264.69	3	473	220.99	R360	-69 191.06	3	473	016.60
L361	-71 436.23	3	473	048.76	R361	-69 354.11	3	473	067.10
L362	-71 501.12	3	472	983.61	R362	-69 669.24	3	473	166.41
L363	-71 650.58	3	472	838.38	R363	-69 804.67	3	473	204.38
L364	-71 708.65	3	472	775.15	R364	-69 811.00	3	473	206.54
L365	-71 754.11	3	472	734.24	R365	-69 839.31	3	473	216.20
L366	-71 804.68	3	472	699.77	R366	-70 136.92	3	473	310.03
L367	-71 860.79	3	472	673.39	R367	-70 324.83	3	473	370.55
L368	-71 938.67	3	472	643.25	R368	-70 412.10	3	473	393.27
L369	-71 997.44	3	472	627.99	R369	-70 587.95	3	473	437.35
L370	-72 057.40	3	472	619.54	R370	-70 700.92	3	473	438.80
L371	-72 117.84	3	472	619.11	R371	-71 024.93	3	473	380.82
L372	-72 122.04	3	472	619.08	R372	-71 151.67	3	473	338.53
L373	-72 153.29	3	472	623.47	R373	-71 262.54	3	473	262.99
L374	-72 192.09	3	472	629.75	R374	-71 460.30	3	473	079.25
L375	-72 272.36	3	472	659.70	R375	-71 529.14	3	473	015.75
L376	-72 345.88	3	472	702.18	R376	-71 593.35	3	472	940.09
L377	-72 405.21	3	472	745.33	R377	-71 740.53	3	472	793.18
L378	-72 446.25	3	472	783.22	R378	-71 820.66	3	472	730.50
L379	-72 476.83	3	472	807.27	R379	-71 875.94	3	472	702.34
L380	-72 688.64	3	472	966.01	R380	-71 895.18	3	472	694.03
L381	-72 709.18	3	472	982.88	R381	-71 958.15	3	472	676.83
L382	-72 759.06	3	473	033.24	R382	-72 018.59	3	472	669.42
L383	-72 873.78	3	473	125.24	R383	-72 079.24	3	472	669.86
L384	-72 971.15	3	473	200.18	R384	-72 081.39	3	472	668.51
L385	-73 081.58	3	473	293.84	R385	-72 115.04	3	472	678.17
L386	-73 272.87	3	473	444.62	R386	-72 204.20	3	472	694.62
L387	-73 273.77	3	473	445.33	R387	-72 272.08	3	472	718.35
L388	-73 484.04	3	473	613.61	R388	-72 406.96	3	472	795.28
L389	-73 589.41	3	473	695.57	R389	-72 457.06	3	472	830.17
L390	-73 935.11	3	473	972.95	R390	-72 542.97	3	472	899.60
L391	-73 957.26	3	473	990.42	R391	-72 649.68	3	472	996.41
L392	-74 366.34	3	474	263.67	R392	-72 682.37	3	473	021.04
L393	-74 449.98	3	474	281.51	R393	-72 950.26	3	473	225.65
L394	-74 679.74	3	474	305.45	R394	-73 047.27	3	473	300.68
L395	-74 970.22	3	474	334.80	R395	-73 253.85	3	473	466.36
L396	-75 066.68	3	474	343.67	R396	-73 743.31	3	473	861.73
L397	-75 127.15	3	474	345.81	R397	-73 938.44	3	474	015.50
L398	-75 175.43	3	474	340.90	R398	-74 134.18	3	474	175.56
L399	-75 235.02	3	474	326.02	R399	-74 210.12	3	474	232.28
L400	-75 321.24	3	474	274.82	R400	-74 344.65	3	474	292.70
L401	-75 370.33	3	474	241.59	R401	-74 428.56	3	474	313.10
L402	-75 423.90	3	474	194.56	R402	-74 673.12	3	474	333.35
L403	-75 451.79	3	474	140.92	R403	-74 965.18	3	474	369.78
L404	-75 486.44	3	474	093.17	R404	-75 106.93	3	474	381.95
L405	-75 556.89	3	473	972.35	R405	-75 177.54	3	474	375.37
L406	-75 585.77	3	473	919.77	R406	-75 271.00	3	474	375.86
L407	-75 601.23	3	473	891.95	R407	-75 295.87	3	474	365.98
L408	-75 646.77	3	473	814.99	R408	-75 341.11	3	474	324.69
					Vel 23 Van 25 Sheet of P999/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L409	-75 691.97	3 473 746.80			R409	-75 374.82	3 474 303.51		
L410	-75 733.09	3 473 701.90			R410	-75 400.42	3 474 277.60		
L411	-75 776.78	3 473 658.60			R411	-75 490.52	3 474 165.15		
L412	-75 805.65	3 473 636.43			R412	-75 519.76	3 474 109.51		
L413	-75 844.40	3 473 607.95			R413	-75 544.30	3 474 057.40		
L414	-75 909.13	3 473 568.14			R414	-75 585.13	3 473 988.58		
L415	-75 950.61	3 473 541.01			R415	-75 627.78	3 473 905.87		
L416	-75 981.78	3 473 523.96			R416	-75 674.63	3 473 833.94		
L417	-76 046.81	3 473 495.56			R417	-75 702.69	3 473 793.56		
L418	-76 070.61	3 473 486.08			R418	-75 733.83	3 473 756.72		
L419	-76 150.46	3 473 461.12			R419	-75 766.44	3 473 721.25		
L420	-76 389.57	3 473 369.86			R420	-75 799.87	3 473 687.37		
L421	-76 427.14	3 473 352.24			R421	-75 864.93	3 473 633.81		
L422	-76 729.14	3 473 239.16			R422	-75 915.66	3 473 598.98		
L423	-76 793.81	3 473 214.13			R423	-75 927.26	3 473 592.32		
L424	-76 868.49	3 473 162.52			R424	-75 998.72	3 473 560.41		
L425	-76 873.69	3 473 158.93			R425	-76 116.16	3 473 523.27		
L426	-76 918.89	3 473 101.27			R426	-76 182.85	3 473 484.54		
L427	-76 949.21	3 473 036.04			R427	-76 550.02	3 473 341.56		
L428	-77 008.28	3 472 892.90			R428	-76 727.55	3 473 273.65		
L429	-77 025.03	3 472 852.56			R429	-76 818.29	3 473 235.81		
L430	-77 177.50	3 472 485.36			R430	-76 880.28	3 473 194.72		
L431	-77 184.90	3 472 457.02			R431	-76 902.34	3 473 174.07		
L432	-77 205.87	3 472 393.11			R432	-76 935.23	3 473 132.64		
L433	-77 249.73	3 472 297.00			R433	-76 953.05	3 473 101.06		
L434	-77 302.65	3 472 171.05			R434	-77 045.29	3 472 880.41		
L435	-77 324.67	3 472 128.45			R435	-77 154.22	3 472 619.86		
L436	-77 362.16	3 472 066.83			R436	-77 209.45	3 472 491.70		
L437	-77 391.71	3 472 037.90			R437	-77 252.40	3 472 414.46		
L438	-77 410.94	3 472 014.56			R438	-77 291.41	3 472 321.77		
L439	-77 425.40	3 471 994.66			R439	-77 324.54	3 472 224.66		
L440	-77 504.75	3 471 894.52			R440	-77 338.93	3 472 192.64		
L441	-77 608.43	3 471 761.05			R441	-77 382.63	3 472 106.37		
L442	-77 663.62	3 471 680.92			R442	-77 414.96	3 472 057.10		
L443	-77 717.08	3 471 616.00			R443	-77 557.08	3 471 875.98		
L444	-77 772.47	3 471 537.60			R444	-77 669.58	3 471 736.37		
L445	-77 824.14	3 471 471.41			R445	-77 809.87	3 471 556.01		
L446	-77 872.04	3 471 415.94			R446	-77 863.68	3 471 488.94		
L447	-77 885.22	3 471 402.26			R447	-77 936.97	3 471 405.44		
L448	-77 948.08	3 471 337.04			R448	-77 948.25	3 471 392.59		
L449	-77 959.65	3 471 328.38			R449	-77 984.26	3 471 359.12		
L450	-77 992.05	3 471 304.13			R450	-77 984.95	3 471 358.68		
L451	-78 047.63	3 471 280.91			R451	-78 019.63	3 471 336.58		
L452	-78 126.67	3 471 253.38			R452	-78 060.24	3 471 314.14		
L453	-78 138.98	3 471 249.60			R453	-78 105.51	3 471 298.61		
L454	-78 183.96	3 471 235.81			R454	-78 139.05	3 471 287.11		
L455	-78 240.35	3 471 213.27			R455	-78 255.27	3 471 238.59		
L456	-78 305.68	3 471 172.51			R456	-78 314.52	3 471 200.96		
L457	-78 335.37	3 471 147.81			R457	-78 355.60	3 471 169.64		
L458	-78 362.85	3 471 120.55			R458	-78 384.11	3 471 141.05		
L459	-78 387.78	3 471 090.83			R459	-78 410.65	3 471 110.87		
					Vel 24 Van of 25 P999/17				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L460	-78 409.57	3	471	058.78	R460	-78 434.78	3	471	077.46
L461	-78 428.99	3	471	025.43	R461	-78 456.73	3	471	035.23
L462	-78 456.46	3	470	961.87	R462	-78 483.15	3	470	972.70
L463	-78 490.38	3	470	870.94	R463	-78 559.23	3	470	778.92
L464	-78 605.91	3	470	566.01	R464	-78 610.87	3	470	641.71
L465	-78 797.05	3	470	061.22	R465	-78 631.58	3	470	583.17
L466	-78 830.95	3	469	971.72	R466	-78 672.19	3	470	480.52
L467	-78 860.16	3	469	905.55	R467	-78 681.26	3	470	455.70
L468	-78 880.43	3	469	868.92	R468	-78 692.91	3	470	424.10
L469	-78 898.07	3	469	825.88	R469	-78 748.27	3	470	278.68
L470	-78 919.72	3	469	803.34	R470	-78 783.92	3	470	172.21
L471	-78 960.74	3	469	760.62	R471	-78 816.25	3	470	092.78
L472	-79 328.28	3	469	333.90	R472	-78 829.52	3	470	058.41
L473	-79 349.18	3	469	305.08	R473	-78 860.25	3	469	978.81
L474	-79 404.50	3	469	243.29	R474	-78 879.32	3	469	934.77
L475	-79 545.34	3	469	078.71	R475	-78 907.71	3	469	881.83
L476	-79 883.68	3	468	683.39	R476	-78 927.35	3	469	851.75
L477	-79 934.06	3	468	647.37	R477	-78 960.59	3	469	808.71
L478	-80 097.78	3	468	568.04	R478	-79 333.00	3	469	373.10
L479	-80 230.01	3	468	517.88	R479	-79 428.58	3	469	261.31
L480	-80 322.92	3	468	491.15	R480	-79 467.52	3	469	211.70
L481	-80 435.96	3	468	456.60	R481	-79 567.08	3	469	095.57
					R482	-79 629.37	3	469	026.60
					R483	-79 832.05	3	468	789.77
					R484	-79 924.71	3	468	701.11
					R485	-79 944.85	3	468	687.58
					R486	-79 989.06	3	468	661.94
					R487	-80 028.80	3	468	650.22
					R488	-80 092.39	3	468	631.47
					R489	-80 198.93	3	468	600.33
					R490	-80 256.45	3	468	576.16
					R491	-80 348.86	3	468	534.23
					R492	-80 447.57	3	468	489.42