

DEPARTMENT OF TRANSPORT

NO. 992

5 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R58 SECTION 5

AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph B(V) of the Schedule, being the descriptive declaration of the route from Lady Grey up to Barkley East, with the accompanying sheets 1 to 31 of Plan No. P1153/19.

In the town of Barkley East the R58 Section 5 enters the town from the west and follows the street known as Molteno Street up to its intersection with the street known as De Villiers Street, at time of declaration.

(National Road R58 Section 5: Lady Grey – Barkley East)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 992

5 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R58 SEKSIE 5

WYSIGING VAN VERKLARING No. 305 VAN 2012.

Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf B(V) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf Lady Grey tot by Barkley Oos, met bygaande velle 1 tot 31 van Plan No. P1153/19.

In die dorp Barkley Oos kom die R58 Seksie 5 die dorp binne van uit die weste en volg dan die straat bekend as Moltenostrat tot by die interseksie met die straat bekend as De Vielliersstraat, tydens datum van verklaring.

(Nasionale Pad R58 Seksie 5: Lady Grey – Barkley Oos)
MINISTER VAN VERVOER

CONTINUES ON PAGE 130 OF BOOK 2

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 676

5

October
Oktober

2021

No. 45252

PART 2 OF 2

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845




9 771682 584003




4 5 2 5 2





AIDS HELPLINE: 0800-0123-22 Prevention is the cure







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route 5	Vel Sheet 2 of 31 Plan P1153/19
---	---------------------------------------	--	------------------------------------






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route 5	Vel Sheet 4 of 31 Plan P1153/19
---	---------------------------------------	---	---	--






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route	5	Vel Sheet 6 of 31	Plan P1153/19
---	---------------------------------------	--	---	---	----------------------	---------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 Sektie of National Route R58 Section	Vel Sheet 7 of 31 Plan P1153/19
---	---------------------------------------	--	---------------------------------------




Vel
Sheet 8 of 31
Plan P1153/19

steidie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R58 Sektie
of National Route Section 5




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 Sektie 5 of National Route	Vel Sheet 9 of 31 Plan P1153/19
---	---------------------------------------	--	------------------------------------



Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route	5	Val Sheet 10 of 31
The South African National Roads Agency SOC Ltd	The figure shown				Plan P1153/19




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route	Vel Sheet 11 of 31 Plan P1153/19
---	---------------------------------------	--	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route	Vel Sheet	12 of	31
The South African National Roads Agency SOC Ltd	The figure shown			5	Plan	P1153/19







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route	Vel Sheet 14 of 31 Plan P1153/19
---	---------------------------------------	---	---	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route	5	Vel Sheet 15 of 31 Plan P1153/19
---	---------------------------------------	---	---	---	--




Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route	Vel Sheet	16 of	31
The South African National Roads Agency SOC Ltd	The figure shown			5	Plan	P1153/19



Die Suid Afrikaanse Nasionale Padagentskap USB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	van 17 of	31
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete of National Route	R58 Seksie Section	5	Plan



Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 Seksie of National Route Section 5	Vel Sheet 18 of 31 Plan P1153/19
---	---------------------------------------	---	--



Die Suid Afrikaanse Nasionale Podagentskap WSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route	5	Val Sheet 19 of 31
The South African National Roads Agency SOC Ltd	The figure shown				Plan P1153/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	-17 538.72	3 399 520.62		R1	-17 510.38	3 399 553.13
L2	-17 550.29	3 399 533.05		R2	-17 616.37	3 399 689.96
L3	-17 541.96	3 399 550.98		R3	-17 627.28	3 399 704.05
L4	-17 660.53	3 399 684.09		R4	-17 682.96	3 399 805.43
L5	-17 669.22	3 399 698.22		R5	-17 733.43	3 399 921.92
L6	-17 710.54	3 399 772.62		R6	-17 755.45	3 400 035.48
L7	-17 716.83	3 399 788.87		R7	-17 811.18	3 400 815.06
L8	-17 758.68	3 399 914.15		R8	-17 809.69	3 400 882.56
L9	-17 782.83	3 400 045.24		R9	-17 804.33	3 400 915.50
L10	-17 808.21	3 400 397.41		R10	-17 787.76	3 400 966.29
L11	-17 836.95	3 400 814.99		R11	-17 769.07	3 401 003.95
L12	-17 838.95	3 400 866.13		R12	-17 727.19	3 401 062.56
L13	-17 836.91	3 400 890.27		R13	-17 645.77	3 401 128.94
L14	-17 830.79	3 400 925.62		R14	-17 580.50	3 401 155.20
L15	-17 809.58	3 400 985.66		R15	-17 479.62	3 401 170.02
L16	-17 794.65	3 401 016.47		R16	-17 445.36	3 401 184.77
L17	-17 773.29	3 401 050.41		R17	-17 375.57	3 401 205.80
L18	-17 751.88	3 401 077.76		R18	-17 339.56	3 401 223.37
L19	-17 720.81	3 401 109.05		R19	-17 304.73	3 401 243.63
L20	-17 683.24	3 401 138.27		R20	-17 272.80	3 401 268.29
L21	-17 657.76	3 401 154.74		R21	-17 242.94	3 401 295.34
L22	-17 628.99	3 401 169.90		R22	-17 214.58	3 401 329.23
L23	-17 591.34	3 401 182.64		R23	-17 208.49	3 401 338.91
L24	-17 438.12	3 401 215.50		R24	-17 192.93	3 401 363.67
L25	-17 345.63	3 401 252.19		R25	-17 172.53	3 401 412.71
L26	-17 245.08	3 401 353.46		R26	-17 152.26	3 401 506.55
L27	-17 206.06	3 401 413.84		R27	-17 150.44	3 401 546.93
L28	-17 195.55	3 401 440.15		R28	-17 154.30	3 401 590.36
L29	-17 179.92	3 401 512.99		R29	-17 162.58	3 401 633.17
L30	-17 189.21	3 401 627.33		R30	-17 268.89	3 401 977.63
L31	-17 298.36	3 401 986.19		R31	-17 281.01	3 402 028.78
L32	-17 322.89	3 402 099.40		R32	-17 288.62	3 402 102.42
L33	-17 322.62	3 402 152.91		R33	-17 287.51	3 402 122.98
L34	-17 309.65	3 402 259.94		R34	-17 290.91	3 402 154.22
L35	-17 274.86	3 402 419.87		R35	-17 290.03	3 402 187.32
L36	-17 208.18	3 402 725.20		R36	-17 277.65	3 402 264.73
L37	-17 193.02	3 402 843.23		R37	-17 253.67	3 402 305.58
L38	-17 184.25	3 402 953.79		R38	-17 249.54	3 402 333.86
L39	-17 183.31	3 402 992.40		R39	-17 254.71	3 402 381.02
L40	-17 182.70	3 403 017.79		R40	-17 190.10	3 402 680.42
L41	-17 187.48	3 403 132.69		R41	-17 170.05	3 402 784.49
L42	-17 196.18	3 403 226.50		R42	-17 163.76	3 402 838.34
L43	-17 236.99	3 403 593.24		R43	-17 154.81	3 402 993.56
L44	-17 237.26	3 403 630.93		R44	-17 155.36	3 403 082.64
L45	-17 232.55	3 403 672.89		R45	-17 159.38	3 403 138.49
L46	-17 205.25	3 403 791.64		R46	-17 167.65	3 403 228.11
L47	-17 195.80	3 403 909.83		R47	-17 203.89	3 403 530.36
L48	-17 206.44	3 403 983.24		R48	-17 205.58	3 403 643.94
L49	-17 276.66	3 404 184.11		R49	-17 182.39	3 403 726.12
L50	-17 416.89	3 404 551.77		R50	-17 165.39	3 403 845.25
L51	-17 528.71	3 404 840.79		R51	-17 166.46	3 403 936.14
				Vel Sheet	20 Van of	31 P1153/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-17 634.99	3	405	123.74	R52	-17 173.98	3	403	989.38
L53	-17 680.12	3	405	260.55	R53	-17 253.47	3	404	193.20
L54	-17 739.54	3	405	487.46	R54	-17 399.82	3	404	578.36
L55	-17 738.55	3	405	510.78	R55	-17 603.91	3	405	111.48
L56	-17 752.64	3	405	559.22	R56	-17 649.70	3	405	250.26
L57	-17 776.76	3	405	603.67	R57	-17 672.39	3	405	334.75
L58	-17 811.00	3	405	642.17	R58	-17 682.64	3	405	469.93
L59	-17 835.93	3	405	660.44	R59	-17 701.15	3	405	507.88
L60	-17 875.50	3	405	679.19	R60	-17 715.33	3	405	541.28
L61	-17 929.82	3	405	689.62	R61	-17 724.94	3	405	570.89
L62	-18 059.70	3	405	687.12	R62	-17 752.27	3	405	621.06
L63	-18 115.19	3	405	693.20	R63	-17 791.58	3	405	665.29
L64	-18 166.92	3	405	708.50	R64	-17 823.27	3	405	686.32
L65	-18 208.46	3	405	732.61	R65	-17 842.14	3	405	696.22
L66	-18 247.76	3	405	768.69	R66	-17 863.90	3	405	707.64
L67	-18 271.63	3	405	802.80	R67	-17 943.21	3	405	718.54
L68	-18 289.58	3	405	840.72	R68	-18 028.09	3	405	717.66
L69	-18 300.30	3	405	883.61	R69	-18 104.00	3	405	719.67
L70	-18 302.83	3	405	925.53	R70	-18 152.52	3	405	733.84
L71	-18 295.63	3	405	975.09	R71	-18 214.44	3	405	775.81
L72	-18 285.09	3	406	016.63	R72	-18 249.42	3	405	822.93
L73	-18 253.67	3	406	110.14	R73	-18 267.88	3	405	875.02
L74	-18 241.52	3	406	134.11	R74	-18 270.50	3	405	946.61
L75	-18 183.81	3	406	267.69	R75	-18 210.26	3	406	114.47
L76	-18 140.79	3	406	379.12	R76	-18 189.02	3	406	181.84
L77	-18 142.80	3	406	413.48	R77	-18 115.38	3	406	372.01
L78	-18 114.51	3	406	448.24	R78	-18 097.87	3	406	379.09
L79	-18 036.35	3	406	649.79	R79	-18 079.19	3	406	432.33
L80	-18 018.10	3	406	710.68	R80	-18 086.27	3	406	443.97
L81	-18 002.53	3	406	762.61	R81	-18 007.89	3	406	651.83
L82	-18 004.98	3	406	857.48	R82	-17 969.29	3	406	747.04
L83	-18 019.93	3	406	876.29	R83	-17 965.98	3	406	800.11
L84	-18 040.95	3	406	936.70	R84	-17 971.55	3	406	868.05
L85	-18 066.93	3	407	011.37	R85	-17 978.22	3	406	949.23
L86	-18 064.90	3	407	035.73	R86	-18 014.30	3	406	989.77
L87	-18 073.44	3	407	071.20	R87	-18 019.70	3	406	995.84
L88	-18 078.38	3	407	131.62	R88	-18 030.63	3	407	031.51
L89	-18 077.82	3	407	161.92	R89	-18 035.08	3	407	089.71
L90	-18 022.16	3	407	257.70	R90	-18 018.02	3	407	159.69
L91	-18 005.02	3	407	261.91	R91	-17 960.89	3	407	252.19
L92	-17 980.23	3	407	321.43	R92	-17 946.33	3	407	283.17
L93	-17 968.59	3	407	417.70	R93	-17 933.61	3	407	330.59
L94	-17 986.34	3	407	465.20	R94	-17 929.25	3	407	369.47
L95	-18 048.89	3	407	529.53	R95	-17 937.78	3	407	420.96
L96	-18 106.71	3	407	566.85	R96	-17 955.23	3	407	464.77
L97	-18 140.37	3	407	592.69	R97	-17 979.64	3	407	504.29
L98	-18 173.57	3	407	628.07	R98	-18 014.31	3	407	538.23
L99	-18 187.08	3	407	646.08	R99	-18 064.16	3	407	572.88
L100	-18 206.69	3	407	684.33	R100	-18 105.36	3	407	599.93
L101	-18 211.22	3	407	693.16	R101	-18 147.63	3	407	640.04
L102	-18 218.05	3	407	713.30	R102	-18 176.53	3	407	689.49
					Vel 21 Van 31 of P1153/19 Sheet				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-18 287.91	3 407 919.35		R103	-18 300.14	3 408 021.54
L104	-18 310.11	3 407 980.48		R104	-18 347.01	3 408 102.59
L105	-18 365.64	3 408 080.60		R105	-18 367.70	3 408 129.37
L106	-18 389.14	3 408 111.32		R106	-18 399.29	3 408 170.25
L107	-18 412.02	3 408 141.22		R107	-18 456.33	3 408 222.20
L108	-18 471.83	3 408 199.93		R108	-18 525.68	3 408 274.65
L109	-18 524.68	3 408 239.52		R109	-18 607.54	3 408 315.15
L110	-18 606.25	3 408 287.31		R110	-18 696.18	3 408 353.13
L111	-19 485.84	3 408 657.28		R111	-19 440.71	3 408 665.90
L112	-19 570.90	3 408 697.76		R112	-19 560.99	3 408 722.31
L113	-19 631.83	3 408 728.20		R113	-19 686.89	3 408 793.19
L114	-19 697.79	3 408 768.43		R114	-19 760.47	3 408 837.49
L115	-19 751.22	3 408 796.78		R115	-20 109.92	3 409 040.22
L116	-19 961.14	3 408 919.23		R116	-20 229.32	3 409 118.13
L117	-20 002.03	3 408 953.67		R117	-20 294.21	3 409 148.81
L118	-20 036.15	3 408 963.73		R118	-20 402.47	3 409 212.19
L119	-20 086.11	3 408 995.31		R119	-21 012.48	3 409 569.33
L120	-20 288.21	3 409 115.15		R120	-21 158.87	3 409 652.64
L121	-20 401.13	3 409 176.92		R121	-21 209.22	3 409 675.36
L122	-20 527.54	3 409 255.06		R122	-21 315.26	3 409 715.87
L123	-20 613.86	3 409 303.70		R123	-21 354.53	3 409 739.07
L124	-20 711.28	3 409 362.75		R124	-21 376.85	3 409 743.33
L125	-20 923.72	3 409 487.74		R125	-21 396.21	3 409 741.77
L126	-21 130.70	3 409 608.08		R126	-21 427.66	3 409 739.14
L127	-21 223.69	3 409 654.52		R127	-21 537.01	3 409 750.29
L128	-21 297.81	3 409 681.80		R128	-21 621.87	3 409 755.04
L129	-21 357.04	3 409 698.20		R129	-21 755.86	3 409 752.87
L130	-21 386.07	3 409 704.61		R130	-21 865.38	3 409 710.52
L131	-21 531.07	3 409 722.44		R131	-21 918.53	3 409 683.44
L132	-21 613.43	3 409 719.72		R132	-21 945.77	3 409 669.56
L133	-21 711.68	3 409 706.34		R133	-21 994.64	3 409 644.66
L134	-21 798.95	3 409 688.06		R134	-22 071.83	3 409 596.76
L135	-21 863.25	3 409 667.73		R135	-22 143.98	3 409 543.45
L136	-21 909.66	3 409 653.05		R136	-22 643.04	3 409 119.28
L137	-21 920.95	3 409 649.48		R137	-22 722.45	3 409 055.18
L138	-21 972.74	3 409 625.42		R138	-22 767.54	3 409 016.37
L139	-22 057.61	3 409 575.57		R139	-22 835.92	3 408 976.58
L140	-22 138.58	3 409 514.89		R140	-22 899.70	3 408 941.75
L141	-22 704.67	3 409 033.92		R141	-23 002.80	3 408 908.91
L142	-22 751.63	3 408 995.48		R142	-23 065.54	3 408 898.22
L143	-22 844.91	3 408 937.85		R143	-23 099.37	3 408 894.30
L144	-22 887.43	3 408 911.59		R144	-23 114.72	3 408 890.64
L145	-22 893.20	3 408 909.47		R145	-23 215.36	3 408 866.65
L146	-22 984.50	3 408 875.99		R146	-23 239.86	3 408 863.79
L147	-23 131.76	3 408 843.60		R147	-23 258.46	3 408 863.49
L148	-23 386.95	3 408 789.70		R148	-23 313.06	3 408 849.88
L149	-23 443.18	3 408 767.61		R149	-23 370.68	3 408 823.85
L150	-23 451.62	3 408 764.29		R150	-23 397.96	3 408 818.03
L151	-23 538.97	3 408 746.63		R151	-23 403.03	3 408 817.61
L152	-23 563.67	3 408 741.63		R152	-23 462.37	3 408 812.68
L153	-23 600.18	3 408 734.25		R153	-23 586.82	3 408 786.07
				Vel Sheet	22 Van of 31	P1153/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L154	-23 718.72	3 408 720.23		R154	-23 606.50	3 408 781.87			
L155	-23 827.81	3 408 746.30		R155	-23 610.22	3 408 781.07			
L156	-23 878.00	3 408 768.45		R156	-23 710.55	3 408 764.18			
L157	-23 938.93	3 408 808.25		R157	-23 738.68	3 408 763.83			
L158	-23 993.31	3 408 861.78		R158	-23 820.48	3 408 775.98			
L159	-24 065.37	3 408 964.08		R159	-23 898.52	3 408 816.75			
L160	-24 137.36	3 409 057.54		R160	-23 975.70	3 408 893.85			
L161	-24 189.01	3 409 103.26		R161	-24 028.52	3 408 963.33			
L162	-24 243.90	3 409 143.81		R162	-24 060.82	3 409 016.35			
L163	-24 279.37	3 409 157.84		R163	-24 129.08	3 409 096.63			
L164	-24 380.05	3 409 216.56		R164	-24 158.47	3 409 113.73			
L165	-24 425.63	3 409 322.23		R165	-24 183.77	3 409 133.54			
L166	-24 444.21	3 409 386.74		R166	-24 207.20	3 409 155.83			
L167	-24 445.14	3 409 505.71		R167	-24 243.60	3 409 186.71			
L168	-24 448.22	3 409 594.96		R168	-24 253.99	3 409 193.09			
L169	-24 462.83	3 409 666.59		R169	-24 281.67	3 409 206.81			
L170	-24 543.86	3 409 726.75		R170	-24 322.57	3 409 233.66			
L171	-24 542.50	3 409 745.57		R171	-24 347.75	3 409 258.27			
L172	-24 655.80	3 409 805.54		R172	-24 381.23	3 409 310.31			
L173	-24 714.99	3 409 813.45		R173	-24 417.78	3 409 498.16			
L174	-24 855.35	3 409 838.53		R174	-24 410.33	3 409 598.12			
L175	-24 972.91	3 409 840.99		R175	-24 441.04	3 409 713.57			
L176	-25 020.12	3 409 855.79		R176	-24 454.85	3 409 730.70			
L177	-25 049.41	3 409 886.90		R177	-24 493.10	3 409 796.14			
L178	-25 081.50	3 409 911.13		R178	-24 551.82	3 409 818.58			
L179	-25 116.92	3 409 948.49		R179	-24 601.71	3 409 832.74			
L180	-25 144.05	3 409 993.92		R180	-24 755.61	3 409 865.71			
L181	-25 158.31	3 410 040.57		R181	-24 783.60	3 409 861.17			
L182	-25 167.56	3 410 069.34		R182	-24 824.87	3 409 862.28			
L183	-25 167.24	3 410 106.33		R183	-24 896.83	3 409 874.23			
L184	-25 167.41	3 410 202.24		R184	-24 955.77	3 409 892.30			
L185	-25 174.01	3 410 264.88		R185	-25 045.18	3 409 920.92			
L186	-25 193.20	3 410 322.97		R186	-25 057.98	3 409 930.73			
L187	-25 225.00	3 410 389.08		R187	-25 078.35	3 409 959.19			
L188	-25 271.30	3 410 454.04		R188	-25 107.71	3 409 995.28			
L189	-25 293.46	3 410 476.98		R189	-25 114.15	3 410 010.12			
L190	-25 296.97	3 410 480.61		R190	-25 117.21	3 410 037.63			
L191	-25 358.28	3 410 528.18		R191	-25 131.85	3 410 053.30			
L192	-25 433.35	3 410 555.59		R192	-25 131.37	3 410 112.51			
L193	-25 517.38	3 410 592.69		R193	-25 135.26	3 410 161.29			
L194	-25 619.91	3 410 608.55		R194	-25 136.28	3 410 209.33			
L195	-25 694.83	3 410 625.74		R195	-25 141.28	3 410 245.35			
L196	-25 726.76	3 410 637.23		R196	-25 149.07	3 410 280.90			
L197	-25 782.72	3 410 665.37		R197	-25 163.62	3 410 325.77			
L198	-25 814.17	3 410 684.20		R198	-25 201.05	3 410 406.65			
L199	-25 850.42	3 410 711.83		R199	-25 257.95	3 410 483.36			
L200	-25 880.94	3 410 740.32		R200	-25 283.70	3 410 506.94			
L201	-25 924.18	3 410 790.28		R201	-25 302.54	3 410 524.19			
L202	-26 041.70	3 410 943.75		R202	-25 363.51	3 410 567.00			
L203	-26 401.35	3 411 400.54		R203	-25 406.44	3 410 591.61			
L204	-26 449.91	3 411 473.68		R204	-25 455.97	3 410 610.34			
					Vel Sheet	23	Van of 31	P1153/19	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L205	-26 491.43	3	411	551.92	R205	-25 650.38	3	410	644.02
L206	-26 510.78	3	411	597.46	R206	-25 767.69	3	410	689.36
L207	-26 525.63	3	411	648.77	R207	-25 812.29	3	410	719.99
L208	-26 553.85	3	411	768.20	R208	-25 859.24	3	410	761.97
L209	-26 602.00	3	411	997.55	R209	-26 003.02	3	410	935.97
L210	-26 632.41	3	412	155.38	R210	-26 289.41	3	411	297.78
L211	-26 678.76	3	412	229.85	R211	-26 377.38	3	411	411.07
L212	-26 702.62	3	412	261.42	R212	-26 424.38	3	411	484.32
L213	-26 754.81	3	412	350.75	R213	-26 485.41	3	411	615.43
L214	-26 813.20	3	412	443.33	R214	-26 526.52	3	411	760.62
L215	-26 836.54	3	412	513.38	R215	-26 574.19	3	411	998.08
L216	-26 862.42	3	412	627.95	R216	-26 597.00	3	412	132.33
L217	-26 898.63	3	412	738.48	R217	-26 608.31	3	412	178.34
L218	-26 898.12	3	412	786.22	R218	-26 640.33	3	412	251.10
L219	-26 912.56	3	412	959.42	R219	-26 666.48	3	412	298.54
L220	-26 930.02	3	413	086.04	R220	-26 698.87	3	412	342.24
L221	-26 939.41	3	413	182.05	R221	-26 726.31	3	412	371.56
L222	-26 952.45	3	413	212.72	R222	-26 769.44	3	412	436.46
L223	-26 957.82	3	413	334.87	R223	-26 788.37	3	412	475.29
L224	-26 938.00	3	413	389.90	R224	-26 799.42	3	412	511.64
L225	-26 939.51	3	413	448.87	R225	-26 795.75	3	412	613.08
L226	-26 947.49	3	413	505.61	R226	-26 806.70	3	412	659.64
L227	-26 958.39	3	413	550.48	R227	-26 842.15	3	412	697.75
L228	-27 011.50	3	413	654.29	R228	-26 860.96	3	412	792.73
L229	-27 037.36	3	413	691.17	R229	-26 882.19	3	413	061.20
L230	-27 056.62	3	413	712.79	R230	-26 873.80	3	413	112.23
L231	-27 076.52	3	413	731.57	R231	-26 873.85	3	413	137.98
L232	-27 125.48	3	413	768.93	R232	-26 887.06	3	413	216.02
L233	-27 179.77	3	413	798.59	R233	-26 897.11	3	413	264.25
L234	-27 269.24	3	413	833.10	R234	-26 898.71	3	413	299.42
L235	-27 333.61	3	413	849.43	R235	-26 891.09	3	413	407.88
L236	-27 374.76	3	413	867.26	R236	-26 909.64	3	413	499.73
L237	-27 407.51	3	413	874.56	R237	-26 927.24	3	413	567.12
L238	-27 549.92	3	413	911.04	R238	-26 956.19	3	413	627.93
L239	-27 595.25	3	413	944.77	R239	-26 997.41	3	413	691.80
L240	-27 741.26	3	413	973.02	R240	-27 055.38	3	413	752.92
L241	-27 803.20	3	413	975.02	R241	-27 096.53	3	413	787.28
L242	-27 984.85	3	413	956.74	R242	-27 170.36	3	413	823.01
L243	-28 078.44	3	413	949.40	R243	-27 268.53	3	413	864.84
L244	-28 321.97	3	413	925.74	R244	-27 303.35	3	413	895.99
L245	-28 412.05	3	413	910.46	R245	-27 334.96	3	413	907.07
L246	-28 502.17	3	413	908.70	R246	-27 381.92	3	413	908.18
L247	-28 627.36	3	413	889.93	R247	-27 642.08	3	414	002.71
L248	-28 733.37	3	413	887.17	R248	-27 658.09	3	414	006.55
L249	-28 864.95	3	413	872.67	R249	-27 711.67	3	414	011.29
L250	-28 971.47	3	413	841.52	R250	-28 320.39	3	413	951.48
L251	-29 064.46	3	413	824.69	R251	-28 427.80	3	413	944.40
L252	-30 819.77	3	413	308.16	R252	-28 711.04	3	413	917.97
L253	-30 894.62	3	413	286.14	R253	-28 867.83	3	413	901.19
L254	-30 962.80	3	413	274.75	R254	-28 910.47	3	413	893.18
L255	-31 094.49	3	413	263.70	R255	-28 983.50	3	413	884.71
					Vel 24 Van of 31 P1153/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	-31 138.06	3	413	244.67	R256	-29 030.28	3	413	861.53
L257	-31 161.32	3	413	242.75	R257	-30 825.74	3	413	333.28
L258	-31 205.83	3	413	255.05	R258	-30 936.99	3	413	306.74
L259	-32 248.97	3	413	178.87	R259	-31 379.03	3	413	269.14
L260	-32 535.28	3	413	159.33	R260	-32 040.69	3	413	220.35
L261	-32 601.42	3	413	170.92	R261	-32 534.38	3	413	188.35
L262	-32 657.47	3	413	188.77	R262	-32 646.21	3	413	216.34
L263	-32 705.78	3	413	214.23	R263	-32 742.37	3	413	275.90
L264	-32 768.63	3	413	260.65	R264	-32 911.76	3	413	471.40
L265	-32 945.54	3	413	468.21	R265	-32 943.58	3	413	503.42
L266	-33 010.77	3	413	521.01	R266	-32 967.14	3	413	524.31
L267	-33 081.92	3	413	551.57	R267	-33 000.58	3	413	546.33
L268	-33 202.48	3	413	558.50	R268	-33 048.45	3	413	568.66
L269	-33 255.73	3	413	550.18	R269	-33 138.46	3	413	597.22
L270	-33 293.06	3	413	537.73	R270	-33 240.96	3	413	599.38
L271	-33 342.04	3	413	512.35	R271	-33 298.34	3	413	586.83
L272	-33 365.82	3	413	509.44	R272	-33 433.34	3	413	504.40
L273	-33 728.01	3	413	231.81	R273	-33 570.46	3	413	395.69
L274	-33 903.27	3	413	092.81	R274	-33 825.53	3	413	190.49
L275	-34 070.87	3	412	967.80	R275	-33 869.63	3	413	174.19
L276	-34 210.13	3	412	881.49	R276	-33 895.80	3	413	154.39
L277	-34 862.18	3	412	521.99	R277	-33 922.57	3	413	115.20
L278	-34 901.71	3	412	504.68	R278	-34 087.09	3	412	990.83
L279	-34 939.42	3	412	494.76	R279	-34 217.82	3	412	908.54
L280	-34 977.44	3	412	487.48	R280	-34 852.74	3	412	557.64
L281	-35 038.02	3	412	485.83	R281	-34 899.85	3	412	536.99
L282	-35 068.71	3	412	487.64	R282	-34 956.03	3	412	520.65
L283	-35 150.85	3	412	506.61	R283	-35 022.17	3	412	513.25
L284	-35 205.18	3	412	534.00	R284	-35 112.45	3	412	527.27
L285	-35 301.42	3	412	593.95	R285	-35 194.87	3	412	566.43
L286	-35 354.30	3	412	687.11	R286	-35 220.76	3	412	581.81
L287	-35 356.04	3	412	702.97	R287	-35 293.50	3	412	653.38
L288	-35 477.88	3	412	894.03	R288	-35 577.21	3	413	099.94
L289	-35 584.34	3	413	056.80	R289	-35 663.46	3	413	205.23
L290	-35 644.11	3	413	139.33	R290	-35 754.38	3	413	274.04
L291	-35 683.89	3	413	181.51	R291	-35 852.31	3	413	327.88
L292	-35 785.79	3	413	263.11	R292	-35 909.47	3	413	346.81
L293	-35 892.75	3	413	310.94	R293	-35 977.51	3	413	363.18
L294	-35 982.43	3	413	336.01	R294	-36 022.84	3	413	370.67
L295	-36 079.27	3	413	346.49	R295	-36 070.56	3	413	372.61
L296	-36 172.95	3	413	340.89	R296	-36 088.71	3	413	373.35
L297	-36 281.67	3	413	312.39	R297	-36 160.99	3	413	370.19
L298	-36 366.95	3	413	277.65	R298	-36 218.77	3	413	362.36
L299	-36 463.56	3	413	214.11	R299	-36 296.93	3	413	339.58
L300	-36 546.54	3	413	134.83	R300	-36 371.61	3	413	308.38
L301	-36 919.07	3	412	747.87	R301	-36 450.78	3	413	262.71
L302	-36 985.40	3	412	701.43	R302	-36 507.18	3	413	217.14
L303	-37 098.63	3	412	657.97	R303	-36 567.76	3	413	157.20
L304	-37 174.79	3	412	656.23	R304	-36 895.23	3	412	811.64
L305	-37 265.00	3	412	672.81	R305	-36 976.32	3	412	739.76
L306	-37 320.51	3	412	693.77	R306	-36 990.89	3	412	729.47
Vel Sheet					25	Van of		31	P1153/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L307	-37 374.26	3 412 726.77		R307	-37 089.83	3 412 693.57
L308	-37 537.61	3 412 844.66		R308	-37 104.69	3 412 690.40
L309	-37 577.75	3 412 862.36		R309	-37 172.77	3 412 684.23
L310	-37 609.71	3 412 875.67		R310	-37 189.95	3 412 684.82
L311	-37 694.82	3 412 894.42		R311	-37 276.82	3 412 706.32
L312	-37 796.10	3 412 887.05		R312	-37 352.96	3 412 744.83
L313	-37 846.22	3 412 872.61		R313	-37 489.24	3 412 845.86
L314	-37 913.33	3 412 850.73		R314	-37 572.32	3 412 891.89
L315	-37 981.48	3 412 805.32		R315	-37 576.63	3 412 894.28
L316	-38 059.75	3 412 712.69		R316	-37 675.97	3 412 919.85
L317	-38 141.76	3 412 635.44		R317	-37 729.08	3 412 924.21
L318	-38 208.96	3 412 588.01		R318	-37 789.39	3 412 919.45
L319	-38 270.29	3 412 558.13		R319	-37 849.76	3 412 906.99
L320	-38 306.27	3 412 544.59		R320	-37 896.53	3 412 889.82
L321	-38 414.29	3 412 524.74		R321	-37 989.78	3 412 834.12
L322	-38 491.41	3 412 525.69		R322	-38 100.63	3 412 715.77
L323	-38 528.39	3 412 536.83		R323	-38 185.39	3 412 632.69
L324	-38 553.29	3 412 544.64		R324	-38 248.78	3 412 593.89
L325	-38 609.95	3 412 532.50		R325	-38 290.28	3 412 577.84
L326	-38 637.18	3 412 574.93		R326	-38 331.88	3 412 565.93
L327	-38 689.22	3 412 607.27		R327	-38 382.38	3 412 559.42
L328	-38 757.88	3 412 676.49		R328	-38 418.44	3 412 556.94
L329	-38 795.99	3 412 725.40		R329	-38 491.50	3 412 563.28
L330	-38 828.94	3 412 788.57		R330	-38 519.60	3 412 568.95
L331	-38 845.92	3 412 832.70		R331	-38 573.02	3 412 596.17
L332	-38 857.09	3 412 876.02		R332	-38 584.89	3 412 622.66
L333	-38 863.51	3 412 928.54		R333	-38 597.27	3 412 624.36
L334	-38 935.24	3 413 439.29		R334	-38 630.58	3 412 618.96
L335	-39 060.46	3 414 302.53		R335	-38 698.12	3 412 657.12
L336	-39 129.17	3 414 784.86		R336	-38 729.05	3 412 685.30
L337	-39 163.93	3 415 028.87		R337	-38 775.23	3 412 745.51
L338	-39 182.65	3 415 152.46		R338	-38 811.56	3 412 816.87
L339	-39 208.42	3 415 271.40		R339	-38 828.07	3 412 876.03
L340	-39 272.70	3 415 502.35		R340	-39 029.80	3 414 290.63
L341	-39 359.19	3 415 722.09		R341	-39 103.27	3 414 783.46
L342	-39 437.07	3 415 911.97		R342	-39 137.67	3 415 031.86
L343	-39 501.04	3 416 060.44		R343	-39 169.85	3 415 231.77
L344	-39 615.92	3 416 335.91		R344	-39 203.04	3 415 387.51
L345	-39 719.88	3 416 581.79		R345	-39 273.97	3 415 596.37
L346	-39 807.07	3 416 788.00		R346	-39 329.85	3 415 722.92
L347	-40 032.32	3 417 324.49		R347	-39 486.44	3 416 093.89
L348	-40 150.11	3 417 604.78		R348	-39 559.14	3 416 271.96
L349	-40 310.45	3 417 983.78		R349	-39 598.10	3 416 359.43
L350	-40 442.75	3 418 297.70		R350	-39 692.00	3 416 582.40
L351	-40 500.40	3 418 400.69		R351	-40 112.16	3 417 580.17
L352	-40 566.94	3 418 489.90		R352	-40 186.52	3 417 771.37
L353	-40 586.14	3 418 510.73		R353	-40 219.51	3 417 833.49
L354	-40 885.59	3 418 835.61		R354	-40 360.95	3 418 170.23
L355	-41 019.18	3 418 983.80		R355	-40 402.54	3 418 267.35
L356	-41 643.60	3 419 664.73		R356	-40 437.86	3 418 342.35
L357	-41 709.15	3 419 742.39		R357	-40 474.91	3 418 408.28
				Vel Sheet	26 Van of 31	P1153/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L358	-41 749.58	3 419 796.29		R358	-40 555.93	3 418 518.05
L359	-41 793.64	3 419 870.37		R359	-40 557.91	3 418 523.40
L360	-41 839.13	3 420 000.77		R360	-40 598.55	3 418 633.68
L361	-41 894.34	3 420 218.24		R361	-40 716.63	3 418 691.58
L362	-41 904.80	3 420 303.84		R362	-41 623.75	3 419 682.96
L363	-41 928.17	3 420 374.12		R363	-41 687.77	3 419 756.75
L364	-41 932.60	3 420 396.92		R364	-41 724.14	3 419 807.54
L365	-41 952.84	3 420 438.65		R365	-41 769.57	3 419 889.84
L366	-41 958.34	3 420 462.77		R366	-41 793.47	3 419 947.53
L367	-41 948.73	3 420 510.77		R367	-41 814.94	3 420 015.88
L368	-41 997.95	3 420 732.49		R368	-41 863.28	3 420 230.03
L369	-42 096.45	3 421 213.32		R369	-41 886.97	3 420 352.10
L370	-42 107.70	3 421 268.22		R370	-41 885.57	3 420 396.36
L371	-42 174.71	3 421 544.33		R371	-41 887.97	3 420 415.69
L372	-42 463.41	3 422 424.07		R372	-41 909.18	3 420 457.81
L373	-42 546.77	3 422 524.26		R373	-41 994.00	3 420 853.85
L374	-42 539.19	3 422 655.69		R374	-42 039.55	3 421 077.62
L375	-42 585.32	3 422 789.70		R375	-42 075.04	3 421 239.68
L376	-42 641.85	3 422 897.45		R376	-42 124.12	3 421 463.74
L377	-42 696.72	3 422 972.55		R377	-42 158.33	3 421 585.81
L378	-42 754.63	3 423 036.75		R378	-42 212.64	3 421 739.65
L379	-42 904.71	3 423 157.97		R379	-42 269.46	3 421 917.31
L380	-43 003.65	3 423 237.89		R380	-42 541.06	3 422 743.22
L381	-43 037.27	3 423 272.23		R381	-42 551.34	3 422 782.04
L382	-43 094.26	3 423 346.28		R382	-42 578.07	3 422 839.50
L383	-43 127.96	3 423 401.75		R383	-42 613.69	3 422 906.45
L384	-43 217.56	3 423 601.97		R384	-42 681.56	3 423 000.58
L385	-43 419.30	3 424 032.45		R385	-42 753.23	3 423 074.43
L386	-43 452.21	3 424 094.40		R386	-42 884.43	3 423 177.92
L387	-43 480.66	3 424 123.18		R387	-42 914.48	3 423 201.62
L388	-43 502.01	3 424 144.77		R388	-42 988.55	3 423 262.46
L389	-43 626.22	3 424 244.05		R389	-43 059.73	3 423 346.08
L390	-43 648.12	3 424 283.07		R390	-43 112.97	3 423 437.73
L391	-43 666.66	3 424 332.75		R391	-43 200.80	3 423 625.37
L392	-43 675.87	3 424 379.62		R392	-43 333.77	3 423 909.02
L393	-43 702.09	3 424 423.87		R393	-43 401.49	3 424 056.05
L394	-43 755.02	3 424 484.48		R394	-43 437.94	3 424 128.28
L395	-43 806.11	3 424 537.58		R395	-43 462.17	3 424 151.89
L396	-43 839.21	3 424 675.94		R396	-43 491.07	3 424 180.04
L397	-43 853.50	3 424 708.08		R397	-43 531.47	3 424 207.06
L398	-43 875.73	3 424 741.68		R398	-43 603.06	3 424 276.62
L399	-43 941.44	3 424 796.09		R399	-43 628.43	3 424 333.82
L400	-43 949.58	3 424 820.07		R400	-43 661.92	3 424 464.03
L401	-43 963.07	3 424 838.49		R401	-43 748.77	3 424 552.83
L402	-43 989.15	3 424 888.03		R402	-43 780.52	3 424 593.37
L403	-44 001.79	3 424 927.94		R403	-43 787.30	3 424 639.66
L404	-44 011.60	3 424 978.75		R404	-43 810.35	3 424 697.70
L405	-44 029.66	3 425 090.28		R405	-43 846.70	3 424 782.58
L406	-44 106.30	3 425 319.16		R406	-43 866.45	3 424 817.88
L407	-44 141.29	3 425 412.12		R407	-43 887.91	3 424 826.68
L408	-44 155.52	3 425 462.10		R408	-43 928.37	3 424 853.70
				Vel Sheet	27 Van of 31	P1153/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L409	-44 160.06	3	425	504.21	R409	-43 961.13	3	424	911.92
L410	-44 154.30	3	425	540.92	R410	-43 964.55	3	424	933.63
L411	-44 142.86	3	425	577.37	R411	-43 973.14	3	425	056.14
L412	-44 111.76	3	425	645.88	R412	-44 010.52	3	425	124.99
L413	-44 101.67	3	425	687.71	R413	-44 037.82	3	425	254.04
L414	-44 101.65	3	425	725.37	R414	-44 092.42	3	425	370.28
L415	-44 108.95	3	425	782.73	R415	-44 125.31	3	425	476.90
L416	-44 110.23	3	425	816.73	R416	-44 109.01	3	425	530.52
L417	-44 103.69	3	425	845.86	R417	-44 071.47	3	425	630.46
L418	-44 089.31	3	425	877.24	R418	-44 067.82	3	425	700.13
L419	-44 073.50	3	425	901.40	R419	-44 070.47	3	425	804.99
L420	-44 043.70	3	425	933.49	R420	-44 065.48	3	425	830.73
L421	-43 985.61	3	425	986.28	R421	-44 048.60	3	425	873.33
L422	-43 956.12	3	426	011.20	R422	-44 034.92	3	425	891.90
L423	-43 909.13	3	426	063.08	R423	-43 991.47	3	425	939.46
L424	-43 893.12	3	426	087.09	R424	-43 934.10	3	425	988.61
L425	-43 856.26	3	426	171.83	R425	-43 902.37	3	426	020.92
L426	-43 849.95	3	426	211.52	R426	-43 858.63	3	426	095.89
L427	-43 844.08	3	426	252.64	R427	-43 829.69	3	426	169.27
L428	-43 843.86	3	426	303.82	R428	-43 819.85	3	426	209.21
L429	-43 856.22	3	426	376.20	R429	-43 814.17	3	426	298.85
L430	-43 885.41	3	426	443.20	R430	-43 824.71	3	426	383.35
L431	-43 916.91	3	426	522.49	R431	-43 852.30	3	426	464.23
L432	-44 052.42	3	426	800.34	R432	-43 856.46	3	426	500.68
L433	-44 101.21	3	426	881.82	R433	-43 867.01	3	426	518.47
L434	-44 126.07	3	426	944.48	R434	-43 898.44	3	426	551.71
L435	-44 169.80	3	427	042.00	R435	-43 915.40	3	426	595.26
L436	-44 212.68	3	427	129.00	R436	-43 966.75	3	426	684.16
L437	-44 243.15	3	427	181.63	R437	-44 061.27	3	426	877.10
L438	-44 350.76	3	427	287.36	R438	-44 088.01	3	426	928.30
L439	-44 407.04	3	427	325.00	R439	-44 201.26	3	427	170.51
L440	-44 478.28	3	427	352.04	R440	-44 265.05	3	427	251.66
L441	-44 702.36	3	427	423.16	R441	-44 308.04	3	427	307.31
L442	-44 781.65	3	427	442.52	R442	-44 418.05	3	427	358.39
L443	-44 796.33	3	427	443.21	R443	-44 506.22	3	427	391.35
L444	-44 852.04	3	427	433.23	R444	-44 741.96	3	427	463.53
L445	-44 904.92	3	427	419.56	R445	-44 793.95	3	427	471.43
L446	-44 958.93	3	427	388.33	R446	-44 846.41	3	427	470.63
L447	-45 059.96	3	427	305.32	R447	-44 924.98	3	427	451.01
L448	-45 145.45	3	427	277.36	R448	-45 028.70	3	427	364.41
L449	-45 272.61	3	427	295.36	R449	-45 076.89	3	427	332.13
L450	-45 359.27	3	427	286.95	R450	-45 112.17	3	427	331.51
L451	-45 397.23	3	427	292.20	R451	-45 146.70	3	427	318.27
L452	-45 484.25	3	427	236.48	R452	-45 213.68	3	427	320.61
L453	-45 546.04	3	427	200.17	R453	-45 306.45	3	427	328.77
L454	-45 678.72	3	427	116.26	R454	-45 346.76	3	427	339.25
L455	-45 752.48	3	427	080.91	R455	-45 431.78	3	427	322.76
L456	-45 820.50	3	427	077.41	R456	-45 485.55	3	427	280.06
L457	-45 860.42	3	427	092.98	R457	-45 510.55	3	427	257.28
L458	-45 943.18	3	427	155.54	R458	-45 556.32	3	427	227.06
L459	-46 022.54	3	427	258.39	R459	-45 631.89	3	427	188.52
Vel Sheet					28	Van of		31	P1153/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 27°		Y	X	
L460	-46 068.48	3 427 305.98		R460	-45 681.04	3 427 150.15	
L461	-46 163.34	3 427 418.86		R461	-45 746.08	3 427 117.52	
L462	-46 184.12	3 427 437.31		R462	-45 797.79	3 427 112.04	
L463	-46 258.34	3 427 471.05		R463	-45 834.02	3 427 126.71	
L464	-46 273.69	3 427 473.82		R464	-45 895.52	3 427 159.51	
L465	-46 374.54	3 427 470.80		R465	-45 951.92	3 427 216.13	
L466	-46 483.46	3 427 458.31		R466	-46 026.73	3 427 308.17	
L467	-46 646.84	3 427 485.24		R467	-46 052.77	3 427 362.17	
L468	-46 748.50	3 427 509.81		R468	-46 103.04	3 427 390.49	
L469	-46 792.01	3 427 535.79		R469	-46 141.60	3 427 444.33	
L470	-46 862.21	3 427 554.41		R470	-46 182.64	3 427 479.27	
L471	-46 912.38	3 427 557.53		R471	-46 268.24	3 427 507.69	
L472	-46 964.86	3 427 556.98		R472	-46 293.44	3 427 508.58	
L473	-47 058.87	3 427 540.05		R473	-46 423.87	3 427 494.37	
L474	-47 137.72	3 427 506.50		R474	-46 520.12	3 427 501.37	
L475	-47 501.39	3 427 283.08		R475	-46 618.75	3 427 522.85	
L476	-47 557.31	3 427 252.23		R476	-46 748.62	3 427 566.30	
L477	-47 648.16	3 427 227.18		R477	-46 834.45	3 427 591.60	
L478	-47 720.39	3 427 220.62		R478	-46 889.34	3 427 594.14	
L479	-47 792.80	3 427 231.23		R479	-46 956.31	3 427 591.56	
L480	-47 919.62	3 427 254.59		R480	-46 999.56	3 427 585.39	
L481	-47 992.50	3 427 257.30		R481	-47 055.81	3 427 572.46	
L482	-48 081.47	3 427 238.29		R482	-47 109.57	3 427 552.77	
L483	-48 256.41	3 427 140.40		R483	-47 295.30	3 427 440.95	
L484	-48 303.29	3 427 119.56		R484	-47 515.83	3 427 305.24	
L485	-48 363.94	3 427 098.25		R485	-47 597.04	3 427 267.62	
L486	-48 460.56	3 427 078.30		R486	-47 614.23	3 427 262.35	
L487	-48 555.44	3 427 075.46		R487	-47 692.16	3 427 248.66	
L488	-48 699.49	3 427 085.63		R488	-47 801.21	3 427 260.69	
L489	-48 819.91	3 427 105.31		R489	-47 906.67	3 427 283.62	
L490	-48 864.22	3 427 097.33		R490	-47 970.15	3 427 288.32	
L491	-48 893.26	3 427 101.97		R491	-48 033.13	3 427 279.58	
L492	-48 944.06	3 427 124.20		R492	-48 071.38	3 427 271.53	
L493	-49 146.24	3 427 151.10		R493	-48 119.10	3 427 250.23	
L494	-49 395.06	3 427 181.51		R494	-48 254.01	3 427 173.28	
L495	-49 473.81	3 427 184.84		R495	-48 371.16	3 427 125.29	
L496	-49 546.72	3 427 180.22		R496	-48 460.56	3 427 106.19	
L497	-49 649.35	3 427 165.43		R497	-48 554.65	3 427 101.99	
L498	-49 741.83	3 427 139.24		R498	-48 701.11	3 427 125.55	
L499	-49 815.96	3 427 110.21		R499	-48 895.16	3 427 143.97	
L500	-50 043.50	3 426 995.26		R500	-49 350.41	3 427 205.42	
L501	-50 338.49	3 426 836.69		R501	-49 432.22	3 427 211.18	
L502	-50 412.50	3 426 803.01		R502	-49 520.81	3 427 209.31	
L503	-50 451.70	3 426 790.15		R503	-49 606.26	3 427 200.85	
L504	-50 501.14	3 426 784.19		R504	-49 685.30	3 427 186.23	
L505	-50 554.61	3 426 781.89		R505	-49 749.45	3 427 164.82	
L506	-50 621.09	3 426 790.10		R506	-49 811.93	3 427 142.24	
L507	-50 696.09	3 426 819.97		R507	-49 880.38	3 427 114.46	
L508	-50 713.32	3 426 826.84		R508	-49 950.62	3 427 073.69	
L509	-50 726.13	3 426 834.12		R509	-50 252.62	3 426 912.93	
L510	-50 760.49	3 426 859.69		R510	-50 407.81	3 426 832.76	
				Vel 29 Van 31 Sheet of P1153/19			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L511	-50 978.14	3 427 067.45		R511	-50 497.28	3 426 810.51
L512	-51 191.74	3 427 265.25		R512	-50 598.69	3 426 815.40
L513	-51 214.80	3 427 296.09		R513	-50 685.88	3 426 844.70
L514	-51 303.21	3 427 375.52		R514	-50 753.30	3 426 893.11
L515	-51 432.75	3 427 503.66		R515	-50 985.02	3 427 112.82
L516	-51 447.43	3 427 514.14		R516	-51 108.39	3 427 231.72
L517	-51 514.06	3 427 546.94		R517	-51 158.11	3 427 287.68
L518	-51 551.31	3 427 557.94		R518	-51 207.44	3 427 329.14
L519	-51 589.78	3 427 561.11		R519	-51 273.50	3 427 405.62
L520	-51 658.87	3 427 525.10		R520	-51 422.52	3 427 531.48
L521	-51 679.69	3 427 524.00		R521	-51 481.17	3 427 565.25
L522	-51 773.05	3 427 536.73		R522	-51 547.77	3 427 587.72
L523	-51 796.18	3 427 524.93		R523	-51 588.56	3 427 600.91
L524	-51 811.24	3 427 514.44		R524	-51 632.24	3 427 628.01
L525	-51 844.70	3 427 492.21		R525	-51 670.01	3 427 635.60
L526	-51 881.02	3 427 457.90		R526	-51 743.74	3 427 579.17
L527	-51 930.03	3 427 390.90		R527	-51 809.77	3 427 549.74
L528	-51 975.95	3 427 323.25		R528	-51 848.67	3 427 526.51
L529	-52 031.37	3 427 262.75		R529	-51 889.51	3 427 492.51
L530	-52 294.33	3 426 927.98		R530	-51 913.90	3 427 464.29
L531	-52 412.25	3 426 776.62		R531	-52 141.51	3 427 165.47
L532	-52 746.06	3 426 348.13		R532	-52 320.10	3 426 942.41
L533	-52 879.10	3 426 175.13		R533	-52 437.36	3 426 789.98
L534	-52 988.92	3 426 040.20		R534	-52 490.21	3 426 721.27
L535	-53 092.87	3 425 968.12		R535	-52 607.71	3 426 576.56
L536	-53 116.97	3 425 957.93		R536	-52 840.13	3 426 274.98
L537	-53 177.06	3 425 932.52		R537	-52 909.46	3 426 187.64
L538	-53 248.96	3 425 918.60		R538	-52 979.85	3 426 098.40
L539	-53 322.24	3 425 920.45		R539	-53 009.00	3 426 067.22
L540	-53 397.99	3 425 933.61		R540	-53 041.51	3 426 039.33
L541	-53 438.01	3 425 946.44		R541	-53 083.79	3 426 008.49
L542	-53 512.35	3 425 979.34		R542	-53 108.91	3 425 995.37
L543	-53 780.83	3 426 157.87		R543	-53 113.99	3 425 992.72
L544	-53 827.78	3 426 171.11		R544	-53 210.07	3 425 963.01
L545	-53 855.46	3 426 189.32		R545	-53 271.78	3 425 955.10
L546	-53 886.22	3 426 227.69		R546	-53 407.47	3 425 964.68
L547	-54 099.37	3 426 367.72		R547	-53 529.96	3 426 022.94
L548	-54 255.75	3 426 468.34		R548	-54 225.81	3 426 481.42
L549	-54 324.88	3 426 513.42		R549	-54 310.94	3 426 539.42
L550	-54 368.80	3 426 542.06		R550	-54 596.50	3 426 726.05
L551	-54 610.61	3 426 704.40		R551	-55 043.10	3 427 020.44
L552	-55 078.98	3 427 012.15		R552	-55 146.38	3 427 095.77
L553	-55 164.03	3 427 065.71		R553	-55 194.20	3 427 125.73
L554	-55 387.89	3 427 213.54		R554	-55 701.53	3 427 455.29
L555	-55 483.75	3 427 281.34		R555	-55 776.29	3 427 488.14
L556	-55 568.60	3 427 336.28		R556	-55 839.90	3 427 509.03
L557	-55 627.22	3 427 373.01		R557	-55 929.37	3 427 524.87
L558	-55 689.86	3 427 412.26		R558	-55 938.88	3 427 525.02
L559	-55 704.91	3 427 418.88		R559	-56 003.78	3 427 526.06
L560	-55 827.90	3 427 472.97		R560	-56 004.28	3 427 524.52
L561	-55 849.92	3 427 479.97		R561	-56 317.41	3 427 526.69
				Vel Sheet	30 Van of	31 P1153/19

This gazette is also available free online at www.gpwonline.co.za