

DEPARTMENT OF TRANSPORT

NO. 1050

20 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R510 SECTION 1

AMENDMENT OF DECLARATION NO'S. 739 OF 2007 AND 256 OF 2018.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend **(I)** Declaration No. 739 of 2007 in its entirety, and **(II)** Declaration No. 256 of 2018 in its entirety, by substituting all sheets of their respective Plans with the accompanying sheets 1 to 18 of Plan No. P1166/19.

(National Road R510 Section 1: Rustenburg – Northam)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 1050

20 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R510 SEKSIE 1

WYSIGING VAN VERKLARING NO'S. 739 VAN 2007 EN 256 VAN 2018.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No.7 van 1998), wysig ek hiermee **(I)** Verklaring No. 739 van 2007 in sy geheel, en **(II)** Verklaring No. 256 van 2018 in sy geheel, deur alle velle van hulle respektiewelike Planne te vervang met meegaande velle 1 tot 18 van Plan No. P1166/19.

(Nasionale Pad R510 Seksie 1: Rustenburg – Northam)**MINISTER VAN VERVOER**







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R510 of National Route Section
Vel Sheet 2 of 18	Plan P1166/19	1	Section




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R510 of National Route	Vel Sheet 3 of 18 Plan P1166/19
---	---------------------------------------	--	---	---------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R510 Seksie 1 of National Route	Vel Sheet 4 of 18 Plan P1166/19
---	---------------------------------------	--	--	------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion of Nasionale Roete R510 of National Route	Vel Sheet 5 of 18 Plan P1166/19
---	---------------------------------------	--	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R510 Sektie of National Route Section	Vel Sheet Plan	van 7 of 18 P1166/19
---	---------------------------------------	---	----------------------	----------------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R510 Sektie of National Route R510 Section	Vel Sheet 8 of 18 Plan P1166/19
---	---------------------------------------	--	--




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R510 of National Route Sektie Section	Vel Sheet 9 of 18 Plan P1166/19
---	---------------------------------------	--	---







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 12 of 18
		Seksie R510	Plan P1166/19
		1	



Vel
Sheet 13 of 18
Plan P1166/19

stel die podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R510 Sekse
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	-30 888.86	2 827 611.15		R1	-30 925.87	2 827 596.56
L2	-30 691.06	2 827 108.75		R2	-30 728.28	2 827 094.09
L3	-30 546.78	2 826 742.59		R3	-30 585.70	2 826 732.27
L4	-30 525.58	2 826 688.80		R4	-30 569.15	2 826 687.70
L5	-30 497.67	2 826 613.28		R5	-30 562.80	2 826 674.14
L6	-30 481.83	2 826 542.77		R6	-30 535.98	2 826 601.77
L7	-30 476.78	2 826 471.32		R7	-30 521.41	2 826 536.94
L8	-30 483.43	2 826 393.28		R8	-30 516.78	2 826 471.76
L9	-30 527.57	2 826 109.61		R9	-30 522.97	2 826 399.38
L10	-30 544.96	2 826 005.16		R10	-30 566.47	2 826 118.44
L11	-30 563.57	2 825 932.30		R11	-30 598.00	2 825 948.84
L12	-30 649.64	2 825 679.17		R12	-30 676.92	2 825 715.80
L13	-30 733.58	2 825 432.29		R13	-31 022.58	2 824 704.86
L14	-30 948.98	2 824 796.20		R14	-31 059.42	2 824 602.39
L15	-30 997.57	2 824 657.65		R15	-31 091.18	2 824 500.49
L16	-31 022.00	2 824 587.99		R16	-31 116.03	2 824 403.09
L17	-31 052.67	2 824 489.81		R17	-31 136.14	2 824 306.05
L18	-31 077.61	2 824 392.30		R18	-31 160.12	2 824 171.42
L19	-31 096.76	2 824 299.04		R19	-31 181.20	2 824 066.96
L20	-31 121.37	2 824 163.08		R20	-31 203.42	2 823 972.64
L21	-31 142.88	2 824 055.52		R21	-31 232.66	2 823 867.75
L22	-31 165.09	2 823 962.01		R22	-31 392.53	2 823 330.80
L23	-31 194.33	2 823 856.47		R23	-31 459.16	2 823 107.47
L24	-31 365.05	2 823 282.65		R24	-31 499.47	2 822 988.15
L25	-31 417.33	2 823 133.70		R25	-31 528.33	2 822 918.07
L26	-31 433.70	2 823 054.77		R26	-31 658.25	2 822 665.35
L27	-31 483.50	2 822 921.20		R27	-31 717.66	2 822 543.80
L28	-31 596.04	2 822 698.62		R28	-31 761.99	2 822 438.01
L29	-31 662.07	2 822 568.78		R29	-31 895.55	2 822 082.73
L30	-31 713.02	2 822 453.55		R30	-32 033.97	2 821 713.84
L31	-31 858.46	2 822 068.25		R31	-32 140.79	2 821 429.16
L32	-31 981.48	2 821 740.26		R32	-32 264.44	2 821 099.43
L33	-32 104.28	2 821 412.88		R33	-32 439.35	2 820 633.60
L34	-32 226.94	2 821 085.87		R34	-32 508.43	2 820 410.85
L35	-32 405.95	2 820 607.96		R35	-32 520.28	2 820 270.00
L36	-32 470.38	2 820 398.53		R36	-32 502.90	2 820 111.87
L37	-32 480.57	2 820 271.03		R37	-32 481.78	2 820 036.29
L38	-32 463.67	2 820 122.85		R38	-32 451.94	2 819 960.31
L39	-32 444.39	2 820 049.85		R39	-32 396.55	2 819 837.72
L40	-32 415.36	2 819 975.96		R40	-32 393.68	2 819 809.44
L41	-32 226.70	2 819 558.74		R41	-32 403.39	2 819 796.45
L42	-31 950.67	2 818 947.35		R42	-32 377.76	2 819 739.77
L43	-31 832.17	2 818 672.54		R43	-32 345.31	2 819 724.30
L44	-31 670.09	2 818 294.92		R44	-32 263.66	2 819 543.58
L45	-31 433.32	2 817 739.48		R45	-31 987.22	2 818 931.53
L46	-31 394.48	2 817 611.00		R46	-31 867.14	2 818 656.25
L47	-31 382.45	2 817 488.96		R47	-31 718.76	2 818 307.99
L48	-31 427.32	2 816 605.04		R48	-31 471.14	2 817 726.98
L49	-31 430.96	2 816 534.99		R49	-31 433.28	2 817 603.67
L50	-31 460.38	2 816 440.27		R50	-31 422.14	2 817 491.23
L51	-31 474.03	2 816 400.42		R51	-31 467.47	2 816 599.07
				Vel Sheet 14	Van of 18	P1166/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-31 553.10	2	816	172.06	R52	-31 475.91	2	816	527.24
L53	-31 569.05	2	816	127.75	R53	-31 496.29	2	816	452.76
L54	-31 588.87	2	816	056.56	R54	-31 504.59	2	816	434.98
L55	-31 597.75	2	815	982.39	R55	-31 531.01	2	816	399.57
L56	-31 595.66	2	815	907.14	R56	-31 548.03	2	816	396.30
L57	-31 582.77	2	815	834.71	R57	-31 586.46	2	816	418.32
L58	-31 482.62	2	815	439.39	R58	-31 632.07	2	816	379.36
L59	-31 452.68	2	815	318.18	R59	-31 610.63	2	816	354.28
L60	-31 442.63	2	815	277.46	R60	-31 582.84	2	816	298.67
L61	-31 375.40	2	815	010.25	R61	-31 577.22	2	816	269.24
L62	-31 330.93	2	814	833.48	R62	-31 583.99	2	816	207.42
L63	-31 214.42	2	814	372.99	R63	-31 606.80	2	816	140.83
L64	-31 092.47	2	813	890.16	R64	-31 628.03	2	816	063.50
L65	-30 976.84	2	813	432.75	R65	-31 637.62	2	815	983.96
L66	-30 812.42	2	812	782.27	R66	-31 635.49	2	815	904.16
L67	-30 696.38	2	812	322.89	R67	-31 621.46	2	815	825.89
L68	-30 579.20	2	811	858.69	R68	-31 585.23	2	815	680.99
L69	-30 532.30	2	811	673.69	R69	-31 518.54	2	815	415.01
L70	-30 430.93	2	811	273.85	R70	-31 482.68	2	815	271.96
L71	-30 323.90	2	810	853.75	R71	-31 480.47	2	815	263.85
L72	-30 183.38	2	810	301.37	R72	-31 412.22	2	815	000.97
L73	-30 108.52	2	810	006.96	R73	-31 365.51	2	814	821.08
L74	-30 056.95	2	809	804.18	R74	-31 250.95	2	814	368.02
L75	-29 930.48	2	809	308.71	R75	-31 128.16	2	813	881.46
L76	-29 820.58	2	808	876.16	R76	-31 013.92	2	813	429.13
L77	-29 703.20	2	808	415.67	R77	-30 846.81	2	812	767.70
L78	-29 586.45	2	807	957.22	R78	-30 732.23	2	812	314.97
L79	-29 467.78	2	807	490.84	R79	-30 614.79	2	811	849.58
L80	-29 428.04	2	807	334.00	R80	-30 566.16	2	811	655.65
L81	-29 324.29	2	806	924.49	R81	-30 141.24	2	809	985.16
L82	-29 273.38	2	806	724.18	R82	-30 092.57	2	809	793.90
L83	-29 253.27	2	806	592.99	R83	-29 966.63	2	809	299.95
L84	-29 251.03	2	806	460.57	R84	-29 856.53	2	808	867.43
L85	-29 259.23	2	806	020.17	R85	-29 739.28	2	808	407.35
L86	-29 263.71	2	805	736.15	R86	-29 622.15	2	807	947.19
L87	-29 228.30	2	805	744.20	R87	-29 505.03	2	807	487.14
L88	-29 229.03	2	805	699.50	R88	-29 466.70	2	807	336.46
L89	-29 264.43	2	805	690.79	R89	-29 360.14	2	806	917.52
L90	-29 266.24	2	805	575.95	R90	-29 309.20	2	806	717.17
L91	-29 273.66	2	805	135.48	R91	-29 289.53	2	806	588.61
L92	-29 281.54	2	804	705.83	R92	-29 287.46	2	806	458.47
L93	-29 292.85	2	804	091.41	R93	-29 295.39	2	806	018.20
L94	-29 298.23	2	803	785.52	R94	-29 303.85	2	805	577.57
L95	-29 308.35	2	803	360.95	R95	-29 312.01	2	805	137.45
L96	-29 316.46	2	802	892.49	R96	-29 320.14	2	804	708.58
L97	-29 321.42	2	802	605.63	R97	-29 331.85	2	804	088.74
L98	-29 330.27	2	802	130.89	R98	-29 338.19	2	803	747.42
L99	-29 338.42	2	801	696.18	R99	-29 345.14	2	803	360.90
L100	-29 347.15	2	801	225.23	R100	-29 353.26	2	802	952.40
L101	-29 354.14	2	800	822.60	R101	-29 359.90	2	802	604.62
L102	-29 349.56	2	800	701.47	R102	-29 368.66	2	802	129.02
					Vel Sheet 15 Van of 18 P1166/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-29 319.09	2 800 561.07		R103	-29 376.67	2 801 690.28
L104	-29 254.06	2 800 326.04		R104	-29 385.31	2 801 224.67
L105	-29 096.18	2 799 755.99		R105	-29 392.43	2 800 822.46
L106	-29 019.62	2 799 478.62		R106	-29 391.29	2 800 778.11
L107	-28 856.88	2 798 891.81		R107	-29 389.32	2 800 700.91
L108	-28 699.44	2 798 324.03		R108	-29 300.44	2 800 351.19
L109	-28 593.83	2 797 941.51		R109	-29 135.44	2 799 754.91
L110	-28 537.22	2 797 736.47		R110	-29 054.96	2 799 464.48
L111	-28 411.47	2 797 283.21		R111	-28 893.75	2 798 882.60
L112	-28 345.30	2 797 044.88		R112	-28 736.56	2 798 315.00
L113	-28 202.31	2 796 529.83		R113	-28 631.06	2 797 933.52
L114	-28 055.15	2 795 998.97		R114	-28 578.87	2 797 744.82
L115	-28 007.16	2 795 825.45		R115	-28 433.72	2 797 224.22
L116	-27 954.66	2 795 635.63		R116	-28 396.39	2 797 089.76
L117	-27 943.73	2 795 596.13		R117	-28 237.84	2 796 518.64
L118	-27 662.59	2 794 579.57		R118	-28 063.67	2 795 886.38
L119	-27 632.14	2 794 525.74		R119	-27 904.58	2 795 312.32
L120	-27 613.69	2 794 515.28		R120	-27 784.56	2 794 879.13
L121	-27 574.76	2 794 525.83		R121	-27 674.81	2 794 482.10
L122	-27 559.06	2 794 467.92		R122	-27 690.71	2 794 466.92
L123	-27 565.72	2 794 466.12		R123	-27 694.20	2 794 465.50
L124	-27 575.93	2 794 448.13		R124	-27 686.15	2 794 436.36
L125	-27 574.25	2 794 382.02		R125	-27 658.78	2 794 425.29
L126	-27 572.38	2 794 375.39		R126	-27 645.83	2 794 378.36
L127	-27 546.39	2 794 281.04		R127	-27 475.20	2 793 760.15
L128	-27 528.55	2 794 266.68		R128	-27 282.04	2 793 061.13
L129	-27 507.72	2 794 260.44		R129	-27 160.62	2 792 621.82
L130	-27 486.38	2 794 264.70		R130	-27 039.89	2 792 186.17
L131	-27 467.08	2 794 280.48		R131	-26 918.74	2 791 746.93
L132	-27 448.00	2 794 370.38		R132	-26 897.31	2 791 672.01
L133	-27 436.96	2 794 422.83		R133	-26 756.14	2 791 210.04
L134	-27 440.26	2 794 464.30		R134	-26 599.55	2 790 694.25
L135	-27 441.59	2 794 480.05		R135	-26 466.78	2 790 259.43
L136	-27 487.40	2 794 487.34		R136	-26 345.16	2 789 860.27
L137	-27 479.34	2 794 489.52		R137	-26 360.83	2 789 855.50
L138	-27 432.15	2 794 496.66		R138	-26 354.73	2 789 835.44
L139	-27 420.68	2 794 498.40		R139	-26 353.49	2 789 831.58
L140	-27 361.54	2 794 493.68		R140	-26 333.89	2 789 823.74
L141	-27 355.62	2 794 491.78		R141	-26 012.74	2 788 766.96
L142	-27 401.53	2 794 481.82		R142	-25 538.98	2 787 225.31
L143	-27 399.11	2 794 451.68		R143	-25 503.88	2 787 117.37
L144	-27 386.08	2 794 438.44		R144	-25 142.15	2 785 915.28
L145	-27 386.10	2 794 412.89		R145	-25 060.28	2 785 618.01
L146	-27 404.30	2 794 393.29		R146	-25 011.37	2 785 328.28
L147	-27 409.49	2 794 368.82		R147	-24 930.66	2 784 814.04
L148	-27 433.27	2 794 256.41		R148	-24 867.32	2 784 411.79
L149	-27 476.67	2 794 213.60		R149	-24 797.27	2 783 965.19
L150	-27 491.09	2 794 177.54		R150	-24 727.10	2 783 518.92
L151	-27 490.97	2 794 113.72		R151	-24 656.07	2 783 067.06
L152	-27 477.59	2 794 052.49		R152	-24 575.65	2 782 555.94
L153	-27 456.42	2 793 933.62		R153	-24 535.51	2 782 300.70
				Vel Sheet 16	Van of 18	P1166/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L154	-27 440.60	2 793 872.70		R154	-24 434.03	2 781 652.80			
L155	-27 455.23	2 793 827.78		R155	-24 423.21	2 781 532.61			
L156	-27 440.96	2 793 776.31		R156	-24 421.64	2 781 473.41			
L157	-27 245.91	2 793 071.67		R157	-24 425.13	2 781 352.96			
L158	-27 124.32	2 792 632.65		R158	-24 433.23	2 781 261.29			
L159	-27 003.81	2 792 196.89		R159	-24 656.64	2 778 915.37			
L160	-26 884.70	2 791 765.54		R160	-24 694.60	2 778 523.83			
L161	-26 861.21	2 791 683.26		R161	-24 718.02	2 778 283.79			
L162	-26 731.88	2 791 258.50		R162	-24 760.55	2 777 839.51			
L163	-26 562.17	2 790 702.48		R163	-24 805.45	2 777 373.01			
L164	-26 430.50	2 790 270.20		R164	-24 849.22	2 776 919.37			
L165	-26 299.30	2 789 839.43		R165	-24 860.58	2 776 799.06			
L166	-26 297.13	2 789 832.29		R166	-24 872.21	2 776 679.33			
L167	-25 654.83	2 787 745.38		R167	-24 877.47	2 776 401.29			
L168	-25 612.83	2 787 616.86		R168	-24 880.96	2 776 217.00			
L169	-25 515.11	2 787 280.39		R169	-24 902.43	2 775 994.51			
L170	-25 436.96	2 787 042.22		R170	-24 937.48	2 775 800.74			
L171	-25 144.01	2 786 074.52		R171	-24 980.20	2 775 564.56			
L172	-25 100.47	2 785 933.03		R172	-24 996.04	2 775 402.83			
L173	-25 018.55	2 785 635.68		R173	-25 003.34	2 775 323.97			
L174	-24 971.21	2 785 327.31		R174	-25 014.20	2 775 211.71			
L175	-24 892.66	2 784 815.71		R175	-25 252.72	2 772 748.80			
L176	-24 830.21	2 784 417.72		R176	-25 254.71	2 772 728.53			
L177	-24 760.29	2 783 972.71		R177	-25 297.62	2 772 279.62			
L178	-24 689.75	2 783 524.80		R178	-25 319.67	2 771 948.12			
L179	-24 618.56	2 783 072.54		R179	-25 341.04	2 771 606.83			
L180	-24 538.45	2 782 562.12		R180	-25 366.69	2 771 197.50			
L181	-24 466.89	2 782 109.31		R181	-25 402.10	2 770 635.14			
L182	-24 396.47	2 781 658.05		R182	-25 439.69	2 770 036.16			
L183	-24 390.03	2 781 598.56		R183	-25 472.98	2 769 505.11			
L184	-24 385.51	2 781 535.20		R184	-25 490.10	2 769 231.50			
L185	-24 383.57	2 781 474.96		R185	-25 503.02	2 769 024.80			
L186	-24 384.20	2 781 412.86		R186	-25 540.89	2 768 425.55			
L187	-24 387.46	2 781 350.12		R187	-25 578.77	2 767 820.53			
L188	-24 395.39	2 781 258.19		R188	-25 626.51	2 767 063.04			
L189	-24 421.25	2 780 991.13		R189	-25 647.85	2 766 972.47			
L190	-24 391.31	2 780 992.89		R190	-25 764.95	2 766 475.29			
L191	-24 395.59	2 780 948.71		R191	-25 775.31	2 766 431.29			
L192	-24 425.52	2 780 946.97		R192	-25 823.53	2 766 226.70			
L193	-24 463.86	2 780 551.03		R193	-25 882.12	2 765 978.12			
L194	-24 507.65	2 780 095.34		R194	-25 913.78	2 765 843.75			
L195	-24 551.47	2 779 641.22		R195	-25 940.68	2 765 729.53			
L196	-24 595.16	2 779 185.87		R196	-25 999.23	2 765 480.94			
L197	-24 621.37	2 778 913.88		R197	-26 052.81	2 765 253.39			
L198	-24 682.79	2 778 275.14		R198	-26 057.78	2 765 232.34			
L199	-24 726.17	2 777 825.14		R199	-26 116.36	2 764 983.76			
L200	-24 813.82	2 776 915.38		R200	-26 140.19	2 764 882.67			
L201	-24 822.90	2 776 796.31		R201	-26 189.76	2 764 672.10			
L202	-24 824.63	2 776 676.82		R202	-26 237.64	2 764 468.67			
L203	-24 825.96	2 776 219.58		R203	-26 264.14	2 764 355.52			
L204	-24 830.51	2 776 112.10		R204	-26 318.66	2 764 122.70			
					Vel 17 Van 18 Sheet of P1166/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L205	-24 833.97	2 776 072.19		R205	-26 471.15	2 763 472.21
L206	-24 852.55	2 775 946.69		R206	-26 471.49	2 763 311.04
L207	-24 933.72	2 775 559.10		R207	-26 464.49	2 763 209.04
L208	-24 962.50	2 775 397.26		R208	-26 449.00	2 763 105.04
L209	-24 970.36	2 775 318.77		R209	-26 432.00	2 763 035.04
L210	-24 991.00	2 775 103.95		R210	-26 382.50	2 762 885.04
L211	-25 043.37	2 774 558.69		R211	-26 374.50	2 762 823.04
L212	-25 086.69	2 774 106.26		R212	-26 382.69	2 762 804.25
L213	-25 130.77	2 773 652.42		R213	-26 368.00	2 762 767.04
L214	-25 174.40	2 773 199.39		R214	-26 350.00	2 762 758.04
L215	-25 218.13	2 772 746.08		R215	-26 314.50	2 762 708.04
L216	-25 261.52	2 772 293.23		R216	-26 265.00	2 762 585.05
L217	-25 285.16	2 771 942.74		R217	-26 234.50	2 762 495.05
L218	-25 304.77	2 771 631.98		R218	-26 211.00	2 762 406.05
L219	-25 332.37	2 771 194.56		R219	-26 196.00	2 762 313.05
L220	-25 367.68	2 770 633.64		R220	-26 188.00	2 762 238.05
L221	-25 404.76	2 770 030.86		R221	-26 185.00	2 762 123.05
L222	-25 408.45	2 769 970.27		R222	-26 192.01	2 762 033.05
L223	-25 396.10	2 769 925.36		R223	-26 207.00	2 761 934.05
L224	-25 397.03	2 769 910.03		R224	-26 227.00	2 761 845.06
L225	-25 414.91	2 769 864.18		R225	-26 245.00	2 761 788.06
L226	-25 436.97	2 769 501.74		R226	-26 292.78	2 761 643.15
L227	-25 454.54	2 769 221.33				
L228	-25 467.37	2 769 016.44				
L229	-25 504.94	2 768 418.26				
L230	-25 542.54	2 767 819.87				
L231	-25 585.92	2 767 127.04				
L232	-25 593.32	2 767 051.15				
L233	-25 595.84	2 767 038.69				
L234	-25 591.37	2 766 986.59				
L235	-25 596.32	2 766 958.48				
L236	-25 621.33	2 766 919.71				
L237	-25 728.43	2 766 465.37				
L238	-25 787.03	2 766 216.79				
L239	-25 845.63	2 765 968.20				
L240	-25 904.22	2 765 719.63				
L241	-25 962.82	2 765 471.04				
L242	-26 021.42	2 765 222.46				
L243	-26 080.01	2 764 973.89				
L244	-26 153.47	2 764 662.24				
L245	-26 228.08	2 764 345.73				
L246	-26 287.85	2 764 092.18				
L247	-26 401.10	2 763 610.75				
L248	-26 377.01	2 763 606.43				
L249	-26 395.99	2 763 507.78				
L250	-26 406.95	2 763 408.52				
L251	-26 408.54	2 763 311.46				
L252	-26 402.12	2 763 215.30				
L253	-26 386.72	2 763 115.45				
L254	-26 363.15	2 763 037.29				
L255	-26 352.86	2 762 980.00				
				LINKERKANT/LEFT HAND SIDE		
					Y	X
				L256	-26 208.56	2 762 608.94
				L257	-26 175.22	2 762 512.03
				L258	-26 150.05	2 762 412.44
				L259	-26 134.28	2 762 318.29
				L260	-26 126.59	2 762 242.09
				L261	-26 123.97	2 762 123.69
				L262	-26 131.06	2 762 024.49
				L263	-26 169.22	2 761 826.18
				L264	-26 186.69	2 761 765.38
				L265	-26 227.64	2 761 634.70
				L266	-26 235.24	2 761 611.59
				Vel Sheet	18 Van of 18	P1166/19