

DEPARTMENT OF TRANSPORT

NO. 1056

20 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R555 SECTION 3

AMENDMENT OF DECLARATION No. 538 OF 2014.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 538 of 2014 by substituting paragraph N(i) of the Schedule, being the descriptive declaration of the route from its junction with the current Limpopo / Mpumalanga Provincial Border up to its junction with Provincial Road R577, with the accompanying sheets 1 to 23 of Plan No. P1156/19.

In the town of Lagersdrift the R555 Section 3 enters the town from the south and from thereon follows the street known as Beuker Street, at time of declaration.

(National Road R555 Section 3: Limpopo / Mpumalanga Provincial Border – R577 Junction)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 1056

20 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R555 SEKSIE 3

WYSIGING VAN VERKLARING No. 538 VAN 2014.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 538 van 2014 deur paragraaf N(i) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met die bestaande Limpopo / Mpumalanga Provinsiale Grens tot by die aansluiting met provinsiale Pad R577, met bygaande velle 1 tot 23 van Plan No. P1156/19.

In die dorp Lagersdrift kom die R555 Seksie 3 die dorp binne vanuit die suide en volg dan die straat bekend as Beukerstraat, tydens datum van verklaring.


(Nasionale Pad R555 Seksie 3: Limpopo / Mpumalanga Provinsiale Grens – R577 Aansluiting)**MINISTER VAN VERVOER**





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R555 of National Route R555	3	Plan P1156/19	Vel Sheet 1 of 23	3
---	---------------------------------------	--	---	---------------	-------------------	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Val Sheet 2 of 23 Plan P1156/19
---	---------------------------------------	---	---------------------------------------











Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R555 of National Route	Vel Sheet 5 of 23	Plan P1156/19
3	3	3	3	3











Vel van
Sheet 10 of 23
Plan P1156/19


3
Seksie
Section


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete R555
of National Route





Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R555 of National Route	Vel Sheet 11 of 23	3	Plan P1156/19	Section
---	---------------------------------------	---	---	--------------------------	---	------------------	---------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R555 of National Route Section	Vel Sheet 14 of 23	Plan P1156/19
---	---------------------------------------	--	--------------------------------	------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R555 of National Route	Vel Sheet 15 of 23 Plan P1156/19
---	---------------------------------------	---	--

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L1	-84 301.17	2 808 729.46		R1	-84 341.07 2 808 750.11
L2	-84 742.02	2 808 463.64		R2	-84 550.27 2 808 623.56
L3	-85 552.36	2 807 974.04		R3	-85 516.29 2 808 038.44
L4	-85 728.27	2 807 866.93		R4	-85 623.34 2 807 971.49
L5	-85 777.55	2 807 830.97		R5	-85 782.61 2 807 875.23
L6	-85 807.36	2 807 805.36		R6	-85 829.19 2 807 836.75
L7	-85 834.89	2 807 778.43		R7	-85 873.82 2 807 792.30
L8	-85 873.35	2 807 734.12		R8	-85 922.42 2 807 732.26
L9	-85 900.60	2 807 697.20		R9	-85 968.63 2 807 658.18
L10	-85 935.01	2 807 640.88		R10	-85 991.68 2 807 610.65
L11	-85 954.39	2 807 600.93		R11	-86 020.10 2 807 538.06
L12	-85 981.88	2 807 527.66		R12	-86 037.15 2 807 460.72
L13	-85 999.95	2 807 453.36		R13	-86 065.66 2 807 261.58
L14	-86 028.96	2 807 247.46		R14	-86 081.13 2 807 196.43
L15	-86 044.70	2 807 185.61		R15	-86 096.30 2 807 150.31
L16	-86 063.03	2 807 130.72		R16	-86 120.09 2 807 094.20
L17	-86 086.18	2 807 078.56		R17	-86 166.58 2 807 015.40
L18	-86 137.31	2 806 998.49		R18	-86 622.27 2 806 378.13
L19	-86 581.10	2 806 366.17		R19	-86 672.43 2 806 338.31
L20	-86 659.64	2 806 302.37		R20	-86 814.33 2 806 252.12
L21	-86 750.26	2 806 247.03		R21	-86 969.49 2 806 157.88
L22	-86 856.45	2 806 182.18		R22	-87 089.66 2 806 085.53
L23	-86 991.31	2 806 100.37		R23	-87 198.43 2 806 020.04
L24	-87 089.97	2 806 041.05		R24	-87 275.40 2 805 972.43
L25	-87 184.66	2 805 984.11		R25	-87 317.42 2 805 940.65
L26	-87 279.24	2 805 924.29		R26	-87 348.06 2 805 912.79
L27	-87 334.90	2 805 873.89		R27	-87 405.75 2 805 856.19
L28	-87 373.02	2 805 831.44		R28	-87 468.06 2 805 758.42
L29	-87 439.56	2 805 731.23		R29	-87 512.60 2 805 655.18
L30	-87 482.46	2 805 629.83		R30	-87 530.31 2 805 594.99
L31	-87 507.72	2 805 528.53		R31	-87 546.75 2 805 523.39
L32	-87 604.39	2 805 100.98		R32	-87 612.20 2 805 233.97
L33	-87 739.91	2 804 500.27		R33	-87 679.11 2 804 938.08
L34	-87 808.52	2 804 199.45		R34	-87 764.03 2 804 562.55
L35	-87 857.33	2 803 989.41		R35	-87 836.13 2 804 246.54
L36	-87 910.14	2 803 761.40		R36	-87 885.49 2 804 033.35
L37	-87 959.28	2 803 549.21		R37	-87 939.06 2 803 803.57
L38	-88 020.58	2 803 286.46		R38	-87 989.00 2 803 588.18
L39	-88 088.93	2 802 991.66		R39	-88 049.28 2 803 327.96
L40	-88 143.39	2 802 756.77		R40	-88 116.70 2 803 038.13
L41	-88 246.11	2 802 314.65		R41	-88 171.03 2 802 803.75
L42	-88 304.55	2 802 063.16		R42	-88 271.36 2 802 371.23
L43	-88 346.10	2 801 884.04		R43	-88 326.26 2 802 134.55
L44	-88 373.81	2 801 784.45		R44	-88 333.01 2 802 111.34
L45	-88 537.50	2 801 357.61		R45	-88 337.60 2 802 084.58
L46	-88 542.93	2 801 343.11		R46	-88 362.00 2 801 982.43
L47	-88 755.59	2 800 790.04		R47	-88 378.48 2 801 903.75
L48	-89 051.92	2 800 012.88		R48	-88 389.73 2 801 861.60
L49	-89 170.82	2 799 698.04		R49	-88 397.07 2 801 836.60
L50	-89 225.55	2 799 580.12		R50	-88 435.54 2 801 734.16
L51	-89 366.91	2 799 313.98		R51	-88 527.37 2 801 487.72
			Vel Sheet	16	Van of 23
			P1156/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L52	-89 430.87	2	799 194.40		R52	-88 539.23	2	801 457.09	
L53	-89 438.34	2	799 191.26		R53	-88 626.17	2	801 232.41	
L54	-89 815.90	2	798 469.98		R54	-88 690.97	2	801 062.24	
L55	-89 911.91	2	798 267.06		R55	-88 769.55	2	800 857.64	
L56	-89 962.68	2	798 080.49		R56	-89 071.67	2	800 066.69	
L57	-90 038.09	2	797 803.39		R57	-89 201.31	2	799 721.31	
L58	-90 286.39	2	796 890.95		R58	-89 258.60	2	799 596.62	
L59	-90 314.79	2	796 787.16		R59	-89 381.01	2	799 365.57	
L60	-90 481.90	2	796 172.88		R60	-89 483.07	2	799 172.44	
L61	-90 513.58	2	796 035.64		R61	-89 532.79	2	799 078.27	
L62	-90 565.28	2	795 789.20		R62	-89 824.91	2	798 534.87	
L63	-90 577.77	2	795 722.57		R63	-89 907.70	2	798 375.81	
L64	-90 637.53	2	795 433.74		R64	-89 931.81	2	798 318.90	
L65	-90 694.03	2	795 159.48		R65	-89 945.67	2	798 279.67	
L66	-90 810.51	2	794 593.76		R66	-89 953.53	2	798 257.42	
L67	-90 870.33	2	794 305.86		R67	-90 071.15	2	797 821.28	
L68	-90 895.86	2	794 180.75		R68	-90 074.98	2	797 809.94	
L69	-90 921.76	2	794 051.78		R69	-90 088.38	2	797 762.55	
L70	-90 936.58	2	793 896.17		R70	-90 251.61	2	797 160.28	
L71	-90 932.11	2	793 656.59		R71	-90 321.55	2	796 904.05	
L72	-90 926.87	2	793 382.20		R72	-90 358.42	2	796 768.98	
L73	-90 919.71	2	793 019.93		R73	-90 364.98	2	796 744.59	
L74	-90 914.48	2	792 738.63		R74	-90 480.82	2	796 313.86	
L75	-90 910.49	2	792 514.89		R75	-90 518.53	2	796 179.39	
L76	-90 908.45	2	792 419.29		R76	-90 541.60	2	796 082.23	
L77	-90 906.80	2	792 332.20		R77	-90 582.43	2	795 886.41	
L78	-90 903.34	2	792 135.59		R78	-90 610.69	2	795 750.88	
L79	-90 898.12	2	791 880.71		R79	-90 682.42	2	795 394.90	
L80	-90 894.85	2	791 710.33		R80	-90 739.29	2	795 125.44	
L81	-90 891.63	2	791 541.42		R81	-90 769.34	2	794 978.04	
L82	-90 887.88	2	791 360.71		R82	-90 795.81	2	794 841.79	
L83	-90 889.90	2	791 213.00		R83	-90 855.69	2	794 560.69	
L84	-90 892.71	2	791 116.40		R84	-90 911.82	2	794 287.27	
L85	-90 899.24	2	790 895.73		R85	-90 937.45	2	794 164.94	
L86	-90 908.20	2	790 632.16		R86	-90 961.72	2	794 038.87	
L87	-90 913.27	2	790 423.49		R87	-90 973.42	2	793 898.90	
L88	-90 920.16	2	790 193.18		R88	-90 969.01	2	793 651.57	
L89	-90 925.05	2	790 022.37		R89	-90 964.03	2	793 376.45	
L90	-90 934.09	2	789 729.55		R90	-90 957.65	2	793 028.29	
L91	-90 955.55	2	788 978.28		R91	-90 952.25	2	792 747.15	
L92	-90 943.54	2	788 847.57		R92	-90 947.66	2	792 521.02	
L93	-90 935.21	2	788 811.57		R93	-90 945.81	2	792 424.92	
L94	-90 874.32	2	788 662.35		R94	-90 944.12	2	792 337.15	
L95	-90 844.10	2	788 608.01		R95	-90 940.34	2	792 139.46	
L96	-90 283.57	2	787 596.01		R96	-90 935.68	2	791 878.96	
L97	-90 266.91	2	787 565.87		R97	-90 931.11	2	791 707.14	
L98	-89 992.82	2	787 069.82		R98	-90 926.62	2	791 538.31	
L99	-89 943.76	2	786 929.76		R99	-90 923.90	2	791 405.63	
L100	-89 917.55	2	786 801.11		R100	-90 925.16	2	791 355.67	
L101	-89 909.83	2	786 700.00		R101	-90 930.14	2	791 111.31	
L102	-89 904.62	2	786 431.22		R102	-90 936.88	2	790 892.45	
					Vel Sheet 17 Van of 23 P1156/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L103	-89 900.32	2 786 260.84		R103	-90 944.24	2 790 628.77
L104	-89 898.30	2 786 150.13		R104	-90 950.35	2 790 422.68
L105	-89 889.93	2 785 755.20		R105	-90 955.52	2 790 195.03
L106	-89 882.77	2 785 443.50		R106	-90 961.94	2 790 032.45
L107	-89 869.64	2 784 834.94		R107	-90 970.60	2 789 740.31
L108	-89 852.78	2 784 041.42		R108	-90 993.19	2 788 978.18
L109	-89 831.45	2 783 017.52		R109	-90 989.16	2 788 895.99
L110	-89 833.89	2 782 857.40		R110	-90 980.31	2 788 841.76
L111	-89 840.45	2 782 639.13		R111	-90 978.46	2 788 830.39
L112	-89 860.81	2 781 915.32		R112	-90 970.60	2 788 800.16
L113	-89 876.27	2 781 383.95		R113	-90 964.00	2 788 774.80
L114	-89 883.19	2 781 120.51		R114	-90 929.86	2 788 687.85
L115	-89 888.35	2 781 059.21		R115	-90 901.74	2 788 634.20
L116	-89 898.00	2 781 000.11		R116	-90 519.64	2 787 943.77
L117	-89 915.10	2 780 941.37		R117	-90 396.54	2 787 716.81
L118	-89 928.49	2 780 904.13		R118	-90 329.70	2 787 595.70
L119	-89 959.95	2 780 838.37		R119	-90 312.78	2 787 565.09
L120	-90 132.91	2 780 522.74		R120	-90 296.87	2 787 536.51
L121	-90 160.40	2 780 462.55		R121	-90 279.49	2 787 510.27
L122	-90 171.35	2 780 426.57		R122	-90 047.93	2 787 090.99
L123	-90 184.21	2 780 360.02		R123	-89 997.88	2 786 975.35
L124	-90 186.87	2 780 293.58		R124	-89 966.66	2 786 863.07
L125	-90 179.93	2 780 227.16		R125	-89 949.56	2 786 738.20
L126	-90 161.52	2 780 161.82		R126	-89 942.57	2 786 417.39
L127	-90 151.76	2 780 137.71		R127	-89 920.30	2 785 394.95
L128	-90 142.52	2 780 114.89		R128	-89 905.59	2 784 719.70
L129	-89 991.82	2 779 875.11		R129	-89 903.68	2 784 631.79
L130	-89 872.88	2 779 688.63		R130	-89 890.36	2 784 020.09
L131	-89 712.63	2 779 438.53		R131	-89 878.85	2 783 493.02
L132	-89 677.92	2 779 379.88		R132	-89 874.84	2 783 307.62
L133	-89 642.14	2 779 306.72		R133	-89 868.97	2 783 016.76
L134	-89 511.86	2 778 943.02		R134	-89 869.87	2 782 916.18
L135	-89 390.84	2 778 609.80		R135	-89 875.86	2 782 646.38
L136	-89 330.67	2 778 494.52		R136	-89 898.12	2 781 919.61
L137	-89 294.58	2 778 451.60		R137	-89 913.28	2 781 387.33
L138	-89 265.75	2 778 424.49		R138	-89 920.64	2 781 119.54
L139	-89 235.61	2 778 401.14		R139	-89 927.51	2 781 045.39
L140	-89 188.79	2 778 370.45		R140	-89 944.82	2 780 971.35
L141	-89 152.53	2 778 352.13		R141	-89 966.90	2 780 908.67
L142	-89 097.61	2 778 332.85		R142	-89 988.50	2 780 864.88
L143	-89 043.25	2 778 320.45		R143	-90 168.40	2 780 534.30
L144	-88 983.68	2 778 315.61		R144	-90 194.88	2 780 476.97
L145	-88 807.61	2 778 313.95		R145	-90 209.70	2 780 429.47
L146	-88 748.32	2 778 317.15		R146	-90 221.64	2 780 364.31
L147	-88 688.99	2 778 322.93		R147	-90 223.54	2 780 291.84
L148	-88 621.68	2 778 335.62		R148	-90 216.28	2 780 218.41
L149	-88 555.74	2 778 353.25		R149	-90 181.73	2 780 114.93
L150	-88 370.62	2 778 422.29		R150	-90 173.47	2 780 095.73
L151	-88 078.09	2 778 535.14		R151	-90 151.61	2 780 056.22
L152	-88 006.72	2 778 558.27		R152	-89 885.45	2 779 640.33
L153	-87 677.54	2 778 636.05		R153	-89 753.57	2 779 434.38
				Vel Sheet	18 Van of 23	P1156/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L154	-87 614.65	2 778 645.83		R154	-89 719.61	2 779 378.34
L155	-87 548.29	2 778 644.95		R155	-89 665.73	2 779 265.46
L156	-87 490.00	2 778 633.95		R156	-89 549.20	2 778 938.97
L157	-87 439.42	2 778 618.04		R157	-89 466.03	2 778 705.94
L158	-87 408.66	2 778 602.22		R158	-89 429.95	2 778 591.74
L159	-87 369.06	2 778 578.69		R159	-89 400.04	2 778 536.20
L160	-87 325.24	2 778 542.42		R160	-89 361.93	2 778 474.21
L161	-87 297.33	2 778 512.88		R161	-89 322.78	2 778 427.96
L162	-87 271.97	2 778 481.28		R162	-89 290.15	2 778 397.32
L163	-87 251.47	2 778 447.09		R163	-89 258.83	2 778 371.90
L164	-87 228.46	2 778 397.92		R164	-89 208.77	2 778 339.30
L165	-87 211.67	2 778 341.20		R165	-89 168.29	2 778 318.48
L166	-87 204.48	2 778 289.66		R166	-89 126.02	2 778 301.94
L167	-87 180.42	2 777 963.74		R167	-89 108.03	2 778 297.75
L168	-87 117.79	2 777 090.97		R168	-89 050.78	2 778 284.38
L169	-87 114.90	2 777 005.72		R169	-88 986.54	2 778 278.34
L170	-87 116.47	2 776 931.09		R170	-88 867.44	2 778 276.87
L171	-87 167.80	2 775 860.88		R171	-88 745.70	2 778 278.90
L172	-87 170.66	2 775 565.15		R172	-88 644.01	2 778 292.65
L173	-87 168.36	2 775 140.75		R173	-88 544.49	2 778 317.49
L174	-87 167.29	2 774 588.34		R174	-88 466.00	2 778 345.77
L175	-87 166.80	2 774 330.26		R175	-88 071.30	2 778 497.48
L176	-87 166.39	2 774 114.44		R176	-87 978.23	2 778 527.32
L177	-87 165.74	2 773 936.65		R177	-87 661.29	2 778 601.14
L178	-87 165.47	2 773 751.60		R178	-87 606.35	2 778 609.20
L179	-87 165.15	2 773 533.16		R179	-87 550.26	2 778 607.25
L180	-87 165.07	2 773 474.61		R180	-87 497.05	2 778 596.77
L181	-87 168.81	2 773 408.61		R181	-87 460.88	2 778 585.34
L182	-87 183.00	2 773 332.03		R182	-87 429.84	2 778 571.21
L183	-87 204.74	2 773 260.88		R183	-87 386.48	2 778 545.73
L184	-87 223.03	2 773 215.25		R184	-87 358.39	2 778 523.61
L185	-87 242.35	2 773 176.98		R185	-87 326.18	2 778 489.65
L186	-87 467.40	2 772 783.40		R186	-87 302.55	2 778 459.74
L187	-87 558.77	2 772 620.71		R187	-87 284.10	2 778 429.41
L188	-87 707.97	2 772 359.77		R188	-87 263.87	2 778 386.19
L189	-87 733.73	2 772 300.19		R189	-87 249.40	2 778 336.82
L190	-87 753.97	2 772 241.15		R190	-87 240.57	2 778 267.20
L191	-87 764.88	2 772 167.70		R191	-87 171.23	2 777 320.83
L192	-87 762.82	2 772 101.05		R192	-87 155.43	2 777 089.13
L193	-87 747.91	2 772 022.86		R193	-87 152.19	2 777 010.56
L194	-87 739.59	2 772 001.46		R194	-87 152.48	2 776 951.75
L195	-87 728.05	2 771 971.78		R195	-87 202.61	2 775 881.88
L196	-87 695.87	2 771 912.54		R196	-87 206.66	2 775 761.65
L197	-87 650.65	2 771 854.26		R197	-87 205.86	2 775 334.89
L198	-87 503.48	2 771 695.02		R198	-87 204.22	2 774 579.20
L199	-87 461.96	2 771 670.81		R199	-87 203.68	2 774 326.75
L200	-87 455.34	2 771 663.44		R200	-87 203.03	2 774 108.96
L201	-87 437.89	2 771 619.24		R201	-87 202.50	2 773 929.29
L202	-87 344.39	2 771 512.34		R202	-87 201.95	2 773 742.49
L203	-86 804.95	2 770 910.77		R203	-87 201.30	2 773 522.08
L204	-86 754.34	2 770 845.00		R204	-87 201.19	2 773 485.38
				Vel Sheet	19 Van of 23	P1156/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L205	-86 713.86	2 770 777.24		R205	-87 206.85	2 773 405.05
L206	-86 682.77	2 770 706.27		R206	-87 216.59	2 773 350.53
L207	-86 654.40	2 770 613.85		R207	-87 227.68	2 773 308.67
L208	-86 648.09	2 770 555.01		R208	-87 242.38	2 773 266.93
L209	-86 645.49	2 770 473.62		R209	-87 251.55	2 773 245.70
L210	-86 653.06	2 770 396.48		R210	-87 261.88	2 773 221.78
L211	-86 668.05	2 770 327.10		R211	-87 280.34	2 773 187.91
L212	-86 716.55	2 770 150.63		R212	-87 447.73	2 772 895.11
L213	-86 745.71	2 770 056.97		R213	-87 526.54	2 772 755.69
L214	-86 758.78	2 769 951.09		R214	-87 596.13	2 772 642.05
L215	-86 764.14	2 769 901.97		R215	-87 742.68	2 772 379.62
L216	-86 770.04	2 769 847.82		R216	-87 776.83	2 772 314.40
L217	-86 768.31	2 769 630.87		R217	-87 782.75	2 772 293.15
L218	-86 766.19	2 769 514.73		R218	-87 796.61	2 772 243.38
L219	-86 758.76	2 769 420.96		R219	-87 810.13	2 772 182.22
L220	-86 781.92	2 769 268.08		R220	-87 808.61	2 772 095.73
L221	-86 895.85	2 769 100.65		R221	-87 798.81	2 772 042.44
L222	-86 953.02	2 769 047.15		R222	-87 793.03	2 772 022.20
L223	-87 018.95	2 769 007.05		R223	-87 748.88	2 771 918.09
L224	-87 094.17	2 768 984.40		R224	-87 687.74	2 771 834.16
L225	-87 168.08	2 768 967.89		R225	-87 542.49	2 771 674.06
L226	-87 382.01	2 768 942.12		R226	-87 519.21	2 771 638.42
L227	-87 466.70	2 768 931.35		R227	-87 492.00	2 771 610.02
L228	-87 480.87	2 768 929.31		R228	-87 380.71	2 771 491.61
L229	-87 700.11	2 768 894.65		R229	-86 832.43	2 770 880.40
L230	-87 808.49	2 768 878.92		R230	-86 787.94	2 770 823.21
L231	-87 898.83	2 768 865.54		R231	-86 750.09	2 770 759.68
L232	-87 944.45	2 768 855.72		R232	-86 720.22	2 770 691.87
L233	-87 998.27	2 768 836.77		R233	-86 699.58	2 770 621.45
L234	-88 021.49	2 768 826.66		R234	-86 687.96	2 770 548.69
L235	-88 081.83	2 768 790.35		R235	-86 685.68	2 770 475.48
L236	-88 126.06	2 768 755.47		R236	-86 692.77	2 770 402.14
L237	-88 173.06	2 768 709.97		R237	-86 708.15	2 770 330.40
L238	-88 177.00	2 768 705.30		R238	-86 796.86	2 770 029.71
L239	-88 209.21	2 768 655.35		R239	-86 809.22	2 769 946.94
L240	-88 231.52	2 768 595.12		R240	-86 810.54	2 769 930.87
L241	-88 235.19	2 768 583.56		R241	-86 813.99	2 769 888.95
L242	-88 239.60	2 768 567.38		R242	-86 807.62	2 769 461.69
L243	-88 247.69	2 768 533.46		R243	-86 814.98	2 769 379.99
L244	-88 251.02	2 768 509.70		R244	-86 830.83	2 769 332.30
L245	-88 263.73	2 768 361.67		R245	-86 888.24	2 769 195.02
L246	-88 271.62	2 768 302.50		R246	-86 923.50	2 769 147.47
L247	-88 296.95	2 768 049.65		R247	-86 932.54	2 769 136.46
L248	-88 314.20	2 767 977.89		R248	-86 955.44	2 769 118.91
L249	-88 384.75	2 767 846.85		R249	-86 987.55	2 769 094.80
L250	-88 421.78	2 767 807.50		R250	-87 045.39	2 769 058.61
L251	-88 568.48	2 767 691.27		R251	-87 085.61	2 769 040.45
L252	-88 620.48	2 767 651.16		R252	-87 108.43	2 769 031.21
L253	-88 695.14	2 767 594.60		R253	-87 121.25	2 769 029.76
L254	-88 766.01	2 767 535.35		R254	-87 151.53	2 769 027.60
L255	-88 870.99	2 767 445.84		R255	-87 222.69	2 769 018.58
				Vel Sheet	20 Van of 23	P1156/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L256	-88 923.73	2 767 404.93		R256	-87 276.59	2 768 999.92
L257	-88 984.63	2 767 356.38		R257	-87 520.48	2 768 964.87
L258	-89 003.75	2 767 349.49		R258	-87 651.23	2 768 946.22
L259	-89 012.10	2 767 334.73		R259	-87 828.50	2 768 920.20
L260	-89 167.63	2 767 211.75		R260	-87 956.05	2 768 902.28
L261	-89 230.70	2 767 161.53		R261	-87 981.38	2 768 896.75
L262	-89 313.36	2 767 092.58		R262	-88 010.60	2 768 887.32
L263	-89 376.26	2 767 029.50		R263	-88 032.19	2 768 878.16
L264	-89 412.39	2 766 992.65		R264	-88 053.48	2 768 866.04
L265	-89 488.67	2 766 898.24		R265	-88 100.68	2 768 834.15
L266	-89 553.73	2 766 806.39		R266	-88 161.42	2 768 788.30
L267	-89 594.34	2 766 749.04		R267	-88 180.27	2 768 769.70
L268	-89 654.16	2 766 664.49		R268	-88 197.96	2 768 750.95
L269	-89 701.70	2 766 597.74		R269	-88 212.92	2 768 730.65
L270	-89 751.81	2 766 527.61		R270	-88 245.80	2 768 678.46
L271	-89 798.28	2 766 463.20		R271	-88 275.33	2 768 616.23
L272	-89 810.47	2 766 441.70		R272	-88 298.62	2 768 538.44
L273	-89 821.00	2 766 422.62		R273	-88 313.07	2 768 471.62
L274	-89 833.95	2 766 400.59		R274	-88 317.16	2 768 387.51
L275	-89 858.16	2 766 374.50		R275	-88 319.32	2 768 332.09
L276	-89 874.46	2 766 360.40		R276	-88 329.47	2 768 123.69
L277	-89 896.84	2 766 342.65		R277	-88 343.47	2 768 019.73
L278	-89 961.27	2 766 295.32		R278	-88 428.06	2 767 873.50
L279	-90 073.46	2 766 217.00		R279	-88 488.49	2 767 818.29
L280	-90 197.24	2 766 129.33		R280	-88 592.77	2 767 732.46
L281	-90 470.21	2 765 937.36		R281	-88 700.71	2 767 645.87
L282	-90 532.80	2 765 885.26		R282	-88 846.86	2 767 529.39
L283	-90 589.23	2 765 825.51		R283	-88 918.71	2 767 478.10
L284	-90 640.95	2 765 759.29		R284	-88 969.00	2 767 443.12
L285	-90 673.18	2 765 708.14		R285	-89 044.39	2 767 389.60
L286	-90 719.55	2 765 611.86		R286	-89 085.19	2 767 354.52
L287	-90 790.19	2 765 431.57		R287	-89 114.64	2 767 328.75
L288	-90 816.42	2 765 352.71		R288	-89 141.09	2 767 306.54
L289	-90 900.03	2 765 176.64		R289	-89 217.69	2 767 234.61
L290	-90 929.16	2 765 124.06		R290	-89 290.20	2 767 173.35
L291	-90 975.71	2 765 058.90		R291	-89 334.48	2 767 131.25
L292	-90 999.72	2 765 034.33		R292	-89 403.64	2 767 062.95
L293	-91 064.53	2 764 967.98		R293	-89 442.85	2 767 021.12
L294	-91 144.95	2 764 895.95		R294	-89 491.49	2 766 960.77
L295	-91 459.59	2 764 649.97		R295	-89 528.37	2 766 914.15
L296	-91 563.80	2 764 573.63		R296	-89 593.58	2 766 825.77
L297	-91 660.94	2 764 488.64		R297	-89 801.49	2 766 544.12
L298	-91 694.15	2 764 460.82		R298	-89 851.33	2 766 498.52
L299	-91 734.06	2 764 429.03		R299	-89 898.74	2 766 458.52
L300	-91 818.13	2 764 365.27		R300	-89 936.33	2 766 416.42
L301	-91 983.16	2 764 235.00		R301	-89 969.55	2 766 375.46
L302	-92 093.19	2 764 127.13		R302	-90 014.30	2 766 329.42
L303	-92 121.30	2 764 095.05		R303	-90 096.65	2 766 269.05
L304	-92 185.55	2 764 018.45		R304	-90 129.49	2 766 246.22
L305	-92 270.55	2 763 898.49		R305	-90 256.30	2 766 161.63
L306	-92 338.45	2 763 790.43		R306	-90 290.37	2 766 138.36
				Vel Sheet	21 Van of 23	P1156/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L307	-92 420.40	2 763 655.23		R307	-90 499.74	2 765 975.27
L308	-92 480.82	2 763 525.27		R308	-90 608.49	2 765 869.83
L309	-92 557.72	2 763 323.72		R309	-90 703.80	2 765 755.81
L310	-92 639.49	2 763 135.44		R310	-90 745.84	2 765 655.85
L311	-92 653.77	2 763 109.18		R311	-90 897.82	2 765 274.86
L312	-92 703.21	2 763 018.12		R312	-90 928.91	2 765 208.31
L313	-92 778.14	2 762 910.72		R313	-90 968.89	2 765 145.58
L314	-92 858.38	2 762 795.74		R314	-90 996.53	2 765 107.02
L315	-92 945.12	2 762 692.00		R315	-91 036.42	2 765 053.76
L316	-92 982.90	2 762 654.13		R316	-91 118.03	2 764 980.99
L317	-93 071.22	2 762 565.55		R317	-91 424.70	2 764 738.31
L318	-93 169.31	2 762 467.79		R318	-91 487.85	2 764 687.87
L319	-93 388.69	2 762 253.08		R319	-91 707.84	2 764 513.48
L320	-93 466.55	2 762 177.00		R320	-91 861.02	2 764 392.03
L321	-93 848.70	2 761 802.24		R321	-92 003.94	2 764 274.18
L322	-93 870.35	2 761 781.02		R322	-92 068.31	2 764 215.92
L323	-94 317.25	2 761 340.77		R323	-92 131.31	2 764 149.57
L324	-94 789.73	2 760 873.16		R324	-92 299.25	2 763 951.48
L325	-94 861.73	2 760 801.90		R325	-92 369.11	2 763 844.43
L326	-95 026.68	2 760 643.34		R326	-92 424.27	2 763 744.45
L327	-95 134.63	2 760 534.19		R327	-92 490.61	2 763 606.67
L328	-95 283.88	2 760 389.63		R328	-92 532.39	2 763 512.19
L329	-95 558.86	2 760 117.23		R329	-92 593.33	2 763 371.41
L330	-95 777.61	2 759 897.93		R330	-92 603.20	2 763 347.78
L331	-95 973.71	2 759 707.57		R331	-92 632.08	2 763 281.50
L332	-96 183.38	2 759 502.75		R332	-92 666.64	2 763 217.05
L333	-96 254.95	2 759 438.33		R333	-92 693.49	2 763 159.77
L334	-96 303.28	2 759 396.89		R334	-92 704.38	2 763 135.43
L335	-96 377.90	2 759 338.98		R335	-92 745.39	2 763 043.71
L336	-96 472.01	2 759 279.05		R336	-92 816.41	2 762 930.20
L337	-96 485.42	2 759 270.50		R337	-92 881.65	2 762 840.18
L338	-96 599.05	2 759 212.89		R338	-92 986.70	2 762 712.41
L339	-96 668.45	2 759 183.98		R339	-93 025.05	2 762 673.25
L340	-96 803.03	2 759 131.68		R340	-93 092.33	2 762 604.51
L341	-97 105.26	2 759 018.59		R341	-93 112.51	2 762 584.91
L342	-97 221.40	2 758 975.05		R342	-93 212.01	2 762 488.16
L343	-97 429.45	2 758 886.16		R343	-93 427.92	2 762 273.24
L344	-97 556.45	2 758 781.28		R344	-93 486.60	2 762 214.81
L345	-97 663.64	2 758 704.65		R345	-93 886.50	2 761 822.47
L346	-97 790.21	2 758 592.60		R346	-93 900.26	2 761 808.97
L347	-97 970.36	2 758 407.93		R347	-94 345.42	2 761 369.71
L348	-98 114.57	2 758 263.82		R348	-94 827.37	2 760 895.53
L349	-98 198.87	2 758 175.11		R349	-95 023.22	2 760 708.27
L350	-98 411.47	2 757 989.59		R350	-95 063.00	2 760 665.77
L351	-98 455.43	2 757 952.32		R351	-95 229.48	2 760 499.97
L352	-98 529.30	2 757 895.76		R352	-95 306.47	2 760 424.60
L353	-98 594.69	2 757 848.12		R353	-95 605.27	2 760 130.94
L354	-98 852.07	2 757 681.15		R354	-95 821.22	2 759 917.93
L355	-98 984.76	2 757 600.65		R355	-96 011.42	2 759 731.54
L356	-99 105.55	2 757 523.14		R356	-96 212.13	2 759 532.69
L357	-99 605.90	2 757 207.74		R357	-96 358.57	2 759 406.59
				Vel Sheet	22 Van of	23 P1156/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE						
	Y		X	WG 29°		Y		X			
L358	-100	133.59	2	756	875.88	R358	-96	402.40	2	759	374.18
L359	-100	297.62	2	756	766.68	R359	-96	507.01	2	759	307.44
L360	-100	536.55	2	756	602.77	R360	-96	520.08	2	759	300.59
L361	-101	352.24	2	756	043.00	R361	-96	616.78	2	759	249.94
L362	-102	166.46	2	755	482.61	R362	-96	730.80	2	759	201.54
L363	-102	253.22	2	755	418.44	R363	-96	907.76	2	759	135.75
L364	-102	318.12	2	755	358.83	R364	-97	119.07	2	759	056.89
L365	-102	480.60	2	755	197.20	R365	-97	235.28	2	759	012.36
L366	-102	734.99	2	754	930.85	R366	-97	481.77	2	758	908.46
L367	-102	807.98	2	754	854.57	R367	-97	524.19	2	758	890.04
L368	-103	013.41	2	754	639.87	R368	-97	611.54	2	758	821.08
L369	-103	447.34	2	754	189.26	R369	-97	677.75	2	758	760.58
L370	-103	725.68	2	753	900.35	R370	-97	719.36	2	758	742.27
L371	-104	346.07	2	753	259.33	R371	-97	721.03	2	758	740.68
L372	-104	533.76	2	753	067.67	R372	-97	741.48	2	758	721.18
L373	-104	564.29	2	753	039.64	R373	-97	765.58	2	758	677.57
L374	-104	820.38	2	752	823.92	R374	-97	791.63	2	758	652.71
L375	-105	049.65	2	752	639.01	R375	-97	925.03	2	758	514.56
L376	-105	255.93	2	752	470.44	R376	-97	999.71	2	758	436.56
L377	-105	440.67	2	752	320.69	R377	-98	113.01	2	758	316.26
L378	-105	580.32	2	752	203.36	R378	-98	175.36	2	758	252.36
						R379	-98	239.63	2	758	189.14
						R380	-98	427.26	2	758	023.72
						R381	-98	615.13	2	757	880.87
						R382	-98	736.56	2	757	799.44
						R383	-98	896.50	2	757	701.76
						R384	-99	636.06	2	757	233.61
						R385	-100	253.66	2	756	842.86
						R386	-100	463.29	2	756	699.06
						R387	-100	656.17	2	756	566.76
						R388	-101	636.77	2	755	893.80
						R389	-102	156.69	2	755	537.84
						R390	-102	262.09	2	755	460.09
						R391	-102	329.99	2	755	400.28
						R392	-102	486.37	2	755	240.30
						R393	-102	827.14	2	754	886.27
						R394	-103	391.35	2	754	302.91
						R395	-103	833.67	2	753	843.56
						R396	-104	235.06	2	753	424.96
						R397	-104	462.70	2	753	192.19
						R398	-104	560.96	2	753	095.20
						R399	-104	633.53	2	753	028.57
						R400	-104	771.62	2	752	913.36
						R401	-104	969.99	2	752	750.55
						R402	-105	606.57	2	752	234.33