

DEPARTMENT OF TRANSPORT

NO. 1059

20 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N4 SECTION 14

AMENDMENT OF DECLARATION No. 754 OF 2007.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 754 of 2007 by substituting it in its entirety with the accompanying sheets 1 to 23 of Plan No. P1134/19.

In the town of Rodeon the N4 Section 14 enters the town from the east and follows the streets known as Andries Pretorius Street, Sarel Cilliers Street and Hendrik Potgieter Street, at time of declaration.

(National Road N4 Section 14: Rietvly – Sterkstroom)**MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 1059

20 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N4 SEKSIE 14

WYSIGING VAN VERKLARING No. 754 VAN 2007.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 754 van 2007 deur dit in sy geheel te vervang met bygaande velle 1 tot 23 van Plan No. P1134/19.


In die dorp Rodeon kom die N4 Seksie 14 die dorp binne vanuit die ooste en volg dan die strate bekend as Andries Pretoriusstraat, Sarel Cilliersstraat en Hendrik Potgieterstraat, tydens datum van verklaring.

(Nasionale Pad N4 Seksie 14: Rietvly – Sterkstroom)**MINISTER VAN VERVOER**




Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N4 Seksie Section	14 Vel Sheet	1 van 22 of	P1134/19 Plan
---	---------------------------------------	---	-------------------------	--------------------	----------------	------------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet 3 of 22
			14 Seksie Section	Plan P1134/19




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	N4 Seksie Section	14	Vel Sheet 4 of 22 Plan P1134/19
---	---------------------------------------	--	-------------------------	----	---





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	14 N4 14 Section	14 N4 14 Section	14 N4 14 Section	14 N4 14 Section
---	---------------------------------------	--	---------------------------	---------------------------	---------------------------	---------------------------





Vel Sheet 6 of 22 Plan P1134/19	14 Seksie Section	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route		Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
---------------------------------------	-------------------------	---	--	---------------------------------------	---






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 8 of 22 Plan P1134/19
---	---------------------------------------	---	---






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	14 N4 Seksie Section	10 van Sheet of	22 Plan P1134/19
---	---------------------------------------	---	--	-------------------------------	--------------------------	------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet Plan van 11 of 22 P1134/19
---	---------------------------------------	---	---



Vel
Sheet
12 of 22


Plan
P1134/19

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4
of National Route




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd



Die Suid Afrikaanse Nasionale Padogenskop MSB Bpk	Die figuur getoon		stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	Vel Sheet	13 of	22
The South African National Roads Agency SOC Ltd	The figure shown			14	Plan	P1134/19



Vel
Sheet 14 of 22


steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N4
of National Route Section 14




Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap WSB Bpk
The South African National Roads Agency SOC Ltd

Plan P1134/19



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N4 of National Route	14	Vel Sheet 15 of 22 Plan P1134/19
---	---------------------------------------	---	---	----	--

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L1	-13 829.97	2	836 387.71		R1	-13 807.55	2	836 352.76	
L2	-13 605.57	2	836 415.05		R2	-13 686.11	2	836 367.80	
L3	-13 313.08	2	836 451.56		R3	-13 661.27	2	836 370.76	
L4	-13 278.82	2	836 460.82		R4	-13 312.73	2	836 414.34	
L5	-13 200.10	2	836 485.04		R5	-13 153.59	2	836 459.66	
L6	-13 135.49	2	836 517.55		R6	-13 063.10	2	836 501.38	
L7	-13 047.17	2	836 561.96		R7	-12 983.75	2	836 552.79	
L8	-13 012.70	2	836 596.14		R8	-12 864.50	2	836 642.35	
L9	-13 007.01	2	836 582.22		R9	-12 780.87	2	836 695.84	
L10	-12 974.97	2	836 605.10		R10	-12 715.59	2	836 726.27	
L11	-12 862.94	2	836 689.71		R11	-12 610.63	2	836 763.25	
L12	-12 762.58	2	836 746.02		R12	-12 560.00	2	836 771.20	
L13	-12 655.82	2	836 787.37		R13	-12 436.30	2	836 777.08	
L14	-12 518.16	2	836 815.55		R14	-12 428.74	2	836 777.44	
L15	-12 467.95	2	836 816.49		R15	-12 385.33	2	836 779.51	
L16	-12 404.39	2	836 817.89		R16	-12 318.17	2	836 777.12	
L17	-11 834.14	2	836 779.89		R17	-12 161.60	2	836 764.86	
L18	-11 756.67	2	836 774.94		R18	-11 980.88	2	836 752.95	
L19	-11 473.32	2	836 755.00		R19	-11 802.32	2	836 740.29	
L20	-10 839.28	2	836 754.50		R20	-11 801.53	2	836 740.33	
L21	-10 417.98	2	836 754.48		R21	-11 461.10	2	836 717.62	
L22	-10 057.93	2	836 754.04		R22	-10 814.84	2	836 717.64	
L23	-10 047.15	2	836 754.57		R23	-10 399.68	2	836 716.78	
L24	-10 004.77	2	836 805.06		R24	-10 034.37	2	836 716.41	
L25	-9 904.78	2	836 806.76		R25	-9 353.63	2	836 714.83	
L26	-9 867.12	2	836 753.67		R26	-9 021.05	2	836 713.77	
L27	-9 597.58	2	836 752.33		R27	-8 723.53	2	836 712.88	
L28	-9 317.60	2	836 751.64		R28	-8 417.79	2	836 711.84	
L29	-9 025.55	2	836 750.48		R29	-8 115.00	2	836 711.37	
L30	-8 727.47	2	836 750.00		R30	-8 078.10	2	836 710.78	
L31	-8 427.56	2	836 748.84		R31	-6 938.13	2	836 707.51	
L32	-8 117.32	2	836 748.22		R32	-5 316.60	2	836 702.73	
L33	-7 797.30	2	836 747.01		R33	-5 287.77	2	836 703.56	
L34	-7 475.36	2	836 746.33		R34	-5 210.73	2	836 702.42	
L35	-7 225.03	2	836 745.36		R35	-4 818.63	2	836 701.01	
L36	-6 845.73	2	836 744.09		R36	-4 762.42	2	836 687.65	
L37	-6 841.08	2	836 744.06		R37	-4 745.06	2	836 687.59	
L38	-5 200.23	2	836 739.50		R38	-4 702.51	2	836 700.60	
L39	-4 988.14	2	836 738.75		R39	-4 405.36	2	836 700.39	
L40	-4 060.11	2	836 738.25		R40	-4 047.72	2	836 701.01	
L41	-3 856.27	2	836 738.15		R41	-3 860.63	2	836 701.93	
L42	-3 676.87	2	836 727.90		R42	-3 722.59	2	836 696.22	
L43	-3 557.13	2	836 704.09		R43	-3 587.60	2	836 675.12	
L44	-3 499.73	2	836 691.88		R44	-3 295.77	2	836 603.59	
L45	-3 235.40	2	836 627.77		R45	-3 101.91	2	836 556.03	
L46	-3 148.71	2	836 607.28		R46	-2 961.10	2	836 552.24	
L47	-3 055.06	2	836 591.29		R47	-2 589.99	2	836 615.05	
L48	-2 939.77	2	836 591.86		R48	-2 562.57	2	836 620.17	
L49	-2 688.23	2	836 632.44		R49	-2 510.35	2	836 629.91	
L50	-2 550.11	2	836 660.00		R50	-2 378.54	2	836 639.33	
L51	-2 522.45	2	836 663.07		R51	-2 253.20	2	836 620.13	
Vel Sheet 16					Van of 22		P1134/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L52	-2 485.75	2	836 668.48		R52	-2 164.81	2	836 596.89	
L53	-2 455.65	2	836 670.50		R53	-1 943.02	2	836 538.09	
L54	-2 350.03	2	836 673.50		R54	-1 252.83	2	836 356.15	
L55	-2 262.25	2	836 658.07		R55	-1 211.65	2	836 330.48	
L56	-2 248.01	2	836 654.99		R56	-1 214.53	2	836 313.12	
L57	-2 175.20	2	836 638.02		R57	-1 208.03	2	836 311.89	
L58	-2 162.25	2	836 634.33		R58	-1 190.58	2	836 308.37	
L59	-1 952.84	2	836 579.17		R59	-1 187.79	2	836 324.18	
L60	-1 196.61	2	836 379.58		R60	-1 141.81	2	836 326.91	
L61	-1 151.05	2	836 367.62		R61	- 712.81	2	836 213.99	
L62	- 703.28	2	836 250.15		R62	- 715.17	2	836 205.04	
L63	- 590.58	2	836 220.68		R63	- 403.70	2	836 124.04	
L64	- 424.99	2	836 177.31		R64	- 250.82	2	836 082.54	
L65	- 235.61	2	836 137.66		R65	- 151.17	2	836 065.92	
L66	- 141.58	2	836 102.31		R66	460.98	2	835 904.64	
L67	315.76	2	835 981.07		R67	534.26	2	835 891.60	
L68	483.38	2	835 937.66		R68	585.46	2	835 883.96	
L69	535.23	2	835 926.99		R69	891.07	2	835 838.40	
L70	573.35	2	835 923.63		R70	1 097.14	2	835 808.72	
L71	1 087.11	2	835 848.08		R71	1 181.43	2	835 797.61	
L72	1 182.91	2	835 834.43		R72	1 286.00	2	835 783.14	
L73	1 278.92	2	835 820.87		R73	1 353.67	2	835 779.11	
L74	1 296.06	2	835 819.04		R74	1 580.54	2	835 778.84	
L75	1 363.29	2	835 815.98		R75	1 759.56	2	835 779.19	
L76	1 609.26	2	835 815.79		R76	1 821.73	2	835 782.66	
L77	1 728.38	2	835 815.76		R77	1 887.20	2	835 793.55	
L78	1 789.30	2	835 816.27		R78	1 891.82	2	835 794.79	
L79	1 878.97	2	835 829.12		R79	1 933.95	2	835 804.70	
L80	2 386.74	2	835 949.66		R80	1 986.39	2	835 817.03	
L81	2 449.19	2	835 963.32		R81	2 218.10	2	835 870.88	
L82	2 517.61	2	835 975.10		R82	2 268.50	2	835 882.78	
L83	2 601.54	2	835 980.59		R83	2 460.44	2	835 928.13	
L84	2 612.26	2	835 979.37		R84	2 522.52	2	835 938.78	
L85	2 942.42	2	835 954.21		R85	2 593.02	2	835 942.98	
L86	3 024.03	2	835 957.65		R86	2 620.34	2	835 942.49	
L87	3 258.46	2	835 978.42		R87	2 943.94	2	835 916.79	
L88	3 275.79	2	835 979.96		R88	2 951.23	2	835 916.54	
L89	3 289.45	2	835 981.17		R89	3 271.49	2	835 942.99	
L90	3 378.79	2	835 987.50		R90	3 279.26	2	835 944.80	
L91	3 553.27	2	835 977.11		R91	3 334.98	2	835 949.26	
L92	3 584.12	2	835 959.20		R92	3 395.16	2	835 948.54	
L93	3 649.44	2	835 934.60		R93	3 451.84	2	835 945.54	
L94	3 931.93	2	835 806.09		R94	3 505.62	2	835 936.68	
L95	3 982.93	2	835 800.37		R95	3 552.92	2	835 926.50	
L96	3 985.09	2	835 806.78		R96	3 559.80	2	835 924.69	
L97	4 010.48	2	835 787.75		R97	3 585.84	2	835 916.18	
L98	4 050.73	2	835 751.53		R98	3 615.52	2	835 906.48	
L99	4 495.36	2	835 548.45		R99	3 671.61	2	835 884.77	
L100	4 512.43	2	835 540.65		R100	3 971.38	2	835 747.62	
L101	4 935.48	2	835 347.42		R101	4 463.20	2	835 522.61	
L102	4 998.85	2	835 325.76		R102	4 552.96	2	835 481.54	
					Vel 17 Van 22 Sheet of P1134/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°		Y	X			
L103	5 165.28	2 835 285.97		R103	4 823.82	2 835 357.62			
L104	5 223.96	2 835 281.58		R104	4 887.05	2 835 328.60			
L105	5 272.91	2 835 277.99		R105	5 058.21	2 835 268.37			
L106	5 386.39	2 835 283.44		R106	5 123.79	2 835 254.51			
L107	5 412.10	2 835 288.37		R107	5 236.82	2 835 242.97			
L108	5 574.00	2 835 326.77		R108	5 417.84	2 835 252.44			
L109	5 576.89	2 835 327.46		R109	5 591.32	2 835 293.95			
L110	6 505.72	2 835 638.64		R110	5 593.07	2 835 294.37			
L111	7 136.21	2 835 849.87		R111	5 593.77	2 835 294.21			
L112	7 517.83	2 835 977.72		R112	6 638.94	2 835 644.31			
L113	7 542.62	2 835 985.82		R113	7 269.56	2 835 855.55			
L114	8 209.17	2 836 208.85		R114	7 527.69	2 835 942.01			
L115	8 263.12	2 836 226.99		R115	7 549.74	2 835 949.47			
L116	8 378.02	2 836 265.47		R116	8 061.71	2 836 120.22			
L117	8 741.23	2 836 409.46		R117	8 207.21	2 836 171.31			
L118	8 776.69	2 836 437.71		R118	8 340.71	2 836 214.10			
L119	8 806.25	2 836 447.30		R119	8 423.07	2 836 242.24			
L120	8 812.82	2 836 449.43		R120	8 810.07	2 836 397.06			
L121	8 853.20	2 836 449.15		R121	8 810.94	2 836 397.41			
L122	9 296.40	2 836 567.90		R122	8 817.60	2 836 400.08			
L123	9 905.33	2 836 734.07		R123	9 301.84	2 836 532.80			
L124	10 022.04	2 836 753.85		R124	9 855.71	2 836 684.59			
L125	10 025.66	2 836 754.46		R125	10 027.49	2 836 718.71			
L126	10 105.73	2 836 758.99		R126	10 028.08	2 836 718.83			
L127	10 115.14	2 836 758.68		R127	10 083.59	2 836 721.72			
L128	10 185.92	2 836 756.31		R128	10 263.73	2 836 713.57			
L129	10 675.53	2 836 721.83		R129	11 194.97	2 836 649.89			
L130	11 796.21	2 836 642.89		R130	12 305.51	2 836 573.96			
L131	12 305.05	2 836 607.06		R131	12 311.92	2 836 568.88			
L132	12 352.61	2 836 603.71		R132	12 330.45	2 836 564.71			
L133	12 513.51	2 836 597.04		R133	12 330.83	2 836 564.63			
L134	12 522.04	2 836 597.74		R134	12 487.46	2 836 560.31			
L135	12 585.84	2 836 604.56		R135	12 665.21	2 836 581.14			
L136	12 653.20	2 836 616.71		R136	12 761.94	2 836 609.38			
L137	12 719.51	2 836 633.80		R137	12 814.45	2 836 624.71			
L138	12 803.42	2 836 660.28		R138	12 912.92	2 836 645.05			
L139	12 896.12	2 836 699.47		R139	13 103.88	2 836 704.84			
L140	13 088.70	2 836 759.07		R140	13 151.69	2 836 725.01			
L141	13 185.22	2 836 779.63		R141	13 219.86	2 836 747.61			
L142	13 210.45	2 836 787.58		R142	13 245.40	2 836 756.03			
L143	13 231.85	2 836 794.17		R143	13 400.13	2 836 807.53			
L144	13 475.93	2 836 870.12		R144	13 498.21	2 836 838.56			
L145	13 579.25	2 836 898.66		R145	13 628.92	2 836 870.07			
L146	13 655.54	2 836 912.92		R146	13 726.22	2 836 885.46			
L147	13 794.29	2 836 932.28		R147	15 243.84	2 837 092.02			
L148	15 217.90	2 837 124.47		R148	15 291.75	2 837 098.62			
L149	15 300.99	2 837 135.30		R149	15 524.31	2 837 128.09			
L150	15 452.84	2 837 156.15		R150	15 531.76	2 837 118.99			
L151	15 550.94	2 837 178.23		R151	15 568.19	2 837 073.19			
L152	15 649.84	2 837 191.98		R152	15 717.19	2 837 092.00			
L153	15 750.03	2 837 196.35		R153	15 716.69	2 837 143.62			
					Vel Sheet	18	Van of	22	P1134/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L154	15 959.44	2 837 224.55		R154	15 759.45	2 837 159.88			
L155	16 485.40	2 837 295.36		R155	15 949.69	2 837 185.54			
L156	16 502.52	2 837 297.65		R156	16 489.63	2 837 258.35			
L157	16 721.67	2 837 326.73		R157	16 508.14	2 837 260.85			
L158	16 796.62	2 837 332.98		R158	16 721.86	2 837 288.40			
L159	18 020.78	2 837 359.71		R159	16 796.17	2 837 294.81			
L160	18 267.83	2 837 373.98		R160	16 940.06	2 837 299.81			
L161	18 273.10	2 837 374.84		R161	17 119.36	2 837 303.79			
L162	18 945.33	2 837 502.38		R162	17 162.20	2 837 290.43			
L163	19 111.88	2 837 533.94		R163	17 187.97	2 837 290.99			
L164	19 135.89	2 837 536.00		R164	17 238.16	2 837 306.74			
L165	19 249.26	2 837 535.68		R165	17 287.21	2 837 308.85			
L166	19 347.58	2 837 522.85		R166	18 135.21	2 837 325.00			
L167	20 136.41	2 837 342.91		R167	18 261.62	2 837 336.95			
L168	20 251.03	2 837 322.58		R168	18 316.29	2 837 345.02			
L169	20 365.67	2 837 318.75		R169	18 955.58	2 837 467.49			
L170	20 450.29	2 837 327.11		R170	19 109.06	2 837 495.39			
L171	20 475.80	2 837 332.30		R171	19 246.05	2 837 497.41			
L172	20 588.87	2 837 363.71		R172	19 341.80	2 837 484.91			
L173	20 597.79	2 837 367.09		R173	20 211.87	2 837 287.94			
L174	21 095.68	2 837 593.54		R174	20 313.67	2 837 279.30			
L175	21 182.61	2 837 633.01		R175	20 428.06	2 837 280.89			
L176	21 277.04	2 837 670.97		R176	20 557.46	2 837 251.80			
L177	21 372.86	2 837 700.53		R177	20 678.19	2 837 308.17			
L178	21 470.82	2 837 721.97		R178	20 784.02	2 837 409.69			
L179	21 568.00	2 837 735.52		R179	20 802.09	2 837 416.60			
L180	21 945.74	2 837 767.48		R180	21 106.96	2 837 553.80			
L181	22 061.87	2 837 787.38		R181	21 255.50	2 837 620.65			
L182	22 135.04	2 837 805.56		R182	21 358.90	2 837 658.21			
L183	22 201.40	2 837 825.85		R183	21 456.79	2 837 679.82			
L184	22 269.75	2 837 850.72		R184	21 561.79	2 837 695.96			
L185	22 637.57	2 838 010.17		R185	21 877.16	2 837 723.67			
L186	22 754.49	2 838 047.14		R186	21 982.01	2 837 734.98			
L187	22 897.67	2 838 083.00		R187	22 088.82	2 837 756.14			
L188	23 659.05	2 838 271.76		R188	22 190.47	2 837 783.72			
L189	23 758.72	2 838 289.05		R189	22 289.47	2 837 818.39			
L190	23 893.08	2 838 294.89		R190	22 573.80	2 837 943.60			
L191	24 244.75	2 838 282.38		R191	22 652.95	2 837 976.11			
L192	24 367.84	2 838 262.69		R192	22 758.09	2 838 009.22			
L193	24 539.38	2 838 222.71		R193	22 797.62	2 838 019.28			
L194	24 697.52	2 838 196.17		R194	22 908.22	2 838 046.63			
L195	24 733.55	2 838 195.06		R195	23 695.57	2 838 241.35			
L196	24 844.90	2 838 189.80		R196	23 843.11	2 838 255.89			
L197	24 867.02	2 838 188.84		R197	24 201.89	2 838 248.04			
L198	25 132.98	2 838 184.66		R198	24 378.87	2 838 222.05			
L199	25 133.31	2 838 184.68		R199	24 577.01	2 838 175.95			
L200	25 699.00	2 838 201.37		R200	24 731.90	2 838 157.71			
L201	26 177.80	2 838 226.66		R201	24 843.32	2 838 151.14			
L202	26 456.92	2 838 220.97		R202	24 864.58	2 838 150.79			
L203	26 482.96	2 838 220.12		R203	25 127.87	2 838 146.76			
L204	26 503.30	2 838 219.07		R204	25 609.11	2 838 159.30			
					Vel Sheet	19	Van of	22	P1134/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 27°			Y	X		
L205	27 324.59	2 838 198.17		R205	26 004.87	2 838 181.16			
L206	28 487.02	2 838 168.60		R206	26 178.87	2 838 188.79			
L207	28 491.20	2 838 168.42		R207	26 375.03	2 838 185.10			
L208	28 505.85	2 838 168.08		R208	26 470.41	2 838 160.98			
L209	28 950.39	2 838 156.63		R209	26 501.79	2 838 183.79			
L210	28 951.12	2 838 156.61		R210	27 320.77	2 838 162.35			
L211	29 339.85	2 838 148.94		R211	28 485.50	2 838 131.86			
L212	29 528.49	2 838 145.22		R212	28 508.71	2 838 131.21			
L213	29 528.94	2 838 145.22		R213	28 956.80	2 838 119.92			
L214	33 023.85	2 838 846.85		R214	28 960.68	2 838 119.82			
L215	34 110.30	2 839 289.11		R215	29 405.84	2 838 111.09			
L216	34 430.03	2 839 420.26		R216	29 405.37	2 838 106.68			
L217	34 469.11	2 839 434.12		R217	29 529.31	2 838 107.54			
L218	34 530.36	2 839 454.37		R218	33 012.94	2 838 787.14			
L219	34 638.52	2 839 478.73		R219	33 175.03	2 838 869.33			
L220	34 698.43	2 839 488.86		R220	33 269.67	2 838 911.41			
L221	35 405.26	2 839 608.91		R221	33 340.00	2 838 940.48			
L222	36 954.65	2 839 873.46		R222	33 506.76	2 839 008.53			
L223	37 176.55	2 839 910.40		R223	33 607.91	2 839 049.07			
L224	37 192.49	2 839 911.26		R224	34 110.99	2 839 253.79			
L225	37 218.56	2 839 912.59		R225	34 276.45	2 839 321.16			
L226	37 296.20	2 839 916.75		R226	34 427.48	2 839 380.31			
L227	37 362.82	2 839 911.27		R227	34 434.79	2 839 383.31			
L228	37 445.17	2 839 903.39		R228	34 590.17	2 839 431.80			
L229	37 467.63	2 839 897.80		R229	34 696.33	2 839 454.83			
L230	37 480.36	2 839 894.53		R230	34 701.35	2 839 455.87			
L231	37 521.19	2 839 883.99		R231	34 900.79	2 839 490.84			
L232	37 633.70	2 839 842.54		R232	35 020.23	2 839 510.09			
L233	37 688.02	2 839 819.95		R233	35 449.44	2 839 583.52			
L234	37 799.53	2 839 773.69		R234	35 658.64	2 839 618.76			
L235	38 315.81	2 839 561.88		R235	35 932.07	2 839 665.53			
L236	38 409.94	2 839 525.84		R236	36 640.95	2 839 786.83			
L237	38 475.94	2 839 499.96		R237	36 934.51	2 839 836.54			
L238	38 502.94	2 839 489.35		R238	37 027.33	2 839 852.08			
L239	38 596.05	2 839 452.78		R239	37 066.61	2 839 858.66			
L240	38 688.62	2 839 415.56		R240	37 177.73	2 839 876.40			
L241	38 748.15	2 839 396.78		R241	37 181.19	2 839 876.54			
L242	38 853.23	2 839 369.93		R242	37 310.84	2 839 881.61			
L243	38 992.65	2 839 335.55		R243	37 414.18	2 839 871.47			
L244	39 023.51	2 839 326.96		R244	37 573.34	2 839 829.92			
L245	39 054.85	2 839 318.45		R245	37 656.71	2 839 797.22			
L246	39 127.47	2 839 305.64		R246	37 676.86	2 839 787.90			
L247	39 152.20	2 839 301.31		R247	38 261.58	2 839 546.71			
L248	39 271.68	2 839 296.38		R248	38 301.93	2 839 516.60			
L249	39 382.55	2 839 305.89		R249	38 311.79	2 839 510.09			
L250	39 411.92	2 839 308.54		R250	38 343.80	2 839 496.87			
L251	39 553.59	2 839 331.23		R251	38 388.91	2 839 494.73			
L252	39 735.34	2 839 352.97		R252	38 434.91	2 839 475.52			
L253	39 768.27	2 839 358.13		R253	38 473.83	2 839 459.68			
L254	39 960.96	2 839 380.97		R254	38 597.17	2 839 409.34			
L255	40 044.16	2 839 391.75		R255	38 731.85	2 839 358.45			
					Vel Sheet	20	Van of	22	P1134/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L256	40 139.51	2	839 404.79		R256	38 826.98	2	839 333.99	
L257	40 176.58	2	839 408.87		R257	39 003.13	2	839 294.07	
L258	40 207.63	2	839 412.58		R258	39 124.39	2	839 271.26	
L259	40 361.68	2	839 432.38		R259	39 125.23	2	839 271.14	
L260	40 451.12	2	839 443.77		R260	39 208.98	2	839 262.68	
L261	40 539.51	2	839 455.35		R261	39 290.60	2	839 259.36	
L262	40 684.22	2	839 476.03		R262	39 355.85	2	839 262.86	
L263	40 687.24	2	839 476.32		R263	39 360.22	2	839 263.06	
L264	40 712.78	2	839 481.72		R264	39 374.11	2	839 263.80	
L265	40 715.69	2	839 482.34		R265	39 388.98	2	839 264.64	
L266	40 741.57	2	839 487.82		R266	39 504.83	2	839 279.35	
L267	40 833.70	2	839 507.12		R267	39 549.24	2	839 285.28	
L268	40 920.50	2	839 542.94		R268	39 577.65	2	839 283.64	
L269	40 996.13	2	839 575.26		R269	39 582.65	2	839 248.03	
L270	41 002.25	2	839 577.37		R270	39 741.15	2	839 269.93	
L271	41 166.42	2	839 645.94		R271	39 736.27	2	839 304.61	
L272	41 233.17	2	839 654.97		R272	39 777.77	2	839 315.82	
L273	41 317.09	2	839 669.06		R273	40 046.62	2	839 351.75	
L274	41 393.39	2	839 673.76		R274	40 170.72	2	839 370.97	
L275	41 470.95	2	839 675.92		R275	40 211.15	2	839 376.08	
L276	41 473.05	2	839 676.17		R276	40 283.23	2	839 386.36	
L277	41 561.71	2	839 676.62		R277	40 414.71	2	839 383.29	
L278	41 741.78	2	839 678.68		R278	40 448.53	2	839 387.99	
L279	41 835.03	2	839 681.37		R279	40 513.83	2	839 397.07	
L280	41 962.84	2	839 705.94		R280	40 610.89	2	839 425.49	
L281	42 005.73	2	839 725.69		R281	40 693.21	2	839 436.34	
L282	42 139.79	2	839 791.78		R282	40 692.19	2	839 443.11	
L283	42 226.91	2	839 833.18		R283	40 776.66	2	839 458.12	
L284	42 266.68	2	839 852.36		R284	40 818.42	2	839 468.71	
L285	42 316.73	2	839 864.85		R285	41 004.20	2	839 539.62	
L286	42 379.57	2	839 872.69		R286	41 198.16	2	839 595.93	
L287	42 442.24	2	839 871.97		R287	41 282.68	2	839 614.50	
L288	42 504.36	2	839 863.15		R288	41 472.32	2	839 636.35	
L289	42 564.84	2	839 846.12		R289	41 611.44	2	839 639.06	
L290	42 612.97	2	839 825.76		R290	41 789.77	2	839 642.15	
L291	42 667.46	2	839 794.43		R291	41 842.12	2	839 643.23	
L292	42 744.85	2	839 730.92		R292	41 986.70	2	839 673.03	
L293	42 832.33	2	839 677.70		R293	42 135.87	2	839 743.90	
L294	42 846.13	2	839 666.25		R294	42 155.04	2	839 755.22	
L295	42 873.01	2	839 626.26		R295	42 197.19	2	839 778.83	
L296	42 900.81	2	839 605.37		R296	42 280.41	2	839 814.04	
L297	42 982.46	2	839 550.07		R297	42 324.32	2	839 825.65	
L298	43 067.52	2	839 500.33		R298	42 381.62	2	839 832.77	
L299	43 158.12	2	839 453.02		R299	42 438.93	2	839 832.27	
L300	43 182.30	2	839 443.69		R300	42 495.97	2	839 824.03	
L301	43 336.22	2	839 382.59		R301	42 559.92	2	839 804.45	
L302	43 708.79	2	839 234.48		R302	42 644.49	2	839 760.37	
L303	44 243.87	2	839 021.57		R303	42 721.12	2	839 700.14	
L304	44 476.76	2	838 930.59		R304	42 742.99	2	839 682.02	
L305	44 653.37	2	838 863.73		R305	42 807.00	2	839 628.90	
L306	44 817.17	2	838 802.67		R306	42 881.66	2	839 563.67	
					Vel 21 Van 22 Sheet of P1134/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 27°		Y		X	
L307	44 886.19	2	838	776.64	R307	42 899.29	2	839	552.82
L308	45 155.25	2	838	675.11	R308	43 060.43	2	839	458.39
L309	45 299.98	2	838	620.75	R309	43 172.15	2	839	414.76
L310	45 389.35	2	838	573.90	R310	43 707.30	2	839	201.37
L311	45 488.82	2	838	513.80	R311	43 750.00	2	839	184.11
L312	45 952.42	2	838	201.78	R312	43 917.45	2	839	117.13
L313	45 955.37	2	838	200.35	R313	44 218.86	2	838	998.88
L314	46 386.57	2	837	945.75	R314	44 461.16	2	838	903.40
L315	46 438.33	2	837	919.71	R315	44 593.42	2	838	851.34
L316	46 439.55	2	837	919.25	R316	44 881.74	2	838	736.67
L317	46 545.88	2	837	879.12	R317	45 236.97	2	838	606.01
L318	46 623.98	2	837	861.69	R318	45 276.66	2	838	592.80
L319	46 662.13	2	837	853.16	R319	45 295.78	2	838	582.10
L320	46 917.07	2	837	809.92	R320	45 428.55	2	838	505.77
L321	47 090.89	2	837	780.28	R321	45 474.32	2	838	478.47
L322	47 227.55	2	837	757.25	R322	45 580.31	2	838	403.17
L323	47 408.60	2	837	725.83	R323	45 614.41	2	838	379.73
L324	47 413.74	2	837	724.90	R324	45 820.25	2	838	239.25
L325	47 570.55	2	837	692.96	R325	45 950.52	2	838	162.53
L326	47 595.06	2	837	687.54	R326	46 108.81	2	838	067.80
L327	47 703.76	2	837	653.15	R327	46 262.88	2	837	975.83
L328	47 828.73	2	837	611.01	R328	46 434.87	2	837	886.17
L329	48 030.06	2	837	544.14	R329	46 466.58	2	837	869.78
L330	48 040.04	2	837	541.53	R330	46 543.14	2	837	841.84
L331	48 172.80	2	837	497.37	R331	46 615.64	2	837	825.44
L332	48 350.80	2	837	438.22	R332	46 649.48	2	837	819.74
L333	48 424.72	2	837	418.51	R333	46 835.09	2	837	788.50
L334	48 485.31	2	837	412.16	R334	46 913.50	2	837	775.31
L335	48 550.81	2	837	405.24	R335	47 225.18	2	837	722.89
L336	48 570.29	2	837	403.27	R336	47 411.97	2	837	691.15
L337	48 659.27	2	837	410.19	R337	47 447.98	2	837	685.02
L338	48 790.83	2	837	437.70	R338	47 556.48	2	837	660.72
L339	49 047.35	2	837	497.02	R339	47 829.42	2	837	573.22
					R340	48 032.84	2	837	508.39
					R341	48 208.73	2	837	451.22
					R342	48 379.73	2	837	395.67
					R343	48 425.22	2	837	385.21
					R344	48 499.98	2	837	368.24
					R345	48 541.00	2	837	364.51
					R346	48 639.58	2	837	369.56
					R347	49 046.46	2	837	462.44

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 21°		Y		X	
L52	-48 859.40	3	140	438.87	R52	-44 386.46	3	140	233.01
L53	-49 264.49	3	140	424.13	R53	-44 654.93	3	140	197.88
L54	-49 780.58	3	140	397.11	R54	-45 314.82	3	140	119.17
L55	-50 131.84	3	140	384.27	R55	-45 521.72	3	140	106.80
L56	-50 736.88	3	140	356.51	R56	-45 702.05	3	140	112.63
L57	-51 215.75	3	140	336.57	R57	-46 039.69	3	140	168.99
L58	-51 372.41	3	140	329.64	R58	-46 321.47	3	140	249.35
L59	-51 476.82	3	140	327.86	R59	-46 440.27	3	140	289.70
L60	-51 584.07	3	140	332.50	R60	-46 619.56	3	140	336.99
L61	-51 700.56	3	140	344.79	R61	-46 903.08	3	140	411.40
L62	-51 795.27	3	140	359.89	R62	-46 907.89	3	140	412.66
L63	-52 252.79	3	140	446.39	R63	-47 050.50	3	140	449.69
L64	-52 252.02	3	140	450.41	R64	-47 062.04	3	140	452.17
L65	-52 265.69	3	140	453.12	R65	-47 209.42	3	140	479.10
L66	-52 266.44	3	140	448.95	R66	-47 221.58	3	140	480.18
L67	-53 652.78	3	140	710.93	R67	-47 347.95	3	140	500.03
L68	-53 722.21	3	140	722.34	R68	-47 467.58	3	140	514.49
L69	-53 758.67	3	140	728.33	R69	-47 532.96	3	140	517.00
L70	-53 890.33	3	140	750.25	R70	-47 693.70	3	140	523.19
L71	-53 977.48	3	140	772.03	R71	-48 596.26	3	140	480.95
L72	-54 191.42	3	140	812.56	R72	-48 974.05	3	140	473.47
L73	-54 302.81	3	140	824.80	R73	-49 764.30	3	140	428.92
L74	-54 433.83	3	140	839.02	R74	-50 881.77	3	140	379.61
L75	-54 561.68	3	140	836.46	R75	-51 338.30	3	140	359.45
L76	-54 710.63	3	140	818.36	R76	-51 716.92	3	140	377.87
L77	-54 778.93	3	140	805.59	R77	-51 789.29	3	140	389.36
L78	-54 852.65	3	140	787.66	R78	-52 457.89	3	140	515.66
L79	-54 932.33	3	140	762.79	R79	-53 710.01	3	140	752.21
L80	-55 009.68	3	140	731.68	R80	-53 730.39	3	140	756.06
L81	-55 102.60	3	140	694.30	R81	-53 757.74	3	140	761.70
L82	-56 418.20	3	140	068.84	R82	-53 847.84	3	140	782.03
L83	-56 501.47	3	140	030.65	R83	-53 914.95	3	140	795.74
L84	-56 616.23	3	139	983.76	R84	-53 971.46	3	140	801.57
L85	-56 647.19	3	139	972.60	R85	-54 184.27	3	140	841.70
L86	-56 673.87	3	139	963.16	R86	-54 274.63	3	140	860.02
L87	-56 797.81	3	139	922.75	R87	-54 303.36	3	140	862.84
L88	-56 912.88	3	139	891.97	R88	-54 352.57	3	140	867.33
L89	-58 225.18	3	139	571.87	R89	-54 432.44	3	140	868.92
L90	-60 175.21	3	139	096.52	R90	-54 561.77	3	140	869.00
L91	-61 277.86	3	138	827.55	R91	-54 714.30	3	140	848.18
L92	-61 345.08	3	138	812.49	R92	-54 787.51	3	140	834.31
L93	-61 398.67	3	138	802.12	R93	-54 852.41	3	140	818.94
L94	-61 480.02	3	138	788.90	R94	-54 945.21	3	140	790.89
L95	-61 547.81	3	138	780.97	R95	-55 013.36	3	140	765.46
L96	-61 662.31	3	138	772.48	R96	-55 798.97	3	140	396.92
L97	-61 790.49	3	138	770.78	R97	-56 403.91	3	140	113.08
L98	-61 904.24	3	138	776.61	R98	-56 405.53	3	140	108.06
L99	-62 048.54	3	138	792.28	R99	-56 441.56	3	140	091.07
L100	-63 768.67	3	139	049.46	R100	-56 511.79	3	140	060.55
L101	-63 782.13	3	139	046.60	R101	-56 607.08	3	140	021.95
L102	-63 835.87	3	139	054.90	R102	-56 675.92	3	139	994.06
					Vel Sheet 25 Van of 31 P1192/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 21°		Y	X
L103	-64 045.02	3 139 086.03		R103	-56 807.26	3 139 951.89
L104	-64 056.95	3 139 092.75		R104	-56 920.23	3 139 921.07
L105	-65 330.91	3 139 282.81		R105	-58 213.36	3 139 605.67
L106	-66 310.11	3 139 429.08		R106	-59 141.99	3 139 379.29
L107	-66 718.57	3 139 490.73		R107	-60 163.31	3 139 130.48
L108	-67 185.86	3 139 560.57		R108	-61 284.17	3 138 856.99
L109	-69 794.69	3 139 951.18		R109	-61 404.26	3 138 832.35
L110	-70 359.96	3 140 035.72		R110	-61 547.81	3 138 811.59
L111	-72 049.22	3 140 288.20		R111	-61 664.29	3 138 802.63
L112	-72 110.33	3 140 295.74		R112	-61 789.62	3 138 800.86
L113	-72 157.65	3 140 299.16		R113	-61 869.91	3 138 804.21
L114	-72 213.54	3 140 300.80		R114	-61 899.61	3 138 806.36
L115	-72 269.02	3 140 299.78		R115	-62 046.87	3 138 822.36
L116	-72 322.69	3 140 296.41		R116	-63 760.74	3 139 078.61
L117	-72 390.79	3 140 288.22		R117	-63 773.23	3 139 085.41
L118	-72 444.88	3 140 279.23		R118	-63 821.03	3 139 092.54
L119	-72 511.55	3 140 264.19		R119	-64 040.42	3 139 125.27
L120	-72 563.78	3 140 249.53		R120	-64 054.46	3 139 122.41
L121	-72 615.70	3 140 232.74		R121	-67 176.12	3 139 589.47
L122	-75 192.33	3 139 283.03		R122	-69 784.62	3 139 980.03
L123	-76 204.03	3 138 909.94		R123	-70 349.84	3 140 064.53
L124	-76 215.49	3 138 900.60		R124	-72 041.37	3 140 317.71
L125	-76 487.75	3 138 800.24		R125	-72 136.36	3 140 328.39
L126	-76 500.82	3 138 800.84		R126	-72 191.55	3 140 330.71
L127	-77 068.76	3 138 591.44		R127	-72 251.58	3 140 330.98
L128	-77 080.28	3 138 582.09		R128	-72 283.89	3 140 329.76
L129	-77 210.92	3 138 533.94		R129	-72 345.54	3 140 324.69
L130	-77 237.37	3 138 529.52		R130	-72 387.14	3 140 319.16
L131	-77 445.36	3 138 452.86		R131	-72 440.32	3 140 310.87
L132	-79 976.50	3 137 519.99		R132	-72 492.76	3 140 300.27
L133	-80 187.20	3 137 442.36		R133	-72 545.40	3 140 286.49
L134	-81 275.01	3 137 041.44		R134	-72 597.19	3 140 271.01
L135	-82 036.42	3 136 760.69		R135	-72 639.60	3 140 255.91
L136	-82 047.60	3 136 751.68		R136	-75 173.03	3 139 322.34
L137	-82 406.34	3 136 619.48		R137	-76 213.26	3 138 938.92
L138	-82 419.67	3 136 619.49		R138	-76 227.50	3 138 938.78
L139	-82 951.34	3 136 423.67		R139	-76 499.34	3 138 838.72
L140	-83 075.38	3 136 362.24		R140	-76 509.68	3 138 829.83
L141	-83 319.12	3 136 277.04		R141	-77 077.55	3 138 620.58
L142	-83 496.76	3 136 214.94		R142	-77 090.80	3 138 620.70
L143	-83 683.68	3 136 140.67		R143	-77 223.33	3 138 572.07
L144	-83 778.18	3 136 110.94		R144	-77 234.18	3 138 562.94
L145	-84 035.77	3 136 006.69		R145	-77 430.27	3 138 490.66
L146	-84 246.28	3 135 930.58		R146	-79 963.40	3 137 556.95
L147	-84 436.70	3 135 860.43		R147	-80 200.93	3 137 469.42
L148	-84 552.72	3 135 833.71		R148	-81 309.08	3 137 060.97
L149	-84 759.52	3 135 757.55		R149	-82 045.93	3 136 789.32
L150	-84 959.34	3 135 657.37		R150	-82 060.05	3 136 789.47
L151	-85 140.40	3 135 612.80		R151	-82 417.65	3 136 657.61
L152	-85 249.74	3 135 560.21		R152	-82 428.97	3 136 647.95
L153	-85 378.96	3 135 529.22		R153	-82 961.07	3 136 452.21
				Vel Sheet	26 Van of	31 P1192/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES											
LINKERKANT/LEFT HAND SIDE						REGTERKANT/RIGHT HAND SIDE					
	Y		X	WG 21°			Y		X		
L154	-85 659.42	3	135 425.78			R154	-83 099.06	3	136 422.26		
L155	-85 844.54	3	135 343.15			R155	-83 336.67	3	136 326.90		
L156	-86 217.69	3	135 205.97			R156	-83 514.61	3	136 255.69		
L157	-86 502.95	3	135 114.51			R157	-83 704.63	3	136 190.57		
L158	-86 897.47	3	134 969.28			R158	-83 796.87	3	136 152.38		
L159	-88 001.41	3	134 562.33			R159	-84 063.24	3	136 063.21		
L160	-91 156.48	3	133 399.36			R160	-84 266.96	3	135 987.95		
L161	-91 349.36	3	133 328.32			R161	-84 454.53	3	135 913.61		
L162	-91 798.95	3	133 162.15			R162	-84 563.41	3	135 861.65		
L163	-94 922.53	3	132 010.51			R163	-84 770.51	3	135 785.32		
						R164	-84 986.29	3	135 730.97		
						R165	-85 156.57	3	135 647.00		
						R166	-85 274.77	3	135 616.04		
						R167	-85 389.37	3	135 557.52		
						R168	-85 671.77	3	135 453.14		
						R169	-85 864.06	3	135 397.15		
						R170	-86 237.13	3	135 259.42		
						R171	-86 514.01	3	135 142.77		
						R172	-86 605.55	3	135 114.66		
						R173	-86 797.76	3	135 037.57		
						R174	-86 908.16	3	134 997.51		
						R175	-87 994.66	3	134 596.90		
						R176	-94 942.41	3	132 035.20		
LINKERKANT/LEFT HAND SIDE						LINKERKANT/LEFT HAND SIDE					
	Y		X	WG 23°			Y		X		
L164	100 714.71	3	131 851.59			R177	99 964.60	3	131 593.00		
L165	97 319.78	3	130 535.85			R178	99 540.11	3	131 428.81		
L166	96 264.74	3	130 126.55			R179	98 325.39	3	130 957.56		
L167	92 372.39	3	128 618.36			R180	96 243.74	3	130 150.73		
L168	89 989.12	3	127 694.72			R181	94 440.70	3	129 452.51		
L169	89 673.59	3	127 572.56			R182	92 353.03	3	128 643.15		
L170	88 728.10	3	127 206.30			R183	89 984.72	3	127 725.61		
L171	88 614.78	3	127 162.33			R184	89 972.53	3	127 721.06		
L172	85 012.74	3	125 766.04			R185	89 662.03	3	127 600.66		
L173	84 983.90	3	125 753.07			R186	88 716.71	3	127 234.12		
L174	78 982.33	3	123 427.58			R187	88 566.96	3	127 175.99		
L175	77 683.59	3	122 924.32			R188	84 962.39	3	125 778.91		
L176	75 778.04	3	122 185.31			R189	84 961.08	3	125 780.48		
L177	75 767.17	3	122 176.13			R190	79 007.24	3	123 473.75		
L178	75 586.92	3	122 106.17			R191	76 393.42	3	122 460.64		
L179	75 573.44	3	122 106.20			R192	75 760.23	3	122 215.16		
L180	75 174.04	3	121 951.47			R193	75 747.90	3	122 215.62		
L181	72 689.94	3	120 988.96			R194	75 569.86	3	122 146.38		
L182	72 679.54	3	120 979.56			R195	75 559.64	3	122 137.32		
L183	72 195.03	3	120 792.01			R196	75 146.71	3	121 977.48		
L184	72 180.96	3	120 791.60			R197	72 674.91	3	121 019.54		
L185	72 054.63	3	120 742.73			R198	72 659.87	3	121 018.85		
L186	71 951.71	3	120 704.49			R199	72 177.79	3	120 831.95		
L187	71 865.56	3	120 676.63			R200	72 167.43	3	120 822.81		
						Vel Sheet 27 Van of 31 P1192/19					

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L188	71 707.15	3 120 632.83		R201	72 040.25	3 120 773.40
L189	71 659.20	3 120 620.17		R202	71 938.18	3 120 735.62
L190	71 233.84	3 120 517.31		R203	71 852.74	3 120 708.03
L191	70 341.02	3 120 302.46		R204	71 664.77	3 120 656.32
L192	68 679.23	3 119 900.57		R205	70 334.20	3 120 335.75
L193	68 469.97	3 119 850.06		R206	68 723.07	3 119 945.98
L194	68 396.64	3 119 831.28		R207	68 457.03	3 119 881.60
L195	68 246.73	3 119 786.68		R208	68 384.00	3 119 862.96
L196	68 097.74	3 119 733.96		R209	68 232.73	3 119 817.79
L197	67 986.08	3 119 682.07		R210	68 084.39	3 119 765.11
L198	67 873.13	3 119 633.13		R211	67 965.36	3 119 716.66
L199	67 744.40	3 119 570.84		R212	67 854.04	3 119 665.22
L200	62 872.00	3 116 920.57		R213	67 725.09	3 119 598.96
L201	62 412.29	3 116 670.70		R214	67 459.61	3 119 454.20
L202	62 314.07	3 116 620.18		R215	67 260.79	3 119 346.42
L203	62 233.23	3 116 582.30		R216	66 822.10	3 119 107.52
L204	62 120.46	3 116 532.72		R217	64 542.03	3 117 867.91
L205	62 028.30	3 116 498.26		R218	63 572.66	3 117 340.52
L206	61 926.42	3 116 462.97		R219	63 088.37	3 117 077.12
L207	61 820.74	3 116 430.18		R220	62 853.87	3 116 949.43
L208	61 602.92	3 116 376.04		R221	62 692.35	3 116 862.49
L209	60 767.79	3 116 200.83		R222	62 393.18	3 116 702.37
L210	60 529.78	3 116 146.56		R223	62 215.03	3 116 615.58
L211	60 420.54	3 116 125.54		R224	62 114.04	3 116 573.53
L212	60 348.58	3 116 115.90		R225	62 015.07	3 116 532.51
L213	60 287.54	3 116 103.04		R226	61 861.05	3 116 482.36
L214	60 282.43	3 116 087.49		R227	61 808.41	3 116 465.25
L215	59 936.59	3 116 002.75		R228	61 595.73	3 116 409.22
L216	59 431.52	3 115 903.67		R229	60 761.32	3 116 234.23
L217	59 322.19	3 115 862.76		R230	60 533.40	3 116 203.67
L218	59 138.21	3 115 812.95		R231	59 298.12	3 115 942.14
L219	58 677.27	3 115 654.57		R232	58 305.71	3 115 568.65
L220	58 323.25	3 115 534.07		R233	57 664.53	3 115 334.27
L221	57 675.77	3 115 302.39		R234	56 572.05	3 114 940.65
L222	56 625.21	3 114 922.93		R235	55 320.22	3 114 488.93
L223	55 331.25	3 114 456.89		R236	54 395.72	3 114 155.26
L224	54 409.70	3 114 124.33		R237	53 545.85	3 113 848.54
L225	53 602.90	3 113 833.18		R238	52 776.32	3 113 571.30
L226	52 772.76	3 113 533.82		R239	52 149.23	3 113 345.14
L227	52 282.14	3 113 356.87		R240	51 470.45	3 113 100.24
L228	51 752.18	3 113 165.54		R241	49 905.73	3 112 535.90
L229	51 481.05	3 113 068.01		R242	49 905.51	3 112 535.82
L230	49 937.40	3 112 510.96		R243	48 382.97	3 111 986.57
L231	49 937.01	3 112 510.82		R244	46 814.26	3 111 420.95
L232	48 394.13	3 111 954.59		R245	46 811.13	3 111 419.82
L233	47 340.54	3 111 574.56		R246	45 873.30	3 111 081.77
L234	46 859.92	3 111 401.19		R247	45 447.75	3 110 928.48
L235	46 759.37	3 111 364.96		R248	45 260.25	3 110 846.27
L236	46 756.08	3 111 363.77		R249	45 084.41	3 110 755.41
L237	45 873.13	3 111 045.46		R250	44 914.19	3 110 652.98
L238	45 448.08	3 110 891.44		R251	44 780.14	3 110 560.06
				Vel Sheet 28	Van of 31	P1192/19

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L239	45 273.48	3 110 815.54		R252	44 224.97	3 110 174.51
L240	45 112.18	3 110 732.35		R253	43 857.69	3 109 919.45
L241	44 932.64	3 110 625.35		R254	43 857.54	3 109 919.35
L242	44 220.62	3 110 130.45		R255	43 315.18	3 109 542.67
L243	43 924.72	3 109 924.65		R256	43 107.50	3 109 398.31
L244	43 924.08	3 109 924.21		R257	43 037.75	3 109 349.70
L245	43 328.71	3 109 510.42		R258	42 520.51	3 108 990.21
L246	43 130.99	3 109 372.77		R259	42 067.50	3 108 675.76
L247	43 113.85	3 109 361.07		R260	41 731.33	3 108 442.09
L248	43 113.64	3 109 360.93		R261	40 300.02	3 107 446.92
L249	42 513.21	3 108 943.97		R262	39 781.77	3 107 086.75
L250	42 143.70	3 108 687.31		R263	39 341.83	3 106 781.08
L251	41 760.15	3 108 420.77		R264	38 810.15	3 106 411.51
L252	40 321.24	3 107 420.26		R265	38 496.88	3 106 193.91
L253	39 815.17	3 107 068.56		R266	38 423.32	3 106 142.74
L254	39 388.77	3 106 772.12		R267	38 423.18	3 106 142.64
L255	38 826.42	3 106 381.16		R268	38 182.29	3 105 975.10
L256	38 515.17	3 106 164.90		R269	37 823.70	3 105 725.88
L257	38 474.71	3 106 136.76		R270	37 221.55	3 105 307.39
L258	38 474.51	3 106 136.62		R271	37 220.89	3 105 306.94
L259	38 202.14	3 105 947.48		R272	36 939.60	3 105 111.50
L260	37 866.58	3 105 714.40		R273	36 612.77	3 104 884.43
L261	37 634.26	3 105 552.95		R274	36 193.67	3 104 592.80
L262	37 263.22	3 105 294.97		R275	35 691.20	3 104 247.75
L263	37 200.91	3 105 251.59		R276	35 351.38	3 104 007.31
L264	37 200.04	3 105 250.98		R277	35 044.20	3 103 793.73
L265	36 754.05	3 104 940.91		R278	34 853.24	3 103 660.91
L266	36 556.38	3 104 803.56		R279	34 726.46	3 103 571.66
L267	36 459.89	3 104 736.54		R280	34 594.68	3 103 459.90
L268	36 039.01	3 104 444.00		R281	34 523.99	3 103 390.31
L269	35 612.22	3 104 147.35		R282	34 423.04	3 103 274.23
L270	35 255.50	3 103 899.32		R283	34 369.63	3 103 203.76
L271	35 015.19	3 103 732.32		R284	34 245.82	3 103 018.28
L272	34 747.25	3 103 545.46		R285	34 177.91	3 102 913.89
L273	34 617.98	3 103 435.97		R286	34 110.73	3 102 810.68
L274	34 550.62	3 103 367.61		R287	33 968.77	3 102 592.63
L275	34 502.00	3 103 317.98		R288	33 743.35	3 102 246.56
L276	34 448.78	3 103 251.85		R289	33 522.55	3 101 907.43
L277	34 394.26	3 103 183.77		R290	33 408.10	3 101 731.44
L278	34 270.28	3 102 993.88		R291	33 331.48	3 101 613.74
L279	34 172.90	3 102 844.25		R292	33 109.59	3 101 273.02
L280	34 065.04	3 102 678.60		R293	33 094.44	3 101 249.73
L281	33 828.41	3 102 314.84		R294	33 019.92	3 101 165.23
L282	33 644.54	3 102 032.35		R295	32 922.46	3 101 055.43
L283	33 484.21	3 101 785.81		R296	32 818.93	3 100 956.06
L284	33 372.25	3 101 613.75		R297	32 684.70	3 100 850.99
L285	33 303.71	3 101 508.53		R298	32 623.42	3 100 803.04
L286	33 197.34	3 101 345.23		R299	32 502.86	3 100 707.97
L287	33 143.97	3 101 263.28		R300	32 381.83	3 100 612.96
L288	33 126.61	3 101 239.79		R301	32 150.06	3 100 430.75
L289	33 067.80	3 101 170.94		R302	31 797.37	3 100 154.31
				Vel Sheet	29 of	31 P1192/19

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 23°		Y	X
L290	33 001.58	3 101 093.75		R303	31 666.00	3 100 056.62
L291	32 945.99	3 101 028.62		R304	31 665.70	3 100 056.42
L292	32 908.73	3 100 994.15		R305	31 569.92	3 099 995.21
L293	32 839.95	3 100 929.45		R306	31 499.17	3 099 955.62
L294	32 732.41	3 100 845.22		R307	31 480.75	3 099 948.15
L295	32 495.46	3 100 658.88		R308	31 402.41	3 099 909.38
L296	32 112.68	3 100 358.54		R309	31 216.10	3 099 835.42
L297	31 817.38	3 100 126.67		R310	30 969.03	3 099 739.24
L298	31 670.73	3 100 019.50		R311	30 851.52	3 099 693.75
L299	31 670.60	3 100 019.40		R312	30 682.32	3 099 627.63
L300	31 573.69	3 099 957.90		R313	30 450.81	3 099 537.10
L301	31 495.01	3 099 916.43		R314	29 997.53	3 099 360.08
L302	31 336.13	3 099 846.64		R315	29 993.22	3 099 358.38
L303	31 271.03	3 099 821.04		R316	29 490.10	3 099 159.94
L304	30 971.91	3 099 704.33		R317	29 382.36	3 099 111.10
L305	30 813.84	3 099 642.79		R318	29 202.34	3 099 018.12
L306	30 567.20	3 099 546.10		R319	28 951.70	3 098 871.67
L307	30 451.48	3 099 500.85		R320	28 644.17	3 098 692.20
L308	30 337.48	3 099 456.35		R321	28 640.83	3 098 689.07
L309	30 103.72	3 099 365.16		R322	28 542.72	3 098 621.92
L310	29 999.90	3 099 324.42		R323	28 442.42	3 098 544.47
L311	29 995.98	3 099 322.89		R324	28 392.24	3 098 501.95
L312	29 596.11	3 099 166.75		R325	28 343.21	3 098 457.31
L313	29 523.19	3 099 138.35		R326	28 293.02	3 098 408.15
L314	29 369.83	3 099 069.26		R327	28 205.18	3 098 314.13
L315	29 177.83	3 098 964.35		R328	28 204.38	3 098 313.19
L316	28 916.84	3 098 811.72		R329	28 179.79	3 098 284.42
L317	28 666.03	3 098 665.38		R330	28 087.73	3 098 176.32
L318	28 653.58	3 098 654.69		R331	27 908.14	3 097 965.85
L319	28 516.26	3 098 561.20		R332	27 727.49	3 097 754.25
L320	28 409.66	3 098 472.26		R333	27 630.70	3 097 633.18
L321	28 364.54	3 098 434.38		R334	27 608.61	3 097 600.50
L322	28 269.97	3 098 337.33		R335	27 557.13	3 097 526.12
L323	28 215.74	3 098 274.09		R336	27 517.16	3 097 457.65
L324	27 704.08	3 097 674.24		R337	27 458.73	3 097 349.36
L325	27 635.86	3 097 581.87		R338	27 412.68	3 097 250.21
L326	27 608.62	3 097 545.04		R339	27 269.97	3 096 912.41
L327	27 544.86	3 097 441.75		R340	27 258.84	3 096 885.21
L328	27 544.19	3 097 440.50		R341	27 209.92	3 096 769.22
L329	27 487.25	3 097 334.17		R342	27 150.76	3 096 628.75
L330	27 446.06	3 097 242.15		R343	27 068.29	3 096 432.55
L331	27 387.27	3 097 102.60		R344	27 010.89	3 096 296.92
L332	27 317.58	3 096 937.02		R345	26 935.91	3 096 118.69
L333	27 306.57	3 096 910.77		R346	26 887.61	3 096 004.01
L334	27 153.31	3 096 547.10		R347	26 812.26	3 095 825.33
L335	27 082.04	3 096 377.79		R348	26 720.84	3 095 608.56
L336	26 978.13	3 096 131.31		R349	26 650.82	3 095 442.74
L337	26 917.93	3 095 988.78		R350	26 543.55	3 095 187.87
L338	26 803.90	3 095 718.21		R351	26 462.88	3 094 996.54
L339	26 717.07	3 095 512.03		R352	26 371.06	3 094 778.14
L340	26 629.86	3 095 305.23		R353	26 341.16	3 094 600.30
				Vel Sheet	30 Van of	31 P1192/19

This gazette is also available free online at www.gpwonline.co.za

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065