

DEPARTMENT OF TRANSPORT

NO. 1060

20 October 2021

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**

Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N2 SECTION 25

AMENDMENT OF DECLARATION No. 377 OF 2018.

By virtue of section 40(1)(b) of The South African National Roads Agency Limited and National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 377 of 2018 by substituting it in its entirety with the accompanying sheets 1 to 46 of Plan No. P1120/18.

(National Road N2 Section 25: Isipingo - Mt Edgecombe)



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 1060

20 Oktober 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD N2 SEKSIE 25


WYSIGING VAN VERKLARING No. 377 VAN 2018.


Kragtens Artikel 40(1)(b) van die Suid Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No.7 van 1998), wysig ek hiermee Verklaring No. 377 van 2018 deur dit in sy geheel te vervang, met meegaande velle 1 tot 46 van Plan No. P1120/18.

(Nasionale Pad N2 Seksie 25: Isipingo - Mt Edgecombe)


MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
Vel Sheet 1 of 46	Sektie Section 25	Plan P1120/18	PTN 82



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route Seksie 25 Section	Vel Sheet 2 of 46 Plan P1120/18
---	---------------------------------------	---	---	------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 3 of 46 Plan P1120/18
---	---------------------------------------	--	---	---------------------------------------

CONTINUES ON PAGE 130 OF BOOK 2

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 676

20

October
Oktober

2021

No. 45336

PART 2 OF 2

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845




9 771682 584003

4 5 3 3 6



AIDS HELPLINE: 0800-0123-22 Prevention is the cure



Vel
Sheet 4
of 46


Plan
P1120/18

stelt die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N2
of National Route




Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	Die figuur getoon		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet	5 of	46
The South African National Roads Agency SOC Ltd	The figure shown			25	Plan	P1120/18









Vel Sheet 8 of 46 Plan P1120/18	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route Seksie Section 25	Die figuur getoon The figure shown Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
--	---	--








Vel Sheet Plan	van 10 of P1120/18	46
stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	25	
Die figuur getoon The figure shown		
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd		







Die Suid Afrikaanse Nasionale Padagentskop MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	25 Seksie Section	12 van Sheet of	46 Plan P1120/18
---	---------------------------------------	---	--	-------------------------	--------------------------	------------------------







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 15 of 46 Plan P1120/18
---	---------------------------------------	---	--




Vel Sheet 16 of 46

Plan P1120/18

steldie padreserwe voor van 'n gedeelte
represents the rood reserve of a portion
van Nasionale Roete N2 Seksie
of National Route Section


Die figuur getoon

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd




Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		stel die podreserwe voor van 'n gedeelte represents the road reserve of a portion	Vel Sheet	17 of	46
The South African National Roads Agency SOC Ltd	The figure shown		van Nasionale Roete N2 of National Route	Plan	25	P1120/18







Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route
Vel Sheet	van of	19 46	Plan P1120/18
25	N2	Seksie Section	25




Vel van 46	Sheet 20 of 46	Plan P1120/18
stel die padreserwe voor van 'n gedeelte	represents the road reserve of a portion	van Nasionale Roete
of National Route	N2	Section 25
Die figuur getoon	The figure shown	
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk	The South African National Roads Agency SOC Ltd	





Vel Sheet 21 of 46 Plan P1120/18	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route Seksie N2 Section 25	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd Die figuur getoon The figure shown
--	---	--






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 23 of 46 Plan P1120/18
---	---------------------------------------	---	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N2 of National Route	Vel Sheet 25 of 46 Plan P1120/18
---	---------------------------------------	--	---



Vel
Sheet 26 of 46


Plan
P1120/18


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete
of National Route





Die figuur getoon
The figure shown


Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd














PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L1	6 389.54	3 318 425.65		R1	6 319.61	3 318 472.98
L2	6 310.97	3 318 148.65		R2	6 313.87	3 318 449.37
L3	6 289.85	3 318 053.69		R3	6 284.91	3 318 342.20
L4	6 275.92	3 317 957.67		R4	6 251.94	3 318 227.68
L5	6 272.22	3 317 897.24		R5	6 231.00	3 318 154.98
L6	6 275.20	3 317 885.96		R6	6 206.61	3 318 092.65
L7	6 282.35	3 317 813.38		R7	6 195.00	3 318 062.99
L8	6 395.88	3 317 764.28		R8	6 150.00	3 317 969.79
L9	6 409.57	3 317 758.37		R9	6 091.00	3 317 891.82
L10	6 476.92	3 317 729.24		R10	6 072.15	3 317 889.84
L11	6 448.18	3 317 694.06		R11	6 047.04	3 317 938.89
L12	6 327.38	3 317 727.27		R12	6 047.03	3 317 978.85
L13	6 305.86	3 317 722.47		R13	6 084.82	3 318 170.99
L14	6 249.21	3 317 656.03		R14	6 056.90	3 318 178.22
L15	6 224.27	3 317 626.84		R15	6 048.14	3 318 155.09
L16	6 144.25	3 317 521.36		R16	6 002.29	3 317 975.18
L17	5 886.75	3 317 099.54		R17	5 999.69	3 317 945.24
L18	5 724.47	3 316 814.28		R18	6 001.58	3 317 927.47
L19	5 652.74	3 316 707.32		R19	6 005.98	3 317 901.00
L20	5 261.19	3 316 011.84		R20	6 014.09	3 317 875.12
L21	5 189.62	3 315 873.59		R21	6 025.70	3 317 869.94
L22	5 249.74	3 315 684.08		R22	6 042.08	3 317 807.79
L23	5 235.45	3 315 687.20		R23	6 049.10	3 317 706.68
L24	5 179.54	3 315 623.98		R24	6 035.99	3 317 594.52
L25	5 086.51	3 315 503.49		R25	6 004.90	3 317 510.70
L26	4 976.33	3 315 336.13		R26	5 938.95	3 317 376.44
L27	4 990.60	3 315 207.25		R27	5 868.26	3 317 238.38
L28	4 999.49	3 315 155.19		R28	5 853.47	3 317 210.82
L29	4 993.67	3 315 148.77		R29	5 678.06	3 316 900.05
L30	5 005.78	3 315 116.42		R30	5 480.17	3 316 549.46
L31	5 014.16	3 315 094.54		R31	5 479.64	3 316 528.37
L32	5 045.18	3 315 013.39		R32	5 345.60	3 316 290.96
L33	5 067.17	3 314 999.34		R33	5 319.11	3 316 255.20
L34	5 072.33	3 314 980.24		R34	5 283.51	3 316 181.17
L35	5 122.15	3 314 795.53		R35	5 246.93	3 316 116.42
L36	5 143.49	3 314 681.84		R36	5 205.25	3 316 042.64
L37	5 145.24	3 314 545.38		R37	5 167.80	3 316 073.23
L38	5 112.08	3 314 379.23		R38	5 143.91	3 316 025.33
L39	5 041.23	3 314 238.74		R39	5 134.75	3 315 988.05
L40	5 003.60	3 314 164.11		R40	5 081.63	3 315 892.98
L41	4 999.34	3 314 139.14		R41	4 852.41	3 315 482.34
L42	4 977.61	3 314 099.15		R42	4 796.27	3 315 405.96
L43	4 912.09	3 314 032.01		R43	4 704.79	3 315 337.66
L44	4 822.56	3 313 869.86		R44	4 668.43	3 315 321.16
L45	4 800.94	3 313 830.33		R45	4 602.48	3 315 291.21
L46	4 797.05	3 313 823.36		R46	4 537.49	3 315 265.53
L47	4 773.40	3 313 766.00		R47	4 587.18	3 315 219.84
L48	4 763.72	3 313 742.53		R48	4 621.62	3 315 230.40
L49	4 735.49	3 313 618.33		R49	4 834.05	3 315 315.09
L50	4 726.69	3 313 571.52		R50	4 892.36	3 315 166.53
L51	4 712.84	3 313 458.95		R51	4 901.21	3 315 161.67
				Vel Sheet	33 Van of	46 P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L52	4 711.54	3 313 361.93		R52	4 931.89	3 315 080.59
L53	4 698.37	3 313 293.95		R53	4 943.25	3 315 074.29
L54	4 680.77	3 313 079.58		R54	4 949.35	3 315 054.00
L55	4 683.41	3 313 018.06		R55	4 950.51	3 315 045.86
L56	4 687.79	3 313 002.38		R56	4 963.09	3 314 995.12
L57	4 692.01	3 312 986.71		R57	4 981.76	3 314 945.99
L58	4 708.00	3 312 949.62		R58	4 973.21	3 314 936.90
L59	4 707.45	3 312 934.65		R59	4 955.45	3 314 918.03
L60	4 710.53	3 312 917.87		R60	4 967.37	3 314 899.37
L61	4 734.94	3 312 842.90		R61	5 001.31	3 314 846.19
L62	4 834.75	3 312 807.49		R62	5 026.19	3 314 792.68
L63	4 858.74	3 312 797.52		R63	5 026.77	3 314 790.96
L64	4 849.77	3 312 776.16		R64	5 058.48	3 314 618.63
L65	4 840.93	3 312 755.12		R65	5 058.35	3 314 610.48
L66	4 836.67	3 312 744.98		R66	5 057.91	3 314 582.41
L67	4 758.94	3 312 779.49		R67	5 045.53	3 314 452.17
L68	4 784.44	3 312 740.19		R68	5 011.91	3 314 344.43
L69	4 842.84	3 312 664.79		R69	4 965.14	3 314 259.65
L70	4 958.16	3 312 534.27		R70	4 909.20	3 314 158.36
L71	5 004.18	3 312 467.22		R71	4 887.27	3 314 165.88
L72	5 040.52	3 312 370.10		R72	4 793.64	3 313 996.40
L73	5 043.02	3 312 341.21		R73	4 813.61	3 313 985.36
L74	5 049.94	3 312 274.38		R74	4 765.00	3 313 897.36
L75	5 055.21	3 312 204.71		R75	4 691.26	3 313 763.87
L76	5 034.60	3 311 973.96		R76	4 667.34	3 313 608.75
L77	5 031.95	3 311 876.76		R77	4 655.54	3 313 532.39
L78	5 017.41	3 311 781.30		R78	4 636.30	3 313 407.91
L79	5 016.20	3 311 725.28		R79	4 617.15	3 313 360.14
L80	5 014.55	3 311 650.62		R80	4 598.46	3 313 317.50
L81	4 994.55	3 311 525.89		R81	4 555.23	3 313 029.95
L82	5 005.40	3 311 432.10		R82	4 555.16	3 312 990.52
L83	4 998.62	3 311 398.45		R83	4 556.39	3 312 893.59
L84	4 990.02	3 311 355.85		R84	4 562.99	3 312 839.86
L85	4 970.90	3 311 261.11		R85	4 590.73	3 312 706.41
L86	4 964.67	3 311 191.40		R86	4 634.46	3 312 689.46
L87	4 957.54	3 311 111.72		R87	4 734.76	3 312 590.70
L88	4 945.78	3 310 980.24		R88	4 818.42	3 312 531.62
L89	4 929.30	3 310 796.01		R89	4 899.67	3 312 460.84
L90	4 921.89	3 310 713.18		R90	4 932.18	3 312 407.37
L91	4 931.63	3 310 633.59		R91	4 935.10	3 312 391.03
L92	4 919.41	3 310 500.98		R92	4 946.54	3 312 327.19
L93	4 908.64	3 310 425.54		R93	4 972.86	3 312 180.41
L94	4 893.95	3 310 400.11		R94	4 969.13	3 312 105.74
L95	4 878.77	3 310 257.83		R95	4 970.13	3 312 012.28
L96	4 878.98	3 310 192.54		R96	4 970.52	3 311 974.66
L97	4 879.12	3 310 147.19		R97	4 962.18	3 311 875.54
L98	4 859.10	3 310 125.76		R98	4 944.19	3 311 738.03
L99	4 847.99	3 310 055.67		R99	4 940.38	3 311 682.88
L100	4 840.20	3 310 006.56		R100	4 926.66	3 311 485.37
L101	4 832.36	3 309 981.91		R101	4 909.05	3 311 428.86
L102	4 805.26	3 309 896.41		R102	4 899.65	3 311 398.65
				Vel Sheet	34 Van of 46	P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L103	4 805.46	3 309 891.41		R103	4 899.92	3 311 379.68			
L104	4 805.60	3 309 877.07		R104	4 902.29	3 311 213.03			
L105	4 804.83	3 309 862.75		R105	4 872.20	3 311 166.67			
L106	4 803.17	3 309 848.53		R106	4 892.04	3 311 132.54			
L107	4 785.82	3 309 732.87		R107	4 879.53	3 310 949.98			
L108	4 764.64	3 309 692.56		R108	4 849.36	3 310 788.72			
L109	4 747.04	3 309 662.26		R109	4 849.34	3 310 698.24			
L110	4 698.54	3 309 538.92		R110	4 848.60	3 310 629.56			
L111	4 678.34	3 309 487.55		R111	4 838.02	3 310 526.92			
L112	4 643.28	3 309 309.85		R112	4 821.36	3 310 380.67			
L113	4 650.48	3 309 253.82		R113	4 778.75	3 310 200.56			
L114	4 652.58	3 309 237.51		R114	4 672.13	3 310 016.11			
L115	4 654.97	3 309 218.90		R115	4 687.19	3 309 914.57			
L116	4 661.57	3 309 167.51		R116	4 672.55	3 309 874.95			
L117	4 662.79	3 309 118.50		R117	4 648.55	3 309 838.68			
L118	4 665.24	3 309 022.29		R118	4 622.09	3 309 771.13			
L119	4 666.69	3 309 013.18		R119	4 611.79	3 309 745.03			
L120	4 666.24	3 309 013.06		R120	4 601.14	3 309 664.34			
L121	4 674.91	3 308 932.69		R121	4 594.88	3 309 627.52			
L122	4 709.17	3 308 632.45		R122	4 559.67	3 309 551.83			
L123	4 711.70	3 308 603.18		R123	4 553.79	3 309 506.53			
L124	4 714.95	3 308 565.22		R124	4 549.16	3 309 471.95			
L125	4 715.39	3 308 560.05		R125	4 548.15	3 309 440.65			
L126	4 716.39	3 308 557.41		R126	4 547.17	3 309 409.41			
L127	4 726.92	3 308 527.46		R127	4 546.33	3 309 378.08			
L128	4 737.41	3 308 497.73		R128	4 550.49	3 309 346.16			
L129	4 738.05	3 308 495.91		R129	4 554.81	3 309 314.18			
L130	4 750.42	3 308 461.03		R130	4 559.14	3 309 282.21			
L131	4 785.83	3 308 407.23		R131	4 567.17	3 309 222.81			
L132	4 803.97	3 308 379.75		R132	4 563.79	3 309 197.39			
L133	4 804.84	3 308 378.53		R133	4 574.10	3 309 177.57			
L134	4 836.59	3 308 345.20		R134	4 575.75	3 309 165.72			
L135	4 839.84	3 308 341.69		R135	4 580.45	3 309 133.05			
L136	4 852.72	3 308 328.22		R136	4 596.10	3 309 024.50			
L137	4 972.45	3 308 244.98		R137	4 599.63	3 309 000.09			
L138	5 032.60	3 308 204.02		R138	4 600.37	3 308 995.57			
L139	5 043.93	3 308 193.54		R139	4 594.58	3 308 943.48			
L140	5 049.44	3 308 188.48		R140	4 587.19	3 308 875.21			
L141	5 080.23	3 308 160.16		R141	4 594.54	3 308 844.80			
L142	5 103.84	3 308 138.38		R142	4 597.18	3 308 833.85			
L143	5 121.99	3 308 110.96		R143	4 609.14	3 308 784.30			
L144	5 171.43	3 308 036.16		R144	4 611.23	3 308 755.09			
L145	5 184.03	3 308 015.32		R145	4 616.30	3 308 685.17			
L146	5 193.88	3 307 979.64		R146	4 631.61	3 308 662.85			
L147	5 193.91	3 307 977.47		R147	4 636.01	3 308 637.39			
L148	5 196.16	3 307 969.81		R148	4 640.17	3 308 615.28			
L149	5 196.14	3 307 971.51		R149	4 640.18	3 308 613.87			
L150	5 198.93	3 307 961.39		R150	4 640.71	3 308 602.79			
L151	5 199.53	3 307 957.88		R151	4 641.31	3 308 579.96			
L152	5 200.74	3 307 953.83		R152	4 642.06	3 308 558.22			
L153	5 201.78	3 307 954.07		R153	4 649.27	3 308 535.07			
					Vel Sheet	35	Van of	46	P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L154	5 203.80	3 307 954.59		R154	4 657.76	3 308 507.51
L155	5 214.75	3 307 957.30		R155	4 669.80	3 308 468.06
L156	5 230.33	3 307 959.18		R156	4 689.22	3 308 431.96
L157	5 230.51	3 307 949.66		R157	4 714.25	3 308 385.78
L158	5 230.72	3 307 940.98		R158	4 728.39	3 308 363.93
L159	5 235.49	3 307 913.67		R159	4 746.94	3 308 335.65
L160	5 233.47	3 307 912.75		R160	4 753.82	3 308 330.70
L161	5 234.51	3 307 908.80		R161	4 756.48	3 308 328.77
L162	5 229.24	3 307 908.23		R162	4 765.78	3 308 317.15
L163	5 223.00	3 307 907.19		R163	4 793.90	3 308 288.27
L164	5 226.27	3 307 880.29		R164	4 794.81	3 308 286.17
L165	5 231.43	3 307 869.11		R165	4 833.98	3 308 258.13
L166	5 254.31	3 307 824.58		R166	4 879.68	3 308 225.40
L167	5 225.20	3 307 803.98		R167	4 904.66	3 308 185.59
L168	5 219.80	3 307 798.29		R168	4 917.41	3 308 182.92
L169	5 216.36	3 307 777.24		R169	4 924.43	3 308 175.79
L170	5 222.62	3 307 709.33		R170	4 938.21	3 308 172.74
L171	5 227.56	3 307 655.32		R171	4 973.75	3 308 157.85
L172	5 241.47	3 307 601.07		R172	4 994.45	3 308 149.75
L173	5 250.26	3 307 567.68		R173	5 060.89	3 308 086.98
L174	5 253.64	3 307 554.07		R174	5 070.69	3 308 077.71
L175	5 258.55	3 307 536.21		R175	5 071.85	3 308 070.87
L176	5 264.07	3 307 516.13		R176	5 103.83	3 308 022.61
L177	5 274.18	3 307 472.08		R177	5 106.99	3 308 004.20
L178	5 279.12	3 307 457.67		R178	5 120.90	3 307 922.86
L179	5 304.38	3 307 405.07		R179	5 129.17	3 307 913.40
L180	5 314.81	3 307 374.10		R180	5 133.38	3 307 888.30
L181	5 334.35	3 307 316.54		R181	5 137.65	3 307 863.60
L182	5 344.70	3 307 176.65		R182	5 143.51	3 307 847.38
L183	5 344.74	3 307 103.50		R183	5 146.36	3 307 839.48
L184	5 288.70	3 306 907.73		R184	5 149.67	3 307 830.40
L185	5 214.15	3 306 870.96		R185	5 149.66	3 307 816.59
L186	5 187.79	3 306 830.20		R186	5 149.63	3 307 743.52
L187	5 171.29	3 306 818.06		R187	5 149.70	3 307 657.74
L188	5 163.91	3 306 812.64		R188	5 150.94	3 307 590.74
L189	5 120.21	3 306 753.01		R189	5 158.59	3 307 544.12
L190	5 108.53	3 306 737.07		R190	5 175.44	3 307 441.16
L191	5 148.02	3 306 713.28		R191	5 184.56	3 307 383.54
L192	5 169.26	3 306 701.21		R192	5 198.48	3 307 365.41
L193	5 188.48	3 306 690.29		R193	5 207.76	3 307 353.30
L194	5 221.79	3 306 671.37		R194	5 243.04	3 307 307.31
L195	5 255.47	3 306 644.84		R195	5 266.36	3 307 203.96
L196	5 314.01	3 306 589.85		R196	5 228.26	3 307 143.90
L197	5 363.66	3 306 559.98		R197	5 216.87	3 307 125.98
L198	5 384.83	3 306 560.31		R198	5 223.22	3 307 049.95
L199	5 438.69	3 306 563.13		R199	5 184.79	3 306 983.85
L200	5 473.52	3 306 559.51		R200	5 105.49	3 306 920.85
L201	5 502.55	3 306 559.91		R201	5 090.34	3 306 899.83
L202	5 508.49	3 306 560.04		R202	5 083.90	3 306 882.37
L203	5 555.63	3 306 567.92		R203	5 036.45	3 306 842.30
L204	5 562.99	3 306 568.54		R204	4 995.89	3 306 813.52
				Vel Sheet	36 Van of 46	P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 31°		Y		X	
L205	5 580.20	3	306	575.44	R205	4 976.39	3	306	796.05
L206	5 583.89	3	306	570.29	R206	4 973.99	3	306	781.00
L207	5 654.85	3	306	576.26	R207	4 907.75	3	306	754.22
L208	5 801.73	3	306	581.48	R208	4 852.86	3	306	752.00
L209	5 893.21	3	306	581.44	R209	4 767.49	3	306	754.07
L210	5 943.23	3	306	596.55	R210	4 730.52	3	306	754.73
L211	5 953.56	3	306	586.02	R211	4 696.79	3	306	755.34
L212	5 976.11	3	306	589.21	R212	4 669.89	3	306	763.39
L213	6 054.62	3	306	578.04	R213	4 587.09	3	306	770.54
L214	6 107.13	3	306	573.25	R214	4 431.13	3	306	771.18
L215	6 127.20	3	306	579.10	R215	4 371.58	3	306	758.34
L216	6 174.69	3	306	567.56	R216	4 280.53	3	306	738.69
L217	6 201.83	3	306	563.79	R217	4 175.47	3	306	745.71
L218	6 245.22	3	306	553.20	R218	4 143.76	3	306	747.25
L219	6 264.39	3	306	549.09	R219	4 094.88	3	306	754.03
L220	6 294.93	3	306	541.45	R220	4 087.56	3	306	694.15
L221	6 291.26	3	306	493.58	R221	4 154.49	3	306	682.61
L222	6 273.05	3	306	481.58	R222	4 191.40	3	306	672.81
L223	6 199.26	3	306	496.08	R223	4 270.85	3	306	662.16
L224	6 152.40	3	306	505.29	R224	4 355.93	3	306	654.74
L225	6 141.61	3	306	516.43	R225	4 404.19	3	306	653.60
L226	5 969.94	3	306	524.69	R226	4 453.77	3	306	653.07
L227	5 883.57	3	306	516.72	R227	4 537.13	3	306	656.44
L228	5 837.24	3	306	503.18	R228	4 588.70	3	306	661.02
L229	5 752.78	3	306	478.49	R229	4 649.80	3	306	650.40
L230	5 677.13	3	306	472.87	R230	4 683.74	3	306	624.66
L231	5 644.63	3	306	497.49	R231	4 705.19	3	306	591.87
L232	5 539.01	3	306	485.23	R232	4 697.50	3	306	585.70
L233	5 435.17	3	306	475.02	R233	4 682.71	3	306	573.84
L234	5 368.08	3	306	469.66	R234	4 673.19	3	306	524.64
L235	5 322.81	3	306	466.04	R235	4 658.67	3	306	482.84
L236	5 299.23	3	306	456.75	R236	4 646.76	3	306	457.44
L237	5 260.63	3	306	465.44	R237	4 645.29	3	306	448.53
L238	5 170.42	3	306	481.82	R238	4 640.80	3	306	421.21
L239	5 076.35	3	306	483.52	R239	4 643.50	3	306	398.56
L240	5 052.52	3	306	480.98	R240	4 643.58	3	306	372.43
L241	4 981.95	3	306	471.37	R241	4 643.61	3	306	361.90
L242	4 888.55	3	306	437.77	R242	4 649.53	3	306	343.97
L243	4 869.75	3	306	371.99	R243	4 653.18	3	306	311.73
L244	4 788.73	3	306	174.39	R244	4 628.80	3	306	244.99
L245	4 769.02	3	306	126.98	R245	4 671.25	3	306	176.54
L246	4 810.02	3	305	784.13	R246	4 672.27	3	306	151.55
L247	4 801.35	3	305	465.64	R247	4 673.59	3	306	122.25
L248	4 825.11	3	305	322.69	R248	4 675.49	3	306	080.11
L249	4 824.49	3	305	313.62	R249	4 677.98	3	306	024.79
L250	4 816.95	3	305	203.86	R250	4 699.30	3	305	839.31
L251	4 817.01	3	305	193.79	R251	4 701.28	3	305	822.12
L252	4 817.27	3	305	152.80	R252	4 709.30	3	305	607.50
L253	4 785.99	3	305	103.64	R253	4 694.59	3	305	545.33
L254	4 793.12	3	305	086.44	R254	4 693.22	3	305	539.24
L255	4 795.58	3	305	080.51	R255	4 697.37	3	305	497.00
					Vel Sheet 37 Van of 46 P1120/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L256	4 795.73	3 305 014.33		R256	4 711.32	3 305 355.26
L257	4 784.86	3 304 942.86		R257	4 671.58	3 305 305.18
L258	4 786.85	3 304 744.27		R258	4 665.27	3 305 248.62
L259	4 787.28	3 304 701.80		R259	4 664.46	3 305 241.33
L260	4 801.03	3 304 665.93		R260	4 686.21	3 305 136.02
L261	4 805.32	3 304 595.61		R261	4 703.21	3 305 077.20
L262	4 809.58	3 304 525.79		R262	4 696.82	3 305 052.74
L263	4 798.10	3 304 409.58		R263	4 712.08	3 305 044.58
L264	4 811.61	3 304 325.85		R264	4 712.06	3 305 032.21
L265	4 820.13	3 304 274.68		R265	4 686.06	3 304 929.48
L266	4 818.10	3 304 254.42		R266	4 680.25	3 304 906.50
L267	4 815.71	3 304 229.91		R267	4 676.29	3 304 890.84
L268	4 811.33	3 304 208.53		R268	4 692.95	3 304 878.35
L269	4 806.94	3 304 182.40		R269	4 712.05	3 304 864.01
L270	4 805.34	3 304 174.08		R270	4 712.05	3 304 797.17
L271	4 803.00	3 304 144.67		R271	4 693.00	3 304 743.80
L272	4 797.94	3 304 081.22		R272	4 696.66	3 304 732.54
L273	4 797.44	3 304 075.11		R273	4 705.89	3 304 701.37
L274	4 794.26	3 304 057.16		R274	4 704.29	3 304 680.23
L275	4 788.73	3 304 026.08		R275	4 702.11	3 304 651.41
L276	4 777.05	3 303 959.89		R276	4 691.99	3 304 620.42
L277	4 766.41	3 303 899.85		R277	4 696.67	3 304 595.68
L278	4 747.69	3 303 794.61		R278	4 697.13	3 304 593.29
L279	4 652.00	3 303 591.42		R279	4 678.36	3 304 534.76
L280	4 646.41	3 303 579.85		R280	4 665.88	3 304 430.27
L281	4 572.20	3 303 456.60		R281	4 671.15	3 304 404.09
L282	4 560.35	3 303 441.80		R282	4 678.11	3 304 369.52
L283	4 502.54	3 303 369.58		R283	4 676.98	3 304 348.67
L284	4 485.72	3 303 348.56		R284	4 676.50	3 304 338.61
L285	4 470.95	3 303 330.09		R285	4 675.43	3 304 318.77
L286	4 456.14	3 303 311.37		R286	4 671.50	3 304 316.86
L287	4 444.48	3 303 296.55		R287	4 671.04	3 304 263.02
L288	4 435.15	3 303 284.62		R288	4 674.97	3 304 262.28
L289	4 396.52	3 303 235.56		R289	4 684.28	3 304 194.69
L290	4 373.89	3 303 206.82		R290	4 694.55	3 304 120.09
L291	4 354.82	3 303 174.99		R291	4 658.65	3 304 084.62
L292	4 352.78	3 303 172.20		R292	4 694.47	3 303 978.66
L293	4 348.54	3 303 164.52		R293	4 697.82	3 303 968.76
L294	4 333.63	3 303 125.79		R294	4 690.40	3 303 929.45
L295	4 383.81	3 303 169.74		R295	4 669.73	3 303 819.92
L296	4 394.33	3 303 160.20		R296	4 615.48	3 303 674.53
L297	4 349.50	3 303 093.26		R297	4 598.58	3 303 641.56
L298	4 332.15	3 303 041.33		R298	4 564.58	3 303 574.86
L299	4 326.23	3 303 023.61		R299	4 440.32	3 303 482.81
L300	4 322.84	3 303 008.60		R300	4 414.85	3 303 399.46
L301	4 311.08	3 302 940.61		R301	4 298.09	3 303 259.82
L302	4 231.79	3 302 621.88		R302	4 284.11	3 303 237.33
L303	4 126.42	3 302 198.32		R303	4 258.28	3 303 195.81
L304	4 075.33	3 302 095.26		R304	4 243.50	3 303 172.05
L305	4 061.18	3 302 066.73		R305	4 211.00	3 303 119.81
L306	4 056.16	3 302 056.62		R306	4 195.68	3 303 045.09
				Vel Sheet	38 Van of 46	P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L307	4 046.58	3 302 037.31		R307	4 167.15	3 302 905.70
L308	4 038.00	3 302 007.56		R308	4 163.03	3 302 840.86
L309	4 035.82	3 301 999.99		R309	4 161.52	3 302 827.37
L310	4 029.82	3 301 979.17		R310	4 155.19	3 302 771.24
L311	4 021.93	3 301 959.86		R311	4 151.77	3 302 740.77
L312	4 019.10	3 301 952.65		R312	4 112.63	3 302 655.56
L313	4 012.73	3 301 937.09		R313	4 000.26	3 302 573.03
L314	4 006.37	3 301 921.54		R314	3 975.19	3 302 389.14
L315	3 999.98	3 301 905.90		R315	3 959.89	3 302 276.55
L316	3 996.99	3 301 898.81		R316	3 941.10	3 302 138.28
L317	3 978.23	3 301 853.64		R317	3 943.67	3 302 104.85
L318	3 954.90	3 301 796.98		R318	3 932.68	3 302 066.20
L319	3 940.57	3 301 758.68		R319	3 922.64	3 302 031.17
L320	3 922.53	3 301 710.42		R320	3 910.47	3 301 988.45
L321	3 922.02	3 301 629.45		R321	3 884.43	3 301 896.92
L322	3 894.71	3 301 522.23		R322	3 880.89	3 301 882.66
L323	3 839.22	3 301 437.74		R323	3 874.03	3 301 855.03
L324	3 797.43	3 301 375.73		R324	3 867.72	3 301 829.62
L325	3 771.26	3 301 325.30		R325	3 838.24	3 301 710.85
L326	3 714.93	3 301 264.65		R326	3 815.82	3 301 653.93
L327	3 676.96	3 301 223.62		R327	3 795.14	3 301 601.45
L328	3 654.49	3 301 199.27		R328	3 765.60	3 301 518.30
L329	3 643.11	3 301 188.44		R329	3 764.00	3 301 514.69
L330	3 629.07	3 301 175.22		R330	3 727.54	3 301 413.65
L331	3 505.92	3 301 100.06		R331	3 714.13	3 301 376.64
L332	3 500.20	3 301 096.28		R332	3 712.30	3 301 371.87
L333	3 441.26	3 301 019.72		R333	3 680.83	3 301 343.53
L334	3 369.52	3 300 993.69		R334	3 661.93	3 301 319.83
L335	3 322.38	3 300 947.16		R335	3 645.15	3 301 308.80
L336	3 311.92	3 300 912.71		R336	3 628.70	3 301 297.39
L337	3 275.40	3 300 890.43		R337	3 616.99	3 301 289.51
L338	3 266.70	3 300 851.75		R338	3 590.25	3 301 271.44
L339	3 236.53	3 300 802.15		R339	3 565.00	3 301 252.70
L340	3 233.61	3 300 799.37		R340	3 512.73	3 301 219.14
L341	3 234.18	3 300 798.28		R341	3 459.26	3 301 151.90
L342	3 233.24	3 300 796.81		R342	3 358.83	3 301 071.64
L343	3 232.97	3 300 795.38		R343	3 299.33	3 301 052.44
L344	3 225.43	3 300 763.56		R344	3 256.39	3 300 980.90
L345	3 220.45	3 300 742.79		R345	3 193.46	3 300 942.86
L346	3 218.02	3 300 732.27		R346	3 165.60	3 300 889.65
L347	3 204.78	3 300 676.70		R347	3 163.78	3 300 870.08
L348	3 205.61	3 300 656.82		R348	3 154.20	3 300 824.10
L349	3 201.96	3 300 655.64		R349	3 137.65	3 300 764.99
L350	3 215.98	3 300 599.84		R350	3 133.13	3 300 743.33
L351	3 225.93	3 300 561.37		R351	3 133.85	3 300 653.56
L352	3 236.19	3 300 524.71		R352	3 116.35	3 300 609.98
L353	3 223.44	3 300 516.94		R353	3 108.67	3 300 583.15
L354	3 201.18	3 300 503.41		R354	3 110.95	3 300 578.26
L355	3 206.25	3 300 459.23		R355	3 135.39	3 300 527.79
L356	3 196.19	3 300 436.56		R356	3 132.82	3 300 517.85
L357	3 189.20	3 300 407.84		R357	3 106.50	3 300 469.04
				Vel Sheet	39 Van of 46	P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L358	3 182.39	3 300 379.84		R358	3 102.81	3 300 449.25
L359	3 154.73	3 300 274.79		R359	3 101.71	3 300 409.25
L360	3 153.57	3 300 270.34		R360	3 088.24	3 300 381.81
L361	3 150.36	3 300 258.38		R361	3 082.23	3 300 363.61
L362	3 148.97	3 300 253.16		R362	3 081.89	3 300 363.02
L363	3 140.80	3 300 222.22		R363	3 066.91	3 300 298.05
L364	3 125.83	3 300 190.44		R364	3 063.03	3 300 289.38
L365	3 099.56	3 300 157.20		R365	3 063.02	3 300 284.78
L366	3 088.40	3 300 143.07		R366	3 063.02	3 300 276.04
L367	3 058.28	3 300 114.53		R367	3 056.07	3 300 251.75
L368	3 038.97	3 300 096.22		R368	3 032.20	3 300 216.23
L369	3 010.40	3 300 079.93		R369	3 013.92	3 300 189.02
L370	2 973.22	3 300 058.74		R370	2 995.27	3 300 161.26
L371	2 946.82	3 300 027.35		R371	2 971.61	3 300 140.10
L372	2 934.91	3 300 009.55		R372	2 945.26	3 300 116.52
L373	2 921.21	3 299 983.55		R373	2 910.30	3 300 085.24
L374	2 891.78	3 299 957.22		R374	2 887.12	3 300 064.72
L375	2 858.34	3 299 927.06		R375	2 877.46	3 300 056.12
L376	2 852.47	3 299 921.77		R376	2 858.29	3 300 038.95
L377	2 831.22	3 299 891.56		R377	2 827.91	3 300 011.90
L378	2 817.56	3 299 879.11		R378	2 821.11	3 300 008.56
L379	2 805.26	3 299 868.07		R379	2 814.39	3 300 005.19
L380	2 791.25	3 299 855.38		R380	2 809.95	3 300 002.89
L381	2 785.23	3 299 849.89		R381	2 783.16	3 299 989.51
L382	2 783.80	3 299 848.69		R382	2 759.16	3 299 977.56
L383	2 770.82	3 299 832.52		R383	2 742.30	3 299 969.15
L384	2 764.98	3 299 828.15		R384	2 731.18	3 299 963.59
L385	2 749.80	3 299 816.65		R385	2 685.02	3 299 940.58
L386	2 728.40	3 299 800.60		R386	2 678.31	3 299 915.38
L387	2 707.23	3 299 784.92		R387	2 672.25	3 299 895.70
L388	2 696.36	3 299 766.88		R388	2 666.99	3 299 876.75
L389	2 684.99	3 299 748.74		R389	2 654.06	3 299 838.45
L390	2 683.13	3 299 749.18		R390	2 632.09	3 299 822.51
L391	2 679.87	3 299 738.06		R391	2 610.71	3 299 806.98
L392	2 679.25	3 299 729.25		R392	2 587.45	3 299 790.97
L393	2 679.69	3 299 723.70		R393	2 562.21	3 299 755.89
L394	2 683.46	3 299 709.57		R394	2 561.75	3 299 752.22
L395	2 684.17	3 299 707.75		R395	2 557.04	3 299 736.49
L396	2 683.17	3 299 666.75		R396	2 552.10	3 299 716.95
L397	2 663.21	3 299 629.97		R397	2 551.11	3 299 713.50
L398	2 628.58	3 299 596.60		R398	2 545.16	3 299 697.91
L399	2 607.32	3 299 560.17		R399	2 531.71	3 299 661.15
L400	2 590.93	3 299 522.61		R400	2 528.19	3 299 646.31
L401	2 576.41	3 299 484.69		R401	2 524.81	3 299 631.46
L402	2 567.23	3 299 466.15		R402	2 521.29	3 299 616.58
L403	2 558.71	3 299 447.46		R403	2 517.92	3 299 601.70
L404	2 549.90	3 299 428.83		R404	2 511.30	3 299 572.02
L405	2 541.58	3 299 410.10		R405	2 507.92	3 299 557.16
L406	2 532.57	3 299 391.52		R406	2 501.98	3 299 530.97
L407	2 523.72	3 299 373.01		R407	2 489.74	3 299 504.30
L408	2 510.82	3 299 355.12		R408	2 481.00	3 299 485.91
				Vel Sheet	40 Van of 46	P1120/18

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°		Y	X			
L409	2 495.16	3 299 338.00		R409	2 472.35	3 299 467.30			
L410	2 472.20	3 299 301.98		R410	2 463.38	3 299 448.63			
L411	2 403.71	3 299 151.83		R411	2 454.54	3 299 429.91			
L412	2 324.69	3 298 922.67		R412	2 438.12	3 299 392.22			
L413	2 304.14	3 298 886.05		R413	2 425.74	3 299 373.84			
L414	2 297.90	3 298 866.87		R414	2 422.01	3 299 368.25			
L415	2 291.87	3 298 847.62		R415	2 408.06	3 299 347.40			
L416	2 286.74	3 298 828.16		R416	2 390.64	3 299 321.36			
L417	2 281.61	3 298 808.59		R417	2 377.77	3 299 301.91			
L418	2 274.65	3 298 770.83		R418	2 372.12	3 299 289.12			
L419	2 270.00	3 298 751.19		R419	2 355.68	3 299 251.51			
L420	2 265.38	3 298 731.58		R420	2 349.84	3 299 242.11			
L421	2 257.58	3 298 698.32		R421	2 345.97	3 299 235.88			
L422	2 254.27	3 298 692.84		R422	2 334.66	3 299 209.49			
L423	2 212.15	3 298 622.16		R423	2 326.63	3 299 190.76			
L424	2 200.95	3 298 601.06		R424	2 310.46	3 299 153.06			
L425	2 193.95	3 298 570.23		R425	2 307.07	3 299 143.53			
L426	2 211.96	3 298 558.71		R426	2 302.91	3 299 131.60			
L427	2 248.14	3 298 535.79		R427	2 300.59	3 299 114.09			
L428	2 285.06	3 298 516.37		R428	2 295.64	3 299 094.22			
L429	2 342.26	3 298 474.92		R429	2 291.54	3 299 077.72			
L430	2 367.90	3 298 456.30		R430	2 287.12	3 299 064.44			
L431	2 358.65	3 298 415.64		R431	2 283.67	3 299 057.25			
L432	2 355.05	3 298 399.61		R432	2 281.92	3 299 053.75			
L433	2 257.78	3 298 461.59		R433	2 276.26	3 299 042.52			
L434	2 234.65	3 298 476.33		R434	2 261.71	3 299 014.58			
L435	2 198.50	3 298 499.37		R435	2 251.67	3 298 995.90			
L436	2 180.29	3 298 510.90		R436	2 249.86	3 298 992.55			
L437	2 171.71	3 298 516.85		R437	2 243.74	3 298 981.81			
L438	2 147.61	3 298 527.35		R438	2 240.62	3 298 976.37			
L439	2 123.17	3 298 531.25		R439	2 240.07	3 298 975.50			
L440	2 068.35	3 298 471.54		R440	2 233.68	3 298 965.57			
L441	2 067.02	3 298 469.81		R441	2 227.19	3 298 955.52			
L442	2 055.48	3 298 455.53		R442	2 221.27	3 298 946.40			
L443	1 896.50	3 298 259.71		R443	2 209.01	3 298 927.72			
L444	1 879.81	3 298 241.92		R444	2 201.03	3 298 915.71			
L445	1 874.17	3 298 235.87		R445	2 190.55	3 298 899.77			
L446	1 821.85	3 298 176.54		R446	2 184.55	3 298 890.62			
L447	1 793.25	3 298 143.45		R447	2 173.78	3 298 873.80			
L448	1 770.16	3 298 111.03		R448	2 168.47	3 298 865.43			
L449	1 795.73	3 298 048.47		R449	2 160.36	3 298 852.58			
L450	1 802.00	3 298 033.17		R450	2 151.32	3 298 838.10			
L451	1 803.41	3 298 029.71		R451	2 140.85	3 298 823.18			
L452	1 803.99	3 298 029.98		R452	2 132.16	3 298 814.60			
L453	1 812.50	3 298 017.17		R453	2 120.21	3 298 806.96			
L454	1 843.52	3 297 941.33		R454	2 112.70	3 298 803.56			
L455	1 840.19	3 297 939.81		R455	2 104.89	3 298 801.27			
L456	1 816.78	3 297 931.86		R456	2 091.06	3 298 799.54			
L457	1 778.27	3 297 913.42		R457	2 080.83	3 298 800.74			
L458	1 742.75	3 297 896.36		R458	2 078.40	3 298 801.03			
L459	1 767.20	3 297 917.95		R459	2 074.79	3 298 801.45			
					Vel Sheet 41 Van of 46 P1120/18				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L460	1 772.83	3 297 925.48		R460	2 071.17	3 298 801.87
L461	1 774.55	3 297 941.28		R461	2 051.45	3 298 806.12
L462	1 769.52	3 297 959.71		R462	2 034.23	3 298 810.21
L463	1 757.09	3 297 994.02		R463	1 985.37	3 298 821.22
L464	1 727.48	3 298 042.62		R464	1 981.92	3 298 807.59
L465	1 717.45	3 298 052.59		R465	1 976.66	3 298 785.91
L466	1 603.58	3 298 007.39		R466	1 972.84	3 298 770.78
L467	1 570.50	3 297 994.25		R467	1 970.20	3 298 761.47
L468	1 516.38	3 297 972.65		R468	1 938.00	3 298 785.21
L469	1 515.53	3 297 972.58		R469	1 941.40	3 298 793.90
L470	1 488.93	3 297 956.19		R470	1 909.40	3 298 806.23
L471	1 452.41	3 297 933.58		R471	1 881.73	3 298 818.99
L472	1 430.60	3 297 920.12		R472	1 832.36	3 298 844.18
L473	1 390.53	3 297 895.34		R473	1 797.15	3 298 865.22
L474	1 369.70	3 297 882.49		R474	1 788.55	3 298 862.66
L475	1 350.96	3 297 870.89		R475	1 644.33	3 298 954.14
L476	1 343.76	3 297 864.49		R476	1 624.56	3 298 967.34
L477	1 324.24	3 297 847.16		R477	1 613.97	3 298 972.91
L478	1 297.86	3 297 823.72		R478	1 593.49	3 298 988.56
L479	1 256.23	3 297 796.60		R479	1 593.66	3 298 988.86
L480	1 231.27	3 297 780.23		R480	1 563.63	3 299 006.64
L481	1 221.47	3 297 773.80		R481	1 559.44	3 299 011.55
L482	1 204.77	3 297 762.91		R482	1 558.44	3 299 013.99
L483	1 176.69	3 297 740.79		R483	1 541.32	3 299 023.88
L484	1 148.65	3 297 718.81		R484	1 546.93	3 299 033.71
L485	1 128.72	3 297 703.21		R485	1 502.88	3 299 058.16
L486	1 071.93	3 297 658.70		R486	1 488.61	3 299 048.06
L487	1 024.55	3 297 614.99		R487	1 366.46	3 299 102.72
L488	1 023.40	3 297 613.56		R488	1 316.58	3 299 068.33
L489	983.93	3 297 564.36		R489	1 409.96	3 299 029.86
L490	941.20	3 297 503.80		R490	1 442.55	3 299 016.03
L491	926.70	3 297 480.61		R491	1 438.51	3 299 006.52
L492	918.76	3 297 468.27		R492	1 461.99	3 298 987.34
L493	900.95	3 297 441.54		R493	1 472.48	3 298 997.81
L494	880.09	3 297 410.56		R494	1 599.16	3 298 919.29
L495	878.81	3 297 408.65		R495	1 749.22	3 298 802.20
L496	865.92	3 297 390.03		R496	1 935.08	3 298 611.80
L497	860.66	3 297 366.18		R497	1 908.20	3 298 493.42
L498	855.89	3 297 344.55		R498	1 857.12	3 298 419.68
L499	851.10	3 297 322.85		R499	1 801.96	3 298 340.74
L500	847.40	3 297 306.04		R500	1 765.65	3 298 292.55
L501	844.80	3 297 302.63		R501	1 750.75	3 298 272.44
L502	833.19	3 297 287.32		R502	1 701.81	3 298 246.30
L503	830.70	3 297 284.03		R503	1 680.43	3 298 235.67
L504	818.93	3 297 274.44		R504	1 661.77	3 298 224.09
L505	803.38	3 297 261.76		R505	1 647.20	3 298 217.18
L506	787.67	3 297 249.18		R506	1 638.32	3 298 203.65
L507	775.57	3 297 231.76		R507	1 619.22	3 298 188.06
L508	762.12	3 297 212.42		R508	1 603.03	3 298 174.95
L509	747.58	3 297 191.51		R509	1 586.20	3 298 168.41
L510	732.99	3 297 170.52		R510	1 572.15	3 298 154.72
				Vel Sheet	42 Van of 46	P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°		Y	X			
L511	730.92	3 297 167.49		R511	1 542.18	3 298 127.48			
L512	718.15	3 297 149.19		R512	1 521.85	3 298 107.24			
L513	703.04	3 297 127.47		R513	1 487.63	3 298 072.91			
L514	700.96	3 297 124.47		R514	1 475.11	3 298 060.25			
L515	687.71	3 297 105.42		R515	1 434.97	3 298 022.17			
L516	672.30	3 297 083.25		R516	1 413.92	3 298 002.22			
L517	657.25	3 297 061.60		R517	1 371.57	3 297 966.96			
L518	642.46	3 297 040.33		R518	1 315.46	3 297 920.69			
L519	627.50	3 297 018.81		R519	1 288.60	3 297 904.51			
L520	609.79	3 296 993.42		R520	1 244.28	3 297 877.81			
L521	588.92	3 296 963.42		R521	1 207.82	3 297 855.72			
L522	555.30	3 296 928.56		R522	1 207.40	3 297 855.59			
L523	553.25	3 296 920.12		R523	1 200.56	3 297 847.51			
L524	547.64	3 296 896.90		R524	1 189.68	3 297 834.65			
L525	539.45	3 296 863.27		R525	1 168.19	3 297 812.20			
L526	524.37	3 296 837.92		R526	1 156.39	3 297 799.89			
L527	521.16	3 296 819.38		R527	1 149.93	3 297 802.05			
L528	519.18	3 296 807.93		R528	1 130.69	3 297 791.58			
L529	517.78	3 296 805.85		R529	1 103.86	3 297 773.72			
L530	513.08	3 296 798.86		R530	1 045.80	3 297 736.03			
L531	502.11	3 296 782.53		R531	1 027.10	3 297 723.94			
L532	468.74	3 296 747.81		R532	1 008.40	3 297 711.96			
L533	457.51	3 296 736.09		R533	978.80	3 297 691.92			
L534	440.69	3 296 718.63		R534	965.63	3 297 678.88			
L535	427.49	3 296 675.30		R535	952.38	3 297 665.87			
L536	423.87	3 296 663.44		R536	926.45	3 297 639.88			
L537	431.50	3 296 659.43		R537	912.54	3 297 625.99			
L538	376.66	3 296 378.33		R538	893.84	3 297 602.44			
L539	362.47	3 296 305.95		R539	894.04	3 297 601.42			
L540	356.40	3 296 276.58		R540	865.11	3 297 564.29			
L541	301.48	3 296 013.91		R541	849.68	3 297 528.56			
L542	303.54	3 296 010.06		R542	805.02	3 297 431.72			
L543	301.82	3 296 001.89		R543	510.30	3 297 006.84			
L544	298.26	3 295 997.63		R544	469.35	3 296 935.75			
L545	289.24	3 295 901.45		R545	421.99	3 296 855.48			
L546	278.25	3 295 784.26		R546	395.09	3 296 797.64			
L547	275.96	3 295 759.82		R547	357.23	3 296 716.11			
L548	275.61	3 295 685.80		R548	359.23	3 296 697.22			
L549	309.07	3 295 553.79		R549	349.27	3 296 649.13			
L550	320.43	3 295 508.97		R550	279.01	3 296 294.30			
L551	321.41	3 295 421.58		R551	280.91	3 296 262.95			
L552	341.27	3 295 385.10		R552	229.83	3 296 025.31			
L553	346.95	3 295 378.31		R553	227.94	3 296 011.59			
L554	338.46	3 295 287.59		R554	225.65	3 295 994.75			
L555	333.55	3 295 288.29		R555	223.39	3 295 987.22			
L556	329.53	3 295 272.11		R556	213.43	3 295 954.06			
L557	324.88	3 295 257.15		R557	201.56	3 295 898.92			
L558	321.00	3 295 248.45		R558	162.17	3 295 715.67			
L559	313.37	3 295 237.75		R559	144.60	3 295 670.05			
L560	318.62	3 295 231.37		R560	143.83	3 295 667.29			
L561	363.10	3 295 201.13		R561	100.27	3 295 513.12			
					Vel Sheet	43	Van of	46	P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 31°		Y	X
L562	397.37	3 295 175.44		R562	71.29	3 295 497.35
L563	363.20	3 295 112.44		R563	61.59	3 295 461.10
L564	323.36	3 295 143.56		R564	41.85	3 295 404.21
L565	307.71	3 295 154.47		R565	40.13	3 295 383.00
L566	292.32	3 295 163.64		R566	10.42	3 295 334.97
L567	279.43	3 295 168.12		R567	-15.57	3 295 343.32
L568	266.26	3 295 167.23		R568	-42.13	3 295 314.43
L569	254.72	3 295 162.08		R569	-47.04	3 295 254.15
L570	244.00	3 295 152.69		R570	-18.88	3 295 118.86
L571	237.08	3 295 138.65		R571	-14.24	3 295 096.56
L572	228.00	3 295 078.29		R572	-3.33	3 295 055.37
L573	215.63	3 294 956.90		R573	20.16	3 295 009.86
L574	220.71	3 294 930.99		R574	66.41	3 294 935.13
L575	217.49	3 294 901.71		R575	72.56	3 294 912.29
L576	199.89	3 294 862.50		R576	55.31	3 294 859.74
L577	178.06	3 294 774.59		R577	42.45	3 294 687.10
L578	171.20	3 294 704.40		R578	42.08	3 294 682.04
L579	167.25	3 294 693.14		R579	39.05	3 294 668.40
L580	138.81	3 294 636.63		R580	37.48	3 294 661.35
L581	126.20	3 294 611.58		R581	30.20	3 294 628.59
L582	82.58	3 294 539.16		R582	-5.53	3 294 564.37
L583	8.54	3 294 456.50		R583	-39.95	3 294 512.30
L584	-237.71	3 294 236.00		R584	-84.24	3 294 471.23
L585	-434.75	3 294 075.82		R585	-182.08	3 294 398.10
L586	-471.49	3 293 979.61		R586	-393.06	3 294 228.22
L587	-468.91	3 293 943.84		R587	-450.24	3 294 172.65
L588	-440.00	3 293 905.90		R588	-555.47	3 294 070.28
L589	-458.42	3 293 877.76		R589	-646.71	3 294 047.19
L590	-599.28	3 293 815.91		R590	-691.97	3 294 035.70
L591	-661.79	3 293 853.02		R591	-752.22	3 294 013.76
L592	-688.18	3 293 840.68		R592	-842.72	3 293 940.76
L593	-699.66	3 293 821.09		R593	-1 037.28	3 293 714.73
L594	-704.48	3 293 821.99		R594	-1 135.43	3 293 628.53
L595	-735.84	3 293 827.76		R595	-1 166.75	3 293 602.19
L596	-767.41	3 293 805.04		R596	-1 251.77	3 293 530.87
L597	-917.34	3 293 690.97		R597	-1 279.61	3 293 509.84
L598	-1 095.89	3 293 547.13		R598	-1 307.82	3 293 485.49
L599	-1 185.29	3 293 455.81		R599	-1 311.11	3 293 485.60
L600	-1 199.16	3 293 447.73		R600	-1 320.54	3 293 478.34
L601	-1 234.41	3 293 416.74		R601	-1 374.51	3 293 438.86
L602	-1 277.37	3 293 378.97		R602	-1 396.20	3 293 424.14
L603	-1 286.98	3 293 370.52		R603	-1 423.46	3 293 406.14
L604	-1 328.81	3 293 333.75		R604	-1 435.55	3 293 398.15
L605	-1 372.27	3 293 313.29		R605	-1 445.70	3 293 391.29
L606	-1 398.07	3 293 294.88		R606	-1 466.10	3 293 379.33
L607	-1 442.73	3 293 251.26		R607	-1 476.97	3 293 374.36
L608	-1 441.94	3 293 225.29		R608	-1 495.37	3 293 348.81
L609	-1 286.23	3 293 115.26		R609	-1 499.76	3 293 344.19
L610	-1 299.85	3 293 095.44		R610	-1 525.71	3 293 316.43
L611	-1 302.70	3 293 091.26		R611	-1 628.22	3 293 278.76
L612	-1 364.20	3 293 111.76		R612	-1 894.89	3 293 332.41
				Vel Sheet 44	Van of 46	P1120/18

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 31°			Y	X		
L613	-1 379.23	3 293 073.76		R613	-1 896.99	3 293 329.12			
L614	-1 314.73	3 293 053.26		R614	-1 879.55	3 293 311.21			
L615	-1 323.55	3 293 027.76		R615	-1 871.35	3 293 287.69			
L616	-1 342.23	3 292 973.76		R616	-1 856.71	3 293 275.26			
L617	-1 581.53	3 293 052.04		R617	-1 876.43	3 293 221.83			
L618	-1 601.52	3 293 027.86		R618	-1 878.83	3 293 216.26			
L619	-1 622.46	3 293 011.04		R619	-1 759.97	3 293 186.30			
L620	-1 640.67	3 293 004.23		R620	-1 816.00	3 293 134.18			
L621	-1 662.62	3 292 996.00		R621	-1 860.60	3 293 085.77			
L622	-1 770.19	3 292 981.71		R622	-1 942.12	3 292 997.28			
L623	-1 990.57	3 292 807.10		R623	-1 968.16	3 292 966.84			
L624	-2 069.37	3 292 754.66		R624	-2 007.39	3 292 921.17			
L625	-2 128.33	3 292 709.91		R625	-2 141.66	3 292 818.05			
L626	-2 250.47	3 292 613.23		R626	-2 179.00	3 292 767.35			
L627	-2 307.39	3 292 552.72		R627	-2 225.81	3 292 748.12			
L628	-2 323.66	3 292 531.77		R628	-2 231.23	3 292 745.99			
L629	-2 381.12	3 292 483.75		R629	-2 342.71	3 292 660.59			
L630	-2 392.02	3 292 474.65		R630	-2 412.13	3 292 596.62			
L631	-2 404.16	3 292 464.57		R631	-2 430.15	3 292 579.84			
L632	-2 429.39	3 292 452.21		R632	-2 431.81	3 292 578.36			
L633	-2 481.64	3 292 426.73		R633	-2 485.03	3 292 522.95			
L634	-2 486.81	3 292 424.41		R634	-2 488.76	3 292 520.66			
L635	-2 790.79	3 292 284.44		R635	-2 558.07	3 292 478.23			
L636	-2 976.13	3 292 225.50		R636	-2 576.88	3 292 466.72			
L637	-3 051.49	3 292 201.53		R637	-2 611.82	3 292 481.38			
L638	-3 105.72	3 292 184.28		R638	-2 691.52	3 292 409.78			
L639	-3 137.67	3 292 173.69		R639	-2 753.95	3 292 384.49			
L640	-3 142.71	3 292 178.33		R640	-2 773.64	3 292 376.50			
L641	-3 185.55	3 292 176.47		R641	-2 790.67	3 292 369.64			
L642	-3 321.86	3 292 108.33		R642	-2 885.76	3 292 336.55			
L643	-3 352.30	3 292 099.40		R643	-2 912.14	3 292 327.37			
AL1	67.95	3 295 206.50		R644	-2 951.76	3 292 315.98			
AL2	93.21	3 295 213.33		R645	-3 110.99	3 292 270.20			
AL3	103.67	3 295 224.96		R646	-3 125.24	3 292 272.28			
AL4	112.22	3 295 216.62		R647	-3 189.37	3 292 253.66			
AL5	105.03	3 295 206.50		R648	-3 218.74	3 292 245.14			
AL6	102.98	3 295 091.18		R649	-3 261.26	3 292 231.89			
AL7	104.76	3 295 052.63		R650	-3 289.56	3 292 223.02			
AL8	108.63	3 294 968.51		R651	-3 345.62	3 292 200.11			
AL9	98.40	3 294 946.64		R652	-3 335.26	3 292 196.38			
AL10	88.56	3 294 946.04		R653	-3 451.28	3 292 148.60			
AL11	85.97	3 294 953.04		AR1	277.80	3 295 538.05			
AL12	80.88	3 294 966.82		AR2	288.81	3 295 498.02			
AL13	54.34	3 295 009.95		AR3	293.52	3 295 468.17			
AL14	38.01	3 295 045.04		AR4	293.85	3 295 466.10			
AL15	31.13	3 295 061.97		AR5	295.53	3 295 450.08			
AL16	21.26	3 295 092.68		AR6	295.34	3 295 445.36			
AL17	15.39	3 295 116.40		AR7	295.61	3 295 443.79			
AL18	6.58	3 295 206.50		AR8	295.88	3 295 442.23			
				AR9	295.44	3 295 440.44			
				AR10	294.88	3 295 438.91			
					Vel Sheet	45	Van of	46	P1120/18

This gazette is also available free online at www.gpwonline.co.za