

SOUTH AFRICAN RESERVE BANK

NO. R. 1086

22 October 2021

CUSTOMS AND EXCISE ACT, 1964.
AMENDMENT OF SCHEDULE NO. 1 (NO. 1/28/169)

In terms of section 48 of the Customs and Excise Act, 1964, Part 2B of Schedule No. 1 to the said Act is hereby amended, with effect from 1 January 2022, to the extent set out in the Schedule hereto.



DR DAVID MASEONDO
DEPUTY MINISTER OF FINANCE

SCHEDULE

By the deletion of the following:

Tariff Item	Tariff Subheading	Article Description	Rate of Excise Duty
124.37	8517.12	Telephones for cellular networks or for other wireless networks:	
124.37.03	8517.12.10	Designed for use when carried in the hand or on the person	9%
124.66	8525.80	Television cameras, digital cameras and video camera recorders:	
124.66.01	8525.80.90	Other	9%
126.04.55	8704.90.05	Golf carts, pedestrian type	(See Note 2 to this Part)
126.04.60	8704.90.35	Electric vehicles with a vehicle mass not exceeding 800 kg	(See Note 2 to this Part)
126.04.65	8704.90.40	Other electric vehicles, of a mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab	(See Note 2 to this Part)

By the insertion of the following:

Tariff Item	Tariff Subheading	Article Description	Rate of Excise Duty
124.37	8517.13	Smartphones:	
124.37.05	8517.13.10	Designed for use when carried in the hand or on the person	9%
124.37	8517.14	Other telephones for cellular networks or for other wireless networks:	
124.37.07	8517.14.10	Designed for use when carried in the hand or on the person	9%
124.66	8525.8	Television cameras, digital cameras and video camera recorders:	
124.66.03	8525.81.90	Other	9%
124.66.05	8525.82.90	Other	9%

By the insertion of the following:

Tariff Item	Tariff Subheading	Article Description	Rate of Excise Duty
124.66.07	8525.83.90	Other	9%
124.66.09	8525.89.90	Other	9%
126.04	8704.4	Other, with both compression-ignition internal combustion piston engine (diesel or semi-diesel) and electric motor as motors for propulsion:	
126.04	8704.41	G.V.M. not exceeding 5 t:	
126.04.44	8704.41.70	Other, of a vehicle mass not exceeding 600 kg	(See Note 2 to this Part)
126.04.45	8704.41.75	Other, with an engine capacity not exceeding 1 000 cm ³ (excluding the vehicles of subheading 8704.41.77)	(See Note 2 to this Part)
126.04.46	8704.41.77	Other, with a vehicle mass exceeding 600 kg but not exceeding 1 100 kg	(See Note 2 to this Part)
126.04.47	8704.41.81	Other, double-cab, of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab	(See Note 2 to this Part)
126.04.48	8704.41.83	Other (excluding double-cab), of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab	(See Note 2 to this Part)
126.04	8704.5	Other, both with spark-ignition internal combustion piston engine and electric motor as motors for propulsion:	
126.04	8704.51	G.V.M. not exceeding 5 t:	
126.04.51	8704.51.50	Three-wheeled vehicles with motorcycles type steering systems and engines of a cylinder capacity not exceeding 550 cm ³ , and equipped with motor vehicles type differentials and reverse gears	(See Note 2 to this Part)
126.04.53	8704.51.70	Other (excluding off-the-road logging trucks and three-wheeled vehicles) of a vehicle mass not exceeding 600 kg	(See Note 2 to this Part)
126.04.55	8704.51.75	Other, with an engine capacity not exceeding 1 000 cm ³ (excluding the vehicles of subheading 8704.31.77)	(See Note 2 to this Part)
126.04.57	8704.51.77	Other, with a vehicle mass exceeding 600 kg but not exceeding 800 kg	(See Note 2 to this Part)
126.04.59	8704.51.81	Other, double-cab, of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab	(See Note 2 to this Part)
126.04.61	8704.51.83	Other (excluding double-cab), of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab	(See Note 2 to this Part)
126.04	8704.60	Other with only electric motor for propulsion:	
126.04.65	8704.60.05	Golf carts, pedestrian type	(See Note 2 to this Part)
126.04.67	8704.60.10	With a mass not exceeding 800 kg	(See Note 2 to this Part)
126.04.69	8704.60.30	Other, double-cab, of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab	(See Note 2 to this Part)
126.04.71	8704.60.40	Other, (excluding double-cab), of a vehicle mass not exceeding 2 000 kg or a G.V.M. not exceeding 3 500 kg, or of a mass not exceeding 1 600 kg or a G.V.M. not exceeding 3 500 kg per chassis fitted with a cab	(See Note 2 to this Part)

SUID-AFRIKAANSE INKOMSTEDIENS

NO. R. 1086

22 Oktober 2021

DOEANE- EN AKSYNSWET, 1964.
WYSIGING VAN BYLAE NO. 1 (NO. 1/2B/169)

Kragtens artikel 48 van die Doeane- en Aksynswet, 1964, word Deel 2B van Bylae No. 1 by bogenoemde Wet hiermee gewysig, met ingang vanaf 1 Januarie 2022, in die mate in die Bylae hierby aangeleë.


DR DAVID MASEDO
ADJUNKMINISTER VAN FINANSIES

BYLAE

Deur die skraping van die volgende:

Tariefitem	Tariefsubpos	Artikel Beskrywing	Skaal van Aksynsreg
124.37	8517.12	Telefone vir sellulêre netwerke of vir ander draadlose netwerke:	
124.37.03	8517.12.10	Ontwerp vir gebruik wanneer in die hand of aan die persoon gedra word	9%
124.66	8525.80	Televisie-kameras, digitale kameras en videokamera-opneemapparate:	
124.66.01	8525.80.90	Ander	9%
126.04.55	8704.90.05	Groffkarre, voetgangertipe	(Sien Opmerking 2 van hierdie Deel)
126.04.60	8704.90.35	Elektriese voertuie met 'n massa van hoogstens 800 kg	(Sien Opmerking 2 van hierdie Deel)
126.04.65	8704.90.40	Ander elektriese voertuie, met 'n massa van hoogstens 2 000 kg of 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of 'n B.V.M. van hoogstens 3 500 kg vir 'n onderstel toegerus met 'n kajuit	(Sien Opmerking 2 van hierdie Deel)

Deur die invoeging van die volgende:

Tariefitem	Tariefsubpos	Artikel Beskrywing	Skaal van Aksynsreg
124.37	8517.13	Slimfone:	
124.37.05	8517.13.10	Ontwerp vir gebruik wanneer in die hand of aan die persoon gedra word	9%
124.37	8517.14	Telefone vir sellulêre netwerke of vir ander draadlose netwerke:	
124.37.07	8517.14.10	Ontwerp vir gebruik wanneer in die hand of aan die persoon gedra word	9%
124.66	8525.8	Televisie-kameras, digitale kameras en videokamera-opnemers:	
124.66.03	8525.81.90	Ander	9%

Deur die invoeging van die volgende:

Tariefitem	Tariefsubpos	Artikel Beskrywing	Skaal van Aksynsreg
124.66.05	8525.82.90	Ander	9%
124.66.07	8525.83.90	Ander	9%
124.66.09	8525.89.90	Ander	9%
126.04	8704.4	Ander, met beide kompressie-ontstekingsbinnebrandsuierinjin (diesel of halfdiesel) en elektriese motore vir aandrywing:	
126.04	8704.41	B.V.M. van hoogstens 5 t:	
126.04.44	8704.41.70	Ander, met 'n voertuigmassa van hoogstens 600 kg	(Sien Opmerking 2 van hierdie Deel)
126.04.45	8704.41.75	Ander, met 'n enjinkapasiteit van hoogstens 1 000 cm ³ (uitgesonderd die voertuie van subpos 8704.41.77)	(Sien Opmerking 2 van hierdie Deel)
126.04.46	8704.41.77	Ander, met 'n voertuig massa van meer as 600 kg maar hoogstens 1 100 kg	(Sien Opmerking 2 van hierdie Deel)
126.04.47	8704.41.81	Ander, met 'n dubbelkajuit, met 'n voertuigmassa van hoogstens 2 000 kg of 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of 'n B.V.M. van hoogstens 3 500 per onderstel toegerus met 'n kajuit	(Sien Opmerking 2 van hierdie Deel)
126.04.48	8704.41.83	Ander (uitgesonderd dubbelkajuit), met 'n voertuigmassa van hoogstens 2 000 kg of 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of 'n B.V.M. van hoogstens 3 500 kg per onderstel toegerus met 'n kajuit	(Sien Opmerking 2 van hierdie Deel)
126.04	8704.5	Ander, met beide vonkontstekingsbinnebrandsuierinjin en elektriese motor as motore vir aandrywing:	
126.04	8704.51	B.V.M. van hoogstens 5 t:	
126.04.51	8704.51.50	Driewielvoertuie met motorfietsstuurstelels en enjins met 'n silinderkapasiteit van hoogstens 550 cm ³ , en met motorvoertuigtipe ewenaars en turratte toegerus	(Sien Opmerking 2 van hierdie Deel)
126.04.53	8704.51.70	Ander (uitgesonderd veldbosblokvragmotors en driewielvoertuie) met 'n voertuigmassa van hoogstens 600 kg	(Sien Opmerking 2 van hierdie Deel)
126.04.55	8704.51.75	Ander, met 'n enjinkapasiteit van hoogstens 1 000 cm ³ (uitgesonderd die voertuie van subpos 8704.51.77)	(Sien Opmerking 2 van hierdie Deel)
126.04.57	8704.51.77	Ander, met 'n voertuig massa van meer as 600 kg maar hoogstens 800 kg	(Sien Opmerking 2 van hierdie Deel)
126.04.59	8704.51.81	Ander, dubbelkajuit, met 'n voertuigmassa van hoogstens 2 000 kg of 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of 'n B.V.M. van hoogstens 3 500 per onderstel toegerus met 'n kajuit	(Sien Opmerking 2 van hierdie Deel)
126.04.61	8704.51.83	Ander (uitgesonderd dubbelkajuit), met 'n voertuigmassa van hoogstens 2 000 kg of 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of 'n B.V.M. van hoogstens 3 500 kg per onderstel toegerus met 'n kajuit	(Sien Opmerking 2 van hierdie Deel)
126.04	8704.60	Ander met elektriese motore vir aandrywing:	
126.04.65	8704.60.05	Ghoftkarre, voetgangertipe	(Sien Opmerking 2 van hierdie Deel)
126.04.67	8704.60.10	Elektriese voertuie met 'n massa van hoogstens 800 kg	(Sien Opmerking 2 van hierdie Deel)

Deur die invoeging van die volgende:

Tariefitem	Tariefsubpos	Artikel Beskrywing	Skaal van Aksynsreg
126.04.69	8704.60.30	Ander, dubbelkajuit, met 'n voertuigmassa van hoogstens 2 000 kg of 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of 'n B.V.M. van hoogstens 3 500 kg per onderstel toegerus met 'n kajuit	(Sien Opmerking 2 van hierdie Deel)
126.04.71	8704.60.40	Ander (uitgesonderd dubbelkajuit), met 'n voertuigmassa van hoogstens 2 000 kg of 'n B.V.M. van hoogstens 3 500 kg, of met 'n massa van hoogstens 1 600 kg of 'n B.V.M. van hoogstens 3 500 kg per onderstel toegerus met 'n kajuit	(Sien Opmerking 2 van hierdie Deel)