GENERAL NOTICES • ALGEMENE KENNISGEWINGS

DEPARTMENT OF EMPLOYMENT AND LABOUR

GENERAL NOTICE 1713 OF 2023

DOCTORS AND PATHOLOGY GAZETTE 2023



Compensation Fund, Delta Heights Building 167 Thabo Sehume Street, Pretoria 0001 Tel: 0860 105 350 | Email address: cfcallCentre@labour.gov.za www.labour.gov.za

DEPARTMENT OF LABOUR

NOTICE:

DATE:

COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASSES ACT, 1993 (ACT NO.130 OF 1993), AS AMENDED

ANNUAL INCREASE IN MEDICAL TARIFFS FOR MEDICAL SERVICES PROVIDERS.

- I, Thembelani Waltermade Nxesi, Minister of Employment and Labour, hereby give notice
 that, after consultation with the Compensation Board and acting under powers vested in me
 by section 97 of the Compensation for Occupational Injuries and Diseases Act, 1993 (Act
 No.130 of 1993), prescribe the scale of "Fees for Medical Ald" payable under section 76,
 inclusive of the General Rule applicable thereto, appearing in the Schedule, with effect from
 1 April 2023.
- 2. Medical Tariffs increase for 2023 is 4%
- The fees appearing in the Schedule are applicable in respect of services rendered on or after
 April 2023 and Exclude 15% Vat.

Mr TW NXESI, MP

MINISTER OF EMPLOYMENT AND LABOUR

24/01/2023



GENERAL INFORMATION ABOUT THE COMPENSATION FUND AND ITS MEDICAL SERVICES BENEFITS DIRECTORATE

THE EMPLOYEE AND THE MEDICAL SERVICE PROVIDER

Medical Service Providers are advised to take note of the following as it pertains to the treatment of patients in relation to the Compensation for Occupational Injuries and Diseases Act of 1993 (COID Act):

- An employee as defined in the COID Act of 1993, is at liberty to choose their preferred medical service provider and no interference with this is permitted, as long as it is exercised reasonably and without prejudice to the employee or the Compensation Fund.
 - The only exception to this rule is in case where an employer, with the approval of the Compensation Fund, provides comprehensive medical aid facilities to his employees, i.e. including hospital, nursing and other services section 78 of the Compensation for Occupational Injuries and Diseases Act refers.
- In terms of section 42 of the COID Act of 1993, the Compensation Fund may refer an injured employee to a specialist medical practitioner designated by the Director General for a medical examination and report. Special fees are payable when this service is requested.
- In terms of section 76,3(b) of the COID Act of 1993, no amount in respect of medical expenses shall be recoverable from the employee.
- In the event of a change of a medical practitioner attending to a case, the first treating doctor
 in attendance will, except where the case is transferred to a specialist, be regarded as the
 principal treating doctor.
- To avoid disputes regarding the payment for services rendered, medical practitioners should refrain from treating an employee already under treatment by another doctor without consulting / informing the principal treating doctor. As a general rule, changes of doctor are not favoured by the Compensation Fund, unless sufficient reasons exist for such a change.
- According to the National Health Act no 61 of 2003, Section 5, a health care provider may not
 refuse a person emergency medical treatment. Such a medical service provider should not
 request the Compensation Fund to authorise such treatment before the claim has been
 submitted to and liability for the claim is accepted by the Compensation Fund.
 - Pre-authorisation of treatment is not possible and no medical expense will be approved if liability for the claim has not been accepted by the Compensation Fund.
- An employee seeks medical advice at their own risk. If such an employee presents themselves
 to a medical practitioner as being entitled to treatment in terms of the COID Act of 1993,
 whilst having failed to inform their employer and/or the Compensation Fund of any possible
 grounds for a claim, the Compensation Fund cannot accept responsibility for the settlement
 of medical expenses incurred.
- The Compensation Fund could also have reasons to repudiate a claim lodged with it, in such
 circumstances the employee would be in the same position as any other member of the public
 regarding payment of his medical expenses.



- Proof of identity is required in the form of a copy of a South African Identity document/card, will be required in order for a claim to be registered with the Compensation Fund.
 - o In the case of foreign nationals, the proof of identity (passport) must be certified.
- All supporting documentation submitted to the Compensation Fund must reflect the identity and claim number of the employee.
- The completion of medical reports cannot be claimed separately as they are inclusive in all medical tariffs.
- The tariff amounts published in the gazette guides for medical services rendered in terms of the COID Act do not include VAT. All invoices for services will therefore be assessed without VAT.
- VAT will therefore be calculated and applied without rounding off to invoices for service providers that have confirmed their VAT vendor status with the Compensation Fund by the submission of their VAT registration number.

POPI COMPLIANCE

In terms of Protection of Personal Information Act, 2013 (POPI Act), the Compensation Fund wants to assure Employees and the Medical Service Providers that all personal information collected is treated as private and confidential. The Compensation Fund has put in place the necessary safeguards and controls to maintain confidentiality, prevent loss, unauthorized access and damage to information by unauthorized parties.



OVERVIEW OF CLAIMS PROCESS WITHIN THE COMPENSATION FUND

All claims lodged in the prescribed manner with the Compensation Fund follow the process outlined below:

- New claims are registered by the Employers with the Compensation Fund and the employer, if registered as a user on the online processing system is able to view claim details like the claim number allocated, and the progress of the claim online.
 - a. The allocation of a claim number by the Compensation Fund, does not constitute acceptance of liability for a claim, but means that the injury on duty has been reported to and registered with the Compensation Commissioner.
 - Any enquiries related to a claim should be directed to the employer and or the nearest Labour Centre
- If liability for a claim is accepted by the Compensation Fund in terms of the COID Act, reasonable medical expenses, related to the medical condition shall be paid to medical service providers that treat injured/diseased employee's. Reasonable medical expense shall be paid in line with its approved Tariffs and Billing rules and procedures, published annually in Government Gazettes.
- 3. If a claim is repudiated in terms of the COID Act, medical expenses for services rendered will not be paid by the Compensation Fund. The employer and the employee will be informed of this decision and the injured employee will be liable for payment.
- 4. In the case sufficient information pertaining to a claim is unavailable after registration thereof, the status of the claim will be rejected until the outstanding information is submitted and liability of the claim can be determined. Depending on the outcome, the invoices from the service provider will be dealt with as set out in 2 and 3. Please note that there are claims on which a decision might never be taken due to the non-submission of outstanding information.
- 5. The Compensation Fund will only pay reasonable medical expenses for treatment of the condition that liability has been accepted and will not pay for any other unrelated treatment.



MEDICAL SERVICE PROVIDERS REGISTRATION REQUIREMENTS WITH THE COMPENSATION FUND

The Compensation Fund requires that any Medical Service Provider who seeks to treat patients in terms of the COID Act must register their details including their banking details with the Compensation Fund. They must thereafter register as a user of the online processing system.

The steps that are to be followed are detailed hereunder:

REGISTERING WITH THE COMPENSATION FUND AS A MEDICAL SERVICE PROVIDER TREATING INJURED/DISEASED EMPLOYEES

- 1. Copies of the following documents must be submitted:
 - a. A certified identity document of the practitioner
 - b. Certified valid BHF certificate
 - c. Bank Statement not older than one month with a bank stamp.
 - d. Proof of address not older than 3 months.
 - e. Submit SARS Vat registration number document where applicable. If this is not provided the Medical Service Provider will be registered as a Non VAT vendor.
 - f. Submit proof of dispensing licence where applicable.
- A duly completed original Banking Details form (W.aC 33) that can be downloaded in PDF from the Department of Employment and Labour Website (www.labour.gov.za). Please note on completion this form must contain the relevant bank stamp.
- Submit the following additional information on the Medical Service Provider letterhead, Cell
 phone number, Business contact number, Postal address, Email address. The Fund must be
 notified in writing of any changes in order to effect necessary changes on the systems.
- 4. The name of the switching house that submit invoices on behalf of the medical service provider.
- 5. These documents must be handed in to the nearest Labour centre for capturing.

Kindly take note of the following: All medical service providers will be subjected to the Compensation Fund vetting processes.

REGISTERING WITH THE COMPENSATION FUND AS AN ONLINE SYSTEM USER FOR MEDICAL SERVICE PROVIDER

To become an online user of the claims processing system Medical Service Providers must follow the following steps.

 Register as an online user with the Department of Employment and Labour on its website (www.labour.gov.za)



- 2. Register on the CompEasy application
 - a. The following documents must be at hand to upload
 - i. A certified copy of identity document (not older than a month from the date of application)
 - ii. Certified valid BHF certificate
 - iii. Proof of address not older than 3 months
 - b. In the case where a medical service provider wishes to appoint a proxy to interact on the claims processing system the following ADDITIONAL documents must be uploaded
 - i. An appointment letter for proxy (the template is available online)
 - ii. The proxy's certified identity document (not older than a month from the date of application)
- 3. There is an online instructions to guide a user on registering as an online user (www.compeasy.gov.za)



BILLING PROCEDURE TO BE ADHERED TO WHEN BILLING FOR MEDICAL SERVICES PROVIDED TO INJURED/DISEASED EMPLOYEES

- 1. All service providers should be registered on the Compensation Fund claims processing system in order to capture medical invoices and reports for medical services rendered.
- Prior to submitting, uploading or switching medical invoices and supporting reports, medical service providers should ensure that the claim is one that the Compensation Fund has accepted liability for and therefore reasonable medical expenses can be paid.
- 3. Medical Reports:
 - a. The first medical report (W. CL 4), completed after the first consultation must confirm the <u>clinical</u> description of the injury/disease. It must also detail any procedure performed and also any referrals to other medical service providers where applicable.
 - b. All follow up consultations must be completed on a Progress Medical Report (W.CL5). It must also detail any operation/procedure performed and also any referrals to other medical service providers where applicable.
 - A progress medical report is considered to cover a period of 30 days, with the exception where a procedure was performed during that period then an additional operation report will be required.
 - ii. Only one medical report is required when multiple procedures are done on the same service date.
 - c. When the injury/disease being treated stabilises a Final Medical Report must be completed (W.CL 5F).
 - d. Medical Service Providers are required to keep copies of medical reports which should be made available to the Compensation Commissioner on request.

4. Medical Invoices

- a. The Compensation Fund allows the submission of invoices in 3 different formats, the use of a switching house, directly uploading the invoice onto the processing application and the receipt of manual invoices by Labour Centre's. The former two are encouraged for Medical Service Providers to use, whilst the last form is for Medical Service Providers who have a small amount of invoices to submit.
- b. Medical invoices should be switched to the Compensation Fund using the attached format or electronic invoicing file layout. It must be noted that the corresponding medical report must be uploaded online prior to the invoice data being switched, to avoid systematic rejections on receipt.
- c. The processing system has an online guide available to guide Medical Service Providers for the direct uploading of invoice on the application.
- d. The status of invoices /claims can be viewed on the Compensation Fund claims system. If invoices are still partially or wholly outstanding with no reason indicated, after 60 days following submission, the service provider should complete an enquiry form, W.Cl 20, and submit it ONCE to the Provincial office/Labour Centre. All relevant details regarding Labour Centres are available on the website (www.labour.gov.za)



- e. Manual invoices and their corresponding medical reports must be handed in to the nearest labour centre.
- 5. The progress status of successfully submitted invoices can be viewed on the Compensation Fund online portal/APP.
- 6. If a medical service provider claims an amount less than the published tariff amount for a code, the Compensation Fund will only pay the claimed amount.
- 7. If a medical service provider claims an amount more than the published tariff amount for a code, the Compensation Fund will only pay the Gazetted amount.

NOTE: Templates of the following medical forms are available on the Department of Employment and Labour website (www.labour.gov.za)

First Medical Report (W.CL 4)

Progress/Final Medical Report (W.CL 5 / W.CL 5)



MINIMUM OF INFORMATION TO BE INCLUDED ON MEDICAL INVOICES SUBMITTED TO THE COMPENSATION FUND:

The following must be indicated on a medical invoice in order to be processed by the Compensation Fund

- 1. The allocated Compensation Fund claim number
- 2. Name and ID number of employee
- 3. Name and Compensation Fund registration number, as indicated on the corresponding Employers Report of Accident (W.CL 2), for switched invoices
- 4. DATES:
 - a. Date of accident
 - b. Date of service (From and To)
- 5. Medical Service Provider BHF practice number
- 6. VAT registration number (VAT will not be paid if a VAT registration number is not supplied on the invoice)
- 7. Tariff Codes:
 - a. Tariff code applicable to injury/disease as in the official published tariff guides
 - b. Amount claimed per code and the total of the invoice
- 8. VAT:
 - a. The tariff amounts published in the tariff guides to medical services rendered in terms of the COID Act of 1993 do not include VAT. All invoices for services rendered will be assessed without VAT. Only if it is indicated that the service provider is registered as a VAT vendor and a VAT registration number is provided, will VAT be calculated and added to the payment, without being rounded off
 - b. The only exception is the "per diem" tariffs for Private Hospitals that already include VAT.
 - c. Please note that there are VAT exempted codes in the Private Ambulance tariff structure.
- 9. All pharmacy or medication invoices must be accompanied by the original scripts
- 10. Where applicable the referral letter from the treating practitioner must accompany the medical service providers' invoice.
- 11. All medical invoices must be submitted with invoice numbers to prevent system rejections. Duplicate invoices should not be submitted.

PLEASE NOTE: The Compensation Fund will withhold payments if medical invoices do not comply with minimum submission and billing requirements as published in the Government Gazette



REQUIREMENTS FOR SWITCHING MEDICAL INVOICES WITH THE COMPENSATION FUND

The switching provider / third party must comply with the following requirements:

- 1. Register with the Compensation Fund as an employer.
- 2. Host a secure FTP (or SFTP) server to ensure encrypted connectivity with the Fund. This requires that they ensure the following:
 - a. Disable Standard FTP because is now obsolete. ...and use latest version and reinforce
 FTPS protocols and TLS protocols
 - b. Use Strong Encryption and Hashing.
 - c. Place Behind a Gateway.
 - d. Implement IP Blacklists and Whitelists.
 - e. Harden Your FTPS Server.
 - f. Utilize Good Account Management.
 - g. Use Strong Passwords.
 - h. Implement File and Folder Security
 - i. Secure your administrator, and require staff to use multifactor authentication
- 3. Submit and complete successful test file after registration before switching the invoices.
- 4. Validate medical service provider's registration with the Board of Healthcare Funders of South Africa.
- 5. Submit medical invoices with gazetted COIDA tariffs that are published annually.
- 6. Comply with medical billing requirements of the Compensation Fund.
- 7. Single batch submitted must have a maximum of 100 medical invoices.
- 8. Eliminate duplicate invoices before switching to the Fund.
- 9. File name must include a sequential batch number in the file naming convention.
- 10. File names to include sequential number to determine order of processing.
- 11. Medical Service Providers will be subjected to Compensation Fund vetting processes.
- 12. Third parties must submit a power of attorney.
- 13. Submit any information/documentation requested by the Fund.
- 14. Only pharmacies should claim from the NAPPI file.

Failure to comply with the above requirements will result in deregistration / penalty imposed on the switching house.



COMPEASY ELECTRONIC INVOICING FILE LAYOUT

FIELD	DESCRIPTION	Max Length	DATA TYPE	MANDATORY
BATCH HEADER				
1	Header identifier = 1	1	Numeric	*
2	Switch internal Medical aid reference number	5	Alpha	
3	Transaction type = M	1	Alpha	
4	Switch administrator number	3	Numeric	
5	Batch number	9	Numeric	*
6	Batch date (CCYYMMDD)	8	Date	*
7	Scheme name	40	Alpha	韓
8	Switch internal	1	Numeric	
DETAIL LINES			 	
1	Transaction identifier = M	1	Alpha	*
2	Batch sequence number	10	Numeric	43
3	Switch transaction number	10	Numeric	*
4	Switch internal	3	Numeric	
5	CF Claim number	20	Alpha	*
6	Employee surname	20	Alpha	4
7	Employee initials	20	Alpha	*
8	Employee Names	20	Alpha	*
9	BHF Practice number	15	Alpha	*
	Switch ID	3	Numeric	
10	Patient reference number (account		Alpha	*
11	number)	11	,	
12	Type of service	1	Alpha	_
13	Service date (CCYYMMDD)	8	Date	48
14	Quantity / Time in minutes	7	Decimal	*
1.5	Service amount	15	Decimal	*
16	Discount amount	15	Decimal	*
17	Description	30	Alpha	\$\$\$
18	Tariff	10	Alpha	*
19	Service fee	1	Numeric	
20	Modifier 1	5	Alpha	
21	Modifier 2	5	Alpha	
22	Modifier 3	5	Alpha	
23	Modifier 4	5	Alpha	
24	Invoice Number	10	Alpha	48
25	Practice name	40	Alpha	*
26	Referring doctor's BHF practice number	15	Alpha	
27	Medicine code (NAPPI CODE)	15	Alpha	\$16
28	Doctor practice number - sReferredTo	30	Numeric	



employment & labour
Department:
Employment and Labour
REPUBLIC OF SOUTH AFRICA

	REPUBLIC OF SOUTH AFRICA			
29	Date of birth / ID number	13	Numeric	*
30	Service Switch transaction number – batch number	20	Alpha	
31	Hospital indicator	1	Alpha	*
32	Authorisation number	21	Alpha	- 黎
33	Resubmission flag	5	Alpha	*
34	Diagnostic codes	64	Alpha	*
35	Treating Doctor BHF practice number	9	Alpha	
36	Dosage duration (for medicine)	4	Alpha	
37	Tooth numbers		Alpha	*
38	Gender (M, F)	1	Alpha	
39	HPCSA number	15	Alpha	
40	Diagnostic code type	1	Alpha	
41	Tariff code type	1	Alpha	
42	CPT code / CDT code	8	Numeric	-
43	Free Text	250	Alpha	
44	Place of service	2	Numerio	*
45	Batch number	10	Numeric	
46	Switch Medical scheme identifier	5	Alpha	
47	Referring Doctor's HPCSA numbe		Alpha	1.00 1.00
48	Tracking number	15	Alpha	
49	Optometry: Reading additions	12	Alpha	
50	Optometry: Lens	34	Alpha	
51	Optometry: Density of tint	6	Alpha	
52	Discipline code	7	Numeric	
53	Employer name	40	Alpha	*
54	Employee number	15	Alpha	sis .
55	Date of Injury (CCYYMMDD)	8	Date	*
56	IOD reference number	15	Alpha	
57	Single Exit Price (Inclusive of VAT)		Numeric	
58	Dispensing Fee	15	Numeric	
59	Service Time	4	Numeric	
60				,
61				
62				
63				
64	Treatment Date from (CCYYMMDD)	8	Date	*
65	Treatment Time (HIIMM)	4	Numeric	\$ 20
66	Treatment Date to (CCYYMMDD)	8	Date	*
67	Treatmant Time (HHMM)	4	Numeric	*
68	Surgeon BHF Practice Number	15	Alpha	
69	Anaesthetist BHF Practice Numbe	r 15	Alpha	
70	Assistant BHF Practice Number	15	Alpha	
71	Hospital Tariff Type	1	Alpha	



KEFOBEIO	OF GOOTH AFRICA			
72	Per diem (Y/N)	1	Alpha	
73	Length of stay	5	Numeric	*
74	Free text diagnosis	30	Alpha	
TRAILER				
1	Trailer Identifier = Z	1	Alpha	*
2	Total number of transactions in batch	10	idumeric	*
3	Total amount of detail transactions	15	Decimal	43



MSPs PAID BY THE COMPENSATION FUND

Discipline Code :	Discipline Description :
004	Chiropractors
009	Ambulance Services - Advanced
010	Anesthetists
011	Ambulance Services - Intermediate
012	Dermatology
013	Ambulance Services - Basic
014	General Medical Practice
015	General Medical Practice
016	Obstetrics and Gynecology (Occupational related cases)
017	Pulmonology
018	Specialist Physician
019	Gastroenterology
020	Neurology
022	Psychiatry
023	Radiation/Medical Oncology
024	Neurosurgery
025	Nuclear Medicine
026	Ophthalmology
028	Orthopedics
030	Otorhinolaryngology
034	Physical Medicine
035	Emergency Medicine Independent Practice Specialist
036	Plastic and Reconstructive Surgery
038	Diagnostic Radiology
039	Radiography
040	Radiotherapy/Nuclear Medicine/Oncologist
042	Surgery Specialist
044	Cardio Thoracic Surgery
046	Urology
049	Sub-Acute Facilities
052	Pathology
054	General Dental Practice
055	Mental Health Institutions
056	Provincial Hospitals
057	Private Hospitals
058	Private Hospitals
059	Private Rehab Hospital (Acute)
060	Pharmacy
062	Maxillo-facial and Oral Surgery
064	Orthodontics



employment & labour

Department: Employment and Labour REPUBLIC OF SOUTH AFRICA

No.	REPUBLIC OF SOUTH AFRICA
06	66 Occupational Therapy
07	70 Optometrists
07	72 Physiotherapists
07	75 Clinical technology (Renal Dialysis only)
07	76 Unattached operating theatres / Day clinics
07	77 Approved U O T U / Day clinics
07	78 Blood transfusion services
07	79 Hospices/Frail Care
08	Speech therapy and Audiology
08	Hearing Aid Acoustician
0.8	34 Dieticians
08	86 Psychologists
08	77 Orthotists & Prosthetists
08	Registered nurses (Wound Care only)
08	9 Social workers
09	Olinical services : wheelchairs

DOCTORS GAZETTE 2023

	GENERAL PRACTITIONER AND SPECIALIST TARIFF OF FEES AS FROM 1 APRIL 2023
	GENERAL RULES
	PLEASE NOTE: The interpretations/comments as published in the SAMA Medical Doctors' Coding Manual (MDCM) must also be adhered to when rendering health care services under the Compensation for Occupational Injuries and Diseases Act, 1993
RULE	DESCRIPTION
A.	Consultations: Definitions
	(a) New and established patients: A consultation/visit refers to a clinical situation where a medical doctor personally obtains a patient's medical history, performs an appropriate clinical examination and, if indicated, administers treatment, prescribes or assists with advice. These services must be face-to-face with the patient and excludes the time spent doing special investigations which receives additional remuneration. (b) Subsequent visits: Refers to a voluntarily scheduled visit performed within four (4) months after the first visit. It may imply taking down a medical history and/or a clinical examination and/or prescribing or administering of treatment and/or counselling.
	(c) Hospital visits: Where a procedure or operation was done, hospital visits are regarded as part of the normal after-care and not be coded(unless otherwise indicated). Where no procedure or operation was carried out, a hospital visit according to the appropriate hospital or inpatient follow-up visit may be coded.
В.	Normal hours and after hours: Normal working hours comprise the periods 08:00 to 17:00 on Mondays to Fridays, 08:00 to 13:00 on Saturdays, and all other periods voluntarily scheduled (even when for the convenience of the patient) by a medical practitioner for the rendering of services. All other periods are regarded as after hours. Public holidays are not regarded as normal working days and work performed on these days is regarded as after-hours work. Services are scheduled involuntarily for a specific time, if for medical reasons the doctor should not render the service at an earlier or later opportunity. Please note: Items 0146 and 0147 (emergency consultations) as well as modifier 0011 (emergency theatre procedures) are only applicable in the after hours period)
c.	Comparable services: The fee that may be charged in respect of the rendering of a service not listed in this tariff of fees or in the SAMA guideline, shall be based on the fee in respect of a comparable service. For procedures/services not in this tariff of fees but in the SAMA guideline, item 6999 (unlisted procedure or service code), should be used with the SAMA code. Motivation for the use of a comparable item must be provided. Note: Rule C and item 6999 may not be used for comparable pathology services (sections 21, 22 and 23)
D.	Cancellation of appointments: Unless timely steps are taken to cancel an appointment for a consultation the relevant consultation fee may be charged. In the case of an injured employee, the relevant consultation fee is payable by the employee.) In the case of a general practitioner "timely" shall mean two hours and in the case of a specialist 24 hours prior to the appointment. Each case shall, however, be considered on merit and, if circumstances warrant, no fee shall be charged. If a patient has not turned up for a procedure, each member of the surgical team is entitled to charge for a visit at or away from doctor's rooms as the case may be.
E.	Pre-operative visits: The appropriate consultation may be coded for all pre-operative visits with the exception of a routine pre-operative visit at the hospital, since that routine pre-operative visit is included in the global surgical period for the procedure.
F.	Administering of injections and/or infusions: Where applicable, administering injections and/or infusions may only be coded when done by the medical doctor him-/herself.
G.	Post-operative care (a) Unless otherwise stated, the fee in respect of an operation or procedure shall include normal after-care for a period not exceeding THREE (3)months (after-care is excluded from pure diagnostic procedures during which no therapeutic procedures were performed).
	(b) If the normal after-care is delegated to any other registered health professional and not completed by the surgeon it shall be his/her own responsibility to arrange for the service to be rendered without extra charge.
	(c) When the care of post-operative treatment of a prolonged or specialised nature is required, such fee as may be agreed upon between the surgeon and the Compensation Fund may be charged.(d) Normal aftercare refers to uncomplicated post-operative period not requiring any further surgical incision.
	(e) Abnormal aftercare refers to post-operative complications and treatment not requiring any further incisions and will be considered for payment.
н.	Removal of lesions: Items involving removal of lesions include follow-up treatment for four months.
l.	Pathological investigations performed by clinicians: Fees for all pathological investigations performed by members of other disciplines (where permissible) - refer to modifier 0097: Items that resort under Clinical and Anatomical Pathology. See section for Pathology.
J.	Disproportionately low fees: In exceptional cases where the fee is disproportionately low in relation to the actual services rendered by a medical practitioner, a higher fee may be negotiated. Conversely, if the fee is disproportionately high in relation to the actual services rendered, a lower fee than that in the tariff should be charged.

	GENERAL PRACTITIONER AND SPECIALIST TARIFF OF FEES AS FROM 1 APRIL 2023
	GENERAL RULES
к.	Services of a specialist, upon referral: Save in exceptional cases the services of a specialist shall be available only on the recommendation of the attending general practitioner. Medical practitioners referring cases to other medical practitioners shall, if known to them, indicate in the referral letter that the patient was injured in an "accident" and this shall also apply in respect of specimens sent to pathologists.
L.	Procedures performed at time of visits: If a procedure is performed at the time of a consultation/visit, the fee for the visit PLUS the fee for the procedure is charged.
M.	Surgical procedure planned to be performed later: In cases where, during a consultation/visit, a surgical procedure is planned to be performed at a later occasion, a visit may not be charged for again, at such a later occasion.
N.	Rendering of involces for occupational injuries and diseases
	 (a) "Per consultation": No additional fee may be charged for a service for which the fee is indicated as "per consultation". Such services are regarded as part of the consultation/visit performed at the time the condition is brought to the doctor's attention (b) Where a fee for a service is prescribed in this guideline, the medical practitioner shall not be entitled to payment calculated on a
	basis of the number of visits or examinations made where such calculation would result in the prescribed fee being exceeded.
	(c) The number of consultations/visits must be in direct relation to the seriousness of the injury and should more than 20 visits be necessary, the Compensation Fund must be furnished with a detailed motivation.
	(d) A single fee for a consultation/visit shall be paid to a medical practitioner for the once-off treatment of an injured employee who thereafter passes into the permanent care of another medical practitioner, not a partner or assistant of the first. The responsibility of furnishing the First Medical Report in such a case rests with the second practitioner.
О.	Costly or prolonged medical services or procedures
	(a) An employee should be hospitalised only when and for the length of period that his condition justifies full-time medical assistance
	(b) Occupational therapy/Physiotherapy: The same principals as set out in modifier 0077: Two areas treated simultaneously for totally different conditions, will apply when an employee is referred to a therapist.
	(c) In case of costly or prolonged medical services or procedures the medical practitioner shall first ascertain in writing from the Compensation Fund if liability is accepted for such treatment.
P.	Travelling fees
	(a) Where, in cases of emergency, a practitioner was called out from his residence or rooms to a patient's home or the hospital, travelling fees can be charged according to the section on travelling expenses (section IV) if the practitioner had to travel more than 16 kilometres in total.
	(b) If more than one patient is attended to during the course of a trip, the full travelling expenses must be divided between the relevant patients.
	(c) A practitioner is not entitled to charge for any travelling expenses or travelling time to his rooms
	(d) Where a practitioner's residence is more than 8 kilometres away from a hospital, no travelling fees may be charged for services rendered at such a hospital, except in cases of emergency (services not voluntarily scheduled).
	(e) Where a practitioner conducts an itinerant practice, he is not entitled to charge fees for travelling expenses except in cases of emergency (services not voluntarily scheduled).
	INTENSIVE CARE
	RULES GOVERNING THIS SPECIFIC SECTION OF THE TARIFF CODE
Q.	Intensive care/High care: Units in respect of item codes 1204 to 1210 (Categories 1 to 3) EXCLUDE the following:
	(a) Anaesthetic and/or surgical fees for any condition or procedure, as well as a first consultation/visit fee for the initial assessment of the patient, while the daily intensive care/high care fee covers the daily care in the intensive care/high care unit
	(b) Cost of any drugs and/or materials
	(c) Any other cost that may be incurred before, during or after the consultation/visit and/or the therapy
	(d) Blood gases and chemistry tests, including arterial puncture to obtain specimens
	(e) Procedural item codes 1202 and 1212 to 1221 but INCLUDE the following
	(f) Performing and interpreting of a resting ECG
	(g) Interpretation of blood gases, chemistry tests and x-rays
	(h) Intravenous treatment (item codes 0206 and 0207)
R.	Multiple organ failure: Units for item codes 1208, 1209 and 1210 (Category 3: Cases with multiple organ failure) include item 1211: Cardio-respiratory resuscitation

GENERAL PRACTITIONER AND SPECIALIST TARIFF OF FEES AS FROM 1 APRIL 2023 **GENERAL RULES** S. Ventilation: Units for item codes 1212, 1213 and 1214 (ventilation) include the following: (a) Measurement of minute volume, vital capacity, time- and vital capacity studies (b) Testing and connecting the machine (c) Setting up and coupling patient to machine: setting machine, synchronising patient with machine (d) Instruction to nursing staff (e) All subsequent visits for the first 24 hours Ventilation (item codes 1212 to 1214) does not form part of normal post-operative care, but may not be added to item code 1204: T. Catogory 1: Cases requiring intensive monitoring. RULES GOVERNING THE SECTION RADIOLOGY: MAGNETIC RESONANCE IMAGING NOTE In the event of Complex medical cases(Poly-trauma, Traumatic Brain injury, Spinal injuries, etc.), the first Radiological investigations(e.g MRI, CT scan, Ultrasound and Angiography), Authorisation will not be required provided there was a valid indication. All second and Subsequent specialised Radiological investigations for Complex medical cases, will need a pre-authorisation. Non-Complex medical cases/elective cases will need pre-authorisation for all specialised radiological investigations. RULES GOVERNING THE SECTION MEDICAL PSYCHOTHERAPY Note (a) Prior approval must be obtained from the Compensation Fund before any treatment resorting under this section is carried out (b) Where approval has been obtained, treatment must be limited to 12 sessions only, after which the patient must be referred back to the referring doctor for an evaluation and report to the Compensation Fund. Va. Electro-convulsive treatment: Visits at hospital or nursing home during a course of electro-convulsive treatment are justified and may be charged for in addition to the fees for the procedure. Vb. When adding psychotherapy items to a first or follow-up consultation item, the clinician must ensure that the time stipulated in the psychotherapy items are adhered to (i.e. item 2957 - minimum 10 minutes, item 2974 - minimum 30 minutes, and item 2975 - minimum 50 minutes) RULES GOVERNING THE SECTION RADIOLOGY No fee is to subject to more than one reduction RULE GOVERNING THE SUBSECTION ON DIAGNOSTIC PROCEDURES REQUIRING THE USE OF RADIO-ISOTOPES Procedures exclude the cost of isotope used AA. RULE GOVERNING THE SECTION RADIATION ONCOLOGY BB. The units in the radiation oncology section do NOT include the cost of radium or isotopes. **RULE GOVERNING ULTRASOUND EXAMINATIONS** EE. (a) In case of a referral, the referring doctor must submit a letter of motivation to the radiologist or other practitioner performing the scan. A copy of the letter of motivation must be attached to the first account rendered to the Compensation Fund by the Radiologist. (b) In case of a referral to a Radiologist, no motivation is required from the Radiologist himself/herself. RULES GOVERNING THE SECTION URINARY SYSTEM FF. (a) When a cystoscopy precedes a related operation, modifier 0013: Endoscopic examination done at an operation, applies, e.g. cystoscopy followed by transuretral (T U R) prostatectomy. (b) When a cystoscopy preceeds an unrelated operation, modifier 0005: Multiple procedures/operations under the same anaesthetic, applies, e.g. cystoscopy for urinary tract infection followed by inguinal hernia repair (c) No modifier applies to item code 1949: Cystoscopy, when performed together with any of item codes 1951 to 1973 **RULE GOVERNING THE SECTION RADIOLOGY** GG. Capturing and recording of examinations: Images from all radiological, ultrasound and magnetic resonance imaging procedures must be captured during every examination and a permanent record generated by means of film, paper, or magnetic media. A report of the examination, including the findings and diagnostic comment, must be written and stored for five years.

This modifier (AM) The modifier add and avalue by using a percentage value or a unit value to a procedure code. The modifier should be quoted on a separate line with Modifier (AM) The modifier adding last value to the code. Compound The modifier adding last value to the code. The modifier adding last value to the code it is adding last value to the code. The modifier adding last value of a procedure code/s by using a percentage or unit value. It should be quoted on the procedure codes where the modifier adding last value is the modifier adding last value of a procedure code/s by using a percentage or unit value. It should be quoted on the procedure codes where the modifier adding last value is compared to the		MODIFIER DESCRIPTIO									
The modifier should be quoted on a separate line with its own value of the end of the invoice instead of adding its value to the code. It should be modifiers in splicated on each procedure code where the modifier is applicable. This modifier reduces the value of a procedure code/is by using a percentage or unit value. It should be quoted on the procedure codes where the modifier is applicable. Information Modifier (IM) MODIFIER DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION ONCOLOGY SECTIONS OF THE TARIFF CODES Emergency or unscheduled radiological services: For emergency or unscheduled radiological services (reder to rule 8) the additional fee shall be 50% of the fee for the particular service (section 19.12; Postale unit examinations excluded). Emergency and unscheduled MR scens, a monthrum levy of 100.00 MODIFIER GOVERNING A ADMOLOGIST REQUESTED TO PROVIDE A REPORT ON X-RAYS Written report on X-X-Ray's The lowest level item code for a new pallent (consulting rooms) consultation is applicable only when a radiologist is requested to provide a written report on X-rays taken elsewhere and submitted to him. The above mentioned frem code and the lowest level left mode for the routine reporting or X-rays taken elsewhere and submitted to him. The above mentioned frem code and the lowest level left mode for the routine reporting or X-rays taken elsewhere. Millips therapeutic procedures/operations. Under the same anaesthetic (a) Unless otherwise identified in the tariff structure, when multiple procedures/operation, 75% for the second procedures/operation, 25% for the found and under the same anaesthetic. (b) in case of multiple fractures and/or dislocations the above considered to the fee for major procedure/operation, 75% for the second procedure operation, 25% for the found and the later makes provided to a mode of the feet of major procedure/operation, 75% for the second procedure operation, 25% for the found and the later makes provided to approache to make operation and the second procedures perfor			alue to	a procedure cod	e. The n	nodifier should be	quoted	on a separate line	with		
This modifier reduces the value of a procedure code's by using a percentage or unit value. It should be quoted on the procedure codes where the modifier (IM) Information information information information (IM) MODIFIER DESCRIPTION U R U R U R U R U R U R R U R T I MODIFIER GOVERNING THE RADIOLOGY AND RADIATION ONCOLOGY SECTIONS OF THE TARIFF CODES Emergency or unscheduled radiological services: For emergency or unscheduled radiological services: For emergency or unscheduled radiological services (Refer to rule B) emergency or unscheduled radiological services (Refer to rule B) and the services (Refer	ompound nodifiers	The modifier should be quoted on a separate line with its own value at the end of the invoice instead of adding its value to the code. It should be									
Information Modifier (IM) MODIFIER OVERNING THE RADIOLOGY AND RADIATION ONOCLOGY SECTIONS OF THE TARIFF CODES MODIFIER OVERNING THE RADIOLOGY AND RADIATION ONOCLOGY SECTIONS OF THE TARIFF CODES Emergency or unscheduled radiological services (Refer to rule) the additional fee shall be 50% of the fee for the particular service (section 19.12: Portable unit examinations excluded). Emergency and unscheduled MR seans, a maximum levy of 100.00 Radiological units is applicable. MODIFIER OVERNING THE RADIOLOGIST REQUESTED TO Red Committed of the Com	Reduction Modifiers										
MODIFIER DESCRIPTION DESCRIPTION U R U R U R T MODIFIER GOVERNING THE RADIOLOGY AND RADIATION ONCOLOGY SECTIONS OF THE TARIFF CODES Emergency or unscheduled radiological services: For emergency or unscheduled radiological services: For emergency or unscheduled radiological services: For emergency or unscheduled radiological services: The control of the second provide and the services (Refer to rule 8) the additional fees shall be 60% of the fee for the particular service (see unscheduled the Seams, as minimum levy of 100.00 Radiological units is applicable. MODIFIER GOVERNING A RADIOLOGIST REQUESTED TO PROVIDE A REPORT ON X-RAYS Written report on X-rays: The lowest level item code for a new patient (consulting rooms) consultation is applicable only when a radiologist is requested to provide a written report on X-rays taken elsewhere and submitted to him. The above mentioned item code and the lowest level flem code for an initial napsited consultation are not to be utilised for the routine reporting on X-rays taken elsewhere. Multiple therapeutic procedures/operations under the same anaesthetic. Multiple therapeutic procedures/operations under the same anaesthetic enterprises of the second procedure/operation, 50% for the second procedure/operation is classified to subject to reduce the second procedure operation is classified to the second procedure as a performed under the same general anaesthetic, modified endoscopic procedures on provide a diagnosis to indicate diagnosic endoscopic procedures on provide a diagnosis to indicate diagnosic endoscopic procedure is preformed and the term first septimed an	nformation	Information Modifier (IM)									
MODIFIER DESCRIPTION U R U R U R U R T MODIFIER GOVERNING THE RADIOLOGY AND RADIATION ONCOLOGY SECTIONS OF THE TARIFF CODES	Modifier (IIVI)				Ţ]	Т				
MODIFIER GOVERNING THE RADIOLOGY AND RADIATION ONCOLOGY SECTIONS OF THE TARIFF CODES Emergency or unschadular radiological services (Service to the B) the additional fee shall be 50% of the fee for the particular service (section 19.12; Portable unit examinations excluded). Emergency and unscheduled MRI scans, a maximum levy of 100.00 Radiological units is applicable. MODIFIER GOVERNING A RADIOLOGIST REQUESTED TO PROVIDE A REPORT ON X-RAYS Written report on X-rays: The lowest level item code for a new patent (consulting corns) consultation on a radiologist is requested to provide a written report on X-rays taken elsewhere and submitted to him. The above mentioned tem code and the lowest level item code for an initial hospital consultation are not to be utilised for the routine reporting on X-rays taken elsewhere. Multiple therapeutic procedures/operations under the same anaesthetic (a) Multiple therapeutic procedures/operations under the same anaesthetic (b) In case of procedure/operation is clearly identifiable and defined, the following values shall provait: 100% (full value) for the first or major procedure/operation, 50% for the third procedure/operation, 25% for the second procedure/operation, 50% for the third procedure/operation, 50% for the third procedure/operation, 25% for the fort of the first or major procedure/operation, 50% for the third procedure/operation, 25% for the fort of the first or major procedure/operation, 50% for the third procedure/operation, 25% for the first or major procedure/operation, 50% for the third procedure/operation of the first or major procedure/operation, 50% for the third procedure/operation, 50% for the third procedure/operation, 50% for the third procedure/operation of the first or major procedure/operation, 50% for the first or thi				Specialist				Anaesthetic			
ONCOLOGY SECTIONS OF THE TARIFF CODES Emergency or unscheduled radiological services: For emergency or unscheduled radiological services (Refer to rule B) the additional fee shall be 50% of the fee for the particular service (socion 19.12; Portable unit examinations excluded). Emergency and unscheduled MR scans, a maximum levy of 100.00 Radiological units is applicable. MODIFIER GOVERNING A RADIOLOGIST REQUESTED TO PROVIDEA REPORT ON X-RAYS Wittan report on X-rays: The lowest level item code for a new patient (consulting company) company consultation are radiologist is requested to provide a written report on X-rays taken elsewhere and submitted to him. The above mentioned item code and the lowest level item code for an initial hospital consultation are not to be utilised for the routine reporting on X-rays taken elsewhere. Mutilple therapeutic procedures/operations under the same anaesthetic (a) Unless otherwise identified in the tariff structure, when mutilple procedures/operations add significant time and/or complexity, and when each procedure/operation is clearly identifiated and defined, the following values shall prevait: 100% (full value) for the first or major procedure/operation, 75% for the second procedure/operation, 50% for the second procedure operations. This modifier does not apply to purely diagnostic procedures or diagnostic endoscopic procedures are performed under the same general anaesthetic, modifier 0005 is not applicable to the feets for such diagnostic endoscopic procedures are performed under the same general anaesthetic, modifier 0005 is not applicable to the feets for such diagnostic endoscopic procedures as the fees for endoscopic procedures does for such such procedure are performed under the same anneasthetic. (d) Please note: When more th	MODIFIER	DESCRIPTION	U	R	U	R	U	R	T		
emergency or unscheduled radiological services (Refer to rule B) the additional fee shall be 50% of the fee for the particular service (section 19.12: Portable unit examinations excluded). Emergency and unscheduled MR Scans, a maximum levy of 100.00 Radiological units is applicable. MODIFIER GOVERNING A RADIOLOGIST REQUESTED TO PROVIDE A REPORT ON X-RAYS DIVIDER FOR TON X-RAYS The fowest level item code for a new patient (consulting norms) consultation is applicable only when a radiosh, and automition to him. The above mentioned item code and the lowest level item code for an initial negation or X-rays taken disewhere and submitted to him. The above mentioned item code and the lowest level item code for an initial haspital consultation are not to be utilised for the routine reporting on X-rays taken elsewhere. Multiple therapeutic procedures/operations under the same anneasthetic (a) Unless otherwise identified in the tariff structure , when multiple procedures/operations add significant time and/or complexity, and when each procedure/operation is clearly identifiedle and defined, the following values shall prevait. 100% full valuely for the first or major procedure/operation, 50% for the second procedure/operation, 50% for the second procedure/operation, 50% for the second procedure/operation, 50% for the third procedure/operation, 25% for the fourth and subsequent procedures/operations. This modifier does not apply to purely disgnostic procedures or disgnostic endoscopic procedures unrelated to any therapeutic procedure are performed under the same general anaesthetic, modifier 0005 is not applicable to the fees for such diagnostic endoscopic procedures under the same general anaesthetic, modifier 0005 is not applicable to the fees for auch diagnostic endoscopic procedures and provide a diagnosis to indicate diagnostic endoscopic procedures and provide a diagnosis to indicate diagnostic endoscopic procedures and provide tor after-care. Specify unrelated endoscopic procedures and provide for after-care.											
Written report on X-rays: The lowest level item code for a new patient (consulting rooms) consultation is applicable only when a radiologist is requested to provide a written report on X-rays taken elsewhere and submitted to him. The above mentioned item code and the lowest level item code for an initial hospital consultation are not to be utilised for the routine reporting on X-rays taken elsewhere. Multiple therapeutic procedures/operations under the same anaesthetic (a) Unless otherwise identified in the tariif structure, when multiple procedures/operations and significant time and/or complexity, and when each procedure/operation is clearly identifiable and defined, the following values shall prevail: 100% (full value) for the first or major procedure/operation, 75% for the second procedure/operation, 25% for the fourth and subsequent procedures/operation, 25% for the fourth and subsequent procedures/operation, 25% for the fourth and subsequent procedures/operations. This modifier does not apply to purely diagnostic procedures or diagnostic endoscopic procedures are performed under the same general anaesthetic, modifier 0005 is not applicable to the fees for such diagnostic endoscopic procedures as the fees for andoscopic procedures and provide for affer-care. Specify unrelated endoscopic procedures and provide a diagnosis to indicate diagnostic endoscopic procedures as the fees for andoscopic procedures and provide for affer-care. Specify unrelated endoscopic procedures and provide a diagnosis to indicate diagnostic endoscopic procedures on the tariff and the tariff makes provision for item codes for "subsequent" or "maximum for multiple additional procedures" (see Section 2. Integumentary System) modifier 0005 is not applicable as the fee is already a reduced fee. (e) Plus (**) means that this item is used in addition to another definitive procedure and is therefore not subject to reduction according to modifier 0005 (see also modifier 0002)	0001	emergency or unscheduled radiological services (Refer to rule B) the additional fee shall be 50% of the fee for the particular service (section 19.12: Portable unit examinations excluded). Emergency and unscheduled MR scans, a maximum levy of 100.00 Radiological units is applicable. MODIFIER GOVERNING A RADIOLOGIST REQUESTED TO	100	3 086.00							
anaesthetic (a) Unless otherwise identified in the tariff structure , when multiple procedures/operations add significant time and/or complexity, and when each procedure/operation is clearly identifiable and defined, the following values shall prevail: 100% (full value) for the first or major procedure/operation, 50% for the second procedure/operation, 50% for the second procedure/operation, 50% for the third procedure/operations. This modifier does not apply to purely diagnostic procedures. (b) In case of multiple fractures and/or dislocations the above values also prevail. (c) When purely diagnostic endoscopic procedures or diagnostic endoscopic procedure unrelated to any therapeutic procedure are performed under the same general anaesthetic, modifier 0005 is not applicable to the fees for such diagnostic endoscopic procedures as the fees for endoscopic procedures do not provide for after-care. Specify unrelated endoscopic procedures and provide of after-care. Specify unrelated endoscopic procedures and provide a diagnosis to indicate diagnostic endoscopic procedure(s) unrelated to other therapeutic procedures performed under the same anaesthetic. (d) Please note: When more than one small procedure is performed and the tariff makes provision for item codes for "subsequent" or "maximum for multiple additional procedures" (see Section 2. Integumentary System) modifier 0005 is not applicable as the fee is already a reduced fee. (e) Plus ("**) means that this item is used in addition to another definitive procedure and is therefore not subject to reduction according to modifier 0005 (see also modifier 0082)	0002	Written report on X-rays: The lowest level item code for a new patient (consulting rooms) consultation is applicable only when a radiologist is requested to provide a written report on X-rays taken elsewhere and submitted to him. The above mentioned item code and the lowest level item code for an initial hospital consultation are									
values also prevail (c) When purely diagnostic endoscopic procedures or diagnostic endoscopic procedures unrelated to any therapeutic procedure are performed under the same general anaesthetic, modifier 0005 is not applicable to the fees for such diagnostic endoscopic procedures as the fees for endoscopic procedures do not provide for after-care. Specify unrelated endoscopic procedures and provide a diagnosis to indicate diagnostic endoscopic procedure(s) unrelated to other therapeutic procedures performed under the same anaesthetic. (d) Please note: When more than one small procedure is performed and the tariff makes provision for item codes for "subsequent" or "maximum for multiple additional procedures" (see Section 2. Integumentary System) modifier 0005 is not applicable as the fee is already a reduced fee. (e) Plus ("+") means that this item is used in addition to another definitive procedure and is therefore not subject to reduction according to modifier 0005 (see also modifier 0082)	0005	anaesthetic (a) Unless otherwise identified in the tariff structure, when multiple procedures/operations add significant time and/or complexity, and when each procedure/operation is clearly identifiable and defined, the following values shall prevail: 100% (full value) for the first or major procedure/operation, 75% for the second procedure/operation, 50% for the third procedure/operation, 50% for the fourth and subsequent procedures/operations. This modifier									
GRAFT PROCEDURES AND INSTRUMENTATION ARE PERFORMED IN COMBINATION WITH ARTHRODESIS (FUSION) (f) Modifier 0005 (multiple procedures/operations under the same anaesthetic) is not applicable if the following procedures are performed together 1. Bone graft procedures and instrumentation are to be charged in addition to arthrodesis 2. When vertebral procedures are performed by arthrodesis, bone grafts and instrumentation may be charged for additionally. (g) Modifier 0005 (Multiple procedures/operations under the same		values also prevail. (c) When purely diagnostic endoscopic procedures or diagnostic endoscopic procedures unrelated to any therapeutic procedure are performed under the same general anaesthetic, modifier 0005 is not applicable to the fees for such diagnostic endoscopic procedures as the fees for endoscopic procedures do not provide for after-care. Specify unrelated endoscopic procedures and provide a diagnosis to indicate diagnostic endoscopic procedure(s) unrelated to other therapeutic procedures performed under the same anaesthetic. (d) Please note: When more than one small procedure is performed and the tariff makes provision for item codes for "subsequent" or "maximum for multiple additional procedures" (see Section 2. Integumentary System) modifier 0005 is not applicable as the fee is already a reduced fee. (e) Plus ("+") means that this item is used in addition to another definitive procedure and is therefore not subject to reduction according to modifier 0005 (see also modifier 0082) APPLICATION OF MODIFIER 0005 IN CASES WHERE BONE GRAFT PROCEDURES AND INSTRUMENTATION ARE PERFORMED IN COMBINATION WITH ARTHRODESIS (FUSION) (f) Modifier 0005 (multiple procedures/operations under the same anaesthetic) is not applicable if the following procedures are performed together 1. Bone graft procedures and instrumentation are to be charged in addition to arthrodesis. 2. When vertebral procedures are performed by arthrodesis, bone graft send instrumentation may be charged for additionally.									

0006	A 25% reduction in the fee for a subsequent operation for the same condition within one month shall be applicable if the operations are performed by the same surgeon (an operation subsequent to a diagnostic procedure is excluded). After a period of one month the full fee is applicable.							
0007	(a) Use of own monitoring equipment in the rooms: Remuneration for the use of any type of own monitoring equipment in the rooms for procedures performed under intravenous sedation – Add 15.00 clinical procedure units irrespective of the number of items of equipment provided [Modifier 0074 and modifier 0075 may be used in conjunction with modifier 0007(a)].	15	442.50	15	442.50			
	(b) Use of own equipment in hospital or unattached theatre unit: Remuneration for the use of any type of own equipment for procedures performed in a hospital theatre or unattached theatre unit when appropriate equipment is not provided by the hospital Add 15.00 clinical procedure units irrespective of the number of items of equipment provided [Modifier 0074 and modifier 0075 may not be used in conjuction with modifier 0007(b)].							
	(c) Use of own equipment by <u>Audiologists</u> in the rooms: Basic sound booth. - Used once per claim for compensation purposes.	4.76	140.42	4.76	140.42			
0008	- To be added to the consultation fee, with a descriptor. Specialist surgeon assistant: The units of the procedure(s) for a specialist surgeon acting as assistant surgeon in procedures of specialised nature, is 40% of the units for the procedure(s) performed by specialist surgeon.							
0009	Assistant: The units for an assistant are 20% of the units of that of a specialist surgeon, with a minimum of 36.00 clinical procedure units. The minimum units payable may not be less than 36.00 clinical procedures units.	36	1 062.00	36	1 062.00			
0010	Local anaesthesic (a) A fee for a local anaesthetic administered by the practitioner may only be charged for (1) an operation or a procedure with a value of greater than 30.00 clinical procedure units (i.e. 31.00 or more clinical procedure units allocated to a single item) or (2) where more than one operation or procedure is done at the same time with a combined value of greater than 50.00 clinical procedure units.	31	914.50	31	914.50			
	(b) The fee for a local anaesthetic administered shall be calculated according to the basic anaesthetic units for the specific operation. Anaesthetic time may not be charged for, but the minimum fee as per modifier 0035: Anaesthetic administered by an anaesthesiologist/ anaesthetist, shall be applicable in such a case.	50	1 475.00	50	1 475.00			
	(c) The fee for a local anaesthetic administered is not applicable to radiological procedures such as angiography and myelography.							
i	(d) No fee may be levied for the topical application of local anaesthetic. (e) Please note: Modifier 0010: Local anaesthetic administered by the operator may not be added onto the surgeon's account for procedures that were performed under general anaesthetic.							
0011	Theatre procedures for emergency surgery: Any bona fide, justifiable emergency procedure (all hours) undertaken in an operating theatre and/or in another setting in lieu of an operating theatre, will attract an additional 12.00 clinical procedure units per half-hour or part thereof of the operating time for all members of the surgical team. Modifier 0011 does not apply in respect of patients on scheduled lists. (Definition: A medical emergency is any condition where death or irreparable harm to the patient will result if there are undue delays in	12	354.00	12	354.00	12	354.00	

0013	Endoscopic examinations done at operations: Where a related			· -				r	
100.3			l	Í	l	l			l :
	endoscopic examination is performed at an operation by the		l			1			
	operating surgeon or the attending anaesthesiologist, only 50% of		l		ĺ	1			
l	the fee for the endoscopic examination may be coded.		l		ĺ	ł			
0014	Operations previously performed by other surgeons		l			ł			
l .	(a) Use modifier 0014(a) for information only as an indicator that the		l						
	operation was previously performed by another surgeon.							l	
ļ	(b) Where an operation is performed which has previously been								
1	performed by another surgeon, e.g. a revision or repeat operation,		l					1 1	
Į.	the fee maybe calculated according to the tariff for the full operation		l					1 1	
l .	plus an additional fee to be negotiated under general rule J: In		l					1 1	
l	exceptional cases where the fee is disproportionately low in relation		l		l			1 1	
l	to actual service rendered, except where already specified in the		l		l			1 1	
l	tariff structure.		l		l				
l	INJECTIONS, INFUSIONS AND INHALATION SEDATION		l		l			1	
l	MODIFIERS GOVERNING THIS SPECIFIC SECTION OF THE		l		l				
l	TARIFF CODE	-	l		l				
0015	Intravenous Infusions: Where intravenous infusions (including		Į.	ł	l				
1	blood and blood cellular products) are administered as part of the			!	l				
l	after-treatment after an operation, no extra fees shall be charged as		1		Į .				
l	the after-treatment is included in the global fee for the procedure.				[ļ			
l	Should the practitioner performing the operation prefer to request				ĺ	1		1 1	
l	another practitioner to perform post-operative intravenous infusions.					ĺ		1 1	
l	the practitioner himself (and not the Compensation Fund) shall be					l		1 1	
l .	responsible for remunerating such practitioner for the infusions.					l		1 1	
	responsible for remainerating accir practitioner for the initiations.								
0017	Injections administered by practitioners: When desensitisation,					İ	***	\Box	
I	intravenous, intramuscular or subcutaneous injections are				1	l			
	administered by the practitioner him-/herself to patients who attend				1	l			
	the consulting rooms, a first injection forms part of the					l		1 1	
Į	consultation/visit and only all subsequent injections as part of a					l			
	planned series of injections for the same condition should be				1	l		Į l	
1	charged according to item 0131 (not coded together with a				1	l			
	consultation item).					l			

SUDY MASS NIDEX (BMS) OF MORE THAN 35 Surgicial modifier for persons with a Bill of higher than 35 (calculated according to Ighm2 = weight in kilograms divided by height in malere squared). Fee for the procedure 30% of the fee for annesthasiologists. MODIFIERS GOVERNING THE ADMINISTRATION OF ANASTHESIA FOR ALL THE PROCEDURES AND OPERATIONS INCLUDED IN THIS GUIDE TO TARIFES Determination of annesthatic fees: Annesthatic fees are determined by adding the bacis annesthatic units (allocated to each procedure that can be performed under annesthasia in thickness of operative procedures on the musculo-stated system, open fractures and open reduction of finctures or disclosures, add units reflect the annesthatic feet, the technical skil required of the nesesthatic object framesthetic colon. These bacis canasthatic units reflect the annesthatic fiest, the technical skil required of the annesthatic description of the surgical procedure, but exclude the value of the actual time spent procedure, but exclude the value of the actual time spent procedure, but excluded the value of the actual time spent procedure, but excluded the value of the actual time spent procedure, but excluded the value of the actual time spent procedure, but excluded the value of the actual time spent procedure, but excluded the value of the actual time spent procedure, but excluded the value of the actual time spent procedure, but excluded the value of the actual time spent procedure, but excluded to the situated back canasthetic units in all cases on the following basis. Annesthated time is measthated, and in a considerable units in all cases on the following basis. Annesthated time is measthated, and the procedure if a preoperative procedure annesthated time and the actual time spent procedure assessment of a patient by the actual time and the actual time and the actual time is actual to the procedure assessment o							+		
Surgicial modifier for persons with a BMI of higher than 35 (actualized according to laytic a weight in Magning weight and Magning which she for surgeons, 50% increase in answeltable time under for the for surgeons, 50% increase in answeltable time under for the formation of the company of the surgeons and the surgeons of the surgeo	1	MODIFIER GOVERNING SURGERY ON PERSONS WITH A							
(calculated according to laying* a weight in sidigrams divided by height in mortes squares, 150 feet for the procedure -50% of the fee height in mortes squares, 150% feet for the procedure -50% of the fee anneatheration in more of the control of]	1 1			l		
height in motes aquiared; Fee for the procedure +50% of the fee for europeans, 50% increases in anaesthetic trust runting for MODIFIERS GOVERNING THE ADMINISTRATION OF ANAESTHESIA FOR ALL THE PROCEDURES AND OPERATIONS INCLUDED IN THIS CUIDE TO TAMPES DO OPERATIONS INCLUDED IN THIS CUIDE TO TAMPES OF THE ADMINISTRATION OF ANAESTHESIA FOR ALL THE PROCEDURES AND OPERATIONS INCLUDED IN THIS CUIDE TO TAMPES OF THE ADMINISTRATION OF ANAESTHESIA FOR ALL THE PROCEDURES AND PROCEDURES THE ADMINISTRATION OF TAMPES OF OF TAMPE	0018		1	1 1		l			
for surgeons; 50% increase in anaesthetic time units for anaestheticiologists. When The LOMENTS AT THE OND OF STATE ON OF STATES AND OF STATES AND OF STATES AND OPERATIONS INCLUDED IN THE GUIDE TO TAMES BY DETERMINED IN THE GUIDE TO TAMES BY DETERMINED AND OPERATIONS INCLUDED IN THIS GUIDE TO TAMES BY DETERMINED AND OPERATIONS INCLUDED IN THIS GUIDE TO TAMES BY DETERMINED AND OPERATIONS INCLUDED IN THIS GUIDE TO TAMES BY DETERMINED AND OPERATIONS INCLUDED IN THIS GUIDE TO TAMES BY DETERMINED AND OPERATIONS INCLUDED IN THIS GUIDE TO TAMES BY DETERMINED AND OPERATIONS INCLUDED IN THIS GUIDE TO TAMES BY DETERMINED AND OPERATIONS INCLUDED AND OPERATIONS IN CONTROL OF TARIFFUR AND OPERATIONS IN CONTROL OPERA	1					i			
answerinestopoigts. MODIFIERS GOVERNING THE ADMINISTRATION OF ANALEST HEAD ROPALLY THE PROCEDURES AND DESCRIPTION OF A PROPERTY OF	1			[]					
MODIFIERS GOVERNING THE ADMINISTRATION OF AMARESTERATION OF AMARESTERATION ALTHER PROCEDURES AND OPERATIONS INCLUDED IN THIS GUIDE TO TARRIFFS and other than the procedure that can be performed under ansesthesis indicated in the ansesthesis to colonizate by adding the basic ansesthesis can (science in the procedure that can be performed under ansesthesis indicated in the ansesthesis colonizated in condition (2023) and the appropriate modifiers (see modifies 0027) own than one condition of the performance of the procedure of the	1								l í
ANAESTHESIA FOR ALL THE PROCEDURES AND OPERATORS INCLUDED IN THIS GUIDE TO TAIRFES Determination of anaesthetic fees. Anaesthetic fees are procedure that can be performed under anaesthetic fees are procedure under the same anaesthetic fees and procedure under the same anaesthetic fees and procedure procedures on the insulance and system, open fractures and open reduction of fractures or dislocations, add units as laid down by modifies 454 to 5445. In the pulse of the same anaesthetic fees anaesthetic such as a fees of the pulse to listific and are reflected in the anaesthetic fees the pulse to listific and are reflected in the anaesthetic fees, the technical skill regulated of the anaesthetic fees the same anaesthetic and is all capital of the anaesthetic fees the same anaesthetic into the same anaesthetic fees the same destination of the anaesthetic. The time units finded by 17) will be added to the listed basic enseathetic into is all capital and the duration of the anaesthetic. The time units is pur 15 minute period or part thereof for the first hour. Should the duration of the anaesthetic be longer fin non origin the pulse of the	1			1 1					
OPERATIONS INCLUDED IN THIS QUIDE TO TARIFFS Determination of anaesthetic fiees: Aneesthetic fees are determined by adding the basic ansesthetic units (allocated to each proceed the build on the performed under ansesthetic and the procedure under the same anaesthetic)) and the time units (calculated according to the formula in modifier (case modifiers (case modifiers (o23) and the appropriate modifiers (see modifiers 0027-0044), in case of appropriate modifiers (see modifiers), and in the case of appropriate modifiers (see modifiers), and in the case of appropriate modifiers) and in the grade of the appropriate modifiers (see modifiers) and appropriate modifiers (see modifiers) and appropriate modifiers). The similar period of part thereof, calculated from the part of minute period of part thereof of the first hour. Should the commentation of appropriate modifiers (see hour) and appropriate modifiers (see hour) and appropriate modifiers (see hour). Should the manufacture of the appropriate modifiers (see hour) and appropriate modifiers (see	1			- 1					
Determination of anaesthetic fises: Anaesthetic fises are determined by adding the basic nearesthetic units (allocated to sech procedure that can be performed under anaesthesia indicated in the procedure that can be performed under anaesthesia findicated in the procedure under the same anaesthesia in modifier 0023 and the appropriate modifiers (see modifiers 0037-044), in case of operative procedures on the musuculo-steletial system, come of the company of the service o				1 1					
determined by adding the basic ansesthetic units (allocated to each procedure that can be performed under an assethate indicated in the ansesthetic color unit of the procedure of the performed under an assethate indicated in the ansesthetic color unit of the performance of the p	0004			1 1					
procedure that can be performed under anaestheais indicated in the enseathedic columination in model to 2012 for more than one procedure under the same anseatheais) and the time units procedure under the same anseatheais) and the time units appropriate modifiers (see modifiers 0027-004). In case of operative procedures on the muscule-steelal system, open fractures and open reduction of fractures or disclosations, and units are stated down in the guide to leafite and an effected in the anseatheablic columi. These basis anseatheables units reflect the anseatheables down in the guide to leafite and are reflected in the anseatheables columi. These basis anseatheables units reflect the anseatheables down in the public to leafite and are reflected in the anseatheables anseatheables and the scope of the surpical procedure. Mot acclude the value of the school time spent of the part than the control of the school time spent of the school to the school to the school time spent of the school time spent of the school to the school time spent of the school time spent of the school time spent of the school to the school time spent of the school time spent	10021			1 1					
ansesthetic columniferer to modifier 0027 for more than one procedure under the same anaesthetic) and the time units (calculated according to the formula is modifier 0023) and the operative procedures on the miscurdus-lated size system, open fractures and open reduction of fractures or dislocations, add units as laid down by modifiers 5441 to 5448. The basic aniesthetic units are laid down in the guide to lariffs and units are sized down by modifiers of 541 to 5448. The basic aniesthetic units are laid down in the guide to lariffs and units of the state of the same sheet of the same sheet of the state of th				1 1					
procedure under the same anaesthebicij) and the time units (calculated according to the formula in modifier 023) and the appropriate modifiers (see modifiers 0037-1044), in case of appropriate modifiers (see modifiers 0037-1044), in case of factures and open reduction of fractures or dislications, add units as laid down by modifiers 5441 to 5448. The basic annesthetic units are laid down in the guide to isniffs and are reflected in the annesthetic offs, the technical sall required of the procedure, but exclude the value of the extra time application of the control of the control of the procedure, but exclude the value of the extra time application of the control of the co				1 1				1 1	
(calculated according to the formula in modifier 0023) and the appropriate modifier (see modifier 0027) 4044), in case of operative procedures on the musculo-stelletal system, open the seed of operative procedures on the musculo-stelletal system, open the seed of the common of the				1 1				1	
approprietie modifiers (see modifiers 037-044), In case of operative procedures on the musuculo-stelled system, open fractures and open reduction of fractures or dislocations, and units fractures and open reduction of fractures or dislocations, and units fractures and open reduction of fractures or dislocations, and units are reducted in the annesthetic column. These basic annesthetic units reflect the annesthetic risk, the fectorical skill required of the annesthetic procedure, but exclude the value of the suction skill required of the annesthetic procedure, but exclude the value of the suction skill required of the annesthetic limit is not all cases on the following basis. Annesthetic time: The remuneration for annesthetic time shall be per 15 minute period or part thereof, discluded from the commencement of the annesthetic skill skill reduced the commencement of the				1 1			i		1
operative procedures on the musculo-skeletal system, open fractures and open reduction of fractures or dislocations, add units as laid down by modifiers 5441 to 5448. The basic ansesthetic units are laid down to the quick to tariffs and the control of the cont			ł I	1 1					
as laid down by modifiers 5441 to 5448. The basic anaesthetic units are laid down in the guide to tariffs and are reflected in the anaesthetic column. These basic anaesthetic units reflect the anaesthetic lost, the technical skill required of the anaesthesic logidary anaesthetic lost, the technical skill required of the anaesthesic logidary anaesthetic lost and the scope of the surgical edition of the anaesthetic lost, the technical skill required to the surgical edition of the listed basic anaesthetic units in all cases on the following basis. Anaesthetic time: The remuneration for anaesthetic lime shall be per 15 minute period or part thereof calculated from the commencement of the anaesthetics, at 200 anaesthetic units is per commencement of the anaesthetic, at 200 anaesthetic units is per commencement of the anaesthetic, at 200 anaesthetic units per 15 minute period or part thereof after the first hour. Pre-operative assessment of of patient by the anaesthetic units per 15 minute period or part thereof after the first hour. Pre-operative assessment of a patient by the anaesthetic units per 15 minute period or part thereof after the first hour. Pre-operative assessment of a patient by the anaesthetic units per 15 minute period or part thereof after the first hour. Calculation of anaesthesial is not followed by an operation, the anaesthesial operation is a calculated from the time that the anaesthesial is and tollowed by an operation the involved by changed to the charged for the first them. Calculation of anaesthesial the part of the surface anaesthesial to the patient of the induction of anaesthesial to the patient of the i				1 1					
The basic anaesthetic clumis are laid down in the guide to infifts and are reflected in the anaesthetic clumis. These basic anaesthetic varieties reflected in the anaesthetic clumis. These basic anaesthetic varieties reflected in the anaesthetic varieties and the scope of the surgical procedure, but exclude the value of the actual time spart be added to the laid of the stand basic anaesthetic varieties. The fine varieties of the part of the cludwing basis. Anaesthetic time: The remuneration for anaesthetic varieties shall be per 15 minute period or part thereof, calculated from the commencement of the anaesthetic varieties and the commencement of the anaesthetic varieties of the first hour. Should the duridino of the anaestheties be longer than one (1) hour the number of units while the histories of the first hour. Should the duridino of the anaestheties be longer than one (1) hour the number of units while the histories of the part inverted rifer the first hour. Pre-operative assessment not followed by a procedure: if a pre-operative assessment of a patient by the anaesthesis and of a patient by the anaesthesis and a properties of a patient by the anaesthesis and a properties of a patient by the anaesthesis and a properties of a patient by the anaesthesis and a properties of a patient by the anaesthesis and a calculated of a patient by the anaesthesis and a calculated of a charge of a consultation of a hospital or nursing home and the appropriate hospital consultation fee should be charged at a consultation of a patient by the anaesthesis and a calculated or a patient by the interest of a similar equivalent area and ends when the anaesthesis object anaesthesis is no longer required to give his/her personal professional alternion to the policin, i.e. when the patient may, with reasonable stately, be placed under the customary post-operative nursing supervision. Whene protogoed personal professional alternion to the policin, i.e. when the patient may be employed. The out its for the assistant naesthesis is no		fractures and open reduction of fractures or dislocations, add units							
are effected in the anaesthetic orlikm. These basic anaesthetic units reflect the anaesthetic risk, the technical skill equired of the enaestheticipility and the surgical procedure, but exclude the value of the actual time spart of the strain of the stra		as laid down by modifiers 5441 to 5448.		1 1					
are reflected in the anaesthetic column. These basis canesthetic units reflect the anaesthetic risk, the technical skill required of the anaestheticity and the surgical procedure, but exclude the value of the actual time spent procedure, but exclude the value of the actual time spent procedure, but exclude the value of the actual time spent procedure, but exclude the value of the actual time spent procedure, and the actual time spent procedure to the following basis. Anaesthetic time: The renumeration for anaesthetic time shall be per 15 minute period or part thereof, calculated from the commencement of the anaesthesis, at 2.00 anaesthetic units is per 15 minute period or part thereof or the first hour. Should the commencement of the anaesthesis, at 2.00 anaesthetic units per 15 minute period or part thereof or the first hour. Should the commencement of the anaesthesis, at 2.00 anaesthetic units per 15 minute period or part thereof acts the first hour. Should the commencement of a patient by the anaesthesis and the regarded acts consultation at a inexplaid or surring home and acts and the appropriate hopsign consultation at a inexplaid or surring home and acts and the appropriate hopsign consultation at a inexplaid or surring home the suppoperation hopsign so the period or anaesthesis in an of followed by an operating these tone of an administration of anaesthesis in the operating these tone of an administration of anaesthesis in the operating these tone of an administration of anaesthesis in the consultation of anaesthesis in the period or anaesthesis in	0023	The basic anaesthetic units are laid down in the guide to tariffs and						1 1	
anaesthesiologist/anaesthesis and the scope of the surgical procedure, but exclude the value of the acutal time spent of procedure, but exclude the value of the acutal time spent of procedure of the control of the co				1 1					
procedure, but exclude the value of the actual time spent administering the anaesthetic. The time units (indicated by "T) will be added to the listed basic anaesthetic units in all cases on the following basis. Anaesthetic time: The remuneration for anaesthetic time shall be per 15 minute period or part intereof, calculated from the Commencement of the anaesthesis, at 2.00 anaesthetic units is per commencement of the anaesthesis, at 2.00 anaesthetic units is per during the commencement of the anaesthesis, at 2.00 anaesthetic units is per during the increased to 3.00 anaesthetic units per 15 minute period or part thereof of the first hour. Pre-operative assessment not followed by a procedure: If a pre-operative assessment of a patient by the anaesthesis object the proprietic hospital consultation of the anaesthesis of the proprietic hospital consultation of the should be charged. Octavities of anaesthesis the contractive of anaesthesis of the proprietic hospital consultation of a hospital or nursing home and the approprietic hospital consultation of a shought to be proprietic hospital consultation of a shought to be proprietic hospital consultation of anaesthesis to be oper required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prologod personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prologod personal professional attention to the patient, i.e. when the patient may with reasonable safety, be placed under the customary post-operative nursing supervision. Where prologod personal professional attention to the prologod personal professional attention is necessary for the veribening anaesthesis, and the additionat		units reflect the anaesthetic risk, the technical skill required of the		1 1					
administering the anaesthetic. The time units (indicated by TT) will be added to the listed basic anaesthetic units in all cases on the following basis. Anaesthetic time: The remuneration for anaesthetic time shall be per 15 minute period or part thereof, calculated from the commencement of the anaesthesia; at 2.00 anaesthetic units is per 15 minute period or part thereof for the first hour. Should the duralism of the anaesthesia be longer than one (1) hour the number opened or part thereof after the first hour. Should the duralism of the anaesthesia be longer than one (1) hour the number opened or part thereof after the first hour. Should the period or part thereof after the first hour. Should the period or part thereof after the first hour should be charged on the period of a patient by the anaesthesiologis/anaesthetis is not followed by a procedure: if a preoperative assessment of a patient by the anaesthesiologis/anaesthesis is not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation for should be charged. Calcutation of anaesthesial time: Anaesthesia time is calculated from the time that the anaesthesiologis/anaesthesia begins to prepare the patient for the induction of anaesthesia the period of period period period or in a stime quivalent area and ends when the anaesthesiologis/anaesthesia in the operating theatre or in a stime quivalent area and ends when the anaesthesiologis/anaesthesia in the periodic of the anaesthesiologis/anaesthesia in the periodic of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia lime. The anaesthesiologis/anaesthesia in the periodic		anaesthesiologist/anaesthetist and the scope of the surgical		1 1					
be added to the sisted basic anaesthetic units in all cases on the following basis. Anaesthetic time: The remuneration for anaesthetic time shall be per 15 minute period or part thereof, calculated from the commencement of the anaesthesia, at 2.00 anaesthetic units is per 15 minute period or part thereof, calculated from the Commencement of the anaesthesia, at 2.00 anaesthetic units is per 15 minute period or part thereof of the first hour. Should the discussion of the anaesthesia be longer than one (1) hour the number period or part thereof after the first hour. 10024 Pre-operative assessment not followed by a procedure: If a pre-operative assessment of a patient by the anaesthesiciologistranesethesia is not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation for should be charged. 10025 Calculation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologistranesethesia time is calculated from the time that the anaesthesiologistranesethesia to not progression that the periodic per	1	procedure, but exclude the value of the actual time spent		1 1					
Solowing basis . Anaesthedic time: The remuneration for anaesthedic time shall be per 15 minute period or part thereof, calculated from the commencement of the anaesthesia; at 2.00 anaesthedic units is per 15 minute period or part thereof for the first hour. Should the duration of the anaesthesia be longer fran one (1) hour the number of units shall be increased to 3.00 anaesthetic units per 15 minute period or part thereof after the first hour. Should the duration of the anaesthesia be longer fran one (2) hour the number of variety and the period or part thereof after the first hour the number of variety and the period or part thereof after the first hour the number of variety and the period of part thereof after the first hour the number of variety and the period of part thereof after the first hours and the period part of part to the number of variety and the period part of the number of variety and the period part of the number of variety and the period variety and	1			1 1				Ιí	
Anaesthedic time: The remuneration for anaesthedic time shall be per 15 minute period or part thereof, calculated from the commencement of the anaesthesia, at 2.00 anaesthedic units is per 15 minute period or part thereof or the first hour. Should the duration of the anaesthesia be longer than one (1) hour the number of units shall be increased to 3.00 anaesthedic units is per 15 minute period or part thereof after the first hour. 10024 Pre-operative assessment of a patient by the anaesthesia objective assessment of a patient by the anaesthesia objective assessment of a patient by the anaesthesia objective assessment with per period are part of a patient by the anaesthesia objective assessment with per period are patient of a patient by the anaesthesia objective assessment with per period are patient of a patient by the assessment with per period are patient of a patient by the anaesthesia the appropriate hospital consultation fee should be assessment with per period patient of a patient by the assessment with per period patient of a patient by the anaesthesia in the appropriate hospital consultation fee should be assessment with per period patient are a seculated from the time that the anaesthesia begins to prepare the patient for the induction of naesthesia in the operating the text or in a similar equivalent area and ends when the anaesthesialogistic anaesthesia in the operating the patient personal professional attention to the patient, be when the patient in the periodic patient anaesthesia time. The anaesthesia anaesthesia is must record the exact anaesthesia time and the additional lime spent supervising the patient on the invoice subminute and the additional lime spent supervising the patient on the invoice subminute and the additional lime spent supervising the patient on the invoice subminute and the additional lime spent supervising the patient on the invoice subminute and the additional lime spent supervising the patient on the prome patient anaesthesia andesthesia anaesthesia anaesthesia anaesthes			li	1 1				1 1	
per 15 minute period or part thereof, calculated from the commencement of the anaesthesia, at 200 anaesthetic units is per 15 minute period or part thereof for the first hour. Should the duration of the anaesthesia be honged than one (1) hour the number of units shall be increased to 3.00 anaesthetic units per 15 minute period or part thereof after the first hour. Pre-operative assessment not followed by a procedure: If a pre-operative assessment of a patient by the anaesthesiologist manesthesis to rifotiowed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. Occidental the anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist anaesthetist begins to prepare the patient for the induction of anaesthesia in the operating theater or in a similar equivalent area and ends when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where protonged personal professional attention to the confidence of the same area as a professional attention to the charged or a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia lime. The anaesthesiologist/anaesthesis until a record the exact anaesthesia time and the additional time spent can be charged for at the same rate as indicated above for anaesthesia lime. The anaesthesiologist/anaesthesis until a the operation/procedure with the highest number of anaesthesia lime. The anaesthesiologist/anaesthesis was been a general practitioner and the additional time spent can be charged for at the same area of the anaesthesiologist/anaesthesis was the as accordance and the same anaesthesis in the prone operation is performed under the same anaesthesia, the basic anaesthesia units will be this of the operation procedure with the highest number of anaesthesia lime. The anaesthesia in the root of the normal treatment in administering an anaest	1	following basis.		1 1				1 1	l
per 15 minute period or part thereof, calculated from the commencement of the anaesthesia, at 2.00 ensesthetic units is per 15 minute period or part thereof for the first hour. Should the duration of the anaesthesia etha none (15) hour the number of units shall be increased to 3.00 ensesthetic units per 15 minute period or part thereof effect than one (15) hour the number of units shall be increased to 3.00 ensesthetic units per 15 minute period or part thereof after the first hour. Pre-operative assessment not followed by a procedure: If a pre-operative assessment of a patient by the anaesthesis/closify/amesthetis is not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation for eshould be charged. Occupantly from the first three shall be appropriate hospital consultation for eshould be charged. Calculation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologis/ anaesthetia begins to prepare the patient for the induction of anaesthesia in the operating has anaesthesiologis/anaesthetia is no longer required to give his/fer personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologis/anaesthetis may be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologis/anaesthetis may be employed. The units for the assistant anaesthesiologis/anaesthetis may be employed. The units for the assistant anaesthesiologis/anaesthetis may be employed. The units for the assistant anaesthesiologis/anaesthetis may be employed. The units for the assistant anaesthesia administered the anaesthesia in the prone position anaesthetic units that be ad	I			2	275.72	2	275.72		!
15 minute period or part thereof for the firsh hour. Should the duration of the anaesthesia be longer than one (1) hour the number of units shall be increased to 3.00 anaesthetic units per 15 minute period or part thereof after the firsh hour. Pre-operative assessment not followed by a procedure: If a pre-operative assessment of a patient by the anaesthesiologist manesthesis tion in followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. Occupantly an experiment of an anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist anaesthesis to give to prepare the patient for the induction of anaesthesia in the operating theater or in a similar equivalent area and ends when the anaesthesiologist anaesthesis to give the proper required to give hisher the process of the proper required to give hisher the process of the process of the proper required to give hisher the process of the pro	1	per 15 minute period or part thereof, calculated from the		1 1				1 1	
duration of the anaesthesia be longer than one (1) hour the number of units shall be increased to 3.0 anaesthetic units per 15 minute period or part thereof after the first hour. Pre-operative assessment not followed by a procedure: if a pre-operative assessment of a patient by the anaesthesiologis/anaestheist is not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. Calculation of anaesthesial time: Anaesthesia time is calculated from the time that the anaesthesiologis/anaestheist begins to prepare the patient for the induction of anaesthesia time to prepare the patient for the induction of anaesthesia time to prepare the patient for the induction of anaesthesia time to prepare the patient of the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where proforaged personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where proforaged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time and the additional time spent can be charged for at the same rate as indicated above for anaesthesia the invoice authoritide. More than one procedure under the same anaesthesia: Where more than one poperation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. More than one procedure under the same anaesthesia where a general practitioner administered the anaesthesia administered to paraesthesia. In the properation of the procedure and in the satisfant anaesthesia of the procedure and procedure anaesthesia. Intravenous infession and transfusions? Treatment with intravenous drips and trans	1			1 1		i		1 1	
of units shall be increased to 3.00 anaesthetic units per 15 minute period or part thereof after the first hour. Pre-operative assessment not followed by a procedure: If a pre-operative assessment of a patient by the anaesthesiologist/anaesthetis it not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. Calculation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist anaesthetis begins to prepare the patient for the induction of anaesthesia in the operating theater or in a similar equivalent area and ends when the anaesthesiologist/anaesthetis in the operating theater or in a similar equivalent area and ends when the anaesthesiologist/anaesthetis in to longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia it and the anaesthesiologist/anaesthetis in the anaesthesia time and the additional time spent can be charged for at the same rate as indicated above for anaesthesia itme. The anaesthesiologist/anaesthetis must record the exact anaesthesia itme and the additional time spent supervising the patient on the invoice submitted. 10027 More than one procedure under the same anaesthesia. Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthesions; the same anaesthesis anaest	1			1 1				1 1	
period or part thereof after the first hour. Pre-operative assessment not followed by a procedure: If a pre- operative assessment of a patient by the anaesthesiologist/anaesthelist is not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. Calcutation of anaesthesia time: Anaesthesia time is calcutated from the time that the anaesthesiologist/anaesthelist begins to prepare the patient for the induction of anaesthesia the operating theatre or in a similar equivalent area and ends when the anaesthesiologist/anaesthelist is no longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post- operative nursing supervision. When professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post- operative nursing supervision. Where professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post- operative nursing supervision. Where professional attention is necessary for the west-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthesis must record the exact anaesthesia time and the additional time spent supervising the petient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the beast canaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. More than one procedure anaesthetic units will be that of the operation/procedure with the highest number of anaesthesia. Patients to the procedure administered the anaesthesia diving and transfusion and transfusions. Treatment with intravenous drips and transfusion and readestables and t	1		i I	1 1		i I		1 1	
Pre-operative assessment not followed by a procedure: If a pre- operative assessment of a patient by the anaesthesiologist/anaesthesia to not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. O25 Calcutation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist/anaesthetist begins to prepare the patient for the induction of anaesthesia in the operating theatre or in a similar equivalent area and ends when the anaesthesiologist/anaesthesia in longer required to give his/her personal professional attention to the patient may, with reasonable safety, be placed under the customary post- operative nursing supervision. Where profonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. O27 More than one procedure under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. D28 Assistant anaesthesiologists When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia in the prone position: Anaesthesia administered to patients in the prone position: Anaesthesia anaesthesia in the prone position: Anaesthesia anaesthesia in the prone position: Anaesthesia anaesthesic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 3.00, two additional anaesthesic units should be added. If the basic anaesthesic units for the procedure are 3.00, two additional anaesthesic units should be added. If the basic anaesthesic units for				1 1				1 1	
operative assessment of a patient by the anaesthesiologist/anaesthesis is not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. Calculation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist/anaesthesia in the operating theatre or in a strillar equivation area and ends when the anaesthesiologist/anaesthetist is no longer required to give his/her personal professional attention to the patient, it. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure will be added, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist in a deministrating an anaesthetic units will be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered either prior t	1	period or part thereof after the first hour.						1 1	
operative assessment of a patient by the anaesthesiologist/anaesthesis is not followed by an operation, the assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. Calculation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist/anaesthesia in the operating theatre or in a strillar equivation area and ends when the anaesthesiologist/anaesthetist is no longer required to give his/her personal professional attention to the patient, it. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure will be added, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist in a deministrating an anaesthetic units will be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered either prior t	I			1 1					
anaesthesiologist/anaestheisis is not followed by an operation, the assessment will be regarded as a consultation at shospital or nursing home and the appropriate hospital consultation fee should be charged. Calcutation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist/anaesthesis to prepare the patient for the induction of anaesthesis in the operating theatre or in a similar equivalent area and ends when the anaesthesiologist/anaesthesis is no longer required to give his/her personal professional attention to the patient, it. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where protonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthesia time. The anaesthesiologist/anaesthesia time and the additional time spent supervising the patient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calcutated on the same basic as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administranty an anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 3.00, was additional anaesthetic units for the procedure are 5.00 or missing anaesthetic units for the procedure	0024			3	413.58	3	413.58		
assessment will be regarded as a consultation at a hospital or nursing home and the appropriate hospital consultation fee should be charged. 2 Calcutation of anaesthesia time: Anaesthesia time is calcutated from the time that the anaesthesiologisty anaesthesia to prepare the patient for the induction of anaesthesia in the operating theatre or in a similar equivalent area and ends when the anaesthesiologist/anaesthesis is no longer required to give his/her personal professional attention to the patient, it.e., when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where protosped personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthesia timus record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. 10027 More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. 10029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetis and be calcutated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions: Treatment with intravenous dips and transfusions rendered either prior to, or during actual theatre or operating time. Is considered part of the normal treatment in administering an anaesthetic. Units will be normal treatment in administering an anaesthetic. 10032 Patients in the prone position: Anaesthesia administered to patients in the prone position: Anaesthesia anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the proce				1 1				1 1	
nursing home and the appropriate hospital consultation fee should be charged. Calculation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist anaesthetist begins to prepare the patient for the induction of anaesthesia in the operating theater or in a similar equivatent area and ends when the anaesthesiologist/anaesthetist is no longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia file. The anaesthesisiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthesic units will be that of the operation/procedure with the highest number of anaesthetic units. More than one procedure under the same anaesthesia, the basic anaesthesic units will be that of the operation/procedure with the highest number of anaesthetic units. More than one procedure under the same anaesthesia that the additional time anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions endered either prior to, or during actual theater or operating time, is considered part of the normal treatment in administering an anaesthetic units with the procedure are 5.00 to duffice and the procedure are 5.00 to duffice and the procedure are 5.00 to duffice anaesthetic units for the proced								ΙI	
be charged. Calculation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist/ anaesthetist begins to prepare the patient for the induction of anaesthesia in the operating theatre or in a similar equivalent area and ends when the anaesthesiologist/anaesthetist is no longer required to give his/her personal professional attention to the patient, it.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. 10027 More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesis, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. 10029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiciologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic units of the procedure are 3.00, two additional anaesthetic units for the procedure are 5.00 or definitional anaesthetic units for the procedure are 5.00 or deditional anaesthetic units for the procedure are 5.00 or deditional anaesthetic units or the procedure are 5.00 or deditional anaesthetic units for the procedure are 5.00 or deditional anaesthetic units for the pr	1			1 1				!	
Calculation of anaesthesia time: Anaesthesia time is calculated from the time that the anaesthesiologist/ anaesthesia to prepare the patient for the induction of anaesthesia in the operating theater or in a similar equivalent area and ends when the anaesthesiologist/anaesthesits is no longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where profonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia ime. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units, the operation/procedure with the highest number of anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units will be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered ether prior to, or during actual theater or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position: Anaesthesia enhances the counts. When the basic anaesthetic units for the procedure are 5.00 or defined anaesthetic units to the procedure are 6.00 or defined anaesthetic units for the procedure are 6.00 or defined anaesthetic units for the procedure are 6.00 or defined anaesthetic units for the procedure are 6.00 or defined anaesthetic units for the procedure are 6.00								ΙI	
from the time that the anaesthesiologist/ anaesthesia to prepare the patient for the induction of anaesthesia in the operating theater or in a similar equivalent area and ends when the anaesthesiologist/anaesthetist is no longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthesis must record the exact anaesthesia itme and the additional time spent supervising the patient on the invoice submitted. 10027 More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. When the same sanesthesia is an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered either prior to, or during actual theater or operating time, is considered part of the normal treatment in administering an anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 5.00 or during actual the added. If the basic anaesthetic units for the procedure are 6.00 or during actual the added. If the basic anaesthetic units for the procedure are 6.00 or during actual the added. If the basic anaesthetic units for the procedure are 6.00 or during actual the added. If the basic anaesthetic units for the procedure are 6.00 or during actual the added. If the basic anaesthetic units for the procedure are 6								ΙI	
prepare the patient for the induction of anaesthesia in the operating theatre or in a smilar equivalent area and ends when the anaesthesiologist/anaesthetist is no longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia mine. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the petient on the invoice submitted. 10027 More than one procedure under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. 10029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant naesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 10032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 5.00 or or of the procedure are 5.00 or or or or or or or or	0025							ΙI	l
theatre or in a similar equivalent area and ends when the anaesthesiologist/anaesthetist is no longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position: Anaesthesia administered to patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 5.00 or of								ΙI	
anaesthesiologist/anaesthetist is no longer required to give his/her personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post-operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. 100.27 More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic with will be that of the operation/procedure with the highest number of anaesthetic units. 100.29 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant ensesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 100.31 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 100.32 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 5.00 or an additional anaesthetic units or the procedure are 5.00 or an additional anaesthetic units or the procedure are 5.00 or an additional anaesthetic units or the procedure are 5.00 or an additional anaesthetic units or the procedure are 5.00	ì							ΙI	
personal professional attention to the patient, i.e. when the patient may, with reasonable safety, be placed under the customary post- operative nursing supervision. Where profonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the petient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units, with the highest number of anaesthetic units, be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions:Treatment with intravenous dips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. In the prone position: Anaesthesia administered to patients in the prone position: Anaesthesia administered to patients in the prone position: Anaesthesia aministered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	l .							ΙI	
may, with reasonable safety, be placed under the customary post- operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. In the prone position: Anaesthesia administered to patients in the prone position: Anaesthesia administered to patients in the prone position. Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 5.00 or	l .							ΙI	
operative nursing supervision. Where prolonged personal professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesioogist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. 0027 More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. 0029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 10032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	1							ΙI	
professional attention is necessary for the well-being and safety of a patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaestheisi must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. O027 More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. O029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. O031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. O032 Patients in the prone position: Anaesthesia administered to patients in the prone position. Anaesthesia administered to patients in the prone position all carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units should be added. If the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 3.00 to additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 3.00 to additional anaesthetic units for the procedure are 3.00 to additional anaesthetic units for the procedure are 3.00 to additional anaesthetic units should be	1							ΙI	
patient, the additional time spent can be charged for at the same rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. 0027 More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. 0029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 0031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 0032 Patients in the prone position: Anaesthesia administered to patients in the prone position. Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 3.00, two additional anaesthetic units for the procedure are 3.00 or	l .								
rate as indicated above for anaesthesia time. The anaesthesiologist/anaesthetist must record the exact anaesthesia time and the additional time spent supervising the patient on the invoice submitted. 0027 More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. 0029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 1031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an enaesthetic. 1032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	l .							1 1	
time and the additional time spent supervising the patient on the invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	l .			1 1				ΙÌ	
invoice submitted. More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	l .	anaesthesiologist/anaesthetist must record the exact anaesthesia		1 1				ΙI	
More than one procedure under the same anaesthesia: Where more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. 0029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 0031 Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 0032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or		time and the additional time spent supervising the patient on the						ĮΙ	
more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. Occupied Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant enaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Occupied Assistant anaesthesia anaesthesia anaesthesia anaesthesia administered activity and transfusions: Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	I	invoice submitted.						ſl	J
more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. Occupied Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant enaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Occupied Assistant anaesthesia anaesthesia anaesthesia anaesthesia administered activity and transfusions: Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	1			1 1				ΙI	
more than one operation is performed under the same anaesthesia, the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. O029 Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. O031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. O032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	0027	More than one procedure under the same anaesthesia: Where						ı l	
the basic anaesthetic units will be that of the operation/procedure with the highest number of anaesthetic units. Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic is should be added. If the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic wars for the procedure are 3.00, two additional anaesthetic wars for the procedure are 5.00 or	I							ı l	
Assistant anaesthesiologists: When it is required by the scope of the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 10032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	I							ı l	
the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 10032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	1	with the highest number of anaesthetic units.						Ιl	I
the anaesthesia, an assistant anaesthesiologist/anaesthetist may be employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 10032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	ł							Ιl	I
employed. The units for the assistant anaesthesiologist/anaesthetist shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 10032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	002 9							ı l	
shall be calculated on the same basis as in the case where a general practitioner administered the anaesthesia. 10031 Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 10032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	Į.								
general practitioner administered the anaesthesia. Intravenous infusion and transfusions:Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	1								
Intravenous infusion and transfusions: Treatment with intravenous drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or									I
drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or		general practitioner administered the anaesthesia,							I
drips and transfusions rendered either prior to, or during actual theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or		Interview of Influence and town that the Property of the Control o							
theatre or operating time, is considered part of the normal treatment in administering an anaesthetic. 1032 Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	0037			1 1				l l	
in administering an anaesthetic. Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic in the prone position shall carry a minimum of 5.00 basic in anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or				1 1					
Patients in the prone position: Anaesthesia administered to patients in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or				1 1					ľ
in the prone position shall carry a minimum of 5.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	0022			1 1					
anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or	0032			1 1					
procedure are 3.00, two additional anaesthetic units should be added. If the basic anaesthetic units for the procedure are 5.00 or				93					
added. If the basic anaesthetic units for the procedure are 5.00 or				1 1					
				1 1	:				
								يــــــــــــــــــــــــــــــــــــــ	

{ {	Participating in the general care of patients: When an anaesthesiologist/anaesthetist is required to participate in the			2	275.72	2	275.72		
	general care of a patient during a surgical procedure, but does not administer the anaesthesia, such services may be remunerated at full anaesthetic rate, subject to the provisions of modifier 0035: Anaesthetic administered by a specialist anaesthesiologist/ anaesthetist and modifier 0036: Anaesthetic administered by a general practitioner								
((((Head and neck procedures: All anaesthesia administered for diagnostic, surgical or X-ray procedures on the head and neck shall carry a minimum of 4.00 basic anaesthetic units. When the basic anaesthetic units for the procedure are 3.00, one extra anaesthetic unit should be added. If the basic anaesthetic units for the procedure are 4.00 or more, no extra units should be added.			1	137.86	1	137.86		
			-	1.1				- 1	
4 4 7	Anaesthesia administered by an anaesthesiologist/ anaesthetist: No anaesthesia administered by an anaesthesiologist/anaesthetist shall carry a total value of less than 7.00 anaesthetic units comprising basic units, time units and the appropriate modifiers.		то	7	551.44 965.02	7	551.44 965.02		
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Anaesthesia administered by general practitioners: The anaesthetic units (basic units plus time units plus the appropriate modifiers) used to calculate the fee for anaesthesia administered by a general practitioner lasting one hour or less shall be the same as that for an anaesthesiologist. For anaesthesia lasting more than one hour, the units used to calculate the fee for anaesthesia administered by a general practitioner will be 4/5 (80%) of that applicable to a specialist anaesthesiologist, provided that no anaesthesia lasting longer than one hour shall carry a total value of less than 7.00 anaesthetic unit. Please note that the 4/5 (80%) principle will be applied to all anaesthesia administered by general practitioners with the provision that no anaesthesia totalling more than 11.00 units would be reduced to less than 11.00 units in total. The monetary value of the unit is the same for both anaesthesiologists/anaesthetists.			7	965.02	7	965.02		
	Note: Modifying units may be added to the basic anaesthetic unit value according to the following modifiers (0037-0044, 5441-5448).								
	Body hypothermia: Utilisation of total body hypothermia: Add 3.00 anaesthetic units.			3	413.58	3	413.58		
	Peri-operative blood salvage: Add 4.00 anaesthetic units for intra- operative blood salvage and 4.00 anaesthetic units for post- operative blood salvage.			4	551.44	4	551.44		
	Deliberate control of blood pressure: All cases up to one hour: Add 3.00 anaesthetic units, thereafter add 1 (one) additional anaesthetic unit per quarter hour (15 Min) or part thereof (PLEASE INDICATE THE TIME IN MINUTES).			3	413.58	3	413.58		
l l.			+	1 1	137.86	1	137.86		
	Hyperbaric pressurisation: Utilisation of hyperbaric pressurisation: Add 3.00 anaesthetic units .			3	413.58	3	413.58		
	Extracorporeal circulation: Utilisation of extracorporeal circulation: Add 3.00 anaesthetic units.			3	413.58	3	413.58		
	MUSCULO-SKELETAL SYSTEM MODIFIERS GOVERNING ANAESTHETIC FEES FOR ORTHOPAEDIC OPERATIONS Modifiers 5441 to 5448 Modification of the anaesthetic fee in cases of operative procedures on the musculo-skeletal system, open fractures and open reduction of fractures and dislocations is governed by adding units indicated by modifiers 5441 to 5448. (The letter "M" is annotated next to the number of units of the appropriate items, for facilitating identification of the relevant items).								
	Add one (1.00) anaesthetic unit, except where the procedure refers to the sketetal bones named in modifiers 5442 to 5448.			1	137.86	1	137.86		
5442	to the skeletal buttes trained in induliers 3442 to 3445. Shoulder, scapula, clavicle, humerus, elbow joint, upper 1/3 tibia, knee joint, patella, mandible and tempero-mandibular joint: Add two (2.00) anaesthetic units.			2	275.72	2	275.72		
	Maxillary and orbital bones: Add three (3.00) anaesthetic units.			3	413.58	3	413.58		
	Shaft of femur: Add four (4.00) anaesthetic units			4	551.44	4	551.44		
5445	Spine (except coccyx), pelvis, hip, neck of femur: Add five (5.00) anaesthetic units.			5	689.30	5	689.30		
	Sternum and/or ribs and musculo-skeletal procedures which involve an intra-thoracic approach: Add eight (8.00) anaesthetic units.			8	1102.88	8	1102.88		

inflammatory drugs).

UTILISING AN INTRA-AORTIC BALLOON PUMP (CARDOVASCULAR SYSTEM) intra-acridic halloon pumps. Where an ansesthesiologist would be 7.50 ciloridal procedure units is applicable. MUSCULO-SKELETAL SYSTEM MODRIERS GOVERNING THIS SPECIPIC SECTION OF THE MODRIER GOVERNING THIS SPECIPIC SECTION OF THE MODRIERS GOVERNING THIS SPECIPIC SECTION OF THIS SPECIPIC MODRIERS GOVERNING THIS SPECIPIC SECTION OF THE MODRIER GOVERNING THIS SPECIPIC SECTION OF THIS SPECIPIC SECTION MODRIER GOVERNING THIS SPECIPIC SECTION OF THIS SPECIPIC SECTION MODRIES THIS SPECIPIC SECTION OF THIS SPECIPIC SECT										
international processor in international programs of the processor in international programs of the processor in international programs of the processor international processor in international programs of the processor international processor in international pro										
responsible for operating an intra-anotic balloon pump, a fee of 7 2.00 circlaid procedure unit is applicable. MIJSCULO-SKELFTAL SYSTEM MODIFIERS GOVERNOR THIS SPECIFIC SECTION OF THE TARREF When in the treatment of a specific fracture or dislocation or month by an open reduction, internal floation, outernal shalload floation or bone grafting on the same bone, the set of the hiridal floation or bone grafting on the same bone, the set of the hiridal floation or bone grafting on the same bone, the set of the hiridal floation or bone grafting on the same bone, the set of the hiridal floation or bone grafting on the same bone, the set of the hiridal floation or bone grafting on the same bone, the set of the hiridal floation or bone grafting on the set of the hiridal floation or bone grafting on the set of the hiridal floation or bone grafting on the set of the hiridal floation or bone grafting or bone or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or set of the hiridal floation or bone grafting or bone grafting or bone grafting or bone floation or bone grafting or bone floation or bone grafting or bone grafting or bone floation or bone grafting or bone floation or bone grafting or bone floation or set of the procedure of the security of the floation or set of the procedure or bone floation or set of the procedure or bone floation or set of the procedure or bone floation or bone grafti	I	1.	l							
MISICALO - OKENETAL - VEYTEM MODIFIERS GOVERNING THIS SPECIFIC SECTION OF THE TARIFF Under the treatment of a specific fracture or dislocation compound or closed an intelligencemen is followed within one months of the control of the control of the control of the control compound or closed and intelligencemen is followed within one months of the control of the fireture or dislocation and late and extended by 50%. Please note: This reduction does not include the assistant's fee where explaints are desired on does not include the assistant's fee where explaints are control, the fall fee to the third A fracture NOT requiring reduction what be charged on a fee per envire less preVOVIDE by the currently when the control of the control reduction is followed within one smoth by further closed reductions will be 270 of circled procedure units (precibitating after-care). Desire of the control of the control of the control of the control reduction is followed within one smoth by further closed reductions will be 270 of circled procedure units (precibitating after-care). Desire of the control o	0100		ĺ				75	2 212.50		
MODIFIERS GOVERNING THIS SPECIFIC SECTION OF THE TANTE TANTE TANTE ONE Where in the treatment of a specific fracture or dislocation of compound or diseased an initial procedure is followed within one found of the specific fraction or bone gritting on the same bone, the fee for the initial treatment of that fracture or dislocation shall be reduced by 50%. Please note: This reduction does not include the assistant's fee the specific fracture from month, the fill fee for the shall be charged on a fee per service basts PROVIDED that the cumulative amount does NOT exceed the fee for a reduction. When the the terreture of a fracture or dislocation as initial closed variety of the the treatment of the procedure of the control of the cont										
MODIFIERS GOVERNING THIS SPECIFIC SECTION OF THE TANTE TANTE TANTE ONE Where in the treatment of a specific fracture or dislocation of compound or diseased an initial procedure is followed within one found of the specific fraction or bone gritting on the same bone, the fee for the initial treatment of that fracture or dislocation shall be reduced by 50%. Please note: This reduction does not include the assistant's fee the specific fracture from month, the fill fee for the shall be charged on a fee per service basts PROVIDED that the cumulative amount does NOT exceed the fee for a reduction. When the the terreture of a fracture or dislocation as initial closed variety of the the treatment of the procedure of the control of the cont		MUSCULO-SKELETAL SYSTEM								
Where in the treatment of a specific fracture or dislocation (compound or closted) an initial procedure is followed within one month by an open reduction, internal feation, external statefald treatment of the frame or the same bone, the feat for the initial, Please note. This reduction does not include the assistant's fee where applicable. 1047 A process of the frame or month, the full feet for the initial treatment is applicable. 1048 A process of the feat of the frame or include the assistant's fee where applicable, and the feet of the initial treatment is applicable. 1049 A process of the feet from the initial treatment is applicable. 1040 A process of the feet for a reduction. 1040 A process of the feet from the initial treatment is applicable. 1041 A process of the feet from the initial treatment is applicable. 1042 A process of the feet from the initial treatment is applicable. 1044 A process of the feet from the initial treatment is applicable. 1044 A process of the feet from the initial treatment is applicable. 1045 A process of the feet from the initial treatment is applicable. 1046 A process of the feet from the initial treatment is applicable. 1054 A process of the feet from the initial treatment is applicable. 1055 A process of the feet from the initial feetion, external skeletal fosition and/or tone grafting. Specialists and general processors of the feet from the initial feetion, external skeletal fosition and/or tone grafting. Specialists and general processors of the feet from the feet for the debut demand in antifor information, external skeletal feeting which the feeting of the feeting fe									1	
(compound or closed) an initial procedure is followed within one month by an open reduction, internal facilition, deternal skeletal fixation or bore grafting on the same bore, the fee for the initial fixation or bore grafting on the same bore, the fee for the initial fixation or bore grafting on the same bore, the fee for the initial fixation or bore grafting on the same bore, the fee for the initial streamment is applicable. Other and the process of the same stream of the compound of the compound of the same stream of	1									
month by an open reduction, internal fixation, external sheletal fixation or bone grafting on the same bone, the foet for the initial treatment of that fixations or dislocation shall be reduced by 20% where applicable. He can be supplicable to the second of the whole applicable of the second of	0046									
fixation or bone grafting on the same bone, the fee for the initial treatment of that fracture or dislocation shall be reduced by 50%. Please note. This reduction does not include the assistant's fee fee for the situal venturement is applicable. A fracture NOT requiring reduction shall be charged on a fee per service basis PROVIDED that the cumulative amount does NOT exceed the fee for a reduction. Where in the treatment of a fracture or dislocation an initial closed reduction is followed within one ment by further closed reductions will be 27 00 clinical procedure units (roll including after-care). The properties of the fee for a reduction of the fee fee fee fee fee fee fee fee fee f										
Please note: This reduction does not include the assistant's fee where applicable. After one month, the full fee for the initial treatment is applicable. ONE of the property				ļ						
where applicable. After one month, the full fee for the initial treatment is applicable. Af racture NOT requiring reduction shall be charged on a fee per service basis PROVIDED that the cumulative amount does NOT where the treatment of a fracture or dislocation an initial closed reduction is followed within one month by further closed reductions under general annesthesis, the fee for such aubsequent reductions under general annesthesis, the fee for such aubsequent reductions under general annesthesis, the fee for such aubsequent reductions under general annesthesis, the fee for such aubsequent reductions under general annesthesis, the fee for such aubsequent reductions under general annesthesis, the fee for such aubsequent reductions under general annesthesis, the fee for such aubsequent reductions under general annesthesis, the fee for such aubsequent reductions under general annesthesis and process of the feet general practitions and process of the section of the control of the control of the control of the control of the debidement and process process of the feet general practitions and or bone grafting. Specialists and general practitioners Except where otherwise appelled, fraction (returnation or uniquial, fostion with Kirschner wires (refer to modifier 0053), as well as long bone or pelvis fractural existency or pelvis fractural existency or pelvis fractural existency or pelvis fractural existency in the finger procedure code. Practures requiring percutaneous internal fixation (insertion and general practitioners and 3 2.0 dictinal procedure units. Do appeals and general practitioners and 3 2.0 dictinal procedure units. Do appeals and general practitioners and 3 2.0 dictinal procedure on the feet for which the special procedure units for appeals and general practitioners and 3 2.0 dictinal procedure (and to the feet for way, reduce the total procedure (and to the feet for th				ĺ						
treatment is applicable. 0447 A fracture NOT requiring reduction shall be charged on a fee per service basis PROVIDED that the camulative amount does NOT exceed the fee for a reduction. 145 April 145 Apri	1		İ					ļ		
service basis PROVIDED that the cumulative amount does NOT exceed the fee for a reduction. Where in the treatment of a tracture discussion in initial closed on the control of the contro							l			
exceed the fee for a reduction. 4048 Where in the treatment of a fracture or dislocation an initial closed reduction is followed within one month by further closed reductions under general ansestbesis, the fee for such subsequent reductions will be 27 00 clinical procedure units (not including after-care). 5049 Except where otherwise specified, in cases of compound (poen) fractures, 77,00 clinical procedure units (specialists and general practitioners) are to be added to the units for the fractures including debtodement [a fee for the debtidement may not be charged for separately]. 6051 Fractures requiring one production, internal fixation, external skeletal add 77 00 clinical procedure units. 6052 Except where otherwise specified, fracture (traumatic or surgical is obstance) osteocomy requiring open reduction and/or imment fixation, external skeletal fixation/and or bone grafting (excluding fixation with Kirachner wites (refer to modifier 0053), and was long benefit or part of the service of the control of the procedure units. 6052 Except where otherwise specified, fracture (traumatic or surgical is obstance) osteocomy required procedure units. 6053 except where otherwise specified, fracture (traumatic or surgical is obstance) osteocomy required procedure units and general practitioners of the first foot. 6054 Fractures requiring percutaneous internal fixation [insertion and removal of fixatives (wires) into of fingersand toes); Specialists and general practitioners and 32,00 clinical procedure units for specialists and general practitioners and 32,00 clinical procedure units for specialists and general practitioners and 32,00 clinical procedure units for specialists and general practitioners and 32,00 clinical procedure units for specialists and general practitioners and specialists and general practitioners and 32,00 clinical procedure units for specialists and general practitioners and specialists and general practitioners and specialists and general practitioners and specialists and general practiti	0047	A fracture NOT requiring reduction shall be charged on a fee per					ĺ			
Where in the treatment of a fracture or dislocation an initial closed reduction is followed within one month by further closed reductions under general anaesthesia, the fee for such subsequent reductions will be 27.00 clinical procedure units for including after-carely. Process where otherwise specified, in cases of compound (open) for the										
reduction is followed within one month by further closed reductions under general ansateshesi, the fee for such subsequent reductions will be 27.00 clinical procedure units (inclinical gater-care). Except where otherwise specified, in cases of compound (open) fractures, 77.00 clinical procedure units (specialists and general additional procedure units (specialists) and general debictionment [a fee for the debridement may not be charged for separately). 1051 Fractures requiring open reduction, internal fixation, external skeletal fixation and/or bone grafting. Specialists and general procedure units. 1052 Except where otherwise specified, fracture (traumatic or surgical, is osteocomy) requiring open reduction and/or internal fixation, external skeletal reduction and/or internal fixation, external skeletal reduction of two procedure units. 1053 Except where otherwise specified, fracture (traumatic or surgical, is osteocomy) requiring open reduction (the Kirschner wires (refer to modifier 0053), as well as long bone or pelvis units (special procedure units for the procedure of the surgical fixation of the surgical fixation (fixation requiring open reduction). Unlike for the specific pint plus procedure units for specialists and general practitioners and 32.00 clinical procedure units. 1065 Cisiocation requiring open reduction: Units for the specific pint plus procedure units for specialists and general practitioners and 32.00 clinical procedure units for specialists and general practitioners. 1067 White first foot. 1068 Carried foot of the same way, reduce the total by 50% and add to the total for the first foot. 1069 Revision operation for total pint replacement and immediate results of the condition of the same way, reduce the total by 50% and add to the total for the first foot. 1070 Colinical procedures on the spine: In cases of combined procedures on the spine, both the orthorage of the procedure of the spine, both the orthorage of the procedure of the spine, both the orthorage of the procedure of th	0048		27	796.50	27	796.50				
will be 27.00 clinical procedure units (not including after-care), Except where otherwise specified, in cases of compound (open) fractures, 77.00 clinical procedure units (specialists and general practicioners) are to be added to the units for the fractures including debridement [a fee for the debridement may not be charged for fractures requiring open reduction, internal fixation, external skeletal fixations and/or bone grafting. Specialists and general practicioners) and of the control of the										
Except where otherwise specified, in cases of compound (open) fractures, 77, 00 clinical procedure units (specialists and general practioners) are to be added to the units for the fractures including debriddennel [a fee for the debriddennel may not be charged for separately]. Practures requiring open group open eduction, internal fixation, external skeletal and control of the procedure units of the fixation of the second section of the second of					1					
fractures, 77.00 clinical procedure units (specialists and general practitioners) are to be added to the units for the fractures including debridement [a fee for the debridement may not be charged for separately]. 77		with the 27.00 district procedure units (not including arter-early).								
practitioners) are to be added to the units for the fractures including debridement [a fee for the debridement may not be harged for separately]. 0051 Fractures requiring open reduction, internal fixation, external skeletal floation and/or bone grafting. Specialists and general practitioners add 77.00 clinical procedure units. 0052 Except where otherwise specified, fracture (traumatic or surgical, ie. oxiteotromy) requiring open reduction and/or internal fixation, external skeletal floation and/or bone grafting (excluding floation or surgical, ie. oxiteotromy) requiring open reduction and/or internal fixation, external skeletal floation and or bone grafting (excluding floation with kiraschner fracture) (refer to modifier 0051) for specialist and general practitioners for HAND or FOOT fracture/osteotomy. Add to the appropriate procedure code. 0053 Fractures requiring percutaneous internal fixation [insertion and removal of fixatives (wires) into of fingersand toes). Specialists and general practitioners add 32.00 clinical procedure units on specialists and general practitioners. 0054 Obstitution (wire) into of fingersand toes). Specialists and general practitioners add 32.00 clinical procedure units on specialists and general practitioners. 0055 This procedure of the first foot of the specialists and general practitioners. 0056 This first foot are calculated according to modifier 0005. Multiple procedures (on the first foot are calculated according to modifier 0005. Multiple procedures (on the first foot are calculated according to modifier 0005. Multiple procedures (on the first foot are calculated according to modifier 0005. Multiple procedures (on the first foot are calculated according to modifier 0005. Multiple procedures (on the first foot of the first foot are calculated according to modifier 0005. Multiple procedures (on the first foot of the first foot of the first foot of the first foot of the first foot of the first foot of the first foot of the first foot of the first foot of the first foot of	0049		77	2 271.50	77	2 271.50				
debridement [a fee for the debridement may not be charged for separately]. 9051 Fractures requiring open reduction, internal fixation, external skeletal fixed and of the control of the										
Fractures requiring open reduction, internal fixation, external skeletal (77.0 clinical procedure units.)										
fixation and/or bone graffling: Specialists and general practitioners add 77.00 clinical procedure units osteomy) requiring open reduction and/or internal fixation, external skeletal fixdion/and or bone graffling (excluding fixation with Kirachner wires (refer to modifier 0053), as well as long bone or pelvis firacture/osteotomy (refer to modifier 0051) for specialist and general practitioners for HAND or FOOT firacture/osteotomy. Add to the appropriate procedure code. 1053 1054 1055 1055 1056 1057 1056 1057 1056 1057 1057 1056 1057				l	l					
add 77.00 clinical procedure units. Except where otherwise specified, fracture (raumatic or surgical, le. osteotomy) requiring open roduction and/or internal fixation, external skeletal fixion/and or bone grafting (excluding fixation with Kirschner wires (refer to modifier 0053), as well as long bone or pelvis fracture/osteotomy (refer to modifier 0051) for specialist and general practitioners for HAND or FOOT fracture/osteotomy. Add to the appropriate procedure code. Ob53 Fractures requiring percutaneous internal fixation [insertion and removal of fixatives (wires) into of fingersand toes): Specialists and general practitioners and 32 00 clinical procedure units. Ob56 Dislocation requiring open reduction: Units for the specific joint plus 77.00 clinical procedure units. Ob57 Multiple procedures on feet: In multiple procedures on feet, fees for the first foot are calculated according to modifier 0005: Multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on feet in multiple procedures on the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot are calculated according to modifier 0005: Multiple procedures on the spine, both the orthopased in the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedures on the spine, both the orthopased in the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the procedure of the pr	0051		77	2 271.50	77	2 271.50				
osteotomy requiring open reduction and/or internal fixation, external skeletal fixion/and or bone grafting (excluding fixation with Kirschner wires (refer to modifier 0053), as well as long bone or pelvis fracture/osteotomy (refer to modifier 0051) for specialist and general practitioners (or HAND or FOOT fracture/osteotomy: Add to the appropriate procedure code. 0853 Fractures requiring percutaneous internal fixation [insertion and removal of fixatives (wires) into of fingersand toes): Specialists and general practitioners and \$2.00 clinical procedure units. 0850 Disocation requiring open reduction: Units for the specific joint plus 77.00 clinical procedure units for specialists and general practitioners on feet: In multiple procedures on feet, fees for the first foot are calculated according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50%, and add to the total for the first foot. 0858 Revision operation for total joint replacement and immediate resubstitution (infected or non-infected): Units as for the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE 0861 Combined procedures on the apine: In cases of combined procedures, and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by himther. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where a replantation procedure (no tunits for the procedure, each shall be entitled to two-thirds of the units for the procedure.										
skeletal fixtion/and or bone grafting (excluding fixation with Kirschner wires (refer to modifier 0053), as well as long bone or pelvis fracture/osteolomy (refer to modifier 0051) for specialist and general practitioners ret HAND or FOOT fracture/osteolomy; Add to the appropriate procedure code. 77 Practures requiring percutaneous internal fixation fineerition and removal of fixatives (wires) into of fingersand toes); Specialists and general practitioners add 32.00 clinical procedure units. 77 Do clinical procedure units for specialists and general practitioners and 32.00 clinical procedure units for specialists and general practitioners and 42.00 clinical procedures on teet, fees for the first foot are calculated according to modifier 0005; Multiple procedures/operations under the same anaesthetic. Calculate fees for the second fool in the same way, reduce the total by 50% and add to the total for the first foot. 8 Revision operation for total joint replacement and immediate resubstitution (infected or non-infected); Units as for the procedure(s) estimates a for the total revision procedure (the units for modifier 0059 equals 100% of the procedure(s) performed plus appropriate modifiers) 8 MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE 8061 Combinad procedures on the spine; in cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). 8 MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	0052		81.1	2 392.45	81.1	2 392.45				
wires (refer to modifier 0053), as well as long bone or pelvis fracture/osteotomy (refer to modifier 0051) for specialist and general practitioners for HAND or FOOT fracture/osteotomy: Add to the appropriate procedure code. Fractures requiring percutaneous internal fixation [insertion and removal of fixefixes] (wires) into of fingersand toes): Specialists and general practitioners add 32.00 clinical procedure units. Dislocation requiring open reduction: Units for the specific joint plus 77.00 clinical procedure units for specialists and general practitioners. Multiple procedure units for specialists and general practitioners. Multiple procedures on feet: In multiple procedures on feet, fees for the first toot are calculated according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Servision operation for total joint replacement and immediate resubstitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE OB51 Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopeadic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/hort. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation or the										
practitioners for HAND or FOOT fracture/osteotomy: Add to the appropriate procedure code. Fractures requiring percutaneous internal fixation [insertion and removal of fixatives (wires) into of fingersand toes): Specialists and general practitioners add 32.00 clinical procedure units. Dislocation requiring open reduction: Units for the specific joint plus 77.00 clinical procedure units for specialists and general practitioners. Multiple procedures on feet: In multiple procedures on feet, fees for the first foot are calculated according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total joint replacement and immediate resubstitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0055 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER SOVERNING COMBINED PROCEDURES ON THE SPINE O881 Combined procedures on the spine, both the orthopsedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by himbar. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the		wires (refer to modifier 0053), as well as long bone or pelvis								
appropriate procedure code. Fractures requiring percutaneous internal fixation [insertion and removal of fixatives (wires) into of fingersand toes]: Specialists and general practitioners add 32.00 clinical procedure units. Dislocation requiring open reduction: Units for the specific joint plus 77.70 clinical procedure units for specialists and general practitioners. Multiple procedures on feet: In multiple procedures on feet, fees for the first foot are calculated according to modifier 0005: Multiple procedures on feet the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total joint replacement and immediate results to the first foot. Revision operation for total joint replacement and immediate results to the first foot. Revision operation for total joint replacement and immediate results to the first foot. Revision operation for total joint replacement and immediate results to the first modifier on the same way, reduce the total revision procedure(s) appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE Oscillated to the full units for the relevant part of the operation performed by the other surgeon are entitled to the full units for the relevant part of the operation performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure, each shall be entitled to two-thirds of the units for the procedure.					1					
removal of fixetives (wires) into of fingersand toes): Specialists and general practitioners add 32.00 clinical procedure units. Dislocation requiring open reduction: Units for the specific joint plus 77.00 clinical procedure units for specialists and general practitioners. Multiple procedures on feet: In multiple procedures on feet, fees for the first foot according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total joint replacement and immediate resubstitution (infected or non-infected): Units as for the procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE Combined procedures on the spine; In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure, each shall be entitled to two-thirds of the units for the procedure.										
removal of fixetives (wires) into of fingersand toes): Specialists and general practitioners add 32.00 clinical procedure units. Dislocation requiring open reduction: Units for the specific joint plus 77.00 clinical procedure units for specialists and general practitioners. Multiple procedures on feet: In multiple procedures on feet, fees for the first foot according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total joint replacement and immediate resubstitution (infected or non-infected): Units as for the procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE Combined procedures on the spine; In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure, each shall be entitled to two-thirds of the units for the procedure.	0053	Fractures requiring percutaneous internal fivation linearing and	22	044.00	20	244.00				
Dislocation requiring open reduction: Units for the specific joint plus 77.00 clinical procedure units for specialists and general practitioners. 0057 Multiple procedures on feet: In multiple procedures on feet, fees for the first foot are calculated according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total joint replacement and immediate re- substitution (infected or non-infected!). Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE 0061 Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	10000		32	944.00	32	944.00				
77.00 clinical procedure units for specialists and general practitioners. Multiple procedures on feet: In multiple procedures on feet, fees for the first foot are calculated according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total plont replacement and immediate resubstitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure (the units for modifier 0058 equals 100% of the procedure (s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE O661 Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure, each shall be entitled to two-thirds of the units for the procedure.	I									
practitioners. Multiple procedures on feet: In multiple procedures on feet, fees for the first foot are calculated according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total point replacement and immediate resubstitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE O881 Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	0055		77	2 271.50	77	2 271.50				
the first foot are calculated according to modifier 0005: Multiple procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total joint replacement and immediate resubstitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE O661 Combined procedures on the spline: In cases of combined procedures on the spline, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the										
procedures/operations under the same anaesthetic. Calculate fees for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total joint replacement and immediate resulbstitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the procedure (the units for modifier 0058 equals 100% of the procedure (the units for modifier 0058 equals 100% of the procedures on the spine in cases of combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are enlitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure.	0057									
for the second foot in the same way, reduce the total by 50% and add to the total for the first foot. Revision operation for total joint replacement and immediate resubstitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE O661 Combined procedures on the spine: In cases of combined procedures on the spine, both the onthopsedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure.	1				ļ l					
Revision operation for total joint replacement and immediate resulbstitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure.		for the second foot in the same way, reduce the total by 50% and								
substitution (infected or non-infected): Units as for the procedure(s) + 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	0058									
+ 100% of the units as for the total revision procedure (the units for modifier 0058 equals 100% of the procedure(s) performed plus appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	1	substitution (infected or non-infected): Units as for the procedure(s)								
appropriate modifiers) MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE O061 Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the		+ 100% of the units as for the total revision procedure (the units for								
MODIFIER GOVERNING COMBINED PROCEDURES ON THE SPINE Combined procedures on the spine; in cases of combined procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the						i				
Combined procedures on the spine: In cases of combined procedures on the spine, both the orthopædic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the		MODIFIER GOVERNING COMBINED PROCEDURES ON THE						ĺ		
procedures on the spine, both the orthopaedic surgeon and the neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	0004									
neurosurgeon are entitled to the full units for the relevant part of the operation performed by him/her. Each surgeon may be remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	10007									
remunerated as an assistant for the procedures performed by the other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the		neurosurgeon are entitled to the full units for the relevant part of the								
other surgeon, at general practitioner units (refer to modifier 0009). MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	1									J
MODIFIERS GOVERNING THE SUBSECTION REPLANTATION SURGEY 0063 Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. 0084 Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the										
SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the		[
SURGEY Where two specialists work together on a replantation procedure, each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the		MODIFIERS GOVERNING THE SUBSECTION REPLANTATION								
each shall be entitled to two-thirds of the units for the procedure. Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the						l				
0064 Where a replantation procedure (or toe to thumb transfer) is unsuccessful no further surgical fee is payable for amputation of the	0063					l				
unsuccessful no further surgical fee is payable for amputation of the		each shall be entitled to two-trifts of the units for the procedure.				l				
	0064					l				
						l				
		F								

0067	MODIFIER GOVERNING THE SECTION LARYNX Microsurgery of the larynx: Add 25% to the fee for the procedure performed. (For other operations requiring the use of an operation microscope, the fee shall include the use of the microscope, except where otherwise specified in the Tariff Guide).				_		
0069	MODIFIERS GOVERNING NASAL SURGERY When endoscopic instruments are used during intranasal surgery: Add 10% of the fee for the procedure performed. Only applicable to items 1025, 1027, 1030, 1033, 1035, 1036, 1039, 1047, 1054 and 1083.		7.5				
0070	MODIFIER GOVERNING OPEN PROCEDURE(S) WHEN PERFORMED THROUGH THORACOSCOPE Add 45.00 clinical procedure units to procedure(s) performed through a thoracoscope.	45	1 327.50	45	1 327.50		:
0074	MODIFIER GOVERNING FEES FOR ENDOSCOPIC PROCEDURES Endoscopic procedures performed with own equipment: The basic procedure fee plus 33,33% (1/3) of that fee (plus ("+") codes						
	excluded) will apply where endoscopic procedures are performed with own equipment.						
0075	Endoscopic procedures performed in own procedure room: (a)The units plus 21,00 clinical procedure units will apply where endoscopic procedures are performed in own procedure rooms. (b)This modifier is chargeable by medical doctors who own or rent the facility. (c)Please note:Modifier 0075 is not applicable to any of the items for diagnostic procedures in the otorhinolaryngology sections of the tariff guide	21	619.50	21	619.50		
0077	MODIFIER GOVERNING THE SECTION ON PHYSICAL TREATMENT (a) When two separate areas are treated simultaneously for totally different conditions, such treatment shall be regarded as two treatment modalities for which separate fees may be charged (Only applicable if services are provided by a specialist in physical medicine). (b) The number of treatment sessions for a patient for which the Commissioner shall accept responsibility is limited to 20. If further treatment sessions are necessary liability for payment must be arranged in advance with the Compensation Fund. Note: Physiotherapy administered by a non-specialist medical practitioner who is already in charge of the general treatment of the employee concerned, or by any partner, assistant or employee of such practitioner, or any other practitioner or radiologist should be embarked upon only with the express approval of the Commissioner. Such approval should be requested in advance.						
0079	MODIFIER GOVERNING THE SECTION MEDICAL PSYCHOTHERAPY When a first consultation/visit proceeds into, or is immediately followed by a medical psychotherapeutic procedure, fees for the procedure are calculated according to the appropriate individual psychotherapy code (Items 2957, 2974 or 2975): Individual psychotherapy (specify type).				į		
0080	MODIFIERS GOVERNING THE SECTION DIAGNOSTIC RADIOLOGY Multiple examinations: Full Fee Note in respect of fees payable when X-rays are taken by general practitioners						
	If the services of a radiologist were normally available, it is expected that these should be utilised. Should circumstances be unfavourable for obtaining such services at the time of the first consultation, the general practitioner may take the initial X-ray photograph himself provided he submitted a report to the effect that it was in the best interest of the employee for him to have done so. Subsequent X-ray photographs of the same injury, however, must be taken by a radiologist who has to submit the relevant reports in the normal						
	radiologist who has to submit the relevant reports in the normal manner. 1. When a general practitioner takes X-ray photographs with his own equipment, if the services of a specialist radiologist were not available, he may claim at the prescribed fee.					••	

	(i) If a general practitioner ordered an X-ray examination at a	1 !				
	provincial hospital where the services of a specialist radiologist are					
	available, it is expected that the radiologist shall read the	1 1				
	photographs for which he is entitled to one third of the prescribed					
	fee.					I I
	(ii) If the radiographer of the hospital was not available and the					
	general practitioner had to take the X-ray photographs himself, he		1 1			
1	may claim 50% of the prescribed fee for the service. In that case,				i	
1	however, he should get written confirmation of his X-ray findings					
1	from the radiologist as soon as possible. The radiologist may then			l i		1 1
ı	claim one third of the prescribed fee for such service.					
ľ	Guin one that of the prescribed fee for such service.				ı	
1	2. Handard and the same day of the Maria and the same at the same			f 1		I 1
1	If a general practitioner ordered an X-ray examination at a			1 1		ļ I
1	provincial hospital where no specialist radiological services are					i I
1	available, the general practitioner will not be paid for reading the X-					I I
1	ray photographs as such a service is considered to be an integral	l i				I I
1	part of routine diagnosis, but if he was requested by the				ı	I I
1	Compensation Fund to submit a written report on the X-ray findings,					I I
1	he may claim two thirds of the prescribed fee in respect thereof,				ĺ	I I
						
1	4. If a general practitioner had to take and read X-ray photographs					I
1	at a provincial hospital where the services of a radiographer and a					I
1	specialist radiologist are not available he/she may claim 50% of the					
1	prescribed fee for such service.					1
0084	Charging for films and thermal paper by non-radiologists: in the					I
	case of radiological services rendered by non-radiologists where					
1	films, thermal paper or magnetic media are used, these media is			1 1		ļ l
1	charged for according to the film price of 2007, as compiled by the					i I
1	Radiological Society of South Africa (this list is available on request			† I	- 1	I I
1				i I		I I
	at radsoc@iafrica.com).			1 1		I I
0085	Left side: Add to items 6500-6519 as appropriate when the left side			1 1		I I
1	is examined. The absence of the modifier indicates that the right				- 1	I I
1	side is examined.	[1 1	1	I I
1				1 1		I I
1	MODIFIER GOVERNING VASCULAR STUDIES			1 1		I I
0086	Vascular groups: "Film series" and "Introduction of Contrast Media"			1 1		I I
1	are complementary and together constitute a single examination:			1 1		1 1
1	neither fee is therefore subject to an increase in terms of modifier		1 1	1 1		l 1
1	0080: Multiple examinations.			1 1		l f
1				1 1		
1	PLEASE NOTE: Modifier 0083 is not applicable to Section 19.8 of					[
1	the tariff.			1 1		
1	THE SMITE.			1 1		
1	Rules applicable to vascular studies					
	(a) The machine fee (items 3536 to 3550) includes the cost of the			i I		
1						
1	following				[
1	All runs (runs may not be billed for separately)					
1	All film costs (modifier 0084 is not applicable)					
1	All fluoroscopies (item 3601 does not apply)					
1	All minor consumables (defined as any item other than catheters,					
1	guidewires, introducer sets, specialised catheters, balloon catheters,					
1	stents, anti-embolic agents, drugs and contrast media)		1 1			
1						
1	(b) The machine fee (item codes 3536 to 3550) may only be		1 1			
1	charged for once per case per day by the owner of the equipment			1		
1	and is only applicable to radiology practices.					
1	(c) If a procedure is performed by a non-radiologist together with a		1 1			I
1	radiologist as a team, in a facility owned by the radiologist, each		1 1			
1	member of the theam should charge at their respective full rates as					
1	per modifiers and the applicable codes.		1 1			I
1	MODIFIERS GOVERNING THE SECTION PATHOLOGY					
0097	Pathology tests performed by non-pathologists: Where item		1 1			
1	codes resorting under Clinical Pathology (section 21) and					
1	Anatomical Pathology (section 22) fall within the province of other		1 1			
1	specialists or general practitioners, the fee should be charged at two-					
1	thirds of the pathologists tariff		1 1			
1	umas or ma paniologists taini	1				
L						

			Specialist		General Practitioner		Anaesthetic	
CODE	DESCRPTION		U	R	U	R	U	RT
	I. CONSULTATIONS The amounts in this section are calculated according to the Consultation							i
	Services unit values, 0181, 0182, 0183, 0184, 0186 and 0151 GENERAL PRACTITIONERS AND ALL SPECIALISTS							
	a. Only one of items 0181-0188 as appropriate may be charged for a single service and not combinations thereof							
	 These services must be face-to-face with the patient and excludes the time spent doing special investigations which receive additional remuneration 							
	c. Only item 0146 may be charged as appropriate thereof d. A subsequent visit refers to a voluntarily scheduled visit performed for the same condition within four (4) months after the first visit (although the symptoms or complains may differ from those presented during the first visit							
	e. Items 0181,0182, 0183, 0184 and 0186 include renumeration for the completion of the first, progress and final medical reports. Item 0186 may be charged for a visit to complete a final medical report							
0181	NEW PATIENT (NB: Indicate time in minutes) Visit for a new problem / new patient with problem focused history, examination and management up 20 minutes		16.5	495.83	15	450.75		
0182	Visit for a new problem / new patient with problem focused history, examination and management up 30 minutes		31 5	946.58	30	901.60		
0183	Visit for a new problem / new patient with problem focused history, examination and management up 45 minutes FOLLOW-UP VISIT		36	1 081.80	33	991.65		
0184	Follow-up visit for the evaluation and management of a patient		16.5	495.83	15	450.75		
0186	FINAL VISIT Follow-up visit for the evaluation and management of a patient with a Final Medical Report (Rule G not applicable) CONSULTATIONS: SPECIALISTS AND GENERAL PRACTITIONERS		31.5	946.58	30	901.50		
0145	For consultation / visit away from the doctor's home or rooms: ADD to item 0181. Confirm where visit took place. Please note that item 0145 is not applicable for pre-anaesthetic assessments and may not be added to items 0151	+	6	177.00	6	177.00		
0146	Emergency or unscheduled consultation/visit at the doctors home or rooms: ADD to items 0181, 0182 and 0183 as appropriate. (General Rule B refers)	+	8	236.00	8	238.00		
0147	For after hours emergency or unscheduled consultation/visit away from the doctor's home or rooms. ADD to items 0181, 0182 and 0183 as appropriate (General Rule B refers)	+	14	413.00	14	413.00		
0109	Hospital follow-up visit to patient in ward or nursing facility - Refer to general rule G(a) for post-operative care) (may only be charged once per day) (not to be used with items 0146 or ICU items 1204-1214)		15	442.50	15	442.50		
	PRE-ANAESTHETIC ASSESSMENT a. Pre-ansesthetic consultations for all major vascular, cardio-thoracic and orthopaedic cases will attract a unit value of at least 32.00 units							
0151	b. Only item 0146 may be charged Pre-anaesthetic assessment of patient(all hours). Problem focused history, clinical examination and decision making		32	961.60	32	961.60		
0136	GENERAL Special medical examination requested by the Compensation Commissioner (Section 42) Note :		200	5 900.00				
	- Amount applicable from 2003/03/03 until 2005/01/27 (VAT Inclusive)			1 100.00				
	- Amount applicable from 2005/01/28 until 31/03/2014 (VAT inclusive)			1 860.00				
	- Amount applicable from 2014/04/01 until 31/03/2019 (VAT Inclusive)			3 500.00				

	DESCRPTION	Si	pecialist	General Practitioner		Anaesthetic		
CODE		U	U R		U R		R	T
0201	II. MEDICINE, MATERIAL, AND SUPPLIES Medicine, material and/or unregistered/unscheduled products used during treatment: To be used for all medicine, material and/or unregistered/unscheduled products using in treatment.							
0202	Setting of sterile tray: A fee of 10,00 clinical procedure units may be charged for the setting of a sterile tray where a sterile procedure is performed in the rooms. Cost of stitching material, if applicable, shall be charged for according to item 0201	10	295.00	10	295,00			
0194	Procurement cost for human donor material. No mark up is allowed. Only applicable to Opthalmologist, invoice to be attached							

		S	Specialist		General Practitioner		Anaesthetic		
			1 ·- 5	<u> </u>	U R				
III.	PROCEDURES		R	U	R	U	RT		
	The amounts in this section are calculated according to the Clinical Procedure unit values								
6999	UNLISTED PROCEDURE/SERVICE Unlisted procedure/service code: A procedure/service may be provided that is not listed in the Compensation Fund tariffs.Please quote the correct SAMA code with tariff code 6999								
1.	INTRAVENOUS TREATMENT						:		
1.1 0206	Injections and Infusions Intravenous infusions (push-in) Insertion of cannula - chargeable once per 24 hour Not appropriate for managing infusion in daily hospital, High Care and Intensive Care patients (code 0109, 1204- 1206 and 1208- 1210). tariff code is considered part of anaesthetic administration	6	177.00	6	177.00				
0207	Intravenous infusions (cut-down): Cut-down and insertion of cannula - chargeable once per 24 hours Not appropriate for managing infusion in daily hospital, High Care and Intensive Care patients (code 0109, 1204- 1206 and 1208- 1210). tariff code is considered part of anaesthetic administration	8	236.00	8	236.00				
0208	Therapeutic venesection (Not to be used when blood is drawn for the purpose of laboratory investigations)	6	177.00	6	177.00				
	Note: How to charge for intravenous infusions Practitioners are entitled to charge according to the appropriate tariff code whenever they personally insert the cannula (but may only charge for this service once every 24 hours) For managing the infusion as such e.g. checking it when visiting the patient or prescribing the substance, no fee may be charged since this service is regarded as part of the services the doctor renders during consultation								
0210	Collection of blood specimen(s) by medical practitioner for pathology examination, per venesection (not to be used by pathologists)	3.25	95.88	3.25	95.88				
2.	INTEGUMENTARY SYSTEM								
2.1	Allergy								
0217	Allergy: Patch tests: First patch	4	118.00	4	118.00				
0219 0218	Allergy: Patch tests: Each additional patch. Add to code 0217, code May not be billed alone Allergy: Skin-prick tests: Skin-prick testing: Insect venom, latex and	2 2.8	59.00 82.60	2 2.8	59.00 82.60				
0220	drugs Allergy: Skin-prick tests: Immediate hypersensitivity testing (Type I reaction): Per antigen: Inhalant and food allergens.	1,9	56.05	1.9	56.05				
0221	Only a maximum of five can be charged. Allergy: Skin-prick tests: Delayed hypersensitivity testing (Type IV reaction): Per antigen Only a maximum of five can be charged.	2,8	82.60	2.8	82.60				
2.2 0222	Skin (general) Intralesional injection into areas of pathology, e.g. Keloid: Single Pre-authorisation with motivational letter detailing how the lesion affects functionality is required	4	113.48	4	113.48				
0223	Intralesional Injection into areas of pathology, e.g. Keloids; Multiple. tariff code inappropropriate to use with tariff code 0222 Pre-authorisation with motivational letter detailing how the lesion affects functionality is required	8	226.96	8	226.96				
0255	Drainage of subcutaneous abscess, onychia, paronychia, pulp space or avulsion of nail	20	590.00	20	590.00	3	413.58 +T		

		Sı	Specialist		General Practitioner		Anaesthetic
L							
		U	R	U	R	U	RT
0257	Drainage of major hand or foot infection; drainage of major abscess with necrosis of tissue, involving deep fascia or requiring debridement; complete excision of pilonidal cyst or sinus	87	2 566.50	87	2 566.50	3	413.58 +T
0259	Removal of foreign body: Muscle or tendon sheath, simple Not appropriate for orthopaedic wires and pins removal	20	590.00	20	590.00	3	413.58 +T
0260	Incision/removal of foreign body: Subcutaneous tissue, complicated	55.5	1 637.25	55.5	1 637.25	3	413.58 +T
0261	Removal of foreign body: Muscle or tendon sheath, deep/complicated. Not appropriate for orthopaedic wires and pins removal	31	914.50	31	914.50	3	413.58 +T
	Note: See tariff code 0922 and 0923 for removal of foreign bodies in hands						
2.3	Major plastic repair Note: The tariff does not cover elective or cosmetic operations, since these procedures may not have the effect of reducing the percentage of permanent disablement as laid down in the Second Schedule to the Act. It is incumbent upon the treating doctor to obtain the prior consent of the Commissioner before embarking upon such treatment		:	:			
0288	Harvesting of graft: Fascia lata graft, complex or sheet	127,4	3 758.30	120	3 540.00	4	551.44 +T
0289	Large skin graft, composite skin graft, large full thickness free skin graft	234	6 903.00	187.2	5 522,40	4	551.44 +T
0290	Reconstructive procedures (including all stages) and skingraft by myo- cutaneous or fascio-cutaneous flap	410	12 095.00	328	9 676.00	4	551.44 +T
0291	Reconstructive procedures (including all stages) grafting by micro- vascular re-anastomosis	800	23 600.00	640	18 880.00	4	551.44 +T
0292	Distant flaps: First stage	206	6 077.00	164.8	4 861.60	4	551.44 +T
0293 0294	Contour grafts (excluding cost of material) Vascularised bone graft with or without soft tissue with one or more	206 1200	6 077.00 35 400.00	164.8 960	4 861.60 28 320.00	6	551.44 +T 827.16 +T
	sets micro-vascular anastomoses	1,200	33 400.00	300	20 320.00	"	027.10 47
0295	Local skin flaps (large, complicated)	206	6 077.00	164.8	4 861.60	4	551.44 +T
0296	Other procedures of major technical nature	206	6 077.00	164.8	4 861.60	4	551.44 +T
0297	Subsequent major procedure for repair of same lesion (modifier 0006 not applicable)	104	3 068.00	104	3 068.00	4	551.44 +T
4862	Full thickness graft of the trunk, freegrafting including direct closure of donor site <=20cm ²	136.5	4 026.75	120	3 540.00	5	689.30 +T
4863	Full thickness graft of the trunk, freegrafting including closure of donor site, each addditional 20cm ² (modifier 0005 not applicable)	25.6	755.20	25.6	755.20	5	689.30 +T
4864	Full thickness graft of the scalp, arms and legs free grafting including direct closure of donor site <=20cm ²	140.3	4 138.85	120	3 540.00	5	689.30 +T
4865	Full thickness graft of the scalp, arms and legs free grafting including direct closure of donor site, each addditional 20cm ² (modifier 0005 not applicable)	23	678.50	23	678.50	5	689.30 +T
4866	Full thickness graft of the face, neck,axilla, genitalia, hands and /or feet, free grafting including donor site:<=20cm ²	163.4	4 820.30	130.72	3 856.24	5	689.30 +T
4867	Full thickness graft of the face, neck,axilla, genitalia, hands and /or feet, free grafting including direct closure of donor site, each additional 20cm² (modifier 0005 not applicable)	36.2	1 067.90	36.2	1 067.90	5	689.30 +T
4868	Full thickness graft of the nose,ears, eyelids, and /or lips free grafting including direct closure of donor site: <=20cm ² ●	183.5	5 413.25	146.8	4 330.60	5	689.30 +T
4869	Full thickness graft of the nose,ears, eyelids, and /or lips free grafting including direct closure of donor site; each additional 20cm ² (modifier 0005 not applicable)	43.1	1 271.45	43.1	1 271.45	5	689.30 +T
2.4	Lacerations, scars, cysts and other skin lesions						
0300	Stitching of soft-tissue injuries: Stitching of wound (with or without local anaesthesia): Including normal after-care	14	413.00	14	413.00	3	413.58 +T
0301	Stitching of soft-tissue injuries: Additional wounds stitched at same session (each)	7	206.50	7	206.50	3	413.58 +T
0302	Stitching of soft-tissue injuries: Deep laceration involving limited muscle damage	64	1 888.00	64	1 888.00	4	551.44 +T
0303	Stitching of soft-tissue injuries: Deep laceration involving extensive muscle damage	128	3 776.00	120	3 540.00	4	551.44 +T
0304	Major debridement of wound, sloughectomy or secondary suture	50	1 475.00	50	1 475.00	3	413.58 +T
0305	Needle biopsy - soft tissue	25	737.50	25	737.50	3	413.58 +T

	-		Specialist		General	General Practitioner		Anaesthetic
		\vdash	U	R	U	R	U	R T
4830	Debridement of subcutaneous tissue: INCLUDES epidermis and dermis; <= 20 square cm	Г	13.9	410.05	13.9	410.05	3	413.58 +T
4831	Debridement of subcutaneous tissue: INCLUDES epidermis and dermis; ADD for every additional 20 square cm or part thereof	+	5.3	156.35	5.3	156.35	3	413.58 +T
4832	Debridement of muscle and/or fascia: INCLUDES epidermis, dermis and subcutaneous tissue; <= 20 square cm		36	1 062.00	36	1 062.00	5	689.30 +T
4833	Debridement of muscle and/or fascia: INCLUDES epidermis, dermis and subcutaneous tissue; ADD for every additional 20 square cm or part thereof	+	11.2	330.40	11.2	330.40	5	689.30 +T
4834	Debridement, bone: INCLUDES epidermis, dermis, subcutaneous tissue, muscle and/or fascia; <= 20 square cm		62.5	1 843.75	62.5	1 843.75	6	827.16 +T+M
4835	Debridement, bone: INCLUDES epidermis, dermis, subcutaneous tissue, muscle and/or fascia; ADD for every additional 20 square cm or part thereof	+	19.5	575.25	19.5	575.25	6	827.16 +T+M
0307	Excision and repair by direct suture; excision nail fold or other minor procedures of similar magnitude		27	796.50	27	796.50	3	413.58 +T
0308	Each additional small procedure done at the same time		14	413.00	14	413.00	3	413.58 +T
0310	Radical excision of nailbed		38	1 121.00	38	1 121.00	3	413.58 +T
0314	Requiring repair by large skin graft or large local flap or other procedures of similar magnitude		104	3 068.00	104	3 068.00	4	551.44 +T
0315	Requiring repair by small skin graft or small local flap or other procedures of similar magnitude		55	1 622.50	55	1 622.50	3	413.58 +T
4856	Split thickness autograft of the trunk, arms and/or legs <=100 ² cm		153.6	4 531.20	122.88	3 624.96	5	689.30 +T
4857	Split thickness autograft of the trunk, arms and/or legs; each additional 1002 cm or part thereof (modifier 0005 not applicable)	+	31.5	929.25	31.5	929.25	5	689.30 +T
4858	Split thickness autograft of the face, scalp, neck, ears, genitalia, hands, feet and/or multiple digits <=100° cm		172	5 074.00	137.6	4 059.20	5	689.30 +T
4859	Split thickness autograft of the face, scalp, neck, ears, genitalia, hands, feet and/or multiple digits; each additional 100 ² cm or part thereof (modifier 0005 not applicable) vingers of tone	+	51.6	1 522.20	51.6	1 522.20	5	689.30 +T
4872	Acellular dermal allograft of the trunk, arms and/or legs <=100 ° cm Use code once only		66.3	1 955.85	66.3	1 955.85	5	689.30 +T
4873	Acellular dermal allograft of the trunk, arms and/or legs; each additional 100 ² cm or part thereof (modifier 0005 not applicable) Use in conjunction with primary code 4872	+	15.3	451.35	15.3	451.35	5	689.30 +T
4874	Acellular dermal allograft of the face, scalp, neck, ears, genitalia, hands, feet and/or multiple digits <=100 2 cm		74	2 183.00	74	2 183.00	5	689.30 +T
4875	Acellular dermal allograft of the face, scalp, neck, ears, genitalia, hands, feet and/or multiple digits; each additional 100 ° cm or part thereof (modifier 0005 not applicable)	+	21.8	643.10	21.8	643.10	5	689.30 +T
2.6	Burns							
0345	Minor burns (Discontinued)							
0347 0351	Moderate burns (Discontinued) Major burns: Resuscitation (including supervision and intravenous		276	8 142.00	220.8	6 513.60	5	689.30 +T
0353	therapy - first 48 hours) Tangential excision and grafting: Small		100	2 950.00	100	2 950.00	5	689.30 +T
0354	Tangential excision and grafting: Large ●		200	5 900.00	160	4 720.00	5	689.30 +T
2.7	Hands (skin)							
0355	Skin flap in acute hand injuries where a flap is taken from a site remote from the injured finger or in cases of advancement flap e.g. Cutler		147.4	4 348.30	120	3 540.00	4	551.44 +T
0357	Small skin graft in acute hand injury		45	1 327.50	45	1 327.50	3	413.58 +T
0359	Release of extensive skin contracture and/or excision of scar tissue with major skin graft resurfacing		192	5 664.00	153.6	4 531.20	3	413.58 +T
0361	Z-plasty		220.1	6 492.95	176.08	5 194.36	3	413.58 +T
0363	Local flap and skin graft		150	4 425.00	120	3 540.00	3	413.58 +T
0365	Cross finger flap (all stages)		192	5 664.00	153.6	4 531.20	3	413.58 +T
0367	Palmarflap (all stages)		192	5 664.00	153.6	4 531.20	3	413.58 +T
0369 0371	Distant flap: First stage Distant flap: Subsequent stage (not subject to General Modifier 0005)		158 77	4 661.00 2 271.50	126.4 77	3 728.80 2 271.50	3	413.58 +T 413.58 +T
0272	Transfer naurousesular island flan		0005		40		ایا	
0373 0374	Transfer neurovascular island flap Syndactyly: Separation of, including skin graft for one web (with skin flap and graft)		230.5 242.4	6 799.75 7 150.80	184.4 193.92	5 439.80 5 720.64	3	413.58 +T 413.58 +T
				1 504.50			<u>,</u>	
0375	Dupuytren's contracture: Fasciotomy		51		51	1 504.50	3	413.58 +T

		Sp	ecialist	General	Practitioner	Anaesthetic		
		U	R	U	l R	U	RT	
	3. MUSCULO-SKELETAL SYSTEM							
3.1	Bones							
3.1.1	Fractures							
0383 0384	Fracture (reduction under general anaesthetic): Scapula Fracture: Scapula: Open reduction and internal fixation (modifiers	112,3 284.2	3 312.85	112.3 227.36	3 312.85	3	413.58 +T+M	
0384	0051, 0052 not applicable)	284.2	8 383.90	227.36	6 707.12	3	413.58 +T+M	
0386	Fracture: Clavicle: Open reduction and internal fixation (modifiers 0051, 0052 not applicable)	209.4	6 177.30	167.52	4 941.84	3	413.58 +T+M	
0387	Fracture (reduction under general anaesthetic): Clavicle	93,8	2 767.10	93.8	2 767.10	3	413.58 +T+M	
0388	Percutaneous pinning supracondylar fracture elbow - stand alone procedure	175.7	5 183.15	140.56	4 146.52	3	413.58 +T+M	
0389 0390	Fracture (reduction under general anaesthetic): Humerus Fracture: Humerus: Open reduction and internal fixation (modifiers	129.6 255.3	3 823.20 7 531.35	129.6 204.24	3 823.20 6 025.08	3	413.58 +T+M 413.58 +T+M	
-	0051, 0052 not applicable)	200.0	1001.00	204.24	0 025.00	ľ	413.35 +1+10	
0391	Fracture (reduction under general anaesthetic): Radius and/or Ulna	135.7	4 003.15	120	3 540.00	3	413.58 +T+M	
0392	Open reduction of both radius and ulna (Modifier 0051 not applicable)	193.5	5 708.25	154.8	4 566.60	3	413.58 +T+M	
0401	Fracture: Carpal bone: Open reduction and internal fixation (modifiers 0051, 0052 not applicable)	208.7	6 156.65	166.96	4 925.32	3	413.58 +T+M	
0402	Fracture (reduction under general anaesthetic); Carpal bone	64	1 888.00	64	1 888.00	3	413.58 +T+M	
0403 0404	Bennett's fracture-dislocation Fracture: Bennett fracture/dislocation: Open reduction and	84.5 179.8	2 492.75 5 304.10	84.5 143,84	2 492.75 4 243.28	3	413.58 +T+M 413.58 +T+M	
	internal fixation (modifiers 0051, 0052, 0055 not applicable)	170.0	0 004.10	140.04	42-0.20		413.30 1111	
0405	Fracture reduction under general anaesthetic: Open treatment of Metacarpal; Simple	75.4	2 224.30	75.4	2 224.30	3	413.58 +T+M	
0406	Fracture: Metacarpal bone: Open reduction and internal fixation (modifier 0052 not applicable)	163.6	4 826.20	130.88	3 860.96	3	413.58 +T+M	
0409	Fracture (reduction under general anaesthetic); Finger phalanx: Distal: Simple	77	2 271.50	77	2 271.50	3	413.58 +T+M	
0410	Fracture: Finger phalanx, distal, simple: Open reduction and internal fixation (modifier 0052 not applicable)	141.1	4 162.45	120	3 540.00	3	413.58 +T+M	
0413	Fracture (reduction under general anaesthetic): Finger phalanx: Proximal or middle Replaces tariff code 0415	50.5	1 489.75	50.5	1 489.75	3	413.58 +T	
0414	Fracture: Finger phalanx, proximal or middle: Open reduction and internal fixation (modifier 0052 not applicable) Replaces tariff code 0411	169.9	5 012.05	135.92	4 009.64	3	413.58 +T	
0417	Fracture (reduction under general anaesthetic): Pelvis fracture: Closed (modifier 0051 is applicable) Rule G does not apply	137.2	4 047.40	120	3 540.00	3	413.58 +T	
0419	Fracture (reduction under general anaesthetic): Pelvis: Open reduction and internal fixation (modifier 0051 not applicable)	354.49	10 457.46	283.59	8 365.91	3	413.58 +T+M	
0420	Fracture: Acetabulum: Open reduction and internal fixation (modifiers 0051 not applicable)	560	16 520.00	448	13 216.00	3	413.58 +T+M	
0421	Fracture (reduction under general anaesthetic): Femur: Neck or Shaft	279.1	8 233.45	223.28	6 586.76	3	413.58 +T+M	
0422	Fracture: Femur neck or shaft: Open reduction and internal fixation (modifiers 0051 not applicable)	392.3	11 572.85	313.84	9 258.28	3	413.58 +T+M	
0425 0426	Fracture (reduction under general anaesthetic) Patella Fracture: Patella: Open reduction and internal fixation (modifiers 0051, 0052 not applicable)	82.5 219.5	2 433.75 6 475.25	82.5 175.6	2 433.75 5 180.20	3	413.58 +T+M 413.58 +T+M	
0429	Fracture (reduction under general anaesthetic Tibia with or without Fibula	128	3 776.00	120	3 540.00	3	413.58 +T+M	
0430	Fracture: Tibia, with or without fibula: Open reduction and internal fixation (modifiers 0051 not applicable)	293.2	8 649.40	234.56	6 919.52	3	413.58 +T+M	
0433 0434	Fracture (reduction under general anaesthetic) Fibula shaft Fracture: Fibula shaft: Open reduction and internal fixation (modifiers 0051 not applicable)	112.4 207	3 315.80 6 106.50	112.4 165.6	3 315.80 4 885.20	3	413.58 +T+M 413.58 +T+M	
0435	Fracture (reduction under general anaesthetic: Malleolus of ankle	126.8	3 740.60	120	3 540.00	3	413.58 +T+M	
0436	Fracture: Ankle malleolus: Open reduction and internal fixation (modifiers 0051, 0052 not applicable)	207.1	6 109.45	165.68	4 887.56	3	413.58 +T+M	
0437	Fracture-dislocation of ankle	128	3 776.00	120	3 540.00	3	413.58 +T+M	
0438 0439	Open reduction Talus fracture (Modifier 0051,0052 not applicable) Fracture (reduction under general anaesthetic): Tarsal bones	311.6 76.6	9 192.20 2 259.70	249.28 76.6	7 353.76 2 259.70	3	413.58 +T+M 413.58 +T+M	
5-59	(excluding talus and calcaneus)	1 ,0.0	2 235.70	′3.8	2 208.70		413.30 TITM	

		Sp	Specialist		General Practitioner		Anaesthetic
		U	R	U	R	U	R T
0440	Open reduction Calcaneus fracture (Modifier 0051, 0052 not appicable)	403.5	11 903.25	322.5	9 513.75	3	413.58 +T+M
0441	Fracture (reduction under general anaesthetic): Metatarsal	66.8	1 970.60	66.8	1 970.60	3	413.58 +T+M
0442	Fracture: Metatarsal bones: Open reduction with internal fixation (modifiers 0052 not applicable)	154.7	4 563.65	123.76	3 650.92	3	413.58 +T+M
0443	Fracture (reduction under general anaesthetic): Toe phalanx: Distal: Simple	66.8	1 970.60	66.8	1 970.60	3	413.58 +T
0444	Fracture: Toe phalanx, distal: Open reduction with internal fixation (modifier 0052 not applicable) Replaces tariff code 0445	144.5	4 262.75	120	3 540.00	3	413.58 +T
0446	Fracture: Tarsal bones (excluding talus and calcaneus): Open reduction with internal fixation (modifiers 0052 not applicable)	178.2	5 256.90	142.56	4 205.52	3	413.58 +T+M
0447	Fracture (reduction under general anaesthetic): Other: Simple	26	767.00	26	767.00	3	413.58 +T
0448	Fracture: Calcaneus (reduction under general anaesthetic)	103.3	3 047.35	103.3	3 047.35	3	413.58 +T+M

		Sp	eclalist	General	Practitioner		Anaesthetic
		 	R	U	R	u	RT
0452	Fracture (reduction under general anaesthetic): Sternum and/or ribs: Open reduction and fixation of multiple fractured ribs for flail chest Replaces tariff code 0451	230	6 785.00	184	5 428.00	3	413.58 +T+M
3.1.1.1	Bones: Fractures (reduction under general anaesthetic - refer to modifier 0047): Operations for fractures						
0465	Fractures involving large joints: Includes the metaphysis of the relative bone. Modifiers 0051, 0052 applicable when open reduction and internal fixation are performed	288	8 496.00	230.4	6 796.80	3	413.58 +T+M
0466	Fractures involving digital joints: Includes the metaphysis of the relative bone. Open reduction and internal fixation (modifier 0052 not applicable)	210 9	6 221.55	168.72	4 977.24	3	413.58 +T+M
0473	Percutaneous insertion plus subsequent removal of Kirschner wires or Steinmann pin (Not subject to rule G) (Modifier 0005 not applicable)	43	1 268.50	43	1 268.50	3	413.58 +T
0475	Bonegrafting or internal fixation for malunion or non-union: Femur, Tibia, Humerus, Radius and Ulna	328.2	9 681.90	262.56	7 745.52	3	413.58 +T+M
0479	Bonegrafting or internal fixation for malunion or non-union: Other bones (not applicable to fingers and toes)	154	4 543.00	123.2	3 634.40	3	413.58 +T+M
3.1.2 3.1.2.1	Bony operations Bone grafting						
0497 0498	Resection of bone with or without grafting Resection of bone or tumour (malignant) with or without grafting (does not include digits)	282 340	8 319.00 10 030.00	225.6 272	6 655.20 8 024.00	3	413.58 +T+M 413.58 +T+M
0499	Grafts to cysts: Large bones	192	5 664.00	153.6	4 531.20	3	413.58 +T+M
0501	Grafts to cysts: Small bones	128	3 776.00	120	3 540.00	3	413.58 +T+M
0503 0505	Grafts to cysts: Cartilage graft	206	6 077.00	164.8	4 861.60	3	413.58 +T+M
0505 0506	Grafts to cysts: Inter-metacarpal bone graft Harvesting of graft: Cartilage graft, costochondral	147 91.1	4 336.50 2 687.45	120 91.1	3 540.00 2 687.45	3 6	413.58 +T+M 827.16 +T
0507	Removal of autogenous bone for grafting (not subject to modifier 0005)	50	1 475.00	50	1 475.00	3	413.58 +T+M
3.1.2.2 0512	Acute/chronic osteomyelitis Stemum sequestrectomy and drainage: Including FOUR weeks after- care	128	3 776.00	120	3 540.00	3	413.58 +T+M
3.1.2.3 0514	Osteotomy Osteotomy: Sternum: Repair of pectus-excavatum	220	0.705.00	004			
0514	Osteotomy: Sternum: Repair of pectus-excavatum	330 330	9 735.00 9 735.00	264 264	7 788.00 7 788.00	3	413.58 +T+M 413.58 +T+M
0516	Osteotomy: Pelvic	320	9 440.00	256	7 552.00	3	413.58 +T+M
0521	Osteotomy: Femoral: Proximal (Modifier 0051 is applicable)	320	9 440.00	256	7 552.00	3	413.58 +T+M
0527	Osteotomy: Knee region (Modifier 0051 is applicable)	320	9 440.00	256	7 552.00	3	413.58 +T+M
0528 0530	Osteotomy: Os Calcis (Dwyer operation) (Modifier 0051 is applicable) Osteotomy: Metacarpal and phalanx: Corrective for mal-union or	115 120	3 392.50 3 540.00	115 120	3 392.50 3 540.00	3	413.58 +T+M 413.58 +T+M
	rotation (Modifier 0051 is applicable)	'	0 040.00	1 120	3 340.00		413.30 +1+101
0531 0532	Rotational osteotomy tibia and fibula - stand alone procedure Rotation osteotomy of the Radius, Ulna or Humerus(modifier 0051 is applicable)	278.9 160	8 227.55 4 720.00	223.12 128	6 582.04 3 776.00	3	413.58 +T+M 413.58 +T+M
0533	Osteotomy single metatarsal (modifier 0051 is applicable)	60	1 770.00	60	1 770.00	3	413.58 +T+M
0534	Multiple metatarsal osteotomies (modifier 0051 is applicable)	150	4 425.00	120	3 540.00	3	413.58 +T+M
3.1.2.4 0535	Exostosis Exostosis: Excision: Readily accessible sites	60	1 770.00	60	1 770.00	3	413.58 +T+M
0537	Exostosis: Excision: Less accessible sites	96	2 832.00	96	2 832.00	3	413.58 +T+M
3.1.2.5 0539	Biopsy Needle Biopsy: Spine (no after-care), Modifier 0005 not applicable	50	1 475.00	50	1 475.00	4	551.44 +T
0541	Needle Biopsy: Other sites (no after-care), Modifier 0005 not applicable	32	944.00	32	944.00	4	551.44 +T
0543	Biopsy: Open (modifier 0005 is not applicable): Readily accessible site	64	1 888.00	64	1 888.00		As per bone/ Soos per been
0545 0547	Biopsy: Open (modifier 0005 is not applicable): Less accessible site Dislocation: Clavicle either end	96 96.5	2 832.00 2 737.71	96 96.5	2 832.00		As per bone/ Soos per been
0547 0549	Dislocation: Shoulder	112.1	3 180.28	96.5 112.1	2 737.71 3 180.28	3	397.68 +T+M 397.68 +T+M
0551	Dislocation: Elbow	133.6	3 941.20	120	3 540.00	3	413.58 +T+M

		Sį	ecialist	General	Practitioner		Anaesthetic
		U	R	U	R	U	RT
3.2.7 0658	Miscellaneous (Joints) Aspiration and/or injection: Small joint, bursa (e.g. fingers, toes)	11.4	336.30	11.4	336.30	3	413.58 +T+M
0659	(excluding aftercare, modifier 0005 not applicable) Aspiration and/or injection: Intermediate joint, bursa (e.g.	12	354.00	12	354.00	3	413.58 +T+M
	temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa) (excluding aftercare, modifier 0005 not applicable)						
0660	Aspiration and/or injection: Major joint, bursa (e.g. shoulder, hip, knee joint, subacromial bursa) (excluding aftercare, modifier 0005 not applicable)	14.6	430.70	14.6	430.70	3	413.58 +T+M
0661	Aspiration of joint or intra-articular injection (not subject to rule G) (Modifier 0005 not applicable)	9	265.50	9	265.50	3	413.58 +T
0668	Manipulation of knee joint under general anaesthesia (includes application of traction or other fixation devices) (excluding aftercare) (modifier 0005 is not applicable)	43.1	1 271.45	43.1	1 271.45	3	413.58 +T
0667	Arthroscopy (excluding after-care), modifiers 0005 and 0013 not applicable	60	1 770.00	60	1 770.00	3	413.58 +T
0669	Manipulation large joint under general anaesthetic (not subject to rule G) (Modifier 0005 not applicable)	14	413.00	14	413.00	3	551.44 Hip+T 413.58 Knee / Should
0673	Menisectomy or operation for other internal derangement of knee: Medial OR lateral	185.7	5 478.15	148.56	4 382.52	3	413.58 +T+M
3.2.8	Joint ligament reconstruction or suture						
0675 0676	Joint ligament reconstruction or suture: Ankle: Collateral Joint ligament reconstruction or suture: Ankle (e.g. Watson-Jones type)	160 191.5	4 720.00 5 649.25	128 153.2	3 776.00 4 519.40	3	413.58 +T+M 413.58 +T+M
0677	Joint ligament reconstruction or suture: Knee: Collateral	196.8	5 805.60	157.44	4 644.48	3	413.58 +T+M
0678	Joint ligament reconstruction or suture: Knee: Cruciate	227.6	6 714.20	182.08	5 371.36	3	413.58 +T+M
0679	Joint ligament reconstruction or suture: Ligament augmentation procedure of knee	324.4	9 569.80	259.52	7 655.84	3	413.58 +T+M
0680	Joint ligament reconstruction or suture: Digital joint ligament	229.8	6 779.10	183.84	5 423.28	3	413.58 +T+M
3.3 3.3.1	Amputations Specific amputations						
0681	Amputation: Humerus, includes primary closure	211.6	6 242.20	169.28	4 993.76	4	551.44 +T+M
0682	Amputation: Fore-quarter amputation	397.8	11 735.10	318.24	9 388.08	9	1240.74 +T+M
0683 0684	Amputation: Through shoulder Amputation: Forearm	323	9 528.50	258.4	7 622.80	5	689.30 +T+M
0686	Amputation: Ankle (eg., Syme, Pirogoff type)	213.5 204.1	6 298.25 6 020.95	170.48 163.28	5 029.16 4 816.76	3	413.58 +T+M 551.44 +T+M
0687	Amputation: Metacarpal: One ray	206.1	6 079.95	164.88	4 863.96	3	413.58 +T+M
0688	Amputation: Foot, midtarsal (Chopart type)	165.7	4 888.15	132	3 894.00	3	413.58 +T+M
0691	Amputation: Finger or thumb	183.9	5 425.05	146.4	4 318.80	3	413.58 +T+M
0692	Scar revision/secondary closure: amputated thigh, through femur, any level	150.7	4 445.65	120.56	3 556.52	3	413.58 +T+M
0693	Hindquarter amputation	470.7	13 885.65	376.56	11 108.52	6	827.16 +T+M
0694	Scar revision/secondary closure: amputated leg, through tibia and fibula, any level	173.9	5 130.05	139.12	4 104.04	3	413.58 +T+M
0695	Amputation: Through hip joint region	373.1	11 006.45	298.48	8 805.16	6	827.16 +T+M
0696	Re-amputation: Thigh, through femur, any level	217.3	6 410.35	173.84	5 128.28	3	413.58 +T+M
0697 0698	Amputation: Through thigh Re-amputation: Leg, through tibia and fibula	245 198.2	7 227.50 5 846.90	196 158.56	5 782.00 4 677.52	6 3	827.16 +T+M
0699	Amputation: Below knee, through knee/Syme	277.2	8 177.40	221.76	6 541.92	5	413.58 +T+M 689.30 +T+M
0701	Amputation: Trans-metatarsal or trans-tarsal	223.8	6 602.10	179.04	5 281.68	3	413.58 +T+M
0705	Amputation: Toe (skin flap included)	167.1	4 929.45	133.68	3 943.56	3	413.58 +T+M
3.3.2	Post-amputation reconstruction						
0706	Post-amputation reconstruction: Skin flap taken from a site remote from the injured finger or in cases of an advanced flap e.g. Cutter	186.3	5 495.85	149.04	4 396.68	3	413.58 +T+M
	Note: If not performed on thumb or index finger it must be motivated						
0707 0711	Post-amputation reconstruction: Krukenberg reconstruction	331.7	9 785.15	265.36	7 828.12	3	413.58 +T+M
	Post-amputation reconstruction: Pollicization of the finger (Prior permission must be obtained from the Commissioner at all times)	455.9	13 449.05	364.72	10 759.24	3	413.58 +T+M
0712	Post-amputation reconstruction: Toe to thumb transfer (Prior permission must be obtained from the Commissioner at all times)	800	23 600.00	640	18 880.00	3	413.58 +T+M
0700 0702	Scar revision/secondary closure: Amputated shoulder Scar revision/secondary closure: Amputated humerus	128.1 163.1	3 778.95 4 811.45	120 130.48	3 540.00 3 849.16	3	413.58 +T 413.58 +T

		Sp	ecialist	General	Practitioner		Anaesthetic
		U	R	U	l R	U	RT
0704	Scar revision/secondary closure: Amputated forearm	184.1	5 430.95	147.28	4 344.76	3	413.58 +T
0708	Re-amputation: Humerus	223.1	6 581.45	178.48	5 265.16	6	827.16 +T+M
0710	Re-amputation: Through forearm	206	6 077.00	164.8	4 861.60	3	413.58 +T+M
3.4	Muscles, tendons and fasclas						
3.4.1 0713	Investigations Electromyography	75	0.040.50	7.5		3	440.50 .7
0714	Electro-myography Electro-myographic neuro-muscular junctional study, including edrophonium respons (cannot to be used with tariff code 2730)	57	2 212.50 1 681.50	75 57	2 212.50 1 681.50	3	413.58 +T 413.58 +T
0715	Strength duration curve per session	10.5	309.75	10.5	309.75	3	413.58 +T
0717	Electrical examination of single nerve or muscle	9	265.50	9	265.50	3	413.58 +T
0721	Voltage integration during isometric contraction	12	354.00	12	354.00	3	413.58 +T
0723	Tonometry with edrophonium	8	236.00	8	236.00	3	413.58 +T
0725	Isometric tension studies with edrophonium	10	295.00	10	295.00	3	413.58 +T
0727	Cranial reflex study (both early and late responses) supra occulofacial, corneofacial or flabellofacial: Unilateral	8	236.00	8	236.00	3	413.58 +T
0728	Cranial reflex study (both early and late responses) supra occulofacial, corneofacial or flabellofacial: Bilateral	14	413.00	14	413.00	3	413.58 +T
729	Tendon reflex time	7	206.50	7	206.50	3	413.58 +T
0730	Limb-brain somatosensory studies (per limb)	49	1 445.50	49	1 445.50	3	413.58 +T
0731	Vision and audiosensory studies	49	1 445.50	49	1 445.50		
0733	Motor nerve conduction studies (single nerve)	26	767.00	26	767.00	١.	
0735	Examinations of sensory nerve conduction by sweep averages (single nerve)	31	914.50	31	914.50	3	413.58 +T
0737	Biopsy for motor nerve terminals and end plates	20	590.00	20	590.00	3	413.58 +T
0739	Combined muscle biopsy with end plates and nerve terminal biopsy	34	1 003.00	34	1 003.00	8	1102.88 +T
0740	Muscle fatigue studies	20	590.00	20	590.00	3	413.58 +T
741	Muscle biopsy	20	590.00	20	590.00	8	1102.88 +T
0742	Global fee for all muscle studies, including histochemical studies	262	7 729.00		l		
4701	Biochemical estimations on muscle biopsy specimens: Creatine kinase	20.25	597.38				
4703	Biochemical estimations on muscle biopsy specimens: Adenylate kinase	33.3	982.35				
4705	Biochemical estimations on muscle biopsy specimens: Pyruvate kinase	5.7	168.15				
4707	Biochemical estimations on muscle biopsy specimens: Lactate dehydrogenase	1.6	47.20				
4709	Biochemical estimations on muscle biopsy specimens: Adenylate deaminase	9.9	292.05				
4711	Biochemical estimations on muscle biopsy specimens: Phosphoglycerate kinase	13.7	404.15				
4713	Biochemical estimations on muscle biopsy specimens: Phosphoglycerate mutase	25.9	764.05				
4715	Biochemical estimations on muscle biopsy specimens: Enolase	32.7	964.65		l		
4717	Biochemical estimations on muscle biopsy specimens: Phosphofructokinase	37.7	1 112.15				
4719	Biochemical estimations on muscle biopsy specimens: Aldolase	15.75	464.63		l		
4721	Biochemical estimations on muscle biopsy specimens: Glyceraldehyde 3 Phosphate Dehydrogenase	11.06	326.27				
4723	Biochemical estimations on muscle biopsy specimens: Phosphorylase	34.7	1 023.65				
4725	Biochemical estimations on muscle biopsy specimens: Phosphoglucomutase	40.3	1 188.85				
4727	Biochemical estimations on muscle biopsy specimens: Phosphohexose Isomerase	28.8	849.60				
3.4.2	Decompression Operations						
5550	Decompression fasciotomy: Buttock compartment(s): Unilateral	243	7 168.50	194.4	5 734.80	5	689.30 +T+M
5551	Decompression fasciotomy: Leg: Anterior and/or lateral and posterior compartment(s). EXCLUDES debridement of nonviable muscle and/or	151.9	4 481.05	121.52	3 584.84	3	413.58 +T+M
5552	nerve Decompression fasciotomy: Leg: Anterior and/or lateral and posterior compartment(s). INCLUDES debridement of nonviable muscle and/or	253.1	7 466.45	202.48	5 973.16	3	413.58 +T+M
5553	Decompression fasclotomy: Leg: Anterior and/or lateral compartment(s) only. EXCLUDES debridement of nonviable muscle	123.7	3 649.15	120	3 540.00	3	413.58 +T+M

		Sp	pecialist	General	Practitioner		Anaesthetic
		U		ļ <u>"</u>		ļ.,.	
5554	Decompression fasciotomy: Leg: Anterior and/or lateral compartment(s) only. INCLUDES debridement of nonviable muscle	162.1	4 781.95	129.68	R 3 825.56	3	R T 413.58 +T+M
5555	and/or nerve Decompression fasciotomy: Leg: Posterior compartment only. EXCLUDES debridement of nonviable muscle and/or nerve	130.8	3 858.60	120	3 540.00	3	413.58 +T+M
5556	Decompression fasciotomy: Leg: Posterior compartment only. INCLUDES debridement of nonviable muscle and/or nerve	171.5	5 059.25	137.2	4 047.40	3	413.58 +T+M
5557	Decompression fasciotomy: Fasciotomy/tenotomy, iliotibial	137.3	4 050.35	120	3 540.00	4	551.44 +T+M
5558	Decompression fasciotomy: Fasciotomy: Foot and/or toe	86.6	2 554.70	86.6	2 554.70	3	413.58 +T+M
5559	Decompression fasciotomy: Forearm and/or wrist: Flexor and extensor compartment. EXCLUDES debridement of nonviable muscle or nerve	226.3	6 675.85	181.04	5 340.68	3	413.58 +T+M
5560	Decompression fasciotomy: Forearm and/or wrist: Flexor and extensor compartment. INCLUDES debridement of nonviable muscle or nerve	354.5	10 457.75	283.6	8 366.20	3	413.58 +T+M
5561	Decompression fasciotomy: Forearm and/or wrist: Flexor or extensor compartment. EXCLUDES debridement of nonviable muscle or nerve	166.8	4 920.60	133.44	3 936.48	3	413.58 +T+M
5562	Decompression fasciotomy: Forearm and/or wrist: Flexor or extensor compartment. INCLUDES debridement of nonviable muscle or nerve	321.1	9 472,45	256.88	7 577.96	3	413.58 +T+M
5563	Decompression fasciotomy: Fingers and/or hand	165.6	4 885.20	132.48	3 908.16	3	413.58 +T+M
3.4.3	Muscle and tendon repair						
0745 0746	Muscle and tendon repair: Biceps humeri Muscle and tendon repair: Removal of calcification in Rotator cuff	109 96	3 215.50 2 832.00	109 96	3 215.50	3	413.58 +T
	The same and the s	"	2 032.00	90	2 832.00	3	413.58 +T+M
0747	Muscle and tendon repair: Rotator cuff	134	3 953.00	120	3 540.00	4	551.44 +T
0748 0749	Muscle and tendon repair: Debridement rotator cuff Muscle and tendon repair: Scapulopexy - stand alone procedure	139.7	4 121.15	120	3 540.00	4	551.44 +T
0755	Muscle and tendon repair: Scapulopexy - stand alone procedure Muscle and tendon repair: Infrapatellar or quadriceps tendon	271.9 128	8 021.05 3 776.00	217.52 120	6 416.84 3 540.00	3	551.44 +T
0757	Muscle and tendon repair: Achilles tendon repair	197.6	5 829.20	158.08	4 663.36	4	413.58 +T 551.44 +T
0759	Muscle and tendon repair: Other single tendon	77	2 271.50	77	2 271.50	3	413.58 +T
0760	Hand: Flexor tendon suture: Primary, zone 1 (each) (modifier 0005 applicable)	220.3	6 498.85	176.24	5 199.08	3	413.58 +T
0761	Hand: Flexor tendon repair: Primary, zone 2 (no mans land) (each) (modifier 0005 applicable)	249.6	7 363.20	199.68	5 890.56	3	413.58 +T
0762	Hand: Flexor tendon suture: Primary, zone 3 and 4 (wrist and forearm) (each) (modifier 0005 applicable)	191.3	5 643.35	153.04	4 514.68	3	413.58 +T
0763	Muscle and tendon repair: Tendon or ligament injection	9	265.50	9	265.50	3	413.58 +T
0764	Hand: Flexor tendon repair: Secondary, zone 1	243.9	7 195.05	195.12	5 756.04	3	413.58 +T
0765	Hand: Flexor tendon repair: Secondary, zone 2 (no mans land)	249.6	7 363.20	199.68	5 890.56	3	413.58 +T
0766	Hand: Flexor tendon repair: Secondary, zone 3 and 4 (wrist and forearm)	190.6	5 622.70	152.48	4 498.16	3	413.58 +T
0768	Repair: Intrinsic muscles of hand (each) (modifier 0005 applicable)	125.3	3 696.35	100.24	2 957.08	3	413.58 +T
0771	Extensor tendon suture: Primary (per tendon, Modifier 0005 not applicable)	129.7	3 826.15	120	3 540.00	3	413.58 +T
0773	Extensor tendon suture: Secondary (per tendon, Modifier 0005 not applicable)	170	5 015.00	136	4 012.00	3	413.58 +T
0774 3.4.4	Repair of Boutonnière deformity or Mallet Finger with graft Tendon graft	216.6	6 389.70	216.6	6 389.70	3	413.58 +T
0775	Free tendon graft	160	4 720.00	128	3 776.00	3	413.58 +T
0776	Reconstruction of pulley for flexor tendon	180.2	5 315.90	144.16	4 252.72	3	413.58 +T
0777	Tendon graft: Finger: Flexor	192	5 664.00	153.6	4 531.20	3	413.58 +T
0779	Tendon graft: Finger: Extensor	122	3 599.00	120	3 540.00	3	413.58 +T
0780 3.4.5	Two stage flexor tendon graft using silastic rod Tenolysis	240	7 080.00	192	5 664.00	3	413.58 +T
3.4.5 0781	Tendon freeing operation, except where specified elsewhere	64	1 888.00	64	1 000 00	,	442 50 . 7
0782	Carpal tunnel syndrome	123	3 628.50	120	1 888.00 3 540.00	3	413.58 +T 413.58 +T
0783	Tenolysis: De Quervain	38	1 121.00	38	1 121.00	3	413.58 +T
0784	Trigger finger	38	1 121.00	38	1 121.00	3	413.58 +T
0785	Flexor tendon freeing operation following free tendon graft or suture	276.1	8 144.95	220.88	6 515.96	3	413.58 +T
0787	Extensor tendon freeing operation following graft or suture in finger, hand or forearm	212.2	6 259.90	170	5 015.00	3	413.58 +T

		Sp	ecialist	General	Practitioner		Anaesthetic	
		U	R	U	R	U	R	Γ
0788	Intrinsic tendon release per finger	64	1 888.00	64	1 888.00	3	413.58	٠T
0789	Central tendon tenotomy for Boutonnière deformity	64	1 888.00	64	1 888.00	3	413.58	+T
3.4.6 0790	Tenodesis Tenodesis: Digital joint (each) (modifier 0005 applicable)	176.2	5 197.90	140.96	4 158.32	3	413.58	+T

			Sp	ecialist	General	Practitioner	Anaesthetic	
			<u> </u>					
		H	U	R	U	R	U	RT
3.4.7	Muscle, tendon and fascla transfer							1
0791	Single tendon transfer	l	96	2 832.00	96	2 832.00	3	413.58 +T
0792 0793	Multiple tendon transfer	l	128	3 776.00	120	3 540.00	3	413.58 +T
0793 0794	Hamstring to quadriceps transfer Pectoralis major or Latissimus dorsi transfer to biceps tendon	l	141 320	4 159.50 9 440.00	120 256	3 540.00 7 552.00	3 5	413.58 +T
0795	Tendon transfer at elbow	l	116	3 422.00	116	3 422.00	3	689.30 +T 413.58 +T
0803	Hand tendons: Single transfer (each) (modifier 0005 applicable)	ł	216.2	6 377.90	172.96	5 102.32	3	413.58 +T
0809	Hand tendons: Substitution for intrinsic paralysis of hand/hand tendon	1	330.6	9 752.70	264.48	7 802.16	3	413.58 +T
0811	(all four fingers) Hand tendons: Opponens tendon transfer (including obtaining of graft)		220.6	6 507.70	176.48	5 206.16	3	413.58 +T
3.4.8	Muscle slide operations and tendon lengthening		i					
0812	Percutaneous Tenotomy: All sites		140.5	4 144.75	120	3 540.00	3	413.58 +T
0813 0815	Torticollis Scalenotomy		96	2 832.00	96	2 832.00	5	689.30 +T
0817	Scalenotomy with excision of first rib		132 190	3 894.00 5 605.00	120 152	3 540.00	5	689.30 +T
0822	Open release elbow (Mitals) - stand alone procedure		278.2	8 206.90	222.56	4 484.00 6 565.52	3	413.58 +T+M 413.58 +T+M
0823	Excision or slide for Volksmann's Contracture		192	5 664.00	153.6	4 531.20	3	413.58 +T
0825	Hip: Open muscle release		116	3 422.00	116	3 422.00	7	965.02 +T
0829	Knee: Quadriceps plasty		160	4 720.00	128	3 776.00	3	413,58 +T
0831	Knee: Open tenotomy		141	4 159.50	120	3 540.00	3	413.58 +T
0835	Calf		96	2 832.00	96	2 832.00	4	551.44 +T
0837	Open Elongation Tendon Achilles		96	2 832.00	96	2 832.00	4	551.44 +T
0838	Percutaneous "Hoke" elongation tendoachilles - stand alone procedure		79.3	2 339.35	79.3	2 339.35	4	551.44 +T
0845	Foot: Plantar fasciotomy		70	2 065.00	70	2 065.00	3	413.58 +T
3.5	Bursae and ganglia	ı						
0847	Excision: Semi-membranosus		90	2 655.00	90	2 655.00	4	551.44 +T
0849	Excision: Prepatellar	ı	45	1 327.50	45	1 327.50	3	413.58 +T
0851	Excision: Olecranon		81.8	2 413.10	81.8	2 413.10	3	413.58 +T
0853	Excision: Small bursa or ganglion		80.9	2 386.55	80.9	2 386.55	3	413.58 +T
0855 0857	Excision: Compound palmar ganglion or synovectomy Bursae and ganglia: Aspiration or injection (not subject to rule G)		128 9	3 776.00	120 9	3 540.00	3	413.58 +T
0037	(Modifier 0005 not applicable)		"	265.50	y	265.50	3	413.58 +T
3.6	Musculo-skeletal system: Miscellaneous							
3.6.1	Musculo-skeletal system: Miscellaneous Leg lengthening							
0861	Leg equalisation, congenital hips and feet: Leg lengthening		416	12 272.00	332.8	9 817.60	3	413.58 +T+M
3.6.2	Musculo-skeletal system: Miscellaneous: Removal of internal fixatives or prosthesis							
0883	Readily accessible		44.4	1 309.80	44.4	1 309.80		As per bone
	,		''''	, 000.00	'"'	. 000.00		specify
0884	Less accessible		127	3 746.50	120	3 540.00		+ M
0885	Removal of prosthesis for infection soon after operation		128	3 776.00	120	3 540.00		As per bone +M
0886	Late removal of infected or not infected total joint replacement		64	1 888.00	64	1 888.00	6	827.16 +T+M
	prosthesis (including six weeks after-care): ADD to the tariff code for total joint replacement of the specific joint		,	. 000.00		1 000.00	Ů	027.10 * 7 * 101
3.6.3	Musculo-skeletal system: Miscellaneous: Removal of foreign bodies							
0644	Removal of foreign body: Shoulder, subcutaneous		49.7	1 466.15	49.7	1 466.15	3	413.58 +T
	Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.		43.7	1 400.13	43.7	1 400.15	,	413.56 +1
0647	Removal of foreign body: Upper arm or elbow area, subcutaneous		41.7	4 000 45	,,	4 000 45	_	440.55
0047	Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.		41.7	1 230.15	41.7	1 230.15	3	413.58 +T
	income: 50-75- 500 t, 5000 and 5000 is not applicable.							
0648	Removal of foreign body: Upper arm or elbow area, subfascial or intramuscular		109	3 215.50	109	3 215.50	3	413.58 +T
	Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.							

		Sr	ecialist	General	Practitioner		Anaesthetic
		Ü	R	U	R	U	RT
0651	Exploration with removal of deep foreign body: Forearm or wrist Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	122.8	3 622.60	120	3 540.00	3	413.58 +T
0652	Removal of foreign body: Pelvis or hip, subcutaneous tissue Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	45.3	1 336.35	45.3	1 336.35	6	827.16 +T
0653	Removal of foreign body: Pelvis or hip, subfascial or intramuscular Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	186.9	5 513.55	149 52	4 410.84	6	827.16 +T
0654	Removal of foreign body: Thigh or knee area, subfascial or intramuscular Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	120.6	3 557.70	120	3 540.00	4	551.44 +T
0655	Removal of foreign body: Foot, subcutaneous Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	40	1 180.00	40	1 180.00	3	413.58 +T
0656	Removal of foreign body: Foot, deep Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	94.2	2 778.90	94.2	2 778.90	3	413.58 +T
0657	Removal of foreign body: Foot, complicated Use tariff code 0473 for removal of Kirshner wires and Steinmann pins post operatively Modifier 0049- 0051, 0055 and 0058 is not applicable.	110.5	3 259.75	110.5	3 259.75	3	413.58 +T
3.7	Plasters (not subject to rule G) Note: The initial application of a plaster cast is included in the scheduled fee Note: The Commissioner will only consider payment i.r.o. splinting material (Scotschcast, Dynacast, etc.) in the following cases (not applicable when Plaster of Paris is used): Where extremity splints are applied for at least five weeks: A maximum of one application for an upper extremity injury A maximum of two applications for a lower extremity injury						
0887	Application of long leg cast (femur to toes, humerus) (excluding aftercare) (first cast included in procedure) Appropriate to use tariff code 0887 as an independent procedure without reduction of fracture under anaesthestic Modifier 0011 is not appropriate if procedure is performed in rooms as an emergency Modifier 0005 does not apply.	29.5	870.25	29.5	870.25	3	413.58 +T
0888	Application of short limb cast (forearm, lower leg) (excluding aftercare) (first cast included in procedure) Modifier 0005 does not apply.	18.4	542.80	18.4	542.80	3	413.58 +T
0889	Application of spica, plaster jacket or hinged cast brace (excluding aftercare) (first cast included in procedure) Modifier 0005 does not apply.	41.4	1 221.30	41.4	1 221.30	4	551.44 +T
0892	Application of cast: Revision (walker, window, bivalve) (excluding aftercare) Modifier 0005 does not apply.	18.9	557.55	18.9	557.55	5	689.30 +T
0971	Halo-splint and POP jacket including two weeks aftercare	116	3 422.00	116	3 422.00		
3.8 3.8.1	Specific areas Foot and ankle						
3.8.1 0900	Excision tarsal coalition - stand alone procedure	141.5	4 174.25	120	3 540.00	3	413.58 +T+M
0901	Tenotomy single tendon	63.3	1 867.35	63.3	1 867.35	3	413.58 +T+M
0903	Hammertoe: one toe	99.5	2 935.25	99.5	2 935.25	3	413.58 +T+M
0905	Fillet of toe or Ruiz-Mora procedure	99.5	2 935.25	99.5	2 935.25	3	413.58 +T+M
0906 0909	Arthrodesis Hallux Excision arthroplasty	148 145.2	4 366.00 4 283.40	120 120	3 540.00	3	413.58 +T+M
	energian androprocy	140.2	4 £03.40	120	3 540.00	J	413.58 +T+M

			Specialist G		General	General Practitioner		Anaesthetic
			U	R	U	R	U	RT
0911	Metatarsal osteotomy or Lapidus or similar or Chevron - stand alone procedure		189.2	5 581.40	151.36	4 465.12	3	413.58 +T+M
5730	Hallux valgus double osteotomy etc		182.6	5 386.70	146.08	4 309.36	3	413.58 +T+M
5731	Distal soft tissue procedure for Hallux Valgus		173.6	5 121.20	138.88	4 096.96	3	413.58 +T+M
5732	Aitkin procedure or similar		166.8	4 920.60	133.44	3 936.48	3	413.58 +T+M
5734	Removal bony prominence foot (bunionette not applicable to COID)		91	2 684.50	91	2 684.50	3	413.58 +T+M
			"		"			410.50 111111
5735	Repair angular deformity toe (lesser toes)	ı	97.2	2 867.40	97.2	2 867.40	3	413.58 +T+M
5736 5737	Sesamoidectomy Repair major foot tendons e.g. Tib Post		97.8	2 885.10	97.8	2 885.10	3	413.58 +T+M
5738	Repair of dislocating peroneal tendons		147.3 173.2	4 345.35	120 138.56	3 540.00	3	413.58 +T
5740			ı	5 109.40		4 087.52	3	413.58 +T
5740 5742	Steindler strip – plantar fascia Tendon transfer foot		97.2 172	2 867.40 5 074.00	97.2 137.6	2 867.40	3	413.58 +T
5742 5743	Capsulotomy metatarsophalangeal joints – foot		86.8	2 560.60	737.6 86.8	4 059.20 2 560.60	3	413.58 +T 413.58 +T
01.40	oupdatediny includes opinion agent joints – rect		00.0	2 300.00	80.8	2 300.00	"	413.30 71
3.8.2	Replantation							ĺ
0912	Replantation of amputated upper limb proximal to wrist joint		730	21 535.00	584	17 228.00	3	413.58 +T+M
0913	Replantation of thumb		670	19 765.00	536	15 812.00	3	413.58 +T+M
0914	Replantation of a single digit (to be motivated), for multiple digits, modifier 0005 applicable		580	17 110.00	464	13 688.00	3	413.58 +T+M
0915	Replantation operation through the palm		1270	37 465.00	1016	29 972.00	3	413.58 +T+M
3.8.3	Hands: (Note: Skin: See Integumentary system)							
0919	Tumours: Epidermiod cysts		35	1 032.50	35	1 032.50	3	397.68 +T+M
0922	Removal of foreign bodies requiring incision: Under local anaesthetic		19	560.50	19	560.50	3	397.68 +T+M
	Barrier Landson Control of the Contr		l					
0923	Removal of foreign bodies requiring incision: Under general or regional anaesthetic		32	944.00	32	944.00	3	397.68 +T+M
0924	Crushed hand injuries: Initial extensive soft tissue toilet under		37	1 091.50	37	1 091.50		
	general anaesthetic (sliding scale)				4-			
			10 110	3 245.00	to 110	3 245.00	3	413.58 +T+M
0925	Crushed hand injuries: Subsequent dressing changes under general anaesthetic		16	472.00	16	472.00	3	413.58 +T+M
0926	Initial treatment of fractures, tendons, nerves, loss of skin and blood		269	7 935.50	215.2	6 348.40	3	413.58 +T+M
	vessels, including removal of dead tissue under general anaesthesia and six weeks after-care							
3.8.4	Spine							
0927	Excision of one vertebral body, for a lesion within the body (no		207	6 106.50	165.6	4 885.20	3	413.58 +T+M
	decompression)		l					
0928	Excision of each additional vertebral segment for a lesion within the body (no decompression)	+	42	1 239.00	42	1 239.00	3	413.58 +T+M
0929	Manipulation of spine under general anaesthetic (no aftercare)		14	413.00	14	413.00	5	689.30 +T+M
	(modifier 0005 is not applicable) Tariff code may not be used with spinal manipulation done in rooms		ĺ					
	because such manipulation is considered part of visit/ consultation							
0930	Posterior osteotomy of spine: One vertebral segment		339	10 000.50	221.2	0.000.40	١, ١	440 50 47.14
0330	Appropriate tariff codes for instrumentation and bone graft may be		339	10 000.50	271.2	8 000.40	3	413.58 +T+M
	added							
0931	Posterior spinal fusion: One level Tariff code 0946 can be added		385	11 357.50	308	9 086.00	3	413.58 +T+M
0932	Posterior osteotomy of spine: Each additional vertebral segment	+	103	3 038.50	103	3 038.50	3	413.58 +T+M
	Appropriate tariff codes for instrumentation and bone graft may be			0 000.00	100	0 000.00		410.00 . 1 .
	added							
	Modifier 0005 does not apply							
	Add to tariff code 0930 Appropriate tariff codes for instrumentation and bone graft may be							
	added							
0033			,,,	0.202.50	262	7 40 - 00	,	440.60
0933	Anterior spinal osteotomy with disc removal: One vertebral segment Tariff code 0936 can be added		315	9 292.50	252	7 434.00	3	413.58 +T+M
	Appropriate tariff codes for instrumentation and bone graft may be					1		
	added							
			I					

			Sp	ecialist	General	Practitioner	Anaesthetic	
ļ			U	l p	U	T 5	,,	i 6 -
0936	Anterior spinal osteotomy with disc removal: Each additional vertebral	+	+103	R 3 038.50	+103	R 3 038.50	3	R T 413.58 +T+M
	segment Modifier 0005 does not apply Appropriate tariff codes for instrumentation and bone graft may be added							
0938 0939	Anterior fusion base of skull to C2 Trans-abdominal anterior exposure of the spine for spinal-fusion only if done by a second surgeon		449 160	13 245.50 4 720.00	359.2 128	10 596.40 3 776.00	3	551.44 +T+M 413.58 +T+M
0940	Transthoracic anterior exposure of the spine if done by a second surgeon		160	4 720.00	128	3 776.00	3	413.58 +T+M
0941	Anterior interbody fusion: One level Tariff code 0942 can be added		360	10 620.00	288	8 496.00	3	413.58 +T+M
0942	Anterior interbody fusion: Each additional level Modifier 0005 does not apply	+	+ 102	3 009.00	+102	3 009.00	3	413.58 +T+M
0943	Laminectomy with decompression of nerve roots and disc removal: One level		240	7 080.00	192	5 664.00	3	413.58 +T+M
0944	Posterior fusion: Occiput to C2		390	11 505.00	312	9 204.00	4	551.44 +T+M
0946	Posterior spinal fusion: Each additional level	+	+111	3 274.50	+111	3 274.50	3	413.58 +T+M
0948	Posterior interbody lumbar fusion: One level Tariff code 0950 can be added		364	10 738.00	291.2	8 590.40	3	413.58 +T+M
0950 0959	Posterior interbody lumbar fusion: Each additional interspace Excision of coccyx	+	+ 95 96	2 802.50 2 832.00	+ 95	2 802.50	3	413.58 +T+M
0960	Posterior non-segmental instrumentation		167	4 926.50	96 133,6	2 832.00 3 941.20	3 5	413.58 +T+M 689.30 +T+M
0961	Costo-transversectomy		198	5 841.00	158.4	4 672.80	3	413.58 +T+M
0962	Posterior segmental instrumentation: 2 to 6 vertebrae		176	5 192.00	140.8	4 153.60	5	689.30 +T+M
0963	Antero-lateral decompression of spinal cord or anterior debridement		326	9 617.00	260.8	7 693.60	3	413.58 +T+M
0964	Posterior segmental instrumentation: 7 to 12 vertebrae Not to use with tariff code 0962 Modifier 0005 not applicable		201	5 929.50	160.8	4 743.60	5	689.30 +T+M
0966	Posterior segmental instrumentation:13 or more vertebrae Not to use with tariff code 0962 and 0964 Modifier 0005 not applicable		245	7 227.50	196	5 782.00	5	689.30 +T+M
0968	Anterior instrumentation: 2 to 3 vertebrae		159	4 690.50	127.2	3 752.40	5	689.30 +T+M
0969	Skull or skull-femoral traction including two weeks after-care		64	1 888.00	64	1 888.00		
0970	Anterior instrumentation: 4 to 7 vertebrae Not to use with tariff code 0968 Modifier 0005 not applicable		185	5 457.50	148	4 366.00	5	689.30 +T+M
0972	Anterior instrumentation: 8 or more vertebrae Not to use with tariff code 0968 and 0970 Modifier 0005 not applicable		206	6 077.00	164.8	4 861.60	5	689.30 +T+M
0974	Additional pelvic fixation of instrumentation other than sacrum Modifier 0005 not applicable		108	3 186.00	108	3 186.00	5	689.30 +T+M
5750	Reinsertion of instrumentation Add appropriate instrumentation codes		276	8 142.00	220.8	6 513.60	6	827.16 +T+M
5751 5752	Removal of posterior non-segmental instrumentation Add instrumentation codes if appropriate Removal of posterior segmental instrumentation		173 175	5 103.50 5 162.50	138.4 140	4 082.80 4 130.00	6	827.16 +T+M 827.16 +T+M
5753	Add instrumentation codes if appropriate Removal of anterior instrumentation		204	6 018.00	163.2	4 814.40	6	827.16 +T+M
5755	Add instrumentation codes if appropriate Laminectomy for spinal stenosis (exclude diskectomy, foraminotomy		295	8 702.50	236	6 962.00	3	413.58 +T+M
5756	and spondylolisthesis): One or two levels Laminectomy with full decompression for spondylolisthesis (Gill procedure)		304	8 968.00	243.2	7 174.40	3	413.58 +T+M
5757	Laminectomy for decompression without foraminotomy or diskectomy more than two levels		321	9 469.50	256.8	7 575.60	3	413.58 +T+M
5758	Laminectomy with decompression of nerve roots and disc removal: Each additional level		63	1 858.50	63	1 858.50	3	413.58 +T+M
5759	Laminectomy for decompression diskectomy etc., revision operation		352	10 384.00	281.6	8 307.20	4	551.44 +T+M
5760	Laminectomy, facetectomy, decompression for lateral recess stenosis plus spinal stenosis: One level		301	8 879.50	240.8	7 103.60	3	413.58 +T+M
5761 5763	Laminectomy, facetectomy, decompression for lateral recess stenosis plus splnal stenosis: Each additional level Anterior disc removal and spinal decompression cervical: One level		68	2 006.00	68	2 006.00	3	413.58 +T+M
0103	Tariff code 5764 can be added		344	10 148.00	275.2	8 118.40	3	413.58 +T+M

additional level 3755 Verhibrid corpectority for spinal decompression: One level 466			Sı	pecialist	General	Practitioner		Anaesthetic
Anterior disc removal and spinal decompression: carvical: Each additional level 461 31747.00 372.8 10 997.00 3 413.58 488			U	l R	U	l R	U	I R T
Vertebund corpoctomy for spinal decompression: Cine level 488 2.886.00 32.286.00 3 2.886.00 3 3 413.58 + 67768 Vertebund Corpoctomy for spinal decompression: Each additional level 2886.00 2886.00 3 2.886.00 3 2.886.00 3 3 413.58 + 67776 2.886.00 3 2.886.00 3 2.886.00 3 3 413.58 + 67776 2.886.00 3 2.886.00 3 3 413.58 + 67776 2.886.00 3 3 413.58 + 67776 2.886.00 3 3 413.58 + 67776 2.886.00 3 3 413.58 + 67776 2 2.886.00 3 3 413.58 + 67776 3 4 3 3 3 3 3 3 3 3	5764							413.58 +T+M
Vertebral corpectory for spinal ecompression: Each additional level Series 2 586.00 88 2 596.00 3 413.89 +	5765		166	12 747 00	272.0	40 007 60	,	442.50 .7.14
not applicable Facial bone procedures		Vertebral corpectomy for spinal decompression: Each additional level						413.58 +T+M
Please note: Modifes 0046 to 0058 are not applicable to section 3.9 of the tariff Repair of orbital floor (blowout fracture) 784.6 746.6 746.70 747.69 4 356.56 4 551.44 76988 36106plasty 768.60 7768.50	5770		71	2 094.50	71	2 094.50		
1988 Geniciplasty	3.9	Please note: Modifers 0046 to 0058 are not applicable to section 3.9				i.		
Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Not to use with traiff code 0899 to 0999 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Not to use with traiff code 0899 to 0990 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Not to use with traiff code 0899 to 0990 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Not to use with traiff code 0899 to 0990 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Not to use with traiff code 0899 to 0991 Open reduction and fixation of central mid-third facial fracture with displacement: Part III Code to 0991 (and the part III of 1992) Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Code 0999 to 0991 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Code 0999 to 0991 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Code 0999 to 0991 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Code 0999 to 0991 Open reduction and fixation of central mid-third facial fracture with displacement: Fracture do 0989 to 0991 and 0994 to 0995 Open reduction and fixation of central mid-third facial fracture with displacement: Fracture do ness and zygoma: Closed reduction by intermaking fixation of central mid-third facial fracture with displacement: Fracture do ness and zygoma: Closed reduction by intermaking fixation of central mid-third facial fracture with displacement: Fracture do ness and zygoma: Closed reduction by intermaking fixation of central mid-third facial fracture with displacement: Fracture of ness in mid-third facial fracture with fixation of central mid-third facial fracture with fixation of central mid-third facial fracture with fixatio			184.6	5 445.70	147.68	4 356.56	4	551.44 +T+M
displacement: Le Fort		1 ' '				1		551.44 +T+M
displacement. Le Fort III	0989		202.2	5 964.90	161.76	4 771.92	4	551.44 +T+M
displacement Le For III	0990	displacement: Le Fort II	302	8 909.00	241.6	7 127.20	4	551.44 +T+M
displacement: Le Fort	0991	displacement: Le Fort III	433	12 773.50	346.4	10 218.80	4	551.44 +T+M
Open reduction and fixation of central mid-third facial fracture with displacement: Palatal Osteotomy April 1998 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort II Osteotomy (leam fee) Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort II Osteotomy (leam fee) Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort II Osteotomy (leam fee) Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Osteotomy (leam fee) Open reduction and fixation of central mid-third facial fracture with displacement: Fracture of maxilial without displacement Open reduction and fixation of central mid-third facial fracture with displacement: Fracture of maxilial without displacement Open reduction and fixation of central mid-third facial fracture with displacement: Fracture of near and 2994 to 0993 Open reduction and fixation of central mid-third facial fracture with displacement: Fracture of near and 2994 to 0993 Open reduction and fixation of central mid-third facial fracture with displacement: Fracture of near of central mid-third facial fracture with displacement: Fracture of near of 2998 to 0991 to 0993 Open reduction and fixation of central mid-third facial fracture with displacement Open facture with office open facture on open factured nose of the facture with office open factur	0992	displacement: Le Fort	970	28 615.00	776	22 892.00	4	551.44 +T+M
displacement: Le Fort II Osteotomy (team fee) Not to use with tariff code 0989 to 0991 on 0995 Open reduction and fixation of central mid-third facial fracture with displacement: Le Fort III Osteotomy (team fee) Not to use with tariff code 0980 to 0991 and 0994 S51.44 + displacement: Le Fort III Osteotomy (team fee) Not to use with diff code 0980 to 0991 and 0994 S51.44 + displacement: Le Fort III Osteotomy (team fee) Not to use with tariff code 0980 to 0991 and 0994 to 0995 Open reduction and fixation of central mid-third facial fracture with displacement: Fractured nose and zygoma: Open reduction and fixation 302	0993	Open reduction and fixation of central mid-third facial fracture with	302	8 909.00	241.6	7 127.20	4	551.44 +T+M
displacement: Le Fort III Osteotomy (team fee) Not to use with tariff code 0989 to 0981 and 0994	0994	displacement: Le Fort II Osteotomy (team fee)	1103	32 538.50	882.4	26 030.80	4	551.44 +T+M
displacement: Fracture of maxilla without displacement Not to use with tariff code 0989 to 0991 and 0994 to 0995	0995	displacement: Le Fort III Osteotomy (team fee)	1654	48 793.00	1323.2	39 034.40	4	551.44 +T+M
Mandible: Fractured nose and zygoma: Closed reduction by intermaxillary fixation 184 5 428.00 147.2 4 342.40 3 413.58 +	0996	displacement: Fracture of maxilla without displacement				!		
maxillary fixation Not to use with tariff code 0997	0997	Mandible: Fractured nose and zygoma: Open reduction and fixation	302	8 909.00	241.6	7 127.20	3	413.58 +T+M
1001 Temporo-mandibular joint: Reconstruction for dysfunction 206 6 077.00 164.8 4 861.60 4 551.44 + 1003 Manipulation: Immobilisation and follow-up of fractured nose 35 1 032.50 35 1 032.50 3 413.58 + 1005 Nasal fracture without manipulation 1006 Fracture: Nose and septum, open reduction 177.4 5 233.30 141.92 4 186.64 5 689.30 + 1007 Mandibulectomy 320 9 440.00 256 7 552.00 5 689.30 + 1009 Maxillectomy 322.5 11 283.75 306 9 027.00 4 551.44 + 1012 Adjustment of occlusion by ramisection 1013 Fracture of arch of zygoma without displacement 1015 Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks) 1017 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 262 7 729.00 209.6 6 183.20 3 413.58 + 1018 Flexible nasopharyngolaryngoscope examination 51.94 1 532.23 1019 ENT endoscopy in rooms with rigid endoscope 12 354.00 103.50 35 1 032.50 3 413.58 41	0999	maxillary fixation	184	5 428.00	147.2	4 342.40	3	413.58 +T+M
1003 Manipulation: Immobilisation and follow-up of fractured nose 1006 Nasal fracture without manipulation 1006 Fracture: Nose and septum, open reduction 1007 Mandibulectomy 1009 Maxillectomy 1009 Maxillectomy 1011 Bone graft to mandible 1012 Adjustment of occlusion by ramisection 1013 Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks) 1017 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 1018 Flexible nasopharyngolaryngoscope examination 1019 ENT endoscopy in rooms with rigid endoscope 1019 Interest and septum open reduction and septum on the part of the septiment of the sept							5	689.30 +T+M
1005 Nasal fracture without manipulation 1006 Fracture: Nose and septum, open reduction Modifier 0049 to 0051 and 0053 do not apply 1007 Mandibulectomy 1009 Maxillectomy 1011 Bone graft to mandible 1012 Adjustment of occlusion by ramisection 1013 Fracture of arch of zygoma with displacement 1015 Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks) 1017 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 1018 Flexible nasopharyngolaryngoscope examination 1019 ENT endoscopy in rooms with rigid endoscope 1019 Interest and septum, open reduction 1017 Fracture without manipulation 1017 Interest without manipulation and septum, open reduction 1018 Flexible nasopharyngolaryngoscope examination 1019 ENT endoscopy in rooms with rigid endoscope 1017 Interest without manipulation in the manipulation in								551.44 +T+M
1006 Fracture: Nose and septum, open reduction Modifier 0049 to 0051 and 0053 do not apply 320 9 440.00 256 7 552.00 5 689.30 + 1009 Maxillectomy 362.5 11 283.75 306 9 027.00 4 551.44 + 1012 Adjustment of occlusion by ramisection 227 6 696.50 181.6 5 357.20 4 530.24 + 1013 Fracture of arch of zygoma without displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks) 1017 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 262 7 729.00 209.6 6 183.20 3 413.58 + 1018 Flexible nasopharyngolaryngoscope examination 51.94 1 532.23 1019 ENT endoscopy in rooms with rigid endoscope 12 354.00 120 354.00 120 14 15 15 14 15 15 15 15			35	1 032.50	35	1 032.50	3	413.58 +T+M
1009 Maxillectomy Modifier 0005 does not apply 382.5 11 283.75 306 9 027.00 4 551.44 +		Fracture: Nose and septum, open reduction	177.4	5 233.30	141.92	4 186.64	5	689.30 +T+M
Modifier 0005 does not apply		1			T .		5	689.30 +T+M
1011 Bone graft to mandible 206 6 077.00 164.8 4 861.60 4 551.44 + 1012 Adjustment of occlusion by ramisection 1013 Fracture of arch of zygoma without displacement 1015 Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks) 131 3 864.50 120 3 540.00 3 413.58 + 1017 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 262 7 729.00 209.6 6 183.20 3 413.58 + 1018 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 262 7 729.00 209.6 6 183.20 3 413.58 + 1018 1019	1009	Maxillectomy Madifier 0005 does not apply	382.5	11 283.75	306	9 027.00	4	551.44 +T+M
Adjustment of occlusion by ramisection Fracture of arch of zygoma without displacement Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks) 1017 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 4. RESPIRATORY SYSTEM 4.1 Nose and sinuses 1018 Flexible nasopharyngolaryngoscope examination ENT endoscopy in rooms with rigid endoscope 127 6 696.50 181.6 5 357.20 4 530.24 + 13.58 + 120 3 540.00 3 413.58 + 120 3 540.00 3 413.58 + 120 4 1532.23 1019 ENT endoscopy in rooms with rigid endoscope	1011		206	6.077.00	164 B	4 861 60		551.44 +T+M
Fracture of arch of zygoma without displacement Fracture of arch of zygoma with displacement requiring operative manipulation but not including associated fractures; recent fractures (within four weeks) 1017 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 4. RESPIRATORY SYSTEM 4.1 Nose and sinuses 1018 Flexible nasopharyngolaryngoscope examination Flexible nasopharyngolaryngoscope examination ENT endoscopy in rooms with rigid endoscope 131 3 864.50 120 3 540.00 3 413.58 + 131.						1		530.24 +T+M
manipulation but not including associated fractures; recent fractures (within four weeks) 1017 Fracture of arch of zygomawith displacement requiring operative manipulation (not including associated fractures) (after four weeks) 4. RESPIRATORY SYSTEM 4.1 Nose and sinuses 1018 Flexible nasopharyngolaryngoscope examination 51.94 1 532.23 1019 ENT endoscopy in rooms with rigid endoscope 12 354.00					<u></u> . i			
manipulation (not including associated fractures) (after four weeks) 4. RESPIRATORY SYSTEM 4.1 Nose and sinuses 1018 Flexible nasopharyngolaryngoscope examination 51.94 1 532.23 1019 ENT endoscopy in rooms with rigid endoscope 12 354.00	TU15	manipulation but not including associated fractures; recent fractures	131	3 864.50	120	3 540.00	3	413.58 +T+M
4.1 Nose and sinuses 1018 Flexible nasopharyngolaryngoscope examination 51.94 1 532.23 1019 ENT endoscopy in rooms with rigid endoscope 12 354.00	1017		262	7 729.00	209.6	6 183.20	3	413.58 +T+M
1018 Flexible nasopharyngolaryngoscope examination 51.94 1 532.23 1019 ENT endoscopy in rooms with rigid endoscope 12 354.00	4.	RESPIRATORY SYSTEM						
1019 ENT endoscopy in rooms with rigid endoscope 12 354.00		1						
1020 Repair of perforated septum: Any method 141.9 4 186.05 120 3 540.00 4 551.44 +					120	2 540 00		551.44 +T

		Specialist G		General	General Practitioner		Anaesthetic		
		U	Ř	U	R	U	R T		
022	Functional reconstruction of nasal septum	121.2	3 575.40	120	3 540.00	4	551.44 +T		
	Procedures of the septum including correction of caudal septal deflection is included. Tariff code 1087 may apply if a tip deformity and valve obstruction is								
	present	1							
023	Harvesting of graft: Cartilage graft of nasal septum May not be used with tariff code 1034	124.8	3 681.60	120	3 540.00	5	689.30 +T		
024	Insertion of silastic obturator into nasal septum perforation (excluding material)	30	885.00	30	885.00	4	551.44 +T		
025	Intranasal antrostomy (modifier 0005 to apply to opposite side of nose)	64.6	1 905.70	64.6	1 905.70	4	551.44 +T		
027	Dacrocystorhinostomy	210	6 195.00	168	4 956.00	5	689.30 +T		
029	Turbinectomy (modifier 0005 to apply to opposite side of nose)	62.6	1 846.70	62.6	1 846.70	4	551.44 +T		
030	Endoscopic turbinectomy: laser or microdebrider	90	2 655.00	90	2 655.00	5	689.30 +T		
034 035	Autogenous nasal bone transplant: Bone removal included	100 140	2 950.00	100	2 950.00	4	551.44 +T		
036	Unilateral functional endoscopic sinus surgery (unilateral) Bilateral functional endoscopic sinus surgery May not be used with tariff code 1035	245	4 130.00 7 227.50	120 196	3 540.00 5 782.00	4 4	551.44 +T 551.44 +T		
037	Diathermy to nose or pharynx exclusive of consultation fee, uni- or bilateral: Under local anaesthetic	8	236.00	8	236.00				
039	Diathermy to nose or pharynx exclusive of consultation fee, uni- or bilateral: Under general anaesthetic May not be used with tariff code 1037	35	1 032.50	35	1 032.50	4	551.44 +T		
041	Control severe epistaxis requiring hospitalisation: Anterior plugging (unilateral)	40	1 180.00	40	1 180.00	6	827.16 +T		
042	Repair of CSF leak: Sphenoid region, transnasal endoscopic approach (modifier 0069 is not applicable)	365.5	10 782.25	292.4	8 625.80	5	689.30 +T+A		
043	Control severe epistaxis requiring hospitalisation: Anterior and posterior plugging (unilateral)	60	1 770.00	60	1 770.00	6	827.16 +T		
045	Ligation anterior ethmoidal artery	135.4	3 994.30	120	3 540.00	6	827.16 +T		
047	Cladwell-Luc operation (unilateral)	137.3	4 050.35	120	3 540.00	4	551.44 +T		
049	Ligation internal maxillary artery	196	5 782.00	156.8	4 625.60	6	827.16 +T		
050 054	Vidian neurectomy (transantral or transnasal) Antroscopy through the canine fossa (modifier 0005 to apply to opposite side of nose)	113 37.3	3 333.50 1 100.35	113	3 333.50	4 -	551.44 +T		
055	External frontal ethmoidectomy	190.7	5 625.65	152,56	4 500.52	4	551.44 +T		
057	External ethmoidectomy and/or sphenoidectomy (unilateral)	199_4	5 882.30	159.52	4 705.84	4	551.44 +T		
059	Craniectomy: For osteomyelitis (total procedure)	341.6	10 077.20	273.28	8 061.76	4	551.44 +T		
061	Lateral rhinotomy	164	4 838.00	131.2	3 870.40	4	551.44 +T		
063	Removal of foreign bodies from nose at rooms	10	295.00	10	295.00				
065	Removal of foreign body from nose under general anaesthetic	38.6	1 138.70	38.6	1 138.70	4	551.44 +T		
067	Proof puncture, unilateral at rooms	10	295.00	10	295.00	4	551.44 +T		
069	Proof puncture, uni- or bilateral under general anaesthetic	35	1 032.50	35	1 032.50	4	551.44 +T		
075 077	Multiple intranasal procedures: Not to exceed (see Modifier 0068) Septum abscess, at room, including after-care	194 8	5 723.00 236.00	155.2 8	4 578.40 236.00	4	551.44 +T		
079	Septum abscess, under general anaesthetic	35	1 032.50	35	1 032.50	4	551.44 +T		
081	Oro-antral fistula (without Caldwell-Luc)	111.8	3 298.10	111.8	3 298.10	4	551.44 +T		
083	Choanal atresia: Intranasal approach	113	3 333.50	113	3 333.50	5	689.30 +T		
084	Choanal atresia: Transpalatal approach	194	5 723.00	155.2	4 578.40	7	965.02 +T		
085	Total reconstruction of the nose: Including reconstruction of nasal septum (septumplasty) nasal pyramid (osteotomy) and nasal tip	350	10 325.00	280	8 260.00	5	689.30 +T		
087	Subtotal reconstruction consisting of any two of the following: Septumplasty, osteotomy, nasal tip reconstruction	210	6 195.00	168	4 956.00	5	689.30 +T		
089 091	Forehead rhinoplasty (all stages): Total Forehead rhinoplasty (all stages): Partial	552 414	16 284.00 12 213.00	441.6 331.2	13 027.20 9 770.40	5 5	689.30 +T 689.30 +T		
1.3	Larynx								
117	Laryngeal intubation	10	295.00	10	295.00	,			
118	Laryngeal stroboscopy with video capture	39	1 150.50	39	1 150.50	6	827.16 +T		
1119	Laryngectomy without block dissection of the neck May not be used with tariff code 1471	430	12 685.00	344	10 148.00	7	965.02 +T		

		Sp	Specialist G		Practitioner	Anaesthetic		
		U	R	U	l R	U	RT	
1120	Intubation, endotracheal, emergency procedure Applicable to only situations where intubation does not form part of anaethesia a) Routine intubation during anaesthesia b) A second intubation during anaesthesia c) Intubation during resuscitation d) Difficult intubation	34	1 003.00	34	1 003.00			
4904	Laryngectomy: Total, with radical neck dissection May not be used with tariff code 1471	508.7	15 006.65	406.96	12 005.32	7	965.02 +T	
4905	Laryngectomy: Subtotal, supraglottic without radical neck dissection May not be used with tariff code 1471	434.8	12 826.60	347.84	10 261.28	7	965.02 +T	
4906	Laryngectomy: Subtotal, supraglottic with radical neck dissection May not be used with tariff code 1471	563.2	16 614.40	450.56	13 291.52	7	965.02 +T	
4907	Laryngectomy: Hemilaryngectomy, horizontal May not be used with tariff code 1471	429.7	12 676.15	343.76	10 140.92	7	965.02 +T	
4908	Laryngectomy: Hemilaryngectomy, laterovertical May not be used with tariff code 1471	391	11 534.50	312.8	9 227.60	7	965.02 +T	
4909 4910	Laryngectomy: Hemilaryngectomy, anterovertical Laryngectomy: Hemilaryngectomy, antero-lateral-vertical May not be used with tariff codes 1471	405.1 414.2	11 950.45 12 218.90	324.08 331.36	9 560.36 9 775.12	7	965.02 +T 965.02 +T	
1126 4913	Post laryngectomy for voice restoration Pharyngolaryngectomy: With radical neck dissection, without reconstruction May not be used with tariff code 1471	139.5 571.1	4 115.25 16 847.45	120 456.88	3 540.00 13 477.96	9 7	1240.74 +T 965.02 +T	
4914	Pharyngolaryngectomy: With radical neck dissection, with reconstruction May not be used with tariff code 1471	667.5	19 691.25	534	15 753.00	7	965.02 +T	
4917	Laryngoplasty: Laryngeal stenosis, with graft or core mold, including tracheotomy	427.6	12 614.20	342.08	10 091.36	9	1240.74 +T	
4918	Laryngoplasty: Open reduction of fracture	367.2	10 832.40	293.76	8 665.92	8	1102.88 +T	
4919	Laryngoplasty: Cricoid split	230.3	6 793.85	184.24	5 435.08	8	1102.88 +T	
1127 4922	Tracheostomy	90	2 655.00	90	2 655.00	9	1240.74 +T	
4923	Tracheostoma: Revision, without flap rotation, simple Tracheostoma: Revision, with flap rotation, complex May not be used with tariff code 4922	102.4 167.3	3 020.80 4 935.35	102.4 133.84	3 020.80 3 948.28	9	1240.74 +T 1240.74 +T	
4926	Tracheostomy: Fenestration with skin flaps	180.4	5 321.80	144.32	4 257.44	9	1240.74 +T	
4927	Tracheostomy: Revision of scar Not applicable for cosmetic indications	104.5	3 082.75	104.5	3 082.75	9	1240.74 +T	
4928 4929	Tracheostomy/fistula: Closure, without plastic repair Tracheostomy/fistula: Closure, with plastic repair May not be used with tariff code 4928	104 149.8	3 068.00 4 419.10	104 120	3 068.00 3 540.00	9	1240.74 +T 1240.74 +T	
4932	Tracheobronchoscopy: Through established tracheostomy incision May not be used with tariff code 1132	37.7	1 112.15	37.7	1 112.15	6	827.16 +T	
4933	Tracheoplasty: Cervical	260.1	7 672.95	208.08	6 138.36	8	1102.88 +T	
4934	Tracheoplasty: Tracheopharyngeal fistulisation, per stage	329	9 705.50	263.2	7 764.40	8	1102.88 +T	
1129	External laryngeal operation, e.g. laryngeal stenosis, laryngocele, abductor, paralysis, laryngofissure	294.4	8 684.80	235.52	6 947.84	8	1102.88 +T	
1130	Direct laryngoscopy: Diagnostic laryngoscopy including biopsy (also to be applied when a flexible fibre-optic laryngoscope was used)	41.4	1 221.30	41.4	1 221.30	6	827.16 +T	
1131	Direct laryngoscopy plus foreign body removal	64.6	1 905.70	64.6	1 905.70	6	827.16 +T	
4.4	Bronchial procedure							
1132	Bronchoscopy: Diagnostic bronchoscopy without removal of foreign object	65	1 917.50	65	1 917.50	6	827.16 +T	
1133	Bronchoscopy: Diagnostic bronchoscopy with removal of foreign body May not be used with tariff code 1132	80	2 360.00	80	2 360.00	8	1102.88 +T	
1134	Bronchoscopy: Bronchoscopy with laser May not be used with tariff code 1132 and 4932	75	2 212.50			8	1102.88 +T	
1136	Nebulisation (in rooms)	12	354.00	12	354.00		Fees as for	
1137 1138	Bronchial lavage Thoracotomy: for bronchopleural fistula (including ruptured bronchus, any cause)	 350	10 325.00	 280	8 260.00	8 12	1102.88 +T 1654.32 +T	
4.5	Pleura							

		Sp	ecialist	General	Practitioner	Anaesthetic		
4400	Discord and the second state of the second sta	U	R	U	R	U	R T	
1139	Pleural needle biopsy (not including aftercare): modifier 0005 not applicable	50	1 475.00	50	1 475.00	3	413.58 +T	
1141	Insertion of intercostal catheter (under water drainage) May not be used with tariff code 1179 or any procedures done via thoracotomy	50	1 475.00	50	1 475.00	6	827.16 +T	
1142	Intra-pleural block	36	1 021.32	36	1 021.32	3	397.68 +T	
1143	Paracentesis chest: Diagnostic	8	236.00	8	236.00	3	413.58 +T	
1145	Paracentesis chest: Therapeutic May not be used with tariff code 1143	13	383.50	13	383.50	3	413.58 +T	
1147	Pneumothorax: Induction (diagnostic)	25	737.50	25	737.50			
1149	Pleurectomy	250	7 375.00	200	5 900.00	11	1516.46 +T	
1151	Decortication of lung	350	10 325.00	280	8 260.00	11	1516.46 +T	
1153	Chemical pleurodesis (instillation silver nitrate, tetracycline, talc, etc)	55	1 622.50	55	1 622.50	3	413.58 +T	
4.6	Pulmonary procedures							
4.6.1 1155	Surgical Needle biopsy lung (not including after-care): modifier 0005 not lapplicable	32	944.00	32	944.00	5	689.30 +T	
1157	Pheumonectomy	350	10 325.00	280	8 260.00	11	1516.46 +T	
1159	Pulmonary lobectomy	389.5	11 490.25	311.6	9 192.20	11	1516.46 +T	
1161	Segmental lobectomy	365	10 767.50	292	8 614.00	11	1516.46 +T	
1163	Excision tracheal stenosis: Cervical	375	11 062.50	300	8 850.00	8	1102.88 +T	
1164	Excision tracheal stenosis: Intra-thoracic May not be used with tariff code 1163	350	10 325.00	280	8 260.00	12	1654.32 +T	
1167	Thoracoplasty associated with lung resection or done by the same surgeon within FOUR weeks	215	6 342.50	172	5 074.00	12	1654.32 +T	
1168	Thoracoplasty: Complete May not be used with tariff code 1167 and 1169	250	7 375.00	200	5 900.00	11	1516.46 +T	
1169	Thoracoplasty: Limited (osteoplastic) May not be used with tariff code 1167	200	5 900.00	160	4 720.00	11	1516.46 +T	
1171	Drainage empyema (including six weeks after-treatment)	170	5 015.00	136	4 012.00	11	1516.46 +T	
1173	Drainage of lung abscess (including six weeks after-treatment)	170	5 015.00	136	4 012.00	11	1516.46 +T	
1175	Thoracotomy (limited): Limited For lung or pleural blopsy	115	3 392.50	115	3 392.50	11	1516.46 +T	
1177	Thoracotomy: Major: Diagnostic	215	6 342.50	172	5 074.00	11	1516.46 +T	
1179	Thoracoscopy	89	2 625.50	89	2 625.50	11	1516.46 +T	
4.6.2	Pulmonary function tests		1		1			
1186	Flow volume test: Inspiration/expiration May not be used with tariff codes 1189 and 1192	30	885.00	30	885.00		Fees as for specialist	
1188	Flow volume test: Inspiration/expiration pre- and post-bronchodilator (to be charged for only with first consultation -thereafter tariff code 1186 applies)	50	1 475.00	50	1 475.00		Fees as for specialist	
1189	Forced expirogram only	10	295.00	10	295.00			
1191	N2 single breath distribution	10	295.00	10	295.00		i	
1192	Peak expiratory flow only	5	147.50	5	147.50			
1197	Compliance and resistance, using oesophageal balloon	24	708.00	24	708.00		Fees as for specialist	
1198	Prolonged postexposure evaluation of bronchospasm with multiple spirometric determinations after antigen, cold air, methacholine or other chemical agent or after excercise, with subsequent spirometry	55.89	1 648.76	55.89	1 648.76		apecianst	
1199	Pulmonary stress testing: For determination of VO2 max	96.5	2 846.75	96.5	2 846.75			
1201	Maximum inspiratory/expiratory pressure	5	147.50	5	147.50		Fees as for specialist	

			Sp	ecialist	General	Practitioner		Anaesthetic
			U	R	U	R	Ü	l R T
			Pulmonologists and Practitioners accredited to SATS		ecialists and	-	Anaesthetic	
		-	U	l Ř	U	R	U	RT
1193	Functional residual capacity or residual volume: helium method, nitrogen open circuit method, or other method		37.76	1 113.92			٦	
1195 1196	Thoracic gas volume Determination of resistance to airflow, oscillatory or plethysmographic methods		37.93 45.31	1 118.94 1 336.65				
1200	Carbon monoxide diffusing capacity, any method		38.06	1 122.77				
			Sp	eclalist	General	practitioner		Anaesthetic
4.7	Intensive care (in intensive care or high care unit): Respiratory, cardiac, general Tariff tariff codes for intensive care		U/E	R	U/E	R	U/E	R T/M
	Category 1: Cases requiring intensive monitoring (to include cases where physiological instability is anticipated, e.g. diabetic pre-coma, asthma, gastro-intestinal haemorrhage, etc). Please note that tariff code 1204 may not be charged by the responsible surgeon for monitoring a patient post-operatively in ICU or in the high-care unit since post-operative monitoring is included in the fee for the procedure							
1204	Category 1: Per day		30	885.00	30	885.00		Fees as for specialist
	Category 2 Cases requiring active system support (where active specialised intervention is required in cases such as acute myocardial infarction; diabetic coma, head injury, severe asthma, acute pancreatius, eclampsia, flail chest, etc.) Ventilation may or may not be part of the active system support					:		
1205	Category 2: First day		100	2 950.00	100	2 950.00		Fees as for specialist
1206	Category 2: Subsequent days, per day		50	1 475.00	50	1 475.00		Fees as for specialist
1207	Category 2: After two weeks, per day		30	885.00	30	885.00		Fees as for specialist
	Category 3: Cases with multiple organ failure or Category 2 patients that may require multidisciplinary intervention							
1208	Category 3: First day (principal practitioner)		137	4 041.50	120	3 540.00		Fees as for specialist
1209	Category 3: First day (per involved practitioner)		58	1 711.00	58	1 711.00		Fees as for
1210	Category 3:Subsequent days (per involved practitioner)		50	1 475.00	50	1 475.00		specialist Fees as for specialist
1211	Cardio-respiratory resuscitation: Prolonged attendance in cases of emergency (not necessarily in ICU) 50,00 clinical procedure units per half hour or part thereof for the first hour per practitioner, thereafter 25,00 clinical procedure units per half hour up to a maximum of 150,00 clinical procedure units per practitioner. Resuscitation fee includes all necessary additional procedures e.g. infusion, intubation, etc.							
			:					

		Sp	ecialist	General	Practitioner		Anaesthetic
		50	R 1 475.00	50	R 1 475.00	U	R T Fees as for
			1 470.00	"	1 47 5.00		specialist
		25	737.50	25	737.50		
	1	150	4 425.00	150	4 425.00		
1212	Ventilation: First day	75	2 212.50	75	2 212.50		Fees as for
1213	Ventilation: Subsequent days	50	1 475.00	50	1 475.00		specialist Fees as for
1214	Ventilation: After two weeks, per day	25	737.50	25	737.50		specialist Fees as for
1215	Insertion of arterial pressure cannula	25	737.50	25	737.50		specialist Fees as for
1216	Insertion of Swan Ganz catheter for haemodynamics monitoring	50	1 475.00	50	1 475.00		specialist Fees as for
1217	Insertion of central venous line via peripheral vein	10	295.00	10	295.00		Fees as for specialist
1218	Insertion of central venous line via subclavian or jugular veins Appropriate for insertion or placement of a Quinton line or haemodialysis catheter Not to use with tariff code 3569	25	737.50	25	737.50		Fees as for specialist
1219	Hyperalimentation (daily fee)	15	442.50	15	442.50		Fees as for
1220	Patient-controlled analgesic pump: Hire fee: Per 24 hours (Cassette to be charged for according to tariff code 0201 per patient)	30	885.00	30	885.00		specialist Fees as for special st
1221	Professional fee for managing a patient-controlled analgesic pump: First 24 hours (for subsequent days charge appropriate hospital follow- up consultation)	30	885.00	30	885.00		Fees as for special st
4.8 4804	Hyperbaric Oxygen Treatment Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): Low pressure table (1,5-1,8 ATA x 45-60 mln) PROFESSIONAL COMPONENT	30	885.00	30	885.00		
4820	Low pressure table (1,5-1,8 ATA x 45-60 min): TECHNICAL COMPONENT	101.13	2 983.34	101.13	2 983.34		
4805	Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): Routine HBO table (2-2.5 ATA x 90-120 min) PROFESSIONAL COMPONENT	60	1 770.00	60	1 770.00	:	
4821	Routine HBO table (2-2,5 ATA x 90-120 min): TECHNICAL COMPONENT	131.26	3 872.17	131.26	3 872.17		
4806	Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (Includes pre-hyperbaric assessment monitoring during treatment and post treatment evaluation): Emergency HBO table (2.5-3 ATA x 90-120 min) PROFESSIONAL COMPONENT	80	2 360.00	80	2 360.00		
4822	Emergency HBO table (2,5-3 ATA x 90-120 min): TECHNICAL COMPONENT	131.26	3 872.17	131.26	3 872.17		
4809	Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): USN TT5 (2.8 ATA x 135 min) PROFESSIONAL COMP	90	2 655.00	90	2 655.00		
4825	USN TT5 (2,8 ATA x 135 min): TECHNICAL COMPONENT	214.18	6 318.31	214.18	6 318.31		
4810	Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): USN TT6 (2.8 ATA x 285 min) PROFESSIONAL COMP	190	5 605.00	190	5 605.00		
4826 4811	USN TT6 (2,8 ATA x 285 min): TECHNICAL COMPONENT Monitoring of a patient at the hyperbaric chamber during hyperbaric treatment (includes pre-hyperbaric assessment, monitoring during treatment and post treatment evaluation): USN TT6ext/6A or Cx 30 (2.8-6 ATA x 305-490 min) PROFESSIONAL COMPONENT	386.42 327	11 399.39 9 646.50	386.42 327	11 399.39 9 646.50		
4827	USN TT6ext (2,8-6 ATA x 305-490 min): TECHNICAL COMPONENT	680.85	20 085.08	680.85	20 085.08		
4828	USN 6A (2,8-6 ATA x 305-490 min): TECHNICAL COMPONENT	678.28	20 009.26	678.28	20 009.26		

		S	pecialist	General	Practitioner		Anaesthetic
4829	USN Cx 30 (2,8-6 ATA x 305-490 min): TECHNICAL COMPONENT	U 671.85	R 19 819.58	U 671.85	R 19 819.58	U	RT
4815	Prolonged attendance inside a hyperbaric chamber: 40 clinical procedure units per half hour or part thereof for the first hour. Thereafter 20 clinical procedure units per half hour; minimum 40 clinical procedure units; maximum 320 clinical procedure units (Please indicate time in minutes and not per half hour)						
5.	MEDIASTINAL PROCEDURES						
1223 1224	Mediastinoscopy Mediastinotomy	95 115	2 802.50 3 392.50	95 115	2 802.50 3 392.50	5 11	689.30 +T 1516.46 +T
6.	CARDIOVASCULAR SYSTEM						
6.1	General General practitioner's fee for the taking of an ECG only Where an ECG is done by a general practitioner and interpreted by a physician, the general practitioner is entitled to his full consultation fee, plus half of fee determined for ECG						
1228	General Practitioner's fee for the taking of an ECG only: Without effort: (1232)			4.5	132.75		
1229	General Practitioner's fee for the taking of an ECG only: Without and with effort: 1/2 (tariff code 1233) Note: tariff codes 1228 and 1229 deal only with the fees for taking of the ECG, the consultation fee must still be added			6.5	191.75		
	Physician's fee for interpreting an ECG A specialist physician is entitled to the following fees for interpretation of an ECG tracing referred for interpretation						
1230	Professional component for a physician interpreting an ECG: Without effort	6	177.00				
1231	Physician's fee for interpreting an ECG: With and without effort	10	295.00				
1232 1233	Electrocardiogram: Without effort (interpretation included) Electrocardiogram: With and without effort (interpretation included)	13	265.50 383.50	9 13	265.50 383.50		
1234	Effort electrocardiogram with the aid of a special bicycle ergometer, monitoring apparatus and the availability of associated apparatus (Interpretation included)	40	1 180.00	40	1 180.00		
1235	Multi-stage treadmill	60	1 770.00	60	1 770.00		
1241	X-ray screening (Chest)	4	118.00	4	118.00		
1245	Angiography cerebral: First two series (Replaces tariff code 2725 and 2729)	34.3	1 011.85	34.3	1 011.85	4	551.44 +T
1246 1248	Angiography peripheral: Per limb Paracentesis of pericardium	25 50	737.50 1 475.00	25 50	737.50 1 475.00	4 9	551.44 +T 1240.74 +T
6.3 1311	Cardlac surgery Pericardial drainage	140	4 130.00	120	3 540.00	13	1792.18 +T
6.3.1 1322	Open heart surgery Attendance at other operations for monitoring at bedside, by physician heart block, etc: Per hour	20	567.40		:		
6.4	Peripheral vascular system						
6.4.1	Peripheral vascular system: Investigations						
1357	Skin temperature test: Response to reflex heating	15	442.50	15	442.50		
1359	Skin temperature test: Response to reflex cooling	15	442.50	15	442.50		
1366 1367	Transcutaneous oximetry: Transcutaneous oximetry - single site Doppler blood tests	26.3 6	775.85 177.00	26.3 6	775.85 177.00		
5369	Doppler arterial pressures	6	177.00	6	177.00		
5371	Doppler arterial pressures with exercise	10	295.00	10	295.00		
5373	Doppler segmental pressures and wave forms	12	354.00	12	354.00		
5375 1376	Venous doppler examination (both limbs)	9 594	265.50	9	265.50		
1910	Aorta bi-femoral graft, including proximal and distal endarterectomy and preparation for anastomosis	594	17 523.00	475.2	14 018.40		
6.4.2	Peripheral vascular system: Arterio-venous-abnormalities						
1369	Fistula or aneurysm (as for grafting of various arteries)						

		Sı	pecialist	General	Practitioner	Anaesthetic	
		U	R	U	R	U	RT
 i.4.3	Arteries		<u> </u>				
.4.3.1	Peripheral vascular system: Arteries: Aorta-Iliac and major					1	
	branches					1	
1373	Abdominal aorta and iliac artery: Ruptured	600	17 700.00	480	14 160.00	15	2067.90 +T
.4.3.2	Iliac artery				l		ŀ
379	Prosthetic grafting and/or Thrombo-endarterectomy	300	8 850.00	240	7 080.00	13	1792.18 +T
.4.3.3	Peripheral						
385	Prosthetic grafting	255	7 522.50	204	6 018.00	5	689.30 +T
387	Vein grafting proximal to knee joint	300	8 850.00	240	7 080.00	5	689.30 +T
388	Vein grafting distal to knee joint	444	13 098.00	355.2	10 478.40	5	689.30 +T
389 393	Endarterectomy when not part of another specified procedure	264	7 788.00	211.2	6 230.40	5	689.30 +T
395	Embolectomy: Peripheral embolectomy transfermoral	168	4 956.00	134.4	3 964.80	5	689.30 +T
396	Miscellaneous arterial procedures: Arterial suture: Trauma	125	3 687.50	100	2 950.00	5	689.30 +T
390	Suture major blood vessel (artery or vein) - trauma (major blood vessels are defined as aorta, innominate artery, carotid artery and vertebral artery, subclavian artery, axillary artery, iliac artery, common femoral and popliteal arteries are included because of popliteal artery. The vertebral and popliteal arteries are included because of the relevant inaccessibility of the arteries and difficult surgical exposure) - Anaesthetic: Except where a specific code already exist elsewhere	264	7 788.00	211.2	6 230.40	15	2067.90 +T
397	Profundoplasty	210	6 195.00	168	4 956.00	5	689.30 +T
399	Distal tibial (ankle region)	456	13 452.00	364.8	10 761.60	5	689.30 +T
401	Femoro-femoral	254	7 493.00	203.2	5 994.40	5	689.30 +T
402	Carotid-subclavian	288	8 496.00	230.4	6 796.80	8	1102.88 +T
403	Axillo-femoral (Bifemoral + 50% of the fee)	288	8 496.00	230.4	6 796.80	8	1102.88 +T
.4.4	Veins		:				
407	Ligation of saphenous vein	50	1 475.00	50	1 475.00	3	413.58 +T
408	Placement of Hickman catheter or similar May not be used for insertion or placement of a Quinton line or haemodialysis catheter	91	2 684.50	91	2 684.50	4	551.44 +T
410	Litigation of Inferior vena cava: Abdominal	180	5 310.00	144	4 248.00	8	1102.88 +T
412	Umbrella operation on inferior vena cava: Abdominal	100	2 837.00	100	2 950.00	8	1102.88 +T
413	Combined procedure for varicose veins: Ligation of saphenous vein stripping, multiple ligation including of perforating veins as indicated: Unilateral	141	4 000.17	120	3 540.00	3	413.58 +T
415	Combined procedure for varicose veins: Ligation of saphenous vein stripping, multiple ligation including of perforating veins as indicated: Bilateral	247	7 007.39	197.6	5 829.20	3	413.58 +T
417	Extensive sub-fascial ligation of perforating veins	125	3 546.25	120	3 540.00	3	413.58 +T
419	Lesser varicose vein procedure	31	879.47	31	914.50	3	413.58 +T
421	Compression sclerotherapy of varicose veins: Per injection to a maximum of nine injections per leg (excluding cost of material)	9	255.33	9	265.50	ਁ	413.30 71
425	Thrombectomy: Inferior vena cava (Trans-abdominal)	240	6 808.80	192	E CC4 00	11	4540 40 .T
427	Thrombectomy: Ilio-femoral	175	4 964.75	140	5 664.00 4 130.00	6	1516.46 +T 827.16 +T
	LYMPHO RETICULAR SYSTEM						
.1	Spleen						
435	Splenectomy (trauma)	221.3	6 278.28	177,04	5 222.68	9	1240.74 +T
436	Splenormaphy	231.8	6 576.17	185.44	5 470.48	9	1240.74 +T
457	Bone marrow biopsy: By trephine	13	368.81	13	383.50	3	413.58 +T
458	Bone marrow biopsy: Simple aspiration of marrow by means of trocar or cannula	8	226.96	8	236.00	ľ	410.00
.2	Lymph nodes and lymphatic channels						
439	Excision of lymph node for biopsy: Neck or axilla	65	1 917.50	65	1 917.50		
441	Excision of lymph node for biopsy: Groin	65	1 917.50	65	1 917.50	,	551.44 +T
443	Simple excision of lymph nodes for tuberculosis	91	2 684.50	91	2 684.50	4 5	689.30 +T
•	DIGESTIVE SYSTEM						
1	Oral cavity						
462	Removal of embedded foreign body: Vestibule of mouth, simple	41.1	1 212.45	41.1	1 212.45	5	689.30 +T

		Sp	ecialist	General	Practitioner	Anaesthetic		
1464	Removal of embedded foreign body; Vestibule of mouth; complicated	73.1	R	U	R	U	R T	
464	Removal of embedded foreign body: Vestibule of mouth; complicated	/3.1	2 156.45	73.1	2 156.45	5	689.30 +T	
466	Removal of embedded foreign body: Dentoalveolar structures, soft tissues	52.8	1 557.60	52.8	1 557.60	5	689.30 +T	
467	Drainage of intra-oral abscess	31	914.50	31	914.50	4	551.44 +T	
469	Local excision of mucosal lesion of oral cavity	23	678.50	23	678.50	4	551.44 +T	
471	Resection of malignant lesion of buccal mucosa including radical neck dissection (Commando operation), but not including reconstructive plastic procedure	549	16 195.50	439.2	12 956.40	7	965.02 +T	
478	Velopharyngeal reconstruction with myoneuro-vascular transfer (dynamic repair) Pre-authorisation and motivation letter required	240	7 080.00	192	5 664.00	6	827.16 +T	
479	Velopharyngeal reconstruction with or without pharyngeal flap (static repair)	227	6 696.50	181.6	5 357.20	6	827.16 +T	
480	Repair of oronasal fistula (large), e.g. distant flap tariff code 1480 canot be used with tariff codes 1481 and 1482.	227	6 696.50	181.6	5 357.20	6	827.16 +T	
481	Repair of oronasal fistula (small), e.g. trapdoor: One stage or first stage tariff code 1481 canot be used with tariff codes 1480 and 1482.	138	4 071.00	120	3 540.00	5	689.30 +T	
482	Repair of oronasal fistula (large): Second stage tariff code 1482 canot be used with tariff codes 1480 and 1481.	138	4 071.00	120	3 540.00	5	689.30 +T	
483	Alveolar periosteal or other flaps for arch closure	138	4 071.00	120	3 540.00	4	551.44 +T	
486	Closure of anterior nasal floor	138	4 071.00	120	3 540.00	5	689.30 +T	
.2	Lips							
485	Local excision of benign lesion of tip	27	796.50	27	796.50	4	551.44 +T	
499	Lip reconstruction following an injury: Directed repair May not be used with tariff codes 1501 and 1503 to 1504	105.6	3 115.20	105.6	3 115.20	4	551.44 +T	
501	Lip reconstruction following an injury only: Flap repair May not be used with tariff codes 1499 and 1503 to 1504	206	6 077.00	164.8	4 861.60	4	551.44 +T	
503	Lip reconstruction following an injury only: Total reconstruction (first stage) May not be used with tariff codes 1499 and 1501 to 1503	206	6 077.00	164.8	4 861.60	4	551.44 +T	
504	1 '	104		404		,		
504	Lip reconstruction following an injury only: Subsequent stages (see tariff code 0297) May not be used with tariff codes 1499 and 1501 to 1503	104	3 068.00	104	3 068.00	4	551.44 +T	
3.3	Tongue	1						
505	Partial glossectomy	225	6 637.50	180	5 310.00	6	827.16 +T	
507	Local excision of lesion of tongue	27	796.50	27	796.50	4	551.44 +T	
.4	Palate, uvula and salivary gland			İ				
526	Total parotidectomy with preservation of facial nerve	358.5	10 170.65	286.8	8 136.52	5	662.80 +T	
527	Total parotidectomy	358.5	10 170.65	286.8	8 136,52	5	662.80 +T	
531	Drainage of parotid abscess	25	709.25	25	709.25	4	530.24 +T	
.5	Oesophagus	1						
545	Oesophagoscopy with rigid instrument: First and subsequent	47	1 386.50	47	1 386.50	4	551.44 +T	
550	Oesophagoscopy with removal of foreign body May not be used with tariff code 1545	70	2 065.00	70	2 065.00	4	551.44 +T	
557	Oesophageal dilatation Can be used with tariff code 1587	40	1 180.00	40	1 180.00	4	551.44 +T	
563	Hiatus hemia and diaphragmatic hemia repair: With anti-reflux procedure	300	8 850.00	240	7 080.00	11	1516.46 +T	
565	Hiatus hernia and diaphragmatic hernia repair: With Collins Nissen oesophageal lengthening procedure	350	10 325.00	280	8 260.00	11	1516.46 +T	

		Specialist Ger		General	General Practitioner		Anaesthetic	
			U	R	U	R	U	R T
3.6	Stomach	_				i	<u> </u>	<u> </u>
1587 1589	Upper gastro-intestinal endoscopy: Using hospital equipment Endoscopic control of gastro-intestinal haemorrhage from upper gastro- intestinal tract, intestine or large bowel, by injection, ligation or application of energy devices (endoscopic haemostasis): ADD to gastroscopy (tariff code 1587), small bowel endoscopy (tariff code 1626) or colonoscopy (tariff code 1653 or tariff code 1656)	+	48.75 34	1 438.13 1 003.00	48.75 34	1 438.13 1 003.00	6	551.44 +T 827.16 +T
1591	Plus removal of foreign body (stomach or small bowel): ADD to gastro- intestinal endoscopy (tariff code 1587) or small bowel endoscopy (tariff code 1626)	+	+25	737.50	+25	737.50	4	551.44 +T
1597	Gastrostomy or gastrotomy For Percutaneous Endoscopic Gastrostomy (PEG), use tariff codes 1597 plus 1587 and 1780		147.5	4 351.25	120	3 540.00	6	827.16 +T
1613	Gastroenterostomy		203.6	6 006.20	162.88	4 804.96	6	827.16 +T
615	Suture of perforated gastric wound or injury Use tariff code for suturing of the duodenum		200	5 900.00	160	4 720.00	7	965.02 +T
1617	Partial gastrectomy		328.3	9 684.85	262.64	7 747.88	7	965.02 +T
1619	Total gastrectomy		384.43	11 340.69	307.54	9 072.43	7	965.02 +T
1621	Revision of gastrectomy or gastro-enterostomy		375	11 062.50	300	8 850.00	7	965.02 +T
8.7 1 626	Duodenum Endoscopic examination of the small bowel beyond the duodenojejunal flexure (enteroscopy), with or without biopsy: Hospital equipment used (refer to modifier 0074 for the use of own equipment)		120	3 540.00	120	3 540.00	6	827.16 +T
1627	Duodenal intubation (under X-ray screening)		8	236.00				
8.8	Intestines							
634	Enterotomy or Enterostomy		202.6	5 976.70	162.08	4 781.36	6	827.16 +T
1637 1639	Operation for relief of intestinal obstruction Resection of small bowel with enterostomy or ananstomosis May not be used with tariff code 1634		240 244.9	7 080.00 7 224.55	192 195.92	5 664.00 5 779.64	7 6	965.02 +T 827.16 +T
1642	Gastrointestinal tract imaging, intraluminal (e.g. video capsule endoscopy): Hire fee (tariff code 0201 applicable for video capsule - disposable single patient use) - (Please note: All patients should have had a normal gastroscopy and colonoscopy)		150	4 425.00	120	3 540.00		
1643	Gastrointestinal tract imaging, intraluminal (e.g. video capsule endoscopy), oesophagus through ileum: Doctor interpretation and report		90	2 655.00	90	2 655.00		
1645	Suture of intestine (small or large): Wound or injury Appropriate for the suturing of small or large intestines and post operative repair of perforation		185.2	5 463.40	148.16	4 370.72	6	827.16 +T
647	Closure of intestinal fistula		258	7 611.00	206.4	6 088.80	6	827.16 +T
653	Total colonoscopy with hospital equipment		90	2 655.00	90	2 655.00	4	551.44 +T
656 657	Left-sided colonoscopy Right or left hemicolectomy or segmental colectomy		60 325	1 770.00 9 587.50	60 260	1 770.00 7 670.00	6	551.44 +T 827.16 +T
661	Colotomy: Including removal of foreign body		205.7	6 068.15	164.56	4 854.52	6	827.16 +T
663	Total colectomy		390	11 505.00	312	9 204.00	6	827.16 +T
665	Colostomy or ileostomy isolated procedure		233.8	6 897.10	187.04	5 517.68	6	827.16 +T
666	Continent ileostomy pouch (all types)		300	8 850.00	240	7 080.00	6	827.16 +T
667	Colostomy: Closure		179.1	5 283.45	143.28	4 226.76	5	689.30 +T
1668 1676	Revision of ileostomy pouch Flexible sigmoidoscopy (including rectum and anus): Using hospital equipment		375 48.75	11 062.50 1 438.13	300 48.75	8 850.00 1 438.13	6 3	827.16 +T 413.58 +T
1.9	Rectum and anus							
1677 1688	Sigmoidoscopy: First and subsequent, with or without biopsy Total mesorectal excision with colo-anal anastomosis and defunctioning enterostomy or colostomy		13 445	383.50 13 127.50	13 356	383.50 10 502.00	3 8	413.58 +T 1102.88 +T
1705	Incision and drainage of submucous abscess		40	1 180.00	40	1 180.00	3	413.58 +T
1707	Drainage of submucous abscess		40	1 180.00	40	1 180.00	3	413.58 +T
1737 1742	Dilatation of ano-rectal structure Bio-feedback training for faecal incontinence during anorectal manometry performed by doctor		12.5 27	368.75 796.50	12.5	368.75	3	413.58 +T
8.10 1743	Liver Needle biopsy of liver		30.3	893.85	30.3	893.85	3	413.58 +T

			Sp	eclalist	General	Practitioner		Anaesthetic
			U	Ŕ	Ü	l R	U	RT
1744	Extensive debridement, haemostasis and packing of liver wound or	Т	483.8	14 272.10	387.04	11 417.68	13	1792.18 +T
	injury		40.5					
1745 1747	Biopsy of liver by laparotomy		125 179.1	3 687.50 5 283.45	120 143,28	3 540.00 4 226.76	4	551.44 +T 965.02 +T
1747	Drainage of liver abscess Body composition measured by bio-electrical impedance		3	9 203.45 88.50	3	4 225.76 88.50	'	965.02 +1
1749	Hemi-hepatectomy: Right		564	16 638.00	451.2	13 310.40	9	1240.74 +T
1751	Hemi-hepatectomy: Left		521.1	15 372.45	416.88	12 297.96	9	1240.74 +T
1752	Extended right or left hepatectomy		570.9	16 841.55	456.72	13 473.24	9	1240.74 +T
1753	Partial or segmental hepatectomy		378	11 151.00	302.4	8 920.80	9	1240.74 +T
1757 1758	Suture of liver wound or injury Complex suture of liver wound or injury, including hepatic artery ligation May not be used with tariff code 1757		214.2 296.6	6 318.90 8 749.70	171.36 237.28	5 055.12 6 999.76	9 13	1240.74 +T 1792.18 +T
8.11	Billary tract							
1763	With exploration of common bile duct		264.5	7 802.75	211.6	6 242.20	6	827.16 +T
1765	Exploration of common bile duct: Secondary operation		327.7	9 667.15	262.16	7 733.72	6	827.16 +T
1767	Reconstruction of common bile duct		371.7	10 965.15	297.36	8 772.12	6	827.16 +T
8.12 1778	Pancreas Endoscopic Retrograde Cholangiopancreatography (ERCP): Endoscopy + Catheterisation of pancreas duct or choledochus		105.9	3 124.05	105.9	3 004.38	4	530.24 +T
1779	Endoscopic retrograde removal of stone(s) as for billary and/or pancreatic duct. ADD to ERCP (tariff code 1778)	+	15.82	466.69	15.82	448.81	4	530.24 +T
1780	Gastric and duodenal intubation Code is not appropriate if gastric intubation forms part of anaesthetic indications		8	236.00	8	226.96		
1791	Local, partial or subtotal pancreatectomy		351.3	10 363.35	281.04	7 973.10	8	1060.48 +T
1793	Distal pancreatectomy with internal drainage		377.4	11 133.30	301.92	8 565.47	8	1060.48 +T
8.13	Peritoneal cavity							
1797	Pneumo-peritoneum: First May not be used with tariff codes 1807 and 1799		13	383.50	13	383.50	4	551.44 +T
1799	Pneumo-peritoneum: Repeat May not be used with tariff codes 1807 and 1797		6	177.00	6	177.00	4	551.44 +T
1800	Peritoneal lavage Appropriate when washing peritoneal cavity in cases of severe contamination		20	590.00	20	590.00		
1801	Diagnostic paracentesis: Abdomen		8	236.00	8	236.00		
1803	Therapeutic paracentesis: Abdomen		13	383.50	13	383.50		
1807	Appropriate for draining ascitic fluid from abdomen Add to open procedure where procedure was performed through a laparoscope (for anaesthetic refer to modifier 0027)	+	45	1 327.50	45	1 327.50	5	689.30 +T
1809	Laparotomy If laparotomy is followed by an indicated intra- abdominal procedure, the tariff code with more RVUs should be used, and not both. Includes peritoneal lavage. No extra charge will be levied for the incision and closure of the abdomen for all intra- abdominal procedure.		196	5 782.00	156.8	4 625.60	4	551.44 +T
1811	Suture of burst abdomen		188.3	5 554.85	150.64	4 443.88	7	965.02 +T
1812	Includes peritoneal lavage.		105	3 097.50	105	3 097.50	9	1240.74 +T
1813	Drainage of sub-phrenic abscess	1	180	5 310.00	144	4 248.00	7	965.02 +T
1815	Drainage of other intraperitoneal abscess (excluding appendix abscess): Transabdominal May be used with tariff code 1637 if appropriate.		248.4	7 327.80	198.72	5 862.24	5	689.30 +T
1817	Drainage of intraperitoneal abscess (excluding appendix abscess) Transrectal drainage of a pelvic abscess		75	2 212.50	75	2 212.50	4	551.44 +T
9.	HERNIA							
1819	Inguinal or femoral hernia +	1	125	3 687.50	120	3 540.00	4	551.44 +T
1825	Recurrent inguinal or femoral hernia	1	155	4 572.50	124	3 658.00	4	551.44 +T
1827	Strangulated hernia or femoral hernia	1	238	7 021.00	190.4	5 616.80	7	965.02 +T
1831	Umbilical hemia	1	140 166.8	4 130.00 4 920.60	120	3 540.00	4	551.44 +T

			Sp	eclalist	General	Practitioner	<u> </u>	Anaesthetic
			Ü	R	U	R	U	R T
1964	And control of haemorrhage and blood clot evacuation	+	15	442.50	15	442.50	3	413.58 +T
4070	Add to tariff code 949 or 1954 if appropriate					l		
1976 1979	Optic urethrotomy Internal urethrotomy: Female		80 50	2 360.00 1 475.00	80 50	2 360.00 1 475.00	3 3	413.58 +T
1981	Internal urethrotomy: Male		76.2	2 247.90	76.2	2 247.90	3 3	413.58 +T 413.58 +T
1985	Transurethral resection of bladder neck: Female	l	105	3 097.50	105	3 097.50	5	689.30 +T
1986	Transurethral resection of bladder neck: Male	l	125	3 687.50	120	3 540.00	5	689.30 +T
1987	Litholapaxy	l	80	2 360.00	80	2 360.00	3	413.58 +T
1989	Cystometrogram	l	25	737.50	25	737.50	3	413.58 +T
1991	Flometric bladder studies with videocystography	l	40	1 180.00	40	1 180.00	3	413.58 +T
1992	Without videocystography	l	25	737.50	25	737.50	3	413.58 +T
1993	Voiding cystro-urethrogram	l	21	619.50	21	619.50	3	413.58 +T
1995	Percutaneous aspiration of bladder	l	10	295.00	10	295.00	3	413.58 +T
1996	Bladder catheterisation - male (not at operation)	l	6	177.00	6	177.00	3	413.58 +T
1997 1999	Bladder catheterisation - female (not at operation)	l	3	88.50	3	88.50	١ , ١	440.00.0
2013	Percutaneous cystostomy Diverticulectomy (independent procedure): Multiple or single	l	24 137	708.00 4 041.50	24 120	708.00 3 540.00	3 5	413.58 +T
2015	Suprapubic cystostomy		67	1 976.50	67	1 976.50	5	689.30 +T 689.30 +T
2015	Cutaneous vesicostomy		118	3 481.00	118	3 481.00	5	689.30 +T
2039	Operation for ruptured bladder	ĺ	137	4 041.50	120	3 540.00	6	827.16 +T
2043	Cysto-lithotomy	ı	132	2 915.10	120	2 073.30	5,007	693.20
	,,	l					"	
2047	Drainage of perivesical or prevesical abscess	l	105	3 097.50	105	3 097.50	5	689.30 +T
2049	Evacuation of clots from bladder: Other than post-operative	l	132.1	3 896.95	120	3 540.00	3	413.58 +T
2050	Evacuation of clots from bladder: Post-operative	l					4	551.44 +T
2051	Simple bladder lavage: Including catheterisation		12	354.00	12	354.00	3	413.58 +T
10.4 2063	Urethra Dilatation of urethra stricture: By passage sound: Initial (male)		20	590.00	20	590.00	3	413.58 +T
2065	Dilatation of urethra stricture: By passage sound: Subsequent (male)		10	295.00	10	295.00	3	413.58 +T
2067	Dilatation of urethra stricture: By passage sound: By passage of filiform and follower (male)		20	590.00	20	590.00	3	413.58 +T
2071	Urethrorraphy: Suture of urethral wound or injury	l	139	4 100.50	120	3 540.00	4	551.44 +T
2075	Urethraplasty: Pendulous urethra: First stage	l	71	2 094.50	71	2 094.50	4	551.44 +T
2077	Urethraplasty: Pendulous urethra: Second stage	l	145	4 277.50	120	3 540.00	4	551.44 +T
2081	Reconstruction or repair of male anterior urethra (one stage)		261.6	7 717.20	209.28	6 173.76	4	551.44 +T
2083	Reconstruction or repair of prostatic or membranous urethra: First stage		168	4 956.00	134.4	3 964.80	6	827.16 +T
1	May not be used with tariff codes 2085 to 2086							
2085	Reconstruction or repair of prostatic or membranous urethra: Second stage		168	4 956.00	134.4	3 964.80	6	827.16 +T
2086	May not be used with tariff codes 2083 and 2086 Reconstruction or repair of prostatic or membranous urethra; If done in		294	8 673.00	235.2	6 938.40	6	827.16 +T
	one stage				400	l	_	
2095 2097	Drainage of simple localised perineal urinary extravasation Drainage of extensive perineal and/or abdominal urinary extravasation		128.8 137	3 799.60 4 041.50	120 120	3 540.00 3 540.00	5 5	689.30 +T 689.30 +T
2103	Simple urethral meatotomy	l	26.3	775.85	26.3	775.85	3	413.58 +T
2105	Incision of deep peri-urethral abscess: Female	l	123.1	3 631.45	120	3 540.00	3	413.58 +T
2107	Incision of deep peri-urethral abscess: Mate	l	123.1	3 631.45	120	3 540.00	3	413.58 +T
2109	Badenoch pull-through for intractable stricture or incontinence	l	181	5 339.50	144.8	4 271.60	5	689.30 +T
2111	External sphincterotomy	l	108	3 186.00	108	3 186.00	5	689.30 +T
2115	Operation for correction of male urinary incontinence with or without introduction of prosthesis (excluding cost of prosthesis)		168	4 956.00	134.4	3 964.80	5	689.30 +T
2116	Urethral meatoplasty	[101.5	2 994.25	101.5	2 994.25	3	413.58 +T
2117	Closure of urethrostomy or urethrocutaneous fistula (independent procedure)		150.3	4 433.85	120.24	3 547.08	3	413.58 +T
11.	MALE GENITAL SYSTEM							
الما	Danie	l						
11.1 2141	Penis Reconstructive operation for insertion of prosthesis	l	101	2 070 50	101	2 070 50		442 EQ .T
2147	Reconstructive operation for insertion of prosthesis Reconstructive operation of penis: for injury: Including fracture of penis and skin graft if required.		168	2 979.50 4 956.00	101 134.4	2 979.50 3 964.80	3	413.58 +T 413.58 +T
2161	and skin graft if required Total amputation of penis: Without gland dissection	l	210		160	405000	ارا	554 A4 .T
2167	Partial amputation of penis: Without gland-dissection	l	210 84	6 195.00 2 478.00	168 84	4 956.00 2 478.00	4	551.44 +T 551.44 +T
2172	Removal foreign body: Deep penile tissue (e.g. plastic implant)	I	123.1	3 631.45	120	3 540.00	3	551.44 +1 413.58 +T
l	1000	l	555				1 1	
2228	Removal of foreign body: Scrotum	I	104.9	3 094.55	104.9	3 094.55	3	413.58 +T

		Sp	Specialist G		Practitioner	Anaesthetic		
_		U	R	U	R	U	R T	
11.2	Testis and epididymis					1		
191	Orchidectomy (total or subcapsular): Unilateral	98	2 891.00	98	2 891.00	3	413.58 +T	
193	Orchidectomy (total or subcapsular): Bilateral	147	4 336.50	120	3 540.00	3	413.58 +T	
213	Suture or repair of testicular injury	110.3	3 253.85	110.3	3 253.85	4	551.44 +T	
215	Incision and Drainage of testis or epididymis e.g. abscess or haematoma	90	2 655.00	90	2 655.00	4	551.44 +T	
227	Incision and drainage of scrotal wall abscess	42.7	1 259.65	42.7	1 259.65	3	413.58 +T	
1.3	Prostate							
245	Trans-urethral resection of prostate	252	7 434.00	201.6	5 947.20	6	827.16 +T	
4.	NERVOUS SYSTEM							
4.1	Diagnostic procedures							
685	Electro-oculography: Unilateral	30	885.00					
686	Electro-oculography: Bilateral May not be used with tariff code 2685	53	1 563.50					
708	Evaluation of cognitive evoked potential with visual or audiology stimulus	80	2 360.00					
709	Full spinogram including bilateral median and posterior-tibial studies	140	4 130.00					
711	Electro-encephalogram (EEG): 20-40 minutes record: Equipment cost for taking of record (Technical component) (refer to tariff code 2712 for interpretation and report)	105.60	3 115.20	105.6	3 115.20			
712	Clinical interpretation and report of tariff code 2711: Electro- encephalogram (EEG): 20-40 minutes record (Professional component)	16.6	489.70	16.6	489.70		AQ.	
713	Spinal (lumbar) puncture. For diagnosis, for drainage of spinal fluid or for therapeutic indications	18.4	542.80	18.4	542.80			
714	Cisternal or lateral cervical (C1-C2) puncture: Without injection - stand- alone procedure	32	944.00	32	944.00			
735	(Replaces tariff code 2731) Air encephalography and posterior fossa tomography: Posterior fossa tomography attendance by clinician	31.5	929.25					
737	Air encephalography and posterior fossa tomography: Visual field charting on Bjerrum Screen	7	206.50	7	206.50			
739	Ventricular puncture: Fontanelle, suture or implanted ventricular	16	472.00	16	472.00	4	551.44 +T	
741	catheter/reservoir, without injection, through excising burr hole Ventricular puncture: Fontanelle, suture, or implanted ventricular catheter/reservoir, with injection of medication or other substance for	43	1 268.50	43	1 268.50	4	551.44 +T	
	diagnosis or treatment, through excising burr hole							
743 745	Subdural tapping: First sitting Subdural tapping: Subsequent	15 10	442.50 295.00	15 10	442.50 295.00	4	551.44 +T 551.44 +T	
4.2 747	Introduction of burr holes for Burr hole(s): Ventricular puncture, Includes injection of gas, contrast	223.8	6 602.10	179.04	5 281.68	8	1102.88 +T	
	media, dye or radioactive material						1	
749 752	Catheterisation for ventriculography and/or drainage Twist drill hole(s): Includes subdural, intracerebral or ventricular	150 272.2	4 425.00 8 029.90	120 217.76	3 540.00 6 423.92	8	1102.88 +T 1240.74 +T	
753	puncture for evacuation and/or drainage of subdural haematoma Burr hole(s). Includes evacuation and/or drainage of haematoma:	379.4				9		
	Extradural or subdural	ŀ	11 192.30	303.52	8 953.84		1240.74 +T	
754	Burr hole(s) or trephine: Includes subsequent tapping (aspiration) of intracranial abscess	296.4	8 743.80	237.12	6 995.04	9	1240.74 +T	
755	Burr hole(s): Includes aspiration of haematoma or cyst, intracerebral (total procedure)	369.9	10 912.05	295.92	8 729.64	9	1240.74 +T	
757	Rurr hole(s) or trephine: Includes drainage of brain abscess or cyst (total procedure)	402.8	11 882.60	322.24	9 506.08	9	1240.74 +T	
760	Burr hole(s) or trephine: Supratentorial, exploratory, not followed by other surgery	255.9	7 549.05	204.72	6 039.24	9	1240.74 +T	
761	Burr hole(s) or trephine: Infratentorial, unilateral or bilateral Use once per service	218.9	6 457.55	175.12	5 166.04	9	1240.74 +T	
4.3 ?765	Nerve procedures Nerve conduction studies (see tariff codes 0733 and 3285)	26	767.00	26	767.00	4	551.44 +T	
		1	I	1	l		I	

			Sp	ecialist	General	Practitioner	Anaesthetic	
0707	Suture Brachial Plexus (see also tariff codes 2837 and 2839)	H	U 379	11 180.50	303.2	R 8 944.40	6	R T 827.16 +T
2767 2769	Suture: Large nerve: Primary		297.7	8 782.15	238.16	7 025.72	5	689.30 +T
2771	Suture: Large nerve: Secondary	l	202	5 959.00	161.6	4 767.20	5	689.30 +T
2773	Suture: Digital nerve: Primary	l	199	5 870.50	159.2	4 696.40	3	413.58 +T
2775	Suture: Digital nerve: Secondary	l	96	2 832.00	96	2 832.00	3	413.58 +T
2777	Nerve graft: Simple	l	309	9 115.50	247.2	7 292.40	4	551.44 +T
2779	Fascicular: First fasciculus	l	202	5 959.00	161.6	4 767.20	4	551.44 +T
2781 2782	Fascicular: Each additional fasciculus Nerve pedicle transfer; First stage (not to be used together with tariff code 2783)		50 309,1	1 475.00 9 118.45	50 247.28	1 475.00 7 294.76	4	551.44 +T 551.44 +T
2783 2784	Fascicular: Nerve flap: To include all stages Nerve pedicle transfer: Second stage (not to be used together with tariff code 2783)		224 338.3	6 608.00 9 979.85	179.2 270.64	5 286.40 7 983.88	4	551.44 +T 551.44 +T
2785 2787	Fascicular: Facio-accessory or facio-hypoglossal anastomosis Fascicular: Grafting of facial nerve		124 215	3 658.00 6 342.50	120 172	3 540.00 5 074.00	6 5	827.16 +T 689.30 +T
14.3.2 2795	Neurectomy Procedures for pain relief: Paravertebral facet joint nerve: Destruction by neurolytic agent, lumbar spine/sacral, one level (unilateral or bilateral)		45.4	1 339.30	45.4	1 339.30	5	689.30 +T
2796	Procedures for pain relief: Paravertebral facet joint nerve: Destruction by neurolytic agent, lumbar spine/sacral, each additional level each additional level (unilateral) or bilateral)	+	16.3	480.85	16.3	480.85	5	689.30 +T
2797	Procedures for pain relief: Paravertebral facet joint nerve: Destruction by neurolytic agent, cervical/thoracic, one level (unilateral or bilateral)		44	1 298.00	44	1 298.00	5	689.30 +T
2798	Procedures for pain relief: Paravertebral facet joint nerve: Destruction by neurolytic agent, cervical/thoracic, each additional level (unilateral or bilateral)	٠	15	442.50	15	442.50	5	689.30 +T
27 99	Procedures for pain relief: Intrathecal injections for pain When this procedure is performed by an anaesthesiologist he/she acts as the clinician and not an anaesthesiologist and the indicated clinical procedure units should be coded and not the anaesthetic units.		36	1 062.00	36	1 062.00	4	551.44 +T
2800	Procedures for pain relief: Plexus nerve block When this procedure is performed by an anaesthesiologist he/she acts as the clinician and not an anaesthesiologist and the indicated clinical procedure units should be coded and not the anaesthetic units. Refer to annexure c attached to this gazette (motivation to be supplied by treating medical Doctor)		36	1 062.00	36	1 062.00		Fees as for specialist
2801	Procedures for pain relief: Plexus nerve block When this procedure is performed by an anaesthesiologist he/she acts as the clinician and not an anaesthesiologist and the indicated clinical procedure units should be coded and not the anaesthetic units. Refer to annexure c attached to this gazette (motivation to be supplied by treating medical Doctor)		36	1 062.00	36	1 062.00		Fees as for specialist
2802	Procedures for pain relief: Peripheral nerve block When this procedure is performed by an anaesthesiologist he/she acts as the clinician and not an anaesthesiologist and the indicated clinical procedure units should be coded and not the anaesthetic units. Refer to annexure c attached to this gazette (motivation to be supplied by treating medical Doctor)		25	737.50	25	737.50		Fees as for specialist
2803	Alcohol injection in peripheral nerves for pain: Unilateral May not be used with tariff code 2805 When this procedure is performed by an anaesthesiologist he/she acts as the clinician and not an anaesthesiologist and the indicated clinical procedure units should be coded and not the anaesthetic units.	i	20	590.00	20	590.00	3	413.58 +T
2804	Inserting an indwelling nerve catheter (includes removal of catheter) (not for bolus technique) To be used only with tariff codes 2799, 2800, 2801 or 2802	+	10	295.00	10	295.00		Fees as for specialist
2805	Alcohol injection in peripheral nerves for pain: Bilateral May not be used with tariff code 2803 When this procedure is performed by an anaesthesiologist he/she acts as the clinician and not an anaesthesiologist and the indicated clinical procedure units should be coded and not the anaesthetic units.		35	1 032.50	35	1 032.50	3	413.58 +T
2809 2813	Peripheral nerve section for pain Obturator or Stoffels		45 96	1 327.50 2 723.52	45 96	1 327.50 2 723.52	3	413.58 +T 397.68 +T

_		Sp	ecialist	General	Practitioner	Anaesthetic		
		U	R	U	R	U	R T	
2815	Interdigital	82.3	2 427.85	82.3	2 427.85	3	413.58 +T	
2825	Excision: Neuroma: Peripheral	213	6 283.50	170.4	5 026.80	3	413.58 +T	
4.3.3 827	Other nerve procedures	170	5 015.00	136	4 012.00	,	442 EQ AT	
829	Transposition of ulnar nerve Neurolysis: Minor	51	1 504.50	51		3 3	413.58 +T	
029	May not be used with tariff code 2831	31	1 304.50	51	1 504.50	١	413.58 +T	
831	Neurolysis: Major	141	4 159.50	120	3 540.00	3	413.58 +T	
	May not be used with tariff code 2829							
833	Neurolysis: Digital	141	4 159.50	120	3 540.00	3	413.58 +T	
835	Scalenotomy	132	3 894.00	120	3 540.00	6	827.16 +T	
837	Neuroplasty: Brachial plexus	300	8 850.00	240	7 080.00	6	827.16 +T	
839	Total brachial plexus exposure with graft, neurolysis and transplantation	895.2	26 408.40	716.16	21 126.72	6	827.16 +T	
843	Lumbar sympathectomy: Unilateral	153	4 513.50	122.4	3 610.80	4	551.44 +T	
845	Lumbar sympathectomy: Orinateral	268	7 906.00	214.4	6 324.80	6	827.16 +T	
849	Sympathetic block: Other levels: Unilateral	20	590.00	20	590.00	3	413.58 +T	
851	Sympathetic block: Other levels: Bilateral May not be used with tariff code 2849	35	1 032.50	35	1 032.50	3	413.58 +T	
4.4 855	Skull procedures Craniectomy: Includes excision of tumour or other bone lesion of skull	396	11 682.00	317.2	9 357.40	11	1516.46 +T	
859	(total procedure) Depressed skull fracture: Elevation of fracture, compound or comminuted, extradural (total procedure)	377.9	11 148.05	302.32	8 918.44	9	1240.74 +T	
860	Depressed skull fracture: Elevation of fracture, simple, extradural (total procedure)	307.1	9 059.45	245.68	7 247.56	9	1240.74 +T	
862	Depressed skull fracture: Elevation of fracture with repair of dura and/or debridement of brain (total procedure) Replaces tariff code 2861	455.1	13 425.45	364.08	10 740.36	11	1516.46 +T	
863	Cranioplasty: Skull defect =<5 cm diameter: With/without prosthesis	309.1	9 118.45	247.28	7 294.76	9	1240.74 +T	
875	Theco-peritoneal C.S.F. shunt	280	8 260.00	224	6 608.00	8	1102.88 +T	
043	Cranioplasty: Skull defect; >5 cm diameter	340.80 264.90	10 053.60 7 814.55	272.64	8 042.88	9	1240.74 +T	
044	Removal of bone flap or prosthetic plate of skull: For malignancy/acquired deformity of head/infection or inflammatory reaction due to device, implant and/or graft	204.90	7 614.33	211.92	6 251.64	9	1240.74 +T	
045	Replacement of bone flap or prosthetic plate of skull: For malignancy/acquired deformity of head/open fracture /late effect of fracture/ infection or inflammatory reaction due to device, implant or graft (total procedure)	311.40	9 186.30	249.12	7 349.04	9	1240.74 +T	
046	Cranioplasty: Skull defect, with reparative brain surgery: With/without prosthesis May not be used with tariff codes 6047 to 6048	421.70	12 440.15	337.36	9 952.12	11	1516.46 +T	
047	Cranioplasty: Includes autograft and obtaining bone grafts; =<5 cm	371.40	10 956.30	297.12	8 765.04	9	1240.74 +T	
047	diameter (total procedure) May not be used with tariff codes 6046 and 6048	077.40	10 300.30	237.72	0 705.04		1240.74	
048	Cranioplasty: Includes autograft and obtaining bone grafts; >5 cm diameter (total procedure) May not be used with tariff codes 6046 to 6047	432.70	12 764.65	346.16	10 211.72	9	1240.74 +T	
049	Incision and retrieval: Cranial bone graft for cranioplasty, subcutaneous. ADD to primary procedure 6046 to 6048	37.30	1 100.35	37.30	1 100.35		+T	
061	Creation of subarachnoid/subdural-peritoneal shunt: Pleural or peritoneal space or other terminus, through burr hole and directing and tunneling the distal end of the shunt subcutaneously towards the draining site (non-neuroendoscopic procedure) (total procedure)	290.80	8 578.60	232.64	6 862.88	10	1378.60 +T	
062	Replacement or irrigation: Subarachnoid or subdural catheter, non- neuroendoscopic procedure (total procedure)	111.40	3 286.30	111.40	3 286.30	10	1378.60 +T	
063	Ventriculocistemostomy of the third ventricle: Stereotactic, neuroendoscopic method (under CT guidance for stereotactic positioning) (tariff codes 6055 and 6148 may not be added)	358.80	10 584.60	287.04	8 467.68	10	1378.60 +T	
064	Replacement/irrigation: Previously placed intraoperative ventricular catheter	158.30	4 669.85	126.64	3 735.88	10	1378.60 +T	
065	Replacement/revision: Cerebrospinal fluid (CSF) shunt/obstructed valve/distal catheter in shunt system	252.30	7 442.85	201.84	5 954.28	10	1378.60 +T	
066	Reprogramming of programmable cerebrospinal shunt, at the time of a routine office visit	26.00	767.00	26.00	767.00	10	1378.60 +T	
067	Removal: Complete cerebrospinal fluid shunt system only (non- neuroendoscopic procedure)	180.00	5 310.00	144.00	4 248.00	10	1378.60 +T	

		Sp	ecialist	General	Practitioner		Anaesthetic
		U	R	U	R	u	R T
8068	Cerebrospinal fluid (CSF) shunt system: Complete removal, with replacement by similar or other shunt at same operation	335.50	9 897.25	268.40	7 917.80	10	1378.60 +T
14.6 2876	Aneurysm repair Repair of aneurysm or arterior-venous anomalies (intracranial)	700	20 650.00	560	16 520.00	15	2067.90 +T
4.6.1 869	Shunt procedures and neuroendoscopy Ventriculocisternostomy: From the third ventricle to the cisterna magna (total procedure)	409.00	12 065.50	327 20	9 652.40	10	1378.60
2871	Creation of shunt: Ventriculo-atrial, -jugular, -auricular May not be used with tariff code 2873	307.20	9 062.40	245.76	7 249.92	10	1378.60
2873	Creation of shunt: Ventriculo-peritoneal, -pleural, other terminus May not be used with tariff code 2871	315.40	9 304.30	252 32	7 443.44	10	1378.60
055	Neuroendoscopy: Intracranial placement or replacement of ventricular catheter and attachment to shunt system or external drainage. ADD to main procedure	56.00	1 652.00	56.00	1 652.00	8	1102.88
6058	Neuroendoscopy: Intracranial, with retrieval of foreign body	364.80	10 761.60	291.84	8 609.28	11	1516.46
14.7 2879	Posterior fossa surgery Glosso-pharyngeal nerve	480	14 160.00	384	11 328.00	6	827.16 +T
2881	Eighth nerve: Intracranial	480	14 160.00	384	11 328.00	8	1102.88 +T
2887	Eighth nerve: Vestibular nerve	480	14 160.00	384	11 328.00	9	1240.74 +T
14.7.1 2891	Supratentorial procedures Craniectomy for excision of brain turnour: Infratentorial or posterior fossa for excision of brain turnour. Excludes meningioma, cerebellopontine angle turnour or midline turnour at base of skull	819	24 160.50	655.76	19 344.92	13	1792.18 +T
2892	Micro vascular decompression of cranial nerve (suboccipital)	553	16 313,50	442	13 039.00	6	827.16 +T
2893	Craniectomy for excision of brain abscess: Infratentorial or posterior fossa for excision of brain abscess	648.3	19 124.85	518.64	15 299.88	13	1792.18 +T
2899	Craniectomy/craniotomy: With evacuation of infratentorial haematoma, subdural or extradural	375	11 062.50	300	8 850.00	11	1516.46 +T
14.8	Craniotomy for	700					
2900 2903	Extra-dural orbital decompression Abscess, glioma	700 450	20 650.00 13 275.00	560 360	16 520.00 10 620.00	11	1516.46 +T 1516.46 +T
2904	Craniectomy/craniotomy: With evacuation of supratentorial, intracerebral haematoma	590.2	17 410.90	472,16	13 928.72	11	1516.46 +T
905	Craniotomy with elevation of bone flap: Excision of epileptogenic focus without electrocorticography during surgery	489	14 425.50	391.2	11 540.40	11	1516.46 +T
906	Craniotomy: Skull based repair of encephalocele (total procedure)	493.5	14 558.25	394.8	11 646.60	11	1458.16 +T
909	Craniotomy: Repair of dural/cerebrospinal fluid (CSF) leak. Includes surgery for rhinorrhea/otorrhea May not be used with tariff codes 6196 and 6197	450	13 275.00	360	10 620.00	11	1516.46 +T

		Sp	Specialist		General Practitioner		Anaesthetic
		U	R	U	R	U	RT
6085	Craniectomy/craniotomy: With exploration of the infratentorial area (below the tentorium of the cerebellum), posterior fossa (total procedure)	596.4	17 593.80	477.12	14 075.04	13	1792.18 +T
6086	Craniectomy/craniotomy: With evacuation of infratentorial, intracerebellar haematoma (total procedure)	614.3	18 121.85	491.44	14 497.48	13	1792.18 +T
6087	Craniectomy/craniotomy: With drainage of intracranial abscess in the infratentorial region with suction and irrigating the area while monitoring for haemorrhage (total procedure)	631.8	18 638.10	505.44	14 910.48	13	1792.18 +T
6088	Cranial decompression caused by excess fluid (e.g. blood and pathological tissue), using posterior fossa approach by drilling/sawing through the occipital bone (total procedure)	605.1	17 850.45	484.08	14 280.36	13	1792.18 +T
6090	Craniectomy at base of skull (suboccipital): With freeing and section of one or more cranial nerves (total procedure)	624	18 408.00	499.2	14 726.40	11	1516.46 +T
6115	Craniectomy/craniotomy: Supratentorial exploration	487,1	14 369.45	389.68	11 495.56	11	1516.46 +T
6116	Incision and subcutaneous placement of cranial bone graft (e.g. split- or full thickness); shaving graft or bone dust, with donor site already exposed for the main procedure.	25.9	764.05	25.9	764.05	11	1516.46 +T
6117	Craniectomy/craniotomy: Drainage of intracranial abscess in the supratentorial region (total procedure)	564.7	16 658.65	451.76	13 326.92	11	1516.46 +T
6118	Decompressive craniectomy/craniotomy: With or without duraplasty, for treating intracranial hypertension (most commonly caused by severe closed-head trauma) without evacuation of associated intraparenchymal haematoma or lobectomy	705.1	20 800.45	564.08	16 640.36	11	1516.46 +T
6120	Decompression of (roof of) orbit only: Transcranial approach (total procedure)	548.6	16 183.70	438.88	12 946.96	11	1516.46 +T
6125	Craniectomy/trephination (bone flap craniotomy): Supratentorial excision of brain abscess	566.2	16 702.90	452.96	13 362.32	11	1516.46 +T
6141	Craniectomy/craniotomy: Excision of foreign body from brain	554.3	16 351.85	443.44	13 081.48	11	1516.46 +T
6142	Craniectomy/craniotomy: Treatment of penetrating wound of brain	589.9	17 402.05	471_92	13 921.64	11	1516.46 +T
14.8.1 2918	Stereo-tactic cerebral and spinal cord procedures (code moved to consultation section)						
14.8.2	Repair and/or Reconstruction of Surgical Defects of Skull Base						
6196	Repair of dura for cerebrospinal fluid (CSF) leak: Secondary repair, anterior, middle or posterior cranial fossa following surgery of the skull base, by free tissue graft (e.g. pericranium, fascia, tensor fascia lata, adipose tissue, homologous or synthetic grafts) May not be used with tariff code 6197	388.7	11 466.65	310.96	9 173.32	11	1516.46 +T
6197	Repair of dura for cerebrospinal fluid (CSF) leak: Secondary anterior, middle or posterior cranial fossa following surgery of the skull base; by local or regionalised vascularised pedicle flap or myocutaneous flap (including galea, temporalis, frontalis or occipitalis muscle) May not be used with tariff code 6196	437,8	12 915.10	350.24	10 332.08	11	1516.46 +T
14.9	Spinal operations Note: See section 3.8.7 for laminectomy procedures						
2923 2925 2927 2928 2940	Chordotomy: Unilateral Chordotomy: Open Rhizotomy: Extradural, but intraspinal Rhizotomy: Intradural Lumbar osteophyte removal	178 350 320 350 187 285	5 251.00 10 325.00 9 440.00 10 325.00 5 516.50	142.4 280 256 280 149.6	4 200.80 8 260.00 7 552.00 8 260.00 4 413.20	3 3 3 3 3	413.58 +T+M 413.58 +T+M 413.58 +T+M 413.58 +T+M 413.58 +T+M
14.10	Cervical or thoracic osteophyte removal Arterial ligations	285	8 407.50	228	6 726.00	3	413.58 +T+M
2951	Carotis: Trauma May not be used with tariff code1396	120	3 540.00	120	3 540.00	8	1102.88 +T

		Si	Specialist		General Practitioner		Anaesthetic	
		U	R	U	R	U	R T	
		Psychlatrist		Other Specialists and General Practitioner				
		U	R	U	R	U	RT	
14.11 2957	Medical Psychotherapy Psychotherapy (specific psychotherapy with approved evidence based method): Per short session (10-20 minutes) Use once per day only.	20	590.00	16	472.00			
968	Group therapy: Adults (specify number): Code per person per 80- minute session. Use once per day only.	8	236.00	8	236.00			
974	Psychotherapy (specific psychotherapy with approved evidence based method): Per intermediate session (21-40 minutes) Use once per day only. May not be used with tariff code 2975	40	1 180.00	32	944.00			
975	Psychotherapy (specific psychotherapy with approved evidence based method): Per extended session (41 minutes and longer) Use once per day only. May not be used with tariff code 2974	60	1 770.00	48	1 416.00			
14.12 1970	Physical treatment methods Electro-convulsive treatment (ECT) - each time (see rule Va)	17	501.50	17	501.50	3	413.58 +T	
4.13	Psychiatric examination methods						300	
972	Narco-analysis (maximum of 3 sessions per treatment) - per session	24	708.00					
973	Psychometry by Psychiatrist (specify examination) - per session (maximum of 3 sessions per examination)	24	708.00					

			Specialist		General	General Practitioner		Anaesthetic		
			U	R	U	ТВ	U			
		H		ecialist		R practitioner	"	R T Anaesthetic		
15.	GENERAL		U	R	U	R	U	R T		
					1					
3001	Implantation of pellets (excluding cost of material) (excluding aftercare)		3	88.50	3	88.50				
16.	EYE									
16.1	Procedures performed in rooms									
16.1.1	Eye investigations Note: Not more that three (3) tariff codes in this section may be			İ						
1	charged during one visit									
1	Eye investigations and photography refer to one or both eyes except where otherwise indicated									
	Material used is excluded									
	The tariff for photography is not related to the number of photographs taken									
3002	Gonioscopy		7	206.50	7	206.50	1			
3003	Fundus contact lens or 90D lens examination(not to be charged with tariff code 3004 and/or tariff code 3012)		7	206.50	7	206.50				
3004	Peripheral fundus examination with indirect ophthalmoscope (not to be charged with tariff code 3003 and/or tariff code 3012)		7	206.50	7	206.50				
3008 3009	Contrast sensitivity test Basic capital equipment used in own rooms by Ophthalmologists. Only		7 11.68	206.50 344.56	7	206.50				
5505	to be charged at first and follow-up consultations. Not to be charged for post-operative follow-up consultations	Ť	77.00	344.56	-					
3112	Fitting of contact lens for treatment of disease including supply of lens. Bandage contact lens in pathological corneal conditions such as: corneal erosion, ulcer, abrasion or corneal wound May not be used with tariff code 3113		12.2	359.90	12.2	359.90				
3013	Ocular motility assessment: Comprehensive examination		12	354.00	12	354.00				
3014	Tonometry per test with maximum of 2 tests for provocative tonometry (one or both eyes)		7	206.50	7	206.50				
3021	Retinal function assessment including refraction after occular surgery (within four months), maximum two examinations		9	265.50	9	265.50		-		
16.1.2	Special eye investigations									
3015	Charting of visual field with manual perimeter		28	826.00	28	826.00				
3016 3017	Retinal threshold test without storage facilities Retinal threshold test inclusive of computer disc storage for Delta or		30 74	885.00 2 183.00	30 74	885.00 2 183.00		1		
	Statpak programs		''	2 103.00	'	2 103.00	ĺ			
3018 3020	Retinal threshold trend evaluation (additional to 3017) Pachymetry: Only when own instrument is used, per eye. Only in		16 46	472.00	16	472.00				
3020	addition to corneal surgery		70	1 357.00	46	1 357.00				
3025	Electronic tonography		19	560.50	19	560.50				
3027 3029	Fundus photography Anterior segment microphotography		21 21	619.50 619.50	21 21	619.50 619.50	ĺ	:		
3031	Fluorescein angiography: One or both eyes		45	1 327.50	45	1 327.50	4	551.44 +T		
3032	Eyelid and orbit photography		9	265.50	9	265.50	Į.	-		
3033 3034	Interpretation of tariff code 3031 referred by other clinician Determination of lens implant power per eye		15 15	442.50 442.50	15	442.50	ĺ	-		
3035	Where a minor procedure usually done in the consulting rooms requires a general anaesthetic or use of an operating theatre, an		22	649.00	15 22	442.50 649.00		As per procedure		
3036	additional fee may be charged Corneal topography: For pathological comeas only on special motivation. For refractive surgery - may be charged once pre-operative and once post-operative per sitting (for one or both eyes)		36	1 062.00	36	1 062.00				
16.2 3037	Retina Surgical treatment of retinal detachment including vitreous replacement but excluding vitrectomy		306.9	9 053.55	245.52	7 242.84	6	827.16 +T		

			Specialist		General Practitioner			Anaesthetic
			<u></u>			I ==		
3039	Prophylaxis and treatment of retina and choroid by cryotherapy and/or diathermy and/or photocoagulation and/or laser per eye		105	3 097.50	105	3 097.50	6	827.16 +T
3041	Pan retinal photocoagulation (per eye), done in one sitting (Subsequent sittings: Modifier 0005)		150	4 425.00	120	3 540.00	6	827.16 +T
1044	Removal of encircling band and/or buckling material		105	3 097.50	105	3 097.50	6	827.16 +T
16.3	Cataract							
045	Intra-capsular extraction		210	6 195.00	168	4 956.00	7	965.02 +T
047	Extra-capsular (including capsulotomy)		210	6 195.00	168	4 956.00	7	965.02 +T
049	Insertion of lenticulus in addition to 3045 or 3047 (cost of lens excluded) Modifier 0005 not applicable		57	1 681.50	57	1 681.50	7	965.02 +T
050	Repositioning of intra ocular lens		171.1	5 047.45	136.88	4 037.96	7	965.02 +T
051	Needling or capsulotomy		130	3 835.00	120	3 540.00	4	551.44 +T
052	Laser capsulotomy		105	3 097.50	105	3 097.50	4	551.44 +T
057	Removal of lenticulus		210	6 195.00	168	4 956.00	7	965.02 +T
1058	Exchange of intra ocular lens		236	6 962.00	188.8	5 569.60	7	965.02 +T
059	Insertion of lenticulus when 3045 or 3047 was not executed (cost of lens excluded)		210	6 195.00	168	4 956.00	7	965.02 +T
060	Use of own surgical microscope for surgery or examination (not for slit lamp microscope) (for use by ophthalmologists only)		4	118.00				
6.4	Glaucoma							
061	Drainage operation		247.6	7 304,20	198.08	5 843.36	6	827.16 +T
062	Implantation of aqueous shunt device/seton in glaucoma (additional to tariff code 3061)		60	1 770.00	60	1 770.00	6	827.16 +T
063	Cycloryotherapy or cyclodiathermy		105	2 207 52	105		ا ہا	
064	Laser trabeculoplasty		105	3 097.50		3 097.50	6	827.16 +T
065	Removal of blood anterior chamber		105	3 097.50 3 097.50	105	3 097.50	6	827.16 +T
067	Goniotomy		210	6 195.00	105 168	3 097.50 4 956.00	7	551.44 +T 965.02 +T
6.5	Intra-ocular foreign body							
071	Intra-ocular foreign body: Anterior to Iris		127	3 746.50	120	3 540.00	4	551.44 +T
073	Intra-ocular foreign body: Posterior to Iris (including prophylactic thermal treatment to retina)		210	6 195.00	168	4 956.00	6	827.16 +T
6.6	Strabismus						-	
1075	Strabismus (whether operation performed on one eye or both): Operation on one or two muscles		175.6	5 180.20	140.48	4 144.16	5	689.30 +T
1076	Strabismus (whether operation performed on one eye or both): Operation on three or four muscles		200	5 900.00	160	4 720.00	5	689.30 +T
077	Strabismus (whether operation performed on one eye or both): Subsequent operation one or two muscles		120	3 540.00	120	3 540.00	5	689.30 +T
1078	Strabismus (whether operation performed on one eye or both): Subsequent operation on three of four muscles		150	4 425.00	120	3 540.00	5	689.30 +T
6.7	Globe Examination of eyes under general anaesthetic where no surgery is		80	2 360.00	80	2 360.00	4	551.44 +T
081	done Treatment of minor perforating injury		161.6					
	Treatment of major perforating injury			4 767.20	129.28	3 813.76	6	827.16 +T
083 085	Enucleation or Evisceration		267.5	7 891.25	214	6 313.00	6	827.16 +T
087	Enucleation or evisceration with mobile implant: Excluding cost of		105 160	3 097.50 4 720.00	105 128	3 097.50 3 776.00	5	689.30 +T
	implant and prosthesis May not be used with tariff code 3085							
088	Hydroxyapetite insertion (Additional to tariff code 3087)	+	40	1 180.00	40	1 180.00	5	689.30 +T
089	Subconjunctival injection if not done at time of operation		10	295.00	10	295.00	5	689.30 +T
091	Retrobulbar injection (if not done at time of operation)		16	472.00	16	472.00	4	551.44 +T
092	External laser treatment for superficial lesions		53	1 563.50	53	1 563.50		
096	Adding of air or gas in vitreous as a post-operative procedure or pneumoretinopexy		130	3 835.00	120	3 540.00	7	965.02 +T
097	Anterior vitrectomy		280	8 260.00	224	6 608.00	6	827.16 +T
	Removal of silicon from globe		280	8 260.00	224	6 608.00	6	827.16 +T
	Posterior vitrectomy including anterior vitrectomy, encircling of globe		419	12 360.50	335.2	9 888.40	6	827.16 +T
3098 3099	and vitreous replacement							
	May not be used with tariff code 3097 Lensectomy done at time of posterior vitrectomy		30	885.00	30	885.00	7	965.02 +T

		Specialist		General	Practitioner	Anaesthetic		
		U	l R	U	R	U		
3104	Removal orbital prosthesis	212.7	6 274.65	170.16	5 019.72	5	R T 689.30 +T	
3105	Exenteration	275	8 112.50	220	6 490.00	5	689.30 +T	
107	Orbitotomy requiring bone flap	393	11 593.50	314.4	9 274.80	5	689.30 +T	
108	Eye socket reconstruction	206	6 077.00	164.8	4 861.60	5	689.30 +T	
3109	Hydroxyapetite implantation in eye cavity when evisceration or enucleation was done previously	300	8 850.00	240	7 080.00	5	689.30 +T	
3110	Second stage hydroxyapetite implantation	110	3 245.00	110	3 245.00	5	689.30 +T	
16.9	Cornea		1			l i		
1111	Contact lenses: Assessment involving preliminary fittings and tolerance	15	442.50	10	295.00			
3113	Fitting of contact lenses and instructions to patient: Includes eye examination, first fittings of the contact lenses and further post-fitting visits for one year	200	5 900.00	160	4 720.00			
3115	Fitting of only one cantact lens and instructions to the patient: Eye examination, first fitting of the contact lens and further post-fitting visits for one year included	166	4 897.00	132.8	3 917.60			
3116	Astigmatic correction with T cuts or wedge resection in pathological corneal astigmatism following trauma, intra ocular surgery or penetrating keratoplasty	135,2	3 988.40	120	3 540.00	6	827.16 +T	
3117	Removal of foreign body: On the basis of fee per consultation	31.5	929.25	30	885.00	4	551.44 +T	
118	Curettage of comea after removal of foreign body(aftercare excluded)	10	295.00	10	295.00			
119	Tattooing	26	767.00	26	767.00	4	551,44 +T	
121	Corneal graft (Lamellar or full thickness)	289	8 525.50	231.2	6 820.40	6	827.16 +T	
123	Insertion of intra-corneal or intrascleral prosthesis for refractive surgery	470.8	13 888.60	376,64	11 110.88	6	827.16 +T	
124	Removal of corneal stitches under microscope (maximum of 2 procedures). For use of sterile tray, add tariff code 0202	9	255.33	9	255.33	6	795.36 +T	
125	Keratectomy	127	3 746.50	120	3 540.00	6	827.16 +T	
127	Cauterization of Comea (by chemical, thermal or cryotherapy methods)	10	295.00	10	295.00	4	551.44 +T	
130	Pterygium or conjunctival cyst. No conjunctival flap or graft used	96.9	2 858.55	96.9	2 858.55	4	551.44 +T	
131	Paracentesis	53	1 563.50	53	1 563.50	4	551.44 +T	
136	Conjunctival flap or graft. Not for use with pterigium surgery	95.7	2 823.15	95.7	2 823.15	6	827.16 +T	
6.10	Ducts							
133	Probing and/or syringing, per duct	10	295.00	10	295.00	4	551.44 +T	
135	Insert polythene tubes/stent: Unilateral: Additional	51.8	1 528.10	51.8	1 528.10	4	551.44 +T	
137	Excision of lacrimal sac: Unilateral	132	3 894.00	120	3 540.00	4	551.44 +T	
139	Dacryocystorhinostomy (single) with or without polythene tube	210	6 195.00	168	4 956.00	5	689.30 +T	
141	Sealing Punctum surgical/cautery per eye	24.9	734.55	24.9	734.55	4	551.44 +T	
142	Sealing Punctum with plugs. Per eye	20	590.00	20	590.00	4	551.44 +T	
143 145	Three-snip operation	10	295.00	10	295.00	4	551.44 +T	
145	Repair of caniculus: Primary procedure Repair of caniculus: Secondary procedure	132	3 894.00	120	3 540.00	4	551.44 +T	
147	May not be used with tariff code 3145	175	5 162.50	140	4 130.00	4	551.44 +T	
6.11	iris	 						
149 153	Indectomy or iridotomy by open operation as isolated procedure Indectomy or iridotomy by laser or photocoagulation as isolated procedure (maximum one procedure)	132 105	3 894.00 3 097.50	120 105	3 540.00 3 097.50	4	551.44 +T 551.44 +T	
157	Division of anterior synechiae as isolated procedure	132	3 894.00	120	3 540.00	اہا	EE4 44 .T	
158	Repair iris as in dialysis. Anterior chamber reconstruction	142.4	4 200.80	120	3 540.00 3 540.00	4	551.44 +T 551.44 +T	
6.12	iLids							
161	Tarsorrhaphy	47	1 386.50	47	4 200 50	, 1	EE4 44 .T	
165	Repair of skin laceration of the lid. Simple	27.3	805.35	27.3	1 386.50 805.35	4	551.44 +T 551.44 +T	
176	Lid operation for facial nerve paralysis including tarsorrhaphy but excluding cost of material	187	5 516.50	149.6	4 413.20	4	551.44 +T	
6.12.1	Entropion or ectropion by							
177	Entropion or ectropion by cautery	10	295.00	10	295.00	4	551.44 +T	
179	Entropion or ectropion by suture	49.4	1 457.30	49.4	1 457.30	4	551.44 +T	
181	Entropion or ectropion by open operation	111.5	3 289.25	111.5	3 289.25	4	551.44 +T	
183	Entropion or ectropion by free skin, mucosal grafting or flap	122.6	3 616.70	120	3 540.00	4	551.44 +T	
100								

		Specialist		General	General Practitioner		Anaesthetic
		- U		U	-	<u> </u>	
3172	Blepharoplasty lower eyelid plus fat pad	125.8	R 3 711.10	120	R 3 540.00	4	R T 551,44 +T
3185	Staged procedure for partial or total loss of eyelid: First stage	259	7 640.50	207.2	6 112.40	4	551.44 +T
3187	Staged procedure for partial or total loss of eyelid: Subsequent stage	206	6 077.00	164.8	4 861.60	4	551.44 +T
3189	Full thickness eyelid laceration for injury: Direct repair	136.5	4 026.75	120	3 540.00	4	551.44 +T
3191	Blepharoplasty: Upper lid for improvement in function (unilateral)	150.2	4 430.90	120.16	3 544.72	4	551.44 +T
16.12.3 3193	Ptosis Repair by superior rectus, levator or frontalis muscle operation Motivation letter with pictures required	190	5 605.00	152	4 484.00	4	551.44 +T
3195 3197	Ptosis: By lesser procedure, e.g. sling operation: Unilateral Ptosis: By lesser procedure, e.g. sling operation: Bilateral May not be used with tariff code 3195	137.6 166	4 059.20 4 897.00	120 132.8	3 540.00 3 917.60	4	551.44 +T 551.44 +T
16.13	Conjunctiva				ŀ		
3199 3200	Repair of conjuctiva by grafting Repair of lacerated conjunctiva	132 47	3 894.00 1 386.50	120 47	3 540.00 1 386.50	4	551.44 +T 551.44 +T
16.14 3196	General Diamond knife: Use of own diamond knife during intraocular surgery	12	354.00				
3198	Eximer laser: Hire fee	284.13	8 381.84				
3201	Laser apparatus (ophthalmic): hire fee for one or both eyes treated in one sitting (not to be used with IOL master)	109	3 215.50				
3202	PHAKO emulcification apparatus (hire fee)	109	3 215.50			•	
3203	Vitrectomy apparatus (hire fee)	120	3 540.00				_
5930	Surgical laser apparatus: Hire of own equipment	109	3 092.33				-
17.	EAR						
17.1 3267	External Ear (Pinna) Partial or total reconstruction for traumatic absence of external ear. Unilateral	138	4 071.00	120	3 540.00	5	689.30 +T
3269	Partial or total reconstruction for traumatic absence of external ear. Bilateral	242	7 139.00	193.6	5 711.20	5	689.30 +T
5170	Drainage: Haematoma or abscess of external ear	34.8	1 026.60	34.8	1 026.60	5	689.30 +T
5171	Drainage: Abscess of external auditory canal	21	619.50	21	619.50	5	689.30 +T
17.2 3204	External ear canal Removal of foreign body at rooms with the use of a microscope (excludes loupe) - not to be used combined with tariff code 3206	21,58	636.61				
3205	External ear canal: Removal of foreign body: Under general anaesthetic	21	619.50	21	619.50	4	551.44 +T
3215	Meatus atresia: Repair of stenosis of cartileginous portion	164	4 838.00	131.2	3 870.40	4	551.44 +T
3219	Meatus atresia: Removal of osteoma from meatus: Solitary	77	2 271.50	77	2 271.50	4	551.44 +T
3220	Debridement mastoidectomy cavity with the use of a microscope (excludes loupe) - not to be used combined with tariff code 3206	23.14	682.63	23.14	682.63		
3221	Removal of osteoma from meatus: Multiple	215	6 342.50	172	5 074.00	4	551.44 +T
17.3	Middle ear						
3209	Bilateral myringotomy	46	1 357.00	46	1 357.00	4	551.44 +T
3211 3212	Unitateral myringotomy with insertion ventrilation tube Bilateral myringotomy with insertion ventrilation tube	38	1 121.00	38	1 121.00	4	551.44 +T
3212 3214	Reconstruction of middle ear ossicles (ossiculoplasty)	57 255	1 681.50 7 522.50	57 204	1 681.50 6 018.00	5	551.44 +T 689.30 +T
3237	Explaratory tympanotomy	158.9	4 687.55	127.12	3 750.04	5	689.30 +T
3243	Myringoplasty	138	4 071.00	120	3 540.00	5	689.30 +T
3245	Functional reconstruction of tympanic membrane	277	8 171.50	221.6	6 537.20	5	689.30 +T
3264 3265	Tympanomastoidectomy Reconstruction of posterior canal wall, following radical mastoidectomy	375 320	11 062.50 9 440.00	300 256	8 850.00 7 552.00	5 5	689.30 +T 689.30 +T
17.4	Facial nerve						
17.4.1	Facial nerve tests						
3223 3224	Percutaneous stimulation of the facial nerve	9 75	265.50	9 75	265.50	4	551.44 +T
3224	Electroneurography (ENOG)	75	2 212.50	75	2 212.50	4	551.44 +T

		Sp	ecialist	General	General Practitioner		Anaesthetic		
		U	R	U	R	U	R T		
17.4.2	Facial nerve surgery		1						
3227	Exploration of facial nerve: Exploration of tympano mastoid segment	297	8 761.50	237.6	7 009.20	5	689.30 +T		
3228	Exploration of facial nerve: Grafting of the tympano mastoid segment (including tariff code 3227)	436	12 862.00	348.8	10 289.60	5	689.30 +T		
3230	Exploration of facial nerve: Extratemporal grafting of the facial nerve	436	12 862.00	348.8	10 289.60	5	689.30 +T		
3232	Exploration of facial nerve: Facio-assessory or facio-hypoglossal anastomosis	124	3 658.00	120	3 540.00	6	827.16 +T		
17.5	Inner ear								
17.5.1	Audiometry	-1			1				
3273	Pure tone audiometry (air conduction)	6.5	191.75	6.5	191.75				
3274	Pure tone audiometry (bone conduction with masking)	6.5	191.75	6.5	191.75				
3275	Impedance audiometry (tympanometry)	6.5	191.75	6.5	191.75				
3276	Impedance audiometry (stapedial reflex) - no code for volume, compliance etc.	6.5	191.75	6.5	191.75				
3277	Speech audiometry: Fee includes speech audiogram, speech reception threshold, discrimination score	10	295.00	10	295.00				
17.5.2	Inner ear: Balance tests		Ì						
3260	Computerized static posturography consists of standing a patient on a Piezo-electric platform which tests the vestibular and proprioceptive systems	71,48	2 108.66	71.48	2 108.66				
3251	Minimal caloric test (excluding consultation fee)	10	295.00	10	295.00				
3256	Video nystagmoscopy (binocular)	50	1 475.00	50	1 475.00				
3258	Otolith repositioning manoeuvre	14	413.00	14	413.00	4	551.44 +T		
2691	Short latency brainstern evoked potentials (AEP) neurological examination, single decibel: Unilateral	50.00	1 475.00	'	413.00		351.44 +1		
2692	Short latency brainstem evoked potentials (AEP) neurological examination, single decibel: Bilateral May not be used with tariff code 2691	88,00	2 596.00						
2693	AEP: Audiological examination: Unilateral at a minimum of 4 decibels	60.00	1 770.00						
2694	AEP: Audiological examination: Bilateral at a minimum of 4 decibels May not be used with tariff code 2693	105.00	3 097.50						
2695	Audiology 40Hz response: Unilateral	30.00	885.00						
2696	Audiology 40Hz response: Bilateral	53.00	1 563.50		I				
2697	Mid- and long latency auditory evoked potentials: Unilateral	30.00	885.00	1	I				
2698	Mid- and long latency auditory evoked potentials: Bilateral	53.00	1 563.50		I				
2702	Total code for audiological evaluation including bilateral AEP and bilateral electro-cochleography	140.00	4 130.00			4	551.40 +T		
3273	Pure tone audiometry (air conduction)	6.50	191.75	6.5	191.75	ıl			

			Specialist		General	Practitioner	Anaesthetic		
			U	R	U	R	U	R	т
17.6	Microsurgery of the skull base Note: Skull base surgery, used for the management of lesions, often requires the skills of medical doctors of different disciplines working together during the operation. The procedures are categorised in three parts: 1. The approach in order to expose the area in which the lesion is situated. 2. The definitive procedure which involves the repair, biopsy, resection or excision of the lesion. It also involves the primary closure of the dura, mucous membranes and skin. 3. Repair/reconstruction procedure: Is coded separately if extensive dural grafing cranioplasty, local or regional myocutaneous pedical flaps, or extensive skin grafts are performed. Note codes for repair and closure with local, pedicled or free flaps and grafts can be found in the relevant sections of the coding structure								
17.6.1	Middle fossa approach (i.e. transtemporal or supralabyrinthine)								
3229 5221	Facial nerve: Exploration of the labyrinthine segment Facial nerve: Grafting of labyrinthine segment (graft removal and exploration of labyrinthine segment are included)		420 510	12 390.00 15 045.00	336 408	9 912.00 12 036.00	5 11	689.30 1516.46	-
5222	Facial nerve surgery inside the internal auditory canal (if grafting is required, the grafting and harvesting of graft are included)		620	18 290.00	496	14 632.00	11	1516.46	+T
17.6.2 5247	Subtotal petrosectomy Subtotal petrosectomy for CSF leak and/or for total obliteration of the mestoid cavity		480	14 160.00	384	11 328.00	11	1516.46	+ T
			Confined to specialist In Physical Medicine		Other Specialists and General Practitioner		Anaesthetic		c
			l				1		
				D	- 11	В		В	-
18.	PHYSICAL TREATMENT		U	R	U	R	U	R	Т
18. 3279	PHYSICAL TREATMENT Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient)	+	U 0.75	22.13	U	R	U	R	Ť
3279 3280	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment)	+	0.75 13.5	22.13 398.25	U	R	U	R	T
3279 3280 3281	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy	+	0.75 13.5 10	22.13 398.25 295.00	U	R	U	Ŕ	Ī
3279 3280 3281 3282	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment)	+	0.75 13.5	22.13 398.25	U	R	U	Ŕ	ī
3279 3280 3281 3282 3284 3285	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies	+	0.75 13.5 10 10 31 26	22.13 398.25 295.00 295.00 914.50 767.00			U	R	ī
3279 3280 3281 3282 3284 3285 3287	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies Spinal joint and ligament injection	+	0.75 13.5 10 10 31 26 20	22.13 398.25 295.00 295.00 914.50 767.00 590.00	20	F 590.00	U	R	T
3279 3280 3281 3282 3284 3285 3287 3288	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies Spinal joint and ligament injection Epidural injection	+	0.75 13.5 10 10 31 26	22.13 398.25 295.00 295.00 914.50 767.00 590.00 1 062.00			U	R	ī
3279 3280 3281 3282 3284 3285 3287 3288 3289 3290	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies Spinal joint and ligament injection Epidural injection Multiple injections - First joint Each additional joint	+	0.75 13.5 10 10 31 26 20 36 7.5 4.5	22.13 398.25 295.00 295.00 914.50 767.00 590.00			U	R	Ť
3280 3281 3282 3284 3285 3287 3288 3289 3290 3291	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies Spinal joint and ligament injection Epidural injection Multiple injections - First joint Each additional joint Tendon or ligament injection	+	0.75 13.5 10 10 31 26 20 36 7.5 4.5 9	22.13 398.25 295.00 295.00 914.50 767.00 590.00 1 062.00 221.25 132.75 265.50			U	R	Ţ
3280 3281 3282 3284 3285 3287 3288 3287 3288 3289 3290 3291	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies Spinal joint and ligament injection Epidural injection Multiple injections - First joint Each additional joint Tendon or ligament injection Aspiration of joint or interarticular injection	+	0.75 13.5 10 10 31 26 20 36 7.5 4.5 9	22.13 398.25 295.00 295.00 914.50 767.00 590.00 1 062.00 221.25 132.75 265.50 265.50			U	R	Ţ
3280 3281 3282 3284 3285 3287 3288 3289 3290 3291 3292 3292	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies Spinal joint and ligament injection Epidural injection Multiple injections - First joint Each additional joint Tendon or ligament injection	+	0.75 13.5 10 10 31 26 20 36 7.5 4.5 9	22.13 398.25 295.00 295.00 914.50 767.00 590.00 1 062.00 221.25 132.75 265.50			U	R	Ţ
3280 3281 3282 3284 3285 3287 3288 3289 3290 3291 3291 3292 3293 3294 3295	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies Spinal joint and ligament injection Epidural injection Multiple injections - First joint Each additional joint Tendon or ligament injection Aspiration of joint or interarticular injection Aspiration or injection of bursa or ganglion Paracervical (neck) nerve block Paravertebral root block - unilateral	+	0.75 13.5 10 10 31 26 20 36 7.5 4.5 9 9 9 20 20	22.13 398.25 295.00 914.50 767.00 590.00 1 062.00 221.25 132.75 265.50 265.50 590.00 590.00	20	590.00	U	R	Ţ
	Domiciliary or nursing home treatment (only applicable where a patient is physically incapable of attending the rooms, and the equipment has to be transported to the patient) Consultation units for specialists in physical medicine when treatment is given (per treatment) Ultrasonic therapy Shortwave diathermy Sensory nerve conduction studies Motor nerve conduction studies Spinal joint and ligament injection Epidural injection Multiple injections - First joint Each additional joint Tendon or ligament injection Aspiration of joint or interarticular injection Aspiration or injection of bursa or ganglion Paracervical (neck) nerve block	+	0.75 13.5 10 10 31 26 20 36 7.5 4.5 9 9 9 20	22.13 398.25 295.00 914.50 767.00 590.00 1 062.00 221.25 132.75 265.50 265.50 590.00	20	590.00	U	R	T

		Sp	Specialist		General Practitioner		Anaesthetic
			R	Ü	R	U	R T
3299	Manipulation large joint under general anaesthetic (not subject to rule G) (Modifier 0005 not applicable)	14	413.00	14	413.00	3	551.44 Hip+T 413.58 Knee / Should er + T
3300	Manipulation of large joints without anaesthetic						
3301	Muscle fatigue studies	20	590.00				
3302	Strength duration curve per session	10.5	309.75				
3303	Electromyography	75	2 127.75				
3304	All other physical treatments carried out: Complete physical treatment: Specify treatment (for subsequent treatments by a general practitioner, for the same condition within 4 months after intial treatment: A fee for the treatment only is applicable: See rules L and M)	10	295.00	10	295.00		

				ecialist diologist	and	Specialists I General actitioner	Anaesthetic	
		\vdash	U	R	U	R	U	RT
19.	RADIOLOGY The amounts in this section are calculated according to the Radiology unit values (unless otherwise specified)							
19.1 19.1.1	Skeleton Limbs							
3305	Finger, toe				6.3	194.42		
6500	Hand				7.7	237.62		
6501	Wrist (specify region)				7.7	237.62		ŀ
6503 6504	Scaphoid Radius and Ulna				7.7	237.62 237.62		İ
6505	Elbow				7.7	237.62		
6506	Humerus				7.7	237.62		
6507	Shoulder				7.7	237.62		
6508	Acromio-Clavicula joint				7.7	237.62		
6509	Clavicle				7.7	237.62		
6510	Scapula				7.7	237.62		
6511	Foot				7.7	237.62		
6512	Ankle				7.7	237.62		
6513 6514	Calcaneus Tibia and fibula				7.7 7.7	237.62 237.62		
6515	Knee	l			7.7	237.62		j
6516	Patella				7.7	237.62		
6517	Femur	l			7.7	237.62		i
6518	Hip				7.7	237.62		ĺ
6519	Sesamoid Bone	l			7.7	237.62		ĺ
3309	Smith-Petersen or equivalent controle, in theatre				38.7	1 194.28		ĺ
3311	Stress studies, e.g. joint				7.7	237.62		
3313	Full length study, both legs				15.5	478.33		
3317	Skeletal survey	П			28	864.08		
331 9 3320	Arthrography per joint Introduction of contrast medium or air: Add	+			15.4 13.8	475.24 425.87		
19.1.2	Spinal column	П						
3321	Per region, cervical, sacral, coccygeal, one region thoracic	П			11	339.46		
3325	Stress studies	П		ļ	11	339.46		
3331	Pelvis (Sacro-iliac or hip joints to be added where an extra set of views is required)			:	11	339.46		
3333	Myelography: Lumbar				28.9	891.85	4	551.44 +T
3334	Myelography: Thoracic	H			22.2	685.09	4	551.44 +T
3335 3336	Myelography: Cervical Multiple (lumbar, thoracic, cervical): Same fee as for first segment (no additional introduction of contrast medium)				35.5	1 095.53	4	551.44 +T 551.44 +T
3344	Introduction of contrast medium				18.7	577.08		
3345	Discography				34.6	1 067.76	4	551.44 +T
3347	Introduction of contrast medium per disc level: Add	+			28.2	870.25	, i	-
19.1.3	Skull							
3349	Skull studies				15.7	484.50		
3351 3353	Paranasal sinuses Facial bones and/or orbits				11 126	339.46		
3355	Mandible				12.6	388.84		
3357	Nasal bone				9.4 7.8	290.08 240.71		
3359	Mastoid: Bilateral				18	555.48		
3361	Teeth: One quadrant				3.7	114.18		
3363	Teeth: Two quadrants				6.3	194.42		
3365	Teeth: Full mouth				11	339.46		
3366	Teeth: Rotation tomography of the teeth and jaws	ıl			13.3	410.44		ĺ
								1
3367 3369	Teeth:Temporo-mandibular joints: Per side Teeth:Tomography: Per side				11	339.46 339.46		

				ecialist diologist	and	Specialists General ctitioner	,	Anaesthetic
			U	R	U	R	U	RT
3381	Ventriculography				27.3	842.48	4	551.44 +T
385	Post-nasal studies: Lateral neck	H			6.3	194.42		
391	For introduction of contrast medium add	+			11	339.46		
9.2	Alimentary tract							
3397	Introduction of contrast medium (plus 80% for each additional	+			11	339.46		
3399	gland - add) Pharynx and oesophagus				12.7	204.00		
		H				391.92		
3403	Oesophagus, stomach and duodenum (control film of abdomen included) and limited follow through				20	617.20		
405	Double contrast: Add	+			7.3	225.28		
3406	Small bowel meal (control film of abdomen included except when part of item 3408)				20	617.20		
3408	Barium meal and dedicated gastro-intestinal tract follow through (including control film of the abdomen, oesophagus, duodenum, small bowel and colon)				28.9	891.85		
2400	Barium enema (control film of abdomen included)	H			18.3	ECA 74		
3409 3411	Air contrast study (add)	.			19.3	564.74 595.60	l	
3411	Note: For items 3415 and 3416: Endoscopy (See item 1778) ●	Ť			19.3	595.60		;
3417	Gastric/oesophageal/duodenal intubation control				5.9	182.07		
3419	Gastric/oesophageal intubation insertion of tube (add)	+			5.6	172.82		ŀ
3421	Duodenal intubation: Insertion of tube (add)	+			11	339.46		
3423	Hypotonic duodenography (3403 and 3405 included) (add)	+			29.3	904.20		
19.4	Chest							
3443	Larynx (Tomography included)				12.5	385.75		
3445	Chest (item 3601 included)				9.4	290.08		
449	Ribs				12.3	379.58		
3451	Sternum or sternoclavicular joints				12.6	388.84	١.	
3453	Bronchography: Unilateral	1			12.6	388.84	8	1102.88 +T
3455	Bronchography: Bilateral	1			22.1	682.01	8	1102.88 +T
3457	Introduction of contrast medium included				35.7	1 101.70	١ .	
3461	Pleurography Service dusting of contract modification Add	١. ا			12.6	388.84	3	413.58 +T
3463	For introduction of contrast medium: Add	+			2.8	86.41		
3465	Laryngography				11	339.46		
3467 3468	For introduction of contrast medium: Add Thoracic Inlet	*			10 6.3	308.60 194.42		
7400	Thousand who				0.0	104.42		
19.5 3477	Abdomen Control films of the abdomen (not being part of examination for				9.4	290.08		
,-,,	barium meal, barium enema, pyelogram, cholecystogram, cholangiogram etc.)				3.4	230.00		
3479	Acute abdomen or equivalent studies				15.7	484.50		
19.6	Urinary tract							
3487	Excretonary urogram: Control film included and bladder views before and after micturition (intravenous pyelogram) (item 0206 not applicable)				25.1	774.59		
2402	Waterload test: Add				122	276 40	l	
3493		*			12.2	376.49]	
497	Cystography only or urethrography only (retrograde) Cysto-urethrography: Retrograde				19.3 31.9	595.60	1	
3499 3503	Cysto-urethrography: Retrograde Cysto-urethrography: Introduction of contrast medium: Add				37.9	984.43 114.18		
3505	Retrograde-prograde pyelography	[]			18.3	564.74	3	413.58 +T
3513	Tomography of renal tract: Add	+			9.4	290.08		713.30 71
9.8.1	Vascular Studies							
3545	Venography: Per limb				16.5	509.19	1	
3557	Catheterisation aorta or vena cava, any level, any route, with				48.6	1 499.80	4	551.44 +T
	aortogram/cavogram				1			
3558	Translumbar aortic puncture, with full study	1		l	69.6	2 147.86	5	689.30 +T

			pecialist diologist	and	Specialists General ctitioner	Anaesthetic		
		U	R	U	R	U	R	Т
3559	Selective first order catheterisation, arterial or venous, with angiogram/venogram			57	1 759.02	4	551.44	+T
3560	Selective second order catheterisation, arterial or venous, with angiogram/venogram		İ	65.4	2 018.24	4	551.44	+T
3562	Selective third order catheterisation, arterial or venous, with angiogram/venogram			73.2	2 258.95	4	551.44	+T
3570	Microcatheter insertion, any cranial vessel and/or pulmonary vessel, arterial or venous (including guiding catheter placement)			130.8	4 036.49	5	689.30	+T
3574	Spinal angiogram (global fee) including all selective catheterisations			480	14 812.80	5	689.30	+T
19.8.2	Introduction of contrast medium							
	Section 19.8.2 has been discontinued.							
19.10	Radiology: Miscellaneous							
3600	Peripheral bone densitometry utilizing ionizing radiation. to be charged once only for one or more levels done at the same session) Motivation letter required			13	401.18			
3601	Fluoroscopy: Per half hour: ADD (not applicable for items 3445)			7.7	237.62			
3602	Where a C-arm portable X-ray unit is used in hospital or theatre: Per half hour: ADD			10.7	330.20			
3603	Sinography			18.4	567.82			
3604	Bone densitometry (to be charged once only for one or more levels done at the same session) Motivation letter required			77	2 376.22			
3607	Attendance at operation in theatre or at radiological procedure performed by a surgeon or physician in X-ray department (except item 3309): Per half hour: Plus fee or examination performed (Only to be used by radiological technical staff)			5.6	172.82			
3609	Foreign body localisation: Fee for part examined plus two-thirds for every additional series and add fluoroscopy fee if this is done							
3611	Foreign body localisation: Introduction of sterile needle markers:			11	339.46			
3613	Setting of sterile trays			3.3	101.84			
5034	Fine needle aspiration or biopsy	25	771.50	25	771.50			

				ecialist diologist	and	Specialists I General actitioner	A	Anaesthetic
		-	U	R	U	R	U	RT
				pecialist	Other	Specialists I General actitioner	_	Anaesthetic
			U	R	U	R	U	R T
19.11	Ultrasonic investigations The amounts in this section are calculated according to the Ultrasound unit values (unless otherwise specified)							
3612	Ultrasonic bone densitometry Motivation letter required				19	553.85		:
3596	Intravascular ultrasound per case, arterial or venous, for intervention				30	874.50		
3627	Ultrasound examination includes whole abdomen and pelvic organs, where pelvic organs are clinically indicated (including liver, gall bladder, spleen, pancreas, abdominal vascular anatomy, paraaortic area, renal tract, pelvic organs)		:		60	1 749.00		
5101	Pleural space ultrasound				50	1 401.50		
5102	Ultrasound of joints (eg shoulder hip knee), per joint				50	1 457.50		
5103	Ultrasound soft tissue, any region				50	1 457.50		
3628 3631	Renal tract Ophthalmic examination				50 50	1 457.50 1 457.50		
3632	Axial tength measurement and calculation of intra-ocular tens power. Per eye. Not to be used with item 3034				50	1 457.50		
3634	Peripheral vascular study, 8 mode only				39	1 136.85		
3636	Trans-oesophageal echocardiography including passing the device				100	2 803.00		
5110	Carotid ultrasound vascular study; B mode, pulsed and colour doppler; bilateral study, internal, external and common carotid flow and anatomy				120	3 498.00		
5111	Full ultrasonic and colour Doppler evaluation of entire extracranial vascular tree; carotids, vertebral and subclavian vessels (not to be used together with items 5110, 5112, 5113, 5114)				164,8	#VALUE!		
5112	Peripheral arterial ultrasound vascular study; B mode, pulsed and colour doppler; per limb; to include waveforms at minimum of three levels, pressure studies at two levels and full interpretation of results				117	3 410.55		
5113	Peripheral venous ultrasound vascular study; B mode, pulsed and colour doppler; to evaluate deep vein thrombosis				117	3 410.55		
5114	Peripheral venous ultrasound vascular study; B mode, pulsed and colour Doppler in erect and supine position including compression manoeuvres and reflux in superficial and deep systems, bilaterally				142.4	4 150.96		
5115	Intra-operative ultrasound study				50	1 401.50	3	413,58
3635	Plus (+) Doppler				39	1 136.85		
3637	Plus (+) Colour Doppler (may be added onto any other regional exam, but not to be added to items 5110, 5111, 5112, 5113 or 5114)				78	2 273.70		
				ecialist diologist	and	Specialists General ctitioner	P	naesthetic
			U	R	U	R	U	R T
19.12	Portable unit examinations				_			
3639 3640	Where X-ray unit is kept and used in the hospital: Add	+			7	216.02		
3640 3641	Theatre investigations (with fixed installation): Add Tracer test				22.1	92.58 682.01		
3642	Repeat of further tracer tests for same investigation: half of tracer				11.1	342.55		
	test (item 3641) fee	l	l	ł	1			

			1 .	Specialist Radiologist Radiologist Other Specialist and General Practitioner		General	Anaesthetic			
		Т	U	R	U	R	U	R	Т	
3643	If both tracer and therapeutic procedures are done, half fee of tracer test to be charged plus therapeutic fee	Γ								
3645	Other organ scanning with use of relevant radio isotopes	1			54.8	1 691.13				
3646	Thyroid scanning Motivation letter required				19.2	569.66				

				pecialist diologist	Other Specialists and General Practitioner		Anaesthetic		
		\dashv	U	R	U	R	U	RT	
			Specialist Radiologist with own facility and continuous facility confacility (calculate at 60% of the fee)		,	Anaesthetic			
			U	R	U	R	U	RT	
19.14	Interventional radiological procedures	\neg		ĺ	1				
5016	Aspiration thrombectomy (per vessel)				131.4	4 055.00			
5018	On-table thrombolysis/transcatheter infusion performed in	- 1			106.8	3 295.85	5	689.30 +T	
5030	Percutaneous nephrostomy for further procedure or drainage	- 1			73.8	2 189.65			
5033	Percutaneous cystostomy in radiology suite	- 1			30	925.80		ļ	
5036	Percutaneous Abdominal / pelvic / other drain insertion, any modality				34.2	1 055.41			
5039	Intracranial thrombolysis (on-table) per session				139.2	4 130.06			
5041	Balloon occlusion/Wada test Motivation letter required				106.8	3 295.85	9	1240.74 +T	
5072	Tunnelled/Subcutaneous arteria/venous line performed in radiology suite				82.2	2 536.69	5	689.30 +T	
5074	IVC filter insertion jugular or femoral route				156	4 814.16	9	1240.74 +T	
5076	Intravascular foreign body removal, arterial or venous, any route			1	204.6	6 313.96	9	1240.74 +T	
8803	Oesophageal stent insertion in radiology suite				102.6	3 166.24	6	827.16 +T	
5090	Trachial stent insertion				102.6	3 166.24	6	827.16 +T	
5091	GIT Balloon dilatation under fluoroscopy			[66.6	2 055.28	6	827.16 +T	
5092	Other GIT stent insertion				102.6	3 166.24	6	827.16 +T	
5093	Percutaneous gastrostomy in radiology suite			1	85.8	2 647.79			
5095	Chest drain insertion in radiology suite				32.4	999.86			

This schedule must be used in conjunction with the Radiological Society of S A Guidelines. Please refer to the PET guidelines in Annexure D.

This schedule is for the exclusive use of registered specialist radiology practices (Pr No \"038\") and nuclear medicine practices (Pr No \"025\"). "025" practices may only charge the codes with a 3rd digit of 9. "038" practices may charge all codes except codes with a 3rd digit of 9. Practitioners registered as both radiologists and nuclear physicians may charge all codes. Neurosurgeons accredited by the RSSA may charge for the neuro-interventional studies at 100% of the published radiology rate subject to preauthorisation and this excludes equipment fees or any other claims for the same event.

Code Structure Framework

a. I he tariff code consists of 5 digits

1st digit indicates the main anatomical region or procedural category.

- •0 = General (non specific)
- •1 = Head
- •2 = Neck
- •3 = Thorax
- •4 = Abdomen and Pelvis (soft tissue)
- 5 = Spine, Pelvis and Hips
- •6 = Upper limbs
- •7 = Lower limbs
- ·8 = Interventional
- 9 = Soft tissue regions (nuclear medicine)
- eg "Head" = 1xxxx

ii.2nd digit indicates the sub region within a main region or category eg.

"Head / Skull and Brain" = 10xxx

iii.3rd digit indicates modality

- 1 = General (Black and White) x-rays
- •2 = Ultrasound
- •3 = Computed Tomography
- 4 = Magnetic Resonance Imaging
- •5 = Angiography
- 6 = Interventional radiology
- •9 = Nuclear Medicine (Isotopes)

eg:

"Head / Skull and Brain / General x-ray" = 101xx

iv.4th and 5th digits are specific to a procedure / examination, eg

"Head / Skull and Brain / General / X-ray of the skull" = 10100.

Guidelines for use of coding structure

- •The vast majority of the codes describe complete procedures / examination and their use for the appropriate studies is self-explanatory.
- Some codes may have multiple applications and their use is described in notes associated with each code
- Codes 00510 to 00560 (Angiography machine codes) may only be used by owners of the equipment and who have registered such equipment with the Board of Healthcare Funders / RSSA.
- *The machine codes 00510, 00520, 00530, 00540, 00550, 00560 may not be added to 60540, 60550, 70530, 70535 (Antegrade Venography, upper and lower limbs)
- •Where public sector hospital equipment is used for a procedure, the units will be reduced by 33.33%.

Consumables

Contrast Medium

oPrior to the implementation of Act 90, contrast will be billed according to the official 2004 RSSA reimbursement price list, without mark up.

oAfter the implementation of Act 90, contrast medium will be billed according to the suppliers' list price, without mark

Angiography catheters, angioplasty balloons, stents, coils and other embolisation materials, guide wires and drains are to be billed at net acquisition cost, without mark up, until the implementation of Act 90.

•All other consumables are to be billed at net acquisition price, until the implementation of Act 90. Thereafter Act 90 regulations apply.

•The cost of film is included in the comprehensive procedure codes and is not billed for separately.

Appropriate tariff codes must be provided for consumables.

ANNEXURE D. PET GUIDELINES

INDICATIONS

For the purposes of this guideline, only established indications for PET-CT are included and this relates to the more common types of malignancies as seen in practice. While some of the less common forms of cancer may also yield advantages with PET-CT imaging, there is as yet insufficient published data to support the general use and these have been excluded in the list below. This situation may change as new research and information becomes available.

- 1. Non-small cell lung carcinoma (NSCC)
- a) Primary diagnosis of lesions
 - I. >10mm diameter lesions where conventional imaging and biopsy have been inconclusive.
- b) Staging especially where curative surgery is planned
 - i. Evaluation of primary tumour (T-stage).
- ii. Suspected nodal disease or characterization of nodal disease
- iii. Suspected distal metastases of determining extent of metastases.
- iv. Solitary distal metastasis where metastatectomy is considered. PET-CT is used to exclude additional lesions which would preclude surgery.
- c) Investigation of suspected recurrence (restaging)
 - i. Local or regional recurrence
- ii. Nodal or distal recurrence
- iii. Determine the extent of proven recurrent disease
- iv. Differentiate fibrotic mass from active disease
- d) All patients with proven carcinoma of the lung, who are considered for curative resection, should be imaged with PET-CT prior to surgery.
- e) Current available literature confirms that PET-CT is more accurate than CT or PET alone for staging and restaging of NSCC.

General Codes

Modifiers

00091	Radiology and nuclear medicine services rendered to hospital inpatients
-------	---

00092 Radiology and nuclear medicine services rendered to outpatients

00093 A reduction of one third (33.33%) will apply to radiological examinations where hospital equipment it used

Equipment / Diagnostic

Consumables used in radiology procedures: cost price PLUS 26% (up to a maximum of R26,00). (Where applicable, VAT should be added to the above).

Appropriate tariff code to be provided. See separate tariff codes for contrast and isotopes

X-ray skeletal survey under five years

00110 6.26

			025 - Nuclear Medicine		038 -	Radiology
			υ	R	U	R
00115	X-ray skeletal survey over five years				10.40	2 092.79
00120	X-ray sinogram any region				10.89	2 191.39
00130	X-ray with mobile unit in other facility			_	1.90	382.34
	To be added to applicable procedure codes eg 30100.	1 1		_		
00135	X-ray control view in theatre any region	i 1		_	5.26	1 068.47
00140	X-ray fluoroscopy any region		-		2.26	454.7
	May only be added to the examination when fluoroscopy is not included in the standard procedure code. May not be added to: • any angiography, venography, lymphangiography or interventional codes.					
	any contrasted fluoroscopy examination.		-			
00145	X-ray fluoroscopy guidance for biopsy, any region	[-	-	5.30	1 066.5
	Add to the procedure eg. 80600, 80605, 80610.	ł l	- -,	_		
00150	X-ray C-Arm (equipment fee only, not procedure) per half hour		- 1	_	2.42	486.9
	Only to be used if equipment is owned by the radiologist.		-	-		
00155	X-ray C-arm fluoroscopy in theatre per half hour (procedure only)		-	-	2.30	462.8
00160	X-ray fixed theatre installation (equipment fee only)		-	-	2.26	454.7
	Only to be used if equipment is owned by the radiologist		-	-		
D0190	X-ray examination contrast material		-			
	Identification code for the use of contrast with a procedure					
	Appropriate codes to be supplied.		-	-		
00210	Ultrasound with mobile unit in other facility		-	-	1.84	370.2
	Add to the relevant ultrasound examination codes eg 10200.		-	-	1	
00220	Ultrasound intra-operative study		-	-	7.32	1 473.0
	Covers all regions studied. Single code per operative procedure,		-	-		
00230	Ultrasound guidance		-	-	12.10	2 434.8
	guidance. Guided procedure code to be added eg. 80600, 80605,]				
	80610.		-	•		
00240	Ultrasound guidance for tissue ablation	l	-	-	11.24	2 261.83
	Comprehensive ultrasound code including regional study and guidance. Radiologist assistance (01030) may be added if procedure is performed by a non-radiologist. Guided procedure code to be added if performed by a radiologist. 80620 or 80630.		_	_		
00250	Ultrasound limited Doppler study any region	l 1			6.50	1 308.00
	Stand alone code may not be added to any other code.					
00290	Ultrasound examination contrast material identification code for the use of contrast with a procedure. Appropriate codes to be supplied.		-	-		
00040	11.	l i	1	•	l	
00310 00320	CT planning study for radiotherapy CT guidance (separate procedure)			•	21.37 16.92	4 300.29 3 404.8°
				_	10.32	3 404.0
	Comprehensive CT code including regional study and guidance					
	Guided procedure code to be added eg 80600, 80605, and 80610.		-	-		
00330	CT guidance, with diagnostic procedure To be added to the diagnostic procedure code. Guided procedure		-	-	8.46	1 702.4
	code to be added eg 80600, 80605, 80610.		- [-		
00340	CT guidance and monitoring for tissue ablation May only be used once per procedure for a region. Radiologist assistance (01030) may be added if procedure is performed by a non-radiologist. If performed by radiologist, add procedural code 80620, or 80630.			-	21.15	4 266.01
00390	CT examination contrast material			•		
	Identification code for the use of contrast with a procedure. Appropriate codes to be supplied.					
00420	MR Spectroscopy any region			_	28.90	5 815.58
	May be added to the regional study, once only.		[[•	20.90	0 010.00
00430	MR guidance for needle replacement			-	42.56	8 564.3
	Comprehensive MRI code including region studied and guidance. Guided procedure code to be added eg 80600, 80605, 80610.			_		
00440	MR low field strength imaging of peripheral joint any region]	_	12.00	2 414.76
00450	MR planning study for radiotherapy or surgical procedure			_	38.00	7 646.74
	MR planning study for radiotherapy or surgical procedure, with		[[•	33.00	1 040.74
00455	contrast			_ :	47.00	9 457.8

		025 - Nuclear Medicine		038 -	Radiology
		U	R	U	R
00490	MR examination contrast material	-			
	Identification code for the use of contrast with a procedure.	ŀ			
	Appropriate codes to be supplied	-	•		
00510	Analogue monoplane screening table A machine code may be added once per complete procedure /	1	•	41.01	8 252.44
	patient visit.				
00520	Analogue monoplane table with DSA attachment		_	47.50	9 558.43
	A machine code may be added once per complete procedure /				
	patient visit.	-	-		
00530	Dedicated angiography suite: Analogue monoplane unit. Once off charge per patient by owner of equipment.	_		47.50	9 558.43
	A machine code may be added once per complete procedure /				0 000110
	patient visit.	-	•		
00540	Digital monoplane screening table	-	-	79.92	16 082.30
	A machine code may be added once per complete procedure / patient visit.	_	_		
00550	Dedicated angiography suite: Digital monoplane unit. Once off charge per patient by owner of equipment.			93.03	18 720.43
00550	A machine code may be added once per complete procedure /		•	83.03	18 /20.43
	patient visit.	-			
	Dedicated analography suite: Digital hi plane unit Open off charge				
00560	Dedicated angiography suite: Digital bi-plane unit. Once off charge per patient by owner of equipment.		_	125.00	25 153.75
	A machine code may be added once per complete procedure /			120.00	20 100.70
	patient visit.	-	-		
00590	Angiography and interventional examination contrast material	-	-		
	Identification code for the use of contrast with a procedure Appropriate codes to be supplied.				
	Nuclear Medicine study - Sone, whole body, appendicular and axial	'	•		
00900	skeleton	34.92	7 026.95		
	Nuclear Medicine study - Bone, whole body, appendicular and axial				
00903	skeleton and SPECT	48.33	9 725.45	.	
00906	Nuclear Medicine study - Venous thrombosis regional	21.54	4 334.49	.	
00909	Nuclear Medicine study - Tumour whole body	-	•	34.15	6 872.00
00912	Nuclear Medicine study - Tumour whole body multiple studies	-	•	47.56	9 570.50
00915	Nuclear Medicine study - Tumour whole body and SPECT	1 1	-	47.56	9 570.50
00918	Nuclear Medicine study - Turnour whole body multiple studies & SPECT	_		60.98	12 271.01
00921	Nuclear Medicine study – Infection whole body	31.45	6 328.68	-	12
00924	Nuclear Medicine study – infection whole body with SPECT	44.86	9 027.18	-	62
		- 12			
00927	Nuclear Medicine study infection whole body multiple studies	44.86	9 027.18	-	-
	Nuclear Medicine study – infection whole body with SPECT				
00930	multiple studies	58.27	11 725.67	-	-
00933	Nuclear Medicine study - Bone marrow imaging limited area	24.10	4 849.64	-	
00936	Nuclear Medicine study - Bone marrow imaging whole body Nuclear Medicine study - Bone marrow imaging limited area	37.51	7 548.14	-	-
00939	multiple studies	37.51	7 548.14	-	-
00042	Nuclear Medicine study - Bone marrow imaging whole body multiple studies	50.00	40.040.00		
00942	muluple studies	50.92	10 246.63	•	•
00945	Nuclear Medicine study - Spleen imaging only - haematopoietic	24.10	4 849.64		-
00960	Nuclear Medicine therapy - Hyperthyroidism	11.99	2 412.76	-	-
00965	Nuclear Medicine therapy - Thyroid carcinoma and metastases	6.47	1 301.96	-	-
00970	Nuclear Medicine therapy - Intra-cavity radio-active colloid therapy	6.47	1 301.96	-	-
00975	Nuclear Medicine therapy - Interstitial radio-active colloid therapy	6.47	1 301.96	<u>.</u>	_
	Nuclear Medicine therapy - Intravascular radio pharmaceutical	0.47	. 501.50		
00980	therapy particulate	6.47	1 301.96	-	-
	Nuclear Medicine therapy - Intra-articular radio pharmaceutical				
00985	therapy	6.47	1 301.96	-	-
00990	Nuclear Medicine Isotope	-	-	-	-
	Identification code for the use of isotope with a procedure. Appropriate codes to be supplied.				
	1		-	[-
00001					
	Nuclear Medicine Substrate PET/CT scan whole body without contrast	455 49	22 220 44	_ [_
00991 00956 00957	PET/CT scan whole body without contrast PET/CT scan whole body with contrast	165.13 163.19	33 229.11 32 838.72	-	-

			025 - Nuclear Medicine		038 -	Radiology
			υ	R	U	R
00952	PET/CT local with contrast		124.68	25 089.36	-	
	Call and assistance		-	-	-	-
	•Emergency call out code 01010 only to be used if radiologist is called out to the rooms to report on an examination after normal					
	working hours. May not be used for routine reporting during					
	extended working hours.					
	•Emergency call out code 01020 only to be used when a radiologist					
	reports on subsequent cases after having been called out to the rooms to report an initial after hours procedure. This code may					
	also be used for home tele-radiology reporting of an emergency					
	procedure. May not be used for routine reporting during normal or					
	extended working hours. •Radiologist assistance in theatre code 01030 only to be used if					
	the radiologist is actively involved in assisting another radiologist					
	or clinician with a procedure.					
	•Radiographer assistance in theatre 01040 may not be used for					
	procedures performed in facilities owned by the radiologist; ie only for attendance in hospital theatres etc. Does not apply to Bed Side					
	Unit (BSU) examinations.		<u> </u>			
	•Second opinion consultations only to be used if a written report is					
	provided as indicated in codes 01050, 01055, 01060. Not intended					
	for ad hoc verbal consultations.	1	l -l	-		
01010	Emergency call out fee, first case	1	-	-	3.00	603.69
01020	Emergency call out fee, subsequent cases same trip	1	-	-	2.00	402.46
01030	Radiologist assistance in theatre, per half hour		-	-	6.00	1 207.38
01040	Radiographer attendance in theatre, per half hour		l -	•	1,60	321.97
01050	Written report on study done elsewhere, short		-	•	1.50	301.85
01055	Written report on study done elsewhere, extensive		-	-	4.20	845.17
01060	Written report for medico legal purposes, per hour		-	-	9.72	1 955.96
01070	Consultation for pre-assessment of interventional procedure		-	-	4.86	977.98
01100	X-ray procedure after hours, per procedure		-	•	2.00	402.46
01200	Ultrasound procedure after hours, per procedure		*	•	4.00	804.92
01300 01400	CT procedure after hours, per procedure	- 1	-	•	10.00	2 012.30
	MR procedure after hours, per procedure		-	-	14.00	2 817.22
01500 01600	Angiography procedure after hours, per procedure	ĺ	-	-	20.00	4 024.60
01970	Interventional procedure after hours, per procedure Consultation for nuclear medicine study		2.0	440.84	26.00	5 231.98
01970	Monitoring		2.20	442.71		
	•ECG / Pulse oximetry monitoring (02010). Use for monitoring patients requiring conscious sedation during imaging procedure. Not to be used as a routine.			_		
02010	ECG/pulse Oximeter monitoring] []	-	2.00	400.40
02010	Head		1]	-	2.00	402.46
	Skull and Brain		1 1			
				-		
	Codes 10100 (skull) and 10110 (tomography) may be combined.		-	•		
10100	X-ray of the skull		-	•	3.86	776.75
10110	X-ray tomography of the skull		-	-	4.30	865.29
10120	X-ray shuntogram for VP shunt		-	-	15.36	3 090.89
10200	Ultrasound of the brain - Neonatal		l -l	•	7.38	1 485.08
10210	Ultrasound of the brain including doppler		l -l	-	13.22	2 660.26
10220	Ultrasound of the intracranial vasculature, including 8 mode, pulse and colour doppler		l .1		45.04	2 222 52
10300	CT Brain uncontrasted]	•	15.04	3 026.50
10300	CT Brain with contrast only] []	-	22.65 33.28	4 557.86 6 696.93
10320	CT Brain pre and post contrast		l .	-	40.48	8 145.79
10325	CT brain pre and post contrast for perfusion studies] []		49.10	9 880.39
	Stand alone code may not be added to any other CT studies of the			-	40.10	5 000.53
40000	brain, except for code 10330		-	•		
10330	CT angiography of the brain		-		77.58	15 611.42
10335	CT of the brain pre and post contrast with angiography		[- [•	97.91	19 702.43
10340	CT brain for cranio-stenosis including 3D		ı -1	-	34.16	6 874.02
10350						
10350 10360	CT Brain stereotactic localisation CT base of skull coronal high resolution study for CSF leak			•	19.36 34.90	3 895.81 7 022.93

		025 - Nuclear Medicine		038 - 1	Radiology
		U	R	U	R
10410	MR of the brain uncontrasted	-		63.80	12 838.4
0420	MR of the brain with contrast	-		75.94	15 281.4
0430	MR of the brain pre and post contrast		-	104.04	20 935.9
0440	MR of the brain pre and post contrast, for perfusion studies		-	107.44	21 620.1
0450	MR of the brain plus angiography] -	-	92.20	18 563.4
0460	MR of the brain pre and post contrast plus angiography		-	121.23	24 395.
0470	MR angiography of the brain uncontrasted	-	-	58.50	11 771.9
0480	MR angiography of the brain contrasted	.	_	74.02	14 895.0
0485	MR of the brain, with diffusion studies	.		79.00	15 897.
0490	MR of the brain, pre and post contrast, with diffusion studies,	.	_	110.64	22 264.
0492	MR study of the brain plus angiography plus diffusion, uncontrasted	_	•	95.00	19 116.
	MR of the brain pre and post contrast plus angiography and				
0495	diffusion		-	125.44	25 242.
0500	Arteriography of intracranial vessels: 1 - 2 vessels		•	48.60	9 779.
0510	Arteriography of intracranial vessels: 3 - 4 vessels		•	82.33	16 567.
0520	Arteriography of extra-cranial (non-cervical) vessels	-		48.44	9 747.
	Arteriography of intracranial and extra-cranial (non-cervical)				
0530	vessels Arteriography of intracranial vessels (4) plus 3 D rotational		-	118.09	23 763.
0640	angiography Arteriography of intracranial vessels (1) plus 3D rotational		•	97.57	19 634.
0550	angiography	-	-	37.29	7 503.
0560	Venography of dural sinuses	-	-	52.23	10 510.
0900	Nuclear Medicine study – Bone regional, static	21.50	4 326.45		
0905	Nuclear Medicine study – Bone regional, static, with flow	27.53	5 639.86	i I	
0910	Nuclear Medicine study – Bone regional, static with SPECT Nuclear Medicine study – Bone regional, static, with flow, with	34.92	7 026.95		
0916 0920	SPECT Nuclear Medicine study Brain, planar, complete, static	40.94 16.92	8 238.36 3 404.81		
	Nuclear Madicine study - Proin complete static with vessular flow	22.95	4 640 03		
0925 0930	Nuclear Medicine study – Brain complete static with vascular flow Nuclear Medicine study – Brain, planar, complete, static, with SPECT	30.33	4 618.23 6 103.31		
	Nuclear Medicine study – Brain, planar, complete, static, with flow, with SPECT	36.36	7 316.72		
0935	1	21.60			
0940	Nuclear Medicine study - CSF flow imaging disternography		4 346.57		
0945 0950	Nuclear Medicine study – Ventriculography Nuclear Medicine study - Shunt evaluation static, planar	13.41 13.41	2 698.49 2 698.49		
0955	Nuclear Medicine study - CFS leakage detection and localisation	13.41	2 698.49		
0960	Nuclear medicine study - CSF SPECT	13.41	2 698.49		
0971	PET/CT scan of the brain uncontrasted	-		110.12	22 159
0972	PET/CT of the brain contrasted	_	_	116.11	23 364
0981	PET/CT perfusion scan of the brain	_ _	_	131.07	26 375
	Facial bones and nasal bones (Codes 11100 (facial bones) and 11110 (tomography) may be	-	•	101.07	20070
	combined	-	•		
1100	X-ray of the facial bones	-	-	3.93	790
1110	X-ray tomography of the facial bones	-	-	4.30	865
1120	X-ray of the nasal bones	- -		2.39	480
1300	CT of the facial bones	-	-	20.96	4 217
1310	CT of the facial bones with 3D reconstructions	-	-	30.40	6 117
1320	CT of the facial bones/soft tissue, pre and post contrast	.	•	41.26	8 302
1400	MR of the facial soft tissue	-		62.40	12 556
1410	MR of the facial soft tissue pre and post contrast	.	-	100.60	20 243
1420	MR of the facial soft tissue plus angiography, with contrast			110.30	22 196
1430	MR angiography of the facial soft tissue			74.02	14 896
	Orbits, lacrimal glands and tear ducts Code 12130 (tomography) may be added to 12100 or 12110 or	-	-		
	12120 (orbits) or 12140 (dacrocystography).		•		
2100	X-ray orbits less than three views	- ·		3.56	716
2110	X-ray of the orbits, three or more views, including foramina	-		5.30	1 066
2120	X-ray of the orbits for foreign body	.		3.56	716
2130	X-ray tomography of the orbits	1 1		4,30	865

			025 - Nuclear Medicine		038 -	Radiology
			υ	R	C	R
12140	X-ray dacrocystography		-		11.20	2 263.78
12200	Ultrasound of the orbit/eye]	-		5.13	1 032.31
12210	Ultrasound of the orbit/eye including doppler		-		10.97	2 207.49
12300	CT of the orbits single plane		-		15.70	3 159.31
12310	CT of the orbits, more than one plane		-	-	20.59	4 143.33
12320	CT of the orbits pre and post contrast single plane		-	•	36.03	7 250.32
12330	CT of the orbits pre and post contrast multiple planes		-		39.70	7 988.83
12400	MR of the orbits		-	•	62.46	12 568.83
12410	MR of the orbitae, pre and post contrast			•	100.64	20 251.79
12900	Nuclear Medicine study – Dacrocystography			-	20.77	4 179.55
	Paranasal sinuses Code 13120 (tomography) may be added to 13100, 13110 (paranasal sinuses), 13130 (nasopharyngeal).					
13100	X-ray of the paranasal sinuses, single view				2.74	651.37
13110	X-ray of the paranasal sinuses, two or more views			_	3.66	736.50
13120	X-ray tomography of the paranasal sinuses				4.30	865.29
13130	X-ray of the naso-pharyngeal soft tissue		-		2.74	651.37
13300	CT of the paranasal sinuses single plane, limited study		-		7.20	1 448.86
13310	CT of the paranasal sinuses, two planes, limited study				12.40	2 495.25
13320	CT of the paranasal sinuses, any plane, complete study		-		15.42	3 102.97
13330	CT of the paranasal sinuses, more than one plane, complete study CT of the paranasal sinuses, any plane, complete study: pre and		-		20.77	4 179.55
13340	post contrast CT of the paranasal sinuses, more than one plane, complete study,		-		34.74	6 990.73
13350	pre and post contrast	!	-		41.01	8 252.44
13400	MR of the paramasal sinuses			•	60.27	12 128.13
13410	MR of the paranasal sinuses, pre and post contrast Mandible, teeth and maxilla] :	:	96.59	19 436.81
	Code 14110 (orthopantomogram) may be combined with 14100 (mandible) if two separate studies are performed. Code 14110 (orthopantomogram) may be combined with 15100 and / or 15110 (TM joint) if complete separate studies are performed. Code 14160 (tomography) may be combined with 14130 or 14140 or 14150 (teeth). Code 14160 (tomography) may be combined with 15100 and / or 15110 (TM joint) if complete separate studies are performed. Code 1430 and 14340 (Dental implants) may be combined if mandible and maxilla are examined at the same visit.		_			
14100	X-ray of the mandible		-		3.66	736.50
14110	X-ray orthopantomogram of the jaws and teeth		-		4.06	816.99
14120	X-ray maxillofacial cephalometry		-	-	2.77	557.41
14130	X-ray of the teeth single quadrant		-		2.00	402.46
14140	X-ray of the teeth more than one quadrant		-		2.53	509.11
14150	X-ray of the teeth full mouth				3.62	728.45
14160	X-ray tomography of the teeth per side			-	3.23	649.97
14300	CT of the mandible			•	22.28	4 483.40
14310	CT of the mandible, pre and post contrast		-	-	41.26	8 302.76
14320	CT mandible with 3D reconstructions		-	-	30.40	6 117.39
14330	CT for dental implants in the mandible		-	•	27.45	5 523.76
14340	CT for dental implants in the maxilla		- 1	•	27.45	5 523.76
14400	MR of the mandible/maxilla		-	-	63.80	12 838.47
14410	MR of the mandible/maxilla, pre and post contrast TM Joints			-	98.64	19 849.33
	Code 15100 (TM joint) and 15120 (tomography) may be combined.					
	Code 15110 (TM joint) and 15130 (tomography) may be combined.					
	Code 15140 (arthrography) and 15120 (tomography) may be combined. Code 15150 (arthrography) and 15130 (tomography)may be					
	combined. Codes 15320 (CT arthrogram) and 15420 (MR arthrogram) include introduction of contrast (00140 may not be added).			_		
15100	X-ray tempero-mandibular joint, left		-		3.56	716.38

			025 - Nuclear Medicine		038 -	Radiology
			U	R	U	R
15110	X-ray tempero-mandibular joint, right		-	-	3.56	716.3
6120	X-ray tomography tempero-mandibular joint, left		1	-	4.30	865.2
6130	X-ray tomography tempero-mandibular joint, right		1	-	4.30	865.29
15140	X-ray arthrography of the tempero-mandibular joint, left		- 1	-	15.41	3 100.9
6150	X-ray arthrography of the tempero-mandibular joint, right		- 1		15.41	3 100.9
5200	Ultrasound tempero-mandibular joints, one or both sides				6.56	1 320.0
15300	CT of the tempero-mandibular joints		1	•	25.38	5 107.2
5310	CT of the tempero-mandibular joints plus 3D reconstructions			-	34.50	6 942.4
5320	CT arthrogram of the tempero-mandibular joints		- 1	-	35.96	7 236.2
5400	MR of the tempero-mandibular joints		-1	-	63.80	12 838.4
5410	MR of the tempero-mandibular joints, pre and post contrast				100.84	20 292.0
15420	MR arthrogram of the tempero-mandibular joints			-	74.71	15 033.8
	Mastolds and internal auditory canal		-	•		
	Code 16100 (mastoids) and 16120 (tomography) may be combined. Code 16110 (mastoids bilat) and 16130 (tomography) may be					
	combined Code 16140 (IAM's) and 16150 (tomography) may be combined.					
6100	X-ray of the mastoids, unilateral		-		3.59	722.4
6110	X-ray of the mastoids, bilateral		-1	_	7.18	1 444.8
6120	X-ray tomography of the petro-temporal bone, unilateral		-1	_	4.30	865.2
6130	X-ray tomography of the petro-temporal bone, bilateral			_	8.60	1 730.5
6140	X-ray internal auditory canal, bilateral		- 1		5.23	1 052.4
6150	X-ray tomography of the internal auditory canal, bilateral				4.30	865.2
6300	CT of the mastoids				12.60	2 535.5
6310	CT of the internal auditory canal		-1		21.47	4 320.4
6320	CT of the internal auditory canal, pre and post contrast			_	34.20	6 882.0
6330	CT of the ear structures, limited study		- 1	_	13.40	2 696.4
6340	CT of the middle and inner ear structures, high definition including all reconstructions in various planes				43.35	8 723.3
6400	MR of the internal auditory canals, limited study		1		43.56	8 765.5
6410	MR of the internal auditory canals, pre and post contrast, limited study		_		68.93	13 870.7
	MR of the internal auditory canals, pre and post contrast, complete					
6420 16430	study MR of the ear structures		1 1	-	102.64	20 654.2 12 959.2
	1		1 1		64.40	
16440	MR of the ear structures, pre and post contrast Sella turcica		1 1	•	102.64	20 654.2
	Sena turcica		1 1	-		
	Code 17100 (sella) and 17110 (tomography) may be combined.			_		
7100	X-ray of the sella turcica			_	3.08	619.7
7110	X-ray tomography of the sella turcica				4.30	865.2
7300	CT of the sella turcica/hypophysis		.		17.45	3 511.4
7310	CT of the sella turcica/hypophysis, pre and post contrast			_	42.26	8 503.9
	Salivary glands and floor of the mouth			_	42.20	0 000.0
	Neck		.	_		
	Code 20120 (laryngography) includes fluoroscopy (00140 may not			-		
	be added). Code 20130 (speech) includes tomography and cinematography (00140 may not be added).					
	Code 20450 (MR Angiography) may be combined with 10410 (MR brain).					
0100	X-ray of soft tissue of the neck		.		2.74	551.3
20110	X-ray of the larynx including tomography	l		-	9.39	1 889.5
0120	X-ray laryngography	1		-	8.28	1 666.1
20130	X-ray evaluation of pharyngeal movement and speech by screening and / or cine with or without video recording	- 1			9 20	1 670.2
:0130 !0200	Ultrasound of the thyroid	- 1	'	-	8.30	
:0200 :0210	Ultrasound of soft tissue of the neck	- 1] []		6.56 6.56	1 320.0 1 320.0
	Ultrasound of the carotid arteries, bilateral including B mode,	- 1	1 1	•	3.30	. 320.0
0220	pulsed and colour doppler Ultrasound of the entire extracranial vascular tree including		-	•	15.00	3 018.4
0230	carotids, vertebral and subclavian vessels with B mode, pulse and colour doppler		.	•	21.84	4 394.8

			025 - Nuclear Medicine		038 -	Radiology
			υ	R	U	R
20240	Ultrasound study of the venous system of the neck including pulse and colour Doppler		_		10.80	2 173,28
20300	CT of the soft tissues of the neck		1 :	-	18.25	3 672.45
20310	CT of the soft tissues of the neck, with contrast		1		38.15	7 676.92
20320	CT of the soft tissues of the neck, pre and post contrast				43.81	8 815.89
20330	CT angiography of the extracranial vessels in the neck				79.36	15 969.61
20340	intracranial vessels of the brain				107.50	21 632.23
20040	CT angiography of the extracranial vessels in the neck and intracranial vessels of the brain plus a pre and post contrast study					21 002.20
20350	of the brain		-	- 1	124.43	25 039.05
20400	Mr of the soft tissue of the neck		-	-	63.60	12 798.23
20410	MR of the soft tissue of the neck, pre and post contrast	İ	-	-	102.04	20 533.51
20420	MR of the soft tissue of the neck and uncontrasted angiography		-		92.60	18 633.90
20.420	MR angiography of the extracranial vessels in the neck, without contrast		_	ŀ	50.60	44 000 04
20430	MR angiography of the extracranial vessels in the neck, with		'	•	59.60	11 993.31
20440	contrast		-		74.02	14 895.04
20450	MR angiography of the extra and intracranial vessels with contrast		-		116.05	23 352.74
20460	MR angiography of the intra and extra cranial vessels plus brain, without contrast		-		135.17	27 200.26
	MR angiography of the intra and extra cranial vessels plus brain,					
20470	with contrast		1		156.05	31 401.94
20500	Arteriography of cervical vessels: carotid 1 - 2 vessels Arteriography of cervical vessels: vertebral 1 - 2 vessels		1	•	44.43	8 940.65
20510 20520	Arteriography of cervical vessels: carotid and vertebral	l	1	•	50.73	10 208.40 15 621.48
20520	Arteriography of cervical vessels, carotid and vertebrai		1		77.63 91.97	
20530	Arteriography of aortic arch, cervical and intracranial vessels		1	_	108.87	18 507.12 21 907.91
20550	Venography of jugular and vertebral veins		1	· ·	48.95	9 850.21
20000	Thyroid (Nuclear Medicine)		1		40.55	9 000.21
21900	Nuclear Medicine study - Thyroid, single uptake		9.68	1 947.91	. '	
21910	Nuclear medicine study - Thyroid, multiple uptake		14.69	2 956.07	[
21920	Nuclear medicine study - Thyroid imaging with uptake		17.72	3 565.80	١.	_
21930	Nuclear medicine study - Thyroid imaging		12.72	2 559.65	١.	-
21940	Nuclear medicine study - Thyroid imaging with vascular flow		18.74	3 771.05	١.	
21950	Nuclear medicine study - Thyroid suppression/stimulation		12.72	2 559.65	١.	
29920	Nuclear medicine study - Tumour localisation planar, static		18.04	3 630.19	.	_
29925	Nuclear medicine study - Infection localisation planar, static,		31.45	6 328.68	.	_
29930	Nuclear medicine study - Infection localisation planar, static and		31.45	6 328.68	.	_
29935	Nuclear medicine study - Infection localisation planar, static,		44.86	9 027.18	.	
29960	PET scan of the soft tissue of the neck					
29961	PET/CT scan of the soft tissue of the neck uncontrasted			-	105.87	21 304.22
29962	PET/CT scan of the soft tissue of the neck contrasted				111.69	22 475.38
	Thorax		-			
	Chest wall, pleura, lungs and mediastinum		-	-		
	Code 30140 (tomography) may be combined with 30100 or 30110 (chest) or 30150 or 30155 (ribs) or 30160 (thoracic inlet). Codes 30170 (Sterno-clavicular) and 30175 (tomography) may be					
	combined. Code 30180 (sternum) and 30185 (tomography) may be combined.					
	Code 30340 (CT limited high resolution) may be combined with 30310 or 30320 or 30330 (CT chest). Motivation may be required.					
	Code 30350 (high resolution) is a stand alone study. Code 30360, (CT chest for pulmonary embolism) is a complete examination and includes the preceding uncontrasted CT scan of the chest, and may not be combined with 40330 or 40333 (CT jabdomen and pelvis).					
	Code 30370 (CT pulmonary embolism plus CT venography) may not be combined with 70230 (Doppler).		_	_		
30100	X-ray of the chest, single view		.	-	3.04	611.74
30110	X-ray of the chest two views, PA and lateral		-		3.84	772.72
30120	X-ray of the chest complete with additional views		-	-	4.24	853.22
30130	X-ray of the chest complete including fluoroscopy		-	-	4.48	901.51
30140	X-ray tomography of the chest		1 .		4.30	866.29

			025 - Nuclear Medicine		038 -	Radiology
			U	R	U	R
32570	Venography patency of A-port or other central line Heart		 -	-	19.64	3 952.16
	Codes 33300 (CT anatomy / function) and 33310 (CT Angiography) may be done as stand alone studies or as additive studies if both are performed at the same time.		-			
	33200 or 33210. This code is intended for paediatric and foetal	1	-	-		
33200 33210	Ultrasound study of the heart, including Doppler Ultrasound study of the heart trans-oesophageal			:	8.20 10.52	1 650.09 2 116.9
33220	Ultrasound intravascular imaging to guide placement of intracoronary stent once per vessel				5.20	1 046.4
33300	CT anatomical/functional study of the heart				34.61	6 964.5
33310	CT angiography of heart vessels			_	81.28	16 355.9
33970	Nuclear Medicine study - Multi stage treadmill ECG test Mamma		-	•	6.66	1 340.1
34200	Ultrasound study of the breast	!			7.90	1 589.7
	Abdomen and Pelvis		-	-		
	Abdomen/stomach/bowel		-	-		
	Code 40120 (tomography) may be combined with 40100 or 40105 or 40110 (abdomen). Codes 40140 to 40190 (barium studies) include fluoroscopy					
	(00140 may not be added). Code 40190 (intussusception) is a stand alone code and may not be combined with 40160 or 40165 (barium enema), (00140 may					
	not be added).		-	-		
40100	X-ray of the abdomen		-	•	3.32	668.08
40105	X-ray of the abdomen supine and erect, or decubitus		-	•	5.36	1 078.59
40110	X-ray of the abdomen multiple views including chest		-	-	8.10	1 629.9
40120	X-ray tomography of the abdomen		-	-	4.30	865.29
40140	X-ray barium meal single contrast		-	-	8.87	1 784.91
40143	X-ray barium meal double contrast		-	•	11.99	2 412.78
40147	X-ray barium meal double contrast with follow through	li	-	•	15.80	3 179.43
40150	X-ray small bowel enteroclysis (meal)		-	-	25.45	5 121.30
	intubation) may be added.		-	-		
40163	X-ray small bowel meal follow through single contrast		-	-	19.55	3 934.0
40157	X-ray small bowel meal with pneumocolon		-	-	25.63	5 157.6
40160	X-ray large bowel enema single contrast		-		12.97	2 609.9
40165	X-ray large bowel enema double contrast		-	-	19.63	3 950.1
40170	X-ray guided gastro oesophageal intubation		-	-	1.60	321.9
40175	X-ray guided duodenal intubation		1 -	-	2.80	563.44
40180	X-ray defaecogram		-	•	12.97	2 609.98
40190	X-ray guided reduction of intussusception		'	•	16.27	3 274.01
40200	Ultrasound study of the abdominal wall		-	•	5.54	1 114.81
40210	Ultrasound study of the whole abdomen including the pelvis		'	-	8.24	1 658.14
40300	CT study of the abdomen CT study of the abdomen with contrast		-	-	26.41	5 314.48
40310 40313	CT study of the abdomen pre and post contrast			•	44.82 52.99	9 019.13
	CT of the pelvis		'	-		
40320 40323	CT of the pelvis with contrast			-	26.13	5 258.14
40323	CT of the pelvis pre and post contrast			•	47.48	9 554.40
40327	CT of the abdomen and pelvis				53.87 38.50	10 840.26 7 747.36
40333	CT of the abdomen and pelvis with contrast]	_	62.17	
40337	CT of the abdomen and pelvis pre and post contrast CT triphasic study of the liver, abdomen and pelvis pre and post			-	67.43	12 510.47 13 568.94
40340	CT of the cheet, abdomes and nekin without contract		-	-	74.11	14 913.16
40345 40350	CT of the chest, abdomen and pelvis without contrast CT of the chest, abdomen and pelvis with contrast CT of the chest triphasic of the liver, abdomen and pelvis with		-	•	70.12 88.35	14 110.25 17 778.67
40355	contrast		-	-	93.05	18 724.45
40360 40365	CT of the base of skull to symphysis publis with contrast CT colonoscopy Stand sleep state, page and be added to approach between 40200.		-	-	102.73 34.78	20 672.36 6 998.78
	Stand alone study, may not be added to any code between 40300 and 40360		.			
40400	MR of the abdomen		.	-	64.58	12 995.43
40410	MR of the abdomen pre and post contrast		.		100.84	20 292.0
40420	MR of the pelvis, soft tissue		-		64.58	12 996.4
40430	MR of the pelvis, soft tissue, pre and post contrast		l _	_	102.04	20 633.5

			025 - Nuclear Medicine		038 -	Radiology
			U	R	Ü	R
Nu	uclear Medicine study - Gastro oesophageal reflux and emptying uclear Medicine study - Gastro oesophageal reflux and emptying		21.50	4 326.45	-	-
40910 Nu	ultiple studies uclear Medicine study - Gastro intestinal protein loss		34.92 21.50	7 026.95 4 326.45	-	-
40916 stu	uclear Medicine study - Gastro intestinal protein loss multiple udies		34.92	7 026.95	-	-
1	ıclear Medicine study – Acute GIT bleed static/dynamic		21.50	4 326.45	-	-
	ıclear medicine study – Acute GIT bleed multiple studies	-	34.92	7 026.95	-	
	uclear medicine study - Mecket's localisation		20.77	4 179.65	-	
	iclear medicine study - Gastric mucosa imaging		20.77	4 179.55	-	
	uclear medicine study - colonic transit multiple studies and alone code		44.86	9 027.18	-	-
40950 PE	T scan of the abdomen and pelvis					
40951 PE	ET/CT scan of the abdomen and pelvis uncontrasted			_	119.53	24 053.02
40952 PE	ET/CT scan of the abdomen and pelvis contrasted			_	129.31	26 021.05
40953 PE	ET/CT scan of the abdomen and pelvis pre and post contrast			-	140.50	28 272.82
Liv	ver, spleen, gall bladder and pancreas		-	-	İ	
	ode 41110, 41120 and 41130 (cholangiography) include oroscopy (00140 may not be added).			_		
	ray ERCP including screening] []		18.90	3 803.25
	ray ERCP reporting on images done in theatre				2.40	482.95
	ray cholangiography intra-operative			_	8.45	1 700.39
	ray T-tube cholangiography post operative				14.05	2 827.28
	ray transhepatic percutaneous cholangiography				32.34	6 507.78
	trasound study of the upper abdomen		_	_	7.00	1 408.61
Ult ve	trasound doppler of the hepatic and splenic veins and inferior na cava in assessment of portal venous hypertension or				-	
	rombosis				9.80	1 896.20
	of the abdomen triphasic study – liver		-	-	54.90	11 047.53
	R study of the liver/pancreas] -	-	64.78	13 035.68
	R study of the liver/pancreas pre and post contrast		'	•	100.84	20 292.03
	R study of the abdomen with MRCP		^	•	49.20	9 900.62
l	R study of the abdomen pre and post contrast with MRCP		[]	-	92.98	18 710.37
	clear Medicine study - Liver and spleen, planar views only		21.50	4 220 45	133.60	26 884.33
	clear Medicine study - Liver and spleen, with flow study		27.53	4 326.45 5 539.86	-	-
	iclear Medicine study - Liver and spleen, planar views SPECT iclear Medicine study - Liver and spleen, with flow study and		34.92	7 026.95	-	-
41915 SP	ECT iclear Medicine study - Hepatobiliary system planar		40.94	8 238.36	-	-
	atic/dynamic		21.50	4 326.45	-	-
	iclear Medicine study – hepatobiliary tract including flow		26.51	5 334.61	[-
41930 sta	ıclear medicine study – Hepatobiliary system planar, atic/dynamic multiple studies		34.92	7 026.95	_	-
	clear medicine study – Hepatobiliary tract including flow multiple udies		39.92	8 033.10	_	-
	ıclear medicine study - Gall bladder ejection fraction		6.02	1 211.40	-	-
	ıclear medicine study – Biliary gastric reflux study ənal tract		20.77	4 179.55	-	-
	ray tomography of the renal tract		:	-	4.30	865.29
(IV Co 42	ode 42100 (tomography) may not be added to 42110 or 42115 (P). des 42115 (IVP), 42120 (cystography), 42130 (urethography), 140 (MCU), 42150 (retrograde), and 42160 (prograde) include oroscopy (00140 may not be added).			-		
	ray excretory urogram including tomography ray excretory urogram including tomography with micturating		-	•	24.86	5 002.58
42115 stu	ıdy		-		32.86	6 612.42
42120 X-I	ray cystography		-	-	15.05	3 028.51
42130 X-I	ray urethrography		-	-	15.37	3 092.91
	ray micturating cysto-urethrography		-		19.30	3 883.74
42150 X-I	ray retrograde/prograde pyelography		-	-	12.53	2 521.41

			025 - Nuclear Medicine		038 -	Radiology
			U	R	U	R
42155	X-ray retrograde/prograde pyelography reporting on images done in theatre					404.00
42160	X-ray prograde pyelogram percutaneous		_	· ·	2.41	484.96
42200	Ultrasound study of the renal tract including bladder]	[32.67 7.42	6 674.18 1 493.13
72200	Ultrasound doppler for resistive index in vessels of transplanted		-	'	7.42	1 493.13
42205	kidney		-		3.80	764.67
	Code 42205 is a stand alone study and may not be added to 42200					
42210	Ultrasound study of the renal arteries including Doppler		-		40.00	0.400.04
42400	MR of the renal tract for obstruction		1 :		10.60 47.00	2 133.04 9 457.81
42410	MR of the kidneys without contrast				64.58	12 995.43
42420	MR of the kidneys pre and post contrast		l .		102.24	20 573.76
42900	Nuclear Medicine study - Renal imaging, static (e.g. DMSA)		21.94	4 414.99	102.24	20 0.00
	Nuclear Medicine study - Renal imaging, static (e.g. DMSA) with		İ			
42905	flow		27.96	5 626.39		
42910	Nuclear Medicine study - Renal imaging, static (e.g. DMSA) with SPECT		35,35	7 113.48		
12010	Nuclear Medicine study - Renal imaging, static (e.g. DMSA), with		00.00	7 115.46	li	
42915	flow, with SPECT		41.37	8 324.89		
42920	Nuclear Medicine study - Renal imaging dynamic (renogram) and vascular flow		200 54	l		
42920	Nuclear Medicine study – Renovascular study, baseline		26.51 26.51	6 334.61		
42330	Trudeal Medicillo Study - Iteliovasculai Study, Daseille		20.51	5 334.61		
42940	Nuclear Medicine study - Renovascular study, with intervention		26.51	5 334.61		
42950	Nuclear medicine study - indirect voiding cystogram		6.02	1 211.40		
	Reproductive system					
43200	Ultrasound study of the pelvis transabdominal.				5.70	1 147.01
43220	Ultrasound study of the testes.				7.38	1 485.08
	Aorta and vessels Code 44400 (MR Angiography) may be combined with 40400 (MR		-	-		
	abdomen).		-	_		
	Ultrasound study of abdominal aorta and branches including		İ			
44200	doppler		-	-	18.32	3 686.63
44205	Ultrasound study of the IVC and pelvic veins including Doppler		-		14.00	2 817.22
44000	This is a stand alone code and may not be added to 44200.		· ·			0.00
44300	CT angiography of abdominal aorta and branches		-	9	76.72	15 438.37
	CT angiography of the abdominal aorta and branches and pre and					
44305 44310	post contrast study of the upper abdomen CT angiography of the pelvis]		94.32 78.64	18 980.01 15 824.73
44320	CT angiography of the abdominal aorta and pelvis		l [89.54	18 018.13
	CT angiography of the abdominal aorta and pelvis and pre and			·	03.54	10 0 10.13
44325	post contrast study of the upper abdomen and pelvis		-	-	119.15	23 976.65
44330	CT portogram		-	-	74.40	14 971.51
44400	MR angiography of abdominal aorta and branches		-	-	76.64	15 422.27
44500	Arteriography of abdominal aorta alone		-	-	28.12	5 668.59
44503	Arteriography of aorta plus coeliac, mesenteric branches		-	-	75.63	15 219.02
44505	Arteriography of corta plus renal, adrenal branches		-	-	63.01	12 679.50
44507 44510	Arteriography of aorta plus non-visceral branches Arteriography of coellac, mesenteric vessels alone			•	60.79	12 232.77
44515	Arteriography of renal, adrenal vessels alone				64.35	12 949.15 9 958.87
44517	Arteriography of non-visceral abdominal vessels alone				49.49 54.91	11 049.54
44520	Arteriography of internal and external illac vessels alone		_		56.72	11 413.77
44525	Venography of internal and external illac veins alone		-	_	62.11	12 498.40
44530	Corpora cavernosography		_		25.06	5 042.82
44535	Vasography, vesciculography		-		29.19	5 873.90
44540	Venography of Inferior vena cava		-		26.12	5 256.13
44543	Venography of hepatic veins alone		-	-	53.77	10 820.14
44545	Venography of inferior vena cava and hepatic veins		-		68.91	13 866.76
44550	Venography of lumbar azygos system alone		-	-	43.89	8 831.98
44555 44560	Venography of inferior vena cava and lumbar azygos veins Venography of renal, adrenal veins alone		[~]	•	65.46	13 172.52 8 852.11
44565	Venography of inferior vena cava and renal/adrenal veins		174		43.99 68.39	8 862.11 13 762.12
44570	Venography of spermatic, ovarian veins alone		[40.39	8 127.68
	Walter State of the State of th		[•	40139	0 121.00
44573	Venography of inferior vena cava, renal, spermatic, ovarian veins		-	-	73.99	14 889.01
44580	Venography indirect splenoportogram		196	-	48 67	9 793.86

Venography transhepatic portogram 	8 - Radiology	038 -		025 - Nuclear Medicine	· <u>.</u>		_
Venography transhapatic portogram Soft Tasics Soft Tasics	R	U	R	U			
Soft Tissus 48920 Nuclear medicine study – Infection localisation planar, static Nuclear medicine study – Infection localisation planar, static Nuclear medicine study – Infection localisation planar, static Nuclear medicine study – Infection localisation planar, static Nuclear medicine study – Infection localisation planar, static Nuclear medicine study – Infection localisation planar, static Multiple studies and SPECT Nuclear medicine study – Infection localisation planar, static multiple studies and SPECT Spina, Pavivis and Hips Code 61340 (CT myelography, cenvical), \$2330 (CT myelography thoracolo) and \$3340 (CT myelography thoracolo) and \$3340 (CT myelography thoracolo) and \$3340 (CT myelography thoracolo) and \$340 (CT myelography thoracolo) and \$340 (CT myelography thoracolo) and \$340 (CT myelography thoracolo) and \$400 (CT myelography thoracolo) and \$400 (CT myelography thoracolo) and \$400 (CT myelography thoracolo) and \$400 (CT myelography thoracolo) and \$400 (CT myelography thoracolo) and storacolography thoracolography color study and storacolography color storacolography color storacolography and \$400 (CT myelography) and \$400 (CT my	59 6 356.	31.59				Venography direct splenoportogram	44583
Nuclear medicine study – Infection localisation planar, static, Nuclear medicine study – Infection localisation planar, static, multiple studies Nuclear medicine study – Infection localisation planar, static and SPECT Nuclear medicine study – Infection localisation planar, static and SPECT Nuclear medicine study – Infection localisation planar, static, multiple studies and SPECT Nuclear medicine study – Infection localisation planar, static, multiple studies and SPECT Spine, Palvis and Hilps Code 5140 (CT myelography, cervical), 52330 (CT myelography thoracci) and 5344 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5344 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography Informacio) and 5444 (CT myelography) and 5444 (CT myelography) and 5444 (CT myelography) and 5444 (CT myelography) and 5444 (CT myelography) and 5444 (CT myelography) and 5444 (CT myelography) and 5444 (CT myelography) and 5444 (CT myelography) and 5444 (CT myelography	75 13 432.	66.75		-		Venography transhepatic portogram	44587
Nuclear medicine study – Infection localisation planar, static, multiple studies and subject studies and SPECT STATE of the study – Infection localisation planar, static and SPECT Nuclear medicine study – Infection localisation planar, static, multiple studies and SPECT STATE of the state o	1			-			
### Application of the process of th			3 490.56	18.04			49920
Nuclear medicine study – Infection localisation planar, static and 9980 Nuclear medicine study – Infection localisation planar, static, multiple studies and SPECT Spline, Palvis and High Code 5130 (CT myelography tumbra) rare stand alone studies and may not be combined with the conventiantal myelography conviced, Sci 1510, Sci 150, Sci 150							
Aspect Notear medicine study – infection localisation planar, static, multiple studies and SPECT Spine, Pelvis and Hips Code 51340 (CT myelography, cervical), 52330 (CT myelography thoracic) and 53340 (CT myelography harmbar) are stand alone studies and misy not be combined with conventional myelography codes viz. 5160, 52160, 53160 General Code 50130 (Lumbar puncture) and 50140 (cisternal puncture) include Noroscopy and Introduction of contrast (00140 may not be added). Solido X-ray of the spine socilosis view AP and lateral including stress views 1010 X-ray of the spine socilosis view AP and lateral including stress views 1010 X-ray guided distensity puncture of the spine socilosis view AP and lateral including stress 1010 X-ray guided of stemate puncture cistemogram 1010 X-ray guided of the carvical spine and cranic-cervical punc			6 085.26	31.45		1 .	49930
Nuclear medicine study – Infection localisation planar, static, multiple studies and SPECT Spins, Patvis and Hips Code 51340 (CT myelography, cenical), 52330 (CT myelography throacic) and 53340 (CT myelography tumbar) are stand alone studies and may not be combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the conventiantal myelography combined with the convention of contrast (00140 may not be added). Solited X-ray of the spine socilosis view AP and lateral including stress views with the convention of contrast (00140 may not be added). X-ray bene densitionetry X-ray guided mithar puncture 30100 X-ray guided mithar puncture 30100 X-ray guided cistemal puncture cisternogram 3010 CT quantitive bone mineral density 3010 CT quantitive bone mineral density 3010 X-ray guided cistemal puncture cisternogram 3010 CT quantitive bone mineral density 3010 X-ray guided mithar puncture 3010 X-ray guided mithar puncture 3010 X-ray guided mithar puncture 3010 X-ray guided mithar puncture 3010 X-ray guided mithar puncture 3010 X-ray (file convical spine), 51160 (myelography) and 51170 (discography). Code 51110, 51120 (cervical spine), 51160 (myelography) include fluorescopy and introduction of contrast (00140 may not be added). Code 51310 (CT) regional study - 2 vertebral bodies and introduction of contrast (00140 may not be added). Code 51310 (CT) regional study - 2 vertebral bodies and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral code of 5100 (CT) limited - limited to a single cervical							40040
multiple studies and SPECT Spine, PeNis and Hips Code 51340 (CT myelography, cervical), 52330 (CT myelography thoracio) and 53340 (CT myelography lumbar) are stand alone studies and may not be combined with econventional myelography codes viv. 51160, 52150, 53160 General Code 50130 (Lumbar puncture) and 50140 (cisternal puncture) include fluorescopy and introduction of contrast (00140 may not be added). X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemogram X-ray guided cistemal puncture cistemography and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy) and S1770 (giocagnaphy			6 085.26	31.45			49940
Spino, Pebris and Higs Code 51340 CT myelography cervical), \$2390 (CT myelography belocities and may not combined without sentence and may not combined without sentence and may not combined without sentence and may not combined without sentence and may not combined without sentence and may not be added). General Code 50130 (Lumbar puncture) and 50140 (cisternal puncture) in added). Solido X-ray of the spine sociolosis view AP and lateral including stress views of the spine sociolosis view AP and lateral including stress views and sentence and				44.00			40050
Code 51340 (CT myelography), tenviced, 52330 (CT myelography) thoracion) and 5334 (CT myelography) tumbar) are stand alone studies and may not be combined with the conventiantal myelography code viz. 51160, 52150, 53160 General Code 50130 (Lumbar puncture) and 50140 (cisternal puncture) include fluoroscopy and introduction of contrast (00140 may not be added). Solido X-ray of the spine socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views are socilosis view AP and lateral including stress views and stress place and stress views are socilosis view AP and lateral including stress views and stress place and stress views and stress views are socilosis views and stress views and views are socilosis views and views are socilosis views and views are socilosis views and views are socilosis views and views	- 1		0 0/3.80	44,00		Snine Polyie and Hine	45500
thoracic) and 53340 (CT myelography lumbar) are stand alone studies and may not be combined with the conventional myelography codes viz. 51190, 52150, 53160 General Code 50130 (Lumbar puncture) and 50140 (cisternal puncture) include fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the spine scoliosis view AP and lateral X-ray of the spine scoliosis view AP and lateral X-ray of the spine scoliosis view AP and lateral including stress views and schedule with the provided cisternal puncture and scoling views with the spine scoliosis view AP and lateral including stress views and schedule with the spine scoliosis view AP and lateral including stress views and schedule X-ray guided lumbar puncture 4 11. 50110 X-ray guided umbar puncture 4 11. 50110 X-ray guided umbar puncture 4 11. 50110 X-ray guided cisternal puncture cisternogram 4 22. 50120 X-ray guided cisternal puncture cisternogram 5 22. 50130 X-ray guided cisternal puncture cisternogram 5 22. 50130 X-ray guided cisternal puncture cisternogram 5 22. 50130 X-ray guided cisternal puncture cisternogram 6 22. 50130 X-ray guided cisternal puncture cisternogram 7 22. 50130 X-ray guided cisternal puncture cisternogram 8 2. 5020 X-ray guided cisternal puncture cisternogram 9 2. 50300 X-ray guided cisternal puncture cisternogram 9 2. 50300 X-ray guided cisternal puncture cisternogram 9 2. 50400 X-ray guided cisternal puncture 6 2. 50500 X-ray guided cisternal puncture 6 2. 50600 X-ray guided cisternal puncture 6 2. 50700 X-ray guided cisternal puncture 6 2. 50810 X-ray guided cisternal puncture 6 2. 50810 X-ray guided cisternal puncture 6 2. 50810 X-ray guided cisternal puncture 6 2. 50810 X-ray guided cisternal puncture 6 2. 50810 X-ray guided cisternal puncture 6 2. 50810 X-ray guided cisternal puncture 7 2. 50810 X-ray guided cisternal puncture 7 2. 50810 X-ray guided cisternal puncture 7 2. 50810 X-ray guided cisternal puncture 7 2. 50810 X-ray guided cisternal puncture 7 2. 50810 X-ray guided cisternal puncture	-		-	[
studies and may not be combined with the conventianian myelography code viz. 51160, 52150, 53160 General Code 50130 (Lumbar puncture) and 50140 (cisternal puncture) include fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the spine scoliosis view AP and lateral including stress views 501100 X-ray of the spine scoliosis view AP and lateral including stress views 501120 X-ray of the spine scoliosis view AP and lateral including stress views 50120 X-ray of the spine scoliosis view AP and lateral including stress views 50120 X-ray guided cisternal puncture 50140 X-ray guided cisternal puncture cisternogram 50140 X-ray guided cisternal puncture cisternogram 50140 X-ray guided cisternal puncture cisternogram 50500 Arteriogram of the spinal column and cord, all vessels 50610 Arteriogram of the spinal column and cord, all vessels Carvical 50610 Carvical Carvical 50610 Carvical spinal, paraspinal veins Carvical 50710 Code 51140 (tennography) may be combined with 51110 or 51120 (gispine). Code 51140 (tennography) and 51170 (discography); include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) imitted - limited to a single cervical vertebral body. Code 51320 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) regional study - an extensive study of the code of 51320 (CT) complete study - an extensive study of the code of 51320 (CT) complete study - an extensive study of the code of 51320 (CT) complete study - an extensive study of the code of 51320 (CT) complete study - an extensive study of the code of 51320 (CT) complete study - an extensive study of the code of 51320 (CT) complete study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) trayelography) - post myelographise study end includes all disc levels, includes fluoroscopy and introduction of contrast (CD440 may not be added). X-ra							
Ceneral Code 50130 (Lumbar puncture) and 50140 (cisternal puncture) include fluoroscopy and introduction of contrast (00140 may not be added). 50100 X-ray of the spline socilosis view AP and lateral X-ray of the spline socilosis view AP and lateral X-ray of the spline socilosis view AP and lateral X-ray of the spline socilosis view AP and lateral X-ray of the spline socilosis view AP and lateral X-ray of the spline socilosis view AP and lateral X-ray of the spline socilosis view AP and lateral X-ray of the spline socilosis view AP and lateral X-ray of the spline socilosis view AP and lateral X-ray guided lumbar puncture 11. 50120 X-ray guided lumbar puncture 12. 50120 X-ray guided cisternal puncture cisternogram 13. 50120 X-ray guided cisternal puncture cisternogram 14. 50140 X-ray guided cisternal puncture cisternogram 15. 50140 X-ray guided cisternal puncture cisternogram 16. 50140 X-ray guided cisternal puncture cisternogram 17. 50500 X-ray guided cisternal puncture cisternogram 18. 50510 X-ray guided cisternal puncture cisternogram 19. 50510 X-ray guided cisternal puncture cisternogram 19. 50510 X-ray guided cisternal puncture cisternogram 19. 50510 X-ray guided cisternal puncture cisternogram 19. 50510 X-ray guided cisternal puncture cisternogram 19. 50510 X-ray (Incomparative spline), 51150 (myelography) and 51170 (discography), and 51170 (discography), and 51170 (discography), and 51170 (discography), and 51170 (discography), and 51170 (discography) and 51100 replication contrast (00140 may not be added), and intervertebral disc spaces, code 51320 (CT) limited - limited to a single cervical vertebral body, and introduction of contrast (00140 may not be added), and intervertebral disc spaces, code 51320 (CT) complete study - an extensive study of the cervical spline, more than two views 51100 X-ray of the cervical spline, more than two views 51100 X-ray of the cervical spline, more than two views 51100 X-ray of the cervical spline and cisternoscopy and introduction of contrast (00140 may not						studies and may not be combined with the conventianla	
Code 51130 (Lumbar puncture) and 50140 (cisternal puncture) include fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral including stress sollosis X-ray guided lumbar puncture X-ray guided lumbar puncture X-ray guided lumbar puncture cisternogram X-ray guided lumbar puncture cisternogram X-ray guided cisternal puncture cisternogram X-ray guided cisternal puncture cisternogram X-ray guided cisternal puncture cisternogram X-ray guided cisternal puncture cisternogram X-ray guided cisternal puncture cisternogram X-ray guided cisternal puncture cisternogram X-ray guided cisternal puncture cisternogram X-ray guided lumbar puncture X-ray guided cisternal puncture cisternogram X-ray guided lumbar puncture X-ray guided cisternal puncture cisternogram X-ray guided lumbar puncture X-ray guided lumbar puncture X-ray (cisternal puncture cisternogram X-ray of the cervical spine, spinal, paraspinal veins Cervical X-ray (cisternal puncture cisternogram X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, spinal, paraspinal veins X-ray of the cervical spine, more than two views X-ray of the cervical spine, spinal paraspinal veins X-ray of the cervical spinal, paraspinal veins X-ray of the cervical spinal, paraspinal veins X-ray of the cervical spinal, paraspinal veins X-ray of the cervical spinal, paraspinal veins			-	-	ľ		
include fluoroscopy and introduction of contrast (00140 may not be added). Softed X-ray of the spine scollosis view AP only 12. X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral including stress views Softed X-ray bone denaltometry Softed X-ray guided lumbar puncture 1 11. Softed X-ray guided lumbar puncture Softed X-ray guided lumbar puncture deternogram 1 12. X-ray guided lumbar puncture deternogram 2 12. Softed X-ray guided lumbar puncture deternogram 3 12. Softed X-ray guided lumbar puncture deternogram 4 12. Softed X-ray guided lumbar puncture deternogram 5 12. Softed X-ray guided lumbar puncture deternogram 5 12. Softed X-ray guided lumbar puncture deternogram 5 12. Softed X-ray guided lumbar puncture deternogram 5 12. Softed X-ray guided lumbar puncture deternogram 5 12. Softed X-ray guided lumbar puncture deternogram 5 12. Softed X-ray guided lumbar puncture deternogram 6 12. Cordical Softed X-ray guided lumbar puncture deternogram 6 12. Softed X-ray guided lumbar puncture deternogram 7 12. Softed X-ray guided lumbar puncture deternogram 8 1170 (discography) Code S1140 (tomography) and S1170 (discography) and S1170 (discography) Code S1140 (tomography) and S1170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code S1310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code S1320 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code S1320 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code S1320 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code S1320 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code S1320 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code S1320 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Softed S1320 (CT) regional study - 2 v			-	-[
added). X-ray of the spine scollosis view AP only 50105 X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral X-ray guided clisteral puncture cisternogram - 11. X-ray guided clisteral puncture cisternogram - 22. 26000 CT quantitive bone mineral density - 11. X-ray of the spinel column and cord, all vessels - 12. Yenography of the spinal, paraspinal veins Cervical to 51110, 51120 (cervical spine), 51160 (myelography) and 51170 (discography) and 51170 (discography) Code 51140 (comparaphy) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added), Code 51130 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) - post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 2. 2. 2. 2. 2. 2. 2. 3. 3. 3							
50100 X-ray of the spine scollosis view AP only 50105 X-ray of the spine scollosis view AP and lateral 50110 X-ray of the spine scollosis view AP and lateral 50110 Views 50120 X-ray guided imbar puncture 50120 X-ray guided imbar puncture 50120 X-ray guided imbar puncture 50120 X-ray guided imbar puncture 50120 X-ray guided imbar puncture cisternogram 50120 X-ray guided imbar puncture cisternogram 5020 C quantitive bone mineral density 50300 C T quantitive bone mineral density 50500 Arteriogram of the spinal column and cord, all vessels 50610 Venography of the spinal, paraspinal velns 6020 Cervical 60210 Cervical 60300 C Quantitive bone mineral density 60300 C Quantitive bone mineral density 6040 Arteriogram of the spinal column and cord, all vessels 60500 Venography of the spinal, paraspinal velns 6040 Cervical 60510 Ce			_	.			
Solido X-ray of the spine scollosis view AP and lateral X-ray of the spine scollosis view AP and lateral including stress views Solido X-ray bone densitometry X-ray guided disternal puncture cisternogram Solido X-ray guided disternal puncture cisternogram Solido X-ray guided disternal puncture cisternogram Carylogill Arteriogram of the spinal column and cord, all vessels Venography of the spinal column and cord, all vessels Venography of the spinal paraspinal veins Carylogil Io 5110, 51120 (cervical spine), 51160 (myelography) and 51170 (discography) Code 51140 (lomography) may be combined with 51110 or 51120 (spine). Code 51140 (lomography) and 51170 (discography) include fluoreacopy and introduction of contrast (0140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the carvical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoreacopy and introduction of contrast (0140 may not be added). Stray of the cervical spine, stress views only X-ray of the cervical spine, stress views only X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views Stray of the cervical spine, more than two views Stray of the cervical spine, more than two views including stress views Stray of the cervical spine per level X-ray myelography cervical spine per level CT of the cervical spine regional study CT of the cervical spine per and post contrast CT myelography of the cervical spine per level CT of the cervical spine inmited study MR of the cervical spine and cranio-cervical junction pre and post MR of the cervical spine and cranio-cervical junction pre and post	00 1 408.0	7.00		.		1 '	50100
X-ray of the spine scoliosis view AP and lateral including stress views 50120 X-ray bone densitometry 50130 X-ray plone densitometry 50130 X-ray guided Limbar puncture 50140 X-ray guided stemant puncture eisternogram 50300 CT quantitive bone mineral density 50500 Arteriogram of the spinal column and cord, all vessels 50510 Arteriogram of the spinal paraspinal veins 50510 Arteriogram of the spinal paraspinal veins 60510 Cervical 60510 Venography of the spinal, paraspinal veins 60510 Cervical 605110 (Giscography), 6051110 (Cervical spine), 51160 (myelography) and 51170 (discography), 6066 5140 (tomography) may be combined with 51110 or 51120 (spine), 6066 5140 (tomography) and 51170 (discography) include fluorescopy and introduction of contrast (00140 may not be added), 6066 51300 (CT) limited - limited to a single cervical vertebral body, 6066 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. 6066 51320 (CT) complete study - an extensive study of the cervical spine, 6066 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluorescopy and introduction of contrast (00140 may not be added), 61100 X-ray of the cervical spine, one or two views 61120 X-ray of the cervical spine, one or two views 61120 X-ray of the cervical spine, one or two views 61120 X-ray of the cervical spine, more than two views 61120 X-ray of the cervical spine, more than two views 61140 X-ray mography cervical spine entan two views 61140 X-ray mography cervical spine ber level 61170 X-ray discography of the cervical spine 61180 X-ray myelography of the cervical spine 61180 X-ray myelography of the cervical spine 61180 X-ray myelography of the cervical spine 61180 X-ray discography of the cervical spine 61180 X-ray myelography of the cervical spine 61180 X-ray myelography of the cervical spine 61180 X-ray discography of the cervical spine 61180 X-ray discography of the cervical spine 61180 X-ray discography of the cervical spine 61180 X-ray discography of the cervical spine 61180 X		12.00				1	
X-ray bone densitometry X-ray guided Limbar puncture X-ray guided cisternal puncture (sternogram) To quantitive bone mineral density Atteriogram of the spinal column and cord, all vessels Venography of the spinal, peraspinal veins Gervical Lo 51110, 51120 (cervical spine), 51160 (myelography) and 51170 (discography). Code 51140 (tomography) may be combined with 51110 or 51120 (spine). Code 51140 (tomography) and 51170 (discography) include fluorescopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51300 (CT) regional study - 2 vertebral body. Code 51300 (CT) regional study - 2 vertebral body. Code 51300 (CT) myelography) post myelographic study and intervertebral disc spaces. Code 51300 (CT) myelography - post myelographic study and includes all disc levels, includes fluorescopy and introduction of contrast (00140 may not be added). X-ray of the cervical spine, one or two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine more than two views X-ray of the cervical spine more than two views X-ray of the cervical spine more than two views X-ray of the cervical spine more than two views X-ray of the cervical spine more than two views X-ray of the cervical spine more than two views X-ray of the cervical spine of the cervical spine X-ray myelography of the cervical spine X-ray myelography of the cervical spine X-ray myelography of the cervical spine X-ray discography of the cervical spine of the cervical spine of the cervical spine of the cervical spine of the cervical spine of the cervical spine of the cervical spine of the cervical spine of the cervical spine of the cervical spine	2 717.	12.00	-	1		1 ' '	
80130 X-ray guided lumbar puncture 80140 X-ray guided cistemal puncture cisternogram 9 22: 80300 CT quantitive bone mineral density 9 11: 80600 Arteriogram of the spinal column and cord, all vessels 9 12: 80600 Venography of the spinal, paraspinal veins 9 12: 80600 Carvical 10 51110, 51120 (cervical spine), 51160 (myelography) and 51170 (discography) 9 10: 9	54 3 730.	18.54				views	50110
Solution Strang guided cisternal puncture cisternogram CT quantitive bone mineral density Atteriogram of the spinal column and cord, all vessels Venography of the spinal column and cord, all vessels Venography of the spinal, paraspinal veins Cervical to \$1110, \$1120 (cervical spine), \$1160 (myelography) and \$1170 (discography)). Code \$1140 (tomography) may be combined with \$1110 or \$1120 (spine). Code \$1160s (myelography) and \$1170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code \$1310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code \$1320 (CT) complete study - an extensive study of the cervical spine. Code \$1340 (CT myelography) - post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). \$16100 X-ray of the cervical spine, enses views only X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress \$18130 Views \$18140 X-ray myelography of the cervical spine X-ray of the cervical spine erelevel \$18140 X-ray discography cervical spine X-ray of the cervical spine per level \$18140 X-ray discography cervical spine X-ray of the cervical spine erelevel \$18140 X-ray of the cervical spine per level \$18140 X-ray of the cervical spine per level \$18140 X-ray of the cervical spine per level \$18140 X-ray of the cervical spine per level \$18140 X-ray of the cervical spine per level \$18140 X-ray of the cervical spine per and post contrast \$18140 X-ray of the cervical spine per and post contrast \$18140 X-ray of the cervical spine per and post contrast \$18140 X-ray of the cervical spine per and post contrast \$18140 X-ray of the cervical spine and cranio-cervical junction \$18140 MR of the cervical spine and cranio-cervical junction \$18140 MR of the cervical spine and cranio-cervical junction \$18140 MR	52 2 318 .	11.52				X-ray bone densitometry	60120
CT quantitive bone mineral density Afteriogram of the spinal column and cord, all vessels Cervical To S1110, S1120 (cervical spine), S1160 (myelography) and S1170 (discography). Code S1140 (tomography) may be combined with 51110 or 51120 (spine). Code S1140 (tomography) and S1170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code S1300 (CT) limited - limited to a single cervical vertebral body. Code S1300 (CT) regional study - 2 vertebral bodies and intervertebral dise spaces. Code S1300 (CT) regional study - 2 vertebral bodies and intervertebral dise spaces. Code S1300 (CT) myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). S1100 X-ray of the cervical spine, stress views only X-ray of the cervical spine, one or two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views 1130 X-ray myelography cervical spine X-ray myelography cervical spine end than two views including stress views 11410 X-ray fluorography cervical spine 1150 X-ray myelography cervical spine 11610 X-ray myelography cervical spine 1170 X-ray discography cervical spine end than two views including stress views 118110 X-ray of the cervical spine pre level 11910 X-ray discography cervical spine end than two views including stress views 11910 X-ray fluorography cervical spine end than two views including stress views 11910 X-ray fluorography cervical spine end than two views including stress views 1100 X-ray fluorography of the cervical spine end than two views including stress views 1100 X-ray fluorography of the cervical spine end contrast of the cervical spine end contrast of the cervical spine end contrast of the cervical spine end contrast of the cervical spine end cranio-cervical junction of the cervical spine and cranio-cervical junction of the cervical price and cranio-cervical junction of the cervical price and	80 965.9	4.80	-	-		X-ray guided lumbar puncture	60130
Arteriogram of the spinal column and cord, all vessels Venography of the spinal, paraspinal veins Cervical to 51110, 51120 (cervical spine), 51160 (myelography) and 51170 (discography). Code 51140 (tomography) may be combined with 51110 or 51120 (spine). Code 51140 (tomography) may be combined with 51110 or 51120 (spine). Code 51140 (tomography) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the cervical spine, stress views only X-ray of the cervical spine, one or two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views 11100 X-ray of the cervical spine, more than two views including stress 11300 X-ray discography cervical spine X-ray myelography cervical spine X-ray myelography cervical spine X-ray of the cervical spine pre level 11300 CT of the cervical spine pre and post contrast 11300 CT of the cervical spine pre and post contrast 11300 CT myelography of the cervical spine pre and post contrast 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine 11300 CT myelography of the cervical spine	98 4 624.:	22.98		-]		X-ray guided cistemal puncture cisternogram	50140
Venography of the spinal, paraspinal veins Cervical Lo 51110, 51120 (cervical spine), 51160 (myelography) and 51170 (discography). Code 51140 (tomography) may be combined with 51110 or 51120 (spine). Code 51160s (myelography) and 51170 (discography) include fluorescopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the cervical spine, stress views only X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views X-ray of the cervical spine, more than two views including stress views X-ray of the cervical spine en per level X-ray discography cervical spine er level X-ray discography cervical spine per level CT of the cervical spine — regional study CT of the cervical spine — regional study CT of the cervical spine per and post contrast CT myelography of the cervical spine CT myelography of the cervical spine CT myelography of the cervical spine in end post contrast CT myelography of the cervical spine following myelogram MR of the cervical spine, minted study MR of the cervical spine, imitted study MR of the cervical spine, imitted study MR of the cervical spine, and cranic-cervical junction MR of the cervical spine and cranic-cervical junction MR of the cervical spine and cranic-cervical junction MR of the cervical spine and cranic-cervical junction pre and post	83 2 380.0	11.83		- 1	1	CT quantitive bone mineral density	50300
Cervical to 51110, 51120 (cervical spine), 51160 (myelography) and 51170 (discography). Code 51140 (temography) may be combined with 51110 or 51120 (spine). Code 51160s (myelography) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the cervical spine, stress views only X-ray of the cervical spine, one or two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views 11100 X-ray fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views 11100 X-ray fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the cervical spine, more than two views 11100 X-ray of the cervical spine, more than two views 11100 X-ray of the cervical spine, more than two views 11100 X-ray of the cervical spine, more than two views including stress views 11100 X-ray fluoroscopy of the cervical spine 11100 X-ray myelography of the cervical spine 11100 X-ray of the cervical spine per level 11100 X-ray discography of the cervical spine per level 11100 X-ray discography of the cervical spine and cranic-cervical junction of the cervical spine and crani	23 25 602.4	127.23		-1	i	Arteriogram of the spinal column and cord, all vessels	50500
to 51110, 51120 (cervical spine), 51180 (myelography) and 51170 (discography). Code 51140 (tomography) may be combined with 51110 or 51120 (spine). Code 51160s (myelography) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51310 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the cervical spine, one or two views 1 - 4. 1110 X-ray of the cervical spine, one or two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views 1120 X-ray for the cervical spine when the views including stress 1130 views 1140 X-ray Tomography cervical spine 11510 X-ray myelography of the cervical spine 11510 X-ray discography cervical spine per level 11510 X-ray discography cervical spine per level 11510 X-ray discography cervical spine per level 11510 X-ray discography cervical spine per level 11510 X-ray discography of the cervical spine er level 11510 X-ray discography of the cervical spine per level 11510 X-ray discography of the cervical spine per level 11510 X-ray discography of the cervical spine when the discography of the cervical spine of the cervical	45 11 761.4	58.45	-	-		Venography of the spinal, paraspinal veins	50510
(discography). Code 51140 (tomography) may be combined with 51110 or 51120 (spine). Code 51160s (myelography) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51320 (CT) complete study - an extensive study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray f the cervical spine, one or two views 51110 X-ray of the cervical spine, one or two views X-ray of the cervical spine, more than two views including stress 151120 X-ray of the cervical spine, more than two views including stress 151130 views X-ray of the cervical spine ere level X-ray of the cervical spine per level X-ray discography cervical spine ere level X-ray discography cervical spine per level CT of the cervical spine ere gional study CT of the cervical spine – regional study CT of the cervical spine – regional study CT of the cervical spine – regional study CT of the cervical spine – regional study CT of the cervical spine – complete study CT myelography of the cervical spine CT myelography of the cervical spine following myelogram CT myelography of the cervical spine following myelogram CT myelography of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post	1		-	-		Cervical	
Code 51140 (tomography) may be combined with 51110 or 51120 (spine). Code 51160s (myelography) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) – post myelographic study and includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray of the cervical spine, stress views only - 4. Stray of the cervical spine, one or two views - 3. Stray of the cervical spine, more than two views - 4. X-ray of the cervical spine, more than two views including stress views only - 7. Stray of the cervical spine more than two views - 7. Stray of the cervical spine more than two views including stress views - 7. Stray of the cervical spine of the cervical spine - 27. Stray myelography of the cervical spine - 27. Stray myelography cervical spine per level - 27. Stray discography cervical spine per level - 25. Stray of the cervical spine – complete study - 9. Stray of the cervical spine – complete study - 9. Stray of the cervical spine – complete study - 9. Stray of the cervical spine per and post contrast - 58. Stray of the cervical spine per and post contrast - 58. Stray of the cervical spine per and post contrast - 58. Stray of the cervical spine and cranio-cervical junction - 64.6.						to 51110, 51120 (cervical spine), 51160 (myelography) and 51170	
(spine). Code 51160s (myelography) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray f the cervical spine, one or two views 511100 X-ray of the cervical spine, one or two views 51110 X-ray of the cervical spine, more than two views 151110 X-ray of the cervical spine, more than two views 151120 X-ray of the cervical spine, more than two views including stress 151130 views 151140 X-ray Tomography cervical spine 151140 X-ray mography cervical spine 151140 X-ray myelography of the cervical spine 151140 X-ray discography cervical spine per level 151150 X-ray discography cervical spine per level 151170 X-ray discography cervical spine per level 151170 X-ray discography cervical spine per level 151170 X-ray discography cervical spine per level 151170 X-ray myelography of the cervical spine ber level 151170 X-ray myelography of the cervical spine per level 151170 X-ray myelography of the cervical spine flimited study 151170 X-ray myelography of the cervical spine of outrast 151170 X-ray myelography of the cervical spine of outrast 151170 X-ray myelography of the cervical spine following myelogram 151170 X-ray myelography of the cervical spine following myelogram 151170 X-ray myelography of the cervical spine and cranio-cervical junction 151170 X-ray myelography of the cervical spine and cranio-cervical junction 151170 X-ray myelography of the cervical spine and cranio-cervical junction 151170 X-ray myelography of the cervical spine and cranio-cervical junction pre and post							
Code 51160s (myelography) and 51170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) - post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray f the cervical spine, stress views only 51101 X-ray of the cervical spine, one or two views 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views 51130 views 51130 Views 51140 X-ray myelography cervical spine 51160 X-ray myelography of the cervical spine 51170 X-ray discography cervical spine per level 51300 CT of the cervical spine - complete study 51310 CT of the cervical spine - complete study 51320 CT of the cervical spine - complete study 51330 CT of the cervical spine per and post contrast 51340 CT myelography of the cervical spine 51350 CT myelography of the cervical spine following myelogram 51360 CT myelography of the cervical spine following myelogram 51360 MR of the cervical spine and cranic-cervical junction 51400 MR of the cervical spine and cranic-cervical junction 51400 MR of the cervical spine and cranic-cervical junction 51400 MR of the cervical spine and cranic-cervical junction pre and post							
added). Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) - post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray of the cervical spine, one or two views 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views 51130 X-ray Tomography cervical spine 51160 X-ray myelography of the cervical spine 51170 X-ray discography for the cervical spine er level 51180 CT of the cervical spine limited study 5119 CT of the cervical spine - regional study 5119 CT of the cervical spine pre and post contrast 5110 CT of the cervical spine pre and post contrast 5110 CT myelography of the cervical spine 5110 CT of the cervical spine pre and post contrast 5110 CT myelography of the cervical spine 5110 CT myelography of the cervical spine 5110 CT myelography of the cervical spine 5110 CT myelography of the cervical spine 5110 CT myelography of the cervical spine 5110 CT myelography of the cervical spine following myelogram 5110 CT myelography of the cervical spine following myelogram 5110 MR of the cervical spine and cranio-cervical junction 5110 MR of the cervical spine and cranio-cervical junction 5110 MR of the cervical spine and cranio-cervical junction 5110 MR of the cervical spine and cranio-cervical junction pre and post						r., ,	
Code 51300 (CT) limited - limited to a single cervical vertebral body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray of the cervical spine, stress views only 51110 X-ray of the cervical spine, more than two views 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress 51130 views 51140 X-ray Tomography cervical spine 51160 X-ray myelography of the cervical spine 51170 X-ray discography cervical spine per level 51300 CT of the cervical spine imited study 51310 CT of the cervical spine — regional study 51320 CT of the cervical spine — complete study 51330 CT of the cervical spine per and post contrast 51340 CT myelography of the cervical spine 51350 CT myelography of the cervical spine 51360 CT myelography of the cervical spine 51360 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post							
body. Code 51310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) - post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray f the cervical spine, stress views only 51110 X-ray of the cervical spine, one or two views 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress Views 51130 Views 51140 X-ray Tomography cervical spine 51140 X-ray myelography of the cervical spine 51150 CT of the cervical spine per level 51300 CT of the cervical spine ilmited study 51310 CT of the cervical spine - regional study 51320 CT of the cervical spine - regional study 51330 CT of the cervical spine - complete study 51330 CT of the cervical spine per and post contrast 51340 CT myelography of the cervical spine following myelogram 51350 CT myelography of the cervical spine following myelogram 51360 MR of the cervical spine and cranio-cervical junction 51400 MR of the cervical spine and cranio-cervical junction 51400 MR of the cervical spine and cranio-cervical junction 51400 MR of the cervical spine and cranio-cervical junction 51400 MR of the cervical spine and cranio-cervical junction 51400 MR of the cervical spine and cranio-cervical junction pre and post							
intervertebral disc spaces. Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) - post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray f the cervical spine, stress views only 51120 X-ray of the cervical spine, one or two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views 51130 views 51130 X-ray Tomography cervical spine 51140 X-ray Tomography cervical spine 51160 X-ray myelography of the cervical spine 51170 X-ray discography cervical spine per level 51300 CT of the cervical spine - regional study 51310 CT of the cervical spine - complete study 51320 CT of the cervical spine - complete study 51330 CT of the cervical spine per and post contrast 51340 CT myelography of the cervical spine 51350 CT myelography of the cervical spine following myelogram 51350 CT myelography of the cervical spine following myelogram 51360 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post							
Code 51320 (CT) complete study - an extensive study of the cervical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray f the cervical spine, stress views only - 4.5 51110 X-ray of the cervical spine, one or two views - 3.6 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views - 4.5 51130 views - 7.6 51140 X-ray Tomography cervical spine S1160 X-ray myelography of the cervical spine - 27.6 51170 X-ray discography cervical spine per level - 25.5 51300 CT of the cervical spine imited study - 9.6 51310 CT of the cervical spine – regional study - 13.6 51320 CT of the cervical spine per and post contrast - 58.8 51330 CT myelography of the cervical spine following myelogram - 21.6 51340 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post	1	1 1					
cervical spine. Code 51340 (CT myelography) – post myelographic study and includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51100 X-ray f the cervical spine, stress views only 51110 X-ray of the cervical spine, one or two views 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views 51130 views 51140 X-ray Tomography cervical spine 51160 X-ray myelography of the cervical spine 51170 X-ray discography cervical spine per level 51300 CT of the cervical spine per level 51310 CT of the cervical spine – regional study 51310 CT of the cervical spine – complete study 51320 CT of the cervical spine per and post contrast 51340 CT myelography of the cervical spine 51350 CT myelography of the cervical spine following myelogram 51360 CT myelography of the cervical spine following myelogram 51360 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post		1 1					
includes all disc levels, includes fluoroscopy and introduction of contrast (00140 may not be added). 51110 X-ray of the cervical spine, stress views only 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views views X-ray of the cervical spine, more than two views including stress views 51130 views - 7.1 51140 X-ray Tomography cervical spine 51160 X-ray myelography of the cervical spine 51160 X-ray discography cervical spine er level 51170 X-ray discography cervical spine per level 51180 CT of the cervical spine ilmited study 511810 CT of the cervical spine – regional study 511820 CT of the cervical spine – complete study 511820 CT of the cervical spine per and post contrast 511830 CT myelography of the cervical spine 511830 CT myelography of the cervical spine following myelogram 511830 CT myelography of the cervical spine following myelogram 511840 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post		1 1		1 1			
contrast (00140 may not be added). 51100 X-ray if the cervical spine, stress views only 51110 X-ray of the cervical spine, one or two views 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views views 51130 Views 51140 X-ray Tomography cervical spine 51160 X-ray myelography of the cervical spine 51170 X-ray discography cervical spine per level 51300 CT of the cervical spine per level 51310 CT of the cervical spine – regional study CT of the cervical spine – complete study CT of the cervical spine – complete study CT of the cervical spine per and post contrast CT myelography of the cervical spine 51340 CT myelography of the cervical spine following myelogram 51400 MR of the cervical spine, limited study MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post	-			i I			
51100 X-ray f the cervical spine, stress views only 51110 X-ray of the cervical spine, one or two views 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views views views 51130 views 51140 X-ray Tomography cervical spine 51140 X-ray myelography of the cervical spine 51150 X-ray myelography of the cervical spine 51170 X-ray discography cervical spine per level 51170 X-ray discography cervical spine per level 51170 CT of the cervical spine ilmited study 51310 CT of the cervical spine – regional study 51320 CT of the cervical spine – complete study 51330 CT of the cervical spine per and post contrast 51340 CT myelography of the cervical spine 51350 CT myelography of the cervical spine following myelogram 51400 MR of the cervical spine, limited study 51410 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post		1 1					
51110 X-ray of the cervical spine, one or two views 51120 X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views 51130 views		ll		-1		1 ' '	54400
X-ray of the cervical spine, more than two views X-ray of the cervical spine, more than two views including stress views - 7.8 51130 views - 7.8 51140 X-ray Tomography cervical spine - 4.6 51160 X-ray myelography of the cervical spine - 27.6 51170 X-ray discography cervical spine per level - 25. 51300 CT of the cervical spine inited study - 9.8 51310 CT of the cervical spine – regional study - 13.6 51320 CT of the cervical spine – complete study - 37. 51330 CT of the cervical spine per and post contrast - 58.8 51340 CT myelography of the cervical spine - 47. 51350 CT myelography of the cervical spine following myelogram - 21.6 51400 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post	1	4.14	•	-		1 ' ' '	
X-ray of the cervical spine, more than two views including stress views 51130 views - 7.8 51140 X-ray Tomography cervical spine - 4.8 51160 X-ray myelography of the cervical spine - 27. 51170 X-ray discography cervical spine per level - 25. 51300 CT of the cervical spine ilmited study - 9.8 51310 CT of the cervical spine – regional study - 13.6 51320 CT of the cervical spine – complete study - 37. 51330 CT of the cervical spine per and post contrast - 58.8 51340 CT myelography of the cervical spine - 47. 51350 CT myelography of the cervical spine following myelogram - 21.6 51400 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post		3.01	-	-		la i an a a i i a a a a a a a	
51130 views - - 7.8 51140 X-ray Tomography cervical spine - 4.3 51160 X-ray myelography of the cervical spine - 27.4 51170 X-ray discography cervical spine per level - 25.5 51300 CT of the cervical spine limited study - 9.9 51310 CT of the cervical spine – regional study - 13.9 51320 CT of the cervical spine – complete study - 37. 51330 CT of the cervical spine pre and post contrast - 58.8 51340 CT myelography of the cervical spine - 47. 51350 CT myelography of the cervical spine following myelogram - 21.6 51400 MR of the cervical spine, limited study - 44.4 51410 MR of the cervical spine and cranio-cervical junction - 64.6	28 861.2	4.28	-	-		La facilitation of the second	01120
51140 X-ray Tomography cervical spine 51160 X-ray myelography of the cervical spine 51170 X-ray discography cervical spine per level 51300 CT of the cervical spine limited study CT of the cervical spine – regional study 13.5 51310 CT of the cervical spine – regional study CT of the cervical spine per and post contrast CT of the cervical spine per and post contrast CT myelography of the cervical spine 51330 CT myelography of the cervical spine 51340 CT myelography of the cervical spine following myelogram 51350 CT myelography of the cervical spine following myelogram 51400 MR of the cervical spine, limited study 51410 MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post	58 1 525.3	7.58	.	.			51130
81160 X-ray myelography of the cervical spine - - 27.4 51170 X-ray discography cervical spine per level - 25. 51300 CT of the cervical spine limited study - 9. 51310 CT of the cervical spine – regional study - 13. 51320 CT of the cervical spine – complete study - 37. 51330 CT of the cervical spine per and post contrast - - 58. 51340 CT myelography of the cervical spine - - 47. 51350 CT myelography of the cervical spine following myelogram - - 21.6 51400 MR of the cervical spine, limited study - - 44.4 51410 MR of the cervical spine and cranio-cervical junction - - 64.6 614.10 MR of the cervical spine and cranio-cervical junction pre and post - - 64.6	- 1	4.30	.] -		X-ray Tomography cervical spine	51140
51170 X-ray discography cervical spine per level - 25. 51300 CT of the cervical spine limited study - 9.8 51310 CT of the cervical spine – regional study - 13.6 51320 CT of the cervical spine – complete study - 37. 51330 CT of the cervical spine per and post contrast - 58.8 51340 CT myelography of the cervical spine - 47. 51350 CT myelography of the cervical spine following myelogram - 21.6 51400 MR of the cervical spine, limited study - 44.6 51410 MR of the cervical spine and cranio-cervical junction - 64.8 61410 MR of the cervical spine and cranio-cervical junction pre and post - - 64.8	1	27.46	.]] -		X-ray myelography of the cervical spine	
51300 CT of the cervical spine limited study - 9.8 51310 CT of the cervical spine – regional study - 13.9 51320 CT of the cervical spine – complete study - 37. 51330 CT of the cervical spine pre and post contrast - 56.8 51340 CT myelography of the cervical spine - 47. 51350 CT myelography of the cervical spine following myelogram - 21.6 51400 MR of the cervical spine, limited study - 44.4 51410 MR of the cervical spine and cranio-cervical junction - 64.8 MR of the cervical spine and cranio-cervical junction pre and post - 64.8		25.17	. !	.		X-ray discography cervical spine per level	
51310 CT of the cervical spine – regional study - - 13.4 51320 CT of the cervical spine – complete study - - 37. 51330 CT of the cervical spine pre and post contrast - - 47. 51340 CT myelography of the cervical spine - - 21.6 51350 CT myelography of the cervical spine following myelogram - - 21.6 51400 MR of the cervical spine, limited study - 44.4 51410 MR of the cervical spine and cranio-cervical junction - 64.8 MR of the cervical spine and cranio-cervical junction pre and post - 64.8		9.50	.] -]		CT of the cervical spine limited study	
51320 CT of the cervical spine – complete study CT of the cervical spine pre and post contrast CT myelography of the cervical spine CT myelography of the cervical spine CT myelography of the cervical spine following myelogram CT myelography of the cervical spine following myelogram MR of the cervical spine, limited study MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post		13.91	.	-1		CT of the cervical spine – regional study	51310
51330 CT of the cervical spine pre and post contrast - 58.8 51340 CT myelography of the cervical spine - 47. 51350 CT myelography of the cervical spine following myelogram - 21.6 51400 MR of the cervical spine, limited study - 44.6 51410 MR of the cervical spine and cranio-cervical junction - 64.8 MR of the cervical spine and cranio-cervical junction pre and post	1	37.13	.	-		CT of the cervical spine – complete study	61320
51340 CT myelography of the cervical spine CT myelography of the cervical spine following myelogram CT myelography of the cervical spine following myelogram MR of the cervical spine, limited study MR of the cervical spine and cranio-cervical junction MR of the cervical spine and cranio-cervical junction pre and post	1	58.85	.	-		CT of the cervical spine pre and post contrast	51330
51350 CT myelography of the cervical spine following myelogram - 21.6 51400 MR of the cervical spine, limited study - 44.6 51410 MR of the cervical spine and cranio-cervical junction - 64.8 MR of the cervical spine and cranio-cervical junction pre and post	1	47.19	-	[-[CT myelography of the cervical spine	51340
51400 MR of the cervical spine, limited study - 44.4 51410 MR of the cervical spine and cranio-cervical junction - 64.8 MR of the cervical spine and cranio-cervical junction pre and post	1	21.69	.			CT myelography of the cervical spine following myelogram	51350
51410 MR of the cervical spine and cranio-cervical junction 64.8 MR of the cervical spine and cranio-cervical junction pre and post	1	44.40	.	-		MR of the cervical spine, limited study	51400
MR of the cervical spine and cranio-cervical junction pre and post		64.82	.	-		MR of the cervical spine and cranio-cervical junction	51410
51420 contrast - - 102.						MR of the cervical spine and cranio-cervical junction pre and post	
	14 20 553.6	102.14	-	-		1	
51900 Nuclear Medicine study - Bone regional cervical 21.50 4 326.45	1		4 326.45	1 1		1	
51910 Nuclear Medicine study – Bone tomography regional cervical 13.41 2 698.49 51920 Nuclear Medicine study – with flow 6.02 1 211.40	1		2 698.49	1 1			

Thorrecic							
Thoracia Code \$2150 (immography) inauty be combined with \$2100 or \$2110 or \$2110 or \$2100 (mography) industes fluoroscopy and introduction of contrast (0104 may not be added). Code \$2300 (CT) imited study — imited or a eligib florracial interventiberal disc peace. Code \$2301 (CT) complete study — an extensive study of the thoracid pains. Code \$2301 (CT) complete study — an extensive study of the thoracid pains. Code \$2301 (CT) complete study — an extensive study of the thoracid pains. Code \$2301 (CT) complete study — an extensive study of the thoracid pains. Code \$2301 (CT) complete study — an extensive study of the thoracid pains. Code \$2301 (CT) complete study — an extensive study of the thoracid pains. Code \$2301 (CT) complete study — an extensive study of the thoracid pains. Code \$2301 (CT) complete study — an extensive study of the thoracid pains. Code \$2301 (CT) complete study — an extensive study of the study — — — — — — — — — — — — — — — — — — —				I		038 -	Radiology
Code \$7.130 ((omography) includes the thoraccion of contract (1014) ome you be added). Code \$2.150 ((myelsgraphy) includes the thoraccion of contract (1014) ome you be added). Code \$2.000 ((77) lemited study – methods and interventable (1014) one you be added). Code \$2.000 ((77) lemited study – an extensive study of the thoraccion of contract (1014) one you can study – an extensive study of the thoraccion of contract (1014) one you can study – an extensive study of the thoraccion of the thoraccion of the contract spine. \$2.100				U	R	U	R
(apino). Code 52150 (myelography) includes flacroscopy and introduction of company may not be added, above - invited to a single thread of company may not be added, above - invited to a single thread of company may not be added, above - invited to a single thread of company may not be added, above - invited to a single thread of company may not be added above - invited to a single thread of the company may not be added above - invited to a single thread of the company may not be added above - invited to a single thread of the company may not be added by a single may not be added by a single may not be added by a single may not be added by a single may not be added by a single may not be added). 27100 X-ray of the thread spine, more that two views a company thread of the thread spine, more that two views a company thread spine and past contrast to the thread spine, more that two views a company thread of the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine past and past contrast to the thread spine past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the thread spine and past contrast to the contrast to the thread spine and past cont		Thoracic		-			
Interverbeford disc piaces. Code 62310 (CPT complete study - an extensive study of the flooracic spins. Code 62310 (CPT complete study - an extensive study and introduction of contrast (CO140 may not be added). 27100 X-ray of the flooracic spins, more than two views (CO140 may not be added). 27100 X-ray of the flooracic spins, more than two views (CO140 may not be added). 27110 X-ray of the flooracic spins, more than two views (CO140 may not be added). 27120 X-ray of the flooracic spins, more than two views (CO140 may not be added). 27120 X-ray of the flooracic spins (CO140 may not be added). 27120 X-ray myelography of the flooracic spine (CO140 may not be added). 27120 X-ray myelography of the flooracic spine (CO140 may not be added). 27230 CT of the flooracic spins erap and post contrast (CO140 may not be added). 27240 CT of the flooracic spins pre and post contrast (CO140 may not be added). 27250 CT of the flooracic spins pre and post contrast (CO140 may not be added). 27260 MR of the flooracic spins pre and post contrast (CO140 may not be added). 27260 MR of the flooracic spins was not may not be added to SO310 (CTT) regionally with floor (Co140 may not be added). 27260 MR of the flooracic spins and microduction of contrast (CO140 may not be added). 27260 Code 63300 (CTT) inclined study - an extensive study of the lumbar spine. 27260 Code 63300 (CTT) inclined study - an extensive study of the lumbar spine. 27260 Code 63300 (CTT) inclined study - an extensive study of the lumbar spine. 27270 Code 63300 (CTT) inclined study - an extensive study of the lumbar spine. 27270 Code 63300 (CTT) inclined study - an extensive study of the lumbar spine. 27280 Code 63300 (CTT) inclined study - an extensive study of the lumbar spine. 27370 Code 63300 (CTT) inclined study - an extensive study of the lumbar spine. 27380 CT of the lumbar spine mined study 27390 CT of the lumbar spine mined study 27390 CT of the lumbar spine spine spine flowing myelogram 273910 CT of the lumbar spine spine spine flo		(spine). Code 52150 (myelography) includes fluoroscopy and introduction of contrast (00140 may not be added). Code 52300 (CT) limited study – limited to a single thoracic vertebral body.					
CO140 may not be added). - - 3.21 64.8.5		intervertebral disc paces. Code 52310 (CT) complete study - an extensive study of the thoracic spine.					
22100 X-ray of the thoracic spine, more than two views				.			
23100 X-ray formography fromatic spine	52100	T i			-	3.21	645.95
X-ray of the thoracic spine, more that two views including stress -	52110	X-ray of the thoracic spine, more than two views		-	-	4.00	804.92
### 1334.17 ### 275160 ### 2	52120	1		-	-	4.30	865.29
23100 X-ray myrelography of the thoracic spine	52140			1 .		664	1 226 17
S2306		1					
2799.11 3.78 2.799.11 3.79 3.79		1				1 1	
20230 CT of the thoracic spine pre and post contrast	52305						
2330 CT myelography of the thoracic spine	52310	CT of the thoracic spine complete study		-		35.78	7 200.01
20.37 4 0.99.08	52320	CT of the thoracic spine pre and post contrast		-	-	58.85	11 842.39
82400 MR of the thoracic spine, limited study - 46.60 9 377.32 82410 MR of the thoracic spine - - 64.34 12 947.14 82420 MR of the thoracic spine pre and post contrast - - 101.42 20 408.75 82990 Nuclear Medicine study – Bone regional dorsal 13.41 2 598.49 - <td></td> <td></td> <td></td> <td>-</td> <td>-</td> <td>48.09</td> <td>9 677.15</td>				-	-	48.09	9 677.15
S2410				-	-		
2420				'	•		
Nuclear Medicine study - Bone regional dorsal 21.50		· ·			•		
Nuclear Medicine study - Bone tomography regional dorsal 13.41 2 698.49 - - -				21.50	4 326 AE	101.42	20 400.75
Nuclear Medicine study – with flow Lumbar Code 53100 (stress) is a stand alone study and may not be added to 53110, 53120 (lumbar spine), 53160 (myelography) and 53170 (discography). Code 53140 (tomography) may be combined with 53110 or 53120 (spine). Codes 53160 (myelography) and 53170 (discography) include fluoroscopy and introduction of contrast (80140 may not be added). Code 53300 (CT) limited study – limited to a single lumbar vertebral body. Code 53310 (CT) regional study – 2 vertebral bodies and intervertebral disc spaces. Code 53320 (CT) complete study - an extensive study of the lumbar spine. Code 53340 (CT myelography) – post myelographic study and includes all disc levels, fluoroscopy and introduction of contrast (80140 may not be added). The code of the discography is study and includes all disc levels, fluoroscopy and introduction of contrast (80140 may not be added). The code of sa340 (CT myelography) – post myelographic study and includes all disc levels, fluoroscopy and introduction of contrast (80140 may not be added). The code of sa340 (CT myelography) is contrast (80140 may not be added). The code of sa340 (CT myelography) is contrast (80140 may not be added). The code of sa340 (CT myelography) is contrast (80140 may not be added). The code of sa340 (CT of the lumbar spine and sa440 may not be added). The code of sa440 may not be added of sa440 may not be added). The code of sa440 may not be added of s				1 1		[
Code \$3100 (stress) is a stand alone study and may not be added to 53110, 53120 (lumbar spine), 53160 (myelography) and 53170 (discography). Code \$3140 (tomography) may be combined with 53110 or 53120 (spine)) Codes \$5160 (myelography) and 53170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added), Code \$3301 (CT) limited study – limited to a single lumbar vertebral body, Code \$3301 (CT) regional study – 2 vertebral bodies and intervertebral disc spaces. Code \$3330 (CT) complete study – an extensive study of the lumbar spine. Code \$3340 (CT myelography) – post myelographic study and includes all disc levels, fluoroscopy and introduction of contrast (00140 may not be added). X-ray of the lumbar spine, one or two views	52920			1 1		_	.
Codes 53160 (myelography) and 53170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 53300 (CT) limited study - limited to a single lumbar vertebral body. Code 53310 (CT) regional study - 2 vertebral bodies and intervertebral clics spaces. Code 53320 (CT) complete study - an extensive study of the lumbar spine. Code 53340 (CT myelography) - post myelographic study and includes all disc levels, fluoroscopy and introduction of contrast (00140 may not be added). - - 4.14 833.09 83110 X-ray of the lumbar spine - stress study only - - 4.14 833.09 83110 X-ray of the lumbar spine, one or two views - 3.56 716.38 716.		Code 53100 (stress) is a stand alone study and may not be added to 53110, 53120 (lumbar spine), 53160 (myelography) and 53170 (discography). Code 53140 (tomography) may be combined with 53110 or 53120					
Code 53310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces. Code 53320 (CT) complete study - an extensive study of the lumbar spine. Code 53340 (CT myelography) - post myelographic study and includes all disc levels, fluoroscopy and introduction of contrast (00140 may not be added). - - 4.14 833.09		Codes 53160 (myelography) and 53170 (discography) include fluoroscopy and introduction of contrast (00140 may not be added). Code 53300 (CT) limited study – limited to a single lumbar					
Lumbar spine Code 53340 (CT myelography) - post myelographic study and includes all disc levels, fluoroscopy and introduction of contrast (00140 may not be added). - - 4.14 833.09 53110 X-ray of the lumbar spine – stress study only - - 4.14 833.09 53110 X-ray of the lumbar spine, one or two views - - 3.56 716.38 53120 X-ray of the lumbar spine, more than two views - - 4.46 897.49 X-ray of the lumbar spine, more than two views including stress - - 7.52 1.613.25 53140 X-ray tomography lumbar spine - - 4.30 866.29 53160 X-ray myelography of the lumbar spine - 23.94 4.817.45 53170 X-ray discography lumbar spine per level - 25.17 6.64.96 53300 CT of the lumbar spine limited study - 9.50 1.911.69 53310 CT of the lumbar spine - regional study - 13.91 2.799.11 53320 Ct of the lumbar spine - regional study - 37.64 7.574.30 53330 CT of the lumbar spine per and post contrast - 58.85 11.842.39 53340 CT myelography of the lumbar spine - 4.9.11 9.822.41 53350 CT myelography of the lumbar spine following myelogram - 23.46 4.720.86 53400 MR of the lumbar spine - 46.20 9.296.83 53410 MR of the lumbar spine - 4.620 9.296.85 53420 MR of the lumbar spine pre and post contrast - 64.92 12.943.11 53420 MR of the lumbar spine pre and post contrast -		Code 53310 (CT) regional study - 2 vertebral bodies and intervertebral disc spaces.					
(00140 may not be added), - -		lumbar spine. Code 53340 (CT myelography) - post myelographic study and					
53110 X-ray of the lumbar spine, one or two views - - 3.56 716.38 53120 X-ray of the lumbar spine, more than two views - - 4.46 897.49 53130 views - - 7.52 1 513.25 53140 X-ray tomography lumbar spine - - 4.30 866.29 53160 X-ray myelography of the lumbar spine - - 23.94 4 817.45 53170 X-ray discography lumbar spine per level - - 25.17 5 064.96 63300 CT of the lumbar spine limited study - - 9.50 1 911.69 63310 CT of the lumbar spine – regional study - - 9.50 1 911.69 63320 Ct of the lumbar spine complete study - - 37.64 7 574.30 53330 CT of the lumbar spine pre and post contrast - - 37.64 7 574.30 53330 CT of the lumbar spine pre and post contrast - - 49.11 9 882.41 53330 CT myelography of the lumbar spine following myelogram - - 49.11		(00140 may not be added),		-	-		
37.49 X-ray of the lumbar spine, more than two views				-	-		
X-ray of the lumbar spine, more that two views including stress views 7.52 1.513.25	1			-	•		
53140 X-ray tomography lumbar spine - - 4.30 865.29 53160 X-ray myelography of the lumbar spine - - 23.94 4 817.45 53170 X-ray discography lumbar spine per level - - 25.17 5 064.96 63300 CT of the lumbar spine limited study - - 9.50 1 911.69 53310 CT of the lumbar spine complete study - - 13.91 2 799.11 53320 Ct of the lumbar spine complete study - - 37.64 7 674.30 53330 CT of the lumbar spine pre and post contrast - - 58.85 11 842.39 63340 CT myelography of the lumbar spine - - 49.11 9 882.41 5350 CT myelography of the lumbar spine following myelogram - - 23.46 4 720.86 63400 MR of the lumbar spine, limited study - - 46.20 9 296.83 53410 MR of the lumbar spine pre and post contrast - - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - -	1	X-ray of the lumbar spine, more that two views including stress		_	-		- 1
53170 X-ray discography lumbar spine per level - - 25.17 5 064.96 63300 CT of the lumbar spine limited study - - 9.50 1 911.69 53310 CT of the lumbar spine – regional study - - 13.91 2 799.11 53320 Ct of the lumbar spine complete study - - 37.64 7 574.30 53330 CT of the lumbar spine pre and post contrast - - 58.85 11 842.39 53340 CT myelography of the lumbar spine - - 49.11 9 882.41 53350 CT myelography of the lumbar spine following myelogram - - 23.46 4 720.86 53400 MR of the lumbar spine, limited study - - 46.20 9 296.83 53410 MR of the lumbar spine pre and post contrast - - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - - - 103.29 20 785.05	1	X-ray tomography lumbar spine		-			
63300 CT of the lumbar spine limited study - - 9.50 1 911.69 63310 CT of the lumbar spine – regional study - - 13.91 2 799.11 63320 Ct of the lumbar spine complete study - - 37.64 7 574.30 53330 CT of the lumbar spine pre and post contrast - - 58.85 11 842.39 63340 CT myelography of the lumbar spine - 49.11 9 882.41 53350 CT myelography of the lumbar spine following myelogram - - 23.46 4 720.86 63400 MR of the lumbar spine, limited study - - 46.20 9 296.83 53410 MR of the lumbar spine - - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - - 103.29 20 785.06	53160	X-ray myelography of the lumbar spine			•	23.94	4 817.45
53310 CT of the lumbar spine – regional study - - 13.91 2 799.11 53320 Ct of the lumbar spine complete study - - 37.64 7 574.30 53330 CT of the lumbar spine pre and post contrast - - 58.85 11 842.39 53340 CT myelography of the lumbar spine - - 49.11 9 882.41 53350 CT myelography of the lumbar spine following myelogram - - 23.46 4 720.86 53400 MR of the lumbar spine, limited study - - 46.20 9 296.83 53410 MR of the lumbar spine - - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - - 103.29 20 785.06	1			-	-	25.17	6 064.96
53320 Ct of the lumbar spine complete study - - 37.64 7 574.30 53330 CT of the lumbar spine pre and post contrast - - 58.85 11 842.39 53340 CT myelography of the lumbar spine - - 49.11 9 882.41 53350 CT myelography of the lumbar spine following myelogram - - 23.46 4 720.86 53400 MR of the lumbar spine, limited study - - 46.20 9 296.83 53410 MR of the lumbar spine - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - - 103.29 20 785.06	1	· · ·		-	-		
53330 CT of the lumbar spine pre and post contrast - - 58.85 11 842.39 53340 CT myelography of the lumbar spine - - 49.11 9 882.41 53350 CT myelography of the lumbar spine following myelogram - - 23.46 4 720.86 53400 MR of the lumbar spine, limited study - - 46.20 9 296.83 53410 MR of the lumbar spine - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - 103.29 20 785.06	1	1		-			
63340 CT myelography of the lumbar spine - - 49.11 9 882.41 53350 CT myelography of the lumbar spine following myelogram - - 23.46 4 720.86 53400 MR of the lumbar spine, limited study - - 46.20 9 296.83 53410 MR of the lumbar spine - - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - - 103.29 20 785.06	1						
53350 CT myelography of the lumbar spine following myelogram - - 23.46 4.720.86 53400 MR of the lumbar spine, limited study - - 46.20 9.296.83 53410 MR of the lumbar spine - 64.32 12.943.11 53420 MR of the lumbar spine pre and post contrast - - 103.29 20.785.06	1				-		
53400 MR of the lumbar spine, limited study - - 46.20 9 296.83 53410 MR of the lumbar spine - - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - - 103.29 20 785.06	1				-		
53410 MR of the lumbar spine - - 64.32 12 943.11 53420 MR of the lumbar spine pre and post contrast - - 103.29 20 785.06	1	1000		-	-		
	1	2011		-			
	53420 53900			21.50	- 4 326.45	103,29	20 785.05

		025 - Nuclear Medicine		038 -	Radlology
_		U	R	U	R
53910	Nuclear medicine study – Bone tomography regional lumbar	13.41	2 698.49		
53920	Nuclear medicine study – with flow	6.02	1 211.40	li	
	Sacrum	_			
	Code 54120 (tomography) may be combined with 54100 (sacrum) or 54110 (SI joints).				
	Code 54300 (CT) limited study - limited to single sacral vertebral	l i			
	body.				
	Code 54310 (CT) complete study - an extensive study of the sacral spine.				
54100	X-ray of the sacrum and coccyx		•	ا م د ما	700 40
54110	X-ray of the sacro-iliac joints		-	3.58 4.10	720.40
54120	X-ray tomography – sacrum and/or coccyx		-	4.30	825.04 865.29
54300	CT of the sacrum – limited study		•	7.60	1 529.35
54310	CT of the sacrum – complete study – uncontrasted		•	25.61	5 153.50
54320	CT of the sacrum with contrast			46.93	9 443.72
54330	CT of the sacrum pre and post contrast			52.97	10 659.15
54400	MR of the sacrum			65.00	13 079.95
54410	MR of the sacrum pre and post contrast			101,04	20 332.28
04410	Pelvis			101.04	20 332.20
	Codes 55110 (tomography) and 55100 (pelvis) may be		-		
	combined.				
	Code 55300 (CT) limited study – limited to a small region of				
	interest of the pelvis eg. ascetabular roof or pubic ramus.	'	•		
55100	X-ray of the pelvis	'	•	3.66	736.50
55110	X-ray tomography – pelvis		-	4.30	865.29
56300	CT of the bony pelvis limited	-	•	9.50	1 911.69
55310	CT of the bony pelvis complete uncontrasted		•	25.61	5 153.50
55320	CT of the bony pelvis complete 3D recon	-	•	37.47	7 540.09
55330	CT of the bony pelvis with contrast	'	•	46.93	9 443.72
55340 6 5 400	CT of the bony pelvis – pre and post contrast	'	•	52.97	10 659.15
55410	MR of the bony pelvis MR of the bony pelvis pre and post contrast	'	-	65.00	13 079.95
55900	Nuclear medicine study — Bone regional pelvis	21.50	4 000 45	102.24	20 573.76
65910	Nuclear medicine study – Bone tomography regional pelvis	13.41	4 326.45		
55920	Nuclear medicine study – with flow	6.02	2 698.49		
00320	Hips	6.02	1 211.40		
	1	'	•		
	Code 56130 (tomography) may be combined with 56100 or 56110 or 56120 (hip).				
	Code 56140 (stress) may be combined with 56100 or 56110 or				
	56120 (hip).				
	Code 56150 (arthrography) includes fluoroscopy and introduction of contrast (00140 may not be added).				
	Code 56160 (introduction of contrast into hip joint) to be used with				
	56310 (CT hip) and 56410 (MR hip) and includes fluoroscopy. The				
	combination of 56150 and 56310 and 56410 is not supported except in exceptional circumstances with motivation				
	Code 56300 (CT) study limited to small region of interest eg part of				
	femur head.	-	-		
56100	X-ray of the left hip	-	-	3.18	639.91
56110	X-ray of the right hip		•	3.18	639.91
56120	X-ray pelvis and hips	-	•	6.02	1 211.40
56130	X-ray tomography – hip	-	•	4.30	865.29
56140	X-ray of the hip/s - stress study	-	-	4.38	881.39
56150	X-ray arthrography of the hip joint including introduction contrast			15.75	3 169.37
56160	X-ray guidance and introduction of contrast into hip joint only	.	-	7.41	1 491.11
56200	Ultrasound of the hip joints	.	-	6.50	1 308.00
56300	CT of hip – limited	.		9.50	1 911.69
56310	CT of hip – complete		-	27.37	5 507.67
56320	CT of hip - complete with 3D recon	.	_	39.78	8 004.93
56330	CT of hip with contrast	.		43.26	8 705.21
56340	CT of hip pre and post contrast	.		47.88	9 634.89
56400	MR of the hip joint/s, limited study		-	44.90	9 035.23
56410	MR of the hip joint/s	.		64.10	12 898.84

			025 - Nuclear Medicine		038 -	Radiology
	i i		U	R	U	R
56900	Nuclear medicine study – Bone regional pelvis		21.50	4 326.45		
56910	Nuclear medicine study - Bone limited static plus flow		27.53	6 539.86		
56920	Nuclear medicine study – Bone tomography regional		13.41	2 698.49		
	Upper limbs		_			
	General		_	_		
	Code 60100 (stress only) is a stand alone study and may not be					
	combined with other codes. Code 60110 (tomography) may be combined with any one of the defined regional x-ray studies of the upper limb. Motivation may be required for more than one regional tomographic study per visit.					
	Code 60200 (U/S) may only be used once per visit. Code 60300 (CT) limited study – limited to a small region of interest eg. part of humeral head.					
	Code 60400 (MR limited) may only be used once per visit.		-	•		
60100	X-ray upper limbs - any region - stress studies only		1	•	4.52	909.56
60110	X-ray upper limbs - any region - tomography		-	•	4.30	865.29
60200	Ultrasound upper limb – soft tissue - any region Ultrasound of the peripheral arterial system of the left arm including		- 1	•	7.38	1 485.08
60210	B mode, pulse and colour doppler Ultrasound of the peripheral arterial system of the right arm		-	-	13.64	2 744.78
60220	including B mode, pulse and colour doppler Ultrasound peripheral venous system upper limbs including pulse		-	-	13.64	2 744.78
60230 60240	and colour doppler for deep vein thrombosis Ultrasound peripheral venous system upper limbs including pulse and colour doppler				12.54	2 426.36
60300	CT of the upper limbs limited study		-	•	17.26	3 473.23
60310	CT angiography of the upper limb			•	9.50	1 911.69
60400	1		-	-	78.28	15 752.28
	MR of the upper limbs limited study, any region	i i	-	•	44.80	9 015.10
60410 60500	MR angiography of the upper limb		-	-	74.66	15 023.83
60510	Arteriogram of subclavian, upper limb arteries alone, unilateral		-	•	45.67	9 190.17
60520	Arteriogram of subclavian, upper limb arteries alone, bilateral Arteriogram of aortic arch, subclavian, upper limb, unilateral		'	•	82.67	16 635.68
60530	Arteriogram of acrtic arch, subclavian, upper limb, bilateral			-	56.75	11 419.80
60540	Venography, antegrade of upper limb veins, un ateral			-	88.11 26.12	17 730.38 5 256.13
60550	Venography, antegrade of upper limb veins, bilateral				49.43	9 946.80
60560	Venography, retrograde of upper limb veins, unitateral				31.01	6 240.14
60570	Venography, retrograde of upper limb veins, bilateral				54.81	11 029.42
60580	Venography, shuntogram, dialysis access shunt				23.79	4 787.26
60900	Nuclear medicine study - Venogram upper limb		37.12	7 469.66	23,75	4 /0/.20
00300	Shoulder		07.12	7 403.00		
	Code 61160 (arthrography) includes fluoroscopy and introduction			•		
	of contrast (00140 may not be added). Code 61170 (introduction of contrast into the shoulder joint) may be combined with 61300 and 61305 (CT), or 61400 and 61405 (MR). The combination of 61160 (arthrography) and 61300 and					
	(MK), The combination of 61100 (artiflography) and 61300 and 61305 (CT) or 61400 and 61405 (MR) is not supported except in exceptional circumstances with motivation.		_			
61100	X-ray of the left clavicle		.		3.04	611.74
61105	X-ray of the right clavicle		-		3.04	611.74
61110	X-ray of the left scapula		-		3.04	611.74
61115	X-ray of the right scapula		-	-	3.04	611.74
61120	X-ray of the left acromio-clavicular joint		-	-	3,14	631.86
61125	X-ray of the right acromio-clavicular joint		-		3,14	631.86
61128	X-ray of acromio-clavicular joints plus stress studies bilateral		-		7.68	1 545.45
61130	X-ray of the left shoulder		-	-	3,48	700.28
61135	X-ray of the right shoulder		-	-	3.48	700.28
61140	X-ray of the left shoulder plus subacromial impingement views		-	•	5,92	1 191.28
61145	X-ray of the right shoulder plus subacromial impingement views		-	-	5,92	1 191.28
61150	X-ray of the left subacromial impingement views only		-	•	3.24	651.99
61165	X-ray of the right subacromial impingement views only		-	-	3.24	651.99
61160	X-ray arthrography shoulder joint including introduction of contrast		-	-	15.83	3 185.47
61170 61200	X-ray guidance and introduction of contrast into shoulder joint only Ultrasound of the left shoulder joint			-	7.41 6.50	1 491.11 1 308.00

				025 - Nuclear Medicine		038 -	Radiology
				U	R	U	R
64105	X-ray of the right forearm			-		2.94	591.62
64110	X-ray peripheral bone densitometry			-		1.96	394.41
64300	CT of the left forearm			-		24.36	4 901.96
64305	CT of the right forearm			-	-	24.36	4 901.96
64310	CT of the left forearm contrasted			-	_	39.97	8 043.16
64316	CT of the right forearm contrasted				-	39.97	8 043.16
64320	CT of the left forearm pre and post contrast			-	-	48.58	9 775.75
64325	CT of the right forearm pre and post contrast			-	-	48.58	9 775.75
64400	MR of the left forearm			-		64.20	12 918.97
64405	MR of the right forearm]		_	-	64.20	12 918.97
64410	MR of the left forearm pre and post contrast	1		- 1	-	98.04	19 728.59
64415	MR of the right forearm pre and post contrast			-		98.04	19 728.59
64900	Nuclear medicine study – Bone limited/regional static			21.50	4 326.45	25.870	
64905	Nuclear medicine study - Bone limited static plus flow			27.53	6 639.86		
64910	Nuclear medicine study – Bone tomography regional			13.41	2 698.49		
	Hand and Wrist			-			
	Code 65120 (finger) may not be combined with 65100 or 65105 (hands). Codes 65130 and 65135 (wrists) may be combined with 65140 or 65145 (scaphoid) respectively if requested and additional views done. Code 65160 (arthrography) includes fluoroscopy and the introduction of contrast (00140 may not be added). Code 65170 (contrast) may be combined with 65300 and 65305						
	(CT) or 65400 and 65405 (MR). The combination of 65160 (arthrography) and 65300 and 65305 or 65400 and 65405 is not supported except in exceptional circumstances with motivation.			-			
65100	X-ray of the left hand			-	-	3.08	619.79
65105	X-ray of the right hand	1 1		-		3.08	619.79
66110	X-ray of the left hand – bone age				-	3.08	619.79
65120	X-ray of a finger			-	-	2.67	537.28
65130	X-ray of the left wrist			-	-	3.18	639.91
65135	X-ray of the right wrist			-	-	3.18	639.91
65140	X-ray of the left scaphoid			-	-	3.30	664.06
65145	X-ray of the right scaphoid			-		3.30	664.06
65150	X-ray of the left wrist, scaphoid and stress views				-	7.56	1 521.30
66165	X-ray of the right wrist, scaphoid and stress views			-	-	7.56	1 521.30
65160	X-ray arthrography wrist joint including introduction of contrast			-	_	15.93	3 205.59
65170	X-ray guidance and introduction of contrast into wrist joint only			-		7.41	1 491.11
65200	Ultrasound of the left wrist			-	-	6.50	1 308.00
65210	Ultrasound of the right wrist			-		6,50	1 308.00
65300	CT of the left wrist and hand			-	-	24.36	4 901.96
65305	CT of the right wrist and hand			_		24.36	4 901.96
36310	CT of the left wrist and hand - complete with 3D recon		i i	-	-	37.66	7 578.32
65315	CT of the right wrist and hand - complete with 3D recon			-	-	37.66	7 578.32
65320	CT of the left wrist and hand contrasted			-	_	39.97	8 043.16
35325	CT of the right wrist and hand contrasted			_		39.97	8 043.16
35330	CT of the left wrist and hand pre and post contrast			_		48.63	9 785.81
55335	CT of the right wrist and hand pre and post contrast					48.63	9 785.81
65400	MR of the left wrist and hand					64.64	13 007.51
35405	MR of the right wrist and hand			_		64.64	13 007.61
55410	MR of the left wrist and hand pre and post contrast			[]	-	101.04	
55415	MR of the right wrist and hand pre and post contrast			[]	•	101.04	20 332.28
55900	Nuclear Medicine study – bone limited/regional static			21.50	4 326.45	101.04	20 332.28
55905	Nuclear Medicine study – bone limited static plus flow			27.53		[-
55910	Nuclear Medicine study - bone tomography regional			13.41	5 539.86	[-
,0310	Soft Tissue			13.41	2 698.49	-	-
20000						-	•
9900	Nuclear medicine study – Tumour localisation planar, static Nuclear medicine study – Tumour localisation planar, static, multiple studies			20.74 35.17	4 173.51 7 077.26	-	
39910	Nuclear medicine study Tumour localisation planar, static and SPECT			34.15	6 872.00		•
9915	Nuclear medicine study Tumour localisation planar, static, multiple studies and SPECT			47.56	9 570.50	_	_

			025 - Nuclear Medicine		038 -	Radiology
			U	R	U	R
9920	Nuclear medicine study - Infection localisation planar, static		18.04	3 630.19	-	
	Nuclear medicine study - Infection localisation planar, static,					
9925	multiple studies		31.45	6 328.68	-	
9930	Nuclear medicine study - Infection localisation planar, static and SPECT		31.45	6 328.68		
13330	Nuclear medicine study – Infection localisation planar, static,		31.43	0 320.00	- i	
9935	multiple studies and SPECT		44.86	9 027.18	-	
9940	Nuclear medicine study – Regional lymph node mapping dynamic		6.02	1 211.40	-	
9945	Nuclear medicine study – Regional lymph node mapping, static, planar		24.10	4 849.64		
,,,,,	Nuclear medicine study – Regional lymph node mapping, static,		24.70	7 0 4 3 . 0 4		
950	planar, multiple		37.51	7 548.14	-	
9965	Nuclear medicine study – Regional lymph node mapping SPECT		13.41	2 698.49	-	
960	Nuclear medicine study – Lymph node localisation with gamma probe		13.41	2 698.49		
500	Lower Limbs		13.41	2 030.43	_ [
	General		-	-		
	Code 70100 (stress) is a stand alone study and may not be		-	•		
	combined with other codes.					
	Code 70110 (tomography) may be combined with any one of the					
	defined regional x-ray studies of the lower limb. Motivation may be					
	required for more than one regional tomographic study per visit. Code 70200 (U/S) may only be billed once per visit.					
	Code 70300 ((CT) limited study – limited to a small region of					
	interest eg part of condyle of the knee.					
	Codes 70310 and 70320 (CT angiography) may not be combined.					
	Code 70400 (MR limited) may only be used once per visit.					
	Code 70410 and 70420 (MR angiography) may not be combined.		_	_		
100	X-ray lower limbs - any region- stress studies only		_		4.52	909
110	X-ray lower limbs - any region-tomography				4.30	865
120	X-ray of the lower limbs full length study			•		
	1 '		-	•	6.46	1 299
200	Ultrasound lower limb – soft tissue - any region Ultrasound of the peripheral arterial system of the left leg including		1	-	7.38	1 488
210	B mode, pulse and colour Doppler		_	_	13.64	2 744
	Ultrasound of the peripheral arterial system of the right leg				10.0	
220	including B mode, pulse and colour Doppler		-	-	13.64	2 744
	Ultrasound peripheral venous system lower limbs including pulse					
230	and colour doppler for deep vein thrombosis		-	-	13.64	2 744
	Ultrasound peripheral venous system lower limbs including pulse					
	and colour doppler in erect and supine position including all					
240	compression and reflux manoeuvres, deep and superficial systems bilaterally			_	19,66	3 956
	CT of the lower limbs limited study		1		9.50	1 911
300			1	-		
310	CT angiography of the lower limb		-	•	79.43	15 983
320	CT angiography abdominal acrta and outflow lower limbs		-	•	98.34	19 788
400	MR of the lower limbs limited study		1	-	46.40	9 337
410	MR angiography of the lower limb		-	-	76.66	15 426
420	MR angiography of the abdominal aorta and lower limbs		-	•	118.86	23 918
500	Angiography of pelvic and lower limb arteries unilateral		-	•	40.59	8 167
505	Angiography of pelvic and lower limb arteries bilateral		-	-	75.92	15 277
-40	Angiography of abdominal aorta, pelvic and lower limb vessels					40.00
510	unilateral Angiography of abdominal aorta, pelvic and lower limb vessels	1	-	•	61.23	12 321
515	bilateral		_		85.66	17 237
520	Angiography translumbar aorta with full peripheral study			_	45.68	9 192
530	Venography, antegrade of lower limb veins, unilateral		.	_	25.46	5 123
535	Venography, antegrade of lower limb veins, bilateral		.		49.43	9 946
540	Venography, retrograde of lower limb veins, unilateral				31.17	6 272
545	Venography, retrograde of lower limb veins, diffiateral				56.79	
	Lymphangiography, lower limb, unilateral					11 427
560	1]	•	51.04	10 270
565	Lymphangiography, lower limb, bilateral		07.4		83.97	16 897
900	Nuclear medicine study – Venogram lower limb		37.12	7 469.66		
	Femur		-	•		
100	X-ray of the left femur			•	2.94	691
105	X-ray of the right femur		-	-	2.94	591
300	CT of the left femur				24.52	4 93

		025 - Nuclear Medicine		038 -	Radiology
		U	R	Ų	R
71305	CT of the right femur			24.52	4 934.1
71310	CT of the left upper leg contrasted	.	-	41.83	8 417.4
71315	CT of the right upper leg contrasted	-	-	41.83	8 417.4
71320	CT of the left upper leg pre and post contrast	-	-	49.71	10 003.14
71325	CT of the right upper leg pre and post contrast	-	_	49.71	10 003.14
71400	MR of the left upper leg	.		64.80	13 039.7
71405	MR of the right upper leg	.		64.80	13 039.7
71410	MR of the left upper leg pre and post contrast	.		102.04	20 633.5
71415	MR of the right upper leg pre and post contrast	-	-	102.04	20 533.5
71900	Nuclear Medicine study – bone limited/regional static	21.50	4 326.45		
71905	Nuclear Medicine study – Bone limited static plus flow	27.53	5 539.86		
71910	Nuclear Medicine study - Bone tomography regional	13.41	2 698.49		
	Knee		-		
	Codes 72140 and 72145 (patella) may not be added to 72100, 72105, 72110, 72115, 72130, 72135 (knee views) Code 72160 (arthrography) includes fluoroscopy and introduction of contrast (00140 may not be added). Code 72170 (introduction of contrast) may be combined with 72300 and 72305 (CT) or 72400 and 72405 (MR). The combination of 72160 (arthrography) and 72300 and 72305 (CT) or 72400 and 72405 (MR) is not supported except in exceptional circumstances with motivation.	-			
72100	X-ray of the left knee one or two views	-	-	2.77	557.4
2105	X-ray of the right knee one or two views	.	-	2.77	557.4
2110	X-ray of the left knee, more than two views	.	-	3.32	668.0
2115	X-ray of the right knee, more than two views	.	-	3.32	668.0
2120	X-ray of the left knee including patella	-		4.62	929.6
2125	X-ray of the right knee including patella	.	_	4.62	929.6
2130	X-ray of the left knee with stress views	.	_	5.82	1 171.1
2135	X-ray of the right knee with stress views	.	_	5.82	1 171.1
72140	X-ray of left patella	.	_	2.77	557.4
2145	X-ray of right patella	.		2.77	557.4
2150	X-ray both knees standing - single view	.	_	2.80	563.4
2160	X-ray arthrography knee joint including introduction of contrast	.	_	15.81	3 181.4
2170	X-ray guidance and introduction of contrast into knee joint only	.	_	7.41	1 491.1
2200	Ultrasound of the left knee joint	.	-	6.50	1 308.0
2205	Ultrasound of the right knee joint			6.50	1 308.0
2300	CT of the left knee	.	-	24.52	4 934.1
2305	CT of the right knee	.	_	24.52	4 934.1
2310	CT of the left knee complete study with 3D reconstructions		_	35.93	7 230.1
2315	CT of the right knee complete study with 3D reconstructions	.	_	35.93	7 230.1
2320	CT of the left knee contrasted		_	41.83	8 417.4
2325	CT of the right knee contrasted] .	_	41.83	8 417.4
2330	CT of the left knee pre and post contrast	.		49.76	10 013.2
2335	CT of the right knee pre and post contrast			49.76	10 013.2
2400	MR of the left knee	.	_	64.10	12 898.8
2405	MR of the right knee			64.10	12 898.8
2410	MR of the left knee pre and post contrast			100.84	20 292.0
2415	MR of the right knee pre and post contrast	_		100.84	20 292.0
2900	Nuclear Medicine study – Bone limited/regional static	21.50	4 326.45	100.04	20 232.0
2905	Nuclear Medicine study – Bone limited static plus flow	27.53	5 539.86		
2910	Nuclear Medicine study – Bone tomography regional	13.41	2 698.49		
_0.0	Lower Leg		_ J50.45		
3100	X-ray of the left lower leg			2.94	591.6
3105	X-ray of the right lower leg			2.94	591.6
3300	CT of the left lower leg			24.52	4 934.1
3305	CT of the right lower leg			24.52	4 934.1
3310	CT of the left lower leg contrasted]]]		41.83	
3315	CT of the right lower leg contrasted			1 1	8 417.4
3310	CT of the left lower leg contrasted	1 1 .		41.83	8 417.4
3320	CT of the right lower leg pre and post contrast		•	49.71	10 003.1
-J40	o , at the right terror log pro una post contrast	1 1 -	•	49.71	10 003.

_			025 - Nuclear Medicine		038 -	Radiology
			U	R	U	R
73405	MR of the right lower leg		-	-	64.20	12 918.97
73410	MR of the left lower leg pre and post contrast		-	-	102.04	20 533.51
73415	MR of the right lower leg pre and post contrast		-	-	102.04	20 533.51
73900	Nuclear Medicine study – bone limited/regional static		21.50	4 326.45		
73905	Nuclear Medicine study – bone limited static plus flow		27.53	6 539.86		
73910	Nuclear Medicine study bone tomography regional		13.41	2 698.49		
	Ankle and Foot		-			
	Code 74145 (toe) may not be combined with 74120 or 74125					
	(foot).	ĺ				
	Code 71450 (sesamoid bones) may be combined with 74120 or]			
	74125 (foot) if requested. Codes 74120 and 74125 (foot) may only be combined with 74130		1			
	and 74135 (calcaneus) if specifically requested					
	Code 74160 (arthrography) includes fluoroscopy and introduction					
	of contrast (00140 may not be added).				ll	
	Code 74170 (introduction of contrast) may be combined with 74300 and 74305 (CT) or 74400 and 74405 (MR). The		·			
	combination of 74160 (arthrography) and 74300 and 74305 (CT) or				ll	
	74400 and 74405 (MR) are not supported except in exceptional					
	circumstances with motivation.		-	•		
74100	X-ray of the left ankle		-	-	3.32	668.08
74105	X-ray of the right ankle	!	-	-	3.32	668.08
74110	X-ray of the left ankle with stress views	İ	- [-	4.52	909.56
74115	X-ray of the right ankle with stress views] -	•	4.52	909.56
74120	X-ray of the left foot		-	•	2.80	563.44
74125	X-ray of the right foot		-	•	2.80	563.44
74130	X-ray of the left calcaneus		-	-	2.74	551.37
74135	X-ray of the right calcaneus		-	-	2.74	551.37
74140	X-ray of both feet standing single view		-	-	2.80	563.44
74145	X-ray of a toe		-	-	2.67	537.28
74150	X-ray of the sesamoid bones one or both sides		-	•	2.80	563.44
74160	X-ray arthrography ankle joint including introduction of contrast		-	•	15.91	3 201.57
74170	X-ray guidance and introduction of contrast into ankle joint		-	-	7,41	1 491.11
74210	Ultrasound of the left ankle		· [-	6.50	1 308.00
74215	Ultrasound of the right ankle		-	•	6.50	1 308.00
74220	Ultrasound of the left foot		-	•	6.50	1 308.00
74225	Ultrasound of the right foot		-	•	6.50	1 308.00
74290	Ultrasound bone densitometry		·	-	2.04	410.51
74300	CT of the left ankleffoot		-	-	24.52	4 934.16
74305	CT of the left cold frost		[-]	•	24.52	4 934.16
74310	CT of the left ankle/foot – complete with 3D recon CT of the right ankle/foot – complete with 3D recon		-	•	37.81	7 608.51
74315 74320	CT of the left ankle/foot contrasted		-	•	37.81	7 608.51
74320 74326	CT of the right ankle/foot contrasted		-	-	41.83	8 417.45
74330	_		_ [•	41.83	8 417.45
	CT of the left ankle/foot pre and post contrast CT of the right ankle/foot pre and post contrast		'	•	49.71	10 003.14
74335 74400	MR of the left ankle] ,	-	-	49.71	10 003.14
74405	MR of the right ankle		[]	•	64.10	12 898.84
74410	MR of the left ankle pre and post contrast		[]		64.10 100.64	12 898.84
74415	MR of the right ankle pre and post contrast] [100.64	20 251.79 20 251.79
74420	MR of the left foot				64.20	12 918.97
74425	MR of the right foot				64.20	12 918.97
74430	MR of the left foot pre and post contrast		<u> </u>		102.04	
74435	MR of the right foot pre and post contrast			-	102.04	20 533.51 20 533.51
4900	Nuclear Medicine study – Bone limited/regional static		21.50	4 326.45	102.04	E-000.01
74905	Nuclear Medicine study – Bone limited static plus flow		27.53	5 539.86		
74910	Nuclear Medicine study - Bone tomography regional		13.41	2 698.49		
	Soft Tissue		'5.3'	2 030.43		
79900	Nuclear Medicine study – Tumour localisation planar, static		20.74	4 173.51	_	_
	Nuclear Medicine study – Tumour localisation planar, static,		20.74	- 110.01	[-
79905	multiple studies		35.17	7 077.26	-	-
70040	Nuclear Medicine study – Tumour localisation planar, static and SPECT	Į į				
79910	Nuclear Medicine study ~ Tumour localisation planar, static,	[34.15	6 872.00	-	-
	multiple studies & SPECT				_ I	

			025 - Nuclear Medicine		038	- Radiology
			U	R	U	R
79920	Nuclear Medicine study - Infection localisation planar, static		18.43	3 708.67	-	-
79925	Nuclear Medicine study – Infection localisation planar, static, multiple studies		24.04			
. 5520	Nuclear Medicine study - Infection localisation planar, static and		31.84	6 407.16	-	٠
79930	SPECT		31.84	6 407.16	-	
79935	Nuclear Medicine study – Infection localisation planar, static, multiple studies and SPECT	ľ				
7 3 3 3 4	manaple studies and GFEGT		45.25	9 105.66	-	-
79940	Nuclear Medicine study – Regional lymph node mapping dynamic		6.02	1 211.40		_
	Nuclear Medicine study Regional lymph node mapping, static,	i				
79945	planar Nuclear Medicine study – Regional lymph node mapping, static,		24.10	4 849.64	-	-
79950	planar, multiple studies		37.51	7 548.14		
	Nuclear Medicine study - Regional lymph node mapping and			7 040.14	-	_
79956	SPECT Nuclear Medicine study – Lymph node localisation with gamma		13.41	2 698.49	-	
79960	probe		13.41	2 698.49		
	Intervention		''	2 030.43	-	_
	General					
	Codes 80600, 80605, 80610, 80620, 80630, 81660, 81680, 82600		1 1			
	84660, 85640, 85645, 86610, 86615, 86620, 86630, (aspiration /					
	biopsy / ablations etc) may be combined with the relevant guidance codes (fluoroscopy, ultrasound, CT, MR) as previously described.	ĺ				
	The machine codes 00510, 00520, 00530, 00540, 00550, 00560				1	
	may not be combined with these codes. If ultrasound guidance (00230) is used for a procedure which also		1 1			
	attracts one of the machine codes (00510, 00520, 00530, 00540,	1	1			
	00550, 00560), it may not be billed for separately.	1				
	Codes 80640, 80645, 87682, 87683 include fluoroscopy. Machine fees may not be added.					
	All other interventional procedures are complete unique		1 1			
	procedures describing a whole comprehensive procedure and		1 1			
	combinations of different codes will only be supported when motivated.	1				
80600	Percutaneous abscess, cyst drainage, any region			•	0.27	4 005 50
B0605	Fine needle aspiration biopsy, any region			-	9.37 4.22	1 885.53 849.19
B0610	Cutting needle, trochar biopsy, any region] .		6.36	1 279.82
80620	Tumour/cyst ablation chemical		- [25.37	5 106.21
80630	Tumour ablation radio frequency, per lesion	1	-		21.21	4 268.09
80640	Insertion of CVP line in radiology suite		-		8.99	1 809.06
80645	Peripheral central venous line insertion		-1	-	12.12	2 438.91
80650	Infiltration of a peripheral joint, any region		-	-	6.40	1 287.87
	May be combined with relevant guidance (fluoroscopy, ultrasound, CT and MR). May not be combined with machine codes 00510,					
	00520, 00530, 00540, 00550, 00560 or 86610 (facet joint or SI					
	joint) or arthrogram codes.		1 -1	-	- 1	- 1
	Neuro Intervention			-	ľ	
31600	Intracranial aneurysm occlusion, direct		-		214.52	43 167.86
31605	Intracranial arteriovenous shunt occlusion		-	-	254.82	51 277.43
31610 31615	Dural sinus arteriovenous shunt occlusion Extracranial arteriovenous shunt occlusion		-1	-	264.33	53 191.13
31620	Extracranial arterial embolisation (head and neck)		1 -1	.	157.28	31 649.45
31625	Caroticocavernous fistula occlusion		1 1	: [163.12	32 824.64
31630	Intracranial angioplasty for stenosis, vasospasm	1			192.29 126.92	38 694.52 25 540.11
1632	Intracranial stent placement (including PTA)	ĺ	1 -1		133.72	26 908.48
1635	Temporary balloon occlusion test		1 -1	.	83.42	16 786.61
	Code 81635 does not include the relevant preceding diagnostic study and may be combined with codes 10500, 10510, 10530, 10540, 10550.					70 70 110 1
	Permanent carotid or vertebral artery occlusion (including	1	-	-		
1640	occlusion test)	[.	.	178.18	35 855.16
1645	Intracranial aneurysm occlusion with balloon remodelling	1	.	. [216.35	43 536.11
1660	Intracranial aneurysm occlusion with stent assistance	1	[-	-	230.45	46 373.45
1655	Intracranial thrombolysis, catheter directed	J	-	.	58.94	11 860.50
	Code 81655 may be combined with any of the other neuro interventional codes 81600 to 81650	- 1		- 1		
1660	Nerve block, head and neck, per level	[-	.		
1665	Neurolysis, head and neck, per level		-	-	7.66	1 541.42
	I	- 1	1 - 1	- 1	20.14	4 052.77

				025 - Nuclear Medicine		038 -	Radiology
				U	R	U	R
81670	Nerve block, head and neck, radio frequency, per level	T		-		19.04	3 831.42
81680	Nerve block, coeliac plexus or other regions, per level			-	•	9.28	1 867.41
	Thorax	1		- 1			
82600	Chest drain insertion			-		8.82	1 774.85
82605	Trachial, bronchial stent insertion		1	-	-	30.36	6 109.34
	Gastrointestinal		İ	-	-		
83600	Oesophageal stent insertion	1		-	-	31.22	6 282.40
83605	GIT balloon dilation	1			-	24,36	4 901.96
83610	GIT stent insertion (non-oesophageal)	ľ	1	- [32.02	6 443.38
83615	Percutaneous gastrostomy, jejunostomy		1	-		25,36	5 103.19
	Hepatobiliary			-			
84600	Percutaneous biliary drainage, external			-		33.98	6 837.80
84605	Percutaneous external/internal biliary drainage			-		37.21	7 487.77
84610	Permanent biliary stent insertion	i		1	-	51.22	10 307.00
84615	Drainage tube replacement	1	1		-	20.22	4 068.87
84620	Percutaneous bile duct stone or foreign object removal] -	-	49.98	10 057.48
84625	Percutaneous gall bladder drainage				-	29.58	5 952.38
84630	Percutaneous gallstone removal, including drainage					69.25	13 935.18
84635	Transjugular liver biopsy					24,93	5 016.66
84640	Transjugular intrahepatic Portosystemic shunt	1				119,47	24 040.95
	Transhepatic Portogram including venous sampling, pressure	1		1			
84645	studies	ľ	1	1	•	81.89	16 478.72
84650	Transhepatic Portogram with embolisation of varices		1	-		100.81	20 286.00
84655	Percutaneous hepatic tumour ablation				-	15.68	3 155.29
84660	Percutaneous hepatic abscess, cyst drainage			56	-	13.20	2 656.24
84665	Hepatic chemoembolisation				-	59.44	11 961.11
84670	Hepatic arterial infusion catheter placement	l				60.30	12 134.17
	Urogenital			1 -1			
85600	Percutaneous nephrostomy, external drainage		1			29.97	6 030.86
85605	Percutaneous double J stent insertion including access	100	1	₽	-	40,82	8 214.21
05540	Parautanana mani atawa famina hada mani kata ka					53000	
85610	Percutaneous renal stone, foreign body removal including access			-	•	66.79	13 440.16
85615	Percutaneous nephrostomy tract establishment	1		-1	-	29.27	5 890.00
85620	Change of nephrostomy tube]	-	•	15.90	3 199.56
85625	Percutaneous cystostomy		1	-	•	16.52	3 324.32
85630	Urethral balloon dilatation		!	i -l	-	14.24	2 865.52
86635	Urethral stent insertion			-	-	31.22	6 282.40
85640	Renal cyst ablation			-	•	11 92	2 398.66
85645	Renal abscess, cyst drainage			- 1	•	15.16	3 050.65
85655	Fallopian tube recanalisation	İ		-	•	45.06	9 067.42
	Spinal	ļ	l		-		
86600	Spinal vascular malformation embolisation			-	-	275.16	55 370.45
86605	Vertebroplasty per level			[-	-	22.30	4 487.43
86610	Facet joint block per level, uni- or bilateral Code 86610 may only be billed once per level, and not per left and right side per level				- - i	9.54	1 919.73
86615	Spinal nerve block per level, uni- or bilateral			_	-	8.16	1 642.04
36620	Epidural block]		9.42	1 895.59
36625	Chemonucleolysis, including discogram	ŀ	i]	_	18.32	3 686.63
36630	Spinal nerve ablation per level				-	11.60	2 334.27
	Vascular		1]	-	11.00	2 334.2/
	Code 87654 (Thrombolysis follow up) may only be used on the days following the initial procedure, 87650 (thrombolysis). If a balloon angioplasty and / or stent placement is performed at more that one defined anatomical site at the same sitting the relevant codes may be combined. However multiple balloon dilatations or stent placements at one defined site will only attract				-	:	
	one procedure code.		l	-			
37600	Percutaneous transluminal angioplasty: aorta, IVC		l	-	.	56.56	11 381.57

			025 - Nuclear Medicine		038 -	Radiology
			U	R	U	R
87601	Percutaneous transluminal angioplasty; iliac		-	•	55.76	11 220.58
87602	Percutaneous transluminal angioplasty; femoropopliteal		-		60.16	12 106.00
87603	Percutaneous transluminal angioplasty: subpopliteal	1	-		73.34	14 758.21
87604	Percutaneous transluminal angioplasty: brachiocephalic		-		67.12	13 506.66
87605	Percutaneous transluminal angioplasty: subclavian, axillary		-	-	60.16	12 106.00
87606	Percutaneous transluminal angioplasty: extracranial carotid		-		71.62	14 412.09
87607	Percutaneous transluminal angioplasty: extracranial vertebral	İ	-		73.30	14 750.16
87608	Percutaneous transluminal angioplasty: renal Percutaneous transluminal angioplasty: coeliac, mesenteric		-		87.69	17 645.86
87609 87620	Aorta stent-graft placement		-	•	87.69	17 645.86
87621	Stent insertion (including PTA): aorta, IVC		1 -		120.75	24 298.52
87622	Stent insertion (including PTA): iliac			•	73.87	14 864.86
87623	Stent insertion (including PTA): femoropopliteal				76.37 77.97	15 367.94
87624	Stent insertion (including PTA): subpopliteal				84.55	15 689.90 17 014.00
87625	Stent insertion (including PTA): brachiocephalic	i			98.47	19 815.12
87626	Stent insertion (including PTA): subclavian, axillary				86.69	17 444.63
87627	Stent insertion (including PTA): extracranial carotid			_	106.99	21 629.60
87628	Stent insertion (including PTA): extracranial vertebral			_	100.55	20 233.68
87629	Stent insertion (including PTA): renal				98.59	19 839.27
87630	Stent insertion (including PTA): coeliac, mesenteric		-		98.59	19 839.27
87631	Stent-graft placement; iliac		_		76.37	15 367.94
87632	Stent-graft placement: femoropopliteal				77.97	15 689.90
87633	Stent-graft placement: brachiocephalic				98.47	19 815.12
87634	Stent-graft placement: subclavian, axillary		- 1		82.77	16 655.81
87635	Stent-graft placement: extracranial carotid				120.43	24 234.13
87636	Stent-graft placement: extracranial vertebral		-		114.73	23 087.12
87637	Stent-graft placement: renal		-		98.59	19 839.27
87638	Stent-graft placement: coeliac, mesenteric	i	-		98.59	19 839.27
87650	Thrombolysis in angiography suite, per 24 hours] -	-	45.82	9 220.36
	Code 87650 may be combined with any of the relevant non neuro interventional angiography and interventional codes 10520, 20500, 20510, 20520, 20530, 20540,32500,32530,44500, 44503, 44505, 44510, 44515, 44517, 44520, 60500, 60510, 60520, 60530, 70500, 70505, 70510, 70515, 87600 to 87638.					
87661	Aspiration, rheolytic thrombectomy		1		77.67	15 629.53
87652	Atherectomy, per vessel		- 1	•	91.89	18 491.02
	Percutaneous tunnelled / subcutaneous arterial or venous central					
87653	or other line insertion		-	-	28.15	6 664.62
87654	Thrombolysis follow-up		-	•	23.57	4 742.99
87655	Percutaneous sclerotherapy, vascular malformation		-	•	21.10	4 245.95
87660 87664	Embolisation, mesenteric		-	-	100.43	20 209.53
87661 87662	Embolisation, renal Embolisation, bronchial, intercostal		-	-	99.36	19 994.21
87663	Embolisation, pulmonary arteriovenous shunt			•	108.34	21 801.26
87664	Embolisation, abdominal, other vessels		-	•	103.22	20 770.96
87665	Embolisation, thoracic, other vessels]	-	101,44	20 412.77
87666	Embolisation, upper limb				97.60 90.92	19 640.05 18 295.83
87667	Embolisation, lower limb				92.14	18 541.33
87668	Embolisation, pelvis, non-uterine				117.12	23 568.06
87669	Embolisation, uterus				113.88	22 916.07
87670	Embolisation, spermatic, ovaria veins		-		85.82	17 269.56
87680	Inferior vena cava filter placement		-		61.84	12 444.06
87681	Intravascular foreign body removal		-		85.03	17 110.59
87682	Revision of access port (tunnelled or implantable)		-		14.12	2 841.37
87683	Removal of access port (tunnelled or implantable)		-		11,12	2 237.68
87690	Superior petrosal venous sampling	1			73,01	14 691.80
87691	Pancreatic stimulation test		j -		89.79	18 068.44
87692	Transportal venous sampling	J	-	- 1	76.95	15 484.65
87693	Adrenal venous sampling	J	-	.	55.01	11 069.66
87694	Parathyroid venous sampling	J	-		86.66	17 438.69
87696	Renal venous sampling	1	i - I		55.01	11 069.66

			t Medical or Oncologist	and	Specialists General ctitioner		Anaesthetic		
		U	R	U	R	U	R	T	
20.	RADIATION ONCOLOGY The amounts in this section are calculated according to the Radiation Oncology unit values (unless otherwise specified)								
20.10	Chemotherapy								
	Chemotherapy treatment (not in chemotherapy facilities)								
	Note: When patients are not treated in chemotherapy facilities, items 0213, 0214 and 0215 are used instead of items 5790-5795								
	The amounts in this section are calculated according to the Clinical Procedure unit values								
0213	Treatment with cytostatic agents: Administering of chemotherapy: Intramuscular or subcutaneous: Per injection. For use by providers who do not make use of recognised chemotherapy facilities and/or who are not primarily responsible for managing the chemotherapy treatment. For use by medical practiioners who do not make use of recognised chemotherapy facilities or are not responsible for managing the chemotherapy treatment (Applicable for RMA clients)	5	162.30	5	162.30				
0214	Intravenous treatment with cytostatic agents: Administering of chemotherapy: Intravenous bolus technique: Per injection. For use by providers who do not make use of recognised chemotherapy facilities and/or who are not primarily responsible for managing the chemotherapy treatment For use by medical practilioners who do not make use of recognised chemotherapy facilities or are not responsible for managing the chemotherapy treatment. (Applicable for RMA clients)	9	292.14	9	292.14				
0215	Intravenous treatment with cytostatic agents: Administering of chemotherapy: Intravenous infusion technique: Per injection. For use by providers who do not make use of recognised chemotherapy facilities and/or who are not primarily responsible for managing the chemotherapy treatment For use by medical practitioners who do not make use of recognised chemotherapy facilities or are not responsible for managing the chemotherapy treatment. (Applicable for RMA clients)	14	454.44	14	454.44				
5782	Isotope therapy: Administration of low dose surface applicators, up to five applications. Typically an out patient procedure. Material is not included	77.81	2 525.71	62.25	2 020.57				
5783	Infusional pharmacotherapy: Item to be used for the treatment of non cancerous conditions with bolus or infusional pharmacotherapy per treatment day (consultations to be coded separately)	42,65	1 384.42	42.65	1 384.42				
5790	Non Infusional Chemotherapy: Global Fee for the management of and for related services delivered in the treatment of cancer with oral chemotherapy or hormonal therapy (per cycle), intramuscular (IMI), subcutaneous, intrathecal or bolus chemotherapy or oncology related drug administration per treatment day - for exclusive use by doctors with appropriate oncology training (consultations to be charged separately)	42.95	1 394.16	42.95	1 394.16				

			t Medical or Oncologist	and	Specialists General stitioner	,	Anaes	thetic	;
		U	R	U	R	U	Ř		Γ
20. 5791	RADIATION ONCOLOGY Non Infusional Chemotherapy Facility Fee: A facility where oncology medicines are procured or scripted for oral chemotherapy, intramuscular (IMI), subcutaneous, intrathecal or bolus chemotherapy, per treatment day. This fee is chargeable by doctors with appropriate oncology training who owns or rents the facility, and by others e.g. hospitals or clinics that provide the services as per the appropriate billing structure. Said facilities are to be accredited under the auspices of SASMO and/or SASCRO (to be used in conjunction with item 5790) - only one of the parties are to charge this fee	24.49	794.95	24.49	794.95				
5792	Non Infusional Chemotherapy Facility Fee; A facility where oncology medicines are purchased, stored and dispensed during oral chemotherapy or hormonal therapy (per cycle), intramuscular (IMI), subcutaneous, intrathecal or bolus chemotherapy per treatment day. This fee is chargeable by doctors with appropriate oncology training who owns or rents the facility, and by others e.g. hospitals or clinics that provide the services as per the appropriate billing structure. These facilities are to be accredited under the auspices of SASMO and/or SASCRO (to be used in conjunction with item 5790) - only one of the parties are to charge this fee	30.61	993.60	30.61	993.60				
5793	Infusional Chemotherapy: Global fee for the management of and for services delivered during infusional chemotherapy per treatment day - for exclusive use by doctors with appropriate oncology training using recognised chemotherapy facilities (consultations to be charged separately)	159.47	5 176.40	127.58	4 141.25				
5794	Infusional Chemotherapy Facility Fee: A facility where oncology medicines are procured, stored, admixed and administered, and in which appropriately-trained medical, nursing and support staff are in attendance. This fee is chargeable by doctors with appropriate oncology training who owns or rents the facility, and by others e.g. hospitals or clinics that provide the services as per the appropriate billing structure. Said facilities are to be accredited under the auspices of SASMO and/or SASCRO (to be used in conjunction with item 5793) - only one of the parties are to charge this fee	90.03	2 922.37	90.03	2 922.37				
5795	Infusional Chemotherapy Facility Fee: A facility where oncology medicines are purchased, stored, dispensed, admixed and administered and in which appropriately-trained medical, nursing and support staff are in attendance. This fee is chargeable by doctors with appropriate oncology training who owns or rents the facility, and by others e.g. hospitals or clinics that provide the services as per the appropriate billing structure. These facilities are to be accredited under the auspices of SASMO and/or SASCRO (to be used in conjunction with item 5793) - only one of the parties are to charge this fee	112.54	3 653.05	112.54	3 653.05				
20.11 20.11.1 5801	Radiation Therapy Manual Radiotherapy Planning Procedures Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Single Volume of Interest - PROFESSIONAL COMPONENT	42.56	1 381.50						
5601	Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Single Volume of Interest -TECHNICAL COMPONENT	99.32	3 223.93						
5802	Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Multiple Volumes of Interest - PROFESSIONAL COMPONENT	56.18	1 823.60						
5602	Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Multiple Volumes of Interest - TECHNICAL COMPONENT	131.10	4 255.51						

			st Medical or n Oncologist	and	Specialists General ctitioner	7	Anaesth	etic
		U	R	U	R	U	R	т
20. 5803	RADIATION ONCOLOGY Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Special Technique - PROFESSIONAL COMPONENT	76.62	2 487.09					
5603	Manual Radiotherapy Planning Procedures: No Simulation, Limited Graphic Planning, Special Technique - TECHNICAL COMPONENT	178.77	5 802.87					
20.11.2 5808	Conventional Radiotherapy Planning Procedures Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Single Volume of Interest - PROFESSIONAL COMPONENT	170.26	5 526.64					
5809	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Multiple Volumes of Interest - PROFESSIONAL COMPONENT	238.36	7 737.17					
5810	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Special Technique - PROFESSIONAL COMPONENT	297.95	9 671.46					
5608	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Single Volume of Interest - TECHNICAL COMPONENT	397.27						
5609	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Multiple Volumes of Interest - TECHNICAL	556.18						
5610	Conventional Radiotherapy Planning: Simulation, Limited Graphic Planning, Special Technique - TECHNICAL COMPONENT	695.22	22 566.84					
20.11.3	Three Dimensional Radiotherapy Planning Procedures							
5820	Three Dimensional Radiotherapy Planning Procedures: 3- Dimensional Simulation and Graphic Planning, Single Volume of Interest - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	240.23	7 797.87					
5620	Three dimensional radiotherapy planning procedures: 3- dimensional simulation and graphic planning, single volume of interest - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)	977.20	31 719.91					
5821	Three Dimensional Radiotherapy Planning Procedures: 3- Dimensional Simulation and Graphic Planning, Multiple Volumes of Interest - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	407.75	13 235.57					
5621	Three dimensional radiotherapy planning procedures: 3- dimensional simulation and graphic planning, multiple volumes of interest - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)	1 368.07	44 407.55					
5822	Three Dimensional Radiotherapy Planning Procedures: 3- Dimensional Simulation and Graphic Planning, Special Technique - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	554,33	17 993.55		:			
5622	Three dimensional radiotherapy planning procedures: 3-dimensional simulation and graphic planning, special technique - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)	1 710.09	55 509.52	:				
20.11.4	Intensity Modulated Radiotherapy Planning Procedures							
5823	Intensity Modulated Radiotherapy Planning Procedures: Intensity Modulated Radiotherapy Simulation, Inverse Planning, Radical Course - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	642 93	20 869.18					
5623	Intensity modulated radiotherapy (IMRT) planning procedures: Intensity modulated radiotherapy simulation, inverse planning, radical course - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)	1 916.8	62 219.65					

į				Medical or Oncologist	and	Specialists General ctitioner	A	Anaesthe	etic
		l	_	R	U	R	U	R	T
20. 5825	RADIATION ONCOLOGY Intensity Modulated Radiotherapy Planning Procedures: Intensity Modulated Radiotherapy Simulation, Inverse Planning, Booster Volumes (not for use with other IMRT planning codes) - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	23	2.18	7 536.56					
5625	Intensity modulated radiotherapy (IMRT) planning procedures: Intensity modulated radiotherapy simulation, inverse planning, booster volumes (not for use with other IMRT planning codes) - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)	95	8.40	31 109.66					
5826	Intensity Modulated Radiotherapy Planning Procedures: Intensity Modulated Radiotherapy Simulation, Inverse Planning, CT Scan with Magnetic Resonance Imaging or other Similar Imaging Fusion Techniques - PROFESSIONAL COMPONENT (excludes imaging costs for CT and MRI)	75	3.35	24 453.74					
5626	Intensity modulated radiotherapy (IMRT) planning procedures: Intensity modulated radiotherapy simulation, inverse planning, CT scan with magnetic resonance imaging or other similar imaging fusion techniques - TECHNICAL COMPONENT (excludes imaging costs for CT and MRI)	2 17	4.48	70 583.62					
20.11.5 5834	Kilovolt Radiation Treatment Kilovoltage Radiation Treatment: Weekly Treatment, Kilovolt or Similar, per week or part thereof - PROFESSIONAL COMPONENT	4	9.08	1 593.14					
5634	Kilovoltage Radiation Treatment: Weekly Treatment, Kilovolt or Similar, per week or part thereof - TECHNICAL COMPONENT	11	4.52	3 717.32					

		1 '	t Medical or Oncologist	and	Specialists General ctitioner	,	Anaesth	etic
		U	R	U	R	U	R	Т
20. 20.11.6 5835	RADIATION ONCOLOGY Short course radiation treatment Short Course Radiation Treatment: Short course treatment, Single	:						
5635	Volume of Interest - PROFESSIONAL COMPONENT Short Course Radiation Treatment: Short course treatment, Single	246.73	8 008.86					
5836	Volume of Interest - TECHNICAL COMPONENT Short Course Radiation Treatment: Short course treatment,	148.04	4 805.38					
5636	Multiple Volumes of Interest - PROFESSIONAL COMPONENT Short Course Radiation Treatment: Short course treatment, Multiple Volumes of Interest - TECHNICAL COMPONENT	345.41	11 212.01					
5837	Short Course Radiation Treatment: Short course Treatment, Special Technique - PROFESSIONAL COMPONENT	190.33	6 178.11					
5637	Short Course Radiation Treatment: Short course Treatment, Special Technique - TECHNICAL COMPONENT	444.11	14 415.81					
20.11.7 20.11.7.1	Weekly radiation treatment sessions Conventional Techniques							
5839	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Single Volume of Interest - PROFESSIONAL COMPONENT	193.86	6 292.70					
5639	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Single Volume of Interest - TECHNICAL COMPONENT	452.33	14 682.63					
5840	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Multiple Volumes of Interest - PROFESSIONAL COMPONENT	246.73	8 008.86					
5640	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Multiple Volumes of Interest - TECHNICAL COMPONENT	575.69	18 686.90					
5841	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Special Technique - PROFESSIONAL COMPONENT	317.22	10 296.96			:		
5641	Weekly Radiation Treatment Sessions - Conventional Techniques: Weekly Treatment, Special Technique - TECHNICAL COMPONENT	740.18	24 026.24					
20.11.7.2	Advanced Techniques							
849	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Single Volume of Interest - PROFESSIONAL COMPONENT	236.24	7 668.35					
649	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Single Volume of Interest - TECHNICAL COMPONENT	551.21	17 892.28					
850	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Multiple Volumes of Interest - PROFESSIONAL COMPONENT	330.73	10 735.50					
650	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Multiple Volumes of Interest - TECHNICAL COMPONENT	771.71	25 049.71					
851	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Special Technique - PROFESSIONAL COMPONENT	425.23	13 802.97					
651	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Multi Leaf Collimators, Special Technique - TECHNICAL COMPONENT	992.19	32 206.49					
854	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Intensity Modulated Radiotherapy - PROFESSIONAL COMPONENT	348.87	11 324.32					
654	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Intensity Modulated Radiotherapy - TECHNICAL COMPONENT	814.03	26 423.41					

			t Medical or Oncologist	and	Specialists General ctitioner	7	Anaesthetic
		U	R	U	R	υ	R T
20. 5855	RADIATION ONCOLOGY Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Total Body Radiotherapy or Similar - PROFESSIONAL COMPONENT	826.83	26 838.90				
5655	Weekly Radiation Treatment Sessions - Advanced Techniques: Weekly Treatment, Total Body Radiotherapy or Similar - TECHNICAL COMPONENT	1 929 26	62 623.78				
20.11.8 5860	Stereotactic Radiation Stereotactic Radiation: Stereotactic Radiation, Single or up to 4 (four) Fractions, Global Fee - PROFESSIONAL COMPONENT	3 719 34	120 729.78				
5660	Stereotactic Radiation: Stereotactic Radiation, Single Fraction, Global Fee - TECHNICAL COMPONENT	8 678.46	281 702.81				
5861	Stereotactic Radiation: Stereotactic Radiation, 5 (five) or more Fractions, Full course, Global Fee - PROFESSIONAL COMPONENT	4 277 24	138 839.21				
5661	Stereotactic Radiation: Stereotactic Radiation, Fractionated, Full course, Global Fee - TECHNICAL COMPONENT	9 980 23	323 958.27				
20.12	Brachytherapy	1					
20.12.1	Isotope/Applicator Therapy						
5870	Isotope/Applicator Therapy: Isotopes - Low Complexity, administration of low dose oral isotopes or use of surface applicators, up to five applications. Typically an out patient procedure. The cost of any isotopes and materials are not included	. 108.40	3 518.66				
5872	Isotope/Applicator Therapy: Isotopes - Intermediate Complexity, administration of isotopes requiring invasive techniques such as intravenous, intracavitary or intra-articular radioactive isotopes. Typical out patient procedure or admission and monitoring less than 48 hours. The cost of any isotopes and materials are not included	216.80	7 037.33				
5873	Isotope/Applicator Therapy: Isotopes - High Complexity, surface application of seed arrays requiring dosimetric assessment and/or high dose radio-active isotopes requiring admission and monitoring. Typically requires in patient admission and monitoring for more than 48 hours. The cost of any isotopes and materials are not included	601.16	19 513.65				
			0.00				
20.12.2 5882	Brachytherapy Inplants Brachytherapy Implants: Implants - Low Complexity, placement of a single guide tube for the administration of brachytherapy requiring <8 dwell points. The cost of materials are not included	216.80	0.00 7 037.33				
5883	Brachytherapy Implants: Implants - Intermediate Complexity, planar implants requiring >1 guide tube for the administration of brachytherapy, or the use of >8 dwell points in a single guide tube, or any procedure requiring <8 dwell points but which requires general anaesthesia for insertion. The cost of materials are not included	786.80	25 539.53				
5885	Brachytherapy Implants: Implants - High Complexity requiring complex volumetric studies. Inclusive fee for implant under local or general anaesthetic. The cost of materials are not included	1 049.07	34 052.81				
20.12.3 5890	Brachytherapy Treatment Brachytherapy Treatment: Global fee for manual afterloading - includes storage, handling, calibration, planning (manual or computerized), manual loading, daily treatment, monitoring, removal and disposal of the isotopes. The cost of any isotopes and materials are not included	613.04	19 899.28				

			Specialist Medical or Radiation Oncologist				Anaesthetic		etic
			U	R	U	R	U	R	Т
20. 5892	RADIATION ONCOLOGY Brachytherapy Treatment: Global fee for remote afterloading - includes input in calibration, graphic planning, daily treatment, monitoring, removal and disposal of implant materials on completion. The cost of materials are not included - PROFESSIONAL COMPONENT	4	15.96	13 502.06					
5893	Global Fee for remote afterloading - includes input in calibration, graphic planning, daily treatment, monitoring, removal and disposal of implant materials on completion. The cost of materials are not included - TECHNICAL COMPONENT	91	70.56	31 504.38					
20.12.4 5895	Brachytherapy Imaging Brachytherapy Imaging: Brachytherapy: Special imaging where	1	56.77	5 088.78					
	needed and if used, unusual to be added to any code other than items 5883 or 5885		30.77	9 V06./8					

COIDA & RSSA INDICATIONS FOR MRI OF INJURY ON DUTY PATIENTS.

Select the appropriate injury, modality and indication to be used in conjuction with a MRI.

Annexure A ---- MRI motivation form.

Annexure B - COIDA & RSSA indication for MRI.

Annexure C Indications for plexus and peripheral nerve block.

Annexure D System format.

Annexure: A The Department of Labour: Compensation Fund

MRI Motivation Form for Employee's Injured on Duty

Claim Number:	
Employee's Name:	
Employees ID No:	
Name of Employer:	
Date of Accident / Injury:	
Type of Injury:	
Brief description of how injury occurred:	
Previous clinic / imaging investigations done, and dates:	
Imaging investigation required:	
Motivation / Clinical indications for the investigation:	
Requesting Doctors Name:	
Practice Number:	Date of Referral
This form should preferably be typed	i.

ANNEXURE:B

COIDA & RSSA- Indications for MR Imaging of Injury on Duty Patients

Select the appropriate injury, modality and indication. To be used in conjunction with a MRI / CT motivation. Refer also to the document "Guidelines for Imaging of MRI and other studies for Injury on Duty Patients"

☐ Head Injury - A	Acute (1) (Acute regarded as within first week of date of injury)						
□ CT	☐ CT ☐ Reduced level of consciousness (1.i.a) ☐ Seizures (1.i.b) ☐ Neurological deficit (1.i.c) ☐ Skull or facial bone fractures (1.i.d)						
☐ Head + Cervica	al Spine Injury – Acute (2)						
□ст	Head as above (2.i) CT Spine (bone or joint injury) depending on result spine x-ray (2.ii)						
☐ MRI – in :	selected cases following a CT (2.iii)						
☐ Head Injury –	Sub acute						
☐ MRI	☐ Rotational axonal injury (2.d) ☐ Chronic subdural haemorrhage						
☐ Head Injury - I	ong term sequela (3)						
□ст	If convulsions present in semi acute phase, do CT first (3.b)						
☐ MRI	☐ Epilepsy (contrast and additional sequences often required) (3.a) ☐ Long term structural changes (3.c)						
☐ Spine – Acute							
□ст	Bone or joint injury (4.i)						
☐ MRI	☐ Cord compression (5.i) ☐ Neurological signs (nerve root) (5.ii) ☐ Vertebral body fracture (selected cases) (5.iii)						
☐ Spine – sub acı	te and long term sequela						
☐ MRI	☐ Cord injury (6.i) ☐ Disc herniation (6.ii) ☐ Post operative assessment (selected cases) (6.iii)						
□ Chest / Body In	ıjury (7)						
□ст	Sternal fracture Vascular of lung Other organs / soft tissue						
☐ Extremities							
□ ст	Complicated fractures and dislocations (10)						
☐ MRI							

The numbers after the indications refer to the document "Guidelines for Imaging of MRI and other studies for Injury on Duty Patients". The above indications are not exhaustive, and are merely a selection of the more common indications.

ANNEXURE: C

Item 2800 and 2802 as part of anaesthesia

2800 – Plexus nerve block 2802 – Peripheral nerve block

The motivation for the use of one of these codes in addition to that for the "normal" anaesthesia is that it controls post operative pain and minimises the use of pain injections / medication and encourages early mobilisation.

It is reasonable if the injury / surgery is of sufficient nature to expect much pain post operatively, such as in the fracture of a long bone that was surgically reduced and fixated.

It is however not reasonable in cases of a simple fracture to a hand bone / foot bone or uncomplicated amputation of a finger / toe or other simple procedures.

Examples of claims where the use is reasonable:

- open reduction / internal fixation of a femur / tibia fibula / humerus / radius – ulna
- total knee replacement / total hip replacement

Examples where the use of the codes is not reasonable:

- one fracture in the hand / foot treated surgically
- amputation finger / toe or part of finger / toe
- arthroscopy of the ankle / knee / shoulder

The use of this codes could also be reasonable were a "crushed foot" injury because of many fractures and multiple procedures in one operation.

Item 2800 and 2802 as part of treatment

There also are instances where the use of the codes is part of the treatment (no surgery performed and is not part of general anaesthesia as such). This is why the codes were put into the tariff structure in the first place.

Multiple rib fractures are treated with a nerve block for pain management and that would be acceptable.

PATHOLOGY GAZETTE 2023

		Pat	hologist	Other Specialists and General Practioners		
A	A	U	R	U	R	
21.	PATHOLOGY					
	Notes: For fees for Histology and Cytology refer to items 4561 to 4595 under section 22: Anatomical Pathology					
	The amounts in this section are calculated according to the Clinical Pathology unit values					
21.1	Haematology					
3705	Alkali resistant haemoglobin	4.5	138.20	3	92.13	
3709	Antiglobulin test (Coombs' or trypsinzied red cells)	3.65	112.09	2.45	75.24	
3710	Antibody titration	7.2	221.11	4.8	147.41	
3711	Arneth count	2.25	69.10	1.5	46.07	
3712	Antibody identification	8.45	259.50	5.65	173.51	
3713	Bleeding time (does not include the cost of the simplate device)	6.94	213.13	4.63	142.19	
3715	Buffy Layer examination	19.9	611.13	13.27	407.52	
3716	Mean Cell Volume	2.25	69.10	1.5	46.07	
3717	Bone marrow cytological examination only	19.9	611.13	13.27	407.52	
3719	Bone marrow: Aspiration	8.4	257.96	5.6	171.98	
3720	Bone marrow trephine biopsy	32.6	1 001.15	21.7	666.41	
3721	Bone marrow aspiration and trephine biopsy (excluding histological examination)	36.8	1 130.13	24.5	752.40	
3722	Capillary fragility: Hess	2.02	62.03	1.35	41.46	
3723	Circulating anticoagulants	5.85	179.65	3.9	119.77	
3724	Coagulation factor inhibitor assay	57.56	1 767.67	38.37	1 178.34	
3726	Activated proteïn C resistance	26	798.46	17.3	531.28	
3727	Coagulation time	3.16	97.04	2.11	64.80	
3728	Anti-factor Xa Activity	53.6	1 646.06	35.73	1 097.27	
3729	Cold agglutinins	3.6	110.56	2.4	73.70	
3730	Protein S: Functional	37.5	1 151.63	25	767.75	
3731	Compatability for blood transfusion	3.6	110.56	2.4	73.70	
3734	Protein C (chromogenic)	30.29	930.21	20.19	620.03	
3739	Erythrocyte count	2.25	69.10	1.5	46.07	
3740	Factors V and VII: Qualitative	7.2	221.11	4.8	147.41	
3741	Coagulation factor assay: functional	9.45	290.21	6.3	193.47	
3742	Coagulation factor assay: Immunological	4.5	138.20	3	92.13	
3743	Erythrocyte sedimentation rate	2.5	76.78	1.67	51.29	
3744	Fibrin stabilising factor (urea test)	4.5	138.20	3	92.13	
3746	Fibrin monomers	2.7	82.92	1.8	55.28	
3748	Plasminogen Activator Inhibitor (PAI-I)	65.95	2 025.32	43.97	1 350.32	
3750	Tissue Plasminogen Activator (tPA)	67.79	2 081.83	45.19	1 387.78	
3751	Osmotic fragility (screen)	2.25	69.10	1.5	46.07	
3753	Osmotic fragility (before and after incubation)	18	552.78	12	368.52	

		Pat	hologist	Other Specialists and General Practioners		
Α	A	υ	R	U	R	
3754	ABO Reverse Group	5.5	168.91	3.67	112.71	
3755	Full blood count (including items 3739, 3762, 3783, 3785, 3791)	10.5	322.46	7	214.97	
3756	Full cross match	7.2	221.11	4.8	147.41	
3757	Coagulation factors (quantitative)	32.2	988.86	21.47	659.34	
3758	Factor VIII related antigen	60.46	1 856.73	40.31	1 237.92	
3759	Coagulation factor correction study	11.72	359.92	7.81	239.85	
3761	Factor XIII related antigen	61.11	1 876.69	40.74	1 251.13	
3762	Haemoglobin estimation	1.8	55.28	1.2	36.85	
3763	Contact activated product essay	16.2	497.50	10.8	331.67	
3764	Grouping: A B- and O-antigens	3.6	110.56	2.4	73.70	
3765	Grouping; Rh antigens	3.6	110.56	2.4	73.70	
3766	PIVKA	43.49	1 335.58	28.99	890.28	
3767	Euglobulin lysis time	25.58	785.56	17.05	523.61	
3768	Haemoglobin A2 (column chromatography)	15	460.65	10	307.10	
3769	HB Electrophoresis	26.82	823.64	17.88	549.09	
3770	Haemoglobin-S (solubility test)	3.6	110.56	2.4	73.70	
3773	Ham's acidified serum test	8	245.68	5.33	163.68	
3775	Heinz bodies	8	245.68	5.33	163.68	
3776	Haemosiderin in urinary sediment	2.25	69.10	1.5	46.07	
3781	Heparin tolerence	7.2	221.11	4.8	147.41	
3783	Leucocyte differential count	6.2	190.40	4.15	127.45	
3785	Leucocytes: total count	1.8	55.28	1.2	36.85	
3786	QBC malaria concentration and fluorescent staining	25	767.75	16.7	512.86	
3787	LE-cells	8.3	254.89	5.55	170.44	
3789	Neutrophil alkaline phosphatase	28	859.88	18.7	574.28	
3791	Packed cell volume: Haematocrit	1.8	55.28	1.2	36.85	
3792	Plasmodium falciparum: Monoclonal immunological identification	9	276.39	6	184.26	
3793	Plasma haemoglobin	6.75	207.29	4.5	138.20	
3794	Platelet Sensitivities	18.64	572.43	12.43	381.73	
3795	Platelet aggregation per aggregant	12.14	372.82	8.09	248.44	
3796	Platelet antibodies: agglutination	5.4	165.83	3.6	110.56	
3797	Platelet count	2.25	69.10	1.5	46.07	
3799	Platelet adhesiveness	4.5	138.20	3	92.13	
3801	Prothrombin consumption	5.85	179.65	3.9	119.77	
3803	Prothrombin determination (two stages)	5.85	179.65	3.9	119.77	
3805	Prothrombin index	6	184.26	4	122.84	
3806	Therapeutic drug level: Dosage	4.5	138.20	3	92.13	
3807	Recalcification time	2.25	69.10	1.5	46.07	
3809	Reticulocyte count	3	92.13	2	61.42	
3811	Sickling test	2.25	69.10	1.5	46.07	
3814	Sucrose lysis test for PNH	3.6	110.56	2.4	73.70	

		Pathologist		Other Specialists		
			•	1	General	
				Pra	ctioners	
		L				
A	A	υ	R	U	R	
3816	T and B-cells EAC markers (limited to ONE marker only fof CD4/8 counts)	21.1	647.98	14.07	432.09	
3820	Thrombo-Elastogram	26	798.46	17.33	532.20	
3825	Fibrinogen titre	3.6	110.56	2.4	73.70	
3829	Glucose 6-phosphate-dehydragenase: Qualitative	8	245.68	5.33	163.68	
3830	Glucose 6-phosphate-dehydrogenase: quantitative	16	491.36	10.7	328.60	
3832 3834	Red cell pyruvate kinase: quantitative	16 9.9	491.36	10.7	328.60	
3835	Red cell Rhesus phenotype Haemoglobin F in blood smear	5.85	304.03 179.65	6.6 3.9	202.69 119.77	
3837	Partial thromboplastin time	5.85 5.85	179.65	3.9	119.77	
3841	Thrombin time (screen)	5.85	179.65	3.9	119.77	
3843	Thrombin time (serial)	7.65	234.93	5.1	156.62	
3847	Haemoglobin H	2.25	69.10	1.5	46.07	
3851	Fibrin degeneration products (diffusion plate)	10.35	317.85	6.9	211.90	
3853	Fibrin degeneration products (latex slide)	4.5	138.20	3	92.13	
3854	XDP (Dimer test or equivalent latex slide test)	8.5	261.04	5.67	174.13	
3856	D-Dimer	27.52	845.14	18.35	563.53	
3855	Hemagglutination inhibition	9.9	304.03	6.6	202.69	
3858	Heparin Removal	28.88	886.90	19.25	591.17	
'21.2	Microscopic examinations					
3865	Parasites in blood smear	5.6	171.98	3.73	114.55	
3867	Miscellaneous (body fluids. urine. exudate. fungi. Pusscrapings, etc.)	4.9	150.48	3.3	101.34	
3868	Fungus identification	8.3	254.89	5.5	168.91	
3869	Faeces (including parasites)	4.9	150.48	3.27	100.42	
3872	Automated urine microscopy	8.72	267.79	5.81	178.43	
3873	Transmission electron microscopy	85	2 610.35	57	1 750.47	
3874	Scanning electron microscopy	100	3 071.00	67	2 057.57	
3875	Inclusion bodies	4.5	138.20	3	92.13	
3878	Crystal identification polarised light microscopy	4.5	138.20	3	92.13	
3879	Compylobacter in stool: fastidious culture	9.9	304.03	6.6	202.69	
3880	Antigen detection with polyclonal antibodies	4.5	138.20	3	92.13	
3881	Mycobacteria	3	92.13	2	61.42	
3882	Antigen detection with monoclonal antibodies	10.8	331.67	7.2	221.11	
3883	Concentration techniques for parasites	3	92.13	2	61.42	
3884	Dark field. Phase- or interference contrast microscopy. Nomarski or Fontana	6.3	193.47	4.2	128.98	
3885	Cytochemical stain	5.45	167.37	3.65	112.09	
21.3	Bacteriology (culture and biological examination	ا ۾ ا	245.00		400.00	
3887	Antibiotic susceptibility test, per organism	8	245.68	5.33	163.68	
3889 3890	Clostridium difficile toxin: Moncelonal immunological Antibiotic assay of tissues and fluids	12.4	380.80 426.87	8.27 9.27	253.97	
3890 3891	1	13.9		1	284.68	
3891 3892	Blood culture: aerobic s Blood culture: anaerobic	5.85 5.85	179.65 179.65	3.9 3.9	119.77	
3893	Bacteriological culture: miscellaneous	6.3	179.65	4.2	119.77 128.98	
3894	Radiometric blood culture	10.8	331.67	7.2	221.11	
3895	Bacteriological culture: fastidious organisms	9.9	304.03	6.6	202.69	
3896	In vivo culture: bacteria	16	491.36	10.65	327.06	
3897	In vivo culture: virus	16	491.36	10.65	327.06	
3898	Bacterial exotoxin production (in vitro assay)	4.5	138.20	3	92.13	
3901	Fungal culture	4.5	138.20	3	92.13	
3902	Clostridium difficile (cytotoxicity neutralisation)	30	520.20	20	346.80	
3903	Antibiotic level: biological fluids	11.7	359.31	7.8	239.54	
3904	Rotavirus latex slide test	5.62	97.60	3.75	65.12	
3905	Identification of virus or rickettsia	20.7	635.70	13.8	423.80	
3906	Identification: chlamydia	16	491.36	10.65	327.06	
3907	Culture for staphylococcus aureus [Discontinued 2020]					
3908	Anaerobic culture: comprehensive	9.9	304.03	6.6	202.69	

		Pati	Pathologist		Specialists General ctioners
A	A	U	R	U	R
3909	Anaerobic culture: limited procedure	4.5	138.20	3	92.13
3911	B-Lactamase	4.5	138.20	3	92.13
3915	Mycobacterium culture	4.5	138.20	3	92.13
3916	Radiometric tuberculosis culture	10.8	187.50	7.2	125.00
3917	Mycoplasma culture: limited	2.25	69.10	1.5	46.07
3918	Mycoplasma culture: comprehensive	9.9	304.03	6.6	202.69
3919	Identification of mycobacterium	9.9	304.03	6.6	202.69
3920	Mycobacterium: antibiotic sensitivity	9.9	304.03	6.6	202.69
3921	Antibiotic synergistic study	20.7	635.70	13.8	423.80
3922	Viable cell count	1.35	41.46	0.9	27.64
3923	Staph ID Abr (Yeast ID)	3.15	96.74	2.1	64.49
3924	Biochemical ident of bacterium: extended	12.5	383.88	8.33	255.81
3925	Serological ident of bacterium: abridged	3.15	96.74	2.1	64.49
3926	Serological ident of bacterium: extended	10.2	313.24	6.8	208.83
3927	Grouping of streptococci	7.3	224.18	4.85	148.94
3928	Antimicrobic substances	3.8	116.70	2.5	76.78
3929	Radiometric mycobacterium identification	14	429.94	9.3	285.60
3930	Radiometric mycobacterium antibiotic sensitivity	25	767.75	16.7	512.86
3931	Helicobacter: Monoclonal immunological	12.4	215.26	8.27	143.57

			hologist	Other Specialists and General Practioners		
Α	A	U	R	U	R	
4652	Rapid automated bacterial identification per organism	15	460.65	10	307.10	
4653	Rapid aotomated antibiotic susceptibility per organism	17	522.07	11.33	347.94	
4654	Rapid automated MIC per organism per antibiotic	17	522.07	11.33	347.94	
4655	Mycobacteria: MIC determination - E Test	16.50	506.72	11.00	337.81	
4656	Mycobacteria: Identification HPLC	35.00	1 074.85	23.33	716.46	
4657	Mycobacteria: Liquefied, consentrated, fluorochrome stain	9.90	304.03	6.60	202.69	
21.4	Serology	1				
3932	HIV Elisa Type I and II (Screening tests only)	14.1	433.01	9.4	288.67	
3933	IgE: Total; EMIT or ELISA	11.7	359.31	7.8	239.54	
3934	Auto antibodies by labelled antibodies	16	491.36	10.65	327.06	
3936	Virus neutralisation test: First antibody	75	1 301.10	50	867.40	
3937	Virus neutralisation test: Each additional antibody	15	260.40	10	173.60	
3938	Precipitatin test per antigen	4.5	138.20	3	92.13	
3939	Agglutination test per antigen	5.5	168.91	3.67	112.71	
3940	Haemagglutinationtest: per antigen	9.9	304.03	6.6	202.69	
3941	Modified Coombs' test for brucellosis	4.5	138.20	3	92.13	
3942	Hepatitis Rapid Viral Ab	12.24	375.89	8.16	250.59	
3943	Antibody titer to bacterial exotoxin	3.6	110.56	2.4	73.70	
3944	lgE: Specific antibody titer: ELISA/EMIT: per Ag	12.4	380.80	8.27	253.97	
3945	Complement fixation test	5.85	179.65	3.9	119.77	
3947	C-reactive protein	3.6	110.56	2.4	73.70	
3948	IgG: Specific antibody titer: ELISA/EMIT: per Ag	12.95	397.69	8.63	265.03	
3949	Qualitative Kahn. VDRL or other flocculation	2.25	69.10	1.5	46.07	
3950	Neutrophil phagocytosis	25.2	773.89	16.8	515.93	
3951	Quantitative Kahn. VDRL or other flocculation	3.6	110.56	2.4	73.70	
3952	Neutrophil chemotaxis	67.95	2 086.74	45.3	1 391.16	
3953	Tube agglutination test	4.15	127.45	2.76	84.76	
3955	Paul Bunnell: presumptive	2.25	69.10	1.5	46.07	
3956	Infectious Mononucleasis latex slide test (Monospot or equivalent)	8.5	261.04	5.67	174.13	
3957	Paul Bunnell: Absorption	4.5	138.20	3	92.13	
3958	Anti Gad/la2 Ab	67.95	1 178.80	45.3	785.87	
4601	Panel typing: Antibody detection: Class 1	36	1 105.56	24	737.04	
4602	Panel typing: Antibody detection: Class II	44	1 351.24	29.3	899.80	
4604	HLA typing: Class I - serology	52	902.60	34.7	602.31	
4605	HLA typing: Class II - serology	52	624.70	34.7	416.87	
4606	HLA typing: Class I & II - serology	90	1 243.70	60	829.13	
4607	Cross matching T-cells (per tray)	18	552.78	12	368.52	
4608	Cross matching B-cells	38	1 166.98	25.3	776.96	
4609	Cross matching T- & B-cells	48	1 474.08	32	982.72	
4610	Helicobacter pylori antigen test	34.6	1 062.57	23.07	708.48	
4611	Erythropoietin	20	347.00	13.33	231.28	
4612	HTLV I/II	20	347.00	13.33	231.28	
4613	Anti-Gm1 Antibody Assay	75	2 303.25	50	1 535.50	

		Pat	Pathologist		Other Specialists and General Practioners		
A	A	U	R	U	R		
4614	HIV Ab - Rapid Test	12	368.52	8	245.68		
3959	Rose Waaler Agglutination test	4.5	138.20	3	92.13		
3960	Gonococcal, listeria or echinococcus agglutination	9.5	164.60	6.3	109.16		
3961	Slide agglutination test	2.63	80.77	1.75	53.74		
3962	Rebuck skin window	5.4	165.83	3.6	110.56		
3963	Serum complement level: each component	3.15	96.74	2.1	64.49		
3965	Anti Ia2 Antibodies	36	624.70	24	416.47		
3967	Auto-antibody: Sensitised erythrocytes	4.5	138.20	3	92.13		
3968	Herpes virus typing: Monoclonal immunological	20.69	359.18	13.79	239.39		
3969	Western blot technique	74	2 272.54	49	1 504.79		
3970	Epstein-Barr virus antibody titer	6.75	117.18	4.5	78.12		
3971	Immuno-diffusion test: per antigen	3.15	96.74	2.1	64.49		
3972	Respiratory syncytial virus (ELISA technique)	35	607.10	23	398.95		
3973	Immuno electrophoresis: per immune serum	9.45	290.21	6.3	193.47		
3974	Polymerase chain reaction	75	1 301.10	50	867.40		
3975	Indirect immuno-fluorescence test (Bacterial, viral, parasitic)	12	368.52	8	245.68		
3977	Counter immuno-electrophoresis	6.75	207.29	4.5	138.20		
3978	Lymphocyte transformation	51.7	1 587.71	34.5	1 059.50		
3979	SARS- COV-2	16.93	500.00	16.93	500.00		
3980	Bilharzia Ag Serum/Urine	14.5	445.30	9.67	296.97		
21.5	Skin tests						
21.6	Biochemical tests: Blood			1 1			
3991	Abnormal pigments: qualitative	4.5	138.20	3	92.13		
3993	Abnormal pigments: quantitative	9	276.39	6	184.26		
3995	Acid phosphatase	5.18	159.08	3.45	105.95		
3996	Serum Amyloid A	8.28	254.28	5.52	169.52		
3997	Acid phosphatase fractionation	1.8	55.28	1.2	36.85		
3999	Albumin	4.8	147.41	3.2	98.27		
1000	Alcohol	12.4	380.80	8.27	253.97		
1001	Alkaline phosphatase	5.18	159.08	3.45	105.95		
1002	Alkaline Phosphatase-iso-enzymes	11.7	359.31	7.8	239.54		
1003	Ammonia: enzymatic	7.71	236.77	5.14	157.85		
1004	Ammonia: monitor	4.5	138.20	3	92.13		
1005	Alpha-1-antitrypsin	7.2	221.11	4.8	147.41		
1006	Amylase	5.18	159.08	3.45	105.95		
1007	Arsenic in blood. hair or nails	36.25	1 113.24	24.17	742.26		
8001	Bilirubin – Reflectance	4.77	146.49	3.18	97.66		
1009	Bilirubin: total	4.77	146.49	3.18	97.66		
1010	Bilirubin: conjugated	3.62	111.17	2.41	74.01		
1014	Cadmium: atomic absorp	18.12	556.47	12.08	370.98		
1016	Calcium: Ionized	6.75	207.29	4.5	138.20		
1017	Calcium: spectrophotometric	3.62	111.17	2.41	74.01		
1018	Calcium: atomic absorption	7.25	222.65	4.83	148.33		
1019	Carotene	2.25	69.10	1.5	46.07		
1023	Chloride	2.59	79.54	1.73	53.13		
4027	Cholesterol total	5.34	163.99	3.56	109.33		

		Pat	hologist	Other	Specialists
			_	and	General
				Pra	ctioners
A	A	U	R	U	R
4029	Cholinesterase: serum or erythrocyte: each	7.48	229.71	4.99	153.24
4030	Cholinesterase phenotype (Dibucaine or fluoride each)	9	276.39	6	184.26
4031	Total CO2	5.18	159.08	3.45	105.95
4032	Creatinine	3.62	111.17	2.41	74.01
4033	CSF-Immunoglobulin G	9.45	164.00	6.3	109.33
4035	CSF-Albumin	9.45	290.21	6.3	193.47
4036	CSF-IgG Index	22.05	677.16	14.7	451.44
4040	Homocysteine (random)	15.3	469.86	10.2	313.24
4041	Homocysteine (after Methionine load)	18.1	555.85	12.06	370.36
4042	D-Xylose absorption test: two hours	13.15	403.84	8.75	268.71
4045	Fibrinogen: quantitative	3.6	110.56	2.4	73.70
4047	Hollander test	24.75	760.07	16.5	506.72
4049	Glucose tolerance test (2 specimens)	8.97	275.47	5.98	183.65
4050	Glucose strip-test with photometric reading	1.8	55.28	1.2	36.85
4051	Galactose	11.25	345.49	7.5	230.33
4052	Glucose tolerance test (3 specimens)	13.17	404.45	8.78	269.63
4053	Glucose tolerance test (4 specimens)	17.37	533.43	11.58	355.62
4057	Glucose Quantitative	3.62	111.17	2.41	74.01
4061	Glucose tolerance test (5 specimens)	21.56	662.11	14.37	441.30
4063	Fructosamine	7.2	221.11	4.8	147.41
4064	Glycated haemoglobin: chromatography/HbA1C	14.25	437.62	9.5	291.75
4066	Immunofixation: Total protein, IgG, IgA, IgM, Kappa, Lambda	46.88	813.60	31.25	542.34
4067	Lithium: flame ionisation	5.18	159.08	3.45	105.95
4068	Lithium: atomic absorption	7.48	229.71	4.99	153.24
4071	Iron	6.75	207.29	4.5	138.20
4073	Iron-binding capacity	7.65	234.93	5.1	156.62
4076	Carboxy haemoglobin (6x per 24 hrs)	19.1	586.56	12.73	390.94
4078	Oximetry analysis: MetHb, COHb, O2Hb, RHb, SulfHb	6.75	207.29	4.5	138.20
4079	Ketones in plasma: qualitative	2.25	69.10	1.5	46.07
4081	Drug level-biological fluid: Quantitative	10.8	331.67	7.2	221.11
4086	Plasma Lactate				
4085	Lipase				
4091	Lipoprotein electrophoresis	9	276.39	6	184.26
4093	Osmolality: Serum or urine	6.75	207.29	4.5	138.20
4094	Magnesium: Spectrophotometric	3.62	111.17	2.41	74.01
4096	Mercury: Atomic absorption	18.12	556.47	12.08	370.98
4105	Protein electrophoresis	9	276.39	6	184.26
4106	IgG sub-class 1.2. 3 or 4: Per sub-class	20	614.20	13.2	405.37
4109	Phosphate	3.62	111.17	2.41	74.01

		Pat	thologist	Other Specialists		
					l General	
				Pra	ctioners	
A	A	Ü	R	U	R	
4111	Phospholipids	3.15	96.74	2.1	64.49	
4117	Protein: total	3.11	95.51	2.07	63.57	
4121	pH. pC0 ₂ or p0 ₂ each	6.75	207.29	4.5	138.20	
4123	Pyruvic acid	4.5	138.20	3	92.13	
4125	Salicylates	4.5	138.20	3	92.13	
4126	Secretin-pancreozymin responds	26.1	801.53	17.4	534.35	
4127	Caeruloplasmin	4.5	138.20	3	92.13	
4128	Phenylalannine: Quantitative	11.25	345.49	7.5	230.33	
4129	Glutamate dehydrogenase (GDH)	5.4	165.83	3.6	110.56	
4130 4131	Aspartate amino transferase (AST)	5.4	165.83	3.6	110.56	
4132	Alanine amino transferase (ALT) Cretine kinase (CK)	5.4 5.4	165.83	3.6 3.6	110.56	
4133	Lactate dehidrogenase (LD)	5.4	165.83 165.83	3.6	110.56 110.56	
4134	Gamma glutamyl transferase (GGT)	5.4	165.83	3.6	110.56	
4135	Aldolase	5.4	165.83	3.6	110.56	
4136	Angiotensin converting enzyme (ACE)	9	276.39	6	184.26	
4137	Lactate dehydrogenase isoenzyme	10.8	331.67	7.2	221.11	
4138	CK-MB: immunoinhibition/precipetation	10.8	331.67	7.2	221.11	
4139	Adenosine deaminase	5.4	165.83	3.6	110.56	
4142	Red cell enzymes: each	7.8	239.54	5.2	159.69	
4143	Serum/plasma enzymes: each	5.4	165.83	3.6	110.56	
4144	Transferrin	11:7	359.31	7.8	239.54	
4146	Lead: atomic absorption	15	460.65	10	307.10	
4149	Red cell magnesium	11:7	203.20	7.8	135.47	
4152	CK-MB	12.4	380.80	8.27	253.97	
4153	CK-MB: Mass determination: Quantitative (Not automated)	17.47	303.28	11.65	202.24	
4154	Myoglobin quantitative: Monoclonal immunological	12.4	380.80	8.27	253.97	
4156	Vitamin D3	12.42	215.50	8.28	143.67	
4157	Vitamin A-saturation test	15.3	469.86	10.2	313.24	
4158	Vitamin E (tocopherol)	3.6	110.56	2.4	73.70	
4159	Vitamin A	6.3	193.47	4.2	128.98	
4160	Vitamin C (ascorbic acid)	2.25	69.10	1.5	46.07	
4161	Trop T	20	614.20	13.33	409.36	
4171	Sodium + potassium + cloride + C02 + urea	15.84	486.45	10.56	324.30	
4172	ELIZA or EMIT technique	12.42	381.42	8.28	254.28	
4181	Quantitative protein estimation: Mancini method	7.76	238.31	5.17	158.77	
4182	Quantitative protein estimation: nephelometer	8.28	254.28	5.52	169.52	
4183 4184	Quantitative protein estimation: labelled antibody C-reactive protein (Ultra sensitive)	12.42	381.42	8.28	254.28	
4185	Lactose	11.68 10.8	203.00	7.79 7.2	135.39 221.11	
4186	Vitamin B6	15.3	331.67 265.30	10.2	176.87	
4187	Zinc: atomic absorption	18.12	265.30 556.47	12.08	370.98	
21.7	Biochemical tests: Urine	'0.72	333.47	,2.00	310.30	
4188	Urine dipstick, per stick (irrespective of the number of tests on	1.5	46.07	1	30.71	
	stick)		40.07	'	''''	
4189	Abnormal pigments	4.5	138.20	3	92.13	
4193	Alkapton test: homogentisic acid	4.5	138.20	3	92.13	
4194	Amino acids: quantitative (Post derivatisation HPLC)	78.12	2 399.07	52.08	1 599.38	
4195	Amino laevulinic acid	18	552.78	12	368.52	
4198	Arsenic	18.12	314.50	12.08	209.67	
4199	Ascorbic acid	2.25	69.10	1.5	46.07	
4201	Bence-Jones protein	2.7	82.92	1.8	55.28	
4203	Phenol	3.6	110.56	2.4	73.70	
4205	Calcium: spectrophotometric	3.62	111.17	2.41	74.01	
4206	Calcium: absorption and excretion studies	25	767.75	16.7	512.86	
4211	Bile pigments: qualitative	2.25	69.10	1.5	46.07	
4213	Protein: quantitative	2.25	69.10	1.5	46.07	
4216	Mucopolysaccharides: qualitative	3.6	110.56	2.4	73.70	
4217	Oxalate/Citrate: enzymatic each	9.38	288.06	6.25	191.94	

		Pat	hologist	Other Specialists and General Practioners	
				Pra	ctioners
A	A	U	R	U	R
4218	Glucose: quantitative	2.25	69.10	1.5	46.07
4219	Steroids: chromatography (each)	7.2	221.11	4.8	147.41
4223	Creatinine clearance	7.65	234.93	5.1	156.62
4227	Electrophoreses: qualitative	4.5	138.20	3	92.13
4229	Uric acid clearance	7.65	234.93	5.1	156.62
4230	Urine/Fluid - Specific Gravity	0.9	15.90	0.6	10.60
4231	Metabolites HPLC (High Pressure Liquid Chromatography)	37.50 46.80	1 151.63	25.00 31.20	767.75
4232 4233	Metobolites (Gaschromatography/Mass spectrophotometry) Pharmacological/Drugs of abuse: Metobolites HPLC (High Pressure Liquid Chromatography)		1 437.23 1 151.63	25.00	958.15 767.75
4234	Pharmacological/Drugs of abuse: Metobolites (Gaschromatography/Mass spectrophotometry)	46.80	1 437.23	31.20	958.15
4237	5-Hydroxy-indole-acetic acid: screen test	2.7	82.92	1.8	55.28
4238	5HIAA (Hplc)	78.12	1 355.20	52.08	903.47
4239	5-Hydroxy-indole-acetic acid: quantitative	6.75	207.29	4.5	138.20
4247	Ketones: excluding dip-stick method	2.25	69.10	1.5	46.07
4248	Reducing substances	1.8	55.28	1.2	36.85
4251	Metanephrines: column chromatography	22.05	677.16	14.7	451.44
4253	Aromatic amines (gas chromatography/mass spectrophotometry)	27	829.17	18	552.78
4254	Nitrosonaphtol test for tyrosine	2.25	69.10	1.5	46.07
4262	Micro Albumin-Qualitative	4.5	138.20	3	92.13
4263	pH: Excluding dip-stick method	0.9	27.64	0.6	18.43
4265	Thin layer chromatography: one way	6.75	207.29	4.5	138.20
4266	Thin layer chromatography: two way	11.25	345.49	7.5	230.33
4267	Total organic matter screen: Infrared	31.25	959.69	20.83	639.69
4268	Organic acids: quantitative: GCMS	109.38	3 359.06	72.92	2 239.37
4269 4274	Phenylpyruvic acid: ferric chloride	2.25 22.05	69.10	1.5 14.7	46.07
4271 4272	Phosphate excretion index Porphobilinogen qualitative screen: urine	5	677.16 153.55	3.33	451.44 102.26
4272 4273	Porphobilinogen/ALA: quantitative each	15	460.65	10	307.10
4273 4284	Magnesium: atomic absorption	7.25	222.65	4.83	148.33
	,	7.65		5.1	
4285 4287	Identification of carbohydrate Identification of drug: qualitative	7.65 4.5	234.93 138.20	3.7	156.62 92.13
420 <i>1</i> 4288	Identification of drug: quantitative	10.8	331.67	7.2	221.11
4200 4293	Urea clearance	5.4	165.83	3.6	110.56
4297	Copper: spectrophotometric	3.62	111.17	2.41	74.01
4298	Copper: Atomic absorption	18.12	556.47	12.08	370.98
4300	Indican or Indole: Qualitative	3.15	96.74	2.1	64.49
4307	Ammonium chloride loading test	22.05	677.16	14.7	451.44
4309	Urobilonogen: quantitative	6.75	207.29	4.5	138.20
4313	Phosphates	3.62	111.17	2.41	74.01
4321	Uric acid	3.62	111.17	2.41	74.01
4322	Fluoride	5.18	159.08	3.45	105.95
4323	Total protein and protein electrophoreses	11.25	345.49	7.5	230.33
4325	VMA: quantitative	11.25	345.49	7.5	230.33
4327	Immunofixation: Total Protein, IgG, IgA, IgM, Kappa, Lambda	46.88	1 439.68	31.25	959.69
4335	Cystine: quantitative	12.6	386.95	8.4	257.96
4336	Dinitrophenal hydrazine test: ketoacids	2.25	69.10	1.5	46.07
4337	Hydroxyproline: quantitative	18.9	580.42	12.6	386.95
21.8	Blochemical tests: Faeces			1	
4343	Fat: qualitative	3.15	96.74	2.1	64.49
4345	Fat: quantitative	22.05	677.16	14.7	451.44
4347	pH	0.9	27.64	0.6	18.43
4351	Occult blood: chemical test	2.25	69.10	1.5	46.07
4352 4357	Occult blood (monoclonal antibodies)	10	307.10	6.67	204.84
4357 4364	Potassium Starcobilin	3.62	111.17	2.41	74.01
4361 4363	Stercobilin	2.25	69.10	1.5	46.07
4363	Stercobilinogen: quantitative	6.75	207.29	4.5	138.20

		Pat	hologist	and	er Specialists ind General Practioners	
A	A	U	R	U	R	
21.9	Biochemical tests: Miscellaneous					
4370	Vancomycin, Phenytoin, Theophylline	12.4	380.80	8.27	253.97	
4371	Amylase in exudate	5.18	159.08	3.45	105.95	
4374	Trace metals in biological fluid: Atomic absorption	18.13	556.77	12.08	370.98	
4375	Calcium in fluid: Spectrophotometric	3.62	111.17	2.41	74.01	
4376	Calcium in fluid: Atomic absorption	7.25	222.65	4.83	148.33	
4388	Gastric contents: Maximal stimulation	27	829.17	18	552.78	
4389	Gastric fluid: Total acid per specimen	2.25	69.10	1.5	46.07	
4393	Saliva: Potassium	3.62	111.17	2.41	74.01	
4394	Saliva: Sodium	3.62	111.17	2.41	74.01	
4395	Sweat: Sodium	3.62	111.17	2.41	74.01	
4396	Sweat: Potassium	3.62	111.17	2.41	74.01	
4397	Sweat: Chloride	2.59	79.54	1.73	53.13	
4399	Sweat collection by iontophoresis (excluding collection material)	4.5	138.20	3	92.13	
4400	Triptophane loading test	22.05	677.16	14.7	451.44	
21.10	Cerebrospinal fluid					
4401	Cell count	3.45	105.95	2.3	70.63	
4407	Cell count. protein. glucose and chloride	7.65	234.93	5.1	156.62	
4416	Sodium	3.62	111.17	2.41	74.01	
4417	Protein: Qualitative	0.9	27.64	0.6	18.43	
4421	Clucose	3.62	111.17	2.41	74.01	
4423	Urea	3.62	111.17	2.41	74.01	
4424	HLA test for specific allele DNA-PCR	36	624.70	24	416.47	
4426	HLA typing low resolution Class I DNA-PCR per locus	100	1 734.90	67	1 162.38	
4427	HLA typing low resolution Class II DNA-PCR per locus	74	1 283.90	44	855.36	
4428	HLA typing high resolution Class I or II DNA-PCR per locus	66	1 145.76	56.2	763.84	
4429	Quantitative PCR (DNA/RNA)	84.3	1 052.90	16.67	701.93	
4430	Recombinant DNA technique	25	433.30	23.33	288.92	
4431	Ribosomal RNA targeting for bacteriological identification	35	607.10	50	404.68	
4432	Ribosomal RNA amplification for bacteriological identification	75	1 301.10	16.67	867.40	
4433	Bacteriological DNA identification (LCR)	25	433.30	50	288.92	
4434	Bacteriological DNA identification (PCR)	75	2 303.25	50	1 535.50	
4439	Quantitative PCR - viral load (not HIV) - hepatitis C, hepatitis B, CMV, etc.	150	2 602.10	100	1 734.73	

		Pat	hologist		Specialis
					General
				Pra	ctioners
A	A	U	R	U	R
21.12	Isotopes				
1451	HCG: Monoclonal immunological: Quantitative	12.4	380.80	8.27	253.97
1452	Bone-Specific Alk. Phosphatase	20	614.20	13.33	409.36
1458	Micro-albuminuria: radio-isotope method	12.42	381.42	8.3	254.89
1459	Acetyl choline receptor antibody	158.12	4 855.87	105.41	3 237.14
1460	CA-199 tumour marker	20	347.00	13.33	231.28
1462	CA-125 tumour marker	20	347.00	13.33	231.28
1463	C6 complement functional essay	45	1 381.95	30	921.30
1466	Beta-2-microglobulin	12.42	381.42	8.28	254.28
1468	CA-549	20	347.00	13.3	230.76
1469	S-S100	20	614.20	13.33	409.36
1470	CA-195 tumour marker	20	347.00	13.33	231.28
1471	Carcino-embryonic antigen	20	347.00	13.33	231.28
1472	MCA antigen tumour marker	20	347.00	13.33	231.28
1473	TSH Receptor Ab	17.48	303.40	11.65	202.21
1475	CA-724	20	347.00	13.33	231.28
1478	Osteocalcin	31.4	545.00	20.93	363.28
1479	Vitamin B12-absorption: Shilling test	11.7	359.31	7.8	239.54
1480	Serotonin	18.75	575.81	12.5	383.88
1482	Free thyroxine (FT4)	17.48	536.81	11.65	357.77
1484	Thyroid profile (only with special motivation)	37.8	1 160.84	24.72	759.15
1485	Insulin	12.42	381.42	8.28	254.28
1486	C-Peptide	12.42	215.50	8.28	143.67
1487	Calcitonin	18.9	327.90	12.6	218.60
488	NT Pro BNP	47.04	1 444.60	33.35	1 024.1
490	Releasing hormone response	50	867.50	33.35	578.62
1491	Vitamin B12	12.42	381.42	8.28	254.28
1492	Vitamin D3: Calcitroil (RIA)	75	310.50	50	207.00
1493	Drug concentration: quantitative	12.42	381.42	8.28	254.28
1494	Free hormone assay	17.48	303.40	11.65	202.21
1496	Hormone concentration: Quantitative	12.42	215.50	8.28	143.67
1497	Carbohydrate deficient transferrin	29.06	892.43	19.37	594.85
1499	Cortisol	12.42	381.42	8.28	254.28
500	DHEA sulphate	12.42	381.42	8.28	254.28
507	Thyrotropin (TSH)	19.6	601.92	13.07	401.38
1509	Free tri-iodothyronine (FT3)	17.48	536.81	11.65	357.77
1511	Renin activity	18.9	580.42	12.6	386.95
512	Parathormone	17.08	296.30	11.39	197.59
515	Aldosterone	12.42	215.50	8.28	143.67
1516	Follitropin (FSH)	12.42	381.42	8.28	254.28
1517	Lutropin (LH)	12.42	381.42	8.28	254.28
522	Alpha-Feto protein	12.42	381.42	8.28	254.28
523	ACTH	21.74	667.64	14.49	444.99
1527	Gastrin	12.42	381.42	8.28	254.28
528	Ferritin	12.42	381.42	8.28	254.28
530	Antiplatelet antibodies	15.3	469.86	10.2	313.24
531	Hepatitis: per antigen or antibody Transcobalamine	14.49	444.99	9.66	296.66
532 533	Folic acid	12.42 12.42	381.42	8.28	254.28 254.28
536	Erythrocyte folate	17.42	381.42 536.81	8.28	
1538	Procalcitonin: Qualitative	32	982.72	11.65 21.33	357.77 655.04
1539	Procalcitonin: Quantitative	32 46	982.72 1 412.66	30.67	941.88
1539 21.13	After hour service and travelling fees (applicable to	40	1 412.00	30.07	941.68
	pathologists only)				
	Miscellaneous				
544	Attendance in theatre	27	829.17		-
1549	Minimum fee for after hour service	6.3	193.47	1	l _

		Pathologist		Other Specialists and General Practioners	
A	A	U	R	U	R
22.	ANATOMICAL PATHOLOGY				
	The amounts in this section are calculated according to the Anatomical Pathology unit values				
22.1	Exfoliative cytology				
4561	Sputum and all body fluids: First unit	13.4	406.02	8.9	269.67
4563	Sputum and all body fluids: Each additional unit	7.8	236.34	5.2	157.56
4564	Performance of fine-needle aspiration for cytology	15	454.50		
22.2	Histology				
4567	Histology per sample/specimen each	20	606.00	13.3	402.99
4571	Histology per additional block each	11.6	351.48	7.7	233.31
4575	Histology and frozen section in laboratory	22.7	687.81	15.1	457.53
4577	Histology and frozen section in theatre	90	2 727.00	60	1 818.00
4578	Second and subsequent frozen sections, each	20	606.00	13.4	406.02
4579	Attendance in theatre - no frozen section performed	26.3	796.89	17.5	530.25
4582	Serial step sections (including 4567)	23.3	705.99	15.6	472.68
4584	Serial step sections per additional block each	13.5	409.05	9	272.70
4587	Histology consultation	10.1	306.03	6.7	203.01
4589	Special stains	6.7	203.01	4.5	136.35
4591	Immuno-fluorescence/studies	20.7	627.21	13.8	418.14
4593	Electron microscopy	94	2 848.20	63	1 908.90
4650	Autogenous vaccine	8	242.40	5.33	161.50

		Specialist		General practitioner	
		U	R	U	R
	IV. TRAVELLING EXPENSES				
	Refer to General Rule P				
.	Travelling fees (a) Where, in cases of emergency, a practitioner was called out from his residence or rooms to a patient's home or the hospital, travelling fees can be charged according to the section on travelling expenses (section IV) if more than 16 kilometres in total had to be travelled				
	(b) If more than one patient are attended to during the course of a trip, the full travelling expenses must be divided between the relevant patients				
	 (c) A practitioner is not entitled to charge for any travelling expenses or travelling time to his rooms (d) Where a practitioner's residence is more than 8 kilometres away from a hospital, no travelling fees may be charged for services rendered at such hospitals, except in cases of emergency (services not voluntarily scheduled) 				
	(e) Where a practitioner conducts an itinerant practice, he is not entitled to charge fees for travelling expenses except in cases of emergency (services not voluntarily scheduled)				
	When in cases of emergency (refer to general rule P), a doctor has to travel more than 16 kilometres in total to visit an employee, travelling costs can be charged and shall be calculated as follows				
	Consultation, visit or surgical fee PLUS				
001 003	Cost of public transport and travelling time <u>or</u> item 5003 R4.12 per km for each kilometre travelled in own car: 19 kmtotal = 19 x R4.12 = R78.28 (no travelling time)				
	Travelling time (Only applicable when public transport is used)				
005	Specialist 18,00 clinical procedure units per hour or part thereof	18	531.00		
007	General Practitioner: 12,00 clinical procedure units per hour or part thereof			12	354.00
009	After hours: Specialist: 27,00 clinical procedure units per hour or part thereof	27	796.50		
11	After hours: General Practitioners: 18,00 clinical procedure units per hour or part thereof			18	531.00
013	Travelling fees are not payable to practitioners who assisted at operations on cases referred to surgeons by them				

		Specialist		General practitioner	
5015	Travelling expenses may be charged from the medical practitioner's residence for calls received at night or during	U	R	U	R
	weekends in cases where travelling fees are allowed				

COIDA Tariff for Medical Practitioners

THE UNIT VALUES FOR THE VARIOUS GROUPS AND SECTIONS AS FROM 1 APRIL 2023 ARE AS FOLLOWS:

	Groups and Sections	Unit Value
1.	Consultation Services codes 0146 & 0109	R 29.50
	Consultation Services: codes 0181; 0182; 0183, 0184, 0186, 0151	R 30.05
2.	Clinical procedures	R 29.50
3.	Anaesthetics	R 137.86
4.	Radiology & MRI	R 30.86
5.	Radiation Oncology	R 32.46
6.	Ultrasound	R 29.15
7.	Computed Tomography	R 29.65
8.	Clinical Pathology	R 30.71
9.	Anatomical Pathology	R 30.30
10	5 Digit Radiology (SP)	R 201.23

Note: The unit value and amounts published in the tariff is VAT Exclusive

SYMBOLS USED IN THIS PUBLICATION

•	Per service (specify) Per service
ß	Per service
Φ	Per consultation
oxdot	
L	