GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

21 April 2023

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R63 SECTION 15

AMENDMENT OF DECLARATION No. 305 OF 2012.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 305 of 2012 by substituting paragraph E(IV) of the Schedule, being the descriptive declaration of the route from its Junction with National Road N2 Section 15 in King William's Town up to its Junction with National Road N6 Section 1, with the accompanying sheets 1 to 13 of Plan No. P1223/22.

In the town of King William's Town the R63 Section 15 starts at its junction with the streets known as Alexandra Road and Grey Street at time of declaration, therefrom it follows the street known as Maitland Road in a general easterly direction, at time of declaration.

(National Road R63 Section 15: King William's Town - N6 Junction)

MINISTER OF TRANSPORT

No. 48455 3

NO. 3334

DEPARTEMENT VAN VERVOER

NO. 3334

21 April 2023

DIE SUID-AFRIKAANSE NASIONALE PADAGENTSKAP MSB BEPERK Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R63 SEKSIE 15


WYSIGING VAN VERKLARING No. 305 VAN 2012.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 305 van 2012 deur paragraaf E(IV) van die Skedule te vervang, synde die gedeelte van die beskrywende verklaring van die pad vanaf die aansluiting met Nasionale Pad N2 Seksie 15 in King William's Town tot by die aansluiting met Nasionale Pad N6 Seksie 1, met bygaande velle 1 tot 13 van Plan No. P1223/22.

In die dorp King William's Town begin die R63 Seksie 15 by die aansluiting met die strate bekend as Alexandraweg en Greystraat tydens datum van verklaring, daarvandaan volg dit die straat bekend as Maitlandweg in 'n algemene oostelike rigting, tydens datum van verklaring.

(Nasionale Pad R63 Seksie 15: King William's Town - N6 Aansluiting)

MINISTER VAN VERVOER







200


1ª


ERF 288 BALASI







8










No. 48455 11









$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
	LINKERKANT/LEFT HAND SIDE			R	REGTERKANT/RIGHT	HAND SIDE	
		Υ	X wo	∋27°	Y	Х	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	460.023 596.20 3 636.91 3 723.69 3 818.69 3 839.79 3 855.49 3 954.31 3 016.67 3 155.29 3 687.34 3 772.25 3 867.54 3 890.97 3 092.03 3 146.27 3 235.60 3 480.89 3 568.74 3 611.37 3 772.93 3 927.73 3 621.37 3 772.93 3 927.73 3 641.37 3 772.93 3 927.73 3 641.37 3 772.93 3 927.73 3 641.37 3 716.47 3 716.47 3 716.47 3 716.47 3 918.55 3 911.41 3 998.84 3 009.42 3 011.07 3 020.63 3 102.01 3 141.00 3 141.00 3	637 990.70 637 849.87 637 802.37 637 701.14 637 575.85 637 544.75 637 521.60 637 375.95 637 276.91 637 043.42 636 134.57 635 980.97 635 893.51 635 826.42 635 789.03 635 446.13 635 207.83 635 446.13 635 207.83 634 784.70 634 641.34 634 567.28 634 505.74 634 567.28 634 505.74 634 381.64 634 214.53 634 109.85 633 748.71 633 650.00 633 545.69 633 311.66 633 229.78 633 233.42 633 164.11 633 229.78 633 233.42 633 164.11 633 046.18 632 936.36 632 852.29 632 686.10 632 631.34 632 607.18 632 631.34 632 573.96 631 779.95 630 359.35 630 337.53 630 151.87 630 062.91 629 966.94	R2 R3 R4 R5 R6 R7 R8 R9 R10 R12 R12 R12 R12 R12 R12 R12 R12 R12 R12	$\begin{array}{c} -39 \ 435.70\\ -39 \ 529.58\\ -39 \ 679.94\\ -39 \ 744.85\\ -39 \ 879.88\\ -39 \ 879.88\\ -39 \ 901.21\\ -39 \ 914.20\\ -40 \ 048.14\\ -40 \ 184.29\\ -40 \ 718.45\\ -40 \ 775.55\\ -40 \ 809.72\\ -40 \ 824.87\\ -40 \ 816.08\\ -40 \ 857.21\\ -40 \ 895.19\\ -40 \ 946.02\\ -41 \ 119.15\\ -41 \ 126.36\\ -41 \ 138.92\\ -41 \ 159.44\\ -41 \ 170.29\\ -41 \ 159.44\\ -41 \ 170.29\\ -41 \ 159.44\\ -41 \ 170.29\\ -41 \ 694.76\\ -41 \ 173.88\\ -41 \ 538.29\\ -41 \ 611.99\\ -41 \ 694.76\\ -41 \ 786.10\\ -42 \ 375.87\\ -42 \ 462.86\\ -42 \ 545.60\\ -42 \ 594.14\\ -42 \ 614.47\\ -42 \ 628.55\\ -42 \ 644.91\\ -42 \ 614.47\\ -42 \ 628.55\\ -42 \ 644.91\\ -42 \ 638.71\\ -42 \ 686.34\\ -42 \ 757.45\\ -42 \ 792.68\\ -42 \ 598.37\\ -43 \ 409.73\\ -43 \ 409.73\\ -43 \ 606.85\\ \hline \end{tabular}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT	HAND SIDE	REGTERKANT/RIGHT HAND SIDE				
Y						
L103 -47 116.27 L104 -47 137.93 L105 -47 169.93 L106 -47 192.04 L107 -47 215.86 L108 -47 244.32 L109 -47 275.60 L110 -47 315.24 L111 -47 348.02 L112 -47 510.52 L113 -47 944.73 L114 -48 047.88 L115 -48 280.67 L116 -48 689.12 L117 -48 888.95 L118 -48 912.25 L119 -48 968.30 L120 -49 012.44 L121 -49 387.34 L122 -49 509.94 L123 -49 585.31 L124 -49 643.33 L125 -49 789.80 L127 -49 841.98 L128 -50 051.30 L129 -50 201.49 L130 -50 269.01 L131 -50 317.89 L132 -50 381.77 L133 -50 393.27 L134 -50 451.67 L135 -50 499.62 L136 -50 525.08 L137 -50 533.97 L138 -50 756.38 L139 -51 141.75 L140 -51 226.19 L141 -51 307.28 L142 -51 623.88 L143 -52 846.38 L144 -53 076.22 L145 -53 379.41 REGTERKANT/RIGHT H REGTERKANT/RIGHT H	3 622 729.31 3 622 691.30 3 622 638.26 3 622 604.64 3 622 570.77 3 622 532.42 3 622 493.32 3 622 493.32 3 622 409.18 3 622 222.87 3 621 727.44 3 621 612.68 3 621 346.08 3 620 878.32 3 620 649.47 3 620 610.37 3 620 546.86 3 620 510.74 3 620 546.86 3 620 510.74 3 620 080.79 3 619 940.90 3 619 871.10 3 619 753.72 3 619 791.01 3 619 766.09 3 619 753.72 3 619 710.17 3 619 63.84 3 619 63.84 3 619 63.84 3 619 63.67 3 619 63.31 3 619 603.31 3 619 603.31 3 619 603.31 3 619 603.31 3 619 483.13 3 619 465.70 3 619 483.13 3 619 465.70 3 619 128.44 3 619 081.08 3 619 010.06 HAND SIDE 3 619 128.44 3 619 081.08 3 619 010.06 HAND SIDE	R104 R105 R106 R107 R108 R109 R110 R111 R112 R113 R114 R115 R116 R117 R118 R119 R120 R121 R122 R123 R124 R125 R126 R127 R128 R129 R120 R121 R122 R123 R124 R125 R126 R127 R128 R129 R130 R131 R132 R133 R134 R135 R136 R137 R138 R139 R130 R131 R132 R138 R139 R140 R141 R142 R143 R144 R145 R146 R147 R148 R149 R140 R141 R145 R146 R147 R148 R149 R150 R151 R152 R153	$\begin{array}{cccccc} -46 & 314.69 \\ -46 & 740.79 \\ -46 & 762.44 \\ -46 & 797.54 \\ -46 & 853.69 \\ -46 & 893.65 \\ -47 & 016.28 \\ -47 & 052.52 \\ -47 & 106.95 \\ -47 & 138.82 \\ -47 & 168.39 \\ -47 & 193.17 \\ -47 & 239.22 \\ -47 & 267.38 \\ -47 & 297.87 \\ -47 & 336.30 \\ -47 & 532.23 \\ -48 & 308.67 \\ -48 & 326.26 \\ -48 & 426.99 \\ -48 & 518.44 \\ -48 & 726.23 \\ -48 & 839.62 \\ -48 & 917.35 \\ -48 & 955.92 \\ -48 & 998.49 \\ -49 & 020.77 \\ -49 & 393.96 \\ -49 & 516.90 \\ -49 & 564.08 \\ -49 & 555.92 \\ -48 & 998.49 \\ -49 & 620.66 \\ -49 & 682.36 \\ -49 & 744.28 \\ -49 & 799.13 \\ -50 & 321.73 \\ -50 & 321.73 \\ -50 & 321.73 \\ -50 & 321.73 \\ -50 & 391.02 \\ -50 & 402.65 \\ -50 & 423.60 \\ -50 & 501.73 \\ -50 & 574.13 \\ -50 & 655.35 \\ -50 & 698.86 \\ -51 & 127.23 \\ -51 & 306.02 \\ -51 & 360.46 \\ -51 & 642.16 \\ -51 & 766.69 \\ \end{array}$			
		Vel Sheet	13 Van 13 of	P1223/22		