
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 4186

11 December 2023

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

**REPEAL OF DECLARATION No. 899 OF 2021 AND RE-DECLARATION OF NATIONAL ROAD N10
SECTION 1: NANAGA TO MIDDLETON**

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby repeal Declaration No. 899 of 2021, and by virtue of section 40(1)(a) of the said Act, I hereby declare the route, as indicated on the subjoining Plan P1145/19, sheets 1 to 43, as a National Road.

(National Road N10 Section 1: Nanaga – Middleton)


MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 4186

11 Desember 2023

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**


Registrasie No: 1998/009584/30

**INTREKKING VAN VERKLARING No. 899 VAN 2021 EN HERVERKLARING VAN NASIONALE PAD
N10 SEKSIE 1: NANAGA TOT MIDDLETON**


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), trek ek hiermee Verklaring No. 899 van 2021 in, en kragtens Artikel 40(1)(a) van genoemde Wet verklaar ek hiermee die roete soos aangetoon op meegaande Plan P1145/19, velle 1 tot 43, as 'n Nasionale Pad.

(Nasionale Pad N10 Seksie 1: Nanaga – Middleton)



MINISTER VAN VERVOER





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	<p>stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route</p>	<p>Vel Sheet 1 of 43</p> <p>Plan P1145/19</p>
---	---------------------------------------	--	---




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 Seksie of National Route Section	Vel Sheet 2 of 43 Plan P1145/19
---	---------------------------------------	--	--



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 Sektie of National Route Section
Vel Sheet	1	van of	43 19



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	1	Vel Sheet 4 of 43	Plan P1145/19
---	---------------------------------------	---	---	----------------------	------------------




Vel
Sheet 5 of 43
Plan P1145/19


steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10
of National Route
Seksie
Section
1



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





Vel
Sheet 7 of 43
Plan P1145/19


1
Seksie
N10
Section


stel die padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10
of National Route



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd






Vel
Sheet 9 of 43
Plan P1145/19


steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10 Seksie
of National Route Section





Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd












Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 13 of 43	Plan P1145/19	1 Seksie Section
---	---------------------------------------	---	--------------------------	------------------	------------------------





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 Sektie of National Route Section	1	Plan P1145/19	Vel 14 of 43	Sheet 14 of 43
---	---------------------------------------	--	---	---------------	--------------	----------------








Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	1	Plan P1145/19
Vel Sheet 16 of 43	van 16 of 43	van 16 of 43	van 16 of 43	van 16 of 43




Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk	Die figuur getoon		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 17 of 43
The South African National Roads Agency SOC Ltd	The figure shown		1	Plan P1145/19






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Vel Sheet 19 of 43 Plan P114.5/19
---	---	--	--	---



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N10 of National Route	Val Sheet 20 of 43	1 Sektie of National Route	Plan P1145/19
---	---------------------------------------	---	-----------------------	----------------------------------	------------------



Vel
Sheet 21 of 43


Plan
P1145/19


steldie podreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10 Sektie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Podagentskap MSB Bpk
The South African National Roads Agency SOC Ltd





Vel
Sheet 23 of 43

Plan
P1145/19

steldie padreserwe voor van 'n gedeelte
represents the road reserve of a portion
van Nasionale Roete N10 Sektie
of National Route Section



Die figuur getoon
The figure shown

Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk
The South African National Roads Agency SOC Ltd

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25 ^o		Y		X	
L1	-84 497.33	3	721	241.85	R1	-84 921.91	3	720	974.00
L2	-84 499.57	3	721	221.06	R2	-84 886.03	3	720	934.05
L3	-84 501.30	3	721	205.04	R3	-84 929.71	3	720	846.40
L4	-84 564.00	3	721	098.15	R4	-84 996.78	3	720	711.81
L5	-84 639.76	3	721	007.90	R5	-85 009.48	3	720	654.80
L6	-84 749.65	3	720	891.58	R6	-85 041.87	3	720	509.45
L7	-84 853.43	3	720	777.16	R7	-85 049.14	3	720	448.59
L8	-84 857.05	3	720	773.16	R8	-85 066.71	3	720	403.00
L9	-84 877.74	3	720	743.15	R9	-85 087.57	3	720	380.00
L10	-84 927.54	3	720	661.19	R10	-85 131.83	3	720	363.37
L11	-84 957.28	3	720	569.60	R11	-85 187.60	3	720	364.72
L12	-84 972.34	3	720	474.59	R12	-85 222.56	3	720	373.49
L13	-84 972.64	3	720	396.38	R13	-85 211.12	3	720	388.80
L14	-84 962.64	3	720	199.59	R14	-85 232.94	3	720	402.17
L15	-84 985.68	3	720	173.57	R15	-85 235.59	3	720	403.80
L16	-84 970.70	3	720	117.82	R16	-85 255.76	3	720	381.40
L17	-84 939.23	3	720	025.30	R17	-85 274.16	3	720	360.98
L18	-84 790.33	3	719	737.50	R18	-85 268.38	3	720	357.01
L19	-84 761.34	3	719	687.07	R19	-85 255.26	3	720	347.98
L20	-84 735.38	3	719	635.79	R20	-85 193.70	3	720	326.35
L21	-84 705.89	3	719	584.30	R21	-85 130.70	3	720	323.34
L22	-84 651.87	3	719	501.33	R22	-85 085.00	3	720	309.40
L23	-84 533.03	3	719	341.53	R23	-85 062.73	3	720	288.62
L24	-84 501.61	3	719	326.69	R24	-85 041.98	3	720	244.44
L25	-84 434.45	3	719	239.97	R25	-85 004.38	3	720	084.47
L26	-84 423.77	3	719	223.88	R26	-84 803.44	3	719	695.01
L27	-84 395.21	3	719	178.34	R27	-84 796.71	3	719	677.35
L28	-84 356.01	3	719	104.30	R28	-84 765.99	3	719	618.87
L29	-84 334.35	3	719	062.47	R29	-84 735.63	3	719	566.75
L30	-84 325.95	3	719	031.90	R30	-84 679.97	3	719	482.44
L31	-84 295.52	3	718	967.83	R31	-84 562.06	3	719	320.16
L32	-84 260.85	3	718	885.90	R32	-84 428.89	3	719	147.52
L33	-84 241.02	3	718	826.78	R33	-84 386.89	3	719	078.63
L34	-84 226.11	3	718	780.53	R34	-84 353.74	3	719	018.13
L35	-84 166.55	3	718	534.87	R35	-84 324.32	3	718	955.21
L36	-84 124.04	3	718	432.96	R36	-84 296.75	3	718	879.52
L37	-84 117.11	3	718	402.53	R37	-84 252.26	3	718	749.38
L38	-84 110.24	3	718	372.27	R38	-84 237.21	3	718	683.38
L39	-84 089.34	3	718	214.39	R39	-84 224.11	3	718	613.20
L40	-83 977.67	3	717	750.47	R40	-84 217.40	3	718	587.43
L41	-83 873.40	3	717	314.35	R41	-84 187.31	3	718	478.29
L42	-83 806.71	3	717	154.08	R42	-84 170.55	3	718	389.02
L43	-83 802.56	3	717	144.12	R43	-84 170.23	3	718	387.88
L44	-83 795.29	3	717	121.25	R44	-84 119.91	3	718	206.31
L45	-83 789.21	3	716	958.90	R45	-84 105.71	3	718	136.32
L46	-83 759.10	3	716	819.89	R46	-83 984.86	3	717	642.92
L47	-83 747.82	3	716	721.49	R47	-83 860.38	3	717	122.94
L48	-83 742.04	3	716	638.57	R48	-83 848.29	3	717	072.43
L49	-83 740.98	3	716	555.23	R49	-83 845.02	3	717	038.78
L50	-83 746.51	3	716	442.23	R50	-83 844.40	3	717	036.29
L51	-83 757.60	3	716	348.30	R51	-83 840.69	3	717	021.37
					Vel 24 Van 43 Sheet of P1145/19				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L52	-83 766.38	3	716 293.63		R52	-83 838.87	3	717 013.35	
L53	-83 774.81	3	716 252.91		R53	-83 839.64	3	717 008.51	
L54	-83 893.18	3	715 725.17		R54	-83 810.21	3	716 874.70	
L55	-83 952.67	3	715 459.33		R55	-83 794.07	3	716 737.37	
L56	-83 969.98	3	715 381.98		R56	-83 787.57	3	716 599.48	
L57	-84 059.38	3	714 982.96		R57	-83 786.08	3	716 530.11	
L58	-84 074.35	3	714 929.78		R58	-83 799.83	3	716 380.97	
L59	-84 090.64	3	714 876.69		R59	-83 812.35	3	716 312.58	
L60	-84 099.24	3	714 852.20		R60	-83 829.23	3	716 249.06	
L61	-84 116.97	3	714 801.73		R61	-83 845.74	3	716 179.92	
L62	-84 132.78	3	714 763.24		R62	-83 860.09	3	716 111.19	
L63	-84 272.10	3	714 437.36		R63	-83 871.95	3	716 043.58	
L64	-84 482.82	3	713 944.71		R64	-83 885.57	3	715 978.67	
L65	-84 523.03	3	713 850.25		R65	-83 930.55	3	715 781.48	
L66	-84 539.91	3	713 807.42		R66	-84 024.61	3	715 369.15	
L67	-84 548.52	3	713 781.02		R67	-84 069.55	3	715 155.33	
L68	-84 573.99	3	713 687.64		R68	-84 126.27	3	714 952.64	
L69	-84 580.29	3	713 648.85		R69	-84 149.51	3	714 888.99	
L70	-84 586.77	3	713 608.89		R70	-84 166.45	3	714 832.85	
L71	-84 592.97	3	713 512.13		R71	-84 192.39	3	714 756.55	
L72	-84 589.61	3	712 971.65		R72	-84 226.87	3	714 660.94	
L73	-84 587.35	3	712 529.63		R73	-84 414.59	3	714 224.83	
L74	-84 585.12	3	712 263.97		R74	-84 434.49	3	714 185.67	
L75	-84 588.43	3	712 222.43		R75	-84 532.25	3	713 945.93	
L76	-84 595.52	3	712 181.40		R76	-84 593.59	3	713 818.89	
L77	-84 606.17	3	712 141.34		R77	-84 605.66	3	713 778.33	
L78	-84 617.74	3	712 106.46		R78	-84 629.65	3	713 639.07	
L79	-84 625.94	3	712 088.02		R79	-84 631.46	3	713 629.76	
L80	-84 640.79	3	712 058.18		R80	-84 643.38	3	713 568.59	
L81	-84 660.10	3	712 025.90		R81	-84 645.90	3	713 525.25	
L82	-84 670.24	3	712 008.95		R82	-84 643.35	3	713 438.36	
L83	-84 866.73	3	711 738.42		R83	-84 643.52	3	713 177.60	
L84	-84 907.40	3	711 682.43		R84	-84 644.01	3	713 107.53	
L85	-85 044.50	3	711 493.58		R85	-84 638.29	3	713 037.77	
L86	-85 171.76	3	711 318.27		R86	-84 637.76	3	712 844.99	
L87	-85 190.26	3	711 292.91		R87	-84 642.99	3	712 777.37	
L88	-85 403.75	3	710 998.70		R88	-84 637.31	3	712 634.96	
L89	-85 612.05	3	710 712.11		R89	-84 638.25	3	712 334.87	
L90	-85 804.98	3	710 446.78		R90	-84 642.26	3	712 272.02	
L91	-85 813.53	3	710 433.17		R91	-84 649.67	3	712 201.41	
L92	-85 834.26	3	710 400.15		R92	-84 669.28	3	712 137.64	
L93	-85 854.07	3	710 363.26		R93	-84 681.10	3	712 112.78	
L94	-85 856.43	3	710 357.27		R94	-84 697.54	3	712 078.20	
L95	-85 864.26	3	710 337.43		R95	-84 731.64	3	712 012.70	
L96	-85 873.34	3	710 311.33		R96	-84 752.54	3	711 976.03	
L97	-85 880.52	3	710 284.26		R97	-84 836.50	3	711 864.24	
L98	-85 890.10	3	710 229.44		R98	-84 936.75	3	711 724.25	
L99	-85 891.85	3	710 201.52		R99	-85 022.78	3	711 604.12	
L100	-85 892.08	3	710 173.76		R100	-85 057.30	3	711 557.00	
L101	-85 891.84	3	710 168.81		R101	-85 326.14	3	711 190.00	
L102	-85 890.74	3	710 146.36		R102	-85 625.13	3	710 777.05	
					<div>Vel 25 Van 43 of P1145/19</div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L103	-85 887.51	3	710	119.04	R103	-85 649.53	3	710	742.90
L104	-85 872.91	3	710	051.96	R104	-85 832.97	3	710	486.21
L105	-85 864.17	3	710	026.81	R105	-85 876.41	3	710	429.45
L106	-85 852.92	3	709	999.37	R106	-85 907.93	3	710	363.72
L107	-85 840.45	3	709	974.21	R107	-85 932.25	3	710	294.93
L108	-85 826.53	3	709	950.45	R108	-85 944.48	3	710	225.02
L109	-85 811.34	3	709	927.26	R109	-85 945.60	3	710	151.01
L110	-85 785.45	3	709	894.28	R110	-85 932.41	3	710	079.87
L111	-85 756.40	3	709	862.61	R111	-85 918.32	3	710	027.83
L112	-85 606.87	3	709	736.96	R112	-85 913.47	3	710	009.91
L113	-85 585.68	3	709	717.99	R113	-85 884.66	3	709	944.62
L114	-85 565.38	3	709	696.45	R114	-85 826.22	3	709	856.33
L115	-85 537.35	3	709	662.13	R115	-85 678.17	3	709	733.00
L116	-85 513.43	3	709	624.96	R116	-85 622.75	3	709	682.20
L117	-85 491.93	3	709	586.14	R117	-85 579.94	3	709	630.46
L118	-85 481.38	3	709	560.54	R118	-85 545.95	3	709	572.52
L119	-85 470.01	3	709	531.12	R119	-85 522.70	3	709	509.75
L120	-85 458.30	3	709	490.54	R120	-85 506.92	3	709	444.74
L121	-85 453.09	3	709	463.36	R121	-85 499.01	3	709	378.06
L122	-85 449.08	3	709	435.88	R122	-85 503.69	3	709	349.06
L123	-85 446.22	3	709	380.49	R123	-85 505.96	3	709	310.64
L124	-85 448.33	3	709	339.26	R124	-85 521.47	3	709	245.29
L125	-85 468.56	3	709	187.40	R125	-85 556.14	3	709	166.29
L126	-85 588.06	3	708	997.81	R126	-85 657.47	3	708	979.97
L127	-85 815.38	3	708	568.85	R127	-85 813.81	3	708	680.95
L128	-86 024.52	3	708	175.56	R128	-85 875.96	3	708	555.11
L129	-86 138.91	3	707	960.20	R129	-85 942.16	3	708	431.60
L130	-86 269.73	3	707	713.93	R130	-86 078.06	3	708	174.78
L131	-86 493.79	3	707	292.56	R131	-86 192.44	3	707	962.04
L132	-86 728.71	3	706	850.38	R132	-86 210.50	3	707	928.90
L133	-86 805.84	3	706	705.14	R133	-86 405.79	3	707	556.84
L134	-86 961.76	3	706	411.56	R134	-86 506.76	3	707	370.83
L135	-87 189.29	3	705	983.46	R135	-86 771.57	3	706	869.62
L136	-87 435.98	3	705	519.51	R136	-86 861.81	3	706	700.32
L137	-87 687.11	3	705	045.71	R137	-87 035.31	3	706	372.19
L138	-87 690.01	3	705	040.26	R138	-87 199.65	3	706	065.10
L139	-87 901.67	3	704	642.39	R139	-87 272.43	3	705	937.05
L140	-88 138.43	3	704	196.53	R140	-87 329.83	3	705	822.72
L141	-88 382.68	3	703	737.03	R141	-87 396.21	3	705	693.85
L142	-88 609.51	3	703	310.38	R142	-87 465.42	3	705	572.09
L143	-88 840.25	3	702	876.09	R143	-87 483.47	3	705	535.50
L144	-89 071.18	3	702	441.83	R144	-87 726.08	3	705	073.27
L145	-89 088.22	3	702	409.79	R145	-87 737.21	3	705	052.30
L146	-89 280.37	3	702	047.64	R146	-87 855.36	3	704	829.60
L147	-89 284.27	3	702	040.30	R147	-87 938.97	3	704	676.59
L148	-89 291.35	3	702	026.98	R148	-88 157.66	3	704	259.42
L149	-89 317.40	3	701	978.00	R149	-88 272.26	3	704	045.21
L150	-89 411.14	3	701	800.66	R150	-88 389.03	3	703	891.87
L151	-89 438.75	3	701	717.21	R151	-88 409.13	3	703	846.94
L152	-89 444.08	3	701	692.33	R152	-88 467.76	3	703	677.91
L153	-89 530.39	3	701	576.70	R153	-88 495.94	3	703	628.31
					<div> <div>Vel Sheet</div> <div>26</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L154	-89 662.71	3	701	327.56	R154	-88 588.05	3	703	450.78
L155	-89 733.61	3	701	186.94	R155	-88 687.71	3	703	265.96
L156	-89 733.78	3	701	186.60	R156	-88 774.28	3	703	100.97
L157	-89 777.32	3	701	107.91	R157	-88 930.60	3	702	805.55
L158	-89 826.22	3	701	019.53	R158	-89 089.81	3	702	505.71
L159	-89 839.41	3	700	993.67	R159	-89 098.98	3	702	488.44
L160	-89 863.72	3	700	946.00	R160	-89 165.70	3	702	362.77
L161	-89 867.85	3	700	937.91	R161	-89 206.18	3	702	342.02
L162	-90 111.62	3	700	458.25	R162	-89 267.12	3	702	227.27
L163	-90 127.33	3	700	411.86	R163	-89 265.59	3	702	219.22
L164	-90 131.45	3	700	393.00	R164	-89 259.48	3	702	187.10
L165	-90 136.58	3	700	338.46	R165	-89 411.51	3	701	895.96
L166	-90 132.27	3	700	270.16	R166	-89 529.05	3	701	734.37
L167	-90 122.00	3	700	214.77	R167	-89 541.02	3	701	710.25
L168	-90 105.09	3	700	162.49	R168	-89 576.37	3	701	574.98
L169	-90 081.55	3	700	112.17	R169	-89 630.60	3	701	468.05
L170	-90 052.24	3	700	065.36	R170	-89 739.51	3	701	270.20
L171	-90 028.40	3	700	034.73	R171	-89 739.82	3	701	269.62
L172	-90 026.70	3	700	032.97	R172	-89 772.17	3	701	207.93
L173	-89 878.59	3	699	879.11	R173	-89 775.66	3	701	201.28
L174	-89 846.43	3	699	845.71	R174	-89 803.86	3	701	145.97
L175	-89 758.25	3	699	753.52	R175	-89 855.05	3	701	032.43
L176	-89 712.07	3	699	705.24	R176	-89 891.70	3	700	963.08
L177	-89 547.11	3	699	532.90	R177	-89 917.58	3	700	914.11
L178	-89 381.46	3	699	360.16	R178	-90 125.01	3	700	521.64
L179	-89 368.02	3	699	346.14	R179	-90 153.70	3	700	438.56
L180	-89 316.50	3	699	292.37	R180	-90 166.94	3	700	378.40
L181	-89 082.92	3	699	048.62	R181	-90 168.06	3	700	336.03
L182	-89 055.83	3	699	016.67	R182	-90 166.62	3	700	293.88
L183	-89 010.74	3	698	946.73	R183	-90 156.14	3	700	226.07
L184	-88 974.54	3	698	857.27	R184	-90 153.08	3	700	211.92
L185	-88 972.72	3	698	848.56	R185	-90 132.21	3	700	145.78
L186	-88 960.26	3	698	788.95	R186	-90 108.52	3	700	096.32
L187	-88 955.98	3	698	715.38	R187	-90 079.71	3	700	049.02
L188	-88 965.39	3	698	632.43	R188	-90 043.75	3	700	007.10
L189	-88 988.59	3	698	553.06	R189	-90 034.86	3	699	997.79
L190	-89 005.26	3	698	514.65	R190	-90 018.13	3	699	980.26
L191	-89 018.28	3	698	490.66	R191	-89 900.79	3	699	857.35
L192	-89 032.91	3	698	466.76	R192	-89 807.68	3	699	759.82
L193	-89 059.54	3	698	432.21	R193	-89 776.10	3	699	726.87
L194	-89 075.16	3	698	411.95	R194	-89 584.17	3	699	526.60
L195	-89 114.40	3	698	374.16	R195	-89 498.88	3	699	437.16
L196	-89 144.51	3	698	350.07	R196	-89 441.74	3	699	377.99
L197	-89 145.52	3	698	349.27	R197	-89 390.00	3	699	324.00
L198	-89 185.53	3	698	317.44	R198	-89 114.98	3	699	037.03
L199	-89 246.67	3	698	279.46	R199	-89 070.80	3	698	983.46
L200	-89 351.24	3	698	217.61	R200	-89 034.16	3	698	924.84
L201	-89 456.52	3	698	150.90	R201	-89 012.66	3	698	873.78
L202	-89 478.22	3	698	132.89	R202	-89 006.62	3	698	852.21
L203	-89 498.34	3	698	114.43	R203	-88 997.78	3	698	820.66
L204	-89 509.49	3	698	102.77	R204	-88 988.06	3	698	759.02
					<div> <div>Vel Sheet</div> <div>27</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L205	-89 535.47	3	698	072.93	R205	-88 991.38	3	698	700.63
L206	-89 573.55	3	698	015.24	R206	-88 994.87	3	698	641.83
L207	-89 586.21	3	697	990.60	R207	-89 009.38	3	698	588.41
L208	-89 607.31	3	697	939.18	R208	-89 029.95	3	698	536.76
L209	-89 622.63	3	697	880.22	R209	-89 063.95	3	698	476.16
L210	-89 634.86	3	697	811.61	R210	-89 108.32	3	698	422.69
L211	-89 637.30	3	697	798.04	R211	-89 138.53	3	698	393.23
L212	-89 648.00	3	697	757.75	R212	-89 149.38	3	698	384.58
L213	-89 655.26	3	697	737.92	R213	-89 161.26	3	698	374.76
L214	-89 655.40	3	697	737.62	R214	-89 188.24	3	698	354.66
L215	-89 668.25	3	697	709.11	R215	-89 191.67	3	698	352.56
L216	-89 683.83	3	697	681.45	R216	-89 438.25	3	698	201.85
L217	-89 685.55	3	697	678.39	R217	-89 472.39	3	698	178.67
L218	-89 702.24	3	697	652.29	R218	-89 525.54	3	698	132.47
L219	-89 744.21	3	697	597.34	R219	-89 552.51	3	698	102.38
L220	-89 810.45	3	697	529.82	R220	-89 569.20	3	698	080.12
L221	-89 826.13	3	697	513.84	R221	-89 592.58	3	698	045.49
L222	-89 860.31	3	697	479.00	R222	-89 626.21	3	697	985.54
L223	-89 913.48	3	697	415.38	R223	-89 645.96	3	697	919.10
L224	-89 935.55	3	697	379.91	R224	-89 667.61	3	697	809.82
L225	-89 957.56	3	697	329.04	R225	-89 683.62	3	697	763.54
L226	-89 967.93	3	697	288.97	R226	-89 684.11	3	697	762.12
L227	-89 976.64	3	697	234.06	R227	-89 700.71	3	697	714.13
L228	-89 979.74	3	697	206.57	R228	-89 723.60	3	697	674.44
L229	-89 976.25	3	697	151.41	R229	-89 752.47	3	697	635.80
L230	-89 964.58	3	697	096.78	R230	-89 834.47	3	697	550.15
L231	-89 944.95	3	697	043.73	R231	-89 846.00	3	697	538.67
L232	-89 917.82	3	696	995.33	R232	-89 846.74	3	697	537.89
L233	-89 876.61	3	696	945.71	R233	-89 910.79	3	697	470.20
L234	-89 786.63	3	696	870.57	R234	-89 912.16	3	697	468.75
L235	-89 656.01	3	696	785.29	R235	-89 951.07	3	697	421.68
L236	-89 612.03	3	696	751.60	R236	-89 967.30	3	697	382.88
L237	-89 561.51	3	696	705.08	R237	-89 989.02	3	697	331.78
L238	-89 533.60	3	696	674.53	R238	-89 997.93	3	697	305.55
L239	-89 505.11	3	696	638.36	R239	-90 007.09	3	697	251.22
L240	-89 435.94	3	696	519.13	R240	-90 010.69	3	697	203.32
L241	-89 297.37	3	696	226.11	R241	-90 008.31	3	697	163.16
L242	-89 258.83	3	696	144.63	R242	-90 002.26	3	697	121.38
L243	-89 246.04	3	696	117.32	R243	-89 991.28	3	697	081.54
L244	-89 165.65	3	695	946.66	R244	-89 980.12	3	697	047.30
L245	-89 145.61	3	695	898.28	R245	-89 962.91	3	697	010.30
L246	-89 128.66	3	695	845.48	R246	-89 927.72	3	696	951.26
L247	-89 116.15	3	695	777.24	R247	-89 870.96	3	696	892.64
L248	-89 111.06	3	695	736.13	R248	-89 849.79	3	696	875.06
L249	-89 109.90	3	695	653.17	R249	-89 827.21	3	696	859.13
L250	-89 109.99	3	695	651.58	R250	-89 676.54	3	696	761.11
L251	-89 132.58	3	695	267.52	R251	-89 631.87	3	696	727.36
L252	-89 135.14	3	695	222.58	R252	-89 580.45	3	696	680.41
L253	-89 142.38	3	695	095.25	R253	-89 512.24	3	696	594.17
L254	-89 142.90	3	695	067.35	R254	-89 373.72	3	696	305.39
L255	-89 142.66	3	695	037.71	R255	-89 302.46	3	696	156.85
					<div> <div>Vel Sheet</div> <div>28</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25 ^a		Y		X	
L256	-89 135.30	3	694	999.06	R256	-89 171.76	3	695	878.38
L257	-89 112.96	3	694	933.92	R257	-89 156.58	3	695	825.17
L258	-89 085.47	3	694	886.54	R258	-89 146.59	3	695	770.69
L259	-89 015.57	3	694	801.62	R259	-89 141.53	3	695	715.03
L260	-88 967.71	3	694	751.63	R260	-89 143.50	3	695	676.50
L261	-88 958.92	3	694	742.31	R261	-89 167.17	3	695	213.31
L262	-88 941.38	3	694	720.69	R262	-89 170.99	3	695	165.62
L263	-88 915.32	3	694	687.87	R263	-89 171.08	3	695	164.51
L264	-88 888.19	3	694	639.46	R264	-89 174.68	3	695	058.16
L265	-88 862.68	3	694	574.48	R265	-89 167.81	3	695	003.10
L266	-88 850.72	3	694	520.34	R266	-89 149.40	3	694	937.17
L267	-88 846.68	3	694	478.76	R267	-89 133.09	3	694	899.25
L268	-88 846.28	3	694	443.97	R268	-89 083.82	3	694	827.45
L269	-88 846.26	3	694	443.29	R269	-89 036.02	3	694	777.20
L270	-88 830.15	3	694	300.62	R270	-88 959.93	3	694	695.80
L271	-88 818.88	3	694	272.82	R271	-88 928.38	3	694	649.55
L272	-88 809.83	3	694	248.67	R272	-88 898.84	3	694	587.77
L273	-88 782.80	3	694	199.95	R273	-88 883.97	3	694	519.31
L274	-88 760.43	3	694	164.89	R274	-88 877.46	3	694	454.34
L275	-88 738.60	3	694	123.19	R275	-88 877.37	3	694	453.46
L276	-88 729.65	3	694	102.07	R276	-88 877.04	3	694	425.33
L277	-88 719.54	3	694	076.82	R277	-88 876.53	3	694	384.11
L278	-88 711.55	3	694	064.91	R278	-88 863.05	3	694	292.96
L279	-88 715.54	3	694	063.17	R279	-88 847.84	3	694	255.43
L280	-88 712.11	3	694	049.85	R280	-88 836.20	3	694	230.20
L281	-88 705.49	3	694	023.02	R281	-88 823.19	3	694	206.32
L282	-88 702.99	3	693	999.65	R282	-88 801.62	3	694	171.39
L283	-88 699.61	3	693	968.09	R283	-88 775.27	3	694	122.50
L284	-88 699.32	3	693	926.44	R284	-88 759.93	3	694	094.03
L285	-88 704.36	3	693	884.90	R285	-88 745.90	3	694	054.48
L286	-88 726.01	3	693	804.75	R286	-88 739.07	3	694	027.87
L287	-88 765.27	3	693	701.34	R287	-88 736.81	3	694	014.18
L288	-88 776.49	3	693	661.64	R288	-88 731.77	3	693	972.95
L289	-88 784.95	3	693	621.07	R289	-88 730.57	3	693	904.70
L290	-88 788.64	3	693	579.90	R290	-88 737.44	3	693	876.05
L291	-88 788.59	3	693	566.46	R291	-88 752.34	3	693	822.75
L292	-88 788.53	3	693	552.24	R292	-88 780.55	3	693	745.38
L293	-88 782.76	3	693	497.44	R293	-88 791.53	3	693	714.94
L294	-88 776.97	3	693	470.72	R294	-88 799.47	3	693	692.94
L295	-88 751.57	3	693	406.74	R295	-88 809.86	3	693	653.08
L296	-88 685.31	3	693	269.02	R296	-88 817.68	3	693	617.17
L297	-88 656.34	3	693	208.80	R297	-88 822.10	3	693	564.65
L298	-88 639.59	3	693	173.99	R298	-88 819.03	3	693	558.51
L299	-88 614.15	3	693	121.11	R299	-88 815.64	3	693	513.64
L300	-88 594.52	3	693	080.31	R300	-88 812.86	3	693	499.25
L301	-88 580.03	3	693	041.39	R301	-88 803.86	3	693	452.73
L302	-88 556.60	3	692	976.86	R302	-88 798.14	3	693	432.67
L303	-88 551.70	3	692	961.59	R303	-88 793.47	3	693	419.74
L304	-88 543.52	3	692	936.29	R304	-88 777.54	3	693	381.31
L305	-88 535.08	3	692	896.20	R305	-88 758.49	3	693	340.51
L306	-88 530.33	3	692	855.38	R306	-88 758.09	3	693	338.91
					<div> <div>Vel Sheet</div> <div>29</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25 ^o		Y		X	
L307	-88 530.71	3	692	841.62	R307	-88 741.29	3	693	270.97
L308	-88 531.80	3	692	799.96	R308	-88 736.66	3	693	227.52
L309	-88 538.14	3	692	758.63	R309	-88 726.31	3	693	227.67
L310	-88 543.78	3	692	720.26	R310	-88 676.78	3	693	151.91
L311	-88 547.52	3	692	715.01	R311	-88 675.51	3	693	155.46
L312	-88 564.81	3	692	668.41	R312	-88 666.02	3	693	140.95
L313	-88 601.68	3	692	605.43	R313	-88 663.49	3	693	127.34
L314	-88 701.19	3	692	460.88	R314	-88 658.33	3	693	123.56
L315	-88 715.14	3	692	434.81	R315	-88 657.80	3	693	117.49
L316	-88 744.75	3	692	333.93	R316	-88 645.85	3	693	092.93
L317	-88 748.77	3	692	291.09	R317	-88 640.89	3	693	074.77
L318	-88 746.32	3	692	247.36	R318	-88 637.15	3	693	064.94
L319	-88 739.19	3	692	204.19	R319	-88 625.19	3	693	037.53
L320	-88 731.19	3	692	176.17	R320	-88 613.54	3	693	015.15
L321	-88 708.60	3	692	122.11	R321	-88 600.21	3	692	999.10
L322	-88 694.02	3	692	096.86	R322	-88 583.43	3	692	964.59
L323	-88 686.94	3	692	085.19	R323	-88 582.89	3	692	962.38
L324	-88 677.69	3	692	073.89	R324	-88 573.71	3	692	903.32
L325	-88 668.51	3	692	062.52	R325	-88 573.47	3	692	760.04
L326	-88 518.21	3	691	882.27	R326	-88 585.19	3	692	708.30
L327	-88 353.25	3	691	682.87	R327	-88 587.64	3	692	700.95
L328	-88 323.02	3	691	651.71	R328	-88 631.58	3	692	618.77
L329	-88 312.11	3	691	641.85	R329	-88 640.81	3	692	606.77
L330	-88 277.43	3	691	615.81	R330	-88 720.52	3	692	503.10
L331	-88 264.84	3	691	608.33	R331	-88 738.95	3	692	460.77
L332	-88 238.94	3	691	594.62	R332	-88 755.18	3	692	418.84
L333	-88 140.56	3	691	568.04	R333	-88 760.51	3	692	405.07
L334	-87 633.83	3	691	497.91	R334	-88 765.16	3	692	393.07
L335	-86 767.55	3	691	379.03	R335	-88 775.13	3	692	354.48
L336	-86 725.96	3	691	371.25	R336	-88 787.95	3	692	305.90
L337	-86 697.52	3	691	364.24	R337	-88 794.06	3	692	301.89
L338	-86 669.60	3	691	354.77	R338	-88 788.43	3	692	274.95
L339	-86 642.71	3	691	343.76	R339	-88 783.77	3	692	268.46
L340	-86 553.98	3	691	293.95	R340	-88 782.17	3	692	229.32
L341	-86 530.74	3	691	276.18	R341	-88 766.94	3	692	168.20
L342	-86 487.95	3	691	236.80	R342	-88 738.59	3	692	102.54
L343	-86 478.32	3	691	226.00	R343	-88 708.39	3	692	055.53
L344	-86 438.68	3	691	175.97	R344	-88 668.38	3	692	007.52
L345	-86 402.71	3	691	112.83	R345	-88 639.72	3	691	979.36
L346	-86 230.81	3	690	671.02	R346	-88 471.27	3	691	777.25
L347	-86 166.00	3	690	503.35	R347	-88 357.43	3	691	643.54
L348	-86 155.54	3	690	476.48	R348	-88 325.99	3	691	613.24
L349	-86 140.89	3	690	427.10	R349	-88 302.47	3	691	595.29
L350	-86 135.69	3	690	403.21	R350	-88 291.95	3	691	588.05
L351	-86 134.13	3	690	393.29	R351	-88 277.56	3	691	579.22
L352	-86 131.18	3	690	374.49	R352	-88 237.95	3	691	560.58
L353	-86 127.55	3	690	316.65	R353	-88 210.52	3	691	550.70
L354	-86 133.13	3	690	244.33	R354	-88 181.36	3	691	543.13
L355	-86 142.70	3	690	195.15	R355	-88 131.66	3	691	534.63
L356	-86 160.69	3	690	141.36	R356	-87 641.53	3	691	467.46
L357	-86 237.84	3	689	975.82	R357	-87 631.50	3	691	466.08
					<div> <div>Vel Sheet</div> <div>30</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25 ^a		Y		X	
L358	-86 303.51	3	689	834.14	R358	-87 211.83	3	691	408.52
L359	-86 313.47	3	689	792.53	R359	-86 706.58	3	691	334.28
L360	-86 338.58	3	689	738.56	R360	-86 679.14	3	691	324.99
L361	-86 363.61	3	689	707.02	R361	-86 666.62	3	691	320.17
L362	-86 379.39	3	689	667.85	R362	-86 652.37	3	691	314.43
L363	-86 388.21	3	689	640.22	R363	-86 576.42	3	691	271.87
L364	-86 394.15	3	689	612.29	R364	-86 542.13	3	691	244.54
L365	-86 393.66	3	689	539.63	R365	-86 520.75	3	691	225.51
L366	-86 365.84	3	689	460.88	R366	-86 493.09	3	691	195.62
L367	-86 362.19	3	689	450.56	R367	-86 481.23	3	691	180.57
L368	-86 323.82	3	689	387.32	R368	-86 464.16	3	691	156.77
L369	-86 302.47	3	689	350.17	R369	-86 450.23	3	691	130.83
L370	-86 290.17	3	689	323.86	R370	-86 430.42	3	691	093.46
L371	-86 279.92	3	689	295.54	R371	-86 409.26	3	691	044.96
L372	-86 273.22	3	689	256.10	R372	-86 201.00	3	690	507.00
L373	-86 272.82	3	689	197.01	R373	-86 182.33	3	690	458.42
L374	-86 280.09	3	689	173.65	R374	-86 169.79	3	690	416.50
L375	-86 290.10	3	689	141.48	R375	-86 162.33	3	690	373.28
L376	-86 314.17	3	689	103.55	R376	-86 158.45	3	690	329.99
L377	-86 343.90	3	689	071.71	R377	-86 159.17	3	690	292.50
L378	-86 366.57	3	689	053.11	R378	-86 159.28	3	690	286.83
L379	-86 390.15	3	689	035.29	R379	-86 164.65	3	690	243.25
L380	-86 419.69	3	689	021.52	R380	-86 174.08	3	690	201.29
L381	-86 420.16	3	689	021.32	R381	-86 191.51	3	690	162.33
L382	-86 445.12	3	689	010.57	R382	-86 261.44	3	690	005.99
L383	-86 457.21	3	689	006.69	R383	-86 271.50	3	689	983.67
L384	-86 509.99	3	689	006.62	R384	-86 349.60	3	689	810.39
L385	-86 553.56	3	689	008.20	R385	-86 374.61	3	689	777.14
L386	-86 611.03	3	689	001.78	R386	-86 399.51	3	689	723.10
L387	-86 639.36	3	688	993.75	R387	-86 408.14	3	689	681.63
L388	-86 664.25	3	688	979.77	R388	-86 413.21	3	689	667.55
L389	-86 689.05	3	688	963.86	R389	-86 418.65	3	689	647.84
L390	-86 714.28	3	688	946.08	R390	-86 424.24	3	689	625.00
L391	-86 731.53	3	688	924.00	R391	-86 427.96	3	689	595.66
L392	-86 765.25	3	688	874.28	R392	-86 428.24	3	689	565.41
L393	-86 802.73	3	688	829.59	R393	-86 427.10	3	689	551.90
L394	-86 832.82	3	688	798.43	R394	-86 415.77	3	689	494.44
L395	-86 842.47	3	688	773.13	R395	-86 409.92	3	689	479.44
L396	-86 853.79	3	688	763.15	R396	-86 395.70	3	689	446.23
L397	-86 873.45	3	688	756.03	R397	-86 377.48	3	689	414.03
L398	-86 890.53	3	688	732.00	R398	-86 374.08	3	689	408.02
L399	-86 894.71	3	688	664.31	R399	-86 328.54	3	689	332.80
L400	-86 913.30	3	688	640.72	R400	-86 316.66	3	689	306.05
L401	-86 921.47	3	688	613.14	R401	-86 308.81	3	689	278.40
L402	-86 940.74	3	688	573.54	R402	-86 305.51	3	689	220.63
L403	-86 968.92	3	688	540.33	R403	-86 310.19	3	689	191.88
L404	-87 018.87	3	688	510.68	R404	-86 312.17	3	689	185.35
L405	-87 069.68	3	688	497.91	R405	-86 318.62	3	689	164.09
L406	-87 083.58	3	688	494.72	R406	-86 338.03	3	689	134.83
L407	-87 139.05	3	688	481.48	R407	-86 351.01	3	689	116.72
L408	-87 169.89	3	688	484.49	R408	-86 371.03	3	689	095.15
					<div> <div>Vel Sheet</div> <div>31</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L409	-87 244.63	3	688 488.98		R409	-86 417.45	3	689 060.00	
L410	-87 257.59	3	688 492.85		R410	-86 420.90	3	689 059.29	
L411	-87 305.41	3	688 520.32		R411	-86 516.99	3	689 039.53	
L412	-87 317.49	3	688 532.46		R412	-86 589.22	3	689 038.96	
L413	-87 355.20	3	688 554.29		R413	-86 633.31	3	689 033.85	
L414	-87 383.08	3	688 561.28		R414	-86 691.69	3	689 006.57	
L415	-87 412.08	3	688 563.20		R415	-86 710.74	3	688 992.19	
L416	-87 426.80	3	688 561.53		R416	-86 767.87	3	688 926.04	
L417	-87 441.29	3	688 559.63		R417	-86 785.28	3	688 906.22	
L418	-87 483.38	3	688 547.21		R418	-86 814.53	3	688 873.83	
L419	-87 578.85	3	688 480.25		R419	-86 826.32	3	688 865.00	
L420	-87 635.00	3	688 466.68		R420	-86 862.12	3	688 840.63	
L421	-87 669.03	3	688 463.29		R421	-86 896.23	3	688 796.97	
L422	-87 719.97	3	688 474.20		R422	-86 904.60	3	688 785.78	
L423	-87 771.23	3	688 508.18		R423	-86 933.97	3	688 719.64	
L424	-87 807.02	3	688 531.85		R424	-86 942.11	3	688 692.78	
L425	-87 863.36	3	688 547.73		R425	-86 942.60	3	688 678.31	
L426	-87 877.05	3	688 552.01		R426	-86 942.51	3	688 663.56	
L427	-87 948.09	3	688 547.39		R427	-86 949.69	3	688 651.50	
L428	-88 006.35	3	688 547.61		R428	-86 984.31	3	688 590.32	
L429	-88 030.43	3	688 535.08		R429	-87 027.09	3	688 540.82	
L430	-88 041.93	3	688 531.50		R430	-87 061.13	3	688 530.83	
L431	-88 097.63	3	688 509.63		R431	-87 080.90	3	688 526.20	
L432	-88 129.81	3	688 502.84		R432	-87 124.19	3	688 524.57	
L433	-88 180.36	3	688 499.87		R433	-87 166.93	3	688 518.54	
L434	-88 257.80	3	688 516.47		R434	-87 221.05	3	688 530.77	
L435	-88 307.42	3	688 510.96		R435	-87 233.34	3	688 538.65	
L436	-88 358.41	3	688 484.13		R436	-87 257.22	3	688 551.29	
L437	-88 395.13	3	688 445.60		R437	-87 307.17	3	688 575.09	
L438	-88 416.51	3	688 413.44		R438	-87 353.49	3	688 584.88	
L439	-88 466.02	3	688 383.12		R439	-87 397.02	3	688 593.69	
L440	-88 544.92	3	688 373.02		R440	-87 431.92	3	688 595.90	
L441	-88 620.02	3	688 390.42		R441	-87 445.95	3	688 592.42	
L442	-88 726.54	3	688 440.17		R442	-87 486.42	3	688 579.51	
L443	-88 755.02	3	688 440.94		R443	-87 517.49	3	688 562.22	
L444	-88 783.61	3	688 435.47		R444	-87 542.25	3	688 541.97	
L445	-88 836.91	3	688 411.85		R445	-87 567.58	3	688 524.21	
L446	-88 863.18	3	688 385.65		R446	-87 599.04	3	688 502.21	
L447	-88 871.43	3	688 374.44		R447	-87 682.83	3	688 488.48	
L448	-88 904.86	3	688 349.70		R448	-87 708.39	3	688 500.15	
L449	-88 969.08	3	688 307.78		R449	-87 790.17	3	688 559.94	
L450	-89 030.76	3	688 282.65		R450	-87 864.44	3	688 586.63	
L451	-89 045.64	3	688 280.37		R451	-87 912.38	3	688 586.72	
L452	-89 082.33	3	688 279.79		R452	-88 018.92	3	688 576.56	
L453	-89 109.23	3	688 292.12		R453	-88 048.55	3	688 571.56	
L454	-89 195.89	3	688 291.69		R454	-88 094.75	3	688 542.24	
L455	-89 237.36	3	688 282.83		R455	-88 146.38	3	688 526.90	
L456	-89 263.73	3	688 270.14		R456	-88 262.99	3	688 559.26	
L457	-89 288.37	3	688 253.79		R457	-88 314.21	3	688 557.41	
L458	-89 298.55	3	688 244.31		R458	-88 357.06	3	688 526.00	
L459	-89 305.27	3	688 237.94		R459	-88 405.63	3	688 481.10	
Vel Sheet 32					Van of 43		P1145/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L460	-89 327.89	3	688	209.21	R460	-88 442.53	3	688	446.33
L461	-89 341.37	3	688	183.38	R461	-88 483.61	3	688	425.57
L462	-89 342.24	3	688	180.74	R462	-88 544.35	3	688	419.78
L463	-89 343.26	3	688	177.62	R463	-88 587.83	3	688	429.68
L464	-89 350.59	3	688	155.21	R464	-88 680.03	3	688	459.05
L465	-89 355.52	3	688	127.03	R465	-88 730.86	3	688	468.38
L466	-89 355.26	3	688	097.62	R466	-88 778.50	3	688	463.75
L467	-89 348.56	3	688	054.48	R467	-88 819.96	3	688	451.04
L468	-89 348.33	3	688	053.57	R468	-88 911.05	3	688	405.49
L469	-89 326.95	3	687	968.03	R469	-88 959.58	3	688	378.73
L470	-89 314.24	3	687	925.99	R470	-89 014.14	3	688	348.14
L471	-89 309.21	3	687	912.22	R471	-89 061.89	3	688	329.08
L472	-89 303.52	3	687	898.04	R472	-89 150.42	3	688	323.26
L473	-89 296.71	3	687	885.06	R473	-89 210.84	3	688	317.63
L474	-89 288.43	3	687	871.75	R474	-89 248.80	3	688	306.35
L475	-89 273.62	3	687	853.82	R475	-89 289.18	3	688	287.47
L476	-89 245.56	3	687	826.24	R476	-89 318.39	3	688	271.40
L477	-89 245.25	3	687	826.02	R477	-89 342.59	3	688	254.40
L478	-89 233.62	3	687	817.64	R478	-89 356.13	3	688	241.08
L479	-89 220.44	3	687	810.25	R479	-89 370.54	3	688	207.39
L480	-89 208.15	3	687	803.85	R480	-89 378.32	3	688	181.67
L481	-89 192.11	3	687	798.85	R481	-89 378.40	3	688	181.41
L482	-89 179.52	3	687	794.89	R482	-89 379.10	3	688	178.55
L483	-89 160.79	3	687	789.06	R483	-89 388.63	3	688	139.28
L484	-89 134.23	3	687	786.71	R484	-89 390.29	3	688	091.73
L485	-89 090.17	3	687	782.82	R485	-89 386.15	3	688	057.12
L486	-89 068.82	3	687	781.11	R486	-89 385.74	3	688	053.68
L487	-89 011.13	3	687	790.02	R487	-89 374.99	3	688	011.74
L488	-88 970.85	3	687	789.06	R488	-89 365.43	3	687	979.49
L489	-88 909.12	3	687	774.43	R489	-89 353.27	3	687	940.41
L490	-88 554.56	3	687	753.79	R490	-89 347.12	3	687	919.26
L491	-88 536.73	3	687	749.69	R491	-89 342.85	3	687	906.51
L492	-88 507.80	3	687	738.13	R492	-89 329.03	3	687	876.62
L493	-88 480.22	3	687	725.85	R493	-89 319.65	3	687	861.51
L494	-88 440.96	3	687	703.31	R494	-89 303.26	3	687	838.73
L495	-88 414.83	3	687	688.37	R495	-89 290.27	3	687	823.58
L496	-88 401.87	3	687	681.68	R496	-89 270.66	3	687	805.02
L497	-88 381.09	3	687	670.80	R497	-89 224.63	3	687	776.97
L498	-88 375.08	3	687	667.65	R498	-89 199.66	3	687	766.69
L499	-88 361.20	3	687	662.06	R499	-89 176.26	3	687	759.97
L500	-88 332.49	3	687	653.30	R500	-89 105.96	3	687	752.13
L501	-88 318.07	3	687	650.02	R501	-89 010.45	3	687	747.46
L502	-88 303.25	3	687	647.57	R502	-88 952.78	3	687	730.82
L503	-88 274.25	3	687	646.88	R503	-88 912.43	3	687	729.67
L504	-88 257.67	3	687	646.44	R504	-88 850.22	3	687	740.72
L505	-88 238.36	3	687	649.26	R505	-88 842.18	3	687	740.37
L506	-88 228.07	3	687	650.76	R506	-88 685.31	3	687	733.50
L507	-88 168.96	3	687	661.50	R507	-88 613.30	3	687	729.96
L508	-88 139.75	3	687	665.90	R508	-88 583.16	3	687	726.52
L509	-88 070.06	3	687	663.83	R509	-88 554.49	3	687	720.94
L510	-88 040.47	3	687	653.57	R510	-88 532.50	3	687	713.96
					<div> <div>Vel Sheet</div> <div>33</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L511	-88 009.16	3	687	632.58	R511	-88 508.61	3	687	704.27
L512	-88 004.00	3	687	628.82	R512	-88 472.79	3	687	684.63
L513	-87 992.59	3	687	619.12	R513	-88 439.74	3	687	666.51
L514	-87 983.52	3	687	610.64	R514	-88 404.53	3	687	647.66
L515	-87 972.06	3	687	596.21	R515	-88 382.74	3	687	636.93
L516	-87 915.26	3	687	533.26	R516	-88 367.50	3	687	630.77
L517	-87 901.75	3	687	523.42	R517	-88 339.00	3	687	622.15
L518	-87 876.29	3	687	507.56	R518	-88 310.12	3	687	616.75
L519	-87 862.45	3	687	502.56	R519	-88 265.45	3	687	614.83
L520	-87 848.71	3	687	497.72	R520	-88 224.26	3	687	620.31
L521	-87 815.53	3	687	494.69	R521	-88 176.83	3	687	627.59
L522	-87 789.99	3	687	495.25	R522	-88 138.82	3	687	634.24
L523	-87 765.96	3	687	498.86	R523	-88 135.34	3	687	634.85
L524	-87 718.10	3	687	506.04	R524	-88 119.22	3	687	635.83
L525	-87 704.23	3	687	507.83	R525	-88 107.66	3	687	634.31
L526	-87 685.29	3	687	511.02	R526	-88 078.13	3	687	628.81
L527	-87 662.73	3	687	511.30	R527	-88 062.24	3	687	622.60
L528	-87 626.80	3	687	497.28	R528	-88 034.00	3	687	611.57
L529	-87 614.06	3	687	488.60	R529	-88 011.67	3	687	592.76
L530	-87 603.95	3	687	482.48	R530	-87 932.96	3	687	505.81
L531	-87 592.11	3	687	473.71	R531	-87 909.70	3	687	488.58
L532	-87 579.77	3	687	464.19	R532	-87 884.26	3	687	474.92
L533	-87 569.84	3	687	453.71	R533	-87 856.57	3	687	466.06
L534	-87 519.27	3	687	398.99	R534	-87 828.20	3	687	462.27
L535	-87 497.68	3	687	378.58	R535	-87 813.59	3	687	462.33
L536	-87 485.80	3	687	369.61	R536	-87 798.99	3	687	462.87
L537	-87 458.74	3	687	356.42	R537	-87 755.44	3	687	468.89
L538	-87 431.03	3	687	347.43	R538	-87 702.74	3	687	466.37
L539	-87 402.06	3	687	345.00	R539	-87 655.14	3	687	464.10
L540	-87 392.96	3	687	341.98	R540	-87 625.33	3	687	453.30
L541	-87 387.27	3	687	344.53	R541	-87 568.03	3	687	412.56
L542	-87 327.00	3	687	345.08	R542	-87 539.86	3	687	382.68
L543	-87 309.73	3	687	344.39	R543	-87 518.03	3	687	359.53
L544	-87 279.82	3	687	342.43	R544	-87 483.85	3	687	332.44
L545	-87 266.45	3	687	341.17	R545	-87 457.31	3	687	321.31
L546	-87 252.83	3	687	333.77	R546	-87 429.87	3	687	313.31
L547	-87 239.51	3	687	328.26	R547	-87 406.46	3	687	312.82
L548	-87 226.82	3	687	321.87	R548	-87 403.91	3	687	312.83
L549	-87 214.09	3	687	313.77	R549	-87 351.63	3	687	312.97
L550	-87 203.83	3	687	306.92	R550	-87 302.48	3	687	310.70
L551	-87 200.37	3	687	304.87	R551	-87 273.89	3	687	306.59
L552	-87 180.01	3	687	287.74	R552	-87 233.85	3	687	289.85
L553	-87 170.92	3	687	284.73	R553	-87 199.91	3	687	263.03
L554	-87 158.00	3	687	269.32	R554	-87 187.55	3	687	252.82
L555	-87 110.87	3	687	233.20	R555	-87 167.06	3	687	234.76
L556	-87 098.40	3	687	226.25	R556	-87 155.09	3	687	225.90
L557	-87 064.13	3	687	220.66	R557	-87 132.89	3	687	209.50
L558	-87 056.46	3	687	214.18	R558	-87 120.28	3	687	202.09
L559	-87 014.35	3	687	214.50	R559	-87 107.23	3	687	195.93
L560	-86 982.05	3	687	210.60	R560	-87 073.98	3	687	185.66
L561	-86 971.10	3	687	210.04	R561	-87 051.78	3	687	181.66
					<div> <div>Vel Sheet</div> <div>34</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L562	-86 916.90	3	687	191.57	R562	-87 036.99	3	687	179.70
L563	-86 856.59	3	687	167.62	R563	-86 978.54	3	687	172.98
L564	-86 819.48	3	687	156.41	R564	-86 930.50	3	687	160.30
L565	-86 810.39	3	687	153.40	R565	-86 883.59	3	687	140.06
L566	-86 795.58	3	687	147.39	R566	-86 860.98	3	687	125.46
L567	-86 771.06	3	687	136.33	R567	-86 825.12	3	687	106.19
L568	-86 760.14	3	687	133.40	R568	-86 793.28	3	687	100.22
L569	-86 748.18	3	687	129.99	R569	-86 727.88	3	687	098.20
L570	-86 726.64	3	687	127.02	R570	-86 626.63	3	687	081.84
L571	-86 705.88	3	687	123.78	R571	-86 604.85	3	687	078.63
L572	-86 604.70	3	687	108.24	R572	-86 475.96	3	687	063.31
L573	-86 575.38	3	687	103.87	R573	-86 170.24	3	687	073.79
L574	-86 547.62	3	687	099.76	R574	-86 167.65	3	687	073.49
L575	-86 504.13	3	687	095.70	R575	-86 046.33	3	687	073.02
L576	-86 475.16	3	687	094.75	R576	-85 994.86	3	687	051.12
L577	-86 460.74	3	687	094.87	R577	-85 948.33	3	686	981.19
L578	-86 178.19	3	687	103.24	R578	-85 935.69	3	686	868.92
L579	-86 026.25	3	687	107.65	R579	-85 913.54	3	686	808.77
L580	-86 002.93	3	687	100.74	R580	-85 866.15	3	686	752.80
L581	-85 977.47	3	687	089.34	R581	-85 641.41	3	686	548.81
L582	-85 945.55	3	687	048.44	R582	-85 633.02	3	686	536.97
L583	-85 923.16	3	687	006.30	R583	-85 625.96	3	686	524.23
L584	-85 918.30	3	686	980.90	R584	-85 618.24	3	686	503.39
L585	-85 909.31	3	686	926.37	R585	-85 616.17	3	686	493.51
L586	-85 897.80	3	686	867.42	R586	-85 614.17	3	686	472.49
L587	-85 892.85	3	686	838.48	R587	-85 614.15	3	686	467.90
L588	-85 886.81	3	686	826.44	R588	-85 614.89	3	686	454.10
L589	-85 869.41	3	686	806.83	R589	-85 614.94	3	686	437.84
L590	-85 858.73	3	686	791.65	R590	-85 622.58	3	686	425.87
L591	-85 850.67	3	686	780.90	R591	-85 628.86	3	686	412.67
L592	-85 769.63	3	686	708.83	R592	-85 642.43	3	686	391.33
L593	-85 722.79	3	686	668.52	R593	-85 663.18	3	686	366.52
L594	-85 637.19	3	686	591.18	R594	-85 678.83	3	686	352.13
L595	-85 617.45	3	686	570.27	R595	-85 717.84	3	686	316.33
L596	-85 600.71	3	686	546.16	R596	-85 749.23	3	686	269.54
L597	-85 589.36	3	686	520.16	R597	-85 768.07	3	686	243.36
L598	-85 583.06	3	686	493.58	R598	-85 795.18	3	686	197.52
L599	-85 581.46	3	686	486.60	R599	-85 798.66	3	686	154.32
L600	-85 581.64	3	686	450.36	R600	-85 794.38	3	686	141.58
L601	-85 590.99	3	686	418.01	R601	-85 784.83	3	686	124.00
L602	-85 612.08	3	686	372.55	R602	-85 772.47	3	686	096.79
L603	-85 629.60	3	686	350.57	R603	-85 755.41	3	686	084.80
L604	-85 681.37	3	686	301.04	R604	-85 739.05	3	686	061.00
L605	-85 739.58	3	686	221.95	R605	-85 714.13	3	686	022.75
L606	-85 743.46	3	686	195.82	R606	-85 703.13	3	686	018.80
L607	-85 730.07	3	686	110.36	R607	-85 693.60	3	686	010.74
L608	-85 656.03	3	686	030.27	R608	-85 638.88	3	685	965.67
L609	-85 635.99	3	686	010.96	R609	-85 512.63	3	685	837.18
L610	-85 615.70	3	685	982.48	R610	-85 487.73	3	685	815.99
L611	-85 506.60	3	685	902.73	R611	-84 903.90	3	685	246.14
L612	-85 468.84	3	685	898.76	R612	-84 840.79	3	685	184.26
					<div> <div>Vel Sheet</div> <div>35</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L613	-85 414.72	3	685	832.62	R613	-84 808.84	3	685	148.46
L614	-85 406.31	3	685	809.72	R614	-84 714.84	3	685	034.06
L615	-85 310.60	3	685	739.29	R615	-84 688.72	3	684	998.30
L616	-85 255.92	3	685	691.65	R616	-84 659.47	3	684	967.06
L617	-85 219.09	3	685	646.54	R617	-84 492.37	3	684	756.62
L618	-85 189.01	3	685	596.61	R618	-84 280.16	3	684	473.87
L619	-85 131.04	3	685	513.43	R619	-84 274.91	3	684	350.82
L620	-84 818.04	3	685	207.54	R620	-84 158.35	3	684	313.12
L621	-84 768.83	3	685	157.87	R621	-84 144.75	3	684	295.14
L622	-84 720.17	3	685	106.90	R622	-84 092.74	3	684	226.39
L623	-84 676.66	3	685	070.72	R623	-84 059.55	3	684	167.50
L624	-84 614.85	3	685	004.54	R624	-84 041.35	3	684	102.88
L625	-84 613.26	3	684	996.72	R625	-84 039.18	3	684	037.43
L626	-84 609.43	3	684	981.87	R626	-84 051.15	3	683	973.57
L627	-84 309.89	3	684	594.56	R627	-84 077.44	3	683	917.76
L628	-84 122.44	3	684	340.37	R628	-84 122.88	3	683	853.46
L629	-84 023.06	3	684	205.60	R629	-84 208.63	3	683	752.26
L630	-83 992.35	3	684	109.28	R630	-84 254.70	3	683	697.59
L631	-83 988.52	3	684	027.38	R631	-84 300.17	3	683	636.32
L632	-84 003.47	3	683	957.09	R632	-84 331.23	3	683	575.38
L633	-84 010.06	3	683	937.45	R633	-84 353.90	3	683	507.75
L634	-84 026.90	3	683	903.88	R634	-84 366.90	3	683	435.28
L635	-84 050.21	3	683	866.85	R635	-84 368.49	3	683	362.76
L636	-84 076.81	3	683	832.30	R636	-84 360.16	3	683	292.27
L637	-84 233.27	3	683	646.54	R637	-84 341.18	3	683	222.28
L638	-84 242.18	3	683	635.00	R638	-84 312.88	3	683	155.64
L639	-84 266.90	3	683	599.02	R639	-84 273.79	3	683	094.69
L640	-84 286.62	3	683	560.22	R640	-84 225.31	3	683	039.13
L641	-84 298.69	3	683	533.88	R641	-84 163.29	3	682	986.27
L642	-84 307.79	3	683	506.02	R642	-84 069.87	3	682	903.00
L643	-84 315.61	3	683	478.41	R643	-83 902.54	3	682	768.22
L644	-84 325.71	3	683	420.45	R644	-83 825.82	3	682	704.23
L645	-84 327.02	3	683	405.91	R645	-83 669.34	3	682	571.18
L646	-84 328.30	3	683	376.38	R646	-83 659.05	3	682	560.65
L647	-84 326.45	3	683	332.13	R647	-83 640.16	3	682	538.10
L648	-84 323.51	3	683	311.57	R648	-83 623.04	3	682	514.28
L649	-84 318.99	3	683	282.04	R649	-83 607.49	3	682	489.24
L650	-84 313.48	3	683	259.06	R650	-83 587.30	3	682	450.62
L651	-84 299.97	3	683	217.19	R651	-83 572.63	3	682	410.30
L652	-84 288.95	3	683	189.83	R652	-83 553.03	3	682	328.42
L653	-84 268.42	3	683	150.82	R653	-83 476.96	3	682	004.27
L654	-84 244.77	3	683	113.97	R654	-83 476.76	3	682	003.43
L655	-84 226.64	3	683	090.88	R655	-83 443.95	3	681	807.46
L656	-84 207.05	3	683	068.65	R656	-83 427.32	3	681	539.38
L657	-84 185.93	3	683	048.16	R657	-83 412.53	3	681	460.53
L658	-84 163.90	3	683	028.72	R658	-83 388.93	3	681	392.52
L659	-83 859.79	3	682	774.67	R659	-83 378.57	3	681	365.04
L660	-83 809.59	3	682	750.48	R660	-83 358.05	3	681	310.64
L661	-83 741.31	3	682	714.94	R661	-83 345.49	3	681	280.42
L662	-83 750.10	3	682	682.99	R662	-83 306.09	3	681	197.90
L663	-83 692.07	3	682	635.11	R663	-83 255.49	3	681	068.59
					<div> <div>Vel Sheet</div> <div>36</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L664	-83 619.58	3	682	563.20	R664	-83 206.71	3	680	938.45
L665	-83 594.23	3	682	527.24	R665	-83 189.62	3	680	874.79
L666	-83 582.22	3	682	507.97	R666	-83 175.81	3	680	809.31
L667	-83 527.79	3	682	460.50	R667	-83 175.77	3	680	733.63
L668	-83 522.93	3	682	440.23	R668	-83 191.51	3	680	669.39
L669	-83 514.52	3	682	305.33	R669	-83 215.63	3	680	614.13
L670	-83 445.88	3	682	016.88	R670	-83 218.43	3	680	607.72
L671	-83 440.88	3	681	995.82	R671	-83 254.03	3	680	552.51
L672	-83 440.70	3	681	995.07	R672	-83 292.41	3	680	510.42
L673	-83 412.66	3	681	820.81	R673	-83 406.94	3	680	409.80
L674	-83 395.03	3	681	547.67	R674	-83 455.22	3	680	361.33
L675	-83 375.96	3	681	457.17	R675	-83 499.08	3	680	304.05
L676	-83 359.09	3	681	406.80	R676	-83 532.59	3	680	237.24
L677	-83 357.45	3	681	401.89	R677	-83 555.85	3	680	167.42
L678	-83 320.63	3	681	316.56	R678	-83 566.88	3	680	094.41
L679	-83 308.77	3	681	287.96	R679	-83 561.24	3	680	021.51
L680	-83 163.37	3	680	951.25	R680	-83 545.18	3	679	915.98
L681	-83 150.35	3	680	908.36	R681	-83 520.45	3	679	785.92
L682	-83 143.55	3	680	879.06	R682	-83 493.29	3	679	559.98
L683	-83 136.65	3	680	834.79	R683	-83 499.27	3	679	441.19
L684	-83 135.12	3	680	805.12	R684	-83 506.26	3	679	395.97
L685	-83 136.21	3	680	760.54	R685	-83 517.74	3	679	323.26
L686	-83 141.70	3	680	717.14	R686	-83 551.66	3	679	117.24
L687	-83 147.48	3	680	687.66	R687	-83 573.61	3	678	986.02
L688	-83 158.92	3	680	647.32	R688	-83 580.73	3	678	942.54
L689	-83 176.51	3	680	604.11	R689	-83 649.05	3	678	538.90
L690	-83 176.89	3	680	603.18	R690	-83 655.29	3	678	538.57
L691	-83 190.65	3	680	576.12	R691	-83 653.68	3	678	516.37
L692	-83 214.00	3	680	538.13	R692	-83 666.82	3	678	467.06
L693	-83 270.62	3	680	470.60	R693	-83 711.88	3	678	324.28
L694	-83 383.27	3	680	376.24	R694	-83 794.93	3	678	060.72
L695	-83 405.52	3	680	357.04	R695	-83 807.48	3	677	994.23
L696	-83 436.49	3	680	324.49	R696	-83 814.93	3	677	941.33
L697	-83 463.61	3	680	289.00	R697	-83 814.42	3	677	900.71
L698	-83 478.53	3	680	263.22	R698	-83 816.26	3	677	801.79
L699	-83 497.53	3	680	223.12	R699	-83 816.80	3	677	598.94
L700	-83 507.39	3	680	195.15	R700	-83 822.31	3	677	530.83
L701	-83 521.45	3	680	137.94	R701	-83 822.36	3	677	470.82
L702	-83 525.29	3	680	094.48	R702	-83 819.32	3	677	390.75
L703	-83 523.44	3	680	036.12	R703	-83 821.39	3	677	332.75
L704	-83 487.15	3	679	785.82	R704	-83 823.48	3	677	148.29
L705	-83 456.71	3	679	529.64	R705	-83 826.05	3	677	092.25
L706	-83 455.38	3	679	468.60	R706	-83 831.59	3	677	050.47
L707	-83 458.52	3	679	397.59	R707	-83 833.36	3	677	039.95
L708	-83 466.65	3	679	326.92	R708	-83 838.14	3	677	011.45
L709	-83 414.76	3	679	216.71	R709	-83 862.34	3	676	919.23
L710	-83 499.95	3	679	129.33	R710	-83 887.60	3	676	857.43
L711	-83 531.40	3	678	938.19	R711	-84 031.96	3	676	539.32
L712	-83 569.53	3	678	706.42	R712	-84 060.65	3	676	472.13
L713	-83 578.34	3	678	635.42	R713	-84 081.32	3	676	403.13
L714	-83 601.56	3	678	510.76	R714	-84 087.20	3	676	330.57
					<div> <div>Vel Sheet</div> <div>37</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L715	-83 625.26	3	678 428.34		R715	-84 085.54	3	676 258.70	
L716	-83 650.80	3	678 362.80		R716	-84 076.35	3	676 187.89	
L717	-83 673.56	3	678 296.47		R717	-84 053.92	3	676 116.93	
L718	-83 682.39	3	678 267.10		R718	-84 020.80	3	676 052.74	
L719	-83 698.04	3	678 231.01		R719	-83 980.93	3	675 994.06	
L720	-83 724.39	3	678 166.26		R720	-83 696.10	3	675 655.27	
L721	-83 760.49	3	678 064.57		R721	-83 575.36	3	675 511.58	
L722	-83 773.59	3	678 002.28		R722	-83 527.99	3	675 457.07	
L723	-83 782.25	3	677 901.55		R723	-83 294.88	3	675 237.98	
L724	-83 785.33	3	677 613.57		R724	-83 222.47	3	675 170.17	
L725	-83 788.65	3	677 327.27		R725	-83 174.17	3	675 119.78	
L726	-83 792.15	3	677 091.74		R726	-83 131.85	3	675 077.53	
L727	-83 797.79	3	677 039.12		R727	-83 051.10	3	675 007.88	
L728	-83 800.33	3	677 015.41		R728	-82 962.93	3	674 928.87	
L729	-83 806.69	3	676 971.67		R729	-82 962.58	3	674 928.55	
L730	-83 813.22	3	676 943.45		R730	-82 899.50	3	674 869.58	
L731	-83 825.77	3	676 893.56		R731	-82 710.40	3	674 692.86	
L732	-83 846.56	3	676 831.34		R732	-82 661.50	3	674 643.50	
L733	-83 864.97	3	676 785.65		R733	-82 619.17	3	674 589.74	
L734	-84 001.01	3	676 492.06		R734	-82 583.29	3	674 530.84	
L735	-84 016.04	3	676 450.65		R735	-82 556.00	3	674 469.91	
L736	-84 027.31	3	676 408.63		R736	-82 533.64	3	674 404.25	
L737	-84 032.13	3	676 379.65		R737	-82 520.10	3	674 337.84	
L738	-84 036.22	3	676 350.27		R738	-82 473.06	3	673 999.08	
L739	-84 037.39	3	676 307.48		R739	-82 460.17	3	673 906.27	
L740	-84 037.00	3	676 292.75		R740	-82 450.76	3	673 838.51	
L741	-84 035.27	3	676 263.58		R741	-82 389.12	3	673 394.40	
L742	-84 032.22	3	676 234.52		R742	-82 337.18	3	673 013.53	
L743	-84 026.30	3	676 206.42		R743	-82 337.04	3	673 012.48	
L744	-84 018.98	3	676 178.05		R744	-82 321.25	3	672 910.36	
L745	-84 010.01	3	676 150.11		R745	-82 309.77	3	672 860.81	
L746	-83 993.47	3	676 109.54		R746	-82 282.49	3	672 773.50	
L747	-83 986.86	3	676 096.30		R747	-82 255.29	3	672 707.90	
L748	-83 973.10	3	676 070.75		R748	-82 208.61	3	672 620.25	
L749	-83 957.53	3	676 046.00		R749	-82 169.30	3	672 559.20	
L750	-83 940.82	3	676 022.29		R750	-82 138.52	3	672 518.66	
L751	-83 931.51	3	676 010.99		R751	-81 806.61	3	672 106.09	
L752	-83 653.02	3	675 679.41		R752	-81 788.89	3	672 072.27	
L753	-83 491.35	3	675 490.68		R753	-81 775.26	3	672 046.25	
L754	-83 251.52	3	675 265.39		R754	-81 755.11	3	671 981.56	
L755	-83 083.65	3	675 108.25		R755	-81 739.86	3	671 915.93	
L756	-82 976.37	3	675 005.80		R756	-81 736.11	3	671 848.48	
L757	-82 927.86	3	674 961.48		R757	-81 736.25	3	671 478.08	
L758	-82 927.61	3	674 961.26		R758	-81 736.43	3	671 296.86	
L759	-82 916.04	3	674 971.74		R759	-81 736.41	3	671 089.61	
L760	-82 892.44	3	674 947.38		R760	-81 736.41	3	671 078.03	
L761	-82 893.74	3	674 931.76		R761	-81 736.86	3	671 047.48	
L762	-82 649.69	3	674 702.85		R762	-81 738.46	3	670 929.20	
L763	-82 592.60	3	674 636.75		R763	-81 736.72	3	670 838.33	
L764	-82 559.36	3	674 588.64		R764	-81 739.41	3	670 769.26	
L765	-82 524.69	3	674 524.23		R765	-81 747.42	3	670 700.68	
Vel Sheet 38					Van of 43		P1145/19		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25 ^o		Y		X	
L766	-82 507.62	3	674 483.63		R766	-81 761.79	3	670 633.44	
L767	-82 489.38	3	674 428.01		R767	-81 778.57	3	670 568.64	
L768	-82 475.58	3	674 371.21		R768	-81 804.98	3	670 496.71	
L769	-82 422.92	3	673 993.44		R769	-81 960.52	3	670 114.69	
L770	-82 410.47	3	673 904.11		R770	-81 983.66	3	670 057.86	
L771	-82 410.45	3	673 903.99		R771	-82 068.65	3	670 002.63	
L772	-82 339.49	3	673 394.15		R772	-82 086.24	3	669 991.20	
L773	-82 281.18	3	672 974.73		R773	-82 070.43	3	669 920.81	
L774	-82 280.90	3	672 972.74		R774	-82 066.06	3	669 901.31	
L775	-82 271.84	3	672 921.62		R775	-82 059.46	3	669 871.94	
L776	-82 261.92	3	672 878.84		R776	-82 141.86	3	669 669.39	
L777	-82 254.13	3	672 849.87		R777	-82 220.66	3	669 540.93	
L778	-82 245.21	3	672 821.29		R778	-82 231.06	3	669 513.70	
L779	-82 235.50	3	672 793.63		R779	-82 240.01	3	669 456.73	
L780	-82 224.78	3	672 765.66		R780	-82 247.40	3	669 409.60	
L781	-82 213.04	3	672 738.08		R781	-82 258.70	3	669 379.83	
L782	-82 172.54	3	672 658.66		R782	-82 276.65	3	669 310.15	
L783	-82 157.72	3	672 632.60		R783	-82 286.33	3	669 239.26	
L784	-82 124.69	3	672 582.91		R784	-82 287.92	3	669 167.31	
L785	-82 107.10	3	672 558.89		R785	-82 280.94	3	669 096.00	
L786	-82 088.77	3	672 535.46		R786	-82 264.88	3	669 026.26	
L787	-81 796.01	3	672 176.31		R787	-82 193.04	3	668 753.44	
L788	-81 778.25	3	672 152.33		R788	-82 068.38	3	668 281.90	
L789	-81 761.79	3	672 127.57		R789	-81 949.65	3	667 832.98	
L790	-81 754.21	3	672 114.39		R790	-81 864.87	3	667 512.90	
L791	-81 746.95	3	672 101.77		R791	-81 818.58	3	667 337.57	
L792	-81 739.70	3	672 088.46		R792	-81 759.48	3	667 101.97	
L793	-81 720.49	3	672 044.46		R793	-81 758.53	3	667 095.51	
L794	-81 702.74	3	671 990.10		R794	-81 749.63	3	667 035.35	
L795	-81 691.22	3	671 931.84		R795	-81 747.53	3	666 992.35	
L796	-81 686.71	3	671 872.40		R796	-81 746.38	3	666 968.79	
L797	-81 686.59	3	671 852.78		R797	-81 763.33	3	666 835.12	
L798	-81 686.73	3	671 504.13		R798	-81 788.76	3	666 772.35	
L799	-81 686.66	3	671 057.14		R799	-81 867.34	3	666 662.37	
L800	-81 686.66	3	671 040.06		R800	-82 022.40	3	666 582.59	
L801	-81 686.54	3	670 831.31		R801	-82 038.23	3	666 573.67	
L802	-81 693.59	3	670 727.46		R802	-82 131.17	3	666 493.49	
L803	-81 702.82	3	670 668.83		R803	-82 166.80	3	666 474.72	
L804	-81 715.40	3	670 611.71		R804	-82 226.22	3	666 433.97	
L805	-81 732.19	3	670 553.49		R805	-82 280.23	3	666 387.19	
L806	-81 752.07	3	670 497.68		R806	-82 329.65	3	666 333.54	
L807	-81 859.34	3	670 233.83		R807	-82 370.51	3	666 275.75	
L808	-81 867.86	3	670 212.87		R808	-82 405.37	3	666 213.21	
L809	-81 876.59	3	670 191.54		R809	-82 432.98	3	666 144.65	
L810	-81 914.74	3	670 098.26		R810	-82 451.78	3	666 076.51	
L811	-81 932.50	3	670 054.85		R811	-82 463.98	3	666 005.65	
L812	-81 932.79	3	670 054.13		R812	-82 467.56	3	665 945.12	
L813	-82 001.31	3	669 885.62		R813	-82 461.20	3	665 862.51	
L814	-82 096.06	3	669 652.58		R814	-82 449.61	3	665 790.94	
L815	-82 121.91	3	669 589.45		R815	-82 397.90	3	665 657.21	
L816	-82 127.53	3	669 557.38		R816	-82 356.57	3	665 597.71	
					<div> <div>Vel Sheet</div> <div>39</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25°		Y		X	
L817	-82 139.15	3	669	529.92	R817	-82 113.14	3	665	247.31
L818	-82 163.37	3	669	487.50	R818	-81 934.07	3	664	989.49
L819	-82 201.24	3	669	392.53	R819	-81 895.19	3	664	933.50
L820	-82 215.41	3	669	349.97	R820	-81 877.51	3	664	908.03
L821	-82 225.57	3	669	306.27	R821	-81 876.29	3	664	905.58
L822	-82 230.26	3	669	276.71	R822	-81 867.17	3	664	887.27
L823	-82 235.42	3	669	232.05	R823	-81 819.37	3	664	783.20
L824	-82 236.85	3	669	207.34	R824	-81 820.41	3	664	762.53
L825	-82 236.89	3	669	158.53	R825	-81 821.38	3	664	761.61
L826	-82 230.26	3	669	099.35	R826	-81 798.99	3	664	698.98
L827	-82 221.80	3	669	055.94	R827	-81 670.66	3	664	390.38
L828	-82 143.64	3	668	759.19	R828	-81 605.01	3	664	241.45
L829	-82 024.53	3	668	307.05	R829	-81 568.67	3	664	151.81
L830	-81 902.08	3	667	844.38	R830	-81 514.35	3	664	017.44
L831	-81 772.18	3	667	353.06	R831	-81 415.85	3	663	775.29
L832	-81 700.93	3	667	079.35	R832	-81 379.36	3	663	706.50
L833	-81 689.88	3	666	990.04	R833	-81 365.90	3	663	666.33
L834	-81 692.92	3	666	917.14	R834	-81 336.64	3	663	603.73
L835	-81 706.38	3	666	845.45	R835	-81 315.99	3	663	540.97
L836	-81 729.61	3	666	776.76	R836	-81 247.69	3	663	429.24
L837	-81 749.86	3	666	735.50	R837	-81 162.44	3	663	332.13
L838	-81 779.99	3	666	683.50	R838	-81 012.69	3	663	252.64
L839	-81 829.12	3	666	625.73	R839	-80 439.83	3	662	939.99
L840	-81 884.03	3	666	576.95	R840	-80 204.21	3	662	818.99
L841	-81 958.53	3	666	528.35	R841	-80 089.69	3	662	731.81
L842	-82 132.07	3	666	437.90	R842	-80 022.82	3	662	679.25
L843	-82 194.70	3	666	395.87	R843	-79 933.30	3	662	597.56
L844	-82 261.09	3	666	337.13	R844	-79 796.26	3	662	461.01
L845	-82 299.33	3	666	291.93	R845	-79 746.72	3	662	416.30
L846	-82 340.48	3	666	229.98	R846	-79 515.09	3	662	197.14
L847	-82 373.11	3	666	163.29	R847	-79 308.65	3	662	002.51
L848	-82 392.96	3	666	106.44	R848	-79 306.19	3	662	000.19
L849	-82 404.09	3	666	064.20	R849	-79 233.00	3	661	939.80
L850	-82 415.41	3	665	975.71	R850	-79 128.04	3	661	872.19
L851	-82 414.19	3	665	899.43	R851	-78 998.77	3	661	815.46
L852	-82 405.88	3	665	838.78	R852	-78 877.73	3	661	764.71
L853	-82 385.87	3	665	764.47	R853	-78 849.44	3	661	751.62
L854	-82 362.96	3	665	708.06	R854	-78 805.54	3	661	724.28
L855	-82 318.61	3	665	628.40	R855	-78 703.99	3	661	673.44
L856	-81 855.52	3	664	936.60	R856	-78 665.57	3	661	652.69
L857	-81 831.91	3	664	901.41	R857	-78 628.46	3	661	631.34
L858	-81 799.09	3	664	822.16	R858	-78 590.79	3	661	607.99
L859	-81 782.04	3	664	817.69	R859	-78 542.08	3	661	576.02
L860	-81 773.13	3	664	796.71	R860	-78 506.48	3	661	550.39
L861	-81 781.33	3	664	783.06	R861	-78 465.23	3	661	519.24
L862	-81 752.26	3	664	702.96	R862	-78 402.76	3	661	466.61
L863	-81 726.68	3	664	648.86	R863	-78 318.11	3	661	387.02
L864	-81 514.89	3	664	131.37	R864	-78 277.52	3	661	344.16
L865	-81 329.73	3	663	702.38	R865	-78 235.75	3	661	294.80
L866	-81 321.52	3	663	685.82	R866	-78 177.95	3	661	214.36
L867	-81 310.67	3	663	637.79	R867	-78 105.70	3	661	096.91
					<div> <div>Vel Sheet</div> <div>40</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25 ^a		Y		X	
L868	-81 291.80	3	663	597.33	R868	-78 045.35	3	660	972.23
L869	-81 257.51	3	663	537.61	R869	-77 996.71	3	660	842.45
L870	-81 217.83	3	663	482.25	R870	-77 962.90	3	660	737.29
L871	-81 172.10	3	663	430.02	R871	-77 856.12	3	660	403.06
L872	-81 122.69	3	663	383.99	R872	-77 717.54	3	659	970.52
L873	-81 068.12	3	663	342.12	R873	-77 571.85	3	659	515.15
L874	-80 998.00	3	663	300.07	R874	-77 427.84	3	659	064.98
L875	-80 629.54	3	663	102.41	R875	-77 368.62	3	658	878.05
L876	-80 189.93	3	662	866.05	R876	-77 181.90	3	658	294.74
L877	-80 129.98	3	662	827.17	R877	-76 762.56	3	656	986.47
L878	-80 073.68	3	662	784.17	R878	-76 737.13	3	656	907.41
L879	-80 019.75	3	662	737.81	R879	-76 603.81	3	656	490.22
L880	-79 914.15	3	662	643.58	R880	-76 571.78	3	656	385.27
L881	-79 889.86	3	662	613.33	R881	-76 544.62	3	656	289.33
L882	-79 822.30	3	662	551.73	R882	-76 519.00	3	656	192.05
L883	-79 764.24	3	662	512.88	R883	-76 487.35	3	656	057.24
L884	-79 733.28	3	662	464.76	R884	-76 447.84	3	655	860.59
L885	-79 528.58	3	662	273.38	R885	-76 395.12	3	655	483.65
L886	-79 477.22	3	662	224.66	R886	-76 390.62	3	655	430.87
L887	-79 351.11	3	662	143.58	R887	-76 372.36	3	655	216.78
L888	-79 340.28	3	662	131.74	R888	-76 433.64	3	655	112.03
L889	-79 323.31	3	662	112.83	R889	-76 355.96	3	655	018.38
L890	-79 321.15	3	662	110.42	R890	-76 335.95	3	654	777.89
L891	-79 236.38	3	662	005.73	R891	-76 320.40	3	654	591.08
L892	-79 152.82	3	661	956.08	R892	-76 283.14	3	654	134.60
L893	-78 738.30	3	661	743.12	R893	-76 287.33	3	654	112.03
L894	-78 613.68	3	661	675.26	R894	-76 287.79	3	654	109.58
L895	-78 496.81	3	661	595.57	R895	-76 280.14	3	654	101.12
L896	-78 387.92	3	661	505.12	R896	-76 276.66	3	654	031.27
L897	-78 326.05	3	661	444.83	R897	-76 268.59	3	653	933.90
L898	-78 254.75	3	661	369.19	R898	-76 246.95	3	653	697.44
L899	-78 208.57	3	661	311.36	R899	-76 210.83	3	653	253.62
L900	-78 164.22	3	661	254.81	R900	-76 181.81	3	652	904.79
L901	-78 038.16	3	661	054.81	R901	-76 156.29	3	652	584.57
L902	-78 017.84	3	661	014.99	R902	-76 150.74	3	652	478.99
L903	-77 999.21	3	660	975.61	R903	-76 149.37	3	652	336.28
L904	-77 981.45	3	660	935.41	R904	-76 151.58	3	652	168.40
L905	-77 972.46	3	660	913.97	R905	-76 156.88	3	651	750.58
L906	-77 894.94	3	660	853.06	R906	-76 162.99	3	651	286.14
L907	-77 922.14	3	660	768.33	R907	-76 173.89	3	651	213.86
L908	-77 671.32	3	659	986.16	R908	-76 166.73	3	651	178.74
L909	-77 525.38	3	659	537.85	R909	-76 170.98	3	651	114.99
L910	-77 382.35	3	659	083.58	R910	-76 166.43	3	651	014.78
L911	-77 306.68	3	658	845.49	R911	-76 166.15	3	651	008.53
L912	-77 136.52	3	658	314.48	R912	-76 167.33	3	650	938.38
L913	-76 718.97	3	657	009.29	R913	-76 169.67	3	650	868.67
L914	-76 691.68	3	656	924.55	R914	-76 173.77	3	650	799.14
L915	-76 559.83	3	656	511.75	R915	-76 182.81	3	650	680.40
L916	-76 546.82	3	656	469.85	R916	-76 267.60	3	650	045.43
L917	-76 534.08	3	656	427.87	R917	-76 308.86	3	649	788.78
L918	-76 521.73	3	656	385.66	R918	-76 309.64	3	649	728.61
					<div> <div>Vel Sheet</div> <div>41</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 25 ^a		Y		X	
L919	-76 509.82	3	656	343.52	R919	-76 318.63	3	649	637.79
L920	-76 498.18	3	656	301.15	R920	-76 317.11	3	649	567.46
L921	-76 476.00	3	656	216.09	R921	-76 314.54	3	649	515.16
L922	-76 468.98	3	656	187.64	R922	-76 317.15	3	649	465.41
L923	-76 455.19	3	656	130.93	R923	-76 309.16	3	649	405.64
L924	-76 445.48	3	656	087.98	R924	-76 295.17	3	649	357.15
L925	-76 436.09	3	656	045.21	R925	-76 280.33	3	649	286.55
L926	-76 426.90	3	656	002.25	R926	-76 283.93	3	649	284.22
L927	-76 418.09	3	655	959.13	R927	-76 283.61	3	649	283.17
L928	-76 409.95	3	655	916.21	R928	-76 237.08	3	649	131.35
L929	-76 399.20	3	655	858.57	R929	-76 218.88	3	649	050.99
L930	-76 386.70	3	655	786.55	R930	-76 211.34	3	649	017.69
L931	-76 379.85	3	655	743.27	R931	-76 172.56	3	648	886.00
L932	-76 371.14	3	655	685.45	R932	-76 158.28	3	648	778.58
L933	-76 361.19	3	655	613.01	R933	-76 158.63	3	648	632.58
L934	-76 350.56	3	655	525.98	R934	-76 169.03	3	648	532.96
L935	-76 343.15	3	655	454.86	R935	-76 164.71	3	648	419.84
L936	-76 339.96	3	655	424.21	R936	-76 148.45	3	648	345.23
L937	-76 306.40	3	655	016.93	R937	-76 143.90	3	648	344.10
L938	-76 301.10	3	654	952.63	R938	-76 124.99	3	648	289.48
L939	-76 271.55	3	654	593.73	R939	-76 107.25	3	648	248.95
L940	-76 214.37	3	654	528.42	R940	-76 106.18	3	648	246.51
L941	-76 259.85	3	654	451.32	R941	-76 075.57	3	648	191.42
L942	-76 236.84	3	654	170.25	R942	-76 053.14	3	648	157.62
L943	-76 234.61	3	654	144.18	R943	-76 036.92	3	648	135.60
L944	-76 233.83	3	654	135.07	R944	-76 034.51	3	648	132.33
L945	-76 218.30	3	653	943.71	R945	-75 983.32	3	648	073.91
L946	-76 198.82	3	653	705.83	R946	-75 976.31	3	648	065.88
L947	-76 162.87	3	653	266.34	R947	-75 958.28	3	648	045.21
L948	-76 134.26	3	652	915.44	R948	-75 932.34	3	648	009.97
L949	-76 114.23	3	652	535.90	R949	-75 926.97	3	648	002.67
L950	-76 118.88	3	652	170.91	R950	-75 898.23	3	647	951.75
L951	-76 124.17	3	651	753.63	R951	-75 890.95	3	647	936.81
L952	-76 129.56	3	651	286.60	R952	-75 881.63	3	647	917.69
L953	-76 131.15	3	651	176.67	R953	-75 870.02	3	647	879.31
L954	-76 133.06	3	651	026.51	R954	-75 856.71	3	647	840.83
L955	-76 133.27	3	651	015.30	R955	-75 855.07	3	647	836.10
L956	-76 136.01	3	650	868.13	R956	-75 844.57	3	647	755.90
L957	-76 140.23	3	650	794.64	R957	-75 837.91	3	647	704.30
L958	-76 144.34	3	650	737.92	R958	-75 839.82	3	647	681.14
L959	-76 234.42	3	650	043.39					
L960	-76 276.47	3	649	727.96					
L961	-76 283.98	3	649	636.62					
L962	-76 285.31	3	649	576.69					
L963	-76 282.90	3	649	518.37					
L964	-76 271.91	3	649	470.83					
L965	-76 259.84	3	649	397.81					
L966	-76 256.79	3	649	332.58					
L967	-76 249.18	3	649	304.99					
L968	-76 238.16	3	649	265.09					
L969	-76 199.53	3	649	159.62					
					<div> <div>Vel Sheet</div> <div>42</div> <div>Van of</div> <div>43</div> <div>P1145/19</div> </div>				

This gazette is also available free online at www.gpwonline.co.za