
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 4422

23 February 2024

**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD N7 SECTION 1

AMENDMENT OF DECLARATION No. 905 OF 2021.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 905 of 2021 by substituting sheets 5,9,14,15,16, and 17 with the accompanying sheets 5A,9A,14A,15A,16A, and 17A of Plan No. P1097/18.

(National Road N7 Section 1: Melkbos - Malmesbury)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 4422

23 Februarie 2024

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD N7 SEKSIE 1


WYSIGING VAN VERKLARING No. 905 VAN 2021.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 905 van 2021 deur velle 5,9,14,15,16 en 17 te vervang met bygaande velle 5A,9A,14A,15A,16A en 17A van Plan No. P1097/18.


(National Road N7 Section 1: Melkbos - Malmesbury)



MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor 'n gedeelte represents the road reserve of a portion van Nasionale Roete N7 of National Route N7	Vel Sheet 5A of 17 Plan P1097/18
---	---------------------------------------	---	---



<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>		<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N7 of National Route</p>	<p>Vel Sheet 9A of 17</p> <p>Plan P1097/18</p>
---	---	--	--	--

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG19 ^o		Y	X
L154	36 027.30	3 717	404.66	R154	36 574.77	3 718 576.63
L155	36 001.49	3 717	345.14	R155	36 550.01	3 718 545.65
L156	35 974.98	3 717	283.27	R156	36 549.73	3 718 529.16
L157	35 969.38	3 717	270.21	R157	36 450.09	3 718 337.66
L158	35 958.35	3 717	187.90	R158	36 379.81	3 718 206.84
L159	35 976.96	3 717	173.88	R159	36 360.05	3 718 178.60
L160	36 078.21	3 717	186.45	R160	36 340.72	3 718 143.94
L161	36 063.48	3 717	177.04	R161	36 305.67	3 718 065.21
L162	36 062.90	3 717	131.83	R162	36 271.69	3 718 006.91
L163	36 020.88	3 717	124.70	R163	36 257.54	3 717 974.59
L164	35 978.37	3 717	122.67	R164	36 232.23	3 717 923.01
L165	35 961.20	3 717	111.71	R165	36 132.66	3 717 737.06
L166	35 944.19	3 717	078.07	R166	36 112.81	3 717 702.46
L167	35 930.05	3 717	062.37	R167	36 100.69	3 717 680.49
L168	35 858.42	3 717	010.10	R168	36 072.44	3 717 628.69
L169	35 850.35	3 717	001.76	R169	36 049.57	3 717 587.08
L170	35 794.44	3 716	930.56	R170	36 039.81	3 717 569.33
L171	35 766.32	3 716	890.53	R171	36 026.69	3 717 545.46
L172	35 729.78	3 716	825.33	R172	35 977.77	3 717 455.77
L173	35 699.59	3 716	766.78	R173	35 943.11	3 717 401.68
L174	35 669.76	3 716	712.28	R174	35 845.27	3 717 293.56
L175	35 610.02	3 716	611.33	R175	35 801.83	3 717 236.63
L176	35 563.19	3 716	522.16	R176	35 744.21	3 717 172.73
L177	35 426.23	3 716	261.65	R177	35 709.66	3 717 146.00
L178	35 314.69	3 716	049.49	R178	35 710.97	3 717 120.60
L179	35 231.87	3 715	891.76	R179	35 727.74	3 717 086.55
L180	35 210.38	3 715	848.32	R180	35 746.11	3 717 074.67
L181	35 206.47	3 715	840.39	R181	35 728.76	3 717 015.33
L182	35 187.29	3 715	799.80	R182	35 702.20	3 716 946.27
L183	35 164.80	3 715	754.28	R183	35 683.41	3 716 899.06
L184	35 137.12	3 715	697.15	R184	35 666.25	3 716 853.35
L185	35 121.78	3 715	665.65	R185	35 552.06	3 716 630.92
L186	35 077.20	3 715	578.15	R186	35 472.65	3 716 480.96
L187	35 112.55	3 715	578.07	R187	35 447.23	3 716 432.07
L188	35 147.88	3 715	561.53	R188	35 386.19	3 716 313.47
L189	35 171.08	3 715	536.40	R189	35 276.22	3 716 099.97
L190	35 183.84	3 715	504.83	R190	35 257.05	3 716 081.61
L191	35 181.44	3 715	463.49	R191	35 190.29	3 715 957.73
L192	35 157.91	3 715	436.34	R192	35 140.97	3 715 895.03
L193	35 081.83	3 715	395.78	R193	35 146.60	3 715 872.98
L194	35 089.09	3 715	357.43	R194	35 140.03	3 715 851.22
L195	35 100.00	3 715	338.47	R195	35 044.67	3 715 682.55
L196	35 078.33	3 715	326.02	R196	35 038.51	3 715 699.11
L197	35 013.43	3 715	438.86	R197	34 997.31	3 715 724.15
L198	35 003.55	3 715	420.51	R198	34 944.38	3 715 722.65
L199	34 965.44	3 715	349.73	R199	34 910.43	3 715 705.12
L200	34 808.98	3 715	086.94	R200	34 887.19	3 715 741.57
L201	34 590.20	3 714	669.77	R201	34 867.90	3 715 799.90
L202	34 577.99	3 714	646.55	R202	34 856.95	3 715 756.33
L203	34 486.34	3 714	472.26	R203	34 848.98	3 715 724.65
L204	34 321.35	3 714	158.47	R204	34 956.12	3 715 538.46

Vel Sheet	14A	Van of	17	PS1097/18
--------------	-----	-----------	----	-----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG19 ^e	Y	X
L205	33 965.47	3 713	480.81	R205	34 947.07 3 715 518.13
L206	33 753.92	3 713	078.46	R206	34 913.47 3 715 442.64
L207	33 465.68	3 712	530.56	R207	34 895.66 3 715 401.29
L208	33 258.15	3 712	135.44	R208	34 833.14 3 715 276.02
L209	33 245.82	3 712	111.81	R209	34 822.18 3 715 247.11
L210	32 998.26	3 711	640.55	R210	34 640.47 3 714 894.84
L211	32 825.32	3 711	311.33	R211	34 619.07 3 714 854.06
L212	32 561.88	3 710	809.69	R212	34 505.72 3 714 638.01
L213	32 347.68	3 710	402.48	R213	34 412.92 3 714 461.44
L214	32 141.49	3 710	009.55	R214	34 385.50 3 714 409.26
L215	32 064.29	3 709	840.85	R215	33 209.27 3 712 171.28
L216	32 045.79	3 709	742.36	R216	33 195.76 3 712 145.53
L217	32 046.96	3 709	592.91	R217	33 193.14 3 712 140.55
L218	32 028.93	3 709	557.15	R218	32 945.58 3 711 669.30
L219	32 061.38	3 709	521.65	R219	32 767.01 3 711 329.35
L220	32 057.02	3 709	512.21	R220	32 505.06 3 710 830.56
L221	32 044.35	3 709	484.72	R221	32 153.96 3 710 162.52
L222	31 989.99	3 709	479.89	R222	32 087.73 3 710 043.39
L223	31 951.53	3 709	438.83	R223	32 058.55 3 709 989.90
L224	31 875.61	3 709	362.18	R224	32 025.48 3 709 941.23
L225	31 741.14	3 709	224.31	R225	31 965.79 3 709 868.02
L226	31 608.22	3 708	995.30	R226	31 891.40 3 709 782.96
L227	31 555.85	3 708	895.58	R227	31 817.23 3 709 696.50
L228	31 552.24	3 708	888.70	R228	31 762.72 3 709 647.40
L229	31 495.63	3 708	781.30	R229	31 757.92 3 709 626.55
L230	31 414.98	3 708	628.26	R230	31 755.86 3 709 617.62
L231	31 227.53	3 708	248.04	R231	31 769.98 3 709 555.97
L232	31 154.37	3 708	105.41	R232	31 772.35 3 709 531.23
L233	31 096.39	3 707	995.59	R233	31 763.76 3 709 484.02
L234	31 089.55	3 707	981.36	R234	31 688.90 3 709 309.67
L235	30 853.48	3 707	535.49	R235	31 592.25 3 709 114.91
L236	30 847.84	3 707	520.66	R236	31 484.23 3 708 910.12
L237	30 831.87	3 707	494.56	R237	31 481.38 3 708 904.71
L238	30 673.19	3 707	193.93	R238	31 436.23 3 708 819.14
L239	30 672.43	3 707	181.11	R239	31 361.49 3 708 677.50
L240	30 641.44	3 707	115.07	R240	31 283.25 3 708 522.98
L241	30 624.29	3 707	101.31	R241	31 171.70 3 708 307.19
L242	30 567.12	3 706	993.02	R242	31 139.57 3 708 240.75
L243	30 535.78	3 706	848.08	R243	31 067.39 3 708 110.16
L244	30 526.45	3 706	819.04	R244	31 019.41 3 708 045.50
L245	30 526.56	3 706	806.02	R245	31 010.20 3 708 030.66
L246	30 486.03	3 706	771.57	R246	31 025.67 3 708 021.05
L247	30 471.15	3 706	772.13	R247	30 992.46 3 707 958.34
L248	30 429.14	3 706	736.50	R248	30 990.52 3 707 954.67
L249	30 371.72	3 706	655.21	R249	30 780.68 3 707 558.55
L250	30 341.87	3 706	614.26	R250	30 760.70 3 707 520.52
L251	30 319.69	3 706	583.83	R251	30 741.64 3 707 484.19
L252	30 315.80	3 706	586.98	R252	30 728.18 3 707 458.68
L253	30 298.06	3 706	568.70	R253	30 702.91 3 707 414.36
L254	30 284.12	3 706	550.86	R254	30 697.22 3 707 400.84
L255	30 260.34	3 706	523.01	R255	30 506.29 3 707 040.30

Vel	15A	Van	17	PS1097/18
Sheet		of		

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG19 ^o	Y	X
L256	30 243.82	3 706	503.98	R256	30 519.78 3 707 033.08
L257	30 199.46	3 706	445.19	R257	30 488.36 3 706 973.72
L258	30 203.30	3 706	436.89	R258	30 451.91 3 706 907.01
L259	30 188.93	3 706	424.60	R259	30 412.33 3 706 842.71
L260	30 122.03	3 706	349.07	R260	30 406.52 3 706 833.13
L261	30 083.11	3 706	306.09	R261	30 362.72 3 706 760.90
L262	30 037.90	3 706	266.38	R262	30 313.58 3 706 689.98
L263	30 019.31	3 706	248.99	R263	30 228.18 3 706 577.17
L264	29 958.42	3 706	113.80	R264	30 186.91 3 706 532.90
L265	29 928.89	3 706	065.18	R265	30 174.96 3 706 520.09
L266	29 892.77	3 706	036.63	R266	30 154.43 3 706 498.08
L267	29 907.43	3 705	990.86	R267	30 147.49 3 706 491.84
L268	29 886.99	3 705	975.68	R268	30 141.03 3 706 486.04
L269	29 843.66	3 706	006.25	R269	30 047.65 3 706 402.18
L270	29 774.75	3 705	970.35	R270	30 030.84 3 706 388.81
L271	29 715.79	3 705	948.58	R271	29 906.86 3 706 290.21
L272	29 577.72	3 705	907.62	R272	29 772.01 3 706 201.55
L273	29 483.48	3 705	876.76	R273	29 731.30 3 706 231.19
L274	29 313.57	3 705	803.56	R274	29 707.52 3 706 213.50
L275	29 262.38	3 705	782.94	R275	29 721.14 3 706 171.87
L276	29 209.67	3 705	766.01	R276	29 670.38 3 706 124.99
L277	29 171.12	3 705	749.30	R277	29 608.80 3 706 049.60
L278	29 129.20	3 705	725.76	R278	29 534.92 3 705 993.77
L279	29 046.41	3 705	677.98	R279	29 430.11 3 705 930.76
L280	29 014.85	3 705	659.71	R280	29 412.55 3 705 920.20
L281	28 969.85	3 705	637.82	R281	29 128.75 3 705 796.19
L282	28 916.82	3 705	619.15	R282	28 977.54 3 705 745.62
L283	28 751.77	3 705	558.81	R283	28 930.48 3 705 728.45
L284	28 684.81	3 705	530.40	R284	28 917.30 3 705 723.25
L285	28 651.61	3 705	517.13	R285	28 867.30 3 705 695.00
L286	28 639.01	3 705	512.04	R286	28 667.90 3 705 596.33
L287	28 625.57	3 705	506.62	R287	28 629.28 3 705 581.17
L288	28 623.72	3 705	505.93	R288	28 613.67 3 705 575.04
L289	28 607.43	3 705	499.88	R289	28 601.72 3 705 570.35
L290	28 596.11	3 705	495.68	R290	28 587.20 3 705 564.65
L291	28 530.95	3 705	471.68	R291	28 577.17 3 705 560.71
L292	28 492.23	3 705	454.93	R292	28 562.05 3 705 554.77
L293	28 429.41	3 705	427.66	R293	28 543.30 3 705 547.41
L294	28 273.38	3 705	360.22	R294	28 535.85 3 705 542.52
L295	28 234.30	3 705	338.63	R295	28 520.35 3 705 532.35
L296	28 211.67	3 705	327.44	R296	28 516.61 3 705 530.84
L297	28 195.43	3 705	319.80	R297	28 497.22 3 705 522.92
L298	28 166.02	3 705	305.96	R298	28 489.22 3 705 518.99
L299	28 146.30	3 705	298.11	R299	28 453.02 3 705 503.32
L300	28 114.98	3 705	285.65	R300	28 409.73 3 705 484.57
L301	28 048.89	3 705	263.35	R301	28 333.15 3 705 451.42
L302	28 031.74	3 705	256.24	R302	28 081.78 3 705 341.94
L303	27 998.17	3 705	245.17	R303	28 017.44 3 705 316.82
L304	27 926.41	3 705	229.77	R304	27 982.43 3 705 303.16
L305	27 914.96	3 705	223.06	R305	27 904.89 3 705 294.86
L306	27 874.32	3 705	218.71	R306	27 867.16 3 705 293.41

Vel Sheet	16A	Van of	17	PS1097/18
--------------	-----	-----------	----	-----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG19 ^o		Y	X
L307	27 861.65	3 705	222.42	R307	27 728.21	3 705 290.97
L308	27 816.47	3 705	218.95	R308	27 574.61	3 705 296.69
L309	27 652.38	3 705	230.88	R309	27 545.23	3 705 292.74
L310	27 527.19	3 705	222.61	R310	27 508.86	3 705 289.09
L311	27 470.26	3 705	213.95	R311	27 473.57	3 705 284.43
L312	27 405.81	3 705	200.42	R312	27 441.76	3 705 278.80
L313	27 381.37	3 705	196.41	R313	27 342.63	3 705 256.18
L314	27 360.77	3 705	198.76	R314	27 268.77	3 705 226.93
L315	27 294.20	3 705	172.47	R315	27 241.86	3 705 212.30
L316	27 232.89	3 705	139.13	R316	27 201.68	3 705 190.46
L317	27 226.49	3 705	134.80	R317	27 180.16	3 705 175.83
L318	27 233.24	3 705	124.88	R318	27 140.82	3 705 149.09
L319	27 193.49	3 705	097.86	R319	27 111.67	3 705 112.53
L320	27 186.79	3 705	107.74	R320	27 073.27	3 705 086.66
L321	26 818.86	3 704	857.73	R321	27 034.09	3 705 060.07
L322	26 807.46	3 704	862.19	R322	26 994.98	3 705 033.52
L323	26 655.04	3 704	750.64	R323	26 956.82	3 705 007.62
L324	26 616.07	3 704	722.12	R324	26 907.29	3 704 974.09
L325	26 577.11	3 704	693.60	R325	26 805.12	3 704 907.25
L326	26 531.87	3 704	660.58	R326	26 768.26	3 704 883.36
L327	26 505.62	3 704	641.41	R327	26 762.77	3 704 879.80
L328	26 503.91	3 704	640.15	R328	26 754.82	3 704 882.94
L329	26 467.82	3 704	600.99	R329	26 741.88	3 704 874.18
L330	26 459.85	3 704	598.93	R330	26 714.86	3 704 855.88
L331	26 454.18	3 704	593.91	R331	26 622.20	3 704 793.37
L332	26 420.85	3 704	564.57	R332	26 459.83	3 704 700.11
L333	26 405.37	3 704	544.54	R333	26 375.00	3 704 631.52
L334	26 354.61	3 704	492.04	R334	26 369.72	3 704 627.25
L335	26 330.43	3 704	451.89	R335	26 304.95	3 704 556.46
L336	26 339.76	3 704	422.34	R336	26 294.88	3 704 545.50
L337	26 345.77	3 704	403.31	R337	26 278.34	3 704 526.06
L338	26 360.90	3 704	396.51	R338	26 273.20	3 704 518.16
L339	26 404.65	3 704	367.40	R339	26 259.65	3 704 497.34
L340	26 442.80	3 704	337.79	R340	26 248.85	3 704 485.98
L341	26 440.50	3 704	331.97	R341	26 221.26	3 704 456.96
L342	26 427.87	3 704	302.93	R342	26 212.40	3 704 450.20
L343	26 411.95	3 704	309.90	R343	26 201.69	3 704 449.49
L344	26 383.11	3 704	322.52	R344	26 190.19	3 704 451.22
L345	26 365.89	3 704	330.06	R345	26 189.89	3 704 455.32
L346	26 371.66	3 704	343.24	R346	26 181.75	3 704 456.53
L159x	36 015.99	3 717	178.15	R347	26 146.09	3 704 461.90
				R348	26 145.04	3 704 455.04
				R349	26 143.27	3 704 448.67
				R350	26 140.75	3 704 439.29
				R305X	27 895.97	3 705 293.91

Vel Sheet	17A	Van of	17	PS1097/18
-----------	-----	--------	----	-----------