

---

**GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS**

---

**DEPARTMENT OF TRANSPORT**

NO. 4427

23 February 2024

**THE SOUTH AFRICAN NATIONAL ROADS  
AGENCY SOC LIMITED**Registration No: 1998/009584/30

---

**DECLARATION AMENDMENT OF NATIONAL ROAD N12 SECTION 19**

AMENDMENT OF DECLARATION No. 309 OF 2018.

By virtue of Section 40 (1)(b) of The South African National Roads Agency Limited and National Roads Act, 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 309 of 2018 by substituting it in its entirety, with the accompanying sheets 1 to 41 of Plan No. P1100/18.

**(National Road N12 Section 19: Gillooly's Interchange – Delmas)****MINISTER OF TRANSPORT**

DEPARTEMENT VAN VERVOER

NO. 4427

23 Februarie 2024

**DIE SUID-AFRIKAANSE NASIONALE  
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

---


**VERKLARING WYSIGING VAN NASIONALE PAD N12 SEKSIE 19**

WYSIGING VAN VERKLARING No. 309 VAN 2018.


Kragtens Artikel 40(1)(b) van die Wet op die Suid-Afrikaanse Nasionale Padagentskap Beperk en op Nasionale Paaie, 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 309 van 2018 deur dit in sy geheel te vervang, met bygaande velle 1 tot 41 van Plan No. P1100/18.

**(Nasionale Pad N12 Seksie 19: Gillooly's Wisselaar – Delmas)**


  
**MINISTER VAN VERVOER**



Die Suid-Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route Sektie Section 19	Vel Sheet 1 of 41 Plan P1100/18
-------------------------------------------------------------------------------------------------------	---------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>		<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route</p>	<p>Vel Sheet 2 of 41</p> <p>Plan P1100/18</p>
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------	--	---------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------




<p>Die Suid Afrikaanse Nasionale Padagogenkap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stede podreserwe voor 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel Sheet 3 of 41</p>
		<p>Seksie Section 19</p>	<p>Plan P1100/18</p>






<p>Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stelsel padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel Sheet 5 of 41 Plan P1100/18</p>
		<p>19</p>	<p>Section</p>





Vel Sheet 6 of 41	steldie padreserwe voor 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route Section 19	Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
-------------------------	--------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------	-------------------------------------------------------------------------------------------------------






Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 7 of 41
		N12 Seksie Section	Plan P1100/18
		19	





<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>		<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route</p> <p>N12 Seksie Section</p> <p>19</p>	<p>Vel Sheet 8 of 41</p> <p>Plan P1100/18</p>
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------	---------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>19</p>	<p>Section</p>	<p>Seksie</p>	<p>Plan P1100/18</p>
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------	-----------	----------------	---------------	----------------------







Die Suid Afrikaanse Nasionale Padogentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	 steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route Section	Vel Sheet 11 of 41
			Plan P1100/18



<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steeldie padreserwe voor 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 Seksie of National Route Section</p>	<p>Vel Sheet 12 of 41</p>
		<p>19</p>	<p>Plan P1100/18</p>




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel Sheet 13 of 41 Plan P1100/18</p>
		<p>19</p>	<p>Section</p>




Vel Sheet 14 of 41	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 Seksie of National Route Section 19	Die figuur getoon The figure shown	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
-----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------	-------------------------------------------------------------------------------------------------------







<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel Sheet 15 van 41 Plan P1100/18</p>
		<p>Seksie Section 19</p>	




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figur getoon The figure shown</p>	<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 Seksie of National Route N12 Section</p>	<p>Vel Sheet 16 of 41 Plan P1100/18</p>
---------------------------------------------------------------------------------------------------------------	----------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route Section</p>	<p>Vel Sheet 17 of 41 Plan P1100/18</p>
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>		<p>steidie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel Sheet 18 of 41 Plan P1100/18</p>
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------	--	-----------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------





<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>		<p>steeldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route Section</p>	<p>Vel Sheet 19 of 41 Plan P1100/18</p>
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------	--	--------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------



<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stede padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel van Sheet 20 of 41</p>
<p>372 (PARK) ALLIANCE EXT.10</p>		<p>19 Seksie Section</p>	<p>Plan P1100/18</p>




Die Suid Afrikaanse Nasionale Padagentenskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route	19 Seksie Section	Vel Sheet 21 of 41 Plan P1100/18
---------------------------------------------------------------------------------------------------------	---------------------------------------	---------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------	-------------------------	----------------------------------------




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steidie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel van Sheet 22 of 41</p>
		<p>Seksie Section</p>	<p>19</p>
		<p>Plan</p>	<p>P1100/18</p>






Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stede padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route Section	Vel Sheet 23 of 41 Plan P1100/18
-------------------------------------------------------------------------------------------------------	---------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>Die stede padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel van Sheet 24 of 41 Plan P1100/18</p>
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------





<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steeldie padreserwe voor 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route</p>	<p>19</p>	<p>Plan P1100/18</p>	<p>Vel Sheet 26 of 41</p>
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------	-----------	----------------------	-------------------------------



<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete N12 of National Route</p>	<p>Vel Sheet 27 of 41</p>
<p>19</p>			<p>Plan P1100/18</p>

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L1	86 343.71	2 895 700.99		R1	86 263.50 2 895 767.95
L2	86 306.61	2 895 690.91		R2	86 177.59 2 895 723.67
L3	86 251.23	2 895 675.07		R3	86 164.13 2 895 717.52
L4	86 184.62	2 895 656.02		R4	86 150.70 2 895 711.38
L5	86 072.19	2 895 623.99		R5	86 122.58 2 895 700.48
L6	85 850.01	2 895 559.54		R6	86 093.30 2 895 691.94
L7	85 844.82	2 895 558.03		R7	86 034.56 2 895 674.75
L8	85 794.27	2 895 543.29		R8	85 983.76 2 895 659.99
L9	85 604.53	2 895 487.93		R9	85 893.06 2 895 633.54
L10	85 568.21	2 895 475.84		R10	85 712.16 2 895 580.78
L11	85 536.91	2 895 464.07		R11	85 695.12 2 895 574.42
L12	85 534.58	2 895 463.64		R12	85 559.96 2 895 534.43
L13	85 532.04	2 895 463.97		R13	85 545.19 2 895 529.64
L14	85 529.99	2 895 464.87		R14	85 535.59 2 895 526.19
L15	85 528.57	2 895 464.24		R15	85 525.89 2 895 522.40
L16	85 527.75	2 895 466.27		R16	85 516.47 2 895 518.48
L17	85 513.16	2 895 460.39		R17	85 511.97 2 895 515.95
L18	85 512.86	2 895 458.14		R18	85 507.67 2 895 511.30
L19	85 511.35	2 895 454.84		R19	85 494.90 2 895 505.41
L20	85 483.99	2 895 441.70		R20	85 491.09 2 895 506.06
L21	85 462.28	2 895 430.86		R21	85 487.42 2 895 505.33
L22	85 439.88	2 895 418.80		R22	85 432.73 2 895 481.86
L23	85 437.88	2 895 418.21		R23	85 415.37 2 895 475.46
L24	85 425.21	2 895 412.11		R24	85 387.28 2 895 455.13
L25	85 420.20	2 895 414.52		R25	85 376.43 2 895 447.65
L26	85 399.86	2 895 401.01		R26	85 370.82 2 895 443.36
L27	85 399.52	2 895 400.63		R27	85 338.36 2 895 424.05
L28	85 320.59	2 895 356.90		R28	85 280.91 2 895 397.23
L29	85 248.25	2 895 316.83		R29	85 169.88 2 895 338.97
L30	85 185.01	2 895 283.44		R30	85 083.49 2 895 305.96
L31	85 065.05	2 895 215.34		R31	84 995.06 2 895 285.37
L32	85 014.88	2 895 179.26		R32	84 929.53 2 895 276.78
L33	84 993.42	2 895 164.59		R33	84 928.56 2 895 291.31
L34	84 986.80	2 895 160.07		R34	84 659.05 2 895 360.25
L35	84 967.68	2 895 145.39		R35	84 649.76 2 895 363.14
L36	84 958.66	2 895 138.84		R36	84 580.59 2 895 373.86
L37	84 955.52	2 895 144.48		R37	84 510.78 2 895 370.24
L38	84 942.18	2 895 134.61		R38	84 496.75 2 895 367.85
L39	84 909.74	2 895 111.21		R39	84 439.43 2 895 357.55
L40	84 829.64	2 895 185.79		R40	84 413.81 2 895 353.02
L41	84 778.26	2 895 200.43		R41	84 388.63 2 895 348.74
L42	84 727.62	2 895 204.62		R42	84 350.99 2 895 342.36
L43	84 693.38	2 895 202.67		R43	84 314.75 2 895 336.38
L44	84 636.35	2 895 199.40		R44	84 295.12 2 895 333.04
L45	84 622.87	2 895 196.44		R45	84 236.85 2 895 323.14
L46	84 576.96	2 895 186.15		R46	83 848.85 2 895 257.26
L47	84 526.08	2 895 162.73		R47	83 821.47 2 895 251.54
L48	84 503.48	2 895 152.28		R48	83 813.28 2 895 254.69
L49	84 481.09	2 895 142.07		R49	83 811.36 2 895 249.49
L50	84 445.81	2 895 125.93		R50	83 719.54 2 895 230.32
L51	84 418.34	2 895 113.36		R51	83 687.41 2 895 223.66

Vel	28	Van	41	P1100/18
Sheet		of		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L52	84 366.50	2 895 089.66		R52	83 616.43	2 895 209.95
L53	84 347.93	2 895 081.16		R53	83 550.93	2 895 214.53
L54	84 292.91	2 895 055.91		R54	83 506.86	2 895 226.89
L55	84 276.43	2 895 044.22		R55	83 492.04	2 895 230.99
L56	84 193.29	2 894 936.66		R56	83 435.40	2 895 259.31
L57	84 190.28	2 894 928.72		R57	83 319.14	2 895 332.67
L58	84 187.44	2 894 929.07		R58	83 291.01	2 895 339.45
L59	84 175.75	2 894 930.36		R59	83 287.34	2 895 358.47
L60	84 100.48	2 894 939.25		R60	83 253.30	2 895 369.87
L61	84 081.40	2 894 941.36		R61	83 241.11	2 895 388.93
L62	84 103.64	2 894 967.81		R62	83 240.13	2 895 390.96
L63	84 191.67	2 895 072.49		R63	83 233.24	2 895 439.75
L64	84 243.40	2 895 134.30		R64	83 191.28	2 895 436.66
L65	84 267.09	2 895 178.99		R65	83 197.06	2 895 405.72
L66	84 258.30	2 895 220.89		R66	83 191.48	2 895 326.57
L67	84 129.36	2 895 223.90		R67	83 004.04	2 895 289.71
L68	83 948.78	2 895 218.98		R68	82 731.75	2 895 272.01
L69	83 920.72	2 895 214.51		R69	82 718.92	2 895 274.00
L70	83 817.78	2 895 197.55		R70	82 579.31	2 895 295.48
L71	83 784.01	2 895 189.89		R71	82 464.90	2 895 311.77
L72	83 731.40	2 895 177.99		R72	82 421.12	2 895 317.99
L73	83 681.08	2 895 166.65		R73	81 963.82	2 895 387.92
L74	83 554.06	2 895 137.47		R74	81 953.47	2 895 389.50
L75	83 503.37	2 895 111.44		R75	81 895.35	2 895 398.35
L76	83 493.23	2 895 103.89		R76	81 874.70	2 895 401.49
L77	83 457.92	2 895 076.93		R77	81 608.71	2 895 440.22
L78	83 446.45	2 895 064.49		R78	81 498.68	2 895 457.47
L79	83 419.33	2 895 034.94		R79	81 386.02	2 895 472.53
L80	83 383.97	2 894 989.22		R80	81 330.22	2 895 481.24
L81	83 365.24	2 894 975.55		R81	81 274.23	2 895 491.32
L82	83 315.09	2 894 965.98		R82	81 219.98	2 895 508.44
L83	83 292.79	2 894 961.71		R83	81 202.49	2 895 515.10
L84	83 236.44	2 894 951.15		R84	81 166.57	2 895 528.48
L85	83 194.62	2 894 968.90		R85	81 115.63	2 895 554.25
L86	83 157.45	2 895 028.75		R86	81 113.23	2 895 555.81
L87	83 126.25	2 895 059.75		R87	81 067.63	2 895 585.50
L88	83 068.78	2 895 116.86		R88	81 024.33	2 895 622.47
L89	82 966.99	2 895 165.23		R89	80 985.26	2 895 663.64
L90	82 673.43	2 895 220.30		R90	80 956.05	2 895 701.19
L91	82 606.12	2 895 232.92		R91	80 953.78	2 895 704.10
L92	82 419.16	2 895 263.88		R92	80 944.39	2 895 718.84
L93	82 329.78	2 895 277.66		R93	80 923.18	2 895 752.13
L94	82 034.93	2 895 323.09		R94	80 919.94	2 895 758.14
L95	82 014.78	2 895 326.20		R95	80 896.10	2 895 802.32
L96	81 947.20	2 895 336.61		R96	80 870.77	2 895 853.69
L97	81 922.26	2 895 340.59		R97	80 870.51	2 895 854.21
L98	81 429.08	2 895 415.01		R98	80 845.67	2 895 905.19
L99	81 390.32	2 895 420.87		R99	80 820.67	2 895 956.99
L100	81 334.41	2 895 429.40		R100	80 818.85	2 895 960.64
L101	81 297.17	2 895 435.52		R101	80 795.17	2 896 008.05
L102	81 241.65	2 895 447.10		R102	80 785.86	2 896 024.79

Vel Sheet	29	Van of	41	P1100/18
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES								
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°	Y	X			
L103	81 215.26	2 895 455.64		R103	80 776.43	2 896 041.94		
L104	81 190.02	2 895 463.81		R104	80 751.45	2 896 083.71		
L105	81 135.36	2 895 487.78		R105	80 734.48	2 896 112.54		
L106	81 061.05	2 895 528.63		R106	80 683.28	2 896 176.80		
L107	81 055.43	2 895 532.77		R107	80 663.15	2 896 197.24		
L108	81 015.42	2 895 562.23		R108	80 624.52	2 896 236.51		
L109	81 003.40	2 895 573.22		R109	80 537.66	2 896 319.91		
L110	80 966.09	2 895 607.32		R110	80 528.12	2 896 328.41		
L111	80 929.01	2 895 654.10		R111	80 515.41	2 896 338.28		
L112	80 916.37	2 895 670.04		R112	80 510.29	2 896 342.03		
L113	80 878.16	2 895 730.83		R113	80 484.49	2 896 360.04		
L114	80 840.08	2 895 801.13		R114	80 476.04	2 896 365.94		
L115	80 821.06	2 895 836.23		R115	80 452.80	2 896 382.17		
L116	80 752.94	2 895 950.80		R116	80 434.44	2 896 394.98		
L117	80 743.12	2 895 967.84		R117	80 430.42	2 896 397.79		
L118	80 720.81	2 896 009.38		R118	80 416.21	2 896 407.71		
L119	80 679.94	2 896 078.04		R119	80 411.71	2 896 411.21		
L120	80 633.43	2 896 137.13		R120	80 382.77	2 896 433.71		
L121	80 609.00	2 896 165.48		R121	80 371.17	2 896 442.73		
L122	80 583.72	2 896 194.81		R122	80 370.55	2 896 443.66		
L123	80 525.72	2 896 246.11		R123	80 355.53	2 896 466.39		
L124	80 502.41	2 896 263.46		R124	80 352.56	2 896 483.67		
L125	80 494.15	2 896 269.27		R125	80 345.83	2 896 522.81		
L126	80 437.59	2 896 311.32		R126	80 354.43	2 896 605.59		
L127	80 427.08	2 896 319.14		R127	80 376.05	2 896 659.80		
L128	80 420.92	2 896 323.72		R128	80 376.94	2 896 662.03		
L129	80 412.65	2 896 328.43		R129	80 428.13	2 896 701.27		
L130	80 394.20	2 896 338.96		R130	80 508.44	2 896 716.21		
L131	80 375.74	2 896 349.48		R131	80 504.60	2 896 732.34		
L132	80 356.18	2 896 360.64		R132	80 496.24	2 896 767.50		
L133	80 340.82	2 896 370.14		R133	80 412.12	2 896 745.85		
L134	80 310.02	2 896 386.96		R134	80 297.70	2 896 733.22		
L135	80 281.67	2 896 403.12		R135	80 252.27	2 896 742.39		
L136	80 274.48	2 896 407.22		R136	80 093.65	2 896 705.55		
L137	80 247.91	2 896 413.92		R137	80 057.30	2 896 697.66		
L138	80 232.64	2 896 414.50		R138	80 046.02	2 896 697.76		
L139	80 220.60	2 896 414.84		R139	80 013.60	2 896 697.24		
L140	80 213.84	2 896 412.71		R140	79 931.63	2 896 730.50		
L141	80 196.67	2 896 407.31		R141	79 921.49	2 896 734.51		
L142	80 191.60	2 896 405.72		R142	79 916.59	2 896 737.15		
L143	80 160.72	2 896 396.01		R143	79 913.73	2 896 738.70		
L144	80 157.02	2 896 394.84		R144	79 891.07	2 896 750.92		
L145	80 146.09	2 896 391.17		R145	79 889.88	2 896 751.56		
L146	80 109.78	2 896 381.96		R146	79 885.44	2 896 754.36		
L147	80 072.27	2 896 382.93		R147	79 782.01	2 896 819.73		
L148	80 042.62	2 896 385.01		R148	79 745.35	2 896 842.90		
L149	80 009.20	2 896 378.21		R149	79 712.82	2 896 862.36		
L150	79 978.23	2 896 364.42		R150	79 655.45	2 896 892.23		
L151	79 951.84	2 896 342.06		R151	79 643.82	2 896 898.14		
L152	79 947.31	2 896 335.94		R152	79 582.59	2 896 923.48		
L153	79 946.64	2 896 331.26		R153	79 453.36	2 896 972.10		
				Vel	30	Van	41	P1100/18
				Sheet		of		



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L154	79 941.64	2 896 296.50		R154	79 443.52 2 896 975.82
L155	79 904.36	2 896 317.92		R155	79 382.44 2 896 998.89
L156	79 899.51	2 896 321.23		R156	79 321.38 2 897 021.96
L157	79 925.40	2 896 359.13		R157	79 309.56 2 897 026.42
L158	79 930.57	2 896 366.73		R158	79 286.69 2 897 035.06
L159	79 969.52	2 896 423.97		R159	79 260.04 2 897 045.13
L160	79 949.54	2 896 442.85		R160	79 238.38 2 897 053.32
L161	79 934.92	2 896 466.98		R161	79 207.29 2 897 065.05
L162	79 932.22	2 896 494.82		R162	79 170.95 2 897 078.63
L163	79 953.90	2 896 598.40		R163	79 102.22 2 897 107.11
L164	79 930.17	2 896 648.99		R164	79 088.47 2 897 114.82
L165	79 918.70	2 896 659.78		R165	79 085.84 2 897 116.30
L166	79 906.82	2 896 670.96		R166	79 024.81 2 897 139.86
L167	79 905.35	2 896 677.50		R167	78 941.76 2 897 150.61
L168	79 899.49	2 896 681.52		R168	78 857.28 2 897 151.52
L169	79 877.59	2 896 696.56		R169	78 798.91 2 897 144.06
L170	79 868.84	2 896 687.45		R170	78 753.59 2 897 138.09
L171	79 866.74	2 896 685.28		R171	78 622.06 2 897 112.86
L172	79 739.67	2 896 775.66		R172	78 608.11 2 897 110.34
L173	79 615.31	2 896 850.45		R173	78 525.91 2 897 096.24
L174	79 598.32	2 896 858.81		R174	78 464.41 2 897 081.20
L175	79 552.98	2 896 877.56		R175	78 444.56 2 897 086.95
L176	79 552.38	2 896 876.90		R176	78 378.42 2 897 161.57
L177	79 550.58	2 896 878.64		R177	78 355.00 2 897 140.70
L178	79 518.96	2 896 889.95		R178	78 427.89 2 897 058.90
L179	79 514.27	2 896 891.71		R179	78 353.49 2 896 999.94
L180	79 504.97	2 896 895.21		R180	78 171.77 2 896 900.83
L181	79 480.92	2 896 904.26		R181	78 109.41 2 896 873.14
L182	79 459.90	2 896 912.16		R182	78 044.90 2 896 844.74
L183	79 431.33	2 896 922.91		R183	77 914.10 2 896 786.91
L184	79 416.40	2 896 928.52		R184	77 866.79 2 896 766.00
L185	79 415.19	2 896 928.98		R185	77 802.92 2 896 737.76
L186	79 357.33	2 896 950.94		R186	77 673.64 2 896 680.54
L187	79 311.94	2 896 968.18		R187	77 668.55 2 896 678.00
L188	79 298.45	2 896 973.30		R188	77 608.27 2 896 653.42
L189	79 286.65	2 896 977.78		R189	77 542.84 2 896 626.43
L190	79 263.03	2 896 986.75		R190	77 411.85 2 896 571.92
L191	79 236.43	2 896 996.79		R191	77 280.82 2 896 518.00
L192	79 220.22	2 897 003.00		R192	77 149.66 2 896 464.03
L193	79 197.86	2 897 011.49		R193	77 036.60 2 896 417.50
L194	79 185.89	2 897 016.03		R194	77 016.95 2 896 414.19
L195	79 164.39	2 897 024.19		R195	76 977.13 2 896 407.48
L196	79 143.15	2 897 032.26		R196	76 916.80 2 896 412.00
L197	79 081.17	2 897 055.71		R197	76 857.78 2 896 423.70
L198	79 072.46	2 897 057.49		R198	76 855.96 2 896 424.06
L199	79 055.50	2 897 059.83		R199	76 799.05 2 896 442.21
L200	79 052.27	2 897 060.28		R200	76 744.16 2 896 469.18
L201	79 008.25	2 897 073.40		R201	76 698.41 2 896 508.39
L202	78 933.45	2 897 087.20		R202	76 686.07 2 896 530.23
L203	78 859.69	2 897 089.09		R203	76 613.94 2 896 657.85
L204	78 848.89	2 897 088.09		R204	76 607.91 2 896 671.46

Vel	31	Van of	41	P1100/18
-----	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L205	78 823.46	2 897 085.76		R205	76 595.90 2 896 666.14
L206	78 816.72	2 897 085.12		R206	76 582.10 2 896 660.02
L207	78 744.80	2 897 062.27		R207	76 567.70 2 896 653.64
L208	78 681.38	2 897 019.76		R208	76 548.84 2 896 653.76
L209	78 588.20	2 896 940.78		R209	76 547.50 2 896 653.77
L210	78 620.48	2 896 904.63		R210	76 589.06 2 896 557.43
L211	78 688.66	2 896 827.74		R211	76 606.50 2 896 502.36
L212	78 681.50	2 896 821.63		R212	76 608.55 2 896 494.74
L213	78 657.53	2 896 801.16		R213	76 608.55 2 896 486.05
L214	78 650.25	2 896 794.94		R214	76 608.75 2 896 434.12
L215	78 602.11	2 896 849.01		R215	76 600.34 2 896 389.03
L216	78 549.98	2 896 908.31		R216	76 597.56 2 896 374.09
L217	78 501.34	2 896 866.40		R217	76 585.87 2 896 343.56
L218	78 372.45	2 896 885.43		R218	76 576.02 2 896 317.80
L219	78 357.42	2 896 884.94		R219	76 545.91 2 896 266.12
L220	78 304.17	2 896 880.16		R220	76 495.16 2 896 233.11
L221	78 224.10	2 896 850.92		R221	76 463.28 2 896 224.10
L222	78 163.29	2 896 824.38		R222	76 460.14 2 896 223.19
L223	78 132.16	2 896 811.04		R223	76 409.62 2 896 208.46
L224	78 101.98	2 896 800.44		R224	76 332.38 2 896 197.55
L225	77 958.12	2 896 736.88		R225	76 297.21 2 896 198.36
L226	77 846.78	2 896 687.74		R226	76 179.22 2 896 190.49
L227	77 829.01	2 896 679.74		R227	76 083.89 2 896 211.27
L228	77 699.39	2 896 622.45		R228	76 049.64 2 896 225.98
L229	77 569.52	2 896 565.13		R229	76 010.68 2 896 261.78
L230	77 443.24	2 896 501.38		R230	75 971.44 2 896 319.51
L231	77 316.40	2 896 437.52		R231	75 924.75 2 896 356.64
L232	77 189.84	2 896 373.69		R232	75 866.15 2 896 370.20
L233	77 183.69	2 896 370.44		R233	75 827.17 2 896 369.29
L234	77 085.31	2 896 260.36		R234	75 799.10 2 896 389.95
L235	77 081.94	2 896 256.62		R235	75 764.73 2 896 481.63
L236	77 013.37	2 896 072.52		R236	75 758.81 2 896 497.41
L237	76 995.23	2 895 992.04		R237	75 697.53 2 896 497.89
L238	76 990.22	2 895 967.53		R238	75 698.09 2 896 492.51
L239	76 985.64	2 895 945.07		R239	75 700.90 2 896 482.13
L240	76 984.10	2 895 886.48		R240	75 745.05 2 896 321.27
L241	76 993.19	2 895 826.04		R241	75 769.07 2 896 240.88
L242	77 043.16	2 895 705.76		R242	75 778.49 2 896 209.28
L243	77 045.22	2 895 700.82		R243	75 671.68 2 896 204.62
L244	77 037.96	2 895 698.18		R244	75 656.12 2 896 194.22
L245	77 025.83	2 895 692.88		R245	75 531.55 2 896 197.37
L246	77 011.64	2 895 686.54		R246	75 515.73 2 896 197.78
L247	76 997.25	2 895 680.12		R247	75 289.04 2 896 203.62
L248	76 981.36	2 895 672.90		R248	75 256.09 2 896 204.29
L249	76 978.65	2 895 678.71		R249	75 249.74 2 896 204.42
L250	76 912.49	2 895 829.43		R250	75 240.30 2 896 204.61
L251	76 905.54	2 895 845.27		R251	75 123.82 2 896 205.58
L252	76 894.04	2 895 871.47		R252	75 007.33 2 896 206.55
L253	76 865.48	2 895 924.82		R253	74 890.85 2 896 207.52
L254	76 825.93	2 895 970.11		R254	74 774.37 2 896 208.49
L255	76 781.42	2 896 004.94		R255	74 657.89 2 896 209.46

Vel Sheet	32	Van of	41	P1100/18
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L256	76 777.85	2 896	007.73	R256	74 559.40	2 896 210.28
L257	76 701.78	2 896	047.12	R257	74 556.37	2 896 240.31
L258	76 666.08	2 896	065.61	R258	74 542.64	2 896 376.45
L259	76 610.95	2 896	088.48	R259	74 526.93	2 896 377.85
L260	76 553.22	2 896	104.01	R260	74 507.06	2 896 210.57
L261	76 545.03	2 896	105.02	R261	74 409.10	2 896 211.36
L262	76 495.89	2 896	111.09	R262	74 292.61	2 896 212.29
L263	76 436.24	2 896	108.02	R263	74 176.13	2 896 213.23
L264	76 417.58	2 896	105.81	R264	74 059.65	2 896 214.16
L265	76 416.60	2 896	105.69	R265	73 943.17	2 896 215.10
L266	76 365.22	2 896	102.10	R266	73 826.69	2 896 216.04
L267	76 308.07	2 896	101.95	R267	73 710.21	2 896 216.97
L268	76 269.06	2 896	103.72	R268	73 606.92	2 896 217.80
L269	76 197.41	2 896	106.71	R269	73 593.72	2 896 217.87
L270	75 973.80	2 896	105.18	R270	73 484.52	2 896 218.42
L271	75 916.77	2 896	024.68	R271	73 475.03	2 896 218.47
L272	75 951.20	2 895	909.77	R272	73 147.71	2 896 220.99
L273	75 960.82	2 895	839.53	R273	72 811.18	2 896 247.43
L274	75 967.63	2 895	811.70	R274	72 882.88	2 896 366.73
L275	75 999.24	2 895	683.97	R275	72 862.49	2 896 381.38
L276	76 020.72	2 895	667.73	R276	72 797.14	2 896 306.70
L277	75 932.85	2 895	668.49	R277	72 755.35	2 896 258.95
L278	75 951.21	2 895	690.38	R278	72 680.74	2 896 267.31
L279	75 923.56	2 895	765.67	R279	72 570.68	2 896 279.64
L280	75 887.58	2 895	837.43	R280	72 460.65	2 896 291.97
L281	75 878.23	2 895	840.47	R281	72 444.98	2 896 293.72
L282	75 861.45	2 895	868.15	R282	72 369.29	2 896 304.87
L283	75 839.96	2 895	879.74	R283	72 344.87	2 896 309.67
L284	75 782.29	2 895	910.87	R284	72 332.93	2 896 312.02
L285	75 732.24	2 895	934.05	R285	72 214.48	2 896 347.96
L286	75 709.22	2 895	944.71	R286	72 096.61	2 896 383.73
L287	75 667.68	2 895	970.14	R287	72 058.33	2 896 395.35
L288	75 549.54	2 896	042.69	R288	72 034.64	2 896 411.26
L289	75 507.62	2 896	069.25	R289	71 997.23	2 896 439.93
L290	75 479.63	2 896	086.97	R290	71 977.78	2 896 478.20
L291	75 398.85	2 896	110.23	R291	71 963.43	2 896 586.46
L292	75 311.67	2 896	114.37	R292	71 956.98	2 896 586.51
L293	75 201.47	2 896	119.64	R293	71 944.23	2 896 586.63
L294	74 930.06	2 896	137.59	R294	71 923.46	2 896 586.81
L295	74 561.99	2 896	147.16	R295	71 913.62	2 896 567.95
L296	74 546.73	2 896	003.70	R296	71 926.05	2 896 471.72
L297	74 539.63	2 896	001.91	R297	71 912.80	2 896 445.32
L298	74 523.86	2 895	997.93	R298	71 899.49	2 896 438.02
L299	74 517.17	2 895	996.25	R299	71 818.14	2 896 401.04
L300	74 503.44	2 896	147.66	R300	71 732.56	2 896 376.62
L301	74 406.57	2 896	148.39	R301	71 642.10	2 896 373.63
L302	74 285.26	2 896	149.31	R302	71 532.46	2 896 377.00
L303	74 160.88	2 896	150.25	R303	71 457.18	2 896 383.67
L304	74 033.19	2 896	151.21	R304	71 382.55	2 896 392.54
L305	73 901.91	2 896	152.21	R305	71 308.97	2 896 404.91
L306	73 766.72	2 896	153.23	R306	71 235.23	2 896 421.25

Vel Sheet	33	Van of	41	P1100/18
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°		Y	X	
L307	73 697.80	2 896 153.98		R307	71 162.17	2 896 440.61	
L308	73 627.30	2 896 154.53		R308	71 107.70	2 896 459.01	
L309	73 482.01	2 896 155.40		R309	71 091.05	2 896 464.72	
L310	73 466.07	2 896 155.50		R310	70 975.42	2 896 514.69	
L311	73 083.93	2 896 158.44		R311	70 954.14	2 896 524.84	
L312	72 803.41	2 896 184.92		R312	70 874.89	2 896 584.19	
L313	72 799.92	2 896 181.49		R313	70 832.45	2 896 604.95	
L314	72 771.38	2 896 183.87		R314	70 807.93	2 896 616.93	
L315	72 702.32	2 896 110.21		R315	70 680.71	2 896 679.14	
L316	72 679.70	2 896 054.95		R316	70 672.60	2 896 683.10	
L317	72 677.81	2 896 035.69		R317	70 536.75	2 896 743.43	
L318	72 673.29	2 896 035.27		R318	70 300.52	2 896 866.90	
L319	72 652.97	2 896 033.41		R319	70 160.62	2 896 963.13	
L320	72 649.47	2 896 088.28		R320	70 007.87	2 897 024.42	
L321	72 662.63	2 896 115.41		R321	69 914.83	2 897 072.21	
L322	72 702.41	2 896 197.42		R322	69 880.38	2 897 086.23	
L323	72 459.56	2 896 206.17		R323	69 818.70	2 897 085.51	
L324	72 443.77	2 896 202.68		R324	69 710.18	2 897 079.98	
L325	72 398.79	2 896 192.77		R325	69 669.58	2 897 078.38	
L326	72 313.16	2 896 152.28		R326	69 546.17	2 897 065.00	
L327	72 245.07	2 896 111.80		R327	69 465.57	2 897 060.04	
L328	72 165.60	2 896 064.55		R328	69 385.15	2 897 063.26	
L329	72 090.74	2 896 042.45		R329	69 305.26	2 897 074.08	
L330	72 034.35	2 896 033.98		R330	69 231.04	2 897 091.62	
L331	72 042.75	2 895 969.23		R331	69 226.80	2 897 092.62	
L332	72 057.65	2 895 854.32		R332	68 974.44	2 897 183.99	
L333	72 058.22	2 895 849.91		R333	68 960.82	2 897 185.26	
L334	72 052.55	2 895 849.88		R334	68 867.68	2 897 216.14	
L335	72 039.51	2 895 849.81		R335	68 846.88	2 897 222.55	
L336	72 018.78	2 895 849.70		R336	68 828.74	2 897 227.37	
L337	72 009.42	2 895 922.10		R337	68 822.14	2 897 228.00	
L338	71 993.92	2 896 041.90		R338	68 813.86	2 897 229.00	
L339	71 925.35	2 896 038.78		R339	68 801.74	2 897 229.86	
L340	71 838.70	2 896 068.69		R340	68 791.38	2 897 229.96	
L341	71 790.31	2 896 098.85		R341	68 779.11	2 897 229.39	
L342	71 775.42	2 896 117.32		R342	68 765.52	2 897 227.71	
L343	71 719.07	2 896 194.30		R343	68 746.96	2 897 223.78	
L344	71 673.04	2 896 245.05		R344	68 739.63	2 897 221.63	
L345	71 617.50	2 896 285.12		R345	68 737.32	2 897 221.92	
L346	71 561.90	2 896 300.00		R346	68 735.19	2 897 224.93	
L347	71 506.07	2 896 307.26		R347	68 724.09	2 897 246.48	
L348	71 373.77	2 896 332.42		R348	68 702.01	2 897 234.56	
L349	71 296.51	2 896 345.66		R349	68 682.63	2 897 224.05	
L350	71 227.77	2 896 360.35		R350	68 512.73	2 897 132.00	
L351	71 219.93	2 896 362.55		R351	68 477.79	2 897 114.49	
L352	71 155.00	2 896 380.57		R352	68 474.28	2 897 111.17	
L353	71 098.42	2 896 398.57		R353	68 452.56	2 897 103.92	
L354	71 070.18	2 896 406.49		R354	68 439.90	2 897 098.66	
L355	70 997.30	2 896 434.87		R355	68 402.92	2 897 083.39	
L356	70 925.52	2 896 464.87		R356	68 365.17	2 897 070.08	
L357	70 855.63	2 896 498.82		R357	68 323.93	2 897 061.14	
				Vel	34	Van	41
				Sheet		of	
				P1100/18			

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES							
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°	Y	X		
L358	70 767.62	2 896	548.04	R358	68 195.98	2 897	037.67
L359	70 744.30	2 896	561.08	R359	67 975.33	2 897	027.10
L360	70 713.89	2 896	578.09	R360	67 591.06	2 896	836.46
L361	70 400.02	2 896	753.61	R361	67 567.58	2 896	824.81
L362	70 200.39	2 896	865.25	R362	67 326.67	2 896	705.97
L363	70 038.40	2 896	954.85	R363	67 185.29	2 896	668.23
L364	69 965.06	2 896	992.17	R364	67 097.59	2 896	657.72
L365	69 908.80	2 897	011.46	R365	66 949.09	2 896	650.43
L366	69 903.38	2 897	012.69	R366	66 800.18	2 896	649.78
L367	69 891.09	2 897	015.50	R367	66 716.71	2 896	625.53
L368	69 877.69	2 897	018.56	R368	66 587.12	2 896	573.41
L369	69 857.86	2 897	023.10	R369	66 536.46	2 896	553.03
L370	69 834.57	2 897	026.98	R370	66 523.84	2 896	515.17
L371	69 790.62	2 897	034.05	R371	66 464.55	2 896	480.89
L372	69 713.89	2 897	035.55	R372	66 255.33	2 896	412.34
L373	69 707.12	2 897	034.96	R373	66 017.32	2 896	327.04
L374	69 674.49	2 897	032.91	R374	65 874.84	2 896	269.82
L375	69 584.55	2 897	023.18	R375	65 327.00	2 896	048.37
L376	69 585.43	2 897	014.17	R376	65 319.74	2 896	061.85
L377	69 549.67	2 897	012.22	R377	65 200.01	2 896	007.32
L378	69 549.03	2 897	019.44	R378	65 178.26	2 895	995.84
L379	69 529.92	2 897	018.30	R379	65 126.73	2 895	967.83
L380	69 486.76	2 897	015.39	R380	64 717.29	2 895	742.80
L381	69 450.31	2 897	014.61	R381	64 589.34	2 895	656.63
L382	69 418.61	2 897	015.42	R382	64 541.71	2 895	619.04
L383	69 381.59	2 897	018.42	R383	64 496.56	2 895	578.64
L384	69 313.05	2 897	028.12	R384	64 217.71	2 895	311.76
L385	69 259.48	2 897	035.22	R385	64 182.13	2 895	277.79
L386	69 148.27	2 897	050.58	R386	64 113.18	2 895	223.32
L387	69 003.17	2 897	039.49	R387	64 080.07	2 895	196.96
L388	68 966.84	2 897	036.59	R388	64 022.77	2 895	163.64
L389	68 951.99	2 897	034.89	R389	63 963.47	2 895	136.38
L390	68 951.27	2 897	041.94	R390	63 901.97	2 895	114.99
L391	68 940.85	2 897	041.28	R391	63 838.37	2 895	099.21
L392	68 918.74	2 897	039.87	R392	63 773.81	2 895	089.56
L393	68 918.15	2 897	048.27	R393	63 736.62	2 895	089.42
L394	68 883.00	2 897	045.77	R394	63 643.58	2 895	089.07
L395	68 821.28	2 897	041.37	R395	63 578.95	2 895	097.95
L396	68 783.15	2 897	038.65	R396	63 515.39	2 895	112.94
L397	68 769.58	2 897	088.92	R397	63 454.34	2 895	133.59
L398	68 764.91	2 897	088.08	R398	63 432.00	2 895	142.59
L399	68 642.03	2 897	065.91	R399	63 389.85	2 895	165.57
L400	68 637.38	2 897	065.07	R400	63 356.21	2 895	199.40
L401	68 612.32	2 897	062.15	R401	63 256.93	2 895	330.76
L402	68 356.45	2 897	016.00	R402	63 231.49	2 895	365.62
L403	68 300.95	2 896	999.69	R403	63 235.49	2 895	368.55
L404	68 247.74	2 896	991.71	R404	63 113.98	2 895	436.31
L405	68 191.01	2 896	986.17	R405	63 083.28	2 895	395.59
L406	67 967.95	2 896	945.82	R406	63 013.21	2 895	411.28
L407	67 871.42	2 896	928.36	R407	62 897.63	2 895	407.11
L408	67 775.06	2 896	880.80	R408	62 869.56	2 895	434.45

Vel Sheet	35	Van of	41	P1100/18
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L409	67 599.26	2 896 791.48	R409	62 793.47	2 895 432.86
L410	67 575.81	2 896 779.58	R410	62 754.81	2 895 439.04
L411	67 335.86	2 896 657.78	R411	62 731.19	2 895 412.13
L412	67 108.93	2 896 590.55	R412	62 651.15	2 895 437.27
L413	67 081.31	2 896 581.51	R413	62 616.51	2 895 445.46
L414	66 974.70	2 896 545.41	R414	62 605.04	2 895 453.05
L415	66 961.26	2 896 540.83	R415	62 561.55	2 895 465.74
L416	66 857.38	2 896 495.41	R416	62 461.35	2 895 487.93
L417	66 697.63	2 896 397.45	R417	62 360.29	2 895 503.46
L418	66 660.35	2 896 368.17	R418	62 259.72	2 895 513.99
L419	66 612.67	2 896 387.90	R419	61 890.68	2 895 552.14
L420	66 582.51	2 896 385.41	R420	61 849.11	2 895 554.20
L421	66 551.06	2 896 382.81	R421	61 675.00	2 895 563.00
L422	66 528.63	2 896 380.96	R422	61 594.33	2 895 567.39
L423	66 519.64	2 896 380.04	R423	61 513.72	2 895 569.02
L424	66 488.29	2 896 376.84	R424	61 432.86	2 895 568.07
L425	66 456.93	2 896 373.63	R425	61 022.68	2 895 556.67
L426	66 425.58	2 896 370.43	R426	60 919.23	2 895 552.03
L427	66 394.22	2 896 367.23	R427	60 816.06	2 895 543.80
L428	66 378.08	2 896 365.58	R428	60 713.20	2 895 532.28
L429	66 264.38	2 896 337.98	R429	60 610.76	2 895 522.23
L430	66 155.48	2 896 306.21	R430	60 467.81	2 895 505.09
L431	66 018.95	2 896 262.01	R431	60 414.04	2 895 515.97
L432	65 911.14	2 896 221.38	R432	60 334.92	2 895 581.66
L433	65 884.60	2 896 211.44	R433	60 266.54	2 895 598.04
L434	65 856.72	2 896 200.20	R434	60 257.67	2 895 600.17
L435	65 300.43	2 895 975.30	R435	60 189.83	2 895 596.23
L436	65 242.75	2 895 948.60	R436	60 157.29	2 895 573.13
L437	65 132.68	2 895 890.45	R437	60 092.48	2 895 522.13
L438	65 101.33	2 895 872.87	R438	60 061.99	2 895 491.48
L439	64 844.64	2 895 729.58	R439	59 931.37	2 895 420.79
L440	64 734.27	2 895 667.77	R440	59 842.82	2 895 406.97
L441	64 700.62	2 895 648.00	R441	59 708.32	2 895 380.89
L442	64 664.76	2 895 625.30	R442	59 576.13	2 895 344.92
L443	64 630.26	2 895 601.68	R443	59 446.95	2 895 299.27
L444	64 596.09	2 895 574.40	R444	59 321.51	2 895 244.19
L445	64 560.56	2 895 543.86	R445	59 199.69	2 895 185.22
L446	64 543.88	2 895 528.96	R446	58 501.86	2 894 847.42
L447	64 229.70	2 895 228.19	R447	58 450.09	2 894 827.26
L448	64 175.58	2 895 181.06	R448	58 395.78	2 894 815.54
L449	64 117.31	2 895 139.28	R449	58 340.30	2 894 812.57
L450	64 055.23	2 895 103.18	R450	58 285.05	2 894 818.41
L451	63 990.06	2 895 073.12	R451	58 231.42	2 894 832.92
L452	63 922.19	2 895 049.34	R452	58 209.53	2 894 840.75
L453	63 852.54	2 895 032.08	R453	58 183.61	2 894 846.30
L454	63 842.36	2 895 030.56	R454	58 157.15	2 894 844.84
L455	63 803.91	2 895 024.22	R455	58 131.99	2 894 836.47
L456	63 767.08	2 895 020.72	R456	58 116.27	2 894 828.80
L457	63 725.00	2 895 018.46	R457	58 085.45	2 894 860.18
L458	63 638.51	2 895 020.71	R458	58 177.00	2 894 673.07
L459	63 596.39	2 895 026.39	R459	58 148.65	2 894 659.37

Vel Sheet	36	Van of	41	P1100/18
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L460	63 553.17	2 895	033.60	R460	58 118.76	2 894 644.91
L461	63 515.47	2 895	042.47	R461	57 995.66	2 894 585.62
L462	63 439.58	2 895	065.33	R462	57 884.92	2 894 532.19
L463	63 363.13	2 895	087.27	R463	57 832.89	2 894 512.43
L464	63 293.26	2 895	106.22	R464	57 797.68	2 894 499.05
L465	63 241.80	2 895	115.96	R465	57 760.69	2 894 493.17
L466	63 186.99	2 895	118.05	R466	57 754.34	2 894 492.16
L467	63 009.55	2 895	106.85	R467	57 589.33	2 894 445.71
L468	62 996.12	2 895	110.20	R468	57 450.97	2 894 412.93
L469	62 960.93	2 895	119.47	R469	57 385.41	2 894 403.78
L470	62 940.52	2 895	124.84	R470	57 321.25	2 894 399.76
L471	62 899.56	2 895	074.49	R471	57 254.49	2 894 400.45
L472	62 871.00	2 895	048.62	R472	57 190.97	2 894 405.65
L473	62 855.82	2 895	034.86	R473	57 105.13	2 894 420.80
L474	62 843.06	2 895	044.52	R474	56 058.78	2 894 753.42
L475	62 868.64	2 895	098.97	R475	55 875.84	2 894 816.81
L476	62 915.24	2 895	158.33	R476	55 843.99	2 894 832.41
L477	62 727.96	2 895	327.27	R477	55 824.62	2 894 852.25
L478	62 635.18	2 895	360.84	R478	55 792.15	2 894 886.07
L479	62 541.68	2 895	388.14	R479	55 595.37	2 895 120.51
L480	62 446.58	2 895	409.16	R480	55 590.68	2 895 126.34
L481	62 349.99	2 895	424.15	R481	55 564.93	2 895 158.30
L482	62 251.61	2 895	434.46	R482	55 552.61	2 895 124.41
L483	61 868.87	2 895	472.06	R483	55 519.37	2 895 084.96
L484	61 670.38	2 895	500.32	R484	55 458.21	2 895 062.78
L485	61 591.85	2 895	504.51	R485	55 361.75	2 895 031.14
L486	61 513.25	2 895	506.15	R486	55 285.08	2 895 019.11
L487	61 434.62	2 895	505.22	R487	55 157.45	2 895 046.72
L488	61 235.38	2 895	499.87	R488	55 080.68	2 895 071.20
L489	61 024.42	2 895	493.75	R489	54 878.10	2 895 133.02
L490	60 923.11	2 895	489.21	R490	54 666.57	2 895 199.88
L491	60 822.03	2 895	481.24	R491	54 501.32	2 895 245.50
L492	60 746.42	2 895	472.70	R492	54 408.59	2 895 261.77
L493	60 721.38	2 895	469.83	R493	54 357.01	2 895 267.39
L494	60 621.04	2 895	455.11	R494	54 210.24	2 895 286.13
L495	60 469.26	2 895	416.88	R495	54 100.02	2 895 292.11
L496	60 420.36	2 895	385.82	R496	53 630.95	2 895 271.62
L497	60 354.38	2 895	300.55	R497	52 576.89	2 895 226.53
L498	60 290.12	2 895	252.55	R498	52 471.33	2 895 222.03
L499	60 233.29	2 895	252.95	R499	52 375.52	2 895 217.95
L500	60 204.89	2 895	258.86	R500	52 158.95	2 895 208.72
L501	60 122.93	2 895	271.94	R501	51 113.57	2 895 164.16
L502	60 074.95	2 895	329.40	R502	50 850.03	2 895 152.92
L503	60 031.65	2 895	346.62	R503	50 694.37	2 895 170.93
L504	60 028.82	2 895	339.53	R504	50 520.48	2 895 234.22
L505	60 008.73	2 895	342.65	R505	50 513.76	2 895 236.66
L506	59 977.23	2 895	340.06	R506	50 507.16	2 895 381.66
L507	59 947.94	2 895	337.58	R507	50 467.50	2 895 380.49
L508	59 835.79	2 895	318.77	R508	50 471.51	2 895 285.06
L509	59 790.45	2 895	309.72	R509	50 473.69	2 895 235.73
L510	59 413.39	2 895	190.52	R510	50 222.51	2 895 134.28

Vel Sheet	37	Van of	41	P1100/18
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE			
	Y	X	WG 29°	Y	X	
L511	59 378.72	2 895 176.11		R511	50 115.59	2 895 124.64
L512	59 361.14	2 895 167.64		R512	49 966.01	2 895 115.23
L513	59 343.58	2 895 159.17		R513	48 953.47	2 895 072.03
L514	59 326.01	2 895 150.70		R514	48 862.13	2 895 066.97
L515	59 308.45	2 895 142.23		R515	48 770.73	2 895 056.45
L516	59 290.88	2 895 133.76		R516	48 680.30	2 895 039.26
L517	59 273.32	2 895 125.30		R517	48 591.48	2 895 015.52
L518	59 255.75	2 895 116.83		R518	48 504.61	2 894 985.36
L519	59 238.19	2 895 108.36		R519	48 420.20	2 894 948.77
L520	59 220.62	2 895 099.89		R520	48 338.49	2 894 906.46
L521	59 203.06	2 895 091.42		R521	48 260.16	2 894 858.29
L522	59 185.49	2 895 082.95		R522	48 185.60	2 894 804.42
L523	59 167.93	2 895 074.48		R523	48 115.07	2 894 745.32
L524	59 150.36	2 895 066.01		R524	48 049.11	2 894 681.15
L525	59 132.80	2 895 057.55		R525	47 987.33	2 894 613.77
L526	59 115.23	2 895 049.08		R526	47 903.45	2 894 523.11
L527	59 097.67	2 895 040.61		R527	47 830.29	2 894 440.50
L528	59 080.10	2 895 032.14		R528	47 657.07	2 894 244.88
L529	59 062.54	2 895 023.67		R529	47 290.01	2 893 830.34
L530	59 044.97	2 895 015.20		R530	47 282.62	2 893 822.00
L531	59 027.41	2 895 006.73		R531	47 252.83	2 893 788.52
L532	59 009.84	2 894 998.26		R532	47 107.67	2 893 641.49
L533	58 992.28	2 894 989.80		R533	47 055.41	2 893 598.05
L534	58 974.71	2 894 981.33		R534	46 962.92	2 893 532.02
L535	58 957.15	2 894 972.86		R535	46 861.96	2 893 469.32
L536	58 939.58	2 894 964.39		R536	46 825.21	2 893 459.80
L537	58 922.02	2 894 955.92		R537	46 658.51	2 893 431.73
L538	58 904.45	2 894 947.45		R538	46 664.30	2 893 503.98
L539	58 886.89	2 894 938.98		R539	46 619.79	2 893 508.05
L540	58 869.32	2 894 930.51		R540	46 620.06	2 893 420.30
L541	58 851.76	2 894 922.05		R541	46 600.58	2 893 414.90
L542	58 834.19	2 894 913.58		R542	46 520.84	2 893 392.82
L543	58 816.63	2 894 905.11		R543	46 468.50	2 893 359.08
L544	58 799.06	2 894 896.64		R544	46 368.96	2 893 249.00
L545	58 781.49	2 894 888.17		R545	46 318.40	2 893 210.16
L546	58 763.93	2 894 879.70		R546	46 171.92	2 893 125.54
L547	58 746.37	2 894 871.23		R547	45 983.50	2 893 038.72
L548	58 728.80	2 894 862.76		R548	45 628.98	2 892 875.38
L549	58 711.24	2 894 854.29		R549	45 613.51	2 892 868.11
L550	58 693.67	2 894 845.82		R550	45 421.09	2 892 778.68
L551	58 676.11	2 894 837.36		R551	45 228.42	2 892 689.14
L552	58 658.54	2 894 828.89		R552	45 205.51	2 892 678.49
L553	58 640.98	2 894 820.42		R553	45 077.09	2 892 618.81
L554	58 623.41	2 894 811.95		R554	44 948.72	2 892 559.15
L555	58 605.85	2 894 803.48		R555	44 820.29	2 892 499.46
L556	58 588.28	2 894 795.01		R556	44 797.42	2 892 488.80
L557	58 570.72	2 894 786.54		R557	44 645.17	2 892 407.25
L558	58 559.77	2 894 779.86		R558	44 634.37	2 892 401.46
L559	58 554.40	2 894 775.49		R559	44 613.84	2 892 387.85
L560	58 541.49	2 894 765.42		R560	44 489.67	2 892 314.00
L561	58 539.42	2 894 763.66		R561	44 186.16	2 892 133.48

Vel 38 Van 41  
Sheet of

P1100/18



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L562	58 529.23	2 894	754.03	R562	44 179.04	2 892 129.24
L563	58 515.09	2 894	746.52	R563	44 128.03	2 892 098.90
L564	58 500.21	2 894	740.54	R564	43 905.69	2 891 966.66
L565	58 486.23	2 894	732.69	R565	43 778.50	2 891 891.01
L566	58 472.26	2 894	724.83	R566	43 683.78	2 891 834.67
L567	58 458.28	2 894	716.98	R567	43 602.60	2 891 786.39
L568	58 449.21	2 894	698.97	R568	43 480.83	2 891 713.96
L569	58 440.14	2 894	680.95	R569	43 314.92	2 891 615.28
L570	58 355.49	2 894	640.08	R570	43 289.81	2 891 600.34
L571	58 355.44	2 894	617.85	R571	43 123.90	2 891 501.67
L572	58 351.69	2 894	612.03	R572	42 958.00	2 891 402.99
L573	58 341.53	2 894	596.26	R573	42 932.88	2 891 388.05
L574	58 339.31	2 894	592.81	R574	42 766.98	2 891 289.37
L575	58 350.32	2 894	570.00	R575	42 601.08	2 891 190.69
L576	58 315.37	2 894	552.70	R576	42 578.04	2 891 180.47
L577	58 276.26	2 894	494.52	R577	42 552.20	2 891 165.13
L578	58 288.38	2 894	442.26	R578	42 222.78	2 890 969.22
L579	58 248.60	2 894	519.65	R579	41 940.69	2 890 801.27
L580	58 239.28	2 894	538.47	R580	41 740.69	2 890 682.61
L581	58 232.18	2 894	552.80	R581	41 507.43	2 890 543.92
L582	58 218.88	2 894	579.70	R582	41 484.72	2 890 531.87
L583	58 214.22	2 894	589.11	R583	41 463.14	2 890 518.91
L584	58 201.08	2 894	615.65	R584	41 389.92	2 890 474.95
L585	58 166.50	2 894	598.90	R585	41 309.30	2 890 428.03
L586	57 937.19	2 894	487.62	R586	41 129.38	2 890 325.58
L587	57 860.20	2 894	454.66	R587	41 099.89	2 890 309.00
L588	57 820.69	2 894	437.57	R588	40 947.99	2 890 223.59
L589	57 738.97	2 894	416.26	R589	40 766.61	2 890 121.59
L590	57 704.68	2 894	408.63	R590	40 747.68	2 890 110.95
L591	57 659.68	2 894	398.61	R591	40 739.28	2 890 106.22
L592	57 645.22	2 894	395.39	R592	40 713.84	2 890 091.92
L593	57 584.40	2 894	379.49	R593	40 566.29	2 890 008.95
L594	57 561.28	2 894	373.44	R594	40 384.91	2 889 906.95
L595	57 556.07	2 894	372.21	R595	40 353.23	2 889 889.14
L596	57 466.52	2 894	351.39	R596	40 203.52	2 889 804.96
L597	57 393.39	2 894	341.13	R597	40 022.13	2 889 702.96
L598	57 320.82	2 894	336.46	R598	39 992.63	2 889 686.37
L599	57 248.88	2 894	337.51	R599	39 971.43	2 889 674.45
L600	57 175.79	2 894	344.37	R600	39 840.74	2 889 600.96
L601	57 096.35	2 894	358.61	R601	39 659.36	2 889 498.96
L602	55 991.92	2 894	708.32	R602	39 610.82	2 889 471.67
L603	55 851.98	2 894	741.81	R603	39 477.97	2 889 396.97
L604	55 813.38	2 894	745.48	R604	39 296.58	2 889 294.97
L605	55 775.03	2 894	738.53	R605	39 277.67	2 889 284.33
L606	55 595.08	2 894	673.02	R606	39 250.26	2 889 268.92
L607	55 583.21	2 894	657.40	R607	39 229.02	2 889 256.98
L608	55 562.40	2 894	630.03	R608	39 096.09	2 889 182.23
L609	55 444.41	2 894	773.00	R609	38 957.34	2 889 104.04
L610	55 357.37	2 894	873.75	R610	38 913.45	2 889 080.77
L611	55 311.21	2 894	905.74	R611	38 883.54	2 889 064.91
L612	55 173.76	2 894	954.41	R612	38 870.00	2 889 058.48

Vel Sheet	39	Van of	41	P1100/18
-----------	----	--------	----	----------



PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			LINKERKANT/LEFT HAND SIDE		
	Y	X	WG 29°	Y	X
L680	44 695.43	2 892 363.58		L731	39 176.67 2 889 157.56
L681	44 619.71	2 892 321.37		L732	38 995.20 2 889 055.59
L682	44 464.96	2 892 230.70		L733	38 912.19 2 889 008.94
L683	44 263.05	2 892 110.61		L734	38 838.81 2 888 974.26
L684	44 181.32	2 892 061.99		L735	38 834.32 2 888 972.14
L685	44 154.25	2 892 045.89		L736	38 800.10 2 888 957.82
L686	44 130.30	2 892 031.65		L737	38 754.96 2 888 938.93
L687	43 935.84	2 891 915.96		L738	38 674.04 2 888 909.40
L688	43 808.66	2 891 840.30		L739	38 591.89 2 888 883.82
L689	43 714.02	2 891 783.98		L740	38 558.76 2 888 874.29
L690	43 632.78	2 891 735.65		L741	38 511.21 2 888 860.62
L691	43 526.72	2 891 672.54		L742	38 492.42 2 888 855.22
L692	43 356.58	2 891 571.63		L743	38 367.41 2 888 819.27
L693	43 339.59	2 891 561.48		L744	38 301.61 2 888 795.64
L694	43 169.99	2 891 460.07		L745	38 276.92 2 888 786.78
L695	43 000.38	2 891 358.66		L746	38 218.61 2 888 765.83
L696	42 983.39	2 891 348.55		L747	38 169.49 2 888 740.09
L697	42 813.37	2 891 247.50		L748	38 160.38 2 888 729.58
L698	42 642.71	2 891 146.09		L749	38 099.63 2 888 659.46
L699	42 625.93	2 891 136.18		L750	38 054.30 2 888 570.24
L700	42 498.41	2 891 060.94		L751	38 089.73 2 888 538.73
L701	42 291.68	2 890 937.31		L752	38 105.92 2 888 530.89
L702	41 983.99	2 890 754.17		L753	38 099.82 2 888 487.53
L703	41 712.48	2 890 592.92		L754	37 974.45 2 888 538.99
L704	41 587.54	2 890 519.22		L755	37 828.99 2 888 598.84
L705	41 564.12	2 890 507.40		L756	37 796.17 2 888 612.45
L706	41 450.65	2 890 439.86		L757	37 714.30 2 888 620.55
L707	41 429.12	2 890 427.04		L758	37 658.04 2 888 609.59
L708	41 388.64	2 890 402.95		L759	37 626.65 2 888 603.49
L709	41 210.08	2 890 300.15		L760	37 327.50 2 888 521.50
L710	41 066.80	2 890 219.64		L761	37 212.53 2 888 488.95
L711	41 029.26	2 890 198.55		L762	37 192.06 2 888 482.27
L712	40 847.79	2 890 096.58		L763	37 173.28 2 888 476.88
L713	40 828.85	2 890 085.94		L764	36 712.26 2 888 344.57
L714	40 706.26	2 890 017.05		L765	36 254.29 2 888 213.39
L715	40 680.82	2 890 002.76		L766	35 764.50 2 888 073.09
L716	40 647.38	2 889 983.97			
L717	40 465.91	2 889 881.99			
L718	40 320.29	2 889 800.17			
L719	40 284.44	2 889 780.02			
L720	40 102.97	2 889 678.05			
L721	39 959.75	2 889 597.58			
L722	39 938.55	2 889 585.67			
L723	39 921.49	2 889 576.08			
L724	39 740.02	2 889 474.11			
L725	39 578.01	2 889 383.07			
L726	39 558.55	2 889 372.14			
L727	39 377.08	2 889 270.17			
L728	39 358.16	2 889 259.53			
L729	39 217.51	2 889 180.50			
L730	39 196.28	2 889 168.57			

Vel Sheet	41	Van of	41	P1100/18
-----------	----	--------	----	----------