

## DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE

NO. 5460

25 October 2024

AGRÉMENT SOUTH AFRICA  
(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 18 July 2024, **reappraised** an Agrément certificate, details of which appear in the schedule hereto.

## SCHEDULE

Agrément certificate 2013/436 (Reappraisal July 2024): Exelis Development Building System

**Subject:** Exelis Development Building System

**Certificate holder:** Exelis Development (Pty) Ltd

**Description:** The Exelis Development Building System combines innovative and conventional construction methods. It is a single-storey structure that uses factory-produced wall and roof panels. Walls are 2400 mm x 1200 mm x 150 mm thick lightweight sandwich panels comprising a polyurethane (PU) or Expanded Polystyrene (EPS) core encapsulated in two layers of 15 mm thick Magnesium Oxide (MgO) boards.

The foundations are cast in-situ concrete surface beds with thickened edge beams. They are always designed by a professional engineer or competent person. The roof panels are made of the same material as the wall panels and are externally clad with light or heavyweight cladding.

Alternatively insulated roofs are conventional.

Windows are "clisco" type frames and door frames are made of galvanised pressed steel.

All other services are conventional.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>.

Copies are obtainable from: Chief Executive Officer (CEO) Agrément South Africa, P O Box 1022, GARSFONTEIN, 0042