
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 5556


18 November 2024

NATIONAL ROAD TRAFFIC ACT, 1996**EXEMPTION GRANTED TO MOTOR VEHICLES OWNED BY THE GAUTENG
PROVINCIAL ADMINISTRATION AND CONDITIONS OF EXEMPTION**

I, Ms. Barbara Creecy, Minister of Transport, acting in terms of section 88 of the National Road Traffic Act, 1996 (Act No. 93 of 1996) (hereinafter referred to as "the Act"), hereby, for the purpose of a new number plate pilot project to be conducted in the Gauteng Province, grant exemption to the motor vehicles owned by the Gauteng Provincial Administration (hereinafter referred to as "the G-Fleet"), and to any persons operating such motor vehicles on a public road, from complying with the provisions of section 68(1) of the Act and the provisions of regulations 27 and 35 of the National Road Traffic Regulations, 2000, as published in Government Notice No. R. 225 of 17 March 2000 (hereinafter referred to as "the Regulations"), subject to the following conditions:

- (a) Every motor vehicle of which the G-Fleet is the owner must display a number plate that complies with the specifications stipulated in the Schedule hereto; and
- (b) the licence number allocated to a motor vehicle in the G-Fleet, upon licensing of such a motor vehicle in terms of the Act, must be displayed on the number plate referred to in paragraph (a).

This Notice shall come into operation on the date of publication in the Government Gazette.


MS. B.D CREECY, MP
MINISTER OF TRANSPORT

SCHEDULE

SPECIFICATIONS FOR NUMBER PLATES EXEMPTED IN TERMS OF SECTION 88 OF THE ACT

Definitions

1. In this Notice, any word or expression to which a meaning has been assigned in the Act or the Regulations, has the meaning so assigned and, unless the context indicates otherwise—

“G-Fleet” means all the motor vehicles owned by the Gauteng Provincial Administration;

“national flag” means the South African national flag as provided for in section 5 of the Constitution of the Republic of South Africa, 1996;

“pin stamping” means the physical pinning of a mark on the number plate in such a manner that the mark can be read by electronic means, and the mark must penetrate both the reflective and metal layers of the number plate;

“SANS (South African National Standard)” means a standard approved by the SABS under the Standards Act, 2008 (Act No. 8 of 2008);

“the Act” means the National Road Traffic Act, 1996 (Act No. 93 of 1996).

G-FLEET NUMBER PLATE SPECIFICATIONS

2. A number plate affixed to a motor vehicle in the G-Fleet must be an embossed aluminium number plate, which must comply with—

- (a) SANS1116 “Retro-reflective number plates for motor vehicles”, Part 1: “Blank number plates (aluminium)”; and

- (b) SANS1116 “Retro-reflective number plates for motor vehicles”, Part 2: “Number plates (aluminium)”.

3. A number plate contemplated in paragraph 2 must—

- (a) bear a South African Bureau of Standards certification mark on the bottom right below the licence mark of the Gauteng Province;
- (b) bear a security feature positioned immediately below the United Nations Country Sign “ZA” as referred to in paragraph 4(4), and that must—
 - (i) be 10 mm x 10 mm in size;
 - (ii) be in the form of a square two-dimensional barcode applied by means of pin stamping;
 - (iii) be created by using GS1 Standard Data Matrix ECC200 barcodes; and
 - (iv) carry the unique identification code for each number plate, which must act as the carrier of the information for authentication and track and trace purposes.
- (c) bear the mark of the manufacturer and the batch number of the blank plate, —
 - (i) in the case of blank number plates 520 mm x 113 mm in size, both at the bottom right corner of the dividing line; and
 - (ii) in the case of blank number plates 250 mm x 205 mm, and 250 mm x 165 mm in size, both at the bottom left corner of the dividing line;
- (d) have a white retro-reflective surface;

- (e) have letters and figures in red; and
- (f) be clearly legible and visible.

4. The number plate referred to in paragraph 2 must display—

- (a) the national flag—
 - (i) in the colours specified in SANS 1091: National Colour Code;
 - (ii) on the top left before the dividing line;
 - (iii) the dimensions of which must be as follows:
 - (aa) For the 520 mm x 113 mm and the 250 mm x 205 mm number plates, 35 mm x 23,33 mm; (bb) for the 250 mm x 165 mm number plate, 18 mm x 12 mm; and
 - (cc) positioned 11 mm from the left and 13 mm from the top edges of the number plate, in terms of SANS 1116;
- (b) a decal, which complies with SANS 1116 that must be permanently affixed to the number plate in the space below the security feature contemplated in paragraph 3(b), and that must—
 - (i) self-destruct if an attempt is made to remove such decal;
 - (ii) have a dimension of 36 mm X16 mm with a coloured background with black or white letters and figures depicting the year of expiry of the number plate;
 - (iii) have a sequential number containing letters identifying the province and a sequence of at least nine figures; and

- (iv) have a rectangular two-dimensional barcode of a size 8 mm x 8 mm, which must be used to link the decal to the unique identification code of that number plate;
 - (c) the country name: "South Africa", in capital Latin characters using bold Arial font not exceeding size 24 and not exceeding 6 mm in height and 40 mm in width, positioned immediately below the national flag;
 - (d) the United Nations code for South Africa: "ZA", in black, immediately below the country name: "South Africa", and above the square two-dimensional barcode;
 - (e) a vertical black dividing line, with a width of 2 mm and positioned 60 mm from the left edge of the number plate, and which must separate the graphics on the number plate from the licence number on the number plate;
 - (f) the word "GAUTENG", on the top of the number plate centred between the dividing line and the right edge of the number plate in black Arial font of a size of 6 mm for all number plates, except number plates of the size 250 mm x 165 mm, which must have wording of the size 4 mm;
 - (g) the allocated licence number to the right of the dividing line; and
 - (h) the licence mark of Gauteng Province after the licence number.
5. The letters and figures on a number plate must be arranged—
- (a) with all the letters and figures in one line;
 - (b) with the letters preceding the figures in one line and immediately thereunder, the figures and, if applicable, the last letter in one line; or
 - (c) with the letters or the figures in one line, and immediately thereunder—

- (i) the figures and letters;
- (ii) the letters and letters; or
- (iii) the letters and figures,

and, if applicable, immediately thereunder, the letters in one line.

6. The national flag, the country name: "SOUTH AFRICA", the United Nations code: "ZA", and all characters contemplated in this Schedule must be printed under the topcoat of the retro-reflective surface in accordance with SANS:1116 with translucent ink.

7. A number plate complying with the specifications stipulated in this Schedule shall look substantially similar to the Government Vehicle Number Plate (Red) example illustrated below,



DEPARTEMENT VAN VERVOER

NO. 5556

18 November 2024


WET OP NASIONALE PADVERKEER, 1996

VRYSTELLING GEE AAN MOTORVOERTUIE WAT DEUR DIE GAUTENG PROVINSIALE ADMINISTRASIE BESIT IS EN VRYSTELLINGS VOORWAARDES

Ek, Me Barbara Creecy, Minister van Vervoer, ingevolge artikel 88 van die Nasionale Padverkeerswet, 1996 (Wet No. 93 van 1996), hierby, vir die doel van 'n nuwe nommerplaat loods projek wat in die Gauteng Provinsie uitgevoer gaan word, gee vrystelling aan die motorvoertuie wat deur die Gauteng Provinsiale Administrasie besit word (hierna verwys as "die G-Vloot"), en aan die persone wat sulke motorvoertuie op 'n openbare pad bedryf, van voldoening met die bepalings van artikel 68(1) van die Wet en die bepalings van regulasies 27 en 35 van die Nasionale Padverkeersregulasies, 2000, soos gepubliseer in Goewermentskennisgewing No. R. 225 van 12 Maart 2000 (hierna verwys as "die Regulasies"), onderworpe aan die volgende voorwaardes:

- (a) Elke motorvoertuig wat deel vorm van die G-Vloot moet 'n nommerplaat vertoon wat voldoen aan die spesifikasies uiteengesit in die Bylae hiervan; en
- (b) Moet die lisensienommer wat aan 'n motorvoertuig in die G-Vloot toegeken is, by lisensiëring van 'so 'n motorvoertuig ingevolge die Wet, op die nommerplaat in paragraaf (a) bedoel vertoon word.

Hierdie Kennisgewing en tree in werking op datum van publikasie in die Staatskoerant.



ME B. D CREECY, LP
MINISTER VAN VERVOER

BYLAE**SPESIFIKASIES VIR NOMMERPLATE WAT VRYGESTEL IS
INGEVOLGEARTIKEL 88 VAN DIE WET****Woordomskrywing**

1. In hierdie Kennisgewing het enige woord of uitdrukking waaraan 'n betekenis in die Wet of die Regulasies toegeken is, die betekenis wat aldus toegeken en, tensy tensy uit die samehang anders blyk —

“G-Vloot” beteken al die motorvoertuie waarvan die eienaar die Gauteng Provinsiale Administrasie is;

“Nasionale vlag” die Suid-Afrikaanse nasionale vlag soos bepaal in artikel 5 van die Grondwet van die Republiek van Suid-Afrika, 1996;

“Penstempel” die fisiese vaspen van 'n merk op die nommerplaat op so 'n wyse dat die merk op elektroniese wyse gelees kan word, en die merk moet beide die truakaatsende en metaallae van die nommerplaat binnedring;

“SANS” (Suid-Afrikaanse Nasionale Standaard) beteken 'n standaard wat deur die SABS goedgekeur is ingevolge die Wet op Standaarde, 2008 (Wet No. 8 van 2008); and

“die Wet” die Nasionale Padverkeerswet, 1996 (Wet No. 93 van 1996),

G-VLOOT NOMMERPLAAT SPESIFIKASIES

2. 'n Nommerplaat wat op 'n motorvoertuig in die G-Vloot aangebring is, moet 'n reliëf-aluminiumnommerplaat wees, wat moet voldoen aan—

(a) Suid-Afrikaanse Nasionale Standaard-1116 “Retroreflektiewe nommerplate vir motorvoertuie”, Deel 1: “Blanko nommerplate (aluminium)”; en

(b) Suid-Afrikaanse Nasionale Standaard -1116 "Retro-reflektiewe nommerplate vir motorvoertuie", Deel 2: "Nommerplate (aluminium)".

3. 'n Nommerplaat beoog in paragraaf 2 moet—

(a) 'n Suid-Afrikaanse Buro vir Standaarde-sertifiseringsmerk regs onder, onder die lisensiemerk van die Gauteng Provinsie dra;

(b) 'n sekuriteitskenmerk dra wat onmiddellik onder die Verenigde Nasies se landteken "ZA" soos bedoel in paragraaf 4(4) geplaas is, en wat—

(i) 10 mm x 10 mm groot is;

(ii) in die vorm van 'n vierkantige twee-dimensionele strepieskode wat deur middel van 'n penstempel aangebring word, wees;

(iii) vervaardig word deur die GS1 Standard Data Matrix ECC200 strepieskodes te gebruik; en

(iv) die unieke identifikasiekode vir elke nommerplaat vertoon met die inligting vir opspoor doeleindes te vertoon;

(c) die merk van die vervaardiger en die lotnommer van die blanko nommerplaat vertoon, —

(i) in die geval van blanko nommerplate met 'n grootte van 520 mm x 113 mm, albei regs onder die skeidslyn; en

(ii) in die geval van blanko nommerplate met 'n grootte van 250 mm x 205 mm, en 250 mm x 165 mm, albei links onder die skeidslyn;

(d) 'n wit retro-reflektiewe oppervlak hê;

(e) letters en syfers in rooi hê; en

(f) duidelik leesbaar en sigbaar wees.

4. Die nommerplaat waarna in paragraaf 2 verwys word, moet—

(a) die nasionale vlag-

(i) in die kleure gespesifiseer in SANS 1091: Nasionale Kleurkode;

(ii) links bo voor die skeidslyn;

(iii) waarvan die afmetings soos volg moet wees:

(aa) Vir die 520 mm x 113 mm- en die 250 mm x 205 mm-nommerplate, 35 mm x 23,33 mm;

(bb) vir die 250 mm x 165 mm-nommerplaat, 18 mm x 12 mm; en

(cc) 11 mm van links en 13 mm van die boonste rande van die nommerplaat geplaas, ingevolge SANS 1116; vertoon;

(b) 'n plakker wat aan SANS 1116 voldoen wat permanent op die nommerplaat in die spasie onder die sekuriteitskenmerk bedoel in paragraaf 3(b) aangebring moet word, en wat—

(i) selfvernietig indien 'n poging aangewend word om sodanige plakker te verwyder;

(ii) 'n afmeting van 36 mm X16 mm hê met 'n gekleurde agtergrond met swart of wit letters en syfers wat die jaar van vervaldatum van die nommerplaat aantoon;

(iii) 'n opeenvolgende nommer hê wat letters bevat wat die provinsie identifiseer en 'n ry van minstens nege syfers; en

(iv) 'n reghoekige tweedimensionele strepieskode van 'n grootte 8 mm x 8 mm hê, wat gebruik moet word om die plakker aan die unieke identifikasiekode van daardie nommerplaat te koppel;

(c) die landnaam: "Suid-Afrika", in Latynse hoofletters wat vetgedrukte Arial-lettertipes van hoogstens 24 en hoogstens 6 mm in hoogte en 40 mm in breedte gebruik, onmiddellik onder die nasionale vlag geplaas;

(d) die Verenigde Nasies-kode vir Suid-Afrika: "ZA", in swart, onmiddellik onder die landsnaam: "Suid-Afrika", en bokant die vierkantige tweedimensionele strepieskode;

(e) 'n vertikale swart skeidslyn, met 'n breedte van 2 mm en geplaas 60 mm vanaf die linkerrand van die nommerplaat, en wat die grafika op die nommerplaat van die lisensienommer op die nommerplaat moet skei;

(f) die woord "GAUTENG", aan die bokantvan die nommerplaat gesentreer tussen die skeidslyn en die regterrand van die nommerplaat in swart Arial-lettertipe met 'n grootte van 6 mm vir alle nommerplate, behalwe nommerplate met die grootte 2 van 50 mm x 165 mm, wat bewoording van 4 mm grootte moet hê;

(g) die lisensienommer at toegeken is regs van die skeidslyn; en

(h) die lisensiemark van die Gauteng Provinsie na die lisensienommer.

5. Die letters en syfers op 'n nommerplaat moet gerangskik wees—

(a) met al die letters en syfers in een reël;

(b) met die letters wat die syfers voorafgaan in een reël en onmiddellik daaronder, die syfers en, indien van toepassing, die laaste letter in een reël; of

(c) met die letters of die syfers in een reël, en onmiddellik daaronder—

(i) die syfers en letters;

(ii) die letters en letters; of

- (iii) die letters en syfers,
en, indien van toepassing, onmiddellik daaronder, die letters in een reël.
6. Die nasionale vlag, die landsnaam: "SUID-AFRIKA", die Verenigde Nasies-kode: "ZA", en alle karakters wat in hierdie Bylae bedoel word, moet onder die bolaag van die retro-reflektiewe oppervlak in ooreenstemming met SANS:1116 met deurskynende ink, gedruk word.
7. 'n Nommerplaat wat voldoen aan die spesifikasies uiteengesit in hierdie Bylae sal wesenlik ooreenstemmet die Staatsvoertuig Nommerplaat (Rooi) voorbeeld hieronder geïllustreer,

