DEPARTMENT OF TRADE, INDUSTRY AND COMPETITION

NOTICE 3142 OF 2025

INTERNATIONAL TRADE ADMINISTRATION COMMISSION <u>CUSTOMS TARIFF APPLICATIONS</u> <u>LIST 04/2025</u>

The International Trade Administration Commission (herein after referred to as ITAC or the Commission) has received the following application concerning the Customs Tariff. Any objection to or comment on this representation should be submitted to the Chief Commissioner, ITAC, Private Bag X753, Pretoria, 0001. Attention is drawn to the fact that the rate of duty mentioned in this application is that requested by the applicant and that the Commission may, depending on its findings, recommend a lower or higher rate of duty.

CONFIDENTIAL INFORMATION

The submission of confidential information to the Commission in connection with customs tariff applications is governed by section 3 of the Tariff Investigations Regulations, which regulations can be found on ITAC's website at <u>http://www.itac.org.za/documents/R.397.pdf</u>. These regulations require that if any information is considered to be confidential, then a <u>non-confidential version of the information must be submitted</u>, simultaneously with the confidential version. In submitting a non-confidential version the regulations are strictly applicable and require parties to indicate:

- □ Each instance where confidential information has been omitted and the reasons for confidentiality;
- □ A summary of the confidential information which permits other interested parties a reasonable understanding of the substance of the confidential information; and
- □ In exceptional cases, where information is not susceptible to summary, reasons must be submitted to this effect.

This rule applies to all parties and to all correspondence with and submissions to the Commission, which unless clearly indicated to be confidential, will be made available to other interested parties.

The Commission will disregard any information indicated to be confidential that is not accompanied by a proper non-confidential summary or the aforementioned reasons. If a party considers that any document of another party, on which that party is submitting representations, does not comply with the above rules and that such deficiency affects that party's ability to make meaningful representations, the details of the deficiency and the reasons why that party's rights are so affected must be submitted to the commission in writing forthwith (and at the latest 14 days prior to the date on which that party's submission is due).

Failure to do so timeously will seriously hamper the proper administration of the investigation, and such party will not be able to subsequently claim an inability to make meaningful representations on the basis of the failure of such other party to meet the requirements.

REVIEW OF THE TARIFF STRUCTURE FOR INPUT MATERIAL, COMPONENTS AND FINAL GOODS USED IN THE RENEWABLE ENERGY VALUE CHAIN

INITIATED BY:

International Trade Administration Commission of South Africa ('ITAC') Private Bag X 753 Pretoria 0001

REASONS FOR THE REVIEW:

- Global decarbonisation commitments present new opportunities for the growth of a strong South African supply base of renewable energy components and finished products, battery storage units, as well as green consumer goods;
- The domestic demand trajectory, raw materials resource base, technological capacity and manufacturing experience places South Africa in a potentially strong position to become a key player in regional and international supply chains; and
- When carefully balanced, an improved tariff structure will increase the demand for, as well
 as the supply-competitiveness of, locally manufactured products and components; this will
 further enable export market opportunities; and will enhance the competitiveness of the
 local renewable value chain.

Interested parties are invited to submit comments on the following:

- The possibility of increasing ordinary customs duties on some of the tariff lines listed in Table 1 below to their respective WTO bound rates, to the extent that there is capability or potential to manufacture them locally in order to improve the overall tariff structure and the effective rate of protection;
- The possibility of creating rebate provisions for some of the products on this list to the extent they are input materials to downstream manufacturing activities, and they are not manufactured locally;
- The potential discontinuation of rebate item 460.16/8541.43/01.06 that makes provision for the duty-free importation of solar PV panels, provided that installed domestic capacity reaches at least 50% of domestic demand, in order to incentivise further investments in the domestic assembly and manufacturing industry;
- Proposals on the identification of additional products in the renewable energy value chain to be subjected to local content requirements. This is to be done in collaboration with the Department pf Trade, Industry and Competition under the framework of the new Public Procurement Act 28 of 2024, once the regulations for the policy have been developed.

- The potential relaxation of Import Control Regulations for any critical minerals, or any other product, used as input material in downstream manufacturing activities in the renewable energy industry, particularly in battery storage technologies, to the extent that this would incentivise domestic manufacturing and investment; and
- The potential introduction of export control regulations for any critical minerals, or any other product, used as input material in downstream manufacturing activities in the renewable energy industry, particularly in battery storage technologies, to the extent that this would ensure security of supply and incentivise domestic manufacturing and investment.

PUBLICATION PERIOD:

Representations should be made within four (4) weeks of the date of notice.

Enquiries: ITAC Ref: **21/2024**. Pfarelo Phaswana/Nonqubeko Sikhakhana/Rethabile Molala. Tel: 012 394 3683/3628/3835/3658 or email: <u>pphaswana@itac.org.za/ nsikhakhana@itac.org.za/ rmolala@itac.org.za</u>.

TABLE 1

| | Solar PV Value Chain | | |
|--------------------------|--|-------------|------------|
| 28.04 | | | |
| 2804.6 | Silicon: | | |
| 2804.61 | -Containing by mass 99,99 per cent or more of silicon | Free | 10% |
| 2804.70 | -Phosphorus | Free | 10% |
| 2804.80 | -Arsenic | Free | 10% |
| 2804.90 | -Selenium | Free | 10% |
| 74.08 | Copper wire: | | |
| 7408.1 | -Of refined copper: | | |
| 7408.11 | Of which the maximum cross-sectional dimension exceeds 6 mm | Free | 15% |
| 7408.19 | Other | Free | 15% |
| 76.04 | Aluminium bars, rods and profiles: | | |
| 7604.10 | -Of aluminium, not alloyed: | | |
| 7604.10.35 | Bars and rods, of a maximum cross-sectional dimension not exceeding 160 mm | 5% | 15% |
| 7604.10.65 | Profiles, of a maximum cross-sectional dimension not exceeding 370 mm | 5% | 15% |
| 7604.10.90 | Other | Free | 15% |
| 7604.2 | -Of aluminium alloys: | | |
| 7604.21 | Hollow profiles | | |
| 7604.21.90 | Other | Free | 15% |
| 7604.29 | Other: | | |
| 7604.29.90 | Other | Free | 15% |
| 84.79 | Machines and mechanical appliances having individual functions, no elsewhere in this Chapter: | t specified | or include |
| 8479.30 | -Presses for the manufacture of particle board or fibre building board of wood or other ligneous materials and other machinery for treating wood or cork | Free | 10% |
| 8479.40 | -Rope or cable-making machines | Free | 10% |
| | | | |
| 7318 | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter-pins, washers (including spring washers) and similar articles, of iron or steel: | | |
| 7318.1 7318.12 | Threaded articles: | Free | 150/ |
| | Other wood screws | Free | 15% |
| 7318.14 7318.15 | Self-tapping screws | Free | 30% |
| 7318.15 | Other screws and bolts, whether or not with their nuts or washers: | Free | 30% |
| 1318.13.33 | Bolts (including bolt ends, screw studs and screw studding) identifiable for use on aircraft | Free | 30% |
| 7318.15.37 | Other screws and bolts, fully threaded with hexagon heads, of stainless steel | 10% | 30% |
| 7318.16 | Nuts: | _ | |
| 7318.16.10 | Of stainless steel | Free | 30% |
| 7318.16.2 | Hexagon dome nuts, hexagon nuts with non-metallic inserts, hexage hexagon self-locking nuts: | gon collare | d nuts and |
| 7318.16.21 | Hexagon nuts with nylon inserts | 10% | 30% |
| 7318.16.23 | Hexagon nuts with other non-metallic inserts | 10% | 30% |

| 8541.10 8541.4 8541.41 8541.42 8541.49 Tariff classification/HS | Photosensitive semiconductor devices, including photovoltaic cells assembled into modules or made up into panels; light-emitting diode Light-emitting diodes (LED) Photovoltaic cells not assembled in modules or made up onto panels Other Article Description | whether or no | |
|---|---|--|--------------------------|
| 8541.4 8541.41 8541.42 | Photosensitive semiconductor devices, including photovoltaic cells assembled into modules or made up into panels; light-emitting diode Light-emitting diodes (LED) Photovoltaic cells not assembled in modules or made up onto panels | whether or no es (LED): Free Free | t 10% 10% |
| 8541.4 8541.41 8541.42 | Photosensitive semiconductor devices, including photovoltaic cells assembled into modules or made up into panels; light-emitting diode Light-emitting diodes (LED) Photovoltaic cells not assembled in modules or made up onto panels | whether or no es (LED): Free Free | t 10% 10% |
| 3541.4 3541.41 | Photosensitive semiconductor devices, including photovoltaic cells assembled into modules or made up into panels; light-emitting diod Light-emitting diodes (LED) | whether or no es (LED): Free | t 10% |
| | Photosensitive semiconductor devices, including photovoltaic cells assembled into modules or made up into panels; light-emitting diod | whether or no | |
| 3541 10 | | | |
| 85.41 | Semi-conductor devices (for example, diodes, transistors, semicond photosensitive semiconductor devices, including photovoltaic cells in modules or made up into panels; light-emitting diodes (LED), whet other light-emitting diodes (LED); mounted piezo-electric crystals: Diodes (excluding photosensitive or light-emitting diodes (LED)) | whether or not | assembl |
| | | | |
| 8537.10.90 | Other | 5% | 30% |
| 8537.10.30 | Equipped with apparatus of subheading 8536.20.15 or 8536.50.50 | 15% | 30% |
| 85.37 8537.10 | Boards, panels, consoles, desks, cabinets and other bases, equapparatus of heading 85.35 or 85.36, for electric control or the including those incorporating instruments or apparatus of Chapter apparatus (excluding switching apparatus of heading 85.17): -For a voltage not exceeding 1 000 V: | distribution of | electric |
| | | 0.0 | 0070 |
| 8536.61.90 | Other | 5% | 30% |
| 8536.61.40 | Other, for a voltage of less than 500 V | 10% | 30% |
| 8536.61.30 | Other, for fluorescent lamps | 10% | 30% |
| 8536.61 | Lamp-holders: | T | |
| 8536.6 | Lamp-holders, plugs and sockets: | 1100 | 50 /0 |
| 8501.3 | Of an output not exceeding 750 W | s): Free | 30% |
| 85.01 8501.3 | Electrical motors and generators (excluding generating sets): Other DC motors; DC generators, (excluding photovoltaic generator | | |
| | | | |
| 8479.89.90 | | Free | 10% |
| 8479.89 | elsewhere in this Chapter (Tracker units): | or specified Of | Included |
| 84.79 | Machines and mechanical appliances having individual functions, n | ot specified or | included |
| 7610.90 | -Other | 10% | 15% |
| 7610.10 | -Doors, windows and their frames and thresholds for doors | 10% | 15% |
| 76.10 | Aluminium structures (excluding prefabricated buildings of head structures (for example, bridges and bridge-sections, towers, lat frameworks, doors and windows and their frames and thresholds for and columns); aluminium plates, rods, profiles, tubes and the structures: | tice masts, ro doors, balustra | ofs roofi ades, pilla |
| 70.40 | Aluminium atmosferes (avaluation metabolistical buildings of boa | | d u outo |
| 7318.22 | Other washers | Free | 30% |
| 7318.21.90 | Other | Free | 30% |
| 7318.21.10 | Spring washers, split or double-coiled | 10% | 30% |
| 7318.21 | Spring washers and other lock washers: | | |
| | -Outer -Non-threaded articles: | 1370 | 50% |
| 7318.2 | Other | 10% | 30% 30% |

| | Wind Energy Value Chain | | |
|------------|---|--------------------------|------------------------------|
| 72.06 | Iron and non-alloy steel in ingots or other primary forms (excluding | | |
| 7206.10 | iron of heading 72.03): -Ingot | Free | 10% |
| | | | |
| 7206.90 | -Other | Free | 10% |
| 76.10 | Aluminium structures (excluding prefabricated buildings of head structures (for example, bridges and bridge-sections, towers, latti frameworks, doors and windows and their frames and thresholds for c and columns); aluminium plates, rods, profiles, tubes and the li structures: | ce masts, loors, balu | roofs, roof strades, pill |
| 7610.90 | -Other | | |
| 7610.90.10 | For electric power lines (including transmission towers or pylons) and power substations | 10% | 15% |
| 85.02 | Electric generating sets and rotary converters: | | |
| 8502.1 | -Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines): | _ | |
| 8502.20 | - Generating sets with spark-ignition internal combustion piston engines | Free | 20% |
| 8502.3 | - Other generating sets | | |
| 8502.31 | Wind-powered | Free | 20% |
| 8502.39 | Other | Free | 20% |
| 85.04 | Electrical transformers, static converters (for example, rectifiers) and inductors: | | |
| 8504.10 | -Ballasts for discharge lamps or tubes | 10% | 15% |
| 8504.2 | -Liquid dielectric transformers: | | |
| 8504.21 | Having a power handling capacity not exceeding 650 kVA | 10% | 15% |
| 8504.21 | Having a power handling capacity exceeding 650 kVA but not exceeding 10 000 kVA | 10% | 15% |
| 8504.23 | Having a power handling capacity exceeding 10 000 kVA | 10% | 15% |
| 8504.3 | -Other transformers: | | |
| 8504.31 | Having a power handling capacity not exceeding 1 kVA | 10% | 15% |
| 8504.32 | Having a power handling capacity exceeding 1 kVA but not exceeding\ 16 kVA | 10% | 15% |
| 8504.33 | Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA | 10% | 15% |
| 8504.34 | Having a power handling capacity exceeding 500 kVA | 10% | 15% |
| 8504.40 | -Static converters | 10% | 15% |
| 8504.50 | -Other inductors | 5% | 15% |
| 8504.90 | -Other | 5% | 15% |
| 85.44 | Insulated (including enamelled or anodised) wire, cable (including co-axial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with electric conductors or fitted with connectors: | | |
| 8544.20 | -Co-axial cable and other co-axial electric conductors: | | |
| 8544.20.15 | Cable, single-core, with a centre conductor of copper plated with silver or gold, of a length exceeding 400 m and a cross-sectional dimension not exceeding 4,5 mm, not sheathed in aluminium | Free | 15% |
| 8544.30 | Ignition wiring sets and other wiring sets of a kind used in vehicles, aircraft or ships | 5% | 15% |
| 68.10 | Articles of cement, of concrete or of artificial stone, whether or not re | einforced: | I |
| 6810.9 | Other articles: | | |
| | | | |

| 7308.40 | Structures (excluding prefabricated buildings of heading 94.06) a example, bridges and bridge-sections, lock-gates, towers, lattice m works, doors and windows and their frames and thresholds for do pillars and columns), of iron or steel; plates, rods, angles, shapes, s prepared for use in structures, of iron or steel: -Equipment for scaffolding, shuttering, propping or pit-propping: | nasts, roofs, roo oors, shutters, b | ofing frame alustrades |
|---|---|--|---|
| | | | |
| 7308.40.90 | Other | Free | 15% |
| 7316.00 | Anchors, grapnels and parts thereof, of iron or steel | Free | 15% |
| 84.12 | Other engines and motors: | | |
| 8412.80 | -Other: | | |
| 8412.80.10 | Generators for wind turbines | Free | 15% |
| | | | |
| 85.04 | Electrical transformers, static converters (for example, rectifiers) a | nd inductors: | |
| 8504.3 | -Other transformers: | | |
| 8504.40 | -Statis converters | Free | 15% |
| 8504.90 | -Parts | 5% | 15% |
| Tariff classification/HS Code | Article Description | Applicable Rate of Duty | Bound Rate |
| | Battery Energy Storage Value Chain | | |
| 38.01 | Artificial graphite; colloidal or semi-colloidal graphite; preparations other carbon in the form of pastes, blocks, plates or other semi-ma | | hite or |
| | - Artificial graphite: Unmachined electrodes | | 10% |
| | | Free | |
| | | | |
| 3801.10.90 | Other | Free | 10% |
| 3801.10.90 3801.20 | Other - Colloidal or semi-colloidal graphite | Free Free | 10% 10% |
| 3801.10.10 3801.10.90 3801.20 3801.30 | Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings | Free Free Free | 10% 10% 10% |
| 3801.10.90 3801.20 3801.30 | Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace | Free Free | 10% 10% |
| 3801.10.90 3801.20 3801.30 3801.90 | Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings | Free Free Free | 10% 10% 10% |
| 3801.10.90 3801.20 | Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other | Free Free Free | 10% 10% 10% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 | Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: | Free Free Free Free | 10% 10% 10% 10% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 7502.20 | Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed | Free Free Free Free Free Free | 10% 10% 10% 10% 5% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 7502.20 78.01 | Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys | Free Free Free Free Free Free | 10% 10% 10% 10% 5% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 7502.20 78.01 7801.10 | Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: | Free Free Free Free Free Free Free | 10% 10% 10% 5% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 | - Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead | Free Free Free Free Free Free Free | 10% 10% 10% 5% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 7502.20 78.01 7801.91 7801.91 | - Other - Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead - Other: | Free Free Free Free Free Free Free Free Free | 10% 10% 10% 5% 5% 5% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 7502.20 78.01 7801.10 7801.9 | - Other - Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead - Other: Containing by mass antimony as the principal other element Other Electric accumulators, including separators therefor, whether or no square): | Free | 10% 10% 10% 10% 5% 5% 5% 5% 5% 5% 5% 5% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 7502.20 78.01 7801.10 7801.9 7801.91 7801.99 85.07 | - Other - Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead - Other: - Containing by mass antimony as the principal other element Other Electric accumulators, including separators therefor, whether or no | Free | 10% 10% 10% 10% 5% 5% 5% 5% 5% 5% 5% 5% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 7502.20 78.01 7801.91 7801.99 85.07 8507.10 | - Other - Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead - Other: Containing by mass antimony as the principal other element Other Electric accumulators, including separators therefor, whether or no square): | Free Free <t< td=""><td>10% 10% 10% 10% 5% 5% 5% 5% 5%</td></t<> | 10% 10% 10% 10% 5% 5% 5% 5% 5% |
| 3801.10.90 3801.20 3801.30 3801.90 75.02 7502.10 7502.20 78.01 7801.10 7801.9 7801.91 7801.99 | - Other - Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead - Other: - Containing by mass antimony as the principal other element Other Electric accumulators, including separators therefor, whether or no square): - Lead-acid, of a kind used for starting piston engines: | Free Free <t< td=""><td>10% 10% 10% 10% 5% 5% 5% 5% 5%</td></t<> | 10% 10% 10% 10% 5% 5% 5% 5% 5% |
| 3801.10.90 3801.20 3801.30 3801.30 75.02 75.02 7502.10 7502.20 78.01 7801.91 7801.91 7801.99 85.07 8507.10 8507.10.1 | - Other - Colloidal or semi-colloidal graphite - Carbonaceous pastes for electrodes and similar pastes for furnace Linings - Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead - Other: - Containing by mass antimony as the principal other element - Other Electric accumulators, including separators therefor, whether or no square): - Lead-acid, of a kind used for starting piston engines: - With dimensions not exceeding 185 mm (length) x 125 mm (widther element) | Free Free Free Free Free Free Free Free Free ot rectangular (in h) x 195 mm (he | 10% 10% 10% 10% 5% 5% 5% 5% 5% |
| 3801.10.90 3801.20 3801.30 3801.30 75.02 75.02 7502.20 78.01 7801.10 7801.91 7801.91 7801.99 85.07 8507.10 8507.10.11 8507.10.19 | - Other Colloidal or semi-colloidal graphite Carbonaceous pastes for electrodes and similar pastes for furnace Linings Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead Other: - Containing by mass antimony as the principal other element - Other Electric accumulators, including separators therefor, whether or not square): - Lead-acid, of a kind used for starting piston engines: - With dimensions not exceeding 185 mm (length) x 125 mm (widt) Used | Free Stree S% | 10% 10% 10% 10% 5% 5% 5% 5% 5% 5% 5% 5% 3% |
| 3801.10.90 3801.20 3801.30 3801.30 75.02 7502.10 7502.20 78.01 7801.90 7801.91 7801.99 85.07 8507.10 8507.10.11 | - Other Colloidal or semi-colloidal graphite Carbonaceous pastes for electrodes and similar pastes for furnace Linings Other Unwrought nickel: Nickel, not alloyed Nickel alloys Unwrought lead: - Refined lead Other: - Containing by mass antimony as the principal other element - Other Containing by mass antimony as the principal other element - Other | Free Stree S% | 10% 10% 10% 10% 5% 5% 5% 5% 5% 5% 5% 5% 3% |

| 8507.50 | Nickel-metal hydride | Free | 15% |
|--|--|--|---|
| 8507.60 | Lithium-ion | Free | 15% |
| 8507.80 | Other accumulators | Free | 15% |
| 8507.90 | Parts | Free | 15% |
| 28.25 | Hydrazine and hydroxylamine and their inorganic salts; other in oxides, hydroxides and peroxides: | organic bases; | other metal |
| 2825.30 | - Vanadium oxides and hydroxides | Free | 10% |
| 39.20 | Other plates, sheets, film, foil and strip, of plastics, non-cellular laminated, supported or similarly combined with other materials | | ced, |
| 3920.10 | - Of polymers of ethylene: | | |
| 3920.10.10 | Printed | 10% | 20% |
| 3920.10.90 | Other | 10% | 20% |
| | | | |
| 7402.00 | Unrefined copper; copper anodes for electrolytic refining | Free | 5% |
| | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: | elements for cha | anging the |
| 84.15 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th | elements for cha | anging the |
| 7402.00 84.15 8415.90 8415.90.90 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: | elements for cha | anging the |
| 84.15 8415.90 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: - Parts: Other Electric accumulators, including separators therefor, whether or | elements for cha ne humidity can Free | anging the not be |
| 84.15 8415.90 8415.90.90 85.07 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: - Parts: Other | elements for cha ne humidity can Free | anging the not be |
| 84.15 8415.90 8415.90.90 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: - Parts: Other Electric accumulators, including separators therefor, whether or square): | Free Free | anging the not be 15% |
| 84.15 8415.90 8415.90.90 85.07 8507.10 8507.10.1 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: - Parts: Other Electric accumulators, including separators therefor, whether or square): - Lead-acid, of a kind used for starting piston engines: | Free Free | anging the not be 15% |
| 84.15 8415.90 8415.90.90 85.07 8507.10 8507.10.1 8507.10.11 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: - Parts: Other Electric accumulators, including separators therefor, whether or square): - Lead-acid, of a kind used for starting piston engines: With dimensions not exceeding 185 mm (length) x 125 mm (w | Free Free Frote humidity can | 15% |
| 84.15 8415.90 8415.90.90 85.07 8507.10 8507.10.1 8507.10.11 8507.10.19 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: - Parts: - Other Electric accumulators, including separators therefor, whether or square): - Lead-acid, of a kind used for starting piston engines: - With dimensions not exceeding 185 mm (length) x 125 mm (w Used | Free Free Frot rectangula | anging the not be 15% r (including (height): 30% |
| 84.15 8415.90 8415.90.90 85.07 8507.10 8507.10.1 8507.10.11 8507.10.19 8507.10.9 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which th separately regulated: - Parts: Other Electric accumulators, including separators therefor, whether or square): - Lead-acid, of a kind used for starting piston engines: With dimensions not exceeding 185 mm (length) x 125 mm (w Used Other | Free Free Frot rectangula | anging the not be 15% r (including (height): 30% |
| 84.15 8415.90 8415.90.90 85.07 8507.10 | Air conditioning machines, comprising a motor-driven fan and e temperature and humidity, including those machines in which the separately regulated: - Parts: - Other Electric accumulators, including separators therefor, whether or square): - Lead-acid, of a kind used for starting piston engines: With dimensions not exceeding 185 mm (length) x 125 mm (w Other Other | elements for cha he humidity can Free r not rectangula ridth) x 195 mm 5% 5% | (height): 30% |