
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 6850

19 November 2025

DEPARTMENT OF TRANSPORT**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R61 SECTION 8

AMENDMENT OF DECLARATION No. 2358 OF 2022.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 2358 of 2022 by substituting paragraph A of the Schedule, with the accompanying sheets 1 to 8 of Plan No. P1257/25

(National Road R61 Section 8: Tombo – Port St Johns)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 6850

19 November 2025

DEPARTEMENT VAN VERVOER

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R61 SEKSIE 8

WYSIGING VAN VERKLARING No. 2358 VAN 2022.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 2358 van 2022 deur paragraaf A van die Skedule te vervang, met bygaande velle 1 tot 8 van Plan No. P1257/25.

(Nasionale Pad R61 Seksie 8: Tombo – Port St Johns)


MINISTER VAN VERVOER



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R61 of National Route Section	Vel Sheet 3 of 8 Plan P1257/25
---	---------------------------------------	---	--------------------------------------



PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y		X	WG 29°		Y		X	
L1	-42 520.66	3 498	303.74		R1	-42 496.64	3 498	322.73	
L2	-42 546.38	3 498	325.88		R2	-42 574.87	3 498	403.90	
L3	-42 576.41	3 498	343.75		R3	-42 591.82	3 498	412.32	
L4	-42 650.77	3 498	404.30		R4	-42 616.61	3 498	440.16	
L5	-42 656.14	3 498	423.67		R5	-42 641.34	3 498	457.22	
L6	-42 721.15	3 498	455.38		R6	-42 669.22	3 498	472.20	
L7	-42 765.06	3 498	469.31		R7	-42 702.55	3 498	495.31	
L8	-42 804.98	3 498	475.58		R8	-42 758.37	3 498	507.28	
L9	-42 864.57	3 498	481.03		R9	-42 789.66	3 498	504.57	
L10	-42 928.62	3 498	476.92		R10	-42 820.26	3 498	508.53	
L11	-42 985.73	3 498	466.06		R11	-42 857.28	3 498	518.59	
L12	-43 054.50	3 498	444.54		R12	-42 894.97	3 498	513.95	
L13	-43 096.90	3 498	443.32		R13	-42 916.59	3 498	515.36	
L14	-43 147.98	3 498	435.98		R14	-42 941.40	3 498	503.91	
L15	-43 197.24	3 498	436.11		R15	-42 959.36	3 498	500.97	
L16	-43 239.85	3 498	439.87		R16	-43 009.78	3 498	517.24	
L17	-43 356.43	3 498	465.53		R17	-43 042.81	3 498	514.62	
L18	-43 405.26	3 498	469.75		R18	-43 103.42	3 498	472.09	
L19	-43 424.58	3 498	465.91		R19	-43 129.07	3 498	473.18	
L20	-43 453.18	3 498	460.23		R20	-43 161.39	3 498	489.38	
L21	-43 489.31	3 498	441.07		R21	-43 193.04	3 498	493.27	
L22	-43 520.12	3 498	412.48		R22	-43 273.78	3 498	478.18	
L23	-43 530.52	3 498	378.20		R23	-43 378.65	3 498	500.57	
L24	-43 551.90	3 498	344.98		R24	-43 398.20	3 498	509.08	
L25	-43 579.64	3 498	325.91		R25	-43 426.66	3 498	508.36	
L26	-43 601.31	3 498	302.22		R26	-43 453.27	3 498	501.93	
L27	-43 622.98	3 498	260.91		R27	-43 473.90	3 498	496.94	
L28	-43 664.87	3 498	246.17		R28	-43 513.77	3 498	477.30	
L29	-43 861.66	3 498	266.92		R29	-43 551.61	3 498	444.36	
L30	-43 924.18	3 498	255.85		R30	-43 562.27	3 498	407.99	
L31	-44 034.34	3 498	198.74		R31	-43 592.14	3 498	363.23	
L32	-44 050.42	3 498	194.39		R32	-43 629.88	3 498	320.51	
L33	-44 090.03	3 498	194.64		R33	-43 658.87	3 498	313.92	
L34	-44 171.48	3 498	216.22		R34	-43 693.11	3 498	316.66	
L35	-44 235.92	3 498	222.58		R35	-43 747.84	3 498	294.35	
L36	-44 269.19	3 498	215.58		R36	-43 875.26	3 498	310.16	
L37	-44 296.26	3 498	201.21		R37	-43 923.51	3 498	308.14	
L38	-44 307.16	3 498	171.31		R38	-43 977.25	3 498	288.79	
L39	-44 394.88	3 498	110.49		R39	-44 058.54	3 498	249.57	
L40	-44 442.84	3 498	090.56		R40	-44 187.31	3 498	249.89	
L41	-44 516.05	3 498	070.77		R41	-44 258.50	3 498	249.92	
L42	-44 624.37	3 498	066.89		R42	-44 335.95	3 498	213.87	
L43	-44 768.98	3 498	087.96		R43	-44 413.49	3 498	151.68	
L44	-44 793.83	3 498	104.14		R44	-44 524.19	3 498	113.28	
L45	-44 807.06	3 498	143.32		R45	-44 561.90	3 498	104.39	
L46	-45 036.51	3 498	263.16		R46	-44 621.82	3 498	101.93	
L47	-45 103.87	3 498	276.27		R47	-44 665.29	3 498	108.49	
L48	-45 169.76	3 498	267.95		R48	-44 701.42	3 498	132.05	
L49	-45 230.18	3 498	232.29		R49	-44 981.66	3 498	284.60	
L50	-45 329.20	3 498	143.41		R50	-45 091.78	3 498	317.92	
L51	-45 399.77	3 498	111.01		R51	-45 163.55	3 498	315.24	
					Vel 5 Van 8 P1257/25 Sheet of				

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES									
LINKERKANT/LEFT HAND SIDE					REGTERKANT/RIGHT HAND SIDE				
	Y	X	WG 29°			Y	X		
L52	-45 449.58	3 498 095.96		R52	-45 233.26	3 498 285.30			
L53	-45 522.78	3 498 087.45		R53	-45 378.28	3 498 155.98			
L54	-45 556.42	3 498 096.19		R54	-45 445.71	3 498 121.25			
L55	-45 599.68	3 498 107.43		R55	-45 533.59	3 498 117.76			
L56	-45 708.82	3 498 168.34		R56	-45 612.76	3 498 145.35			
L57	-45 912.59	3 498 298.20		R57	-45 667.67	3 498 186.13			
L58	-45 971.37	3 498 322.07		R58	-45 728.89	3 498 225.45			
L59	-46 027.63	3 498 323.82		R59	-45 750.96	3 498 234.28			
L60	-46 077.94	3 498 309.14		R60	-45 858.59	3 498 298.15			
L61	-46 117.32	3 498 283.44		R61	-45 930.33	3 498 340.73			
L62	-46 137.85	3 498 258.01		R62	-46 002.91	3 498 356.14			
L63	-46 157.12	3 498 225.87		R63	-46 020.98	3 498 352.80			
L64	-46 190.67	3 498 122.23		R64	-46 074.34	3 498 342.93			
L65	-46 209.92	3 498 084.23		R65	-46 137.24	3 498 305.94			
L66	-46 223.81	3 498 067.99		R66	-46 181.76	3 498 248.33			
L67	-46 262.24	3 498 023.07		R67	-46 199.83	3 498 199.80			
L68	-46 291.77	3 497 994.20		R68	-46 223.87	3 498 143.51			
L69	-46 320.78	3 497 971.41		R69	-46 260.76	3 498 106.64			
L70	-46 345.05	3 497 964.69		R70	-46 355.32	3 498 012.16			
L71	-46 385.51	3 497 966.82		R71	-46 389.38	3 498 025.26			
L72	-46 411.34	3 497 980.90		R72	-46 451.66	3 498 070.13			
L73	-46 501.91	3 498 039.73		R73	-46 592.16	3 498 123.70			
L74	-46 607.92	3 498 086.03		R74	-46 654.33	3 498 147.41			
L75	-46 679.60	3 498 105.36		R75	-46 742.29	3 498 150.55			
L76	-46 938.76	3 498 112.62		R76	-46 795.66	3 498 152.45			
L77	-47 001.14	3 498 102.74		R77	-46 940.36	3 498 157.61			
L78	-47 072.18	3 498 072.25		R78	-46 982.39	3 498 159.11			
L79	-47 115.15	3 498 058.36		R79	-47 126.84	3 498 097.28			
L80	-47 160.21	3 498 049.55		R80	-47 307.12	3 498 073.59			
L81	-47 207.47	3 498 044.02		R81	-47 396.39	3 498 027.37			
L82	-47 333.05	3 498 010.98		R82	-47 403.77	3 498 016.48			
L83	-47 371.19	3 497 986.61		R83	-47 465.15	3 497 925.82			
L84	-47 427.87	3 497 898.36		R84	-47 550.67	3 497 872.66			
L85	-47 491.85	3 497 840.79		R85	-47 682.99	3 497 798.99			
L86	-47 605.73	3 497 776.38		R86	-47 718.24	3 497 745.16			
L87	-47 725.90	3 497 699.45		R87	-47 796.27	3 497 679.95			
L88	-47 818.27	3 497 631.37		R88	-47 868.88	3 497 623.49			
L89	-48 099.93	3 497 407.88		R89	-47 936.15	3 497 574.89			
L90	-48 126.96	3 497 382.93		R90	-48 023.62	3 497 504.41			
L91	-48 151.95	3 497 372.30		R91	-48 046.06	3 497 490.31			
L92	-48 234.46	3 497 322.68		R92	-48 056.07	3 497 479.51			
L93	-48 308.09	3 497 283.69		R93	-48 136.35	3 497 419.36			
L94	-48 384.42	3 497 247.77		R94	-48 166.93	3 497 396.45			
L95	-48 483.70	3 497 208.00		R95	-48 233.80	3 497 361.70			
L96	-48 561.99	3 497 182.03		R96	-48 302.00	3 497 326.24			
L97	-48 649.15	3 497 157.35		R97	-48 333.37	3 497 309.45			
L98	-49 128.66	3 497 060.19		R98	-48 358.39	3 497 296.06			
L99	-49 223.28	3 497 045.98		R99	-48 361.74	3 497 292.72			
L100	-49 303.92	3 497 040.41		R100	-48 373.43	3 497 287.79			
L101	-49 370.40	3 497 039.21		R101	-48 404.27	3 497 274.79			
L102	-49 469.75	3 497 044.10		R102	-48 443.06	3 497 258.45			
Vel Sheet 6					Van of 8		P1257/25		

PADRESERVE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L103	-49 565.68	3 497 054.02		R103	-48 480.77	3 497 245.00
L104	-49 598.72	3 497 054.80		R104	-48 514.21	3 497 233.00
L105	-49 677.26	3 497 068.55		R105	-48 585.27	3 497 207.42
L106	-49 767.90	3 497 094.78		R106	-48 648.44	3 497 196.01
L107	-49 807.90	3 497 110.38		R107	-48 661.05	3 497 193.73
L108	-49 805.11	3 497 118.08		R108	-48 700.31	3 497 177.01
L109	-49 824.56	3 497 132.13		R109	-48 808.50	3 497 155.16
L110	-49 868.57	3 497 160.14		R110	-48 823.97	3 497 152.03
L111	-49 915.52	3 497 202.04		R111	-48 984.53	3 497 119.44
L112	-49 921.83	3 497 208.03		R112	-49 065.94	3 497 102.94
L113	-49 938.15	3 497 223.53		R113	-49 145.79	3 497 087.63
L114	-49 955.25	3 497 275.05		R114	-49 212.13	3 497 074.15
L115	-50 015.04	3 497 366.73		R115	-49 303.57	3 497 073.03
L116	-50 026.21	3 497 380.67		R116	-49 353.94	3 497 072.42
L117	-50 028.23	3 497 383.18		R117	-49 404.32	3 497 071.81
L118	-50 031.37	3 497 388.72		R118	-49 468.39	3 497 069.12
L119	-50 039.36	3 497 402.83		R119	-49 484.34	3 497 068.85
L120	-50 045.64	3 497 416.32		R120	-49 555.59	3 497 079.28
L121	-50 062.64	3 497 441.77		R121	-49 571.19	3 497 081.52
L122	-50 067.22	3 497 448.63		R122	-49 605.39	3 497 086.58
L123	-50 081.43	3 497 465.16		R123	-49 629.52	3 497 090.18
L124	-50 084.75	3 497 469.02		R124	-49 658.84	3 497 094.60
L125	-50 107.88	3 497 502.44		R125	-49 699.28	3 497 100.35
L126	-50 124.75	3 497 526.81		R126	-49 708.21	3 497 103.61
L127	-50 124.14	3 497 531.20		R127	-49 751.77	3 497 119.49
L128	-50 142.28	3 497 557.55		R128	-49 756.11	3 497 122.58
L129	-50 141.49	3 497 561.65		R129	-49 761.02	3 497 126.07
L130	-50 146.94	3 497 569.67		R130	-49 769.86	3 497 140.83
L131	-50 152.29	3 497 577.55		R131	-49 818.36	3 497 164.67
L132	-50 170.57	3 497 590.92		R132	-49 826.76	3 497 165.63
L133	-50 233.33	3 497 649.54		R133	-49 839.39	3 497 175.89
L134	-50 448.41	3 497 768.41		R134	-49 855.07	3 497 189.13
L135	-50 484.12	3 497 790.87		R135	-49 865.62	3 497 200.16
L136	-50 511.91	3 497 817.64		R136	-49 888.72	3 497 230.76
L137	-50 525.34	3 497 836.75		R137	-49 897.11	3 497 246.26
L138	-50 538.07	3 497 862.93		R138	-49 925.66	3 497 284.24
L139	-50 567.28	3 497 953.57		R139	-49 945.46	3 497 322.29
L140	-50 594.71	3 498 014.60		R140	-49 992.04	3 497 377.32
L141	-50 683.60	3 498 117.09		R141	-50 029.23	3 497 431.95
L142	-50 742.77	3 498 230.80		R142	-50 043.11	3 497 452.32
L143	-50 822.79	3 498 437.68		R143	-50 071.08	3 497 493.41
L144	-50 887.70	3 498 569.26		R144	-50 082.13	3 497 512.53
L145	-50 936.80	3 498 687.59		R145	-50 084.71	3 497 514.84
L146	-50 957.14	3 498 721.90		R146	-50 089.57	3 497 519.21
L147	-50 985.90	3 498 762.88		R147	-50 127.05	3 497 572.10
L148	-51 032.95	3 498 850.40		R148	-50 130.87	3 497 582.45
L149	-51 097.50	3 498 925.75		R149	-50 152.72	3 497 641.58
L150	-51 132.38	3 498 966.47		R150	-50 223.96	3 497 699.40
L151	-51 162.58	3 499 006.32		R151	-50 275.85	3 497 709.33
L152	-51 225.03	3 499 101.44		R152	-50 351.98	3 497 750.47
L153	-51 287.44	3 499 179.11		R153	-50 396.96	3 497 791.27
				Vel Sheet	7	Van of 8
				P1257/25		

