
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF TRANSPORT

NO. 7074

2 February 2026


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED**Registration No: 1998/009584/30

DECLARATION AMENDMENT OF NATIONAL ROAD R58 SECTION 7

AMENDMENT OF DECLARATION No. 2358 OF 2022.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 2358 of 2022 by substituting paragraph E of the Schedule, with the accompanying sheets 1 to 18 of Plan No. P1255/25

In the town of Engcobo the R58 Section 7 enters the town from the north and follows the street known as Cala Road, at the time of declaration, up to its intersection with National Road R61 Section 6.

(National Road R58 Section 7: R410 Junction – Engcobo)

MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 7074

2 Februarie 2026

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30


VERKLARING WYSIGING VAN NASIONALE PAD R58 SEKSIE 7

WYSIGING VAN VERKLARING No. 2358 VAN 2022.


Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 2358 van 2022 deur paragraaf E van die Skedule te vervang, met bygaande velle 1 tot 18 van Plan No. P1255/25.

In die dorp Engcobo kom die R58 Seksie 7 die dorp binne vanuit die noorde en volg dan die straat bekend as Calaweg, tydens datum van verklaring, tot by die interseksie met National Pad R61 Seksie 6.


(Nasionale Pad R58 Seksie 7: R410 Aansluiting – Engcobo)**MINISTER VAN VERVOER**




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 Sektie of National Route Section</p>	<p>Vel Sheet 1 of 18 Plan P1255/25</p>
---	---	--	--




Vel Sheet 2 of 18 Plan P1255/25	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route R58 Section	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd
		Die figuur getoon The figure shown




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route Section	
			Vel Sheet 3 of 18	Plan P1255/25





<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>		<p>stede padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route Seksie Section</p>	<p>Vel 5 van 18 Sheet of Plan P1255/25</p>
---	---	---	--	--





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route Section	Vel Sheet 6 of 18 Plan P1255/25
---	---------------------------------------	---	------------------------------------



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route Section 7	Vel Sheet 7 van 18 of Plan P1255/25
---	---------------------------------------	---	---	--



Vel Sheet 8 of 18	Plan P1255/25
7	
steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route Section	
	
Die figuur getoon The figure shown	
Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	



<p>Die Suid Afrikaanse Nasionale Padogentskop MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p> 	<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R58 of National Route</p>	<p>Vel Sheet 9 of 18 Plan P1255/25</p>
---	---	---	--

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L1	-73 886.49	3 478	834.47	R1	-73 844.60	3 478 848.48
L2	-73 930.11	3 478	937.59	R2	-73 861.38	3 478 865.96
L3	-73 971.83	3 479	036.20	R3	-73 940.35	3 479 040.20
L4	-74 069.69	3 479	240.08	R4	-74 112.67	3 479 420.77
L5	-74 090.45	3 479	293.67	R5	-74 119.99	3 479 473.90
L6	-74 128.29	3 479	375.28	R6	-74 114.87	3 479 528.19
L7	-74 144.72	3 479	449.02	R7	-74 061.36	3 479 643.52
L8	-74 146.34	3 479	491.99	R8	-74 039.77	3 479 707.04
L9	-74 140.60	3 479	533.06	R9	-74 032.45	3 479 752.29
L10	-74 129.04	3 479	574.02	R10	-74 030.71	3 479 794.26
L11	-74 088.96	3 479	666.58	R11	-74 034.64	3 479 835.63
L12	-74 065.19	3 479	741.04	R12	-74 043.93	3 479 876.22
L13	-74 062.61	3 479	775.52	R13	-74 090.11	3 480 004.39
L14	-74 063.97	3 479	832.24	R14	-74 351.38	3 480 730.19
L15	-74 075.07	3 479	883.95	R15	-74 479.03	3 481 084.71
L16	-74 091.21	3 479	937.10	R16	-74 512.12	3 481 159.60
L17	-74 533.85	3 481	146.22	R17	-74 600.13	3 481 408.64
L18	-74 572.62	3 481	223.44	R18	-74 645.35	3 481 470.16
L19	-74 592.69	3 481	273.82	R19	-74 700.21	3 481 531.50
L20	-74 625.44	3 481	356.05	R20	-74 764.37	3 481 584.10
L21	-74 681.75	3 481	443.72	R21	-74 832.66	3 481 623.87
L22	-74 730.93	3 481	506.51	R22	-74 875.30	3 481 644.43
L23	-74 806.76	3 481	569.78	R23	-74 950.16	3 481 668.01
L24	-74 887.19	3 481	615.88	R24	-75 018.16	3 481 700.42
L25	-74 996.65	3 481	657.38	R25	-75 082.32	3 481 743.85
L26	-75 067.26	3 481	698.18	R26	-75 144.25	3 481 800.95
L27	-75 104.76	3 481	725.48	R27	-75 191.24	3 481 865.72
L28	-75 161.02	3 481	779.52	R28	-75 501.71	3 482 369.66
L29	-75 208.77	3 481	844.22	R29	-75 532.65	3 482 424.73
L30	-75 345.93	3 482	063.91	R30	-75 572.44	3 482 509.66
L31	-75 383.45	3 482	117.61	R31	-75 598.17	3 482 582.86
L32	-75 468.56	3 482	263.19	R32	-75 676.41	3 482 849.23
L33	-75 554.45	3 482	407.66	R33	-75 700.01	3 482 932.41
L34	-75 580.56	3 482	462.63	R34	-75 716.22	3 482 982.83
L35	-75 608.99	3 482	532.68	R35	-75 743.11	3 483 044.48
L36	-75 737.97	3 482	962.88	R36	-75 785.90	3 483 114.67
L37	-75 764.21	3 483	026.09	R37	-75 833.82	3 483 174.11
L38	-75 806.63	3 483	094.26	R38	-75 889.87	3 483 224.76
L39	-75 857.22	3 483	155.93	R39	-75 906.56	3 483 236.44
L40	-75 916.32	3 483	208.40	R40	-75 947.79	3 483 264.45
L41	-76 091.63	3 483	322.02	R41	-75 990.50	3 483 296.39
L42	-76 128.20	3 483	359.02	R42	-76 021.91	3 483 313.93
L43	-76 153.09	3 483	375.27	R43	-76 072.61	3 483 352.15
L44	-76 197.67	3 483	439.48	R44	-76 099.19	3 483 375.97
L45	-76 223.32	3 483	494.87	R45	-76 144.85	3 483 431.39
L46	-76 254.70	3 483	625.36	R46	-76 179.20	3 483 494.22
L47	-76 313.47	3 483	913.57	R47	-76 192.74	3 483 527.04
L48	-76 325.62	3 483	950.87	R48	-76 203.42	3 483 540.83
L49	-76 348.46	3 483	995.85	R49	-76 209.38	3 483 570.84
L50	-76 446.71	3 484	114.14	R50	-76 253.56	3 483 763.93
L51	-76 509.01	3 484	202.48	R51	-76 261.74	3 483 823.98

Vel Sheet	10	Van of	18	P1255/25
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L52	-76 533.38	3 484	248.24	R52	-76 277.68	3 483 907.01
L53	-76 562.82	3 484	316.39	R53	-76 290.69	3 483 950.82
L54	-76 586.77	3 484	442.88	R54	-76 306.52	3 483 993.70
L55	-76 599.15	3 484	483.58	R55	-76 334.26	3 484 031.24
L56	-76 629.08	3 484	537.77	R56	-76 358.30	3 484 065.11
L57	-76 652.75	3 484	569.48	R57	-76 382.12	3 484 088.86
L58	-76 686.32	3 484	606.85	R58	-76 467.70	3 484 197.90
L59	-76 707.94	3 484	625.80	R59	-76 484.14	3 484 231.68
L60	-76 758.09	3 484	661.01	R60	-76 480.79	3 484 262.41
L61	-76 802.72	3 484	679.41	R61	-76 501.89	3 484 277.57
L62	-76 880.44	3 484	699.92	R62	-76 516.41	3 484 296.60
L63	-76 934.75	3 484	701.23	R63	-76 536.93	3 484 361.38
L64	-77 009.13	3 484	684.91	R64	-76 558.37	3 484 463.34
L65	-77 257.06	3 484	591.65	R65	-76 577.29	3 484 509.86
L66	-77 319.20	3 484	578.86	R66	-76 603.64	3 484 562.78
L67	-77 371.69	3 484	579.10	R67	-76 644.97	3 484 619.42
L68	-77 425.98	3 484	594.44	R68	-76 755.54	3 484 700.72
L69	-77 476.90	3 484	620.99	R69	-76 799.65	3 484 723.46
L70	-77 520.06	3 484	651.20	R70	-76 851.84	3 484 729.44
L71	-77 543.73	3 484	680.09	R71	-76 938.28	3 484 730.99
L72	-77 574.45	3 484	724.68	R72	-77 013.51	3 484 716.09
L73	-77 601.63	3 484	771.00	R73	-77 062.45	3 484 698.78
L74	-77 631.93	3 484	971.93	R74	-77 176.57	3 484 657.62
L75	-77 635.33	3 484	994.47	R75	-77 223.33	3 484 639.20
L76	-77 642.86	3 485	031.63	R76	-77 280.82	3 484 622.86
L77	-77 659.83	3 485	162.35	R77	-77 297.45	3 484 641.82
L78	-77 695.08	3 485	385.89	R78	-77 383.61	3 484 617.85
L79	-77 719.50	3 485	553.59	R79	-77 450.65	3 484 644.55
L80	-77 748.20	3 485	693.63	R80	-77 499.51	3 484 678.51
L81	-77 786.15	3 485	804.69	R81	-77 537.31	3 484 724.28
L82	-77 808.58	3 485	854.15	R82	-77 568.05	3 484 789.44
L83	-77 825.77	3 485	903.42	R83	-77 598.99	3 484 974.16
L84	-77 942.74	3 486	163.35	R84	-77 609.24	3 485 038.01
L85	-77 976.83	3 486	228.98	R85	-77 676.45	3 485 456.59
L86	-78 069.90	3 486	365.80	R86	-77 673.64	3 485 532.29
L87	-78 123.22	3 486	433.39	R87	-77 687.64	3 485 573.75
L88	-78 184.49	3 486	521.64	R88	-77 696.72	3 485 607.12
L89	-78 312.38	3 486	688.24	R89	-77 704.49	3 485 653.41
L90	-78 323.74	3 486	712.26	R90	-77 707.84	3 485 685.44
L91	-78 337.09	3 486	740.51	R91	-77 720.29	3 485 717.80
L92	-78 347.74	3 486	793.92	R92	-77 740.17	3 485 768.25
L93	-78 346.28	3 486	842.60	R93	-77 759.46	3 485 826.78
L94	-78 331.57	3 486	895.40	R94	-77 776.10	3 485 880.31
L95	-78 310.63	3 486	935.54	R95	-77 798.27	3 485 920.45
L96	-78 299.75	3 486	980.98	R96	-77 866.30	3 486 061.50
L97	-78 298.29	3 487	014.76	R97	-77 885.68	3 486 119.52
L98	-78 305.58	3 487	046.30	R98	-77 954.45	3 486 255.63
L99	-78 319.70	3 487	082.76	R99	-77 980.87	3 486 295.86
L100	-78 375.94	3 487	160.88	R100	-78 015.97	3 486 344.00
L101	-78 402.65	3 487	206.79	R101	-78 055.51	3 486 402.40
L102	-78 422.21	3 487	248.92	R102	-78 087.23	3 486 435.93

Vel Sheet	11	Van of	18	P1255/25
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L103	-78 428.28	3 487	280.62	R103	-78 160.83	3 486 532.55
L104	-78 429.98	3 487	313.50	R104	-78 182.43	3 486 565.95
L105	-78 427.44	3 487	343.79	R105	-78 269.76	3 486 681.97
L106	-78 421.94	3 487	380.62	R106	-78 304.79	3 486 735.64
L107	-78 412.51	3 487	416.64	R107	-78 317.06	3 486 792.50
L108	-78 354.37	3 487	498.33	R108	-78 316.59	3 486 847.30
L109	-78 336.69	3 487	540.74	R109	-78 303.11	3 486 886.72
L110	-78 340.96	3 487	589.04	R110	-78 283.88	3 486 923.21
L111	-78 351.74	3 487	614.79	R111	-78 277.87	3 486 948.14
L112	-78 387.91	3 487	652.98	R112	-78 270.56	3 486 996.05
L113	-78 485.90	3 487	715.19	R113	-78 265.84	3 487 039.76
L114	-78 528.25	3 487	750.27	R114	-78 278.74	3 487 080.56
L115	-78 572.04	3 487	801.69	R115	-78 306.97	3 487 120.60
L116	-78 752.58	3 488	142.28	R116	-78 369.50	3 487 211.58
L117	-78 763.61	3 488	174.81	R117	-78 390.34	3 487 261.64
L118	-78 771.58	3 488	213.38	R118	-78 393.93	3 487 326.56
L119	-78 772.94	3 488	254.13	R119	-78 375.98	3 487 370.88
L120	-78 762.35	3 488	342.59	R120	-78 315.59	3 487 496.27
L121	-78 764.39	3 488	381.54	R121	-78 298.84	3 487 538.01
L122	-78 769.52	3 488	413.84	R122	-78 304.15	3 487 600.95
L123	-78 776.05	3 488	437.04	R123	-78 309.83	3 487 617.82
L124	-78 868.30	3 488	765.03	R124	-78 340.50	3 487 664.84
L125	-78 872.36	3 488	821.19	R125	-78 381.27	3 487 697.72
L126	-78 869.62	3 488	855.47	R126	-78 458.45	3 487 734.08
L127	-78 864.12	3 488	884.89	R127	-78 524.34	3 487 801.10
L128	-78 856.03	3 488	912.68	R128	-78 561.43	3 487 844.03
L129	-78 845.28	3 488	939.26	R129	-78 595.26	3 487 908.64
L130	-78 824.68	3 488	976.80	R130	-78 606.10	3 487 949.34
L131	-78 775.59	3 489	039.16	R131	-78 646.54	3 487 999.26
L132	-78 761.02	3 489	060.84	R132	-78 668.56	3 488 047.56
L133	-78 747.88	3 489	090.90	R133	-78 706.38	3 488 124.69
L134	-78 739.85	3 489	131.34	R134	-78 729.81	3 488 181.25
L135	-78 739.91	3 489	157.68	R135	-78 740.71	3 488 285.33
L136	-78 744.47	3 489	183.59	R136	-78 740.17	3 488 301.31
L137	-78 754.34	3 489	209.46	R137	-78 725.30	3 488 319.79
L138	-78 773.60	3 489	242.20	R138	-78 721.38	3 488 348.30
L139	-78 797.26	3 489	268.51	R139	-78 721.28	3 488 369.11
L140	-78 887.02	3 489	348.16	R140	-78 728.12	3 488 411.81
L141	-78 928.45	3 489	391.81	R141	-78 753.82	3 488 463.34
L142	-78 956.14	3 489	430.09	R142	-78 828.81	3 488 723.49
L143	-78 978.06	3 489	468.59	R143	-78 833.40	3 488 821.25
L144	-78 994.72	3 489	509.55	R144	-78 822.85	3 488 871.85
L145	-79 043.99	3 489	662.64	R145	-78 822.77	3 488 918.09
L146	-79 073.92	3 489	743.64	R146	-78 806.49	3 488 947.11
L147	-79 107.80	3 489	820.06	R147	-78 776.41	3 488 992.94
L148	-79 138.41	3 489	879.64	R148	-78 750.80	3 489 024.70
L149	-79 190.52	3 489	964.62	R149	-78 712.65	3 489 094.36
L150	-79 250.92	3 490	047.51	R150	-78 708.53	3 489 125.31
L151	-79 316.92	3 490	124.37	R151	-78 712.33	3 489 165.67
L152	-79 359.99	3 490	169.39	R152	-78 719.65	3 489 203.50
L153	-79 434.90	3 490	236.00	R153	-78 740.27	3 489 246.09

Vel Sheet	12	Van of	18	P1255/25
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L154	-79 539.49	3 490	313.89	R154	-78 775.83	3 489 285.91
L155	-79 589.53	3 490	348.99	R155	-78 876.84	3 489 375.57
L156	-80 501.55	3 490	988.62	R156	-78 923.80	3 489 446.78
L157	-80 550.32	3 491	016.67	R157	-78 960.29	3 489 502.04
L158	-80 604.73	3 491	034.85	R158	-79 034.75	3 489 717.82
L159	-80 667.64	3 491	041.66	R159	-79 061.10	3 489 784.26
L160	-80 713.01	3 491	039.15	R160	-79 100.86	3 489 866.51
L161	-80 778.06	3 491	022.59	R161	-79 163.89	3 489 972.16
L162	-80 831.71	3 490	995.61	R162	-79 237.43	3 490 071.84
L163	-80 888.57	3 490	954.88	R163	-79 292.21	3 490 137.25
L164	-80 931.23	3 490	930.61	R164	-79 329.23	3 490 178.10
L165	-80 983.01	3 490	909.47	R165	-79 377.40	3 490 229.74
L166	-81 047.64	3 490	893.38	R166	-79 432.20	3 490 267.10
L167	-81 111.20	3 490	888.98	R167	-79 568.37	3 490 364.82
L168	-81 449.22	3 490	913.49	R168	-80 227.19	3 490 837.62
L169	-81 484.38	3 490	912.02	R169	-80 276.89	3 490 872.80
L170	-81 512.03	3 490	910.87	R170	-80 311.27	3 490 886.68
L171	-81 618.77	3 490	918.03	R171	-80 389.47	3 490 946.33
L172	-81 687.34	3 490	926.85	R172	-80 411.78	3 490 972.35
L173	-81 765.19	3 490	928.75	R173	-80 482.94	3 491 027.06
L174	-81 809.74	3 490	917.85	R174	-80 524.15	3 491 047.78
L175	-81 837.80	3 490	906.32	R175	-80 567.12	3 491 061.88
L176	-81 960.02	3 490	812.34	R176	-80 625.60	3 491 071.32
L177	-81 986.56	3 490	794.36	R177	-80 668.89	3 491 075.38
L178	-82 050.30	3 490	782.70	R178	-80 722.25	3 491 070.92
L179	-82 217.34	3 490	811.56	R179	-80 769.72	3 491 061.76
L180	-82 219.87	3 490	812.04	R180	-80 814.39	3 491 044.22
L181	-82 524.52	3 490	870.38	R181	-80 858.14	3 491 019.39
L182	-82 567.07	3 490	886.20	R182	-80 908.78	3 490 976.69
L183	-82 605.82	3 490	907.08	R183	-80 938.28	3 490 956.83
L184	-82 641.72	3 490	933.78	R184	-80 969.36	3 490 942.20
L185	-82 675.22	3 490	967.02	R185	-81 004.98	3 490 930.41
L186	-82 681.12	3 490	972.87	R186	-81 075.45	3 490 917.50
L187	-82 827.23	3 491	133.50	R187	-81 121.92	3 490 916.45
L188	-82 964.14	3 491	186.73	R188	-81 296.82	3 490 928.88
L189	-83 056.84	3 491	236.56	R189	-81 428.55	3 490 939.50
L190	-83 132.92	3 491	269.28	R190	-81 738.81	3 490 958.24
L191	-83 208.09	3 491	302.63	R191	-81 802.78	3 490 955.68
L192	-83 249.29	3 491	327.89	R192	-81 853.16	3 490 935.42
L193	-83 282.28	3 491	355.36	R193	-81 888.42	3 490 911.55
L194	-83 340.99	3 491	415.11	R194	-81 982.88	3 490 830.30
L195	-83 483.29	3 491	591.58	R195	-82 067.50	3 490 811.35
L196	-83 545.00	3 491	668.87	R196	-82 407.40	3 490 875.87
L197	-83 566.45	3 491	693.61	R197	-82 522.51	3 490 897.72
L198	-83 850.12	3 492	042.40	R198	-82 598.18	3 490 935.66
L199	-83 908.64	3 492	099.44	R199	-82 607.19	3 490 943.87
L200	-83 958.14	3 492	139.68	R200	-82 638.18	3 490 972.10
L201	-84 045.22	3 492	186.31	R201	-82 667.46	3 491 004.14
L202	-84 112.84	3 492	211.28	R202	-82 757.31	3 491 116.63
L203	-84 671.21	3 492	382.03	R203	-82 808.08	3 491 166.07
L204	-84 738.22	3 492	408.15	R204	-82 932.61	3 491 217.80

Vel Sheet	13	Van of	18	P1255/25
-----------	----	--------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L205	-84 774.75	3 492	428.05	R205	-83 088.02	3 491 277.91
L206	-84 823.01	3 492	466.05	R206	-83 177.80	3 491 317.83
L207	-84 876.38	3 492	517.48	R207	-83 221.28	3 491 341.26
L208	-84 911.70	3 492	575.43	R208	-83 262.49	3 491 373.21
L209	-84 933.69	3 492	620.77	R209	-83 327.58	3 491 440.90
L210	-84 949.06	3 492	669.20	R210	-83 843.93	3 492 074.90
L211	-84 968.24	3 492	768.83	R211	-83 884.41	3 492 116.68
L212	-84 986.13	3 492	814.10	R212	-83 931.44	3 492 154.55
L213	-85 012.96	3 492	860.67	R213	-83 974.40	3 492 182.54
L214	-85 097.40	3 492	982.02	R214	-84 032.00	3 492 212.40
L215	-85 132.50	3 493	040.54	R215	-84 223.53	3 492 274.32
L216	-85 159.67	3 493	096.77	R216	-84 555.86	3 492 374.22
L217	-85 175.83	3 493	146.91	R217	-84 637.07	3 492 403.83
L218	-85 222.74	3 493	345.75	R218	-84 711.47	3 492 427.46
L219	-85 251.18	3 493	446.19	R219	-84 747.37	3 492 443.44
L220	-85 262.80	3 493	511.04	R220	-84 793.72	3 492 475.49
L221	-85 291.57	3 493	607.19	R221	-84 833.97	3 492 511.90
L222	-85 322.93	3 493	670.43	R222	-84 862.19	3 492 545.85
L223	-85 352.79	3 493	715.08	R223	-84 888.25	3 492 586.63
L224	-85 353.25	3 493	715.77	R224	-84 909.28	3 492 630.38
L225	-85 381.21	3 493	750.52	R225	-84 924.76	3 492 682.39
L226	-85 414.17	3 493	791.46	R226	-84 942.34	3 492 775.29
L227	-85 486.33	3 493	850.62	R227	-84 960.63	3 492 823.28
L228	-85 586.37	3 493	923.61	R228	-84 988.19	3 492 873.07
L229	-85 630.81	3 493	952.39	R229	-85 067.29	3 492 983.87
L230	-85 727.83	3 494	020.10	R230	-85 105.47	3 493 045.51
L231	-85 778.89	3 494	062.40	R231	-85 130.31	3 493 096.81
L232	-85 834.53	3 494	103.59	R232	-85 154.57	3 493 170.39
L233	-85 917.22	3 494	154.03	R233	-85 214.34	3 493 432.53
L234	-85 922.27	3 494	157.11	R234	-85 234.15	3 493 528.89
L235	-85 934.58	3 494	163.65	R235	-85 252.84	3 493 586.27
L236	-86 014.64	3 494	206.16	R236	-85 275.26	3 493 642.49
L237	-86 074.16	3 494	235.20	R237	-85 305.74	3 493 691.83
L238	-86 141.07	3 494	267.84	R238	-85 335.45	3 493 735.85
L239	-86 209.05	3 494	300.85	R239	-85 388.99	3 493 804.31
L240	-86 249.69	3 494	316.54	R240	-85 499.66	3 493 893.44
L241	-86 278.56	3 494	327.68	R241	-85 888.72	3 494 173.35
L242	-86 386.41	3 494	353.21	R242	-86 206.74	3 494 336.70
L243	-86 417.78	3 494	357.58	R243	-86 303.87	3 494 365.32
L244	-86 578.62	3 494	379.96	R244	-86 419.83	3 494 385.69
L245	-86 775.89	3 494	409.32	R245	-87 415.39	3 494 536.42
L246	-86 939.62	3 494	433.55	R246	-87 513.40	3 494 568.52
L247	-87 410.04	3 494	509.59	R247	-87 549.73	3 494 587.11
L248	-87 467.55	3 494	522.54	R248	-87 635.89	3 494 646.67
L249	-87 528.20	3 494	543.56	R249	-87 694.30	3 494 705.11
L250	-87 563.37	3 494	562.91	R250	-87 738.97	3 494 767.89
L251	-87 607.06	3 494	589.92	R251	-87 761.47	3 494 810.91
L252	-87 664.19	3 494	634.31	R252	-88 118.42	3 495 756.33
L253	-87 686.58	3 494	650.33	R253	-88 164.62	3 495 846.95
L254	-87 745.28	3 494	727.44	R254	-88 226.72	3 495 942.83
L255	-87 778.06	3 494	782.81	R255	-88 295.55	3 496 039.27

Vel Sheet	14	Van of	18	P1255/25
--------------	----	-----------	----	----------

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L256	-87 824.45	3 494	898.41	R256	-88 357.84	3 496 130.63
L257	-87 941.06	3 495	212.27	R257	-88 455.26	3 496 270.07
L258	-88 136.60	3 495	727.67	R258	-88 476.37	3 496 307.93
L259	-88 164.24	3 495	790.17	R259	-88 486.13	3 496 355.44
L260	-88 239.47	3 495	910.81	R260	-88 478.70	3 496 494.91
L261	-88 466.87	3 496	233.46	R261	-88 479.35	3 496 541.47
L262	-88 501.99	3 496	291.62	R262	-88 495.97	3 496 637.83
L263	-88 520.64	3 496	365.28	R263	-88 509.26	3 496 669.38
L264	-88 512.79	3 496	512.32	R264	-88 530.46	3 496 706.71
L265	-88 519.33	3 496	584.63	R265	-88 578.66	3 496 773.87
L266	-88 539.02	3 496	655.96	R266	-88 648.79	3 496 855.09
L267	-88 560.75	3 496	692.34	R267	-88 673.61	3 496 876.88
L268	-88 590.94	3 496	727.80	R268	-88 701.17	3 496 897.17
L269	-88 674.93	3 496	840.52	R269	-88 791.70	3 496 938.14
L270	-88 730.58	3 496	874.90	R270	-88 822.18	3 496 957.31
L271	-88 839.43	3 496	922.76	R271	-88 859.23	3 496 990.81
L272	-88 871.06	3 496	959.80	R272	-88 898.62	3 497 080.42
L273	-88 893.42	3 496	989.59	R273	-88 932.18	3 497 176.61
L274	-88 905.32	3 497	012.78	R274	-88 969.58	3 497 226.33
L275	-88 935.80	3 497	089.22	R275	-89 003.99	3 497 259.74
L276	-88 956.22	3 497	145.80	R276	-89 033.82	3 497 282.29
L277	-88 981.72	3 497	190.45	R277	-89 126.57	3 497 336.68
L278	-89 002.57	3 497	216.93	R278	-89 207.55	3 497 393.40
L279	-89 035.34	3 497	246.29	R279	-89 288.11	3 497 468.91
L280	-89 083.33	3 497	280.82	R280	-89 411.73	3 497 616.98
L281	-89 215.27	3 497	358.92	R281	-89 486.58	3 497 722.64
L282	-89 251.00	3 497	389.63	R282	-89 569.56	3 497 818.45
L283	-89 376.47	3 497	525.65	R283	-89 622.82	3 497 883.73
L284	-89 464.42	3 497	624.38	R284	-89 656.31	3 497 929.83
L285	-89 638.79	3 497	862.27	R285	-89 688.00	3 497 982.76
L286	-89 721.48	3 497	943.71	R286	-89 733.80	3 498 005.73
L287	-89 780.67	3 498	011.13	R287	-89 761.21	3 498 090.04
L288	-89 801.92	3 498	024.05	R288	-89 822.73	3 498 075.05
L289	-89 826.21	3 498	028.58	R289	-89 856.31	3 498 073.39
L290	-89 836.28	3 498	030.46	R290	-89 915.53	3 498 070.44
L291	-89 903.27	3 498	029.09	R291	-90 049.32	3 498 101.14
L292	-90 019.37	3 498	050.51	R292	-90 150.69	3 498 188.60
L293	-90 051.05	3 498	059.46	R293	-90 154.96	3 498 195.91
L294	-90 089.24	3 498	060.13	R294	-90 198.39	3 498 270.17
L295	-90 158.89	3 498	138.58	R295	-90 242.01	3 498 330.22
L296	-90 176.88	3 498	163.80	R296	-90 278.87	3 498 371.34
L297	-90 194.42	3 498	194.58	R297	-90 309.74	3 498 406.08
L298	-90 199.49	3 498	205.36	R298	-90 342.03	3 498 423.93
L299	-90 225.99	3 498	261.66	R299	-90 381.68	3 498 450.50
L300	-90 270.27	3 498	322.94	R300	-90 435.91	3 498 477.97
L301	-90 302.98	3 498	358.34	R301	-90 516.15	3 498 506.17
L302	-90 335.09	3 498	386.13	R302	-90 604.06	3 498 520.48
L303	-90 389.47	3 498	424.20	R303	-90 891.41	3 498 515.43
L304	-90 435.29	3 498	447.95	R304	-90 967.68	3 498 523.62
L305	-90 527.88	3 498	480.35	R305	-91 126.25	3 498 570.41
L306	-90 578.24	3 498	489.83	R306	-91 297.00	3 498 647.52

Vel
Sheet

15

Van
of

18

P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L307	-90 670.64	3 498	493.93	R307	-91 369.01	3 498 677.87
L308	-90 993.86	3 498	489.73	R308	-91 418.92	3 498 690.70
L309	-91 037.65	3 498	501.52	R309	-91 488.75	3 498 693.85
L310	-91 062.39	3 498	515.15	R310	-91 538.04	3 498 685.01
L311	-91 211.87	3 498	577.76	R311	-91 822.50	3 498 655.08
L312	-91 323.80	3 498	630.84	R312	-91 884.21	3 498 654.31
L313	-91 431.66	3 498	663.67	R313	-91 953.51	3 498 668.83
L314	-91 493.75	3 498	663.99	R314	-91 996.19	3 498 693.28
L315	-91 592.49	3 498	649.71	R315	-92 025.15	3 498 706.14
L316	-91 726.72	3 498	635.93	R316	-92 086.79	3 498 739.19
L317	-91 841.97	3 498	625.43	R317	-92 134.83	3 498 751.33
L318	-91 882.25	3 498	625.84	R318	-92 266.28	3 498 750.41
L319	-91 923.34	3 498	633.79	R319	-92 373.42	3 498 746.13
L320	-91 965.35	3 498	643.23	R320	-92 425.82	3 498 754.52
L321	-92 016.07	3 498	668.33	R321	-92 468.38	3 498 776.52
L322	-92 054.37	3 498	691.09	R322	-92 502.23	3 498 805.14
L323	-92 115.76	3 498	718.20	R323	-92 540.20	3 498 853.69
L324	-92 167.97	3 498	711.56	R324	-92 573.29	3 498 912.28
L325	-92 338.86	3 498	711.21	R325	-92 694.50	3 499 149.42
L326	-92 404.67	3 498	718.77	R326	-92 770.37	3 499 243.44
L327	-92 466.94	3 498	737.76	R327	-92 796.52	3 499 272.28
L328	-92 510.24	3 498	772.91	R328	-92 832.71	3 499 297.80
L329	-92 539.57	3 498	805.52	R329	-92 867.66	3 499 314.05
L330	-92 567.37	3 498	845.46	R330	-92 917.69	3 499 327.60
L331	-92 695.57	3 499	091.93	R331	-92 981.67	3 499 324.97
L332	-92 729.88	3 499	149.75	R332	-93 072.44	3 499 301.54
L333	-92 805.36	3 499	242.78	R333	-93 142.09	3 499 290.73
L334	-92 833.27	3 499	264.62	R334	-93 187.07	3 499 294.72
L335	-92 880.96	3 499	287.03	R335	-93 313.72	3 499 316.05
L336	-92 927.34	3 499	296.84	R336	-93 364.74	3 499 329.47
L337	-92 979.44	3 499	291.93	R337	-93 394.66	3 499 344.50
L338	-93 059.77	3 499	278.62	R338	-93 451.47	3 499 391.58
L339	-93 110.59	3 499	265.06	R339	-93 540.05	3 499 480.77
L340	-93 162.99	3 499	264.28	R340	-93 576.56	3 499 534.09
L341	-93 298.58	3 499	280.75	R341	-93 612.99	3 499 661.90
L342	-93 350.10	3 499	290.37	R342	-93 627.18	3 499 699.77
L343	-93 383.55	3 499	302.14	R343	-93 643.90	3 499 719.52
L344	-93 430.34	3 499	330.34	R344	-93 703.24	3 499 777.75
L345	-93 459.68	3 499	355.65	R345	-93 740.13	3 499 819.86
L346	-93 496.25	3 499	391.52	R346	-93 774.62	3 499 864.27
L347	-93 599.71	3 499	510.77	R347	-93 800.12	3 499 889.28
L348	-93 633.72	3 499	607.61	R348	-93 837.28	3 499 936.63
L349	-93 644.99	3 499	657.78	R349	-93 898.87	3 499 994.32
L350	-93 674.21	3 499	700.94	R350	-93 963.07	3 500 061.87
L351	-93 740.95	3 499	770.14	R351	-93 978.22	3 500 077.81
L352	-93 841.38	3 499	894.89	R352	-94 005.32	3 500 108.10
L353	-93 873.54	3 499	926.61	R353	-94 031.06	3 500 131.47
L354	-93 908.91	3 499	964.28	R354	-94 057.27	3 500 180.83
L355	-93 955.83	3 500	015.28	R355	-94 076.08	3 500 228.87
L356	-93 975.60	3 500	036.76	R356	-94 106.91	3 500 278.67
L357	-94 055.58	3 500	118.02	R357	-94 132.54	3 500 328.39

Vel
Sheet

16

Van
of

18

P1255/25

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 27°		Y	X
L358	-94 080.01	3 500	162.05	R358	-94 170.67	3 500 390.59
L359	-94 116.96	3 500	245.64	R359	-94 179.85	3 500 430.64
L360	-94 203.61	3 500	381.61	R360	-94 175.28	3 500 470.78
L361	-94 215.73	3 500	450.08	R361	-94 142.44	3 500 506.78
L362	-94 217.14	3 500	481.36	R362	-94 073.57	3 500 529.38
L363	-94 135.89	3 500	543.19	R363	-94 037.00	3 500 537.82
L364	-94 052.31	3 500	565.75	R364	-93 847.63	3 500 581.50
L365	-94 041.67	3 500	567.93	R365	-93 704.84	3 500 574.35
L366	-93 951.46	3 500	586.44	R366	-93 684.09	3 500 578.59
L367	-93 873.18	3 500	610.48	R367	-93 651.20	3 500 596.66
L368	-93 822.11	3 500	614.49	R368	-93 612.93	3 500 637.74
L369	-93 743.82	3 500	608.61	R369	-93 589.39	3 500 671.32
L370	-93 698.02	3 500	617.22	R370	-93 598.14	3 500 699.28
L371	-93 665.07	3 500	641.82	R371	-93 611.05	3 500 843.64
L372	-93 646.58	3 500	669.39	R372	-93 587.41	3 500 934.21
L373	-93 631.31	3 500	708.83	R373	-93 586.59	3 500 955.62
L374	-93 647.56	3 500	843.91	R374	-93 594.24	3 501 004.61
L375	-93 648.59	3 500	882.13	R375	-93 590.67	3 501 013.92
L376	-93 629.29	3 500	938.88	R376	-93 604.23	3 501 062.09
L377	-93 633.99	3 500	975.20	R377	-93 625.64	3 501 084.59
L378	-93 686.24	3 501	117.65	R378	-93 633.29	3 501 102.22
L379	-93 714.67	3 501	157.70	R379	-93 634.62	3 501 121.90
L380	-93 783.71	3 501	294.37	R380	-93 677.96	3 501 201.52
L381	-93 803.44	3 501	349.75	R381	-93 679.84	3 501 211.99
L382	-93 788.44	3 501	456.13	R382	-93 687.59	3 501 218.86
L383	-93 759.03	3 501	498.08	R383	-93 693.68	3 501 237.15
L384	-93 738.13	3 501	540.54	R384	-93 717.84	3 501 292.65
L385	-93 729.74	3 501	596.81	R385	-93 745.77	3 501 346.10
L386	-93 748.01	3 501	639.19	R386	-93 750.94	3 501 365.04
L387	-93 788.21	3 501	788.37	R387	-93 747.95	3 501 392.91
L388	-93 764.77	3 501	857.99	R388	-93 729.05	3 501 437.43
L389	-93 755.89	3 501	873.94	R389	-93 722.82	3 501 474.11
L390	-93 762.08	3 501	929.31	R390	-93 697.88	3 501 503.07
L391	-93 769.32	3 502	030.14	R391	-93 696.27	3 501 513.92
L392	-93 738.55	3 502	101.61	R392	-93 681.93	3 501 581.09
L393	-93 712.16	3 502	145.79	R393	-93 677.38	3 501 594.10
L394	-93 698.59	3 502	180.19	R394	-93 682.08	3 501 625.17
L395	-93 687.12	3 502	270.76	R395	-93 738.72	3 501 745.91
L396	-93 691.71	3 502	302.04	R396	-93 738.64	3 501 793.11
L397	-93 708.00	3 502	332.00	R397	-93 720.51	3 501 860.74
L398	-93 797.74	3 502	480.88	R398	-93 725.65	3 501 907.58
L399	-93 822.46	3 502	521.89	R399	-93 731.39	3 501 989.05
L400	-93 836.91	3 502	654.57	R400	-93 725.31	3 502 055.64
L401	-93 917.48	3 502	769.01	R401	-93 706.10	3 502 099.04
L402	-93 931.20	3 502	802.43	R402	-93 673.60	3 502 157.06
L403	-93 938.56	3 502	835.49	R403	-93 663.52	3 502 183.77
L404	-93 944.15	3 502	887.88	R404	-93 657.47	3 502 206.52
L405	-93 963.78	3 502	936.37	R405	-93 652.13	3 502 242.29
L406	-94 018.91	3 503	047.97	R406	-93 652.99	3 502 284.72
L407	-93 986.80	3 503	182.19	R407	-93 663.36	3 502 325.44
L408	-93 978.01	3 503	201.42	R408	-93 673.73	3 502 354.10

Vel Sheet	17	Van of	18	P1255/25
--------------	----	-----------	----	----------

