

DEPARTMENT OF EMPLOYMENT AND LABOUR

NO. 7256

20 March 2026

**ORTHOTICS  
&  
PROSTHETICS  
GAZETTE  
2026**



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

| Orthotics and Prosthetics Gazette Table of Content |  |
|--|--|
| NUMBER   | ITEM   |
| A  | Minister's approval letter   |
| B  | COVID General Information  |
| C  | CompEasy Electronic Invoicing File Layout  |
| D  | MSPs paid by the Compensation Fund   |
| E  | POPI Act Compliance  |
| F  | Orthotics and Prosthetics Gazette Cover Page                                     |
| G  | Orthotics and Prosthetics supply Protocol  |
| H  | Form 6: Orthotics/ Prosthetics Service request form/template                     |
| I  | Form 7: Orthotics/ Prosthetics device quotation template                         |
| J  | Diagnostic specific Request forms/template                                       |
| K  | Partial hand request form/ template  |
| L  | Wrist disarticulation/ trans radial request form/template                        |
| M  | Elbow disarticulation/ Trans humeral request form/ template                      |
| N  | Shoulder disarticulation request form/template                                   |
| O  | Manual Wheelchair Request form/template  |
| P  | Motorized Wheelchair Request form/template                                       |
| Q  | Form 8: Employee confirmation of receipt of Orthotics/Prosthetic device template |
| R  | Prosthetic Gazette Cover Page  |
| S  | Prosthetic Tariff of Fees  |
| T  | Orthotics Gazette Cover Page   |
| U  | Orthotics Tariff of fees   |



**COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993  
(ACT No. 130 OF 1993), AS AMENDED**

**ANNUAL INCREASE IN MEDICAL TARIFFS FOR MEDICAL SERVICES  
PROVIDERS.**

1. I, Nomakhosazana Meth, Minister of Employment and Labour, hereby give notice that, after consultation with the Compensation Board and acting under powers vested in me by section 97 of the Compensation for Occupational Injuries and Diseases Act, 1993 (Act No.130 of 1993), prescribe the scale of "Fees for Medical Aid" payable under section 76, inclusive of the General Rule applicable thereto, appearing in the Schedule, with effect from 1 April 2026.
2. Medical Tariffs will increase by 6% for the financial year 2026/27.
3. The fees appearing in the Schedule are applicable in respect of services rendered from 1 April 2026 and exclude 15% VAT



---

**Ms. N Meth, MP**

**MINISTER OF EMPLOYMENT AND LABOUR**



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

### GENERAL INFORMATION

#### 1. MEDICAL SERVICE PROVIDERS REGISTRATION REQUIREMENTS WITH THE COMPENSATION FUND

- The Compensation Fund requires that any Medical Service Provider, treating patients in terms of the COID Act, must be registered with The Compensation Fund through the submission of copies of the following documents to the nearest labour centre:
  - a. A duly completed original Banking Details form (WAC 33) (download in PDF from [www.labour.gov.za](http://www.labour.gov.za))
  - b. The latest copy of valid BHF certificate
  - c. Recent bank statement with bank stamp or bank letter
  - d. Proof of practice address not older than 3 months.
  - e. SARS VAT registration number/ certificate if VAT registered. (If this is not provided the medical practitioner will be registered as a non-VAT vendor)
  - f. A power of attorney is required if the MSP has appointed a third party to do their administration of their COID claims.

#### 2. REGISTERING WITH THE COMPENSATION FUND AS AN ONLINE SYSTEM USER FOR MEDICAL SERVICE PROVIDERS

- To register as an online user of the claims processing system, COMPEASY, the following steps must be followed:
  - a. Register as an online user with the Department of Employment and Labour website ([www.labour.gov.za](http://www.labour.gov.za))
  - b. Register on the CompEasy application having the following documents to upload
    - A certified copy of identity document (not older than a month from the date of application)
    - Latest copy of valid BHF certificate
    - Proof of address not older than 3 months
- In the case where a medical service provider has appointed a third party to administer their COID claims with the Fund, the following ADDITIONAL documents must be uploaded:
  - An appointment letter for proxy (the template is available online)
  - The proxy's certified identity document (not older than a month from the date of application)
  - There are instructions online to guide a user on successfully registering ([www.compeasy.gov.za](http://www.compeasy.gov.za))



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

### **3. THIRD PARTIES TRANSACTING ON BEHALF OF MEDICAL SERVICE PROVIDERS**

- Third Parties that provide administration services on behalf of medical service providers must take note of the following:
  - a. They must be able to obtain and make available copies of the original claim documents and medical invoices from medical service providers.
  - b. They must keep such records in their original state as received from the medical service provider and must furnish the Compensation Commissioner with such documents on request for the purposes of auditing.
- The Fund will not provide or disclose any information related to a medical service provider, represented by a third party, where such information relates to a period prior to them being contracting to a third party.

### **4. THE EMPLOYEE AND THE MEDICAL SERVICE PROVIDER**

Medical Service Providers are encouraged to take note of the following guidance when treating patients in terms of the Compensation for Occupational Injuries and Diseases Act of 1993 (COID Act):

- a. Employees as defined in the COID Act of 1993, are generally free to choose their preferred Medical Service Provider, provided that such choice is exercised reasonably and without prejudice to the employee or the Compensation Fund.
  - An exception applies where an employer, with the approval of the Compensation Fund, provides comprehensive medical aid facilities to its employees, e.g. Hospital, nursing and other medical services, as contemplated in Section 78 of the COID Act, in such cases, treatment arrangements may differ.
- b. In terms of Section 42 of the COID Act, the Compensation Fund may refer an injured employee to a specialist medical service provider designated by the Director General for a medical examination and report. Medical Service providers should cooperate with such referrals where they occur.
- c. Medical Service Providers are reminded that in accordance with section 76(3)(b) of the COID Act, medical expenses may not be recovered from the employee. Providers should therefore avoid billing employees directly for services that fall within accepted COID claims.
- d. Where a change of Medical Service Providers occurs, the first treating doctor is generally regarded as the principal treating doctor, unless the case is transferred to a specialist.
- e. To promote continuity of care and avoid disputes, Medical Service Providers are encouraged not to treat an employee who is already under the care of another practitioner without first consulting or informing the principal treating doctor.
- f. Any changes of medical service providers should be supported by sufficient reasons, and such reasons should be communicated to the Compensation Fund to ensure clarity and proper case management.
- g. In line to section 5 of the National Health Act no 61 of 2003, a health care provider may not refuse a person emergency medical treatment. In emergency situations, Medical Service Providers are not required to obtain prior authorisation from the Compensation Fund before rendering such treatment even if the claim has not yet been registered or accepted.



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

- h. Employees who seek medical treatment do so at their own risk where they have not informed their employer and/or the Compensation Fund of possible grounds for a COID claim. Medical Service Providers should be aware that, under such circumstances, The Compensation Fund may not accept responsibility for the settlements of the medical expenses incurred.
- i. Where a claim is repudiated by the Compensation Fund, the employee is regarded in the same position as any other member of the public in respect of payment for medical services rendered.

### 5. OVERVIEW OF THE COID CLAIMS PROCESS

- All claims lodged in the prescribed manner with the Compensation Fund are subjected to the following process:
  - a. New claims are registered by the Employers with the Compensation Fund in the prescribed manner. Details and progress of the claim can be viewed on the online processing system for registered users of the system.
  - b. Proof of identity is required through the submission of a copy of an Identity document/card, will be required for a claim to be registered with the Compensation Fund. In the case of foreign nationals, the proof of identity (passport) must be certified.
  - c. All supporting documentation submitted to the Compensation Fund must reflect the identity and claim numbers of the employee.
  - d. Once an incident is reported to the Fund a claims number will be allocated to acknowledge receipt, but this does not imply acceptance of liability for the claim.
  - e. On acceptance of liability for claims in terms of the COID Act, all reasonable medical expenses, arising from the related medical condition shall be paid to medical service providers, and in accordance to approved tariffs, billing rules and procedures as published in the medical tariff gazettes of the Compensation Fund.
  - f. If a claim is repudiated in terms of the COID Act, medical expenses, will not be payable. The employer and the employee will be informed of this decision, and the injured employee will be liable for payment of medical costs incurred.
  - g. In the event of insufficient claim information being made available to the Compensation Fund, the claim will be rejected until the outstanding information is submitted and liability can be determined.
  - h. Manner of payment of medical benefits for Compensation Fund claims, where liability has been accepted (adjudicated) on or after 1 April 2025.
    - All medical invoices for accepted claims must be submitted, in the prescribed manner within 36 months of the date of acceptance of liability.
    - And or within 36 months from the date of service, which ever may apply.
    - Medical invoices received after said time frame will be considered as late submission of invoices and may be rejected.
  - i. All service providers should be registered on the Compensation Fund claims processing system to capture medical invoices and medical reports for medical services rendered.
  - j. Submission of medical reports and invoices is permitted solely for claims where liability has been accepted by the Compensation Fund and where payment of reasonable medical expenses is authorised.



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

### **6. BILLING REQUIREMENTS FOR MEDICAL SERVICES PROVIDED TO INJURED OR DISEASED EMPLOYEES**

#### **Submission of Medical Reports**

- In terms of section 74(1)– (5) of the Compensation for Occupational Injuries and Diseases Act, 1993 (COIDA Act), every Medical Service Provider shall submit the prescribed medical reports when claiming from the Compensation Fund.
- The First Medical Report (W.CL 4), completed after the initial consultation, shall:
  - Confirm the clinical description of the injury or disease.
  - Detail all procedures performed; and
  - Record all referrals to other medical service providers, where applicable.
- All follow up consultations shall be recorded on a Progress Medical Report (W.CL 5). Any procedure or operation performed during the reporting period shall be clearly detailed, including all referrals, where applicable.
- A Progress Medical Report shall cover a maximum period of thirty (30) days, except where a procedure has been performed during that period, in which case an additional operation report shall be submitted.
- Where multiple procedures are performed on the same date of service, only one medical report shall be submitted in respect of that service date.
- Upon stabilisation of the injury or disease, a Final Medical Report (W.CL 5F) shall be completed and submitted
- Medical Service Providers shall attach a medical report or other appropriate medical documentation to every claim submitted to the Compensation Fund.
- Medical Service Providers shall retain copies of all submitted medical reports and shall make such records available to the Compensation Commissioner upon request.
- With effect from 1 April 2025, **ALL** medical practitioners shall submit relevant patient records together with medical invoices for services rendered. **(This includes hospitals, anaesthetists and any other practitioners that have not previously been required to do so)**

#### **Submission of Medical Invoices**

- Medical invoices shall be submitted only in respect of claims for which liability has been formally accepted by the Compensation Fund and where payment of reasonable medical expenses has been authorised.
- The submission of medical invoices without the required accompanying medical documentation shall be strictly prohibited and shall result in rejection of the invoice.
- Duplicate invoices shall not be submitted under any circumstances.
- Running accounts or statements shall not be accepted and shall be rejected at system level.

#### **Minimum Information Requirements for Medical Invoices**

Every medical invoice submitted to the Compensation Fund shall, at a minimum, include the following information:

- The allocated Compensation Fund claim number.
- The full name, surname and identity number of the employee.
- The name and Compensation Fund registration number of the employer, as reflected on the Employer's Report of Accident (W.CL 2);



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

- The date of accident.
  - The date(s) of service rendered.
  - The Medical Service Provider's BHF practice number.
  - The VAT registration number of the Medical Service Provider, where applicable.
  - The applicable tariff code(s) as published in the approved tariff gazettes.
  - The amount claimed per tariff code, quantity, total amount claimed including the correct sequencing of modifiers where applicable.
  - A unique invoice number.
- (Medical invoices that do not comply with the prescribed minimum information requirements shall be rejected and shall not be processed for payment).

### VAT and Tariff Application

- Published tariff amounts shall be assessed exclusive of VAT.
- VAT shall be applied only where the Medical Service Provider is a registered VAT vendor and has supplied a valid VAT registration number on the invoice.
- Where no VAT registration number is provided, the Medical Service Provider shall be regarded as a non-VAT vendor and VAT shall not be applied.
- Notwithstanding the above, the following tariffs shall be processed as VAT inclusive:
  - Per diem tariffs applicable to private hospitals; and
  - VAT exempt tariff codes applicable to private ambulance services.

### Pharmaceuticals and Referrals

- All pharmaceutical claims shall be submitted in accordance with the NAPPI file and shall be accompanied by the original prescription(s).
- Where a referral is required, the referring practitioner's referral letter shall accompany the medical invoice.

### Enforcement and Non-Compliance

- The Compensation Fund shall withhold payment of any medical invoice that fails to comply with the billing and submission requirements prescribed in this document and as published in the Government Gazette.
- Noncompliance with these billing requirements shall result in rejection of claims and may result in further remedial or enforcement action by the Compensation Fund.

## 7. INVOICING REQUIREMENT ON MEDICAL CLAIMS FOR ICD-10 CODES

As part of improved delivery service and efficiency, The Compensation Fund has implemented ICD-10 rules that must be adhered to when submitting medical invoices. This will be rolled out in a phased approach. The first phase currently active on the system is outlined below:

### ICD-10 Validations

ICD-10 validations will apply in accordance with the national ICD-10 Phase 3 and Phase 4.1 requirements and include the following:

- Valid ICD-10 codes as per the SA ICD-10 Master Industry Table
- Maximum level of specificity: ICD-10 codes must be valid at the correct 3-, 4-, or 5-character level
- Valid ICD-10 primary codes (codes not valid as primary will be rejected)
- Compliance with the dagger and asterisk rule



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

- Compliance with sequelae coding rules
- Age edits for ICD-10 codes with age requirements
- Gender edits
- All injury and poisoning codes must be accompanied by external cause codes

Please ensure that you are familiar with the above requirements to avoid unnecessary claim rejections. The date and requirements for the next phase will be communicated in due course.

### **8. REQUIREMENTS FOR SWITCHING MEDICAL INVOICES WITH THE COMPENSATION FUND**

A switching provider must comply with the **following** requirements:

1. Register with the Compensation Fund as an employer where applicable in terms of the COIDA Act 1993
2. Host a secure FTP (or SFTP) server to ensure encrypted connectivity with the Fund.  
This requires that they ensure the following:
  - a. Disable Standard FTP because is now obsolete. ...and use latest version and reinforce FTPS protocols and TLS protocols.
  - b. Use Strong Encryption and Hashing.
  - c. Place Behind a Gateway.
  - d. Implement IP Blacklists and Whitelists.
  - e. Harden Your FTPS Server.
  - f. Utilize Good Account Management.
  - g. Use Strong Passwords.
  - h. Implement File and Folder Security.
  - i. Secure your administrator and require staff to use multifactor authentication.
3. Submit and complete successful test file after registration before switching invoices.
4. Verify medical service provider's registration with the Board of Healthcare Funders of South Africa.
5. Submit medical invoices with gazetted COIDA tariffs that are published annually.
6. Comply with medical billing requirements of the Compensation Fund.
7. Single batch submitted must have a maximum of 150 medical invoices.
8. Eliminate duplicate invoices before switching to the Fund.
9. File name must include a sequential batch number in the file naming convention.
10. File names to include sequential number to determine order of processing.
11. Only pharmacies should claim from the NAPPI file.

**PLEASE NOTE:** Failure to comply with the above requirements will result in deregistration / penalty imposed on the switching house.



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

### COMPEASY ELECTRONIC INVOICING FILE LAYOUT

**\* Mandatory fields**

| FIELD               | DESCRIPTION                                      | Max Length | DATA TYPE | MANDATORY |
|---------------------|--|------------|-----------|-----------|
| <b>BATCH HEADER</b> |  |            |           |           |
| 1                   | Header identifier = 1                            | 1          | Numeric   | *         |
| 2                   | Switch internal Medical aid reference number     | 5          | Alpha     |           |
| 3                   | Transaction type = M                             | 1          | Alpha     |           |
| 4                   | Switch administrator number                      | 3          | Numeric   |           |
| 5                   | Batch number                                     | 9          | Numeric   | *         |
| 6                   | Batch date (CCYYMMDD)                            | 8          | Date      | *         |
| 7                   | Scheme name                                      | 40         | Alpha     | *         |
| 8                   | Switch internal                                  | 1          | Numeric   |           |
| <b>DETAIL LINES</b> |  |            |           |           |
| 1                   | Transaction identifier = M                       | 1          | Alpha     | *         |
| 2                   | Batch sequence number                            | 10         | Numeric   | *         |
| 3                   | Switch transaction number                        | 10         | Numeric   | *         |
| 4                   | Switch internal                                  | 3          | Numeric   |           |
| 5                   | CF Claim number                                  | 20         | Alpha     | *         |
| 6                   | Employee surname                                 | 20         | Alpha     | *         |
| 7                   | Employee initials                                | 4          | Alpha     | *         |
| 8                   | Employee Names                                   | 20         | Alpha     | *         |
| 9                   | BHF Practice number                              | 15         | Alpha     | *         |
| 10                  | Switch ID  | 3          | Numeric   |           |
| 11                  | Patient reference number (account number)        | 11         | Alpha     | *         |
| 12                  | Type of service                                  | 1          | Alpha     |           |
| 13                  | Service date (CCYYMMDD)                          | 8          | Date      | *         |
| 14                  | Quantity / Time in minutes                       | 7          | Decimal   | *         |
| 15                  | Service amount                                   | 15         | Decimal   | *         |
| 16                  | Discount amount                                  | 15         | Decimal   | *         |
| 17                  | Description                                      | 30         | Alpha     | *         |
| 18                  | Tariff   | 10         | Alpha     | *         |
| 19                  | Service fee                                      | 1          | Numeric   |           |
| 20                  | Modifier 1                                       | 5          | Alpha     |           |
| 21                  | Modifier 2                                       | 5          | Alpha     |           |
| 22                  | Modifier 3                                       | 5          | Alpha     |           |
| 23                  | Modifier 4                                       | 5          | Alpha     |           |
| 24                  | Invoice Number                                   | 10         | Alpha     | *         |
| 25                  | Practice name                                    | 40         | Alpha     | *         |
| 26                  | Referring doctor's BHF practice number           | 15         | Alpha     |           |
| 27                  | Medicine code (NAPPI CODE)                       | 15         | Alpha     | *         |
| 28                  | Doctor practice number - sReferredTo             | 30         | Numeric   |           |
| 29                  | Date of birth / ID number                        | 13         | Numeric   | *         |
| 30                  | Service Switch transaction number – batch number | 20         | Alpha     |           |
| 31                  | Hospital indicator                               | 1          | Alpha     | *         |
| 32                  | Authorisation number                             | 21         | Alpha     | *         |
| 33                  | Resubmission flag                                | 5          | Alpha     | *         |
| 34                  | Diagnostic codes                                 | 64         | Alpha     | *         |



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

| FIELD          | DESCRIPTION                           | Max Length | DATA TYPE | MANDATORY |
|----------------|---------------------------------------|------------|-----------|-----------|
| 35             | Treating Doctor BHF practice number   | 9          | Alpha     |           |
| 36             | Dosage duration (for medicine)        | 4          | Alpha     |           |
| 37             | Tooth numbers                         |            | Alpha     | *         |
| 38             | Gender (M, F)                         | 1          | Alpha     |           |
| 39             | HPCSA number                          | 15         | Alpha     |           |
| 40             | Diagnostic code type                  | 1          | Alpha     |           |
| 41             | Tariff code type                      | 1          | Alpha     |           |
| 42             | CPT code / CDT code                   | 8          | Numeric   |           |
| 43             | Free Text                             | 250        | Alpha     |           |
| 44             | Place of service                      | 2          | Numeric   | *         |
| 45             | Batch number                          | 10         | Numeric   |           |
| 46             | Switch Medical scheme identifier      | 5          | Alpha     |           |
| 47             | Referring Doctor's HPCSA number       | 15         | Alpha     | *         |
| 48             | Tracking number                       | 15         | Alpha     |           |
| 49             | Optometry: Reading additions          | 12         | Alpha     |           |
| 50             | Optometry: Lens                       | 34         | Alpha     |           |
| 51             | Optometry: Density of tint            | 6          | Alpha     |           |
| 52             | Discipline code                       | 7          | Numeric   |           |
| 53             | Employer name                         | 40         | Alpha     | *         |
| 54             | Employee number                       | 15         | Alpha     | *         |
| 55             | Date of Injury (CCYYMMDD)             | 8          | Date      | *         |
| 56             | IOD reference number                  | 15         | Alpha     |           |
| 57             | Single Exit Price (Inclusive of VAT)  | 15         | Numeric   |           |
| 58             | Dispensing Fee                        | 15         | Numeric   |           |
| 59             | Service Time                          | 4          | Numeric   |           |
| 60             |                                       |            |           |           |
| 61             |                                       |            |           |           |
| 62             |                                       |            |           |           |
| 63             |                                       |            |           |           |
| 64             | Treatment Date from (CCYYMMDD)        | 8          | Date      | *         |
| 65             | Treatment Time (HHMM)                 | 4          | Numeric   | *         |
| 66             | Treatment Date to (CCYYMMDD)          | 8          | Date      | *         |
| 67             | Treatment Time (HHMM)                 | 4          | Numeric   | *         |
| 68             | Surgeon BHF Practice Number           | 15         | Alpha     |           |
| 69             | Anaesthetist BHF Practice Number      | 15         | Alpha     |           |
| 70             | Assistant BHF Practice Number         | 15         | Alpha     |           |
| 71             | Hospital Tariff Type                  | 1          | Alpha     |           |
| 72             | Per diem (Y/N)                        | 1          | Alpha     |           |
| 73             | Length of stay                        | 5          | Numeric   | *         |
| 74             | Free text diagnosis                   | 30         | Alpha     |           |
| <b>TRAILER</b> |                                       |            |           |           |
| 1              | Trailer Identifier = Z                | 1          | Alpha     | *         |
| 2              | Total number of transactions in batch | 10         | Numeric   | *         |
| 3              | Total amount of detail transactions   | 15         | Decimal   | *         |



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

### MSPs PAID BY THE COMPENSATION FUND

| Discipline Code: | Discipline Description:                                |
|------------------|--|
| 004              | Chiropractors  |
| 009              | Ambulance Services - Advanced                          |
| 010              | Anesthesiology   |
| 011              | Ambulance Services - Intermediate                      |
| 012              | Dermatology  |
| 013              | Ambulance Services - Basic                             |
| 014              | General Medical Practice                               |
| 015              | General Medical Practice                               |
| 016              | Obstetrics and Gynecology (Occupational related cases) |
| 017              | Pulmonology  |
| 018              | Specialist Medicine                                    |
| 019              | Gastroenterology                                       |
| 020              | Neurology  |
| 021              | Cardiology (Occupational Related Cases)                |
| 022              | Psychiatry   |
| 023              | Medical Oncology                                       |
| 024              | Neurosurgery   |
| 025              | Nuclear Medicine                                       |
| 026              | Ophthalmology  |
| 028              | Orthopaedic  |
| 030              | Otorhinolaryngology                                    |
| 034              | Physical Medicine                                      |
| 035              | Emergency Medicine Independent Practice Speciality     |
| 036              | Plastic and Reconstructive Surgery                     |
| 038              | Diagnostic Radiology                                   |
| 039              | Radiography  |
| 040              | Radiation Oncology                                     |
| 042              | Surgery Specialist                                     |
| 044              | Cardio Thoracic Surgery                                |
| 046              | Urology  |
| 049              | Sub-Acute Facilities                                   |
| 052              | Pathology  |
| 054              | General Dental Practice                                |
| 055              | Mental Health Institutions                             |
| 056              | Provincial Hospitals                                   |
| 057              | Private Hospitals                                      |
| 058              | Private Hospitals                                      |
| 059              | Private Rehab Hospital (Acute)                         |
| 060              | Pharmacy   |
| 062              | Maxillo-facial and Oral Surgery                        |
| 066              | Occupational Therapy                                   |
| 070              | Optometry  |
| 072              | Physiotherapy  |
| 075              | Clinical technology (Renal Dialysis and Perfusionists) |
| 076              | Unattached operating theatres / Day clinics            |
| 077              | Approved U O T U / Day clinics                         |



## employment & labour

Department:  
Employment and Labour  
REPUBLIC OF SOUTH AFRICA

|     |  |
|-----|--|
| 078 | Blood transfusion services                         |
| 079 | Hospices/Frail Care                                |
| 082 | Speech therapy and Audiology                       |
| 083 | Hearing Aid Acoustician                            |
| 084 | Dietetics  |
| 086 | Psychology   |
| 087 | Orthotics & Prosthetics                            |
| 088 | Registered nurses (Wound Care and Nephrology only) |
| 089 | Social worker                                      |
| 090 | Clinical services: (Wheelchairs and Gases only)    |
| 094 | Prosthodontic                                      |

### POPI ACT COMPLIANCE

In terms of Protection of Personal Information Act, 2013 (POPI Act), the Compensation Fund wants to assure Employees and the Medical Service Providers that all personal information collected is treated as private and confidential. The Compensation Fund has put in place the necessary safeguards and controls to maintain confidentiality, prevent loss, unauthorised access and damage to information by unauthorised parties.

# ORTHOTICS GAZETTE 2026

**ORTHOTICS TARIFF OF FEES AS FROM 01 APRIL 2026 (PRACTICE TYPE 87 & 90)**

# = INDICATE ITEMS WHICH REQUIRE SPECIAL MOTIVATION BY THE COMPENSATION FUND

S = ITEM SUPPLIED WITHOUT FITTING

SF = ITEM SUPPLIED AND FITTED TO PATIENT

CF = ITEM CUSTOM (MODIFIED, ALTERED, CONTOURED) FITTED TO PATIENT

CM = ITEM IS CUSTOM MANUFACTURED TO PATIENT MEASUREMENTS

\* = ITEM NOT TO BE AUTHORISED

Note: Fee for fitting, fabricating, modifying and altering is included in tariff fee

| Item       | Code    |    | Orthotics Consultation   |    | Rand<br>(excl.VAT) |
|------------|---------|----|--|----|--------------------|
| OC093      | A60093* |    | Orthotic Consultation (30 minutes)                             | ea | 433.86             |
| OC094      | A60094* |    | Orthotic Consultation (1 hour)                                 | ea | 867.75             |
| OC095      | A60095* |    | Orthotic Repairs (To be charged once only)                     | ea | 433.86             |
| <b>AFO</b> |         |    | <b>Ankle Foot Orthotics</b>                                    |    |                    |
| AFO010     | A10010* | SF | Ankle brace - elastic  | ea | 377.31             |
| AFO021     | A10021* | CM | Ankle brace - lace up  | ea | 2320.83            |
| AFO030     | A10030* | SF | Ankle brace - neoprene   | ea | 434.77             |
| AFO040     | A10040* | SF | Ankle brace - pneumatic  | ea | 1818.73            |
| AFO050     | A10050* | CM | Ankle foot orthosis - leg rotation control - resting splint    | ea | 4766.46            |
| AFO060     | A10060* | CM | Ankle foot orthosis - plantar flexion control - resting splint | ea | 4766.46            |
| AFO070     | A10070* | CM | Ankle foot orthosis - moulded - with lapped joint              | ea | 5915.65            |
| AFO080     | A10080* | CM | Ankle foot orthosis - moulded - with system joint              | ea | 12428.34           |
| AFO090     | A10090* | CM | Ankle Foot Orthosis spring loaded                              | ea | 9985.2             |
| AFO100     | A10100* | CM | Below knee DOUBLE caliper                                      | ea | 2665.59            |
| AFO110     | A10110* | CM | Below knee DOUBLE caliper, socket and T-strap                  | ea | 4034.51            |
| AFO120     | A10120* | CM | Below knee SINGLE caliper                                      | ea | 699.39             |
| AFO130     | A10130* | CM | Below knee SINGLE caliper, socket and T-strap                  | ea | 3162.76            |
| AFO140     | A10140* | SF | Calf sleeve neoprene   | ea | 699.39             |
| AFO200     | A10200* | CM | Dropfoot splint - plastic custom made                          | ea | 4908.76            |
| AFO210     | A10210* | CF | Dropfoot splint - plastic imported                             | ea | 3627.37            |
| AFO220     | A10220* | CF | Dropfoot splint - plastic local                                | ea | 2902.83            |
| AFO240     | A10240* | CM | Fracture brace BK plastic                                      | ea | 7074.72            |
| AFO250     | A10250* | CF | Fracture brace - BK pneumatic walker                           | ea | 5675.72            |
| AFO251     | A10251* | CF | Fracture brace - BK pneumatic / foam walker                    | ea | 3230.09            |
| AFO260     | A10260* | CM | Heel socket round  | ea | 1656.22            |
| AFO270     | A10270* | CM | Heel socket square   | ea | 1691.23            |
| AFO271     | A10271* | CF | Heel Socket - to shoe  | ea | 2223.42            |
| AFO280     | A10280* | CM | Heel socket with back-stop                                     | ea | 1726.27            |
| AFO300     | A10300* | CM | T-strap  | ea | 1151.67            |
| <b>FO</b>  |         |    | <b>Foot Orthotics</b>  |    |                    |
| FO010      | A11010* | SF | Accomodative heel (spur) pad                                   | pr | 304.81             |
| FO020      | A11020* | CM | Arch support - metatarsal insole                               | pr | 1094.21            |
| FO030      | A11030* | CM | Arch support - moulded 3/4 length                              | pr | 2720.59            |
| FO040      | A11040* | CM | Arch support - valgus insole                                   | pr | 1094.21            |
| FO050      | A11050* | CM | Arch support - valgus and metatarsal insole                    | pr | 1216.53            |
| FO053      | A11053* | SF | Arch support silicone (Ipocon or similar)                      | pr | 1521.34            |
| FO060      | A11060* | CM | Arch supports - moulded full length                            | pr | 3367.45            |

|           |         |    |   |    |          |
|-----------|---------|----|---|----|----------|
| FO070     | A11070* | CF | Arch supports covering - Spenco, PPT or similar     | pr | 776.83   |
| FO110     | A11110* | SF | Heel seats  | pr | 1319.11  |
| FO111     | A11111* | CM | Heel seats - custom made                            | pr | 3892.23  |
| FO120     | A11120* | SF | Insoles (shock absorbing) Sorbothane                | pr | 702.09   |
| FO130     | A11130* | CF | Metatarsal pads stuck in                            | pr | 177.32   |
| FO031     | A11131* | CM | Orthotic - modify existing innersole of sports shoe | pr | 1736.13  |
| FO140     | A11140* | CM | Orthotics U.S.C.L                                   | pr | 3492.47  |
| FO145     | A11145* | SF | Toe alignment splint                                | ea | 874.46   |
| FO146     | A11146* | SF | Toe abduction splint post-op                        | ea | 991.85   |
| <b>FW</b> |         |    |   |    |          |
|           |         |    | <b>Footwear</b>                                     |    |          |
| FO500     | A11500  | SF | Boots DERBY adults                                  | pr | 2620.49  |
| FO520     | A11520  | SF | Boots LTT adults                                    | pr | 2620.49  |
| FO600     | A11600  | SF | Orthopaedic footwear - extra depth shoes            | pr | 9180.76  |
| FO620     | A11620* | SF | Sandle POP  | ea | 322.31   |
| FO635     | A11635* | SF | Sandle post-op                                      | pr | 1216.53  |
| FO640     | A11640  | SF | Shoes adult mens lace-up                            | pr | 1076.7   |
| FO670     | A11670  | CM | Surgical boots made to measure                      | pr | 14981.5  |
| FO680     | A11680  | CM | Surgical shoes made to measure                      | pr | 14256.96 |
| FO685     | A11690  | CM | Fleace lining for boots                             | ea | 2200.97  |
| <b>FM</b> |         |    |   |    |          |
|           |         |    | <b>Footwear Modifications</b>                       |    |          |
| FM010     | A12010* | CM | C & E Heels   | pr | 574.6    |
| FM020     | A12020* | CM | Excavate heels                                      | pr | 504.58   |
| FM030     | A12030* | CM | Flared heels  | ea | 714.43   |
| FM040     | A12040* | CM | Metatarsal bars                                     | pr | 574.6    |
| FM050     | A12050* | CM | Raise heel 1 cm and sole to balance                 | ea | 799.49   |
| FM060     | A12060* | CM | Raise heel 2 cm and sole to balance                 | ea | 869.3    |
| FM070     | A12070* | CM | Raise heel 3 cm and sole to balance                 | ea | 1079.17  |
| FM080     | A12080* | CM | Raise heel 4 cm and sole to balance                 | ea | 1151.67  |
| FM090     | A12090* | CM | Raise heel 5 cm and sole to balance                 | ea | 1234.05  |
| FH100     | A12100* | CM | Raised heel insert 1 - 2 cm                         | ea | 292.23   |
| FM110     | A12110* | CM | Raised heel insert up to 1 cm                       | ea | 292.23   |
| FM120     | A12120* | CM | Raised heel insert - moulded to foot                | ea | 869.3    |
| FM130     | A12130* | CM | Raise heel up to 1 cm                               | ea | 369.67   |
| FM140     | A12140* | CM | Raise heel up to 2 cm                               | ea | 434.77   |
| FM150     | A12150* | CM | Raise heel up to 3 cm                               | ea | 577.07   |
| FM160     | A12160* | CM | Raise heel up to 4 cm                               | ea | 652.04   |
| FM170     | A12170* | CM | Raise heel up to 5 cm                               | ea | 731.94   |
| FM180     | A12180* | CM | Raise shoe by adjustment                            | ea | 504.62   |
| FM190     | A12190* | CM | Raise shoe - Cork - up to 2.5 cm                    | ea | 2453.26  |
| FM200     | A12200* | CM | Raise shoe - Cork - 2.5 to 5 cm                     | ea | 3030.33  |
| FM210     | A12210* | CM | Raise shoe - Cork - 5 to 10 cm                      | ea | 3609.86  |
| FM220     | A12220* | CM | Raise shoe - Pattern                                | ea | 2770.41  |
| FM230     | A12230* | CM | Rocker sole   | ea | 939.34   |
| FM240     | A12240* | CM | Stretch shoes                                       | pr | 212.33   |
| FM250     | A12250* | CM | Thomas's heels                                      | pr | 574.6    |
| FM270     | A12270* | CM | Wedged heel   | pr | 574.6    |
| FM280     | A12280* | CM | Wedged heel and sole                                | pr | 869.3    |
| FM290     | A12290* | CM | Wedged sole   | pr | 574.6    |
| FM300     | A12300* | CM | Toe cap steel                                       | pr | 936.87   |
| FM310     | A12310* | CM | Toe cap moulded plastic                             | pr | 574.6    |

| KO                        |         |    | Knee Orthotics   |       |          |
|---------------------------|---------|----|--|-------|----------|
| KO010                     | A13010* | CM | Knee brace - custom moulded with polycentric joints              | ea    | 15875.72 |
| KO011                     | A13011* | CM | Knee brace - custom moulded with locking joints                  | ea    | 20247.58 |
| KO013                     | A13013* | CM | Knee brace - custom moulded with overlapping joints              | ea    | 16964.98 |
| KO015                     | A13015* | CF | Knee brace - elastic with hinges imported                        | ea    | 1963.51  |
| KO020                     | A13020* | CF | Knee brace - neoprene with hinges local                          | ea    | 1831.09  |
| KO030                     | A13030* | SF | Knee brace - Osgood Schlatter                                    | ea    | 1219     |
| KO040                     | A13040* | SF | Knee brace - patella stabilizer                                  | ea    | 1219     |
| KO041                     | A13041* | SF | Knee brace - patella stabilizer - anterior opening               | ea    | 2620.47  |
| KO043                     | A13043* | SF | Knee brace - patella brace 210 P-I                               | ea    | 1381.51  |
| KO050                     | A13050  | CF | Knee brace - rigid ACL brace                                     | ea    | 28918.62 |
| KO070                     | A13070* | SF | Knee guard - elastic   | ea    | 477.18   |
| KO080                     | A13080* | SF | Knee immobilizer post-op   | ea    | 3055.23  |
| KO090                     | A13090* | SF | Knee sleeve neoprene local                                       | ea    | 652.04   |
| KO091                     | A13091* | SF | Knee sleeve neoprene imported                                    | ea    | 1159.07  |
| KO100                     | A13100* | CF | Post-op ROM brace - local  | ea    | 4441.67  |
| KO110                     | A13110* | CF | Post-op ROM brace - imported                                     | ea    | 5978.06  |
| KO120                     | A13120* | CM | Post-op ROM brace - custom made                                  | ea    | 10404.69 |
| KO121                     | A13121* | CM | Post-op knee extension lock                                      | ea    | 5303.57  |
| KO130                     | A13130* | CF | Swedish knee cage  | ea    | 7167.19  |
| KO140                     | A13140* | CF | Swedish knee cage - hinged                                       | ea    | 11446.61 |
| <b>Leg Orthotics</b>      |         |    |  |       |          |
| LO                        |         |    |  |       |          |
| LO005                     | A14005  | CM | Bi-valved full length moulded leg brace                          | ea    | 11928.72 |
| LO010                     | A14010  | CM | Caliper full length with knee hinges and spurs                   | ea    | 21214.29 |
| LO020                     | A14020  | CM | Caliper full length with knee hinges ankle joints and footplates | ea    | 27399.75 |
| LO030                     | A14030  | CM | Caliper - AK straight  | ea    | 8591.12  |
| LO040                     | A14040  | CM | Caliper - AK straight for Perthes disease                        | ea    | 11713.92 |
| LO050                     | A14050  | CM | Caliper - weight bearing with knee joints                        | ea    | 22730.69 |
| LO060                     | A14060* | CM | Fracture brace AK moulded plastic                                | ea    | 10125.03 |
| LO070                     | A14070* | CM | Fracture brace AK moulded plastic with knee joints               | ea    | 17976.59 |
| LO080                     | A14080* | CM | Fracture brace AK plus HIP spica                                 | ea    | 14898.89 |
| LO101                     | A14101* | CM | T.H.R. Hip brace with hip control joint - imported               | ea    | 23097.91 |
| LO125                     | A14125* | CM | Posterior leg splint - moulded                                   | ea    | 8883.37  |
| LO140                     | A14140* | SF | Thigh sleeve - neoprene  | ea    | 652.04   |
| LO141                     | A14141* | SF | Thigh sleeve - neoprene imported                                 | ea    | 1276.46  |
| LO151                     | A14151* | SF | Thermal pants  | ea    | 1381.51  |
| <b>Orthotic Repairs</b>   |         |    |  |       |          |
| LO                        |         |    |  | unit  |          |
| LO170                     | A14170* | CM | Replace calf / thigh band  | ea    | 1518.87  |
| LO180                     | A14180* | CM | Knee cap square  | ea    | 1586.43  |
| LO190                     | A14190* | CM | Knee cap long (KK)   | ea    | 2038.46  |
| LO195                     | A14195* | CM | Orthotic repairs - (specify)                                     | units | 527.02   |
| <b>Cervical Orthotics</b> |         |    |  |       |          |
| CO                        |         |    |  |       |          |
| CO010                     | A15010* | CF | ABCO (Conradie brace)  | ea    | 10712.19 |
| CO015                     | A15015* | CF | Custom moulded Plastic collar                                    | ea    | 6919.85  |
| CO020                     | A15020* | CF | Custom moulded Plastizote collar                                 | ea    | 2453.26  |
| CO030                     | A15030* | CF | Executive cervical collar  | ea    | 2907.79  |
| CO040                     | A15040* | CF | Four poster brace  | ea    | 7919.1   |
| CO050                     | A15050* | CF | Halo brace and hardware without ring or pins                     | ea    | 30782.24 |
| CO060                     | A15060* | CF | Halo brace complete (invasive or non-invasive)                   | ea    | 54202.46 |
| CO068                     | A15068* | CF | Miami J/ Aspen collar  | ea    | 2982.74  |

|           |         |    |  |    |          |
|-----------|---------|----|--|----|----------|
| CO069     | A15069* | CF | Neck Lock  | ea | 1748.71  |
| CO070     | A15070* | CF | Plastic collar with chin piece                   | ea | 1593.84  |
| CO080     | A15080* | CF | Plastic collar without chinpiece                 | ea | 1309     |
| CO083     | A15083* | CF | Philadelphia collar                              | ea | 1888.54  |
| CO084     | A15084* | CF | Philadelphia collar / ABS collar imported        | ea | 4211.85  |
| CO090     | A15090* | CF | Poly pad cervical collar                         | ea | 1496.42  |
| CO091     | A15091* | CF | Poly and occipital pad                           | ea | 1741.31  |
| CO100     | A15100* | CF | Soft collar                                      | ea | 177.32   |
| CO101     | A15101* | CF | Soft collar - extra                              | ea | 434.77   |
| CO102     | A15102* | CF | Soft collar - firm                               | ea | 731.94   |
| CO110     | A15110* | CF | S.O.M.I. brace                                   | ea | 4014.77  |
| CO120     | A15120* | CF | S.O.M.I. brace imported                          | ea | 5188.87  |
| CO130     | A15130* | CF | Scull cap  | ea | 4764     |
| <b>SO</b> |         |    |  |    |          |
|           |         |    | <b>Spinal Orthotics</b>                          |    |          |
| SO005     | A16005* | CF | Abdominal binder - elastic 12"                   | ea | 1009.36  |
| SO010     | A16010* | CF | Abdominal binder - elastic 10"                   | ea | 886.82   |
| SO020     | A16020* | CF | Abdominal binder - elastic 8"                    | ea | 791.87   |
| SO030     | A16030* | CF | Abdominal binder - 6"                            | ea | 699.39   |
| SO040     | A16040* | CF | Abdominal corset - female/male                   | ea | 2325.76  |
| SO070     | A16070* | CF | Hyper-extension (CASH) orthosis                  | ea | 6250.32  |
| SO075     | A16075* | CF | Hyper-extension (JEWETS) orthosis                | ea | 10037.49 |
| SO080     | A16080* | CF | Lumbo Sacral Orthosis - chairback brace          | ea | 5755.85  |
| SO090     | A16090* | CM | Lumbo Sacral Orthosis - Bennett's Brace          | ea | 7669.29  |
| SO100     | A16100* | CM | Lumbo-sacral Orthosis - Pantaloone brace         | ea | 11786.2  |
| SO110     | A16110* | CM | Lumbo sacral Orthosis - post-op bivalve          | ea | 13607.41 |
| SO111     | A16111* | CF | Lumbo sacral Orthosis - chairback imported       | ea | 11221.69 |
| SO120     | A16120* | CF | Lumbo-dorsal corset - female                     | ea | 2810.37  |
| SO130     | A16130* | CF | Lumbo-dorsal corset - female imported            | ea | 3712.2   |
| SO140     | A16140* | CF | Lumbo-dorsal corset - male                       | ea | 2588.16  |
| SO150     | A16150* | CF | Lumbo-dorsal corset - male imported              | ea | 3712.2   |
| SO160     | A16160* | CF | Lumbo-sacral corset - elastic pullwrap           | ea | 2005.93  |
| SO161     | A16161* | CF | Lumbo-sacral corset - neoprene pullwrap          | ea | 1521.34  |
| SO162     | A16162* | CF | Lumbo-sacral corset - elastic velcro             | ea | 1593.84  |
| SO163     | A16163* | CF | Lumbo-sacral corset - elastic velcro imported    | ea | 2031.06  |
| SO170     | A16170* | CF | Lumbo-sacral corset - elastic X-strap            | ea | 1593.84  |
| SO180     | A16180* | CF | Lumbo-sacral corset - female 11"                 | ea | 2398.28  |
| SO190     | A16190* | CF | Lumbo-sacral corset - female 11" imported        | ea | 3639.71  |
| SO200     | A16200* | CF | Lumbo-sacral corset - female 9"                  | ea | 2255.74  |
| SO210     | A16210* | CF | Lumbo-sacral corset - female 9"/male             | ea | 3639.71  |
| SO220     | A16220* | CF | Lumbo-sacral corset - male                       | ea | 3639.71  |
| SO230     | A16230* | CF | Lumbo-sacral corset - male                       | ea | 2255.74  |
| SO250     | A16250* | CM | Thoraco Lumbar Sacral Orthosis - post op         | ea | 12713.19 |
| SO260     | A16260* | CM | Thoraco Lumbar Sacral Orthosis - post op bivalve | ea | 15473.49 |
| SO270     | A16270* | CF | Thoraco Lumbar Sacral Orthosis - Taylor's brace  | ea | 4291.75  |
| SO271     | A16271* | CM | Taylor's brace custom moulded                    | ea | 9985.2   |
| SO280     | A16280* | CM | Taylor's extension to corset                     | ea | 1736.13  |
| SO290     | A16290* | CF | Sacro Iliac belt                                 | ea | 1521.34  |
| <b>AO</b> |         |    |  |    |          |
|           |         |    | <b>Arm Orthotics</b>                             |    |          |
| AO010     | A17010* | CM | Arm abduction splint - custom made               | ea | 10959.32 |
| AO020     | A17020* | CF | Arm abduction splint - imported                  | ea | 17866.81 |
| AO030     | A17030* | SF | Arm immobiliser sling                            | ea | 434.77   |
| AO040     | A17040* | SF | Clavicle brace                                   | ea | 434.77   |

|           |         |    |   |    |          |
|-----------|---------|----|---|----|----------|
| AO050     | A17050* | SF | Collar and Cuff   | ea | 72.5     |
| AO060     | A17060* | CM | Elbow splint - moulded, rigid                               | ea | 5621.18  |
| AO070     | A17070* | CM | Elbow splint - moulded, with free joints                    | ea | 9690.26  |
| AO080     | A17080* | CM | Elbow splint - moulded, with locking joints                 | ea | 12170.92 |
| AO090     | A17090* | CM | Fracture brace - Humerus                                    | ea | 3966.97  |
| AO100     | A17100* | CM | Fracture brace - Radius, ulna                               | ea | 3966.97  |
| AO105     | A17105* | SF | Tennis elbow - single pad                                   | ea | 539.59   |
| AO110     | A17110* | SF | Tennis elbow - single pad pneumatic                         | ea | 649.57   |
| AO120     | A17120* | SF | Tennis elbow - double pad                                   | ea | 1019.24  |
| <b>HO</b> |         |    |   |    |          |
|           |         |    | <b>Hand Orthotics</b>                                       |    |          |
| HO010     | A18010* | SF | Carpo-metacarpal immobilizer strap                          | ea | 919.35   |
| HO020     | A18020* | CM | Carpo-metacarpal immobilizer - moulded                      | ea | 1079.17  |
| HO030     | A18030* | SF | Finger splint - PIP extension                               | ea | 1311.47  |
| HO040     | A18040* | SF | Finger splint - PIP flexion                                 | ea | 1311.47  |
| HO050     | A18050* | SF | Finger stall - leather                                      | ea | 122.34   |
| HO060     | A18060* | CM | Hand splint - Post-op mobilizer                             | ea | 3032.79  |
| HO070     | A18070* | CM | Hand splint - moulded resting splint                        | ea | 1878.66  |
| HO090     | A18090* | CM | Hand splint - Combination finger ext , MP ext , wrist ext   | ea | 3050.3   |
| HO100     | A18100* | CM | Hand splint - Combination finger ext , MP flex , Wrist ext  | ea | 3050.3   |
| HO110     | A18110* | CF | Hand splint - finger and MP flexion                         | ea | 2765.48  |
| HO120     | A18120* | CF | Hand splint - MP extension                                  | ea | 2320.83  |
| HO130     | A18130* | CF | Hand splint - MP flexion                                    | ea | 2320.83  |
| HO140     | A18140* | SF | Mallet finger splint  | ea | 457.21   |
| HO150     | A18150* | SF | Thumb wrap  | ea | 572.12   |
| HO151     | A18151* | SF | Thumb support   | ea | 804.44   |
| HO152     | A18152* | CM | Thumb abduction splint                                      | ea | 1741.31  |
| HO160     | A18160* | CF | Wrist brace - elastic with volar splint                     | ea | 829.36   |
| HO165     | A18165* | CF | Wrist brace - reinforced leatherette with volar splint      | ea | 1001.73  |
| HO170     | A18170* | CF | Wrist brace - neoprene with volar splint                    | ea | 1236.5   |
| HO180     | A18180* | CM | Wrist brace - moulded leather                               | ea | 5478.43  |
| HO190     | A18190* | CM | Wrist brace - moulded plastic                               | ea | 5183.73  |
| HO200     | A18200* | SF | Wrist guard - elastic                                       | ea | 399.76   |
| HO210     | A18210* | CF | Wrist splint - dynamic extension                            | ea | 1311.47  |
| <b>GC</b> |         |    |   |    |          |
|           |         |    | <b>Graduated Compression Hose</b>                           |    |          |
| GC010     | A50010* | SF | Anti embolic stocking thigh high with waistbelt             | pr | 1539.74  |
| GC020     | A50020* | SF | Anti-embolic stocking calf length                           | pr | 1089.26  |
| GC030     | A50030* | SF | Anti-embolic stocking thigh length                          | pr | 1456.46  |
| GC040     | A50040  | SF | Class I compression stocking - calf length                  | pr | 1234.05  |
| GC050     | A50050  | SF | Class I compression stocking - half thigh                   | pr | 1506.3   |
| GC060     | A50060  | SF | Class I compression stocking - thigh high                   | pr | 1698.66  |
| GC065     | A50065  | SF | Class I compression stocking - thigh high + silicone garter | pr | 2066.09  |
| GC070     | A50070  | SF | Class I compression - pantyhose                             | ea | 2255.74  |
| GC075     | A50075  | SF | Class I compression - maternity pantyhose                   | ea | 2430.58  |
| GC080     | A50080  | SF | Class II compression stocking - calf length                 | pr | 1721.32  |
| GC090     | A50090  | SF | Class II compression stocking - half thigh                  | pr | 2055.98  |
| GC100     | A50100  | SF | Class II compression stocking - thigh high                  | pr | 2213.33  |
| GC110     | A50110  | SF | Class II compression stocking - thigh high with waistbelt   | ea | 1776.09  |
| GC130     | A50130  | SF | Class III compression stocking - calf length                | pr | 1836.25  |
| GC140     | A50140  | SF | Class III compression stocking - half thigh                 | pr | 2055.98  |
| GC150     | A50150  | SF | Class III compression stocking - thigh high                 | pr | 2265.85  |
| GC160     | A50160  | SF | Class III compression stocking - thigh high with waistbelt  | ea | 1836.25  |
| GC170     | A50170  | SF | Class II Pressure Garment Arm and Hand                      | ea | 5257.15  |

|                        |         |           |   |    |          |
|------------------------|---------|-----------|---|----|----------|
| GC180                  | A50180  | SF        | Class II Pressure Garment Arm           | ea | 4646.13  |
| <b>CU</b>              |         |           |   |    |          |
|                        |         |           | <b>Cushions</b>                         |    |          |
| CU010                  | A40010* | SF        | Abduction pillow                        | ea | 1712.57  |
| <b>J Cushions</b>      |         |           |   |    |          |
| CU120                  | A40120  | 2100-MJ   | J2 Cushion 18x16                        | ea | 15454.67 |
| CU130                  | A40130  | 2100OF    | J2 Cush j2 18x16 over fold/extra gel    | ea | 15454.67 |
| CU140                  | A40140  | 2101      | J2 Cushion 18x18                        | ea | 15454.67 |
| CU150                  | A40150  | 2101OF    | Cush J2 18x18 over fold                 | ea | 15454.67 |
| CU160                  | A40160  | 2105-MJ   | J2 Cushion 15.5x16                      | ea | 15454.67 |
| CU170                  | A40170  | 2105OF    | Cush J2 15.5x18 over fold               | ea | 15454.67 |
| CU1780                 | A40180  | 2106-MJ   | J2 Cushion 15.5x18                      | ea | 15454.67 |
| CU190                  | A40190  | 2106OF    | Cush J2 15.5x18 over fold               | ea | 15454.67 |
| CU200                  | A40200  | 2107-MJ   | J2 Cushion 15.5x20                      | ea | 16702.79 |
| CU210                  | A40210  | 2108-MJ   | J2 Cushion 14x16                        | ea | 15454.67 |
| CU220                  | A40220  | 2108OF    | Cush J2 14x16 over fold                 | ea | 15454.67 |
| CU230                  | A40230  | 2116-MJ   | J2 Cushion 20x16                        | ea | 16702.79 |
| CU240                  | A40240  | 2118-MJ   | J2 Cushion 20x18                        | ea | 15638.22 |
| CU250                  | A40250  | 2466      | J2 Deep contour cushion (16x16, 18x18 ) | ea | 15638.22 |
| CU270                  | A40270  | 956TOF    | Cush Jay xtreme 15x16 tritex cover      | ea | 14059.71 |
| CU280                  | A40280  | 966T      | Jay xtreme 16x16 tritex c/cover         | ea | 14059.71 |
| CU290                  | A40290  | 966TOF    | Cush Jay xtreme 16x16 with tritex cover | ea | 14059.71 |
| CU300                  | A40300  | 967TOF    | Cush Jay xtreme 16x17 with tritex cover | ea | 14059.71 |
| CU310                  | A40310  | 986TOF    | Cush Jay xtreme 18x16 tritex            | ea | 14059.71 |
| CU320                  | A40320  | 988TOF    | Cush xtreme 18x18 with tritex cover     | ea | 14059.71 |
| <b>Roho Cushions:</b>  |         |           |   |    |          |
| CU330                  | A40330  | QS88LPC   | Quadro select low profile cushion       | ea | 13509.07 |
| CU470                  | A40470  | 1R109C    | Roho 10*9 cushion and cover             | ea | 13509.07 |
| CU480                  | A40480  | D/A-5     | Roho cushion rubber patch kit           | ea | 146.84   |
| CU490                  | A40490  | UC109C    | Roho cushion cover universal            | ea | 1835.47  |
| CU500                  | A40500  | HP20      | Roho pump                               | ea | 293.68   |
| CU510                  | A40510  | V1        | Replacement valve                       | ea | 110.13   |
| <b>Sundry Cushions</b> |         |           |   |    |          |
| CU520                  | A40520  | MMC       | Medimat wheelchair cushion              | ea | 363.42   |
| CU530                  | A40530  | MMD       | Medimat double eggshell matt            | ea | 2889.03  |
| CU540                  | A40540  | MMS       | Medimat single mattress                 | ea | 2019.02  |
| CU550                  | A40550  | Z12.100W  | Waterproof cushion cover                | ea | 1046.22  |
| CU560                  | A40560  | Z12.120   | Wheelchair cushion cover 18             | ea | 264.31   |
| CU570                  | A40570  | Z12.130   | Wheelchair cushion cover 16             | ea | 264.31   |
| CU580                  | A40580  | POST      | Posturite cushion                       | ea | 1776.74  |
| CU590                  | A40590  |           | Posturite cushion only cover            | ea | 264.31   |
| CU600                  | A40600  | TM-127552 | Tempur cushion 40x40x50 with cover      | ea | 5527.39  |
| CU610                  | A40610  | TM-128519 | Tempur cushion 40x45x50 with cover      | ea | 6240.6   |
| CU620                  | A40620  | TM-127609 | Tempur cushion 40x40x75 with cover      | ea | 6974.79  |
| CU630                  | A40630  | TM-128073 | Tempur cushion 43x43x50 with cover      | ea | 6240.6   |
| CU640                  | A40640  | TM-128128 | Tempur cushion 43x43x75 with cover      | ea | 8076.07  |
| CU650                  | A40650  | PS1       | Pentaflex cushion with cover            | ea | 7965.95  |
| CU660                  | A40660  | MFL001    | Saturn lumbar cushion wheelchair        | ea | 1064.57  |
| CU670                  | A40670  |           | Memory cushion                          | ea | 917.74   |
| CU680                  | A40680  |           | Latex cushion                           | ea | 917.74   |
| CU690                  | A40690  |           | Obus form low back cushion              | ea | 2477.89  |
| CU700                  | A40700  | 9X9/UC99C | Unversal cushion cover                  | ea | 1835.47  |

| CU    |         | Mattresses And Accessories          |  |             |
|-------|---------|-------------------------------------|--|-------------|
| CU058 | A90023  |                                     | Ripple mattress, mattress only                   | ea 1249.09  |
| CU059 | A90024  |                                     | Separate tube mattress, mattress only            | ea 6557.6   |
| CU060 | A90025  |                                     | Mattress pump for Ripple mattress                | ea 2498.15  |
| CU061 | A90026  |                                     | Mattress pump for Adv tube mattress              | ea 2498.15  |
| CU062 | A90027  |                                     | Pressure care soft form mattress                 | ea 13207.38 |
| CU063 | A90028  |                                     | Replacement cells for mattress                   | ea 870.12   |
| HE    |         | Hospital And Home Nursing Equipment |  |             |
| HE010 | A54010  | S                                   | Bath chair / board                               | ea 2055.73  |
| HE020 | A54020  | S                                   | Bath chair - swivel type                         | ea 4756.58  |
| HE030 | A54030  | S                                   | Bed frame  | ea 1486.31  |
| HE040 | A54040  | S                                   | Bed pan  | ea 382.24   |
| HE050 | A54050  | S                                   | Bed pan - slipper type                           | ea 437.56   |
| HE060 | A54060  | S                                   | Self Propelling Commode                          | ea 9046.62  |
| HE090 | A54090  | S                                   | Commode with wheels and foot rests               | ea 5463.37  |
| HE095 | A54095  | S                                   | Commode bucket                                   | ea 488.24   |
| HE100 | A54100* | S                                   | Sheepskin bedpad                                 | ea 1276.46  |
| HE110 | A54110* | S                                   | Sheepskin heel / elbow protectors                | pr 422.2    |
| HE120 | A54120* | S                                   | Toilet seat raiser                               | ea 2088.54  |
| HE130 | A54130  | S                                   | Urinal bottle                                    | ea 125.02   |
| HE140 | A54140* | S                                   | Waterproof sheet 1 meter                         | ea 259.92   |
| PS    |         | Professional Services               |  |             |
| PS030 | A60030* |                                     | Hospital visit                                   | ea 337.35   |
| PS070 | A60070* |                                     | Theatre attendance                               | ea 1721.32  |
| PS090 | A60090* |                                     | Time 1 unit                                      | ea 172.39   |
| TE    |         | Traction Equipment                  |  |             |
| TE010 | A70010* | S                                   | Cervical traction halter - disposable            | ea 52.5     |
| TE030 | A70030* | S                                   | Pelvic traction belt - canvas                    | ea 617.01   |
| TE050 | A70050* | S                                   | Pelvic traction corset                           | ea 1794.84  |
| TE060 | A70060* | S                                   | Traction cord                                    | mtr 2.45    |
| TE070 | A70070* | S                                   | Traction kit - over door                         | ea 1926.03  |
| TE080 | A70080* | S                                   | Traction kit - under mattress                    | ea 1993.57  |
| TE090 | A70090* | S                                   | Traction water weight bag                        | ea 484.59   |
| TE130 | A70130* | S                                   | Skin traction - foam                             | ea 577.07   |
| TE140 | A70140* | S                                   | Skin traction - elastoplast                      | ea 577.07   |
| WA    |         | Walking Aids                        |  |             |
| WA010 | A71010* | S                                   | Delta walker                                     | ea 6195.31  |
| WA020 | A71020* | S                                   | Elbow crutches                                   | pr 841.93   |
| WA030 | A71030* | S                                   | Elbow crutches - cooper moulded handles imported | pr 2840.43  |
| WA040 | A71040* | S                                   | Gutter crutch                                    | ea 1311.47  |
| WA060 | A71060* | S                                   | Walking frame - folding                          | ea 1151.67  |
| WA080 | A71080* | S                                   | Walking frame - with wheels                      | ea 1773.61  |
| WA090 | A71090* | S                                   | Walking stick - adjustable                       | ea 419.73   |
| WA100 | A71100* | S                                   | Walking stick - cane                             | ea 427.38   |
| WA110 | A71110* | S                                   | Auxilla crutches                                 | pr 806.92   |
| WA120 | A71120* | S                                   | Ferrule - local                                  | ea 22.45    |
| WA125 | A71125* | S                                   | Ferrule - imported                               | ea 47.34    |
| WA130 | A71130* | S                                   | Swivel rubbers cooper crutches                   | ea 1751.17  |

|   |         |   |   |    |           |
|---|---------|---|---|----|-----------|
| WA140   | A71140* | S | Tripod walking stick                                  | ea | 774.36    |
| <b>WC</b>   |         |   |   |    |           |
| <b>Wheelchairs</b>  |         |   |   |    |           |
| <b>RULES</b>  |         |   |   |    |           |
| Product warranties should be honored by the supplier  |         |   |   |    |           |
| Only out of warranty costs may be considered for funding where criteria is met  |         |   |   |    |           |
| Post-op wheelchairs : only S/steel standard or HD + manual leg elevation footrest (treatment period >12 weeks )   |         |   |   |    |           |
| Prices exclude professional fee for evaluation, measuring, fitting, adjusting & follow ups  |         |   |   |    |           |
| Each item code (wheelchair/accessory/replacement/repair) includes the necessary accessories and hardware required to make it functionally fit as per the Instruction for use (IFU)  |         |   |   |    |           |
| Accessories to new wheelchairs should be motivated and clinically relevant (eg. Caster wheels, laterals etc)  |         |   |   |    |           |
| Eligibility dependent on supply protocol  |         |   |   |    |           |
| Permanent wheelchair users for daily mobility should be issued 4 pairs of pneumatic tubes or 2 pairs of solid tubes per annum   |         |   |   |    |           |
| Permanent wheelchair users for daily mobility should be issued 2 pairs of outer tubes per annum   |         |   |   |    |           |
| Wheelchairs should be prescribed according to the (Guidelines on the provision of manual wheelchairs in less resourced settings 'Wheelchair Guidelines, 2008):  |         |   |   |    |           |
| - Meets the user's needs and environmental conditions;  |         |   |   |    |           |
| - Provides proper fit and postural support;   |         |   |   |    |           |
| - Is safe and durable;  |         |   |   |    |           |
| - Can be delivered in the country within an 8 week period   |         |   |   |    |           |
| - Can be obtained, maintained and serviced in the country at an affordable cost.  |         |   |   |    |           |
| Light manual wheelchair, ultra light manual wheelchair and advanced motorized wheelchair will only be considered if a wheelchair is the primary source of mobility for the user and requires a detailed clinical motivation |         |   |   |    |           |
| <b>Wheelchairs</b>  |         |   |   |    |           |
| WC005   | A80060* |   | Wheelchair hire per month                             |    | 939.32    |
| WC006   | A80070* |   | Wheelchair hire per week                              |    | 212.33    |
| <b>WC</b>   |         |   |   |    |           |
| <b>Manual Wheelchairs</b>   |         |   |   |    |           |
| <b>Folding - Stainless Steel</b>  |         |   |   |    |           |
| WC023   | A80023  |   | Manual folding Stainless steel light                  | ea | 38068.35  |
| WC049   | A80049  |   | Manual folding stainless steel standard               | ea | 8386.4    |
| WC050   | A80050  |   | Manual folding Stainless steel heavy duty             | ea | 12063.42  |
| WC051   | A80051  |   | Manual folding Stainless steel recline and/or tilt    | ea | 7623.63   |
| <b>Folding Aluminium</b>  |         |   |   |    |           |
| WC024   | A80024  |   | Manual folding aluminum recline and/or tilt           | ea | 13207.38  |
| WC052   | A80052  |   | Manual folding aluminum hemiplegic                    |    | 34241.71  |
| WC053   | A80053  |   | Manual folding aluminum heavy duty *special criteria  |    | 64542.39  |
| WC054   | A80054  |   | Manual folding aluminum light                         |    | 42836.13  |
| WC055   | A80055  |   | Manual folding aluminum ultra light *special criteria |    | 92168.35  |
| <b>Rigid - Stainless Steel</b>  |         |   |   |    |           |
| WC056   | A80056  |   | Manual rigid stainless steel standard                 |    | 22670.6   |
| WC057   | A80057  |   | Manual rigid stainless steel light                    |    | 46496.75  |
| <b>Rigid - Aluminum</b>   |         |   |   |    |           |
| WC058   | A80058  |   | Manual rigid Aluminum standard                        |    | 11855.33  |
| WC059   | A80059  |   | Aluminum positioning and/or tilt *special criteria    |    | 76683.27  |
| WC068   | A80068  |   | Aluminum standing *special criteria                   |    | 152084.88 |
| WC061   | A80061  |   | Aluminum light *special criteria                      |    | 68635.77  |
| WC062   | A80062  |   | Aluminum ultra light *special criteria                |    | 121030.45 |

|           |        |                  |   |    |           |
|-----------|--------|------------------|---|----|-----------|
| <b>WC</b> |        |                  | <b>Rigid - Titanium</b>   |    |           |
| WC063     | A80063 |                  | Manual rigid titanium light *special criteria   |    | 88090.24  |
| WC064     | A80064 |                  | Manual rigid titanium ultra light *special criteria   |    | 205692.54 |
| <b>WC</b> |        |                  | <b>Rigid - Titanium</b>   |    |           |
| WC065     | A80065 |                  | Carbon ultra light *special criteria  |    | 153351.74 |
| <b>WC</b> |        |                  | <b>Manual to electric external conversions</b>  |    |           |
| WC066     | A80066 |                  | Speedster Clip on   |    | 39326     |
| WC067     | A80067 |                  | SmartDrive  |    | 106742    |
| <b>WC</b> |        |                  | <b>Wheelchair: Economy</b>  |    |           |
| WC010     | A80010 |                  | Rainbow   | ea | 4184.87   |
| WC015     | A80015 |                  | Rollability Econ  | ea | 16319.96  |
| WC020     | A80020 |                  | Quicky breeze 16" and 18"   | ea | 30307.3   |
| WC021     | A80021 |                  | Quicky rubix/Ce 16"-20"   | ea | 27311.81  |
| WC022     | A80022 |                  | Pacer lite  | ea | 19602.83  |
| <b>WC</b> |        |                  | <b>Wheelchair: Standard</b>   |    |           |
| WC030     | A80030 | 8AU41250770M     | Qr Reclining wheelchair   | ea | 10907.94  |
| WC031     | A80031 | BAUQRRTU250770SM | Qr Tuffee   | ea | 7929.24   |
| WC032     | A80032 | 8WUQRRTU250770SM | Qr Tuffee special 20"   | ea | 11968.74  |
| WC033     | A80033 | 8EWUTU250770SM   | Qr Tuffee special 22" re inforced/Standard  | ea | 20254.79  |
| WC034     | A80034 | 8AULS250770SM    | Tuffee/Low chairback standard   | ea | 10679.8   |
| WC035     | A80035 |                  | Tuffee with amputee brackets X2/standard  | ea | 10498.9   |
| WC036     | A80036 | 8AUCRUS770SM     | Qr Cruiser  | ea | 7237      |
| WC037     | A80037 |                  | Rough rider   | ea | 11299.16  |
| WC038     | A80038 |                  | Saturn Coaster wheel chaurstandard  | ea | 10003.32  |
| WC039     | A80039 |                  | Hercules wheelchair/rural/16"/18"/single crossbar   | ea | 10829.28  |
| WC040     | A80040 |                  | Hercules special 20"/double cross bar/medop   | ea | 11655.24  |
| WC041     | A80041 |                  | Hercules lowback/16"/18"/single cross bar   | ea | 11288.15  |
| <b>MW</b> |        |                  | <b>Motorized Wheelchairs</b>  |    |           |
| MW045     | A80045 |                  | Power Wheelchair  | ea | 44051.31  |
| MW046     | A80046 |                  | Velocity Wheelchair   | ea | 97542.2   |
| MW047     | A80047 |                  | Wheelchair with tilt in space (Any Model )  | ea | 111177.13 |
| MW048     | A80048 |                  | Standing wheelchair   | ea | 108766.71 |
| <b>MW</b> |        |                  | <b>Mid-wheel drive</b>  |    |           |
| MW049     | A90049 |                  | Motorized mid-wheel Entry level   |    | 87219.45  |
| <b>MW</b> |        |                  | <b>Rear-wheel drive</b>   |    |           |
| MW050     | A90050 |                  | Motorized rear-wheel Mid range heavy duty + manual tilt in space *special criteria                            |    | 95506     |
| MW051     | A90051 |                  | Motorized rear-wheel Advanced *special criteria (chin control / electronic tilt in space / advanced standing) |    | 195544.65 |
| MW052     | A90052 |                  | Motorized rear-wheel Entry level Bariatric *special criteria  |    | 65382.28  |
| MW053     | A90053 |                  | Motorized rear-wheel Entry level (standard/chin contol/standing) *special criteria                            |    | 56839.16  |
| MW054     | A90054 |                  | Motorized rear-wheel Mid range *special criteria  |    | 105154.39 |
| MW055     | A90055 |                  | Motorized rear-wheel Mid range heavy duty *special criteria   |    | 117584.74 |
| MW056     | A90056 |                  | Motorized rear-wheel Mid range chin control *special criteria   |    | 151374.2  |

|   |        |             |   |    |           |
|---|--------|-------------|---|----|-----------|
| MW057   | A90057 |             | Motorized rear-wheel Mid range electronic seat height adjustability *special criteria |    | 112500.44 |
| MW058   | A90058 |             | Motorized rear-wheel Mid range folding *special criteria                              |    | 91741.94  |
| MW059   | A90059 |             | Motorized rear-wheel Mid range standing *special criteria                             |    | 213203.1  |
| MW060   | A90060 |             | Motorized rear-wheel Mid range electronic seat tilt *special criteria                 |    | 102612.77 |
| MW061   | A90061 |             | Motorized rear-wheel Mid range electronic seat tilt and *special criteria             |    | 125337.58 |
| MW062   | A90062 |             | Motorized rear-wheel Mid range transportable *special criteria                        |    | 71615.46  |
| <b>WP</b>   |        |             |   |    |           |
| <b>Wheelchair Parts:</b>  |        |             |   |    |           |
| <b>NOTE:</b> Wheelchair Repairs: Price inclusive of assessment, repair and time units |        |             |   |    |           |
| <b>Front Wheels:Castors</b>   |        |             |   |    |           |
| <b>Bearings</b>   |        |             |   |    |           |
| FCW   |        |             |   |    |           |
| FCW201  | A80201 |             | Colson needle bearing   | ea | 245.95    |
| FCW202  | A80202 |             | Castor stem bearing   | ea | 99.12     |
| FCW203  | A80203 |             | Bearing for 8"castor wheel  | ea | 99.12     |
| FCW204  | A80204 |             | Bearing 12.7CSTR stem/P-lite  | ea | 99.12     |
| <b>Bearing Spacer:</b>  |        |             |   |    |           |
| FCW   |        |             |   |    |           |
| FCW205  | A80205 | 12.7X1.6X42 | Castor bearing spacer 8x1   | ea | 11.01     |
| FCW206  | A80206 | 12.7X1.6X43 | Castor bearing spacer 8x2   | ea | 11.01     |
| <b>Axles</b>  |        |             |   |    |           |
| FCW   |        |             |   |    |           |
| FCW100  | A80100 |             | Axle - each   |    | 414.33    |
| FCW207  | A80207 | UTB028      | Castor axle bolt  | ea | 47.72     |
| FCW208  | A80208 | UTB054      | Washer,M8x13x1,castor axle  | ea | 3.67      |
| FCW209  | A80209 | UTB014      | M8nyloc nut castor axle nut   | ea | 3.67      |
| <b>Castor Fork And Stem</b>   |        |             |   |    |           |
| FCW   |        |             |   |    |           |
| FCW210  | A80210 | C2.70       | Castro fork assembly  | ea | 245.95    |
| FCW211  | A80211 | C2.70PR     | Castor fork W/stem/axle/stem BRG  | ea | 77.09     |
| FCW212  | A80212 | C2.71       | Castor stem   | ea | 77.09     |
| FCW213  | A80213 | C2.72       | Castor stem fit hex nut,24MMHUL001L   | ea | 29.37     |
| FCW214  | A80214 | COM013      | Castor stem nut 1/2UNF fit nyloc nut  | ea | 3.67      |
| FCW215  | A80215 | UTB055      | Washer,spring,castor stem   | ea | 3.67      |
| FCW216  | A80216 | COM008      | Castor stem dust cap  | ea | 14.68     |
| <b>Castors Complete:</b>  |        |             |   |    |           |
| FCW   |        |             |   |    |           |
| FCW217  | A80217 | C2.10       | Castor 200x27 CMPLT solid,8x1   | ea | 290       |
| FCW218  | A80218 | C2.20       | Castor 200x50 CMPLT solid 8x2   | ea | 444.18    |
| FCW219  | A80219 | C2.100      | Castor 200x27 CMPLT PNUe, 18x1  | ea | 734.19    |
| FCW220  | A80220 | C2.200      | Castor 200x50 CMPLT PNEU,8x2  | ea | 976.47    |
| FCW221  | A80221 | C2.11       | Solid castor 200x27,no fork 8x2   | ea | 154.18    |
| FCW222  | A80222 | C2.30       | Solid castor 200x50, no fork 8x2  | ea | 312.03    |
| FCW223  | A80223 | COM026      | Comfort 8x1 PNEU rim/tyre   | ea | 488.24    |
| FCW224  | A80224 | COM035      | Comfort 8x2 PNEU rim/tyre   | ea | 587.35    |
| <b>Sundry Castors:</b>  |        |             |   |    |           |
| FCW   |        |             |   |    |           |
| FCW225  | A80225 | C2.14       | Solid castor 5"   | ea | 532.29    |
| FCW226  | A80226 | COM048      | Castor 6x1 pneumatic  | ea | 532.29    |
| FCW227  | A80227 | COM048S     | Solid castor 6"   | ea | 532.29    |

| FCW        |        |              | Tyres And Tubes:  |    |         |
|------------|--------|--------------|---|----|---------|
| FCW101     | A80101 |              | Tyre - rear wheel pair (including hardware & accessories) | pr | 3516.24 |
| FCW102     | A80102 |              | Tyre - castor fork pair (including hardware)              | pr | 3640.61 |
| FCW103     | A80103 |              | Tyre - castor shock - pair (including hardware)           | pr | 2274.17 |
| FCW104     | A80104 |              | Tyre - castor wheel each                                  | ea | 672.91  |
| FCW228     | A80228 | COM033       | Tyre 8"x 1&1/4  | ea | 245.95  |
| FCW229     | A80229 | COM034       | Tube 8"x1&1/4   | ea | 99.12   |
| FCW230     | A80230 | COM036       | Tyre 8"x2   | ea | 290     |
| FCW231     | A80231 | COM028       | Tube 8"x2   | ea | 154.18  |
| FCW232     | A80232 | PER003       | No more flats, 8x1x1/4                                    | ea | 245.95  |
| FCW233     | A80233 | PER007       | No more flats,8x2"  | ea | 356.08  |
| FCW105     | A80105 |              | Tyres - run lite each                                     | ea | 713.26  |
| FCW106     | A80106 |              | Tyres - schwable each                                     | ea | 1783.15 |
| FCW107     | A80107 |              | Tyre - inner tube 2x pairs (4 tubes - pneumatic or solid) | pr | 3863.5  |
| <b>FCW</b> |        |              |   |    |         |
|            |        |              | <b>Colson Castors:</b>                                    |    |         |
| FCW234     | A80234 | 78430/500    | Colson castor axle wavy washer                            | ea | 11.01   |
| FCW235     | A80235 | C2.12        | Colson castor,200x27,CMPLT                                | ea | 1464.71 |
| FCW236     | A80236 | C2.13        | Colson castor,200x50,no fork                              | ea | 976.47  |
| FCW237     | A80237 | C2.21        | Colson castor,200x50CMPLT                                 | ea | 1952.94 |
| FCW238     | A80238 | C2.31        | Colson castor,200x50,no fork                              | ea | 1464.71 |
| FCW239     | A80239 | C2.80        | Castor fork for 200x50 colson                             | ea | 734.19  |
| FCW240     | A80240 | C2.81        | castor fork for 200x25 colson                             | ea | 734.19  |
| FCW241     | A80241 | COL001       | Colson solid tyre,200x27                                  | ea | 488.24  |
| FCW242     | A80242 | COL002       | Colson castor rim,8x1                                     | ea | 245.95  |
| FCW243     | A80243 | 78320/100    | Colson needle bearing                                     | ea | 245.95  |
| <b>FCW</b> |        |              |   |    |         |
|            |        |              | <b>Bearings</b>   |    |         |
| FCW244     | A80244 | COM054       | Bearing ,28x11.03x8,fixed rear mag wheel                  | ea | 99.12   |
| FCW245     | A80245 | COM053       | Bear 28x12x8,Q/release rear nag wheel                     | ea | 99.12   |
| FCW246     | A80246 | COM011       | Bearing,spoked rear wheel,flanged(11.03 or 12mm)          | ea | 99.12   |
| FCW247     | A80247 | COM085       | Bearing , one arm DR,6002 2RS                             | ea | 99.12   |
| <b>FCW</b> |        |              |   |    |         |
|            |        |              | <b>Bearing Spacers</b>                                    |    |         |
| FCW248     | A80248 | 15.88X1.2X34 | Bearing spacer,pacelite rear mag wheel                    | ea | 11.01   |
| FCW249     | A80249 | 15.88X1.2X37 | Bearing spacer,Q/rel rear mag wheel                       | ea | 11.01   |
| FCW250     | A80250 | 15.88X1.2X44 | Bearing spacer,std rear mag wheel                         | ea | 11.01   |
| <b>FCW</b> |        |              |   |    |         |
|            |        |              | <b>Brakes</b>   |    |         |
| FCW108     | A80108 |              | Brake Scissor - pair (including hardware)                 | pr | 3358.53 |
| FCW251     | A80251 | COM009       | Brake assembly left hand                                  | ea | 267.98  |
| FCW252     | A80252 | COM010       | Brake assembly right hand                                 | ea | 267.98  |
| FCW253     | A80253 | BRA001       | Brake bracket   | ea | 110.13  |
| FCW254     | A80254 | BRA002       | BRAKE LEVER   | ea | 25.7    |
| FCW255     | A80255 | BRA003       | Brake "L" piece   | ea | 25.7    |
| FCW256     | A80256 | BRA004       | Brake link straight                                       | ea | 14.68   |
| FCW257     | A80257 | BRA005       | Brake link bent   | ea | 14.68   |
| FCW258     | A80258 | R1.141       | Brake lever rubber  | ea | 25.7    |
| FCW259     | A80259 | R1.190       | Brake extention arm                                       | ea | 77.09   |
| FCW260     | A80260 | UTB025       | Bolt,cup SQ elgan,M8,brake mounting                       | ea | 11.01   |
| FCW261     | A80261 | UTB014       | Nyloc nut,M8,brake mounting                               | ea | 14.68   |
| FCW109     | A90109 |              | Brake standard - each (including hardware)                | ea | 1111.09 |

| FCW    |        |               | Brakes   |    |        |
|--------|--------|---------------|--|----|--------|
| FCW262 | A80262 | UTB018        | Machine srew,hex,M6x20,Brake assembly          | ea | 3.67   |
| FCW263 | A80263 | UTB033        | Washer,13x6.5x1,brake assembly                 | ea | 3.67   |
| FCW264 | A80264 | UTB047        | Grommet,11x6.2x1x2,brake assembly              | ea | 3.67   |
| FCW265 | A80265 | UTB057        | Brake assembly rivet,tuned                     | ea | 11.01  |
| FCW266 | A80266 | UTB057E       | Brake assembly rivet,tuned                     | ea | 11.01  |
| FCW    |        |               | Sundry Wheel Components                        |    |        |
| FCW267 | A80267 | COM014        | Rear wheel dust cap                            | ea | 25.7   |
| FCW268 | A80268 | COV001        | Brake extention end cap+                       | ea | 11.01  |
| FCW269 | A80269 | DIC001DBCABLE | Brake cable(PR) rear DR/brake                  | ea | 77.09  |
| FCW270 | A80270 | DIC001DBLEVER | Brake lever(PR) rear DR/brake                  | ea | 77.09  |
| FCW271 | A80271 | DIC002        | Spoke for 24x1 3/8rim                          | ea | 3.67   |
| FCW272 | A80272 | DIC003        | STD spoke nipple                               | ea | 3.73   |
| FCW273 | A80273 | DIC005        | Spoke for 24x1175 rim                          | ea | 3.67   |
| FCW274 | A80274 | RAL001        | Rubber rim tape/tube protector                 | ea | 7.34   |
| FCW    |        |               | Tyres/Tubes                                    |    |        |
| FCW275 | A80275 | COM023        | Tyre,pneumatic,24x1&3/8                        | ea | 319.37 |
| FCW276 | A80276 | COM024        | Tyre,Pneumatic,24x1.75"                        | ea | 319.37 |
| FCW277 | A80277 | COM055        | Tyre,Pneumatic,24x1                            | ea | 319.37 |
| FCW278 | A80278 | COM040        | Tyre,Pneumatic,22x1&3/8                        | ea | 319.37 |
| FCW279 | A80279 | COM042        | Tyre,Pneumatic,12.5x2.25, transit              | ea | 319.37 |
| FCW280 | A80280 | COM042P       | Tyre,Pneumatic,12.5x2.25,power                 | ea | 319.37 |
| FCW281 | A80281 | COM025        | Krypton solid tyre,24x1-3/8                    | ea | 444.18 |
| FCW282 | A80282 | COM021        | Krypton solid tyre,24x1.75                     | ea | 532.29 |
| FCW283 | A80283 | COM084        | Krypton solid tyre,24x1.0                      | ea | 444.18 |
| FCW284 | A80284 | COM083        | Krypton solid tyre,22x1.3/8                    | ea | 444.18 |
| FCW285 | A80285 | COM019        | Kryptonsolid tyre, 12.5x2.25                   | ea | 778.24 |
| FCW286 | A80286 | Z369          | Solid tyre,24x1-3/8                            | ea | 690.14 |
| FCW287 | A80287 | PER001        | No more flats,24x1-3/8                         | ea | 532.29 |
| FCW288 | A80288 | PER002        | No more flats,24x1.75                          | ea | 532.29 |
| FCW289 | A80289 | PER004        | No more flat,12.5x2.25,broad(Power)            | ea | 532.29 |
| FCW290 | A80290 | PER005        | No more flat,12.5x2.25,narrow(Transit)         | ea | 532.29 |
| FCW291 | A80291 | R1.40         | Tube,24x13/8                                   | ea | 154.18 |
| FCW292 | A80292 | R1.50         | Tube,24x1.75                                   | ea | 154.18 |
| FCW293 | A80293 | COM056        | Tube,24x1                                      | ea | 154.18 |
| FCW294 | A80294 | COM050        | Tube 22"x1&3/8                                 | ea | 154.18 |
| FCW295 | A80295 | R1.60         | Tube 12.5x2.25                                 | ea | 312.03 |
| FCW    |        |               | Sundry Tyres And Tubes                         |    |        |
| FCW296 | A80296 | COM055        | Tyre 24x1                                      | ea | 312.03 |
| FCW297 | A80297 | COM058        | Tyre 26x1                                      | ea | 312.03 |
| FCW298 | A80298 | COM041        | Tyre 260x85,maxi scooter rear                  | ea | 510.26 |
| FCW299 | A80299 | COM062        | Tyre 260x85,maxi scooter front                 | ea | 510.26 |
| FCW300 | A80300 | COM069        | Tyre 300x4 F55 front & maxi scooter            | ea | 510.26 |
| FCW301 | A80301 | COM070        | Tyre 300x8 F55 rear                            | ea | 510.26 |
| FCW302 | A80302 | COM066        | Tyre 4.10/3.50x5 velocity rear                 | ea | 510.26 |
| FCW303 | A80303 | COM065        | Tyre 2.80/2.50x4 velocity front & midi scooter | ea | 510.26 |
| FCW304 | A80304 | COM073        | Tyre 250x4 suzuki front                        | ea | 510.26 |
| FCW305 | A80305 | COM074        | Tyre 3.00x10 suzuki rear                       | ea | 734.19 |
| FCW306 | A80306 | COM080        | Tyre 3.00x10 bec rear                          | ea | 734.19 |
| FCW307 | A80307 | COM029        | Tyre 18"x1.75                                  | ea | 319.37 |
| FCW308 | A80308 | COM078        | Tyre 18x13/8                                   | ea | 319.37 |
| FCW309 | A80309 | COM031        | Tyre 10.2"                                     | ea | 319.37 |

|                                 |        |          |  |    |         |
|---------------------------------|--------|----------|--|----|---------|
| FCW310                          | A80310 | COM056   | Tube24.1"  | ea | 154.18  |
| FCW311                          | A80311 | COM059   | Tube 26.1"                                       | ea | 154.18  |
| FCW312                          | A80312 | COM064   | Tube 260.85 scooter                              | ea | 154.18  |
| FCW313                          | A80313 | COM071   | Tube 300x4 F55 front                             | ea | 154.18  |
| FCW314                          | A80314 | COM072   | Tube 300x4 F55 rear                              | ea | 154.18  |
| FCW315                          | A80315 |          | Tube velocity rear 4.10/3.50x5                   | ea | 154.18  |
| FCW316                          | A80316 |          | Tube velocity rear 4.10/3.50x4                   | ea | 154.18  |
| FCW317                          | A80317 | COM086   | Velocity 2.80/2.50-4 solid tyre front            | ea | 1864.84 |
| FCW318                          | A80318 | COM087   | Velocity 4.10/3.50-5 solid tyre rear             | ea | 1864.84 |
| FCW319                          | A80319 | COM075   | Tube 250x4 suzuki front                          | ea | 154.18  |
| FCW320                          | A80320 | COM076   | Tube 250x10 suzuki rear                          | ea | 154.18  |
| FCW321                          | A80321 | COM081   | Tube 3.00z10 bec rear                            | ea | 154.18  |
| FCW322                          | A80322 | COM030   | Tube 18"x1.75                                    | ea | 154.18  |
| FCW323                          | A80323 | COM079   | Tube 18x1.3/8                                    | ea | 154.18  |
| FCW324                          | A80324 | COM032   | Tube 10x2  | ea | 154.18  |
| <b>FCW</b>                      |        |          |  |    |         |
| <b>Complete Wheels - Sundry</b> |        |          |  |    |         |
| FCW325                          | A80325 | COM037   | 12&1/2&1/4 wheel W/O axle                        | ea | 488.24  |
| FCW326                          | A80326 | DIC001DB | Rear WHL with drum brake 24x1-3/8 L/R            | ea | 7775.06 |
| <b>FCW</b>                      |        |          |  |    |         |
| <b>Complete Wheels - Spoke</b>  |        |          |  |    |         |
| FCW327                          | A80327 | COM027   | Quick release spoked PNEU wheel assy 24x1&3/8    | ea | 2198.89 |
| FCW328                          | A80328 | R1.05    | Rear wheel spoked 24x1-3/8 NMF complete          | ea | 2198.89 |
| FCW329                          | A80329 | R1.05K   | Rear wheel spoked 24x1-3/8 krypton tyre complete | ea | 2198.89 |
| FCW330                          | A80330 | R1.05P   | Rear wheel spoked 24x1-3/8 pneumatic complete    | ea | 2198.89 |
| FCW331                          | A80331 | R1.10    | Rear wheel spoked 24x1.75 NMF complete           | ea | 2198.89 |
| FCW332                          | A80332 | R1.10K   | Rear wheel spoked 24x1.75 krypton tyre comple    | ea | 2198.89 |
| FCW333                          | A80333 | R1.10P   | Rear wheel spoked 24x1.75 pneumatic complete     | ea | 2198.89 |
| FCW334                          | A80334 | R 1.17   | Rear wheel rainbow spoke complete                | ea | 756.21  |
| <b>FCW</b>                      |        |          |  |    |         |
| <b>Complete Wheels - Mag</b>    |        |          |  |    |         |
| FCW335                          | A80335 | R1.18    | Fixed mag wheel 24x1-3/8 solid tyre (Rainbow)    | ea | 1710.66 |
| FCW336                          | A80336 | R1.20    | Fixed mag wheel 24x1-3/8 NMF complete            | ea | 1710.66 |
| FCW337                          | A80337 | R1.20K   | Fixed mag wheel 24x-3/8 krypton tyre complete    | ea | 1710.66 |
| FCW338                          | A80338 | R1.20P   | Fixed mag wheel 24x-3/8 pneumaticcomplete        | ea | 1710.66 |
| FCW339                          | A80339 | R1.21K   | Fixed mag wheel 24x1.75 krypton tyre complete    | ea | 1710.66 |
| FCW340                          | A80340 | R1.25    | Quick release mag wheel 24x1-3/8 NMF complete    | ea | 1710.66 |
| FCW341                          | A80341 | R1.25K   | Quick release mag wheel 24x1-3/8 krypton tyre    | ea | 1710.66 |
| FCW342                          | A80342 | R1.25P   | Quick release mag wheel 24x1-3/8 pneumatic       | ea | 1710.66 |
| FCW343                          | A80343 | R1.26K   | Quick release mag wheel 24x1.75 krypton tyre     | ea | 1710.66 |
| FCW344                          | A80344 | R1.30    | Mag wheel 22x1-3/8 pneumatic                     | ea | 1464.71 |
| <b>FCW</b>                      |        |          |  |    |         |
| <b>Wheel Sub-Assemblies</b>     |        |          |  |    |         |
| FCW345                          | A80345 | R1.050   | 24x1-3/8 W/rim & P/rim ASM                       | ea | 976.47  |
| FCW346                          | A80346 | R1.051   | 24x1-3/8 W/rim & P/rim spoke ASM( no pushrim)    | ea | 734.19  |
| FCW347                          | A80347 | R1.053   | Flange &bearing assembly                         | ea | 99.12   |
| FCW348                          | A80348 | R1.100   | 24x1.75 W/rim& P/rim ASM                         | ea | 939.76  |
| FCW349                          | A80349 | R1.101   | 24x1.75 W/rim& spoke ASM                         | ea | 734.19  |
| FCW350                          | A80350 | R1.200   | Fixed mag no tyre/NMF 1-3/8                      | ea | 888.37  |
| FCW351                          | A80351 | R1.250   | Q/R mag no tyre/NMF 1-3/8                        | ea | 888.37  |
| FCW352                          | A80352 | R1.260   | Q/R mag no tyre/NMF 1.75                         | ea | 1222.42 |
| FCW353                          | A80353 | R1.210   | Fixed mag no tyre/NMF 1.75                       | ea | 1222.42 |

| FCW                    |        |               | Pushrims                           |    |          |
|------------------------|--------|---------------|------------------------------------|----|----------|
| FCW354                 | A80354 | CAPSTAN       | Upcharge for capstan pushtrim      | ea | 444.18   |
| FCW355                 | A80355 | MAG1.052      | 24x1-3/8 mag pushtrim ASM          | ea | 444.18   |
| FCW356                 | A80356 | MAG1.052_19MM | Flange and bearing assembly        | ea | 444.18   |
| FCW357                 | A80357 | PACER 1.052   | Quick release ALU/SS handrim       | ea | 734.19   |
| FCW358                 | A80358 | R1.052        | 24x1-3/8 pushrim assembly for poke | ea | 444.18   |
| FCW359                 | A80359 | R1.102        | 24x1.75 pushrim assembly for poke  | ea | 444.18   |
| FCW360                 | A80360 | UTB003        | MCHN SCR pan pozi M4x10 PSHrim     | ea | 3.67     |
| FCW361                 | A80361 | UTB004        | Nyloc nut M4 pushrim               | ea | 3.67     |
| FCW362                 | A80362 | UTB048        | Bolt P/pozi M5x55 mag pushrim      | ea | 3.67     |
| FCW363                 | A80363 | UTB049        | Starlock washer M5 ,ag P/rim       | ea | 3.67     |
| FCW364                 | A80364 | UTB023        | Rivet nut M5x12                    | ea | 3.67     |
| FCW110                 | A90110 |               | Pushrim aluminum - pair            |    | 4606.48  |
| FCW111                 | A90111 |               | Rubberized pushrims - pair         |    | 8118.46  |
| <b>One Armed Drive</b> |        |               |                                    |    |          |
| FCW365                 | A80365 | HEMIDRIVE 14  | One arm drive kit-14"              | ea | 14658.07 |
| FCW366                 | A80366 | HEMIDRIVE 16  | One arm drive kit -16"             | ea | 14658.07 |
| FCW367                 | A80367 | HEMIDRIVE 18  | One arm drive kit-18"              | ea | 14658.07 |
| FCW368                 | A80368 | HEMIDRIVE 20  | One arm drive kit -20"             | ea | 14658.07 |
| FCW369                 | A80369 | OA-01-00      | OAD driven bearing shft ASM        | ea | 1710.66  |
| FCW370                 | A80370 | OA-01-00BH    | OAD bearing housing sub-ASM        | ea | 976.47   |
| FCW371                 | A80371 | OA-01-04      | OAD driven shaft                   | ea | 976.47   |
| FCW372                 | A80372 | OA-01-05      | OAD wheel top                      | ea | 488.24   |
| FCW373                 | A80373 | OA-01-06      | OAD washer                         | ea | 44.05    |
| FCW374                 | A80374 | OA-01-07      | OAD tube spacer fixing bolt        | ea | 29.37    |
| FCW375                 | A80375 | OA-01-08      | OAD hub nut driven wheel           | ea | 693.81   |
| FCW376                 | A80376 | OA-02-00      | OAD driving bearing /Shaft ASM     | ea | 1710.66  |
| FCW377                 | A80377 | OA-02-01      | OAD driving shaft                  | ea | 976.68   |
| FCW378                 | A80378 | OA-02-02      | OAD spacer driving ASM shaft       | ea | 198.23   |
| FCW379                 | A80379 | OA-03-00-14   | OAD connecting shaft -14"          | ea | 1710.66  |
| FCW380                 | A80380 | OA-03-00-16   | OAD connecting shaft 16."          | ea | 2554.98  |
| FCW381                 | A80381 | OA-03-00-18   | OAD connecting shaft -18"          | ea | 2554.98  |
| FCW382                 | A80382 | OA-03-00-20   | OAD connecting shaft -20"          | ea | 2554.98  |
| FCW383                 | A80383 | OA-03-02      | OAD slotted half shaft             | ea | 734.19   |
| FCW384                 | A80384 | OA-03-03      | OAD plunger                        | ea | 444.18   |
| FCW385                 | A80385 | OA-03-04-14   | OAD half shfaf -14"                | ea | 642.41   |
| FCW386                 | A80386 | OA-03-04-16   | OAD half shaft -16"                | ea | 642.41   |
| FCW387                 | A80387 | OA-03-04-18   | OAD hakf shaft -18"                | ea | 642.41   |
| FCW388                 | A80388 | OA-03-04-20   | OAD half shaft -20"                | ea | 642.41   |
| FCW389                 | A80389 | OA-03-05      | OAD compressing spring             | ea | 47.72    |
| FCW390                 | A80390 | OA-03-06      | OAD key connecting shft            | ea | 47.72    |
| FCW391                 | A80391 | OA-03-07      | OAD centre shaft sleeve            | ea | 356.08   |
| FCW392                 | A80392 | OA-04-00      | OAD pushrim ASM                    | ea | 1222.42  |
| FCW393                 | A80393 | UTB061        | One arm drive bolt 7/16x3 UNF      | ea | 25.7     |
| FCW394                 | A80394 | UTB062        | One arm drive lock nut M12         | ea | 3.67     |
| FCW395                 | A80395 | UTB063        | One arm DR EXT crclip DIA          | ea | 25.7     |
| FCW396                 | A80396 | UTB064        | One arm DR B/head screw M6x12      | ea | 3.67     |
| FCW397                 | A80397 | UTB065        | One arm drive nyloc nut M12        | ea | 25.7     |
| FCW398                 | A80398 | UTB066        | One arm DR nyloc nut 7/16          | ea | 3.67     |
| FCW399                 | A80399 | UTB067        | One arm DR C-pin 3.5x22x0.75       | ea | 25.7     |
| FCW400                 | A80400 | UTB068        | One arm DR C-pin 6x0x22x1.25       | ea | 25.7     |

| FCW    |        |              | AXLES  |    |         |
|--------|--------|--------------|--|----|---------|
| FCW401 | A80401 | COM038       | Quick-release axle wheelchairs   | ea | 223.93  |
| FCW402 | A80402 | TOR002       | Rear axle bolt standard  | ea | 99.12   |
| FCW403 | A80403 | TOR002R      | Rear axle bolt rainbow   | ea | 99.12   |
| FCW404 | A80404 | TOR003       | 7/16 UNF nut rear axle   | ea | 11.01   |
| FCW405 | A80405 | TOR009       | Transit chair axle bolt  | ea | 99.12   |
| FCW406 | A80406 | TOR011       | Transit chair axle nut T   | ea | 11.01   |
| FCW407 | A80407 | HUL025       | Axle spacer 12" wheelchair   | ea | 25.7    |
|        |        |              | <b>Footrests:</b>  |    |         |
| FT     |        |              | <b>Complete Footrests</b>  |    |         |
| FT0408 | A80408 | F3.5010      | 18" STD nylon F/R CMPLT left   | ea | 488.24  |
| FT0409 | A80409 | F3.6020      | 18" STD nylon F/R CMPLT right  | ea | 488.24  |
| FT0410 | A80410 | F3.3050      | 16" F/rest complete STD left   | ea | 488.24  |
| FT0411 | A80411 | F3.4060      | 16" F/rest complete STD right  | ea | 488.24  |
| FT0412 | A80412 | F3.5131      | 16" Kids F/rest CMPLT, left  | ea | 488.24  |
| FT0413 | A80413 | F3.6141      | 16" kids F/rest CMPLT, right   | ea | 488.24  |
| FT0414 | A80414 | F3.11        | 14" F/rest ASM clamp on left   | ea | 488.24  |
| FT0415 | A80415 | F3.21        | 14" F/rest ASM clamp on right  | ea | 488.24  |
| FT0416 | A80416 | F3.1121      | 14" clamp on footrest pair   | ea | 976.47  |
| FT0417 | A80417 | F3.5161      | 16" kids footrest pair   | ea | 976.47  |
| FT0111 | A90111 |              | Footrest (single plate / 2x individual, angle adjustable / re-movable, aluminum/titanium/carbon composite) |    | 8118.46 |
| FT     |        |              | <b>Hangers</b>   |    |         |
| FT0418 | A80418 | HUL023       | Footrest hanger pin long   | ea | 25.7    |
| FT0419 | A80419 | HUL024       | Footrest hanger pin short  | ea | 25.7    |
| FT0420 | A80420 | F3.50        | STD footrest hanger ASY-left   | ea | 341.4   |
| FT0421 | A80421 | F3.60        | STD footrest hanger ASY-Right  | ea | 341.4   |
| FT0422 | A80422 | F3.51        | 16" kids footrest hanger ASY left  | ea | 341.4   |
| FT0423 | A80423 | F3.61        | 16" kids footrest hanger ASY right   | ea | 341.4   |
| FT0424 | A80424 | F3.54        | Extra short hanger left  | ea | 341.4   |
| FT0425 | A80425 | F3.64        | Extra short hanger right   | ea | 341.4   |
| FT0426 | A80426 | F3.52        | Low slung F/R hanger ASSY right  | ea | 341.4   |
| FT0427 | A80427 | F3.62        | Low slung F/R hanger ASSY left   | ea | 341.4   |
| FT0428 | A80428 | F3.60C       | Standard F/R hanger only right chromed   | ea | 341.4   |
| FT0429 | A80429 | F3.50C       | Standard F/R hanger only left chromed  | ea | 341.4   |
| FT     |        |              | <b>Footplates</b>  |    |         |
| FT0430 | A80430 | PACER 3.120L | Adult nylon footplate -left  | ea | 99.12   |
| FT0431 | A80431 | PACER 3.120R | Adult nylon footplate -right   | ea | 99.12   |
| FT0432 | A80432 | PACER 3.140L | N/A adult nylon footplate left   | ea | 99.12   |
| FT0433 | A80433 | PACER 3.140R | N/A adult nylon footplate right  | ea | 99.12   |
| FT0434 | A80434 | COM003       | 14" footplate nylon  | ea | 99.12   |
| FT0435 | A80435 | CHA002       | Footplate rubber inset   | ea | 47.72   |
| FT0436 | A80436 | COM001       | Footplate adult ALU  | ea | 198.23  |
| FT0437 | A80437 | COM002       | Footplate n/a adult ALU  | ea | 198.23  |
| FT0438 | A80438 | COM00313L    | 14" 90degree footplate left  | ea | 888.37  |
| FT0439 | A80439 | COM00313R    | 14" 90degree footplate right   | ea | 888.37  |

| FT        |        |           | Extensions  |    |         |
|-----------|--------|-----------|---|----|---------|
| FT0440    | A80440 | F3.10     | 18" footrest ext ASM left   | ea | 245.95  |
| FT0441    | A80441 | F3.20     | 18" footrest ext ASM right  | ea | 245.95  |
| FT0442    | A80442 | F3.30     | 16" footrest ext ASM standard left  | ea | 245.95  |
| FT0443    | A80443 | F3.40     | 16" footrest ext ASM standard right   | ea | 245.95  |
| FT0444    | A80444 | F3.31     | 16" footrest ext ASM kids left  | ea | 245.95  |
| FT0445    | A80445 | F3.41     | 16" footrest ext ASM kids right   | ea | 245.95  |
| FT0446    | A80446 | F3.10AL   | 18" footrest ext ASM alu left   | ea | 400.13  |
| FT0447    | A80447 | F3.20AL   | 18" footrest ext ASM alu right  | ea | 400.13  |
| FT0448    | A80448 | F3.30AL   | 16" footrest ext ASM std alu left   | ea | 400.13  |
| FT0449    | A80449 | F3.40AL   | 16" footrest ext ASM std alu right  | ea | 400.13  |
| FT0450    | A80450 | F3.31AL   | 16" footrest ext ASM kids alu left  | ea | 400.13  |
| FT0451    | A80451 | F3.41AL   | 16" footrest ext ASM kids alu right   | ea | 400.13  |
| FT0452    | A80452 | F3.32     | 14" footrest ext ASM GRWNG left   | ea | 245.95  |
| FT0453    | A80453 | F3.42     | 14" footrest ext ASM GRWNG right  | ea | 245.95  |
| <b>FT</b> |        |           |   |    |         |
|           |        |           | <b>12" Footrest</b>   |    |         |
| FT0454    | A80454 | F3.5312   | 12" footrest assembly left  | ea | 1710.66 |
| FT0455    | A80455 | F3.6322   | 12" footrest assembly right   | ea | 1710.66 |
| FT0456    | A80456 | COM00312L | 12" 90 degree footplate left  | ea | 734.19  |
| FT0457    | A80457 | COM00312R | 12" 90 degree footplate right   | ea | 734.19  |
| FT0458    | A80458 | F3.12     | 12" footrest ext ASM left   | ea | 1464.71 |
| FT0459    | A80459 | F3.22     | 12" footrest ext ASM right  | ea | 1464.71 |
| FT0460    | A80460 | F3.53     | 12" footrest hanger assembly left   | ea | 245.95  |
| FT0461    | A80461 | F3.63     | 12" footrest hanger assembly right  | ea | 245.95  |
| FT0462    | A80462 | F3.12C    | 12 footrest ext left coated   | ea | 290     |
| FT0463    | A80463 | F3.22C    | 12" footrest ext right coated   | ea | 290     |
| FT0464    | A80464 | F3.110    | Footrest ext tube ASM alum F/pl   | ea | 132.15  |
| FT0465    | A80465 | F3.112    | Kids footrest ext tube alu f/p coat   | ea | 132.15  |
| FT0466    | A80466 | V20F09M   | Footrest clamp 50mm(12)   | ea | 488.24  |
| FT0467    | A80467 | UTB050    | 12" footrest ass bolt M6x40   | ea | 7.34    |
| <b>FT</b> |        |           |   |    |         |
|           |        |           | <b>Elevating Footrests</b>  |    |         |
| FT0468    | A80468 | COM039L   | Elevating frest hanger left   | ea | 1556.48 |
| FT0469    | A80469 | COM039R   | Elevating frest hanger right  | ea | 1556.48 |
| FT0470    | A80470 | F3.140    | Elevating leg pad   | ea | 198.23  |
| FT0112    | A90112 |           | Elevating footrests - pair  |    | 3598.09 |
| <b>FT</b> |        |           |   |    |         |
|           |        |           | <b>Sundry</b>   |    |         |
| FT0471    | A80471 | HUL002    | Footplate spring clip   | ea | 40.38   |
| FT0472    | A80472 | UTB002    | Heel strap bolt clip  | ea | 3.67    |
| FT0473    | A80473 | UTB012    | Nyloc nut M6 for heelstrap  | ea | 3.67    |
| FT0474    | A80474 | UTB030    | Cap screw M6x45 nylon footplate   | ea | 3.67    |
| FT0475    | A80475 | F3.11C    | 14" footrest tube ASM clamp on  | ea | 132.15  |
| FT0476    | A80476 | COM015B   | Footrest clamp bolt   | ea | 36.71   |
| FT0477    | A80477 | COM020    | Footrest bumper rubber  | ea | 14.68   |
| FT0478    | A80478 | UTB016    | Clamp on footplate bolt mach screw,hex M10x45   | ea | 25.7    |
| FT0479    | A80479 | UTB017    | Clamp on footplate nut M10  | ea | 3.67    |
|           | A80490 |           | Footrest (single plate / 2x individual, angle adjustable / re-movable, aluminium/titanium/carbon composite) |    | 8118.46 |

| <b>Footrest Release Levers</b> |        |            |   |    |         |
|--------------------------------|--------|------------|---|----|---------|
| FT                             |        |            |   |    |         |
| FT0480                         | A80480 | COM018A    | Footrest release lever right                  | ea | 29.37   |
| FT0481                         | A80481 | COM018B    | Footrest release lever left                   | ea | 29.37   |
| FT0482                         | A80482 | COM018E    | Footrest release lever screw                  | ea | 3.67    |
| FT0483                         | A80483 | COM018G    | Footrest release lever ASSY right hand spring | ea | 11.01   |
| FT0484                         | A80484 | COM018H    | Footrest release lever ASSY left hand spring  | ea | 11.01   |
| <b>Legstraps</b>               |        |            |   |    |         |
| FT                             |        |            |   |    |         |
| FT0485                         | A80485 | P4.30      | Adult heelstrap                               | ea | 99.12   |
| FT0486                         | A80486 | P4.40      | Narrow adult heelstrap                        | ea | 99.12   |
| FT0487                         | A80487 | P4.60      | Legstraps                                     | ea | 400.13  |
| FT0488                         | A80488 | P4.80      | Legstrap with velcro                          | ea | 245.95  |
| FT0489                         | A80489 |            | Pump  | ea | 268.5   |
| <b>Arm Rests:</b>              |        |            |   |    |         |
| <b>Armrests Complete</b>       |        |            |   |    |         |
| AR                             |        |            |   |    |         |
| AR0491                         | A80491 | A6.10      | Full armrest CN s/guard left                  | ea | 488.24  |
| AR0492                         | A80492 | A6.20      | Full armrest CN s/guard right                 | ea | 488.24  |
| AR0493                         | A80493 | A6.30      | Desk armrest CN s/guard left                  | ea | 488.24  |
| AR0494                         | A80494 | A6.40      | Desk armrest CN s/guard right                 | ea | 488.24  |
| AR0495                         | A80495 | A6.10SS    | Full armrest SS s/guard left                  | ea | 532.29  |
| AR0496                         | A80496 | A6.20SS    | Full armrest SS s/guard right                 | ea | 532.29  |
| AR0497                         | A80497 | A6.30SS    | Desk armrest SS s/guard left                  | ea | 532.29  |
| AR0498                         | A80498 | A6.40SS    | Desk armrest SS s/guard right                 | ea | 532.29  |
| AR0499                         | A80499 | A6.130     | Short armrest left/right                      | ea | 176.21  |
| AR0500                         | A80500 | A6.SPOFOL  | Sport armrest foam pad left                   | ea | 400.13  |
| AR0501                         | A80501 | A6.SPOFOR  | Sport armrest foam pad right                  | ea | 400.13  |
| AR0502                         | A80502 | A6.SPOSTDL | Sport armrest standard A/pad left             | ea | 488.24  |
| AR0503                         | A80503 | A6.SPOSTDR | Sport armrest standard A/pad right            | ea | 488.24  |
| <b>Armrest Sub Assemblies</b>  |        |            |   |    |         |
| AR                             |        |            |   |    |         |
| AR0504                         | A80504 | A6.10NP    | Full armrest no arm pad left                  | ea | 334.06  |
| AR0505                         | A80505 | A6.20NP    | Full armrest no arm pad right                 | ea | 334.06  |
| AR0506                         | A80506 | A6.10C     | Full armrest tube only right                  | ea | 223.93  |
| AR0507                         | A80507 | A6.20C     | Full armrest tube only right                  | ea | 223.93  |
| AR0508                         | A80508 | A6.SPOC    | Sport arm tube coated                         | ea | 223.93  |
| AR0509                         | A80509 | A6.30C     | Desk armrest tube ASM left chro               | ea | 223.93  |
| AR0510                         | A80510 | A6.40C     | Desk armrest tube ASM right chro              | ea | 223.93  |
| AR0511                         | A80511 | HUL001     | Armrest release clip                          | ea | 87.89   |
| <b>12" Armrest</b>             |        |            |   |    |         |
| AR                             |        |            |   |    |         |
| AR0512                         | A80512 | A6.50      | 12" height ADJ armpad left                    | ea | 1064.57 |
| AR0513                         | A80513 | A6.60      | 12" height ADJ armpad right                   | ea | 1064.57 |
| AR0514                         | A80514 | A6.51      | 12" height ADJ armrest base left              | ea | 245.95  |
| AR0515                         | A80515 | A6.61      | 12" height ADJ armrest base right             | ea | 245.95  |
| AR0516                         | A80516 | A6.52      | 12" height ADJ armrest ext tube ASM           | ea | 488.24  |
| <b>Height Adj Armrest</b>      |        |            |   |    |         |
| AR                             |        |            |   |    |         |
| AR0517                         | A80517 | A6.70      | Std h-adj armrest desk left                   | ea | 1064.57 |
| AR0518                         | A80518 | A6.75      | Std h-adj armrest desk right                  | ea | 1064.57 |
| AR0519                         | A80519 | A6.71      | Std h-adj armrest full left                   | ea | 1064.57 |
| AR0820                         | A80520 | A6.76      | Std h-adj armrest full right                  | ea | 1064.57 |
| AR0521                         | A80521 | A6.701     | Std h-adj armrest base left                   | ea | 245.95  |
| AR0522                         | A80522 | A6.751     | Std h-adj armrest base right                  | ea | 245.95  |
| AR0523                         | A80523 | A6.712     | H/adj armrest ext tube ASM full               | ea | 488.24  |

|                        |        |             |   |    |         |
|------------------------|--------|-------------|---|----|---------|
| AR0524                 | A80524 | COM00412    | Skirtguard alu h/adj armrest              | ea | 198.23  |
| <b>AR</b>              |        |             |   |    |         |
|                        |        |             | <b>Armpads</b>                            |    |         |
| AR0525                 | A80525 | A6.80       | Full armrest armpad with screws           | ea | 245.95  |
| A50526                 | A80526 | A6.90       | Desk armrest armpad with screws           | ea | 245.95  |
| AR0527                 | A80527 | A6.81       | Full armrest armpad PU                    | ea | 245.95  |
| AR0528                 | A80528 | A6.91       | Desk armrest armpad PU                    | ea | 245.95  |
| AR0529                 | A80529 | A6.80U      | Full armpad upholstery                    | ea | 99.12   |
| AR0530                 | A80530 | A6.90U      | Desk armpad upholstery                    | ea | 99.12   |
| AR0531                 | A80531 | COV002      | Full armpad plastic base                  | ea | 25.7    |
| AR0532                 | A80532 | COV003      | Desk armpad plastic base                  | ea | 25.7    |
| AR0533                 | A80533 | PACER 6.80  | Pacer/cruiser/power foam grip             | ea | 99.12   |
| AR0534                 | A80534 | UTB013      | Armpad bolt M6x30                         | ea | 11.01   |
| AR0535                 | A80535 | MAT001      | 6MM "T" nuts                              | ea | 3.67    |
| <b>AR</b>              |        |             |   |    |         |
|                        |        |             | <b>Skirtguards</b>                        |    |         |
| AR0536                 | A80536 | COM004      | Full arm skirtguard steel                 | ea | 99.12   |
| AR0537                 | A80537 | COM005      | Desk arm skirtguard steel                 | ea | 99.12   |
| AR0538                 | A80538 | COM006      | Fixed arm skirtguard Steel                | ea | 99.12   |
| AR0539                 | A80539 | IEM001      | Full arm skirtguard plastic               | ea | 77.09   |
| AR0540                 | A80540 | IEM002      | Desk arm skirtguard plastic               | ea | 77.09   |
| AR0541                 | A80541 | IEMOOL      | Sport skirtguard left plastic             | ea | 77.09   |
| AR0542                 | A80542 | IEMOOR      | Sport skirtguard right plastic            | ea | 77.09   |
| AR0543                 | A80543 | UTB005      | Pop rivet alu,M4x10 skirt guard Dut B001B | ea | 3.67    |
| AR0544                 | A80544 | PACU031     | Pacer triangular skirt guards             | ea | 198.23  |
| <b>Upholstery:</b>     |        |             |   |    |         |
|                        |        |             | <b>Back Upholstery</b>                    |    |         |
| <b>BU</b>              |        |             |   |    |         |
|                        |        |             | <b>Backrest upholstery complete</b>       |    |         |
| BU0544                 | A90544 |             | Backrest upholstery complete              |    | 3448.72 |
| <b>Back Upholstery</b> |        |             |   |    |         |
|                        |        |             | <b>20" Back</b>                           |    |         |
| <b>BU</b>              |        |             |   |    |         |
| BU0545                 | A80545 | B10.50      | Back upholstery 20"                       | ea | 675.45  |
| BU0546                 | A80546 | B10.120     | Hingeback upholstery 20"                  | ea | 675.45  |
| BU0547                 | A80547 | B10.140     | Back upholstery recliner 20"              | ea | 675.45  |
| BU0548                 | A80548 | B10.230     | Back uph 20" 100MM tallback               | ea | 675.45  |
| BU0549                 | A80549 | B10.235     | Back uph 20" 50MM tallback                | ea | 675.45  |
| BU0550                 | A80550 | B10.50100SH | Back uph 20" 100MM shortback              | ea | 675.45  |
| BU0551                 | A80551 | B10.5050SH  | Back uph 20" 50MM shortback               | ea | 675.45  |
| BU0552                 | A80552 | B10.50KIT   | Back upholstery kit 20"                   | ea | 675.45  |
| BU0553                 | A80553 | B10.55      | Back upholstery 22"                       | ea | 976.47  |
| <b>18" Back</b>        |        |             |   |    |         |
| <b>BU</b>              |        |             |   |    |         |
| BU0554                 | A80554 | B10.10      | Back upholstery 18"                       | ea | 675.45  |
| BU0555                 | A80555 | B10.80      | Hingeback upholstery 18"                  | ea | 675.45  |
| BU0556                 | A80556 | B10.60      | Back upholstery recliner 18"              | ea | 675.45  |
| BU0557                 | A80557 | B10.200     | Back uph 18" 100MM tallback               | ea | 675.45  |
| BU0558                 | A80558 | B10.205     | Back uph 18" 50MM tallback                | ea | 675.45  |
| BU0559                 | A80559 | B10.10100SH | Back uph 18" 100MM shortback              | ea | 675.45  |
| BU0560                 | A80560 | B10.1050SH  | Back uph 18" 50MM shortback               | ea | 675.45  |
| BU0561                 | A80561 | B10.10KIT   | Back upholstery kit 18"                   | ea | 675.45  |
| <b>17" Back</b>        |        |             |   |    |         |
| <b>BU</b>              |        |             |   |    |         |
| BU0562                 | A80562 | B10.17      | Back upholstery 17"                       | ea | 312.03  |
| BU0563                 | A80563 | B10.17KIT   | Back upholstery kit 17"                   | ea | 290     |

|           |        |             |                                       |    |         |
|-----------|--------|-------------|---------------------------------------|----|---------|
| <b>BU</b> |        |             | <b>16" Back</b>                       |    |         |
| BU0564    | A80564 | B10.20      | Back upholstery 16"                   | ea | 675.45  |
| BU0565    | A80565 | B10.90      | Hingeback upholstery 16"              | ea | 675.45  |
| BU0566    | A80566 | B10.70      | Recliner back upholstery 16" power    | ea | 675.45  |
| BU0567    | A80567 |             | Back upholstery recliner 16"          | ea | 2000.66 |
| BU0568    | A80568 | B10.210     | Back uph 16" 100MM tallback           | ea | 675.45  |
| BU0569    | A80569 | B10.215     | Back uph 16" 50MM tallback            | ea | 675.45  |
| BU0570    | A80570 | B10.2050SH  | Back uph 16" 100MM shortback          | ea | 675.45  |
| BU0571    | A80571 | B10.20100SH | Back uph 16" 50MM shortback           | ea | 675.45  |
| BU0572    | A80572 | B10.20KIT   | Back upholstery kit 16"               | ea | 675.45  |
| <b>BU</b> |        |             | <b>15" Back</b>                       |    |         |
| BU0573    | A80573 | B10.15      | Back upholstery 15"                   | ea | 675.45  |
| BU0574    | A80574 | B10.15100SH | Back upholstery 15" shortback         | ea | 675.45  |
| BU0575    | A80575 | B10.15100TB | Back upholstery 15" tallback          | ea | 675.45  |
| BU0576    | A80576 | B10.15KIT   | Back upholstery kit 15"               | ea | 675.45  |
| <b>BU</b> |        |             | <b>14" Back</b>                       |    |         |
| BU0577    | A80577 | B10.40      | Back upholstery 14"                   | ea | 675.45  |
| BU0578    | A80578 | B10.110     | Hingeback upholstery 14"              | ea | 675.45  |
| BU0579    | A80579 | B10.45      | Back upholstery recliner              | ea | 675.45  |
| BU0580    | A80580 |             | Power                                 | ea | 2000.66 |
| BU0581    | A80581 | B10.220     | Back uph 14" 100MM tallback           | ea | 675.45  |
| BU0582    | A80582 | B10.225     | Back uph 14" 50MM tallback            | ea | 675.45  |
| BU0583    | A80583 | B10.40100SH | Back uph 14" 100MM shortback          | ea | 675.45  |
| BU0584    | A80584 | B10.4050SH  | Back uph 14" 50MM shortback           | ea | 675.45  |
| BU0585    | A80585 | B10.40KIT   | Back upholstery kit 14"               | ea | 675.45  |
| <b>BU</b> |        |             | <b>12" Back</b>                       |    |         |
| BU0586    | A80586 | B10.41      | Back upholstery 12"                   | ea | 675.45  |
| BU0587    | A80587 | B10.41KIT   | Back upholstery kit 12"               | ea | 675.45  |
| <b>BU</b> |        |             | <b>Sports Upholstery</b>              |    |         |
| BU0588    | A80588 | BBSPO 10.20 | Back upholstery 15" BB sport Mat 002B | ea | 1952.94 |
| BU0589    | A80589 | BBSPO 10.40 | Back upholstery 14" BB sport Mat 002B | ea | 1952.94 |
| BU0590    | A80590 | BBSPO 4.70  | Footrest strap BB sport               | ea | 488.24  |
| BU0591    | A80591 | BBSPO 9.20  | Seat upholstery 15" BB sport Mat 002B | ea | 532.29  |
| BU0592    | A80592 | BBSPO 9.40  | Seat upholstery 14" BB sport Mat 002B | ea | 532.29  |
| <b>BU</b> |        |             | <b>Head Extension Upholstery</b>      |    |         |
| BU0593    | A80593 | H11.40      | Recl h/ext uph 20"                    | ea | 334.06  |
| BU0594    | A80594 | H11.10      | Recl h/ext uph 18"                    | ea | 334.06  |
| BU0595    | A80595 | H11.20      | Recl h/ext uph 16"                    | ea | 334.06  |
| BU0596    | A80596 | H11.50      | Recl h/ext uph 14"                    | ea | 334.06  |
| BU0597    | A80597 | H11.130     | Stdh/ext uph 20"                      | ea | 334.06  |
| BU0598    | A80598 | H11.100     | Stdh/ext uph 18"                      | ea | 334.06  |
| BU0599    | A80599 | H11.120     | Stdh/ext uph 16"                      | ea | 334.06  |
| BU0600    | A80600 | H11.140     | Stdh/ext uph 14"                      | ea | 334.06  |
| BU0601    | A80601 | H11.145     | Stdh/ext uph 12"                      | ea | 334.06  |
| <b>BU</b> |        |             | <b>Optima</b>                         |    |         |
| BU0602    | A80602 | OPTIMA12    | Optima back upholstery 12"            | ea | 2220.92 |
| BU0603    | A80603 | OPTIMA14    | Optima back upholstery 14"            | ea | 2220.92 |
| BU0604    | A80604 | OPTIMA15    | Optima back upholstery 15"            | ea | 2220.92 |
| BU0605    | A80605 | OPTIMA16    | Optima back upholstery 16"            | ea | 2220.92 |

|           |        |           |                                      |    |         |
|-----------|--------|-----------|--------------------------------------|----|---------|
| BU0606    | A80606 | OPTIMA17  | Optima back upholstery 17"           | ea | 2220.92 |
| BU0607    | A80607 | OPTIMA18  | Optima back upholstery 18"           | ea | 2220.92 |
| BU0608    | A80608 | OPTIMA20  | Optima back upholstery 20"           | ea | 2220.92 |
| <b>BU</b> |        |           | <b>Seat Upholstery</b>               |    |         |
| BU0113    | A90113 |           | Seat upholstery (including hardware) |    | 2107.12 |
| <b>BU</b> |        |           | <b>20" Seat</b>                      |    |         |
| BU0609    | A80609 | S9.50     | Seat upholstery 20"                  | ea | 668.11  |
| BU0610    | A80610 | S9.50X    | Seat upholstery 20" extended         | ea | 668.11  |
| BU0611    | A80611 | S9.50KIT  | Seat upholstery kit 20"              | ea | 668.11  |
| BU0612    | A80612 | S9.50XKIT | Set uph kit 20" extended             | ea | 668.11  |
| BU0613    | A80613 | S9.55     | Seat upholstery 22"                  | ea | 668.11  |
| <b>BU</b> |        |           | <b>18" Seat</b>                      |    |         |
| BU0614    | A80614 | S9.10     | Seat upholstery 18"                  | ea | 668.11  |
| BU0615    | A80615 | S9.10T    | Seat upholstery tuffee 18"           | ea | 668.11  |
| BU0616    | A80616 | S9.10X    | Seat upholstery 18" extended         | ea | 668.11  |
| BU0617    | A80617 | S9.10KIT  | Seat upholstery kit 18"              | ea | 668.11  |
| BU0618    | A80618 | S9.10XKIT | Seat uph kit 18" extended            | ea | 668.11  |
| <b>BU</b> |        |           | <b>17" Seat</b>                      |    |         |
| BU0619    | A80619 | S9.17     | Seat upholstery 17"                  | ea | 668.11  |
| BU0620    | A80620 | S9.17T    | Seat upholstery tuffee 17"           | ea | 668.11  |
| BU0621    | A80621 | S9.17X    | Seat upholstery 17" extended         | ea | 668.11  |
| BU0622    | A80622 | S9.17KIT  | Seat upholstery kit 17"              | ea | 668.11  |
| BU0623    | A80623 | S9.17XKIT | Seat uph kit 17" extended            | ea | 668.11  |
| <b>BU</b> |        |           | <b>16" Seat</b>                      |    |         |
| BU0624    | A80624 | S9.20     | Seat upholstery 16"                  | ea | 668.11  |
| BU0625    | A80625 | S9.20T    | Seat upholstery tuffee 16"           | ea | 668.11  |
| BU0626    | A80626 | S9.20X    | Seat upholstery 16" extended         | ea | 668.11  |
| BU0627    | A80627 | S9.20KIT  | Seat upholstery kit 16"              | ea | 668.11  |
| BU0628    | A80628 | S9.20XKIT | Seat uph kit 16" extended            | ea | 668.11  |
| <b>BU</b> |        |           | <b>15" Seat</b>                      |    |         |
| BU0629    | A80629 | S9.15     | Seat upholstery 15"                  | ea | 668.11  |
| BU0630    | A80630 | S9.15T    | Seat upholstery tuffee 15"           | ea | 668.11  |
| BU0630    | A80631 | S9.15X    | Seat upholstery 15" extended         | ea | 668.11  |
| BU0632    | A80632 | S9.15KIT  | Seat upholstery kit 15"              | ea | 668.11  |
| BU0633    | A80633 | S9.15XKIT | Seat uph kit 15" extended            | ea | 668.11  |
| <b>BU</b> |        |           | <b>14" Seat</b>                      |    |         |
| BU0634    | A80634 | S9.40     | Seat upholstery 14"                  | ea | 668.11  |
| BU0635    | A80635 | S9.40T    | Seat upholstery tuffee 14"           | ea | 668.11  |
| BU0636    | A80636 | S9.40X    | Seat upholstery 14" extended         | ea | 668.11  |
| BU0637    | A80637 | S9.40KIT  | Seat upholstery kit 14"              | ea | 668.11  |
| BU0638    | A80638 | S9.40XKIT | Seat uph kit 14" extended            | ea | 668.11  |
| <b>BU</b> |        |           | <b>12" Seat</b>                      |    |         |
| BU0639    | A80639 | S9.41     | Seat upholstery 12"                  | ea | 668.11  |
| BU0640    | A80640 | S9.41L    | Seat upholstery 12" 40cm depth       | ea | 668.11  |
| BU0641    | A80641 | S9.41T    | Seat upholstery tuffee 12"           | ea | 668.11  |
| BU0642    | A80642 | S9.41LX   | Seat uph 12" 40cm extended           | ea | 668.11  |
| BU0643    | A80643 | S9.41KIT  | Seat upholstery kit 12"              | ea | 668.11  |
| BU0644    | A80644 | S9.41LKIT | Seat upholstery 12" 40cm depth       | ea | 668.11  |

|                                 |        |                 |  |    |         |
|---------------------------------|--------|-----------------|--|----|---------|
| BU0645                          | A80645 | S9.41LXKIT      | Seat uph kit 12" 40cm extended           | ea | 668.11  |
| <b>Upholstery Metal Strips</b>  |        |                 |  |    |         |
| BU                              |        |                 |  | ea |         |
| BU0646                          | A80646 | STR002          | Back upholstery metal strips             | ea | 47.72   |
| BU0647                          | A80647 | STR005          | Tall abck upholstery strips              | ea | 47.72   |
| BU0648                          | A80648 | STR007          | Hinge back uph strip long                | ea | 47.72   |
| BU0649                          | A80649 | STR008          | Hinge back uph strip short               | ea | 47.72   |
| BU0650                          | A80650 | STR011          | 12.7x60uph met strip rec bck             | ea | 47.72   |
| BU0651                          | A80651 | STR006          | Seat upholstery strip                    | ea | 47.72   |
| BU0652                          | A80652 | STR006X         | Seat upholstery strip extended           | ea | 47.72   |
| BU0653                          | A80653 | STR012          | Growing seat metal strip                 | ea | 47.72   |
| BU0654                          | A80654 | STR014          | 12" seat upholstery strip                | ea | 47.72   |
| BU0655                          | A80655 | STR009          | Recliner h/ext uph strip                 | ea | 47.72   |
| <b>Upholstery Sundry</b>        |        |                 |  |    |         |
| BU                              |        |                 |  |    |         |
| BU0656                          | A80656 | MATHARNESS      | Wheelchair harness                       | ea | 888.37  |
| BU0657                          | A80657 | URESTRAINT      | Wheelchair pelvic strap                  | ea | 444.18  |
| BU0658                          | A80658 | UTB009          | Upholstery washer                        | ea | 3.67    |
| BU0659                          | A80659 | UTB010          | Upholstery self taper                    | ea | 3.67    |
| <b>Sideframes</b>               |        |                 |  |    |         |
| SF                              |        |                 |  |    |         |
| <b>Quick Release Heavy Duty</b> |        |                 |  |    |         |
| SF0660                          | A80660 | CRUS 7.10L      | Q/release s/frame left                   | ea | 1464.71 |
| SF0661                          | A80661 | CRUS 7.10R      | Q/release s/frame right                  | ea | 1464.71 |
| SF0662                          | A80662 | CRUS 7.10100SHL | Q/release s/frame 100mm s/back left      | ea | 1464.71 |
| SF0663                          | A80663 | CRUS 7.10100SHR | Q/release s/frame 100mm s/back right     | ea | 1464.71 |
| SF0664                          | A80664 | CRUS 7.10100TBL | Q/release s/frame 100mm t/back left      | ea | 1464.71 |
| SF0665                          | A80665 | CRUS 7.10100TBR | Q/release s/frame 100mm t/back right     | ea | 1464.71 |
| SF0666                          | A80666 | CRUS 7.1050SHL  | Q/release s/frame 50mm s/back left       | ea | 1464.71 |
| SF0667                          | A80667 | CRUS 7.1050SHR  | Q/release s/frame 50mm s/back right      | ea | 1464.71 |
| SF0668                          | A80668 | CRUS 7.1050TBL  | Q/release s/frame 50mm t/back left       | ea | 1464.71 |
| SF0669                          | A80669 | CRUS 7.1050TBR  | Q/release s/frame 50mm t/back right      | ea | 1464.71 |
| SF0670                          | A80670 | CRUS 7.110L     | Q/release s/frame recliner left          | ea | 1709.93 |
| SF0671                          | A80671 | CRUS 7.110R     | Q/release s/frame recliner right         | ea | 1709.93 |
| SF0673                          | A80673 | CRUS 7.11L      | Q/release lowslung s/fr left             | ea | 1464.71 |
| SF0675                          | A80675 | CRUS 7.11R      | Q/release lowslung s/fr right            | ea | 1464.71 |
| SF0676                          | A80676 | CRUS 7.100100SL | Q/release sideframe h/d 100mm sh/b left  | ea | 1556.48 |
| SF0677                          | A80677 | CRUS 7.100100SR | Q/release sideframe h/d 100mm sh/b right | ea | 1556.48 |
| SF0678                          | A80678 | CRUS 7.100100TL | Q/release s/f/r,h/d 100mm t/b left       | ea | 1556.48 |
| SF0679                          | A80679 | CRUS 7.100100TR | Q/release s/f/r,h/d 100mm t/b right      | ea | 1556.48 |
| SF0680                          | A80680 | CRUS 7.10050SL  | Q/release s/f/r,h/d 50mm sh/b left       | ea | 1556.48 |
| SF0681                          | A80681 | CRUS 7.10050SR  | Q/release s/f/r,h/d 50mm sh/b right      | ea | 1556.48 |
| SF0682                          | A80682 | CRUS 7.10050TL  | Q/release s/f/r,h/d 50mm t/b left        | ea | 1556.48 |
| SF0683                          | A80683 | CRUS 7.10050TR  | Q/release s/f/r,h/d 50mm t/b right       | ea | 1556.48 |
| SF0684                          | A80684 | CRUS 7.100L     | Q/release s/f/r, h/duty left             | ea | 1556.48 |
| SF0685                          | A80685 | CRUS 7.100R     | Q/release s/f/r, h/duty right            | ea | 1556.48 |
| SF0686                          | A80686 | CRUS 7.101L     | S/f/r,h/duty Q/rel l/slung left          | ea | 1556.48 |
| SF0687                          | A80687 | CRUS 7.101R     | S/f/r,h/duty Q/rel l/slung right         | ea | 1556.48 |
| <b>Power</b>                    |        |                 |  |    |         |
| SF                              |        |                 |  |    |         |
| SF0688                          | A80688 | POW 7.10L       | Power sideframe left                     | ea | 1666.61 |
| SF0689                          | A80689 | POW 7.10R       | Power sideframe right                    | ea | 1666.61 |
| SF0690                          | A80690 | POW 7.110L      | Power sideframe,recliner left            | ea | 1950.15 |
| SF0691                          | A80691 | POW 7.110R      | Power sideframe,recliner right           | ea | 1950.15 |

| SF        |        |           | Rainbow                         |    |         |
|-----------|--------|-----------|---------------------------------|----|---------|
| SF0692    | A80692 | RAIN7.10L | Rainbow std sideframe left      | ea | 1222.42 |
| SF0693    | A80693 | RAIN7.10R | Rainbow std sideframe right     | ea | 1222.42 |
| SF0694    | A80694 | RAIN7.13L | Rainbow fixed arm s/frame left  | ea | 1222.42 |
| SF0695    | A80695 | RAIN7.13R | Rainbow fixed arm s/frame right | ea | 1222.42 |
| <b>SF</b> |        |           |                                 |    |         |
|           |        |           | <b>Tuffee</b>                   |    |         |
| SF0696    | A80696 | I7.100L   | Sideframe heavy duty left       | ea | 1556.48 |
| SF0697    | A80697 | I7.100R   | Sideframe heavy duty right      | ea | 1556.48 |
| SF0698    | A80698 | I7.101L   | S/frame h/duty h/back left      | ea | 1556.48 |
| SF0699    | A80699 | I7.101R   | S/frame h/duty h/back right     | ea | 1556.48 |
| SF0700    | A80700 | I7.102L   | S/frame h/duty l/slung left     | ea | 1556.48 |
| SF0701    | A80701 | I7.102R   | S/frame h/duty l/slung right    | ea | 1556.48 |
| SF0702    | A80702 | I7.10350L | S/frame 50mm h/d t/back left    | ea | 1556.48 |
| SF0703    | A80703 | I7.10350R | S/frame 50mm h/d t/back right   | ea | 1556.48 |
| SF0704    | A80704 | I7.103L   | S/frame 100mm h/d t/back left   | ea | 1556.48 |
| SF0705    | A80705 | I7.103R   | S/frame 100mm h/d t/back right  | ea | 1556.48 |
| SF0706    | A80706 | I7.10450L | S/frame 50mm h/d s/back left    | ea | 1556.48 |
| SF0707    | A80707 | I7.10450R | S/frame 50mm h/d s/back right   | ea | 1556.48 |
| SF0708    | A80708 | I7.104L   | S/frame 100mm h/d s/back left   | ea | 1556.48 |
| SF0709    | A80709 | I7.105L   | S/frame extra h/duty left       | ea | 5862.5  |
| SF0710    | A80710 | I7.105R   | S/frame extra h/duty right      | ea | 5862.5  |
| <b>SF</b> |        |           |                                 |    |         |
|           |        |           | <b>Standard</b>                 |    |         |
| SF0711    | A80711 | I7.10L    | Std sideframe left              | ea | 1464.71 |
| SF0712    | A80712 | I7.10R    | Std sideframe right             | ea | 1464.71 |
| SF0713    | A80713 | I7.112L   | S/frame std 100mm t/back left   | ea | 1464.71 |
| SF0714    | A80714 | I7.112R   | S/frame std 100mm t/back right  | ea | 1464.71 |
| SF0715    | A80715 | I7.113L   | S/frame std 50mm s/back left    | ea | 1464.71 |
| SF0716    | A80716 | I7.113R   | S/frame std 50mm s/back right   | ea | 1464.71 |
| SF0717    | A80717 | I7.114L   | S/frame std 100mm sback left    | ea | 1464.71 |
| SF0718    | A80718 | I7.114R   | S/frame std 100mm sback right   | ea | 1464.71 |
| SF0719    | A80719 | I7.115L   | S/frame std 50mm t/back left    | ea | 1464.71 |
| SF0720    | A80720 | I7.115R   | S/frame std 50mm t/back right   | ea | 1464.71 |
| SF0721    | A80721 | I7.23L    | 12" sideframe left              | ea | 1464.71 |
| SF0722    | A80722 | I7.23R    | 12" sideframe right             | ea | 1464.71 |
| <b>SF</b> |        |           |                                 |    |         |
|           |        |           | <b>Recliner</b>                 |    |         |
| SF0723    | A80723 | I7.110L   | Sideframe recliner left         | ea | 1710.66 |
| SF0724    | A80724 | I7.110R   | Sideframe recliner right        | ea | 1710.66 |
| SF0725    | A80725 | I7.111L   | Sideframe h/duty left           | ea | 1710.66 |
| SF0726    | A80726 | I7.111R   | Sideframe h/duty right          | ea | 1710.66 |
| <b>SF</b> |        |           |                                 |    |         |
|           |        |           | <b>Lowslung</b>                 |    |         |
| SF0727    | A80727 | I7.12L    | Sideframe lowslung left         | ea | 1464.71 |
| SF0728    | A80728 | I7.12R    | Sideframe lowslung right        | ea | 1464.71 |
| <b>SF</b> |        |           |                                 |    |         |
|           |        |           | <b>Transit/Box</b>              |    |         |
| SF0729    | A80729 | I7.13L    | Sideframe fixed arm left        | ea | 1666.61 |
| SF0730    | A80730 | I7.13R    | Sideframe fixed arm right       | ea | 1666.61 |
| SF0731    | A80731 | I7.140L   | Transit s/frame rem arm left    | ea | 1666.61 |
| SF0732    | A80732 | I7.140R   | Transit s/frame rem arm right   | ea | 1666.61 |
| SF0733    | A80733 | I7.14L    | Transit s/frame f/arm left      | ea | 1666.61 |
| SF0734    | A80734 | I7.14R    | Transit s/frame f/arm right     | ea | 1666.61 |
| SF0735    | A80735 | I7.150    | H/back handle asm complete      | ea | 1666.61 |
| SF0736    | A80736 | I7.16     | Fixed arm box framework         | ea | 2933.08 |

| SF        |        |            | Hingeback                                 |    |          |
|-----------|--------|------------|---|----|----------|
| SF0737    | A80737 | I7.200L    | S/frame tuffee hingeback left             | ea | 1556.48  |
| SF0738    | A80738 | I7.200R    | S/frame tuffee hingeback right            | ea | 1556.48  |
| SF0739    | A80739 | I7.20L     | S/frame hingeback left                    | ea | 1464.71  |
| SF0740    | A80740 | I7.20R     | S/frame hingeback right                   | ea | 1464.71  |
| <b>SF</b> |        |            |   |    |          |
|           |        |            | <b>Recliner</b>                           |    |          |
| SF0741    | A80741 | B10.160    | Recliner brace arm asm 18"                | ea | 535.96   |
| SF0742    | A80742 | B10.170    | Recliner brace arm asm 16"                | ea | 535.96   |
| SF0743    | A80743 | B10.61     | Recliner push handle grip                 | ea | 121.14   |
| SF0744    | A80744 | HUL017A    | Recl adjustment knob(black)               | ea | 146.84   |
| SF0745    | A80745 | HUL017E    | Recl spring pin 13x50                     | ea | 99.12    |
| SF0746    | A80746 | HUL017I    | Recl adj flat hex bolt m8x30              | ea | 11.01    |
| SF0747    | A80747 | I7.110B    | Recliner back backpost asm                | ea | 319.37   |
| SF0748    | A80748 | I7.111B    | Recliner adj bracket asm chr              | ea | 245.95   |
| SF0749    | A80749 | HUL017J    | Recliner std nut M8 hul001b               | ea | 3.67     |
| SF0750    | A80750 | ORT014     | Recl brace arm spring clip ort002b        | ea | 36.71    |
| SF0751    | A80751 | HUL017K    | Recl std bolt m8x65 hul002b               | ea | 11.01    |
| SF0752    | A80752 | HUL017L    | Recl std flat washer 8x17x1               | ea | 3.67     |
| SF0753    | A80753 | HUL017M    | Recl std flat washer 13x24x2              | ea | 11.01    |
| <b>SF</b> |        |            |   |    |          |
|           |        |            | <b>Head Extension</b>                     |    |          |
| SF0754    | A80754 | H11.150L   | Std h/ext tube asm left                   | ea | 245.95   |
| SF0755    | A80755 | H11.150R   | Std h/ext tube asm right                  | ea | 245.95   |
| SF0756    | A80756 | H11.160    | Head rest extension kit 18"-removable     | ea | 1464.71  |
| SF0757    | A80757 | H11.165    | Head rest extension kit 17"-removable     | ea | 1464.71  |
| SF0758    | A80758 | H11.170    | Head rest extension kit 16"-removable     | ea | 1464.71  |
| SF0759    | A80759 | H11.175    | Head rest extension kit 15"-removable     | ea | 1464.71  |
| SF0760    | A80760 | H11.180    | Head rest extension kit 20"-removable     | ea | 1464.71  |
| SF0761    | A80761 | H11.190    | Head rest extension kit 14"-removable     | ea | 1464.71  |
| SF0762    | A80762 | H11.195    | Head rest extension kit 12"-removable     | ea | 1464.71  |
| SF0763    | A80763 | H11.30     | Recl h/ext tube asm chromed               | ea | 245.95   |
| SF0764    | A80764 | H11.60     | Recl 18" h/ext complete                   | ea | 635.07   |
| SF0765    | A80765 | H11.70     | Recl 16" h/ext complete                   | ea | 635.07   |
| SF0766    | A80766 | H11.80     | Recl 20" h/ext complete                   | ea | 635.07   |
| SF0767    | A80767 | H11.90     | Recl 14" h/ext complete                   | ea | 635.07   |
| SF0114    | A90114 |            | Head strap                                |    | 1421.35  |
| SF0115    | A90115 |            | Headrest only                             |    | 6308.52  |
| SF0116    | A90116 |            | Headrest + hardware                       |    | 10046.39 |
| SF0117    | A90117 |            | Headrest + hardware + shoulder support    |    | 22470.31 |
| SF0118    | A90118 |            | Headrest hardware only                    |    | 5168.56  |
| <b>SF</b> |        |            |   |    |          |
|           |        |            | <b>Telescopic &amp; Front Post Slides</b> |    |          |
| SF0768    | A80768 | HUL011     | Telescopic slide bush for front post      | ea | 58.74    |
| SF0769    | A80769 | I7.120     | Telescopic slide                          | ea | 389.12   |
| SF0770    | A80770 | I7.120LS   | Telescopic slide lowslung                 | ea | 389.12   |
| SF0771    | A80771 | I7.60      | Front post slide assembly                 | ea | 154.18   |
| <b>SF</b> |        |            |   |    |          |
|           |        |            | <b>Sundry</b>                             |    |          |
| SF0772    | A80772 | HUL009     | Seat guide                                | ea | 22.03    |
| SF0773    | A80773 | 377005D1-B | Push handle grip black                    | ea | 22.03    |
| SF0774    | A80774 | TIP002     | Std rem ant-tip asm                       | ea | 488.24   |
| SF0775    | A80775 | I7.NF      | Non-fold bracket                          | ea | 488.24   |
| SF0776    | A80776 | HUL007     | Hinge back sliding mechanism              | ea | 245.95   |

|            |        |              |   |    |         |
|------------|--------|--------------|---|----|---------|
| SF0777     | A80777 | CEDRIP       | Drip standrod holder                            | ea | 378.11  |
| SF0778     | A80778 | CEDRIPT      | Drip stand T rod                                | ea | 1112.3  |
| SF0779     | A80779 | TIP001       | Anti tip wheel for crusher                      | ea | 223.93  |
| SF0780     | A80780 | COM007       | Tipping lever rubber                            | ea | 29.37   |
| SF0781     | A80781 | I7.PHES      | Parent push handle double                       | ea | 1222.42 |
| SF0119     | A90119 |              | Push handle + hardware - pair                   | pr | 5070.1  |
| <b>SF</b>  |        |              |   |    |         |
|            |        |              | <b>Inner Seat &amp; Bottom Rails</b>            |    |         |
| SF0782     | A80782 | S9.80        | Rail inner seat                                 | ea | 25.7    |
| SF0783     | A80783 | S9.81        | Growing inner seat rail                         | ea | 312.03  |
| SF0784     | A80784 | S9.81SL      | Inner seat rail ext sleeve                      | ea | 25.7    |
| SF0785     | A80785 | S9.81X       | Inner seat railextended                         | ea | 132.15  |
| SF0786     | A80786 | UTB006       | Bottom rail boltsmchn scr,hex M5x30             | ea | 3.67    |
| SF0787     | A80787 | ILL002       | Bottom rail/frest plug black                    | ea | 3.67    |
| <b>SF</b>  |        |              |   |    |         |
|            |        |              | <b>Amputee Brackets</b>                         |    |         |
| SF0788     | A80788 | UTB016       | Amputee bolt mach screw,hex M10x45              | ea | 25.7    |
| SFF0889    | A80789 | UTB017       | Amputee nut M10                                 | ea | 3.67    |
| SF0790     | A80790 | I7.130       | Amputee kit std                                 | ea | 290     |
| SF0791     | A80791 | I7.130L      | Amputee bracket left                            | ea | 267.98  |
| SF0792     | A80792 | I7.130R      | Amputee bracket right                           | ea | 267.98  |
| SF0793     | A80793 | PACER 7.100  | Amputee kit -QR                                 | ea | 290     |
| SF0794     | A80794 | PACER 7.100L | Q/release amputee ext left                      | ea | 267.98  |
| SF0795     | A80795 | PACER 7.100R | Q/release amputee ext right                     | ea | 267.98  |
| <b>SF</b>  |        |              |   |    |         |
|            |        |              | <b>X-Bars</b>                                   |    |         |
| SF0796     | A80796 | UTB029       | Spring crossbar centre                          | ea | 3.67    |
| SF0797     | A80797 | TOR005       | Cross bar bolt                                  | ea | 11.01   |
| SF0798     | A80798 | X8.10F       | X-bar std front                                 | ea | 488.24  |
| SF0799     | A80799 | X8.10R       | X-bar std rear                                  | ea | 488.24  |
| SF0800     | A80800 | X8.15F       | X-bar 15" front                                 | ea | 488.24  |
| SF0801     | A80801 | X8.15R       | X-bar 15" rear                                  | ea | 488.24  |
| SF0802     | A80802 | X8.20F       | X-bar narrow adult front                        | ea | 488.24  |
| SF0803     | A80803 | X8.20R       | X-bar narrow adult rear                         | ea | 488.24  |
| SF0804     | A80804 | X8.30F       | X-bar 12" front                                 | ea | 488.24  |
| SF0805     | A80805 | X8.30R       | X-bar 12" rear                                  | ea | 488.24  |
| SF0806     | A80806 | X8.50F       | 14" crossbar front                              | ea | 488.24  |
| SF0807     | A80807 | X8.50R       | 14" crossbar rear                               | ea | 488.24  |
| SF0808     | A80808 | X8.60F       | 14" low slung crossbar front                    | ea | 488.24  |
| SF0809     | A80809 | X8.60R       | 14" lowslung crossbar rear                      | ea | 488.24  |
| SF0810     | A80810 | X8.70F       | X-bar heavy duty front                          | ea | 488.24  |
| SF0811     | A80811 | X8.70R       | X-bar heavy duty rear                           | ea | 488.24  |
| SF0812     | A80812 | X8.71F       | X-bar ex wide(22) front                         | ea | 1222.42 |
| SF0813     | A80813 | X8.71R       | X-bar ex wide(22) rear                          | ea | 1222.42 |
| SF0814     | A80814 | X8.92F       | X-bar n/ad lowslung front                       | ea | 488.24  |
| SF0815     | A80815 | X8.92R       | X-bar n/ad lowslung rear                        | ea | 488.24  |
| SF0816     | A80816 | RB8.10F      | Rainbow x-bar std front                         | ea | 400.13  |
| SF0817     | A80817 | RB8.10R      | Rainbow x-bar std rear                          | ea | 400.13  |
| <b>MWP</b> |        |              |   |    |         |
|            |        |              | <b>Rear Wheels:</b>                             |    |         |
| MWP818     | A80818 | WHE001       | 24x1.75 spoke wheel chrome pushrim 12mm bearing | ea | 1468.38 |
| MPW819     | A80819 | WHE002       | 24x13/8 spoke wheel pushrim bearing             | ea | 1468.38 |
| MPW820     | A80820 | WHE004       | 24x13/8mag wheel chrome pushrim bearing         | ea | 1651.92 |
| MPW821     | A80821 | WHE005       | 24x13/8 mag wheel S/S pushrim bearing           | ea | 2202.57 |

|        |        |         |   |    |          |
|--------|--------|---------|---|----|----------|
| MPW522 | A80822 | WHE003  | 24x13/8 aluminium wheel S/S pushrim bearing               | ea | 2202.57  |
| MPW523 | A80823 | RIM026  | 26x13/8 aluminium spoke rim chrome pushrim                | ea | 2202.57  |
| MPW524 | A80824 | RIM020  | 20x13/8 aluminium spoke rim chrome pushrim                | ea | 2202.57  |
| MPW825 | A80825 | RIM022  | 22x13/8 aluminium spoke rim chrome pushrim                | ea | 2202.57  |
| MPW826 | A80826 |         | 24 spinery rim 18 spoke black (12.7mm)                    | ea | 11196.38 |
| MPW827 | A80827 | TYR020  | 20x13/8 tyre  | ea | 484.56   |
| MPW828 | A80828 | TUB020  | 20x13/8 tyre  | ea | 154.18   |
| MPW829 | A80829 | TYR011  | 22x13/8 polyurethane grey tyre                            | ea | 660.77   |
| MPW830 | A80830 | TYR001  | 24x13/8 grey tyre   | ea | 418.49   |
| MPW831 | A80831 | TYR008  | 24x1 slick tyre   | ea | 458.87   |
| MPW832 | A80832 | TYR009  | 25x1 treaded tyre   | ea | 697.48   |
| MPW833 | A80833 | TYR002  | 24x1.75 grey tyre   | ea | 418.49   |
| MPW834 | A80834 | TUB001  | 24x13/8 black tube  | ea | 154.18   |
| MPW835 | A80835 | TUB005  | 24x1 black tube   | ea | 238.61   |
| MPW836 | A80836 | TYR012  | 24x1 shox tyre red,blue,yello,black                       | ea | 825.96   |
| MPW837 | A80837 | TUB006  | 24x1.75 black tube  | ea | 154.18   |
| MPW838 | A80838 | PER001  | 24x13/8 no more flat( NMF)                                | ea | 528.62   |
| MPW839 | A80839 | PER002  | 24x1.75 no more flat( NMF)                                | ea | 528.62   |
| MPW840 | A80840 | TYR005  | 24x13./8 polyurethane grey tyre(PU)                       | ea | 660.77   |
| MPW841 | A80841 | TYR006  | 24.175 polyurethane grey tyre                             | ea | 660.77   |
| MPW842 | A80842 | TYR026  | 26x1 grey tyre  | ea | 484.56   |
| MPW843 | A80843 | TUB026  | 26x1 black tube   | ea | 154.18   |
| MPW844 | A80844 | BEA001  | 11mm rear bearing with flance                             | ea | 110.13   |
| MPW845 | A80845 | BEA005  | 12mm sealed rear wheel bearing                            | ea | 110.13   |
| MPW846 | A80846 | BEA002  | 12.7mm sealed rear wheel bearing                          | ea | 110.13   |
| MPW847 | A80847 | PSH001  | Push rim chrome for mag                                   | ea | 484.56   |
| MPW848 | A80848 | PSH005  | Push rim chrome for spoke                                 | ea | 484.56   |
| MPW849 | A80849 | PSH004  | Push rim S/S for mag                                      | ea | 881.03   |
| MPW850 | A80850 | PSH006  | Push rim for spoke (adjustable)                           | ea | 1982.31  |
| MPW851 | A80851 | PSH002  | Push rim spacer for mag                                   | ea | 22.03    |
| MPW852 | A80852 | PSH003  | Push rim spacer bolt for mag                              | ea | 22.03    |
| MPW853 | A80853 | AXL001  | 11mm fixed rear axle                                      | ea | 80.76    |
| MPW854 | A80854 | AXL002  | 12mm fixed rear axle                                      | ea | 80.76    |
| MPW120 | A90120 |         | Rear wheel each (incl. hardware, excl. tyres)             |    | 2503.53  |
| MPW121 | A90121 |         | Rear wheel off-road - pair (including hardware and tyres) |    | 20189.69 |
|        |        |         |   |    |          |
| MWP    |        |         | <b>Footrests:</b>   |    |          |
| MPW855 | A80855 | FRH001  | Swing away footrest hanger left                           | ea | 418.49   |
| MPW856 | A80856 | FRH002  | Swing away footrest hanger right                          | ea | 418.49   |
| MPW857 | A80857 | FRE001  | Foot rest extension complete -16,18 left                  | ea | 418.49   |
| MPW858 | A80858 | FRE002  | Foot rest extension complete -16,18 right                 | ea | 418.49   |
| MPW859 | A80859 | FRE005  | Growing footrest extension complete left                  | ea | 513.93   |
| MPW860 | A80860 | FRE006  | Growing footrest extension complete right                 | ea | 513.93   |
| MPW861 | A80861 | FPP001  | Aluminium foot plate -18,20                               | ea | 264.31   |
| MPW862 | A80862 | FPP002  | Aluminium foot plate -16                                  | ea | 264.31   |
| MPW863 | A80863 | FPP003  | Plastic foot plate -18,20                                 | ea | 264.31   |
| MPW864 | A80864 | FPP004  | Plastic foot plate -16                                    | ea | 286.33   |
| MPW865 | A80865 | FSC001  | Footplate spring clip                                     | ea | 25.7     |
| MPW866 | A80866 | ELL001  | Elevating leg rest complete left                          | ea | 1688.63  |
| MPW867 | A80867 | ELL002  | Elevating leg rest complete right                         | ea | 1688.63  |
| MPW868 | A80868 | FBR001  | Footrest bumper rubber                                    | ea | 36.71    |
| MPW869 | A80869 | FRR001  | Foot rest release lever spring                            | ea | 36.71    |
| MPW870 | A80870 | FRL001  | Foot rest release lever complete                          | ea | 238.61   |
| MPW871 | A80871 | FRHC001 | Foot rest hanger clamp                                    | ea | 62.41    |

|   |        |         |  |    |         |
|---|--------|---------|--|----|---------|
| MPW872                                  | A80872 | LEG001  | Leg trap   | ea | 66.08   |
| MPW873                                  | A80873 | FUP001  | Foot rest upper pin                                  | ea | 22.03   |
| MPW874                                  | A80874 | FLP001  | Foot rest upper pin                                  | ea | 22.03   |
| <b>Aluminium Wheelchairs - Footrest</b> |        |         |  |    |         |
| AWF                                     |        |         |  |    |         |
| AWF875                                  | A80875 | FRHA001 | Swing away foot rest hanger left                     | ea | 1101.28 |
| AWF876                                  | A80876 | FRHA002 | Swing away foot rest hanger right                    | ea | 1101.28 |
| AWF877                                  | A80877 | FREA001 | Foot rest extension complete 16,18 left              | ea | 1101.28 |
| AWF878                                  | A80878 | FREA002 | Foot rest extension complete 16,18 right             | ea | 1101.28 |
| AWF879                                  | A80879 |         | Foot rest complete patriot                           | ea | 3487.4  |
| AWF880                                  | A80880 | FPP003  | Plastic foot plate 18,20                             | ea | 348.74  |
| AWF881                                  | A80881 | FPP004  | Palstic foot plate 16                                | ea | 348.74  |
| AWF882                                  | A80882 |         | Plastic foot plate patriot                           | ea | 1101.28 |
| AWF883                                  | A80883 | ELLA001 | Elevating leg rest complete left                     | ea | 2643.08 |
| AWF884                                  | A80884 | ELLA002 | Elevating leg rest complete right                    | ea | 2643.08 |
| AWF885                                  | A80885 |         | Elevating leg rest complete patriot                  | ea | 5065.9  |
| AWF886                                  | A80886 | FRLA001 | Foot rest release lever                              | ea | 605.71  |
| AWF887                                  | A80887 | FHBA001 | Foot rest hanger bracket                             | ea | 385.45  |
| <b>Arm Rests:</b>                       |        |         |  |    |         |
| AWF                                     |        |         |  |    |         |
| AWF888                                  | A80888 | ARM001  | Full armrest with steel side panel left              | ea | 734.19  |
| AWF889                                  | A80889 | ARM002  | Full armrest with steel side panel right             | ea | 734.19  |
| AWF890                                  | A80890 | ARM003  | Desk armrest with steel side panel left              | ea | 734.19  |
| AWF891                                  | A80891 | ARM004  | Desk armrest with steel side panel right             | ea | 734.19  |
| AWF892                                  | A80892 | ARM005  | Sport armrest with plastic side panel                | ea | 734.19  |
| AWF893                                  | A80893 | SPF001  | Steel side panel for full armrest                    | ea | 385.45  |
| AWF894                                  | A80894 | SPF002  | Steel side panel for desk armrest                    | ea | 385.45  |
| AWF895                                  | A80895 | SKI002  | Nylon skirt guard pair                               | ea | 624.06  |
| AWF896                                  | A80896 |         | Palstic side panel patriot                           | ea | 1101.28 |
| AWF897                                  | A80897 | FAP001  | Upholstered armpad full length                       | ea | 201.9   |
| AWF898                                  | A80898 | DAP001  | Upholstered armpad desk length                       | ea | 201.9   |
| AWF899                                  | A80899 | SPS001  | Sponge for sport armrest                             | ea | 55.06   |
| AWF900                                  | A80900 | FAP002  | Polyurethane(PU) armpad full length                  | ea | 403.8   |
| AWF901                                  | A80901 | DAP002  | Polyurethane(PU) armpad desk length                  | ea | 403.8   |
| AWF902                                  | A80902 | HAF001  | Height adjustable armrest complete full length left  | ea | 1651.92 |
| AWF903                                  | A80903 | HAF002  | Height adjustable armrest complete full length right | ea | 1651.92 |
| AWF904                                  | A80904 | HAD001  | Height adjustable armrest complete desk length left  | ea | 1651.92 |
| AWF905                                  | A80905 | HAD002  | Height adjustable armrest complete desk length right | ea | 1651.92 |
| AWF906                                  | A80906 | ARC001  | Arm rest release clip                                | ea | 44.05   |
| AWF122                                  | A90122 |         | Armrest + pad lightweight - pair                     | pr | 6979.24 |
| AWF123                                  | A90123 |         | Armpad adjustable - pair                             | pr | 1356.75 |
| <b>Aluminium Wheelchairs - Armrest</b>  |        |         |  |    |         |
| AWA                                     |        |         |  |    |         |
| AWA907                                  | A80907 | SOC001  | Armrest socket alu light                             | ea | 550.64  |
| AWA908                                  | A80908 |         | Desk armrest complete-alu light                      | ea | 1835.47 |
| AWA909                                  | A80909 |         | Desk armrest complete-patriot-nett                   | ea | 2863.34 |
| AWA910                                  | A80910 |         | Side guard for A4/prospin -each (1036347/6)-nett     | ea | 2019.02 |
| AWA911                                  | A80911 |         | Kit hardware for side guard -pair                    | ea | 2147.5  |
| AWA912                                  | A80912 |         | Waterfall arm pad fortrque power -pair               | ea | 2202.57 |
| AWA124                                  | A90124 |         | Sideguard - pair (incl. hardware)                    | pr | 9807.19 |
| <b>Front Wheels: Castors</b>            |        |         |  |    |         |
| FWC                                     |        |         |  |    |         |
| FWC125                                  | A90125 |         | Castor fork - pair (including hardware)              |    | 3640.61 |
| FWC126                                  | A90126 |         | Castor wheel - each                                  |    | 672.91  |

|                    |        |        |  |    |         |
|--------------------|--------|--------|--|----|---------|
| FWC913             | A80913 | CAS001 | 8x1 solid castor - standard wheel chair              | ea | 403.8   |
| FWC914             | A80914 | CAS01A | 8x1 solid castor -sprinter aluminium wheelchair      | ea | 605.71  |
| FWC915             | A80915 | CAS002 | 8x2 solid castor                                     | ea | 605.71  |
| FWC916             | A80916 | TYR003 | 8x2 grey tyre  | ea | 256.97  |
| FWC917             | A80917 | TUB002 | 8x2 balck tube                                       | ea | 128.48  |
| FWC918             | A80918 | HUB001 | 8x2 black hub  | ea | 201.9   |
| FWC919             | A80919 | TYR004 | 8x1 grey tyre  | ea | 275.32  |
| FWC920             | A80920 | TUB003 | 8x1 black tube                                       | ea | 146.84  |
| FWC921             | A80921 | CAS004 | 5 solid castor                                       | ea | 312.03  |
| FWC922             | A80922 | CAS008 | 5 shox castor -narrow hub-net                        | ea | 697.48  |
| FWC923             | A80923 | CAS006 | 6 solid castor                                       | ea | 312.03  |
| FWC924             | A80924 | CAS007 | 8x1 invacare castor                                  | ea | 1321.54 |
| FWC925             | A80925 | FOR002 | 5mm steel fork                                       | ea | 312.03  |
| FWC926             | A80926 | FOR001 | 3mm steel fork for omega economy wheelchair          | ea | 275.32  |
| FWC927             | A80927 | FOR003 | Aluminium fork for sprinter and aluminium wheelchair | ea | 532.29  |
| FWC928             | A80928 |        | Axle for castor 8mm                                  | ea | 55.06   |
| FWC929             | A80929 | AXL006 | Axle for invacare castor                             | ea | 183.55  |
| FWC930             | A80930 | BEA003 | Castor stem bearing                                  | ea | 91.77   |
| FWC931             | A80931 | BEA004 | Castor wheel bearing                                 | ea | 44.05   |
| FWC932             | A80932 | BEA006 | Castor wheel bearing for invacare castor             | ea | 238.61  |
| FWC933             | A80933 | DUS002 | Castor stem dust cap                                 | ea | 18.35   |
| FWC934             | A80934 | CRB001 | Front cross bar -16                                  | ea | 418.49  |
| FWC935             | A80935 | CRB002 | Rear cross bar -16                                   | ea | 418.49  |
| FWC936             | A80936 | CRB003 | Front cross bar -18                                  | ea | 418.49  |
| FWC937             | A80937 | CRB004 | Ear cross bar -18                                    | ea | 418.49  |
| FWC938             | A80938 | CRB005 | Inner double cross bar -20( heavy duty 18)           | ea | 624.06  |
| FWC939             | A80939 | CRB006 | Outer doble crossbar -20 (Heavy duty 18)             | ea | 624.06  |
| FWC940             | A80940 | CRB007 | Front crossbar-aluminium wheelchair                  | ea | 2019.02 |
| FWC941             | A80941 | CRB008 | Rear crossbar-patriot                                | ea | 2019.02 |
| FWC942             | A80942 | CRB009 | Front crossbar-patriot (20%)                         | ea | 2936.75 |
| FWC943             | A80943 | CRB010 | Rear crossbar-patriot(20%)                           | ea | 2936.75 |
| FWC944             | A80944 | CBB001 | Crossbar bolt and nut                                | ea | 55.06   |
| FWC945             | A80945 | CBB002 | Crossbar bolt and nut for double crossbar            | ea | 66.08   |
| FWC946             | A80946 | IRT001 | Inner rail top                                       | ea | 51.39   |
| FWC947             | A80947 | IRB001 | Inner rail bottom                                    | ea | 51.39   |
| FWC948             | A80948 | SGR001 | Seat guide-removable                                 | ea | 33.04   |
| FWC949             | A80949 | SGF001 | Seat guide-fixed arm                                 | ea | 33.04   |
| FWC950             | A80950 | FPG001 | Front post guide                                     | ea | 165.19  |
| FWC951             | A80951 | FPG002 | Front guide-20, bariatric                            | ea | 312.03  |
| FWC952             | A80952 | FPI001 | Front post insert                                    | ea | 25.7    |
| FWC127             | A90127 |        | Crossbar (including hardware)                        |    | 2842.71 |
| FWC128             | A90128 |        | Easy reach   |    | 293.97  |
| <b>SF</b>          |        |        |  |    |         |
| <b>Sideframes:</b> |        |        |  |    |         |
| SF0953             | A80953 | SFR005 | Side frame left                                      | ea | 1541.8  |
| SF0954             | A80954 | SFR006 | Side frame right                                     | ea | 1541.8  |
| SF0955             | A80955 | SFR001 | Side frame -left aluminium                           | ea | 2422.82 |
| SF0956             | A80956 | SFR002 | Side frame -right aluminium                          | ea | 2422.82 |
| SF0957             | A80957 | SFR003 | Side frame -left patriot                             | ea | 4184.87 |
| SF0958             | A80958 | SFR004 | Side frame -right patriot                            | ea | 4184.87 |
| SF0959             | A80959 | SFR011 | Quick release side frame left                        | ea | 1541.8  |
| SF0960             | A80960 | SFR012 | Quick release side frame right                       | ea | 1541.8  |
| SF0961             | A80961 | BRA001 | Brake-left   | ea | 330.38  |
| SF0962             | A80962 | BRA002 | Brake-right  | ea | 330.38  |

|            |        |         |  |    |         |
|------------|--------|---------|--|----|---------|
| SF0963     | A80963 | BRW001  | Brake washer                                   | ea | 14.68   |
| SF0964     | A80964 | BRA005  | Brake -left aluminium                          | ea | 660.77  |
| SF0965     | A80965 | BRA006  | Brake-right aluminium                          | ea | 660.77  |
| SF0966     | A80966 | BRA003  | Brake -left patriot                            | ea | 3854.49 |
| SF0967     | A80967 | BRA004  | Brake -right patriot                           | ea | 3854.49 |
| SF0968     | A80968 |         | H-Block-sat alu light                          | ea | 275.32  |
| SF0969     | A80969 |         | H-Block-patriot                                | ea | 330.38  |
| SF0970     | A80970 | BRR001  | Brake handle rubber                            | ea | 62.41   |
| SF0971     | A80971 | HGR001  | Push handle grip                               | ea | 73.42   |
| SF0972     | A80972 | HGR002  | Push handle grip for active-19mm               | ea | 73.42   |
| SF0973     | A80973 | BRE001  | Break extension lever                          | ea | 110.13  |
| SF0974     | A80974 | BEX001  | Break extension lever-patriot                  | ea | 440.51  |
| SF0975     | A80975 | TIP001  | Tipping lever rubber                           | ea | 40.38   |
| SF0976     | A80976 | BAA001  | Bi-Amputee adaptor-left                        | ea | 440.51  |
| SF0977     | A80977 | BAA002  | Bi-Amputee adaptor-right                       | ea | 440.51  |
| SF0978     | A80978 | AXH001  | Bi-Amputee axle housing -aluminium wheel chair | ea | 1101.28 |
| SF0979     | A80979 | AXH002  | Axle housing -patriot                          | ea | 770.9   |
| SF0980     | A80980 | AXL003  | 12mm quick release axle 125/130mm              | ea | 752.54  |
| SF0981     | A80981 | AXL003  | 12.7mm quick release axle 125/130mm            | ea | 752.54  |
| SF0981     | A80982 | AXL005  | Rear wheel axle spacer                         | ea | 29.37   |
| SF0983     | A80983 | DUS001  | Rear wheel dust cap                            | ea | 22.03   |
| SF0984     | A80984 | SPO001  | Apoke and nipple for spoke wheel               | ea | 22.03   |
| <b>UPH</b> |        |         |  |    |         |
|            |        |         | <b>Upholstery:</b>                             |    |         |
| UPH985     | A80985 | SMS001  | Seat metal strap                               | ea | 66.08   |
| UPH986     | A80986 | BMS001  | Back metal strap                               | ea | 66.08   |
| UPH987     | A80987 | SUP016  | Seat upholstery-16                             | ea | 752.54  |
| UPH988     | A80988 | BUP016  | Back upholstery-16                             | ea | 752.54  |
| UPH989     | A80989 | SUP018  | Seat upholstery-18                             | ea | 752.54  |
| UPH990     | A80990 | BUP018  | Back upholstery-18                             | ea | 752.54  |
| UPH91      | A80991 | SUP020  | Seat upholstery-20                             | ea | 752.54  |
| UPH992     | A80992 | BUP020  | Back upholstery-20                             | ea | 752.54  |
| UPH993     | A80993 | SALU    | Seat upholstery-aluminium wheelchair           | ea | 881.03  |
| UPH994     | A80994 | BALU    | Back upholstery-aluminium wheelchair           | ea | 881.03  |
| UPH995     | A80995 | SPAT    | Seat upholstery-patriot                        | ea | 1101.28 |
| UPH996     | A80996 | BPAT    | Backupholstery-patriot                         | ea | 1101.28 |
| UPH997     | A80997 | SEATSP  | Seat upholstery-special                        | ea | 1101.28 |
| UPH998     | A80998 | BACKSP  | Back upholstery-special                        | ea | 1101.28 |
| UPH999     | A80999 | BNW001  | Bolt washer and nut-seat upholstery            | ea | 9.19    |
| UPH000     | A90000 | STW001  | Self tapper and plastic washer-back upholstery | ea | 9.19    |
| UPH001     | A90001 | TAD001  | Tension adjustableback upholstery              | ea | 1982.31 |
| UPH002     | A90002 | BACK001 | Tall /short back upholstery                    | ea | 1101.28 |
| UPH003     | A90003 | HEAD001 | Head rest extension                            | ea | 642.41  |
| UPH004     | A90004 | BLOCK   | Blocks for head rest extension                 | ea | 642.41  |
| UPH005     | A90005 | RECBACK | Recliner back upholstery                       | ea | 881.03  |
| <b>CLP</b> |        |         |  |    |         |
|            |        |         | <b>Custom Lite Parts</b>                       |    |         |
| CLP006     | A90006 |         | Custom lite adjust/removable armrest           | ea | 1864.55 |
| CLP007     | A90007 |         | Custom lite side panel with mudguard           | ea | 1942.26 |
| CLP008     | A90008 |         | Custom lite side frame bush and washer         | ea | 233.07  |
| CLP009     | A90009 |         | Custom lite pushing handle                     | ea | 1553.8  |
| CLP010     | A90010 |         | Custom lite anti tips-each                     | ea | 776.91  |
| CLP011     | A90011 |         | Custom lite adjustable footplate               | ea | 1553.8  |
| CLP012     | A90012 |         | Custom lite pelvic strap                       | ea | 310.76  |

|                                |        |    |  |    |          |
|--------------------------------|--------|----|--|----|----------|
| CLP013                         | A90013 |    | Custom lite aluminium castor   | ea | 854.58   |
| CLP014                         | A90014 |    | Custom lite right run tire   | ea | 621.53   |
| CLP015                         | A90015 |    | Custom lite rubberized push rims-set   | pr | 3107.63  |
| CLP016                         | A90016 |    | Custom lite off road wheels-set  | pr | 5904.47  |
| <b>FE</b>                      |        |    |  |    |          |
| FE008                          | A90017 |    | Transport wheelchair   | ea | 673.36   |
| <b>AD</b>                      |        |    |  |    |          |
| <b>Other Assistive Devices</b> |        |    |  |    |          |
| AD154                          | A80154 |    | Actuator   |    | 22822.43 |
| AD135                          | A80135 |    | Tilt actuator - replacement (only for major repairs)                           |    | 8243.85  |
| AD136                          | A80136 |    | Wheels spinergy - pair (including hardware)                                    |    | 13133.36 |
| AD137                          | A80137 |    | Laterals - swing away pair (including hardware)                                |    | 5337.09  |
| AD138                          | A80138 |    | Spoke guards - pair (including hardware)                                       |    | 3566.31  |
| AD139                          | A80139 |    | Specialized support and position backrest (incl hardware)                      |    | 25797.1  |
| AD140                          | A80140 |    | Backrest (standard or tension adjustable)                                      |    | 3237.05  |
| AD141                          | A80141 |    | Manual Reclining backrest (including hardware)                                 |    | 6331.49  |
| AD142                          | A80142 |    | Lap tray + accessories + hardware  |    | 3075.86  |
| AD143                          | A90143 |    | Trunk support (including hardware & accessories)                               |    | 6589.91  |
| AD109                          | A80109 | SF | 20" Wheelchair tray  | ea | 1431.67  |
| AD110                          | A80110 | SF | 14" Wheelchair tray  | ea | 1431.67  |
| AD111                          | A80111 | SF | 14" Electric tray  | ea | 1431.67  |
| AD112                          | A80112 | SF | 16" Wheelchair tray  | ea | 1431.67  |
| AD113                          | A80113 | SF | 18" Wheelchair tray standard   | ea | 1431.67  |
| AD114                          | A80114 | SF | 18" Wheelchair tray for power  | ea | 1431.67  |
| AD115                          | A80115 | S  | Overbed table  | ea | 1897.88  |
| AD116                          | A80116 | S  | Transfer board   | ea | 484.56   |
| AD117                          | A80117 | S  | Wheelchair gloves  | pr | 484.56   |
| AD118                          | A80118 | S  | Easy Reach   | ea | 502.44   |
| AD120                          | A80120 | CF | Wheelchair ramps 214 X 20  | ea | 12216.9  |
| AD121                          | A80121 |    | Blind Stick  | ea | 1175     |
| AD122                          | A80122 |    | Blind stick Front wheel/Roller   | ea | 699.72   |
| AD123                          | A80123 |    | Sunglasses for the Blind   | ea | 678.98   |
| AD124                          | A80124 |    | Hearing Aid Batteries  | 4  | 309.74   |
| AD125                          | A80125 |    | Wheelchair Batteries   | ea | 3297.74  |
| AD126                          | A80126 |    | Battery Charger  | ea | 2059.84  |
| AD127                          | A80127 |    | Jay Backrest   | ea | 15605.41 |
| AD128                          | A80128 |    | Free Wheel   | ea | 10931.33 |
| AD129                          | A80129 |    | Electric Hoist   | ea | 20763.77 |
| AD130                          | A80130 |    | Grab Rail  | ea | 848.14   |
| AD131                          | A80131 |    | Chin control for power chair (Incl hardware)                                   | ea | 34183.83 |
| AD144                          | A80144 |    | Control unit only (hand controlled)  |    | 11910.16 |
| AD145                          | A80145 |    | Control unit swing away bracket (incl hardware & accessories)                  |    | 5349.46  |
| AD132                          | A80132 |    | Free Wheel Adaptor for folding chair   | ea | 4443.89  |
| AD133                          | A80133 |    | Footplate adjustment for freewheel   | ea | 1864.57  |
| AD134                          | A80134 |    | Matrix posture backrest  | ea | 22584.63 |
| A80152                         | A80152 |    | Electronic back angle adjustment (including hardware & accessories)            |    | 10660.16 |
| AD146                          | A80146 |    | Electronic back angle adjustment and seat height (incl hardware & accessories) |    | 9109.59  |
| AD147                          | A80147 |    | Electronic seat height adjustment (including hardware & accessories)           |    | 11241.62 |

|              |               |  |   |  |                 |
|--------------|---------------|--|---|--|-----------------|
| <b>AD148</b> | <b>A80148</b> |  | Electronic seat angle adjustment (including hardware & accessories)                                     |  | <b>10337.12</b> |
| <b>AD149</b> | <b>A80149</b> |  | Gearbox replacement (including hardware & accessories)<br>(only applicable for major service / repairs) |  | <b>14595.58</b> |
| <b>AD150</b> | <b>A80150</b> |  | Joystick replacement (only applicable for major repairs)  |  | <b>1114.48</b>  |
| <b>AD151</b> | <b>A80151</b> |  | Joystick VR2 (only for major repairs)   |  | <b>4329.46</b>  |

# **PROSTHETICS GAZETTE 2026**

| PROSTHETICS TARIFF OF FEES AS FROM 01 APRIL 2026 (PRACTICE 87 & 90)                                   |        |   |   |    |                  |
|---|--------|---|---|----|------------------|
| <b>Important: Prosthesis fees EXCLUDE the following components:</b>                                   |        |   |   |    |                  |
| The appropriate component must be selected from the list and charged as a separate item               |        |   |   |    |                  |
| * = ITEM NOT TO BE AUTHORISED   |        |   |   |    |                  |
| <b>Lower limb prosthetics:</b>  |        | CAT 1 & 2 componentry : are fabricated with glass / perion reinforced acrylic resin and stainless steel         |   |    |                  |
|   |        | CAT 3 & 4 componentry : are fabricated with carbon reinforced epoxy resin and titanium or composite components. |   |    |                  |
| <b>Rules</b>  |        |   |   |    |                  |
| Reimbursement rate includes the cost of any material kits used during any of the manufacturing stages |        |   |   |    |                  |
| Cosmetic covers should be quoted separately for both new and refit prosthesis                         |        |   |   |    |                  |
| No repairs may be charged to CF within 24 months of manufacturing                                     |        |   |   |    |                  |
| All definitive sockets needs to be reinforced with carbon fiber                                       |        |   |   |    |                  |
| Item  | Code   | K Level   | Prosthetic Consultation                                   |    | Rand (excl. VAT) |
| PC091   | A60091 |   | Consultation (30 minutes)                                 | ea | 433.86           |
| PC092   | A60092 |   | Consultation (1 hour)                                     | ea | 867.75           |
| PC096   | A60096 |   | Prosthetic Repairs (To be charged only once)              |    | 867.75           |
| <b>LOWER LIMB PROSTHETICS</b>   |        |   |   |    |                  |
| <b>Forefoot Prosthesis</b>  |        |   |   |    |                  |
| FP010   | A20010 | 1,2,3,4   | Forefoot Prosthesis Toe filler                            | ea | 3362.52          |
| FP035   | A20035 | 1,2,3,4   | Mid-foot prosthesis Cat 1-4 (Including carbon footplate)  | ea | 60033.03         |
| FP040   | A20040 | 1,2,3,4   | Chopart prosthesis - Cat 1-4 (Including carbon footplate) | ea | 35896.83         |
| FP046   | A20046 | 1,2,3,4   | Chopart plate and bonding aid K1-K4                       | ea | 16424.55         |
| FP047   | A20047 |   | Chopart bonding aid (only for repairs)                    | ea | 4260.06          |
| <b>Symes Prosthesis</b>   |        |   |   |    |                  |
| FP081   | A20081 | 1,2,3,4   | Symes prosthesis - CAT 1-4                                | ea | 42418.5          |
| <b>BK</b>   |        |   |   |    |                  |
| <b>Below Knee Prosthesis</b>  |        |   |   |    |                  |
| BK061   | A20561 | 1,2,3,4   | Refit BK endoskeletal CAT 1-4 (carbon reinforced)         | ea | 54939.33         |
| BK090   | A20590 | 1,2,3,4   | BK endoskeletal CAT 1-4 (carbon reinforced)               | ea | 54939.33         |
| <b>Additions To Below Knee Prosthesis</b>   |        |   |   |    |                  |
| BK134   | A20634 |   | BK flexible inner socket (not Pelite)                     | ea | 5803.19          |
| BK140   | A20640 |   | BK test socket - diagnostic                               | ea | 5385.94          |
| BK190   | A20690 |   | BK cosmetic foam cover (not applicable to refit)          | ea | 9063.37          |
| BK191   | A20691 |   | BK cosmetic stocking                                      | ea | 382.24           |
| <b>BK Accessories And Repairs</b>   |        |   |   |    |                  |
| BK195   | A20695 |   | BK leather lining   | ea | 243.12           |
| BK210   | A20710 |   | Additions To Below Knee Prosthesis                        | pr | 621.96           |
| BK211   | A20711 |   | 2Z22 Bolt   | ea | 550.58           |
| <b>TK</b>   |        |   |   |    |                  |
| <b>Through Knee Prosthesis</b>  |        |   |   |    |                  |
| TK030   | A21030 | 1,2,3,4   | Refit TK endoskeletal CAT 1-4 (carbon reinforced)         | ea | 106328.72        |
| TK040   | A21040 | 1,2,3,4   | TK endoskeletal CAT 1-4 (carbon reinforced)               | ea | 106328.71        |

| <b>Additions To Through Knee Prosthesis</b>  |        |         |  |              |
|--|--------|---------|--|--------------|
| TK075  | A21075 |         | TK test socket - diagnostic  | ea 7189.64   |
| TK076  | A21076 |         | AK/TK foam cover   | ea 10149.02  |
| AK720  | A21720 |         | AK/TK - cosmetic stocking  | ea 567.19    |
| AK724  | A21724 |         | AK/TK - flexible inner socket (not Pelite)                                       | ea 11184.21  |
| <b>AK</b>  |        |         |  |              |
| <b>Above Knee Prosthesis</b>   |        |         |  |              |
| AK060  | A21560 | 1,2,3,4 | Refit AK prosthesis - endoskeletal CAT 1-4 (carbon reinforced)                   | ea 99376.33  |
| AK080  | A21580 | 1,2,3,4 | AK prosthesis endoskeletal CAT 1-4 (carbon reinforced)                           | ea 99376.32  |
| <b>Additions To Above Knee Prosthesis</b>  |        |         |  |              |
| AK120  | A21620 |         | AK test socket - diagnostic  | ea 6092.97   |
| TK075  | A21075 |         | TK test socket - diagnostic  | ea 7189.64   |
| TK076  | A21076 |         | AK/TK foam cover   | ea 10149.02  |
| AK720  | A21720 |         | AK/TK - cosmetic stocking  | ea 567.19    |
| AK724  | A21724 |         | AK/TK - flexible inner socket (not Pelite)                                       | ea 11184.21  |
| AK725  | A21725 |         | AK - laminate shin CRA   | ea 6666.89   |
| AK732  | A21732 |         | AK - laminate thigh CRA  | ea 7989.15   |
| <b>HD</b>  |        |         |  |              |
| <b>Hip Disarticulation Prosthesis</b>  |        |         |  |              |
| HD030  | A22030 | 1,2,3,4 | HD prosthesis endoskeletal CAT 1-4 (carbon reinforced)                           | ea 157548.43 |
| HD035  | A22035 | 1,2,3,4 | Refit HD prosthesis endoskeletal CAT 1-4 (carbon reinforced)                     | ea 157548.44 |
| <b>GPA</b>   |        |         |  |              |
| <b>General prosthetic accessories</b>  |        |         |  |              |
| LA235  | A22735 |         | Re-alignment (dynamic) of AK / TK prosthesis (for repair only)                   | ea 1498.9    |
| LA236  | A22736 |         | Re-alignment (dynamic) of BK prosthesis (for repair only)                        | ea 1418.98   |
| LA460  | A22960 |         | Stump care - talc  | tin 382.24   |
| LA480  | A22980 |         | Stump coning bandage 6cm (only for primary)                                      | ea 552.15    |
| LA481  | A22981 |         | Stump coning bandage 8cm (only for primary)                                      | ea 696.91    |
| LA482  | A22982 |         | Stump coning bandage 10cm (only for primary)                                     | ea 934.39    |
| LA490  | A22990 |         | Stump coning bandage 15cm (only for primary)                                     | ea 1019.24   |
| <b>LOWER LIMB PROSTHETIC COMPONENTRY</b>   |        |         |  |              |
| <b>FP</b>  |        |         |  |              |
| <b>Prosthetic Feet</b>   |        |         |  |              |
| <b>Rules:</b>  |        |         |  |              |
| All codes for feet are inclusive of the spectra sock and cosmetic foot cover   |        |         |  |              |
| All feet are inclusive of the foot adapter except: SACH, Single axis, ESAR carbon pylon, Symes and Chopard   |        |         |  |              |
| Active suspension feet includes any additions to the foot for the suspension system to function (excluding parts connected to the socket, and between the socket and foot) |        |         |  |              |
| The AMPPRO test determines the activity level of the patient (k-level)   |        |         |  |              |
| Spectra socks, cosmetic foot covers and soles are acknowledged as consumables as per Gazette guidelines  |        |         |  |              |
| Warrantees should be honoured as per supplier warrantee period, not less than 24 months  |        |         |  |              |
| Only out of warrantee costs may be considered for funding where criteria is met, as per prescribed Gazette replacement period  |        |         |  |              |
| "Special criteria" items requires detailed motivation from MSP and will be adjudicated based on merit and internal criteria  |        |         |  |              |
| Item   | Code   | Cat     | Code Description   | Rand         |
| FP136  | A20136 | 2,3,4   | ESAR K2-K4   | ea 25650.29  |
| FP137  | A20137 | 2,3,4   | ESAR - active suspension K2-K4   | ea 37372.16  |
| FP138  | A20138 | 2,3,4   | ESAR - multi axial K2-K4   | ea 44348.27  |
| FP139  | A20139 | 3,4     | ESAR - multi axial + active suspension K2-K4 (Special criteria)                  | ea 65511.87  |
| FP140  | A20140 | 3,4     | ESAR - multi axial + axial rotation K3-K4 (Special criteria)                     | ea 65925.99  |
| FP141  | A20141 | 3,4     | ESAR - multi axial + axial rotation + active suspension K3-K4 (Special criteria) | ea 75700.32  |
| FP142  | A20142 | 3,4     | ESAR - multi axial + carbon pylon K3-K4  | ea 58160.83  |

|   |        |         |  |    |           |
|---|--------|---------|--|----|-----------|
| FP143   | A20143 | 2,3     | ESAR - multi axial + heel adjustable K2-K3 (Special criteria)              | ea | 67037.61  |
| FP144   | A20144 | 2,3     | ESAR - multi composite K2-K3   | ea | 11270.12  |
| FP145   | A20145 | 2,3     | ESAR - multi composite + active suspension K2-K3                           | ea | 41197.79  |
| FP146   | A20146 | 2,3     | ESAR - multi composite + axial rotation K2-K3                              | ea | 24908.1   |
| FP147   | A20147 | 2,3,4   | Multi axis K2-K4   | ea | 9346.94   |
| FP148   | A20148 | 1,2,3   | SACH K1-K3   | ea | 3952.15   |
| FP149   | A20149 | 2,3     | SACH - composite plate K2-K3   | ea | 10479.83  |
| FP150   | A20150 | 1,2     | Single axis K1-K2  | ea | 5989.75   |
| <b>Low Profile Feet</b>   |        |         |  |    |           |
| FP151   | A20151 | 2,3,4   | ESAR - multi axial low profile K2-K4                                       | ea | 32865.14  |
| FP152   | A20152 | 2,3,4   | ESAR - multi axial low profile + active suspension K2-K4(Special criteria) | ea | 54756.28  |
| FP153   | A20153 | 1,2,3,4 | ESAR - low profile K1-K4   | ea | 29355.21  |
| FP154   | A20154 | 3,4     | ESAR - multi axial low profile + axial rotation K3-K4 (Special criteria)   | ea | 59991.89  |
| <b>Foot cover</b>   |        |         |  |    |           |
| FP155   | A20155 |         | Cosmetic foot cover + spectra sock   | ea | 2759.64   |
| FP156   | A20156 |         | Spectra sock   | ea | 585.75    |
| <b>Foot adapters</b>  |        |         |  |    |           |
| FP157   | A20157 |         | Single axis foot adapter   | ea | 3069.85   |
| FP158   | A20158 |         | SACH foot adapter  | ea | 3380      |
| FP159   | A20159 |         | ESAR carbon pylon adapter  | ea | 3923.48   |
| FP160   | A20160 |         | SACH foot bolt   | ea | 79.32     |
| <b>Snubber Kits</b>   |        |         |  |    |           |
| LA514   | A22514 |         | 409007/9 Snubber Kit   | ea | 4368.7    |
| <b>Prosthetic Knees</b>   |        |         |  |    |           |
| <b>Rules</b>  |        |         |  |    |           |
| The AMPPRO test determines the activity level of the patient (k-level)  |        |         |  |    |           |
| Warrantees should be honoured as per supplier warrantee period, not less than 24 months                                       |        |         |  |    |           |
| Knees are billed at a fixed rate independent of adapter type (screw top, pyramid top, knee disarticulation)                   |        |         |  |    |           |
| Fee includes all protective covers and additional extras for functionality  |        |         |  |    |           |
| Only out of warrantee costs may be considered for funding where criteria is met, as per prescribed Gazette replacement period |        |         |  |    |           |
| "Special criteria" items requires detailed motivation from MSP and will be adjudicated based on merit and internal criteria   |        |         |  |    |           |
| <b>Single axis (Monocentric)</b>  |        |         |  |    |           |
| PK048   | A20048 | 1       | Monocentric Knee Locking   | ea | 11961.12  |
| PK049   | A20049 | 1,2     | Monocentric Knee Friction controlled                                       | ea | 17155.81  |
| PK050   | A20050 | 2,3,4   | Monocentric Knee Pneumatic controlled                                      | ea | 27265.37  |
| PK051   | A20051 | 2,3,4   | Monocentric Knee Hydraulic controlled                                      | ea | 88630.12  |
| PK052   | A20052 | 2,3,4   | Monocentric Knee Hydraulic controlled (Special criteria)                   | ea | 251528.9  |
| PK053   | A20053 | 2,3,4   | Monocentric Knee Hydraulic + electronic motor control (Special criteria)   | ea | 288730.39 |
| <b>4-Bar linkage</b>  |        |         |  |    |           |
| PK054   | A20054 | 1,2     | 4-Bar linkage knee Friction controlled K1-K2                               | ea | 20342.9   |
| PK055   | A20055 | 2,3,4   | 4-Bar linkage knee Pneumatic controlled K2-K4                              | ea | 46951.87  |
| PK056   | A20056 | 2,3,4   | 4-Bar linkage knee Hydraulic controlled K2-K4 (Special criteria)           | ea | 98650.92  |
| <b>Multi axis (Polycentric)</b>   |        |         |  |    |           |
| PK057   | A20057 | 1       | Polycentric knee Locking K1  | ea | 47430.41  |
| PK058   | A20058 | 1,2     | Polycentric knee Friction controlled K1-K2                                 | ea | 26825.57  |

|  |        |       |  |    |           |
|--|--------|-------|--|----|-----------|
| PK059  | A20059 | 2,3,4 | Polycentric knee Pneumatic controlled K2-K4  | ea | 49723.42  |
| PK060  | A20060 | 2,3,4 | Polycentric knee Hydraulic controlled K2-K4 (Special criteria)                     | ea | 78247.12  |
| <b>Prosthetic Hips</b>   |        |       |  |    |           |
| <b>Rules</b>   |        |       |  |    |           |
| All hip joints include a lamination plate  |        |       |  |    |           |
| Lamination plate only to be quoted with repair/refit   |        |       |  |    |           |
| Warrantees should be honoured as per supplier warrantee period, not less than 24 months                                    |        |       |  |    |           |
| The AMPPRO test determines the activity level of the patient (k-level)   |        |       |  |    |           |
| "Special criteria" items require detailed motivation from MSP and will be adjudicated based on merit and internal criteria |        |       |  |    |           |
| PH036  | A22036 | 3,4   | Monocentric hydraulic hip joint (Special criteria)                                 | ea | 174835.66 |
| PH037  | A22037 | 2,3   | Extension assist hip joint   | ea | 56876.76  |
| PH038  | A22038 | 1,2   | Single axis locking hip joint  | ea | 23551.39  |
| PH039  | A22039 | 1,2   | Single axis elastic extension assist hip joint                                     | ea | 21306.46  |
| <b>Adaptors</b>  |        |       |  |    |           |
| <b>Rules</b>   |        |       |  |    |           |
| Titanium components indicated for patient weight 125kg-150kg or supplier maximum weight                                    |        |       |  |    |           |
| The AMPPRO test determines the activity level of the patient (k-level)   |        |       |  |    |           |
| <b>3 prong lamination adapter (only)</b>   |        |       |  |    |           |
| AD200  | A20200 | 1,2   | 3 prong lamination adapter (only) Stainless steel                                  | ea | 2309.28   |
| AD201  | A20201 | 3,4   | 3 prong lamination adapter (only) Titanium   | ea | 4606.69   |
| <b>3 prong lamination adapter with:</b>  |        |       |  |    |           |
| AD202  | A20202 | 1,2   | 3 prong lamination adapter with female insert (fixed or rotatable)                 | ea | 2794.37   |
| AD203  | A20203 | 1,2   | 3 prong lamination adapter with male insert (fixed or rotatable) Stainless steel   | ea | 2309.28   |
| AD204  | A20204 | 3,4   | 3 prong lamination adapter with male insert (fixed or rotatable) titanium          | ea | 4606.69   |
| <b>4 prong adapter (only)</b>  |        |       |  |    |           |
| AD205  | A20205 | 1,2   | 4 prong adapter (only) stainless steel   | ea | 1435.73   |
| AD206  | A20206 | 3,4   | 4 prong adapter (only) titanium  | ea | 7687.01   |
| <b>4 prong adapter with:</b>   |        |       |  |    |           |
| AD207  | A20207 | 1,2   | 4 prong adapter with female adapter (fixed or rotatable) stainless steel           | ea | 3651.94   |
| AD208  | A20208 | 3,4   | 4 prong adapter with female adapter (fixed or rotatable) titanium                  | ea | 5070.21   |
| AD209  | A20209 | 1,2   | 4 prong adapter with male adapter (fixed or rotatable) stainless steel             | ea | 2952.21   |
| AD210  | A20210 | 3,4   | 4 prong adapter with male adapter (fixed or rotatable) titanium                    | ea | 5070.21   |
| <b>4 hole lamination adapter:</b>  |        |       |  |    |           |
| AD211  | A20211 |       | 4 hole lamination adapter Only   |    | 1515.59   |
| AD212  | A20212 | 1,2   | 4 hole lamination adapter with female adapter (fixed or rotatable) stainless steel | ea | 2277.11   |
| AD213  | A20213 | 1,2,3 | 4 hole lamination adapter with female adapter (fixed or rotatable) aluminium       | ea | 2277.11   |
| AD214  | A20214 | 3,4   | 4 hole lamination adapter with female adapter (fixed or rotatable) titanium        | ea | 2277.11   |
| AD215  | A20215 | 1,2   | 4 hole lamination adapter with male adapter (fixed or rotatable) stainless steel   | ea | 1512.51   |
| AD216  | A20216 | 1,2,3 | 4 hole lamination adapter with male adapter (fixed or rotatable) aluminium         | ea | 1382.9    |

|   |        |       |   |    |          |
|---|--------|-------|---|----|----------|
| AD217   | A20217 | 3,4   | 4 hole lamination adapter with male adapter (fixed or rotatable) titanium     | ea | 3235.82  |
| AD218   | A20218 |       | 4 hole lamination adapter with offset adapter (male or female) - any material | ea | 2575.36  |
| AD219   | A20219 |       | 4 hole lamination adapter spacer plate (only)                                 | ea | 665.43   |
| <b>Double adapter</b>   |        |       |   |    |          |
| AD220   | A20220 |       | Double adapter 32mm   | ea | 1982.65  |
| AD221   | A20221 |       | Double adapter 45mm   | ea | 2068.51  |
| AD222   | A20222 |       | Double adapter 60mm   | ea | 2198.48  |
| AD223   | A20223 |       | Double adapter 75mm   | ea | 2319.57  |
| AD224   | A20224 |       | Double adapter height adjustable  | ea | 4809.74  |
| AD225   | A20225 |       | Double adapter Lamination disc/attachment block TF/TT                         | ea | 2661.78  |
| <b>Pylon kit (tube + tube clamp)</b>  |        |       |   |    |          |
| AD226   | A20226 | 1,2   | Pylon kit Stainless steel   | ea | 3090.42  |
| AD227   | A20227 | 1,2,3 | Pylon kit Aluminium   | ea | 3948.18  |
| AD228   | A20228 | 3,4   | Pylon kit Titanium  | ea | 4909.48  |
| <b>Other</b>  |        |       |   |    |          |
| AD229   | A20229 |       | Sliding/shift adapter   | ea | 7920.38  |
| AD230   | A20230 |       | Knee rotation adapter   | ea | 18367.56 |
| <b>Symes</b>  |        |       |   |    |          |
| AD231   | A20231 |       | Symes Lamination kit (for repairs only)                                       | ea | 7550.63  |
| AD232   | A20232 |       | Symes Nut and bolt only (for repairs only)                                    | ea | 2610.77  |
| <b>Tube adapter:</b>  |        |       |   |    |          |
| AD233   | A20233 | 1,2,3 | Tube adapter Aluminium  | ea | 2648.93  |
| AD234   | A20234 | 1,2   | Tube adapter stainless steel  | ea | 1923.9   |
| <b>Tube clamp adapter</b>   |        |       |   |    |          |
| AD235   | A20235 | 1,2,3 | Tube clamp adapter aluminium  | ea | 1355.76  |
| AD236   | A20236 | 1,2   | Tube clamp adapter Stainless steel  | ea | 1923.9   |
| AD237   | A20237 | 3,4   | Tube clamp adapter Titanium   | ea | 3696.31  |
| AD238   | A20238 |       | Tube clamp adapter angulated  | ea | 4809.39  |
| AD239   | A20239 |       | Tube clamp adapter height adjustable  | ea | 5686.34  |
| AD240   | A20240 |       | Tube clamp adapter offset   | ea | 5280.83  |
| <b>Liners</b>   |        |       |   |    |          |
| <b>Rules</b>  |        |       |   |    |          |
| Suspension method is based on clinical evaluation of the Prosthetist  |        |       |   |    |          |
| Warrantees should be honoured as per supplier warrantee period, not less than 12 months                                     |        |       |   |    |          |
| Distal volume cups are indicated for conical and/or sensitive residual limbs  |        |       |   |    |          |
| "Special criteria" items requires detailed motivation from MSP and will be adjudicated based on merit and internal criteria |        |       |   |    |          |
| <b>Trans Tibial / Symes</b>   |        |       |   |    |          |
| LI241   | A20241 |       | TT Locking liner  | ea | 11562.66 |
| LI242   | A20242 |       | TT Suction liner  | ea | 13975.78 |
| LI243   | A20243 |       | TT Cushion liner  | ea | 11091.59 |
| LI244   | A20244 |       | TT Knee sleeve  | ea | 4100.4   |
| LI245   | A20245 |       | TT Hybrid liner   | ea | 12977.33 |
| LI246   | A20246 |       | TT Adjustable suction (includes ring and liner)                               | ea | 16393.08 |

| <b>Trans Femoral / Knee disarticulation</b>   |        |   |    |          |
|---|--------|---|----|----------|
| LI247   | A20247 | TF / KD Locking liner   | ea | 15337.72 |
| LI248   | A20248 | TF / KD Suction liner   | ea | 15024.79 |
| LI249   | A20249 | TF / KD Cushion liner   | ea | 15360.94 |
| LI250   | A20250 | TF / KD Hybrid  | ea | 12977.33 |
| LI251   | A20251 | TF / KD Adjustable suction (includes ring and liner)                        | ea | 15971.99 |
| <b>Other</b>  |        |   |    |          |
| LI252   | A20252 | Suspension belt TF  | ea | 4671.6   |
| LI253   | A20253 | Pressure pads   | ea | 2448.76  |
| LI254   | A20254 | Distal volume cup   | ea | 2861.2   |
| LI255   | A20255 | Prosthetic sheaths (1ply)   | ea | 289.91   |
| LI256   | A20256 | Prosthetic socks (3ply)   | ea | 464.43   |
| <b>Suspension Components</b>  |        |   |    |          |
| <b>Rules</b>  |        |   |    |          |
| A "Kit" includes all components for a complete suspension system (pin, valve, lamination or test socket dummy etc.) |        |   |    |          |
| Shuttle lock can include or exclude a distal male/female pyramid depending on the clinical indication               |        |   |    |          |
| Codes exclude lamination anchors/prongs   |        |   |    |          |
| Warrantees should be honoured as per supplier warrantee period  |        |   |    |          |
| <b>Suction</b>  |        |   |    |          |
| SC257   | A20257 | Active vacuum TT/TF kit   | ea | 24618.78 |
| SC258   | A20258 | TF expulsion valve kit  | ea | 6079.31  |
| SC259   | A20259 | TF proximal socket seal-in ring for suction suspension                      | ea | 3379.84  |
| SC260   | A20260 | TT expulsion valve kit  | ea | 3867.95  |
| SC261   | A20261 | Plug fit suction valve  | ea | 892.88   |
| SC262   | A20262 | Pull in pvc tube  | ea | 437.53   |
| <b>Pinlock</b>  |        |   |    |          |
| SC263   | A20263 | Shuttle lock TT/TF (pin/lanyard)  | ea | 5582.44  |
| SC264   | A20264 | Hybrid lock kit   | ea | 4834.44  |
| SC265   | A20265 | Kiss locking system   | ea | 10301.2  |
| SC266   | A20266 | Magnetic locking system   | ea | 7262.16  |
| SC267   | A20267 | Replacement pin (only for repairs)  | ea | 1805.84  |
| <b>UPPER LIMB PROSTHETICS</b>   |        |   |    |          |
| <b>Rules</b>  |        |   |    |          |
| Fee includes all materials to manufacture final prosthesis  |        |   |    |          |
| No repairs may be charged to CF within 24 months of manufacturing   |        |   |    |          |
| All definitive sockets needs to be reinforced with carbon fiber   |        |   |    |          |
| <b>Partial Hand Prosthesis</b>  |        |   |    |          |
| PH010   | A30010 | Partial hand passive  | ea | 32945.52 |
| PH030   | A30030 | Partial opposition post   | ea | 22982.98 |
| <b>Partial Hand Repairs</b>   |        |   |    |          |
| PH050   | A30050 | Partial new silicone socket   | ea | 10524.78 |
| PH060   | A30060 | Partial hand - cosmetic glove replaced                                      | ea | 7924.06  |
| <b>Wrist Disarticulation Prosthesis</b>   |        |   |    |          |
| WD020   | A30520 | Wrist disarticulation (cosmetic/functional)-Hand & cosmetic cover incl      | ea | 84627.38 |
| WD021   | A30521 | Refit Wrist disarticulation(cosmetic/functional)-Hand & cosmetic cover incl | ea | 84627.38 |

|       |          |  |  |    |           |
|-------|----------|--|--|----|-----------|
|       |          |  | <b>Below Elbow Prosthesis</b>  |    |           |
| BE020 | A31020   |  | Below elbow prosthesis(cosmetic/functional)-Hand & cosmetic cover incl               | ea | 84627.38  |
| BE040 | A31040   |  | BE test socket - diagnostic  | ea | 3597.29   |
| AA150 | A33150   |  | Refit Below elbow(cosmetic/functional)-Hand & cosmetic cover incl                    | ea | 84627.38  |
|       |          |  | <b>Elbow Disarticulation Prosthesis</b>  |    |           |
| ED020 | A31520   |  | Elbow disarticulation prosthesis (cosmetic/functional)-Hand & cosmetic cover incl    | ea | 124525.26 |
| ED030 | A31530   |  | ED test socket - diagnostic  | ea | 3597.29   |
| ED031 | A31531   |  | Refit Elbow disarticulation(cosmetic/functional)-Hand & cosmetic cover incl          | ea | 124525.26 |
|       |          |  | <b>Above Elbow Prosthesis</b>  |    |           |
| AE020 | A32020   |  | Above elbow prosthesis (cosmetic/functional)-Hand & cosmetic cover incl              | ea | 99348.93  |
| AE040 | A32040   |  | AE test socket - diagnostic  | ea | 3597.29   |
| AA140 | A33140   |  | Refit Above Elbow(cosmetic/functional)-Hand & cosmetic cover incl                    | ea | 99348.93  |
|       |          |  | <b>Shoulder Disarticulation Prosthesis</b>   |    |           |
|       | A32510/2 |  | Shoulder disarticulation prosthesis (cosmetic/functional)-Hand & cosmetic cover incl | ea | 126331.43 |
|       | A33155   |  | Refit Shoulder disarticulation (cosmetic/functional)-Hand & cosmetic cover incl      | ea | 126331.44 |
| SD012 | A33156   |  | Flexible inner socket for upper limb prosthesis                                      |    | 5505.88   |
|       |          |  | <b>Upper Limb Suspension</b>   |    |           |
|       | A25004   |  | Upper Limb liner   | ea | 14816.32  |
| UP102 | A25005   |  | Pull in tube for suction suspension  | ea | 456.63    |
| UP103 | A25006   |  | Donning sheath for suction suspension  | ea | 1545.32   |
|       | A25042   |  | Upper limb Shuttle lock (inclusive of pin)   | ea | 12954.21  |
|       |          |  | <b>Prosthetic Hands</b>  |    |           |
|       |          |  | <b>Functional</b>  |    |           |
| AA060 | A33060   |  | Mechanical cable operated hand (open/closing)  | ea | 19388.16  |
| AA130 | A33130   |  | Prosthetic hook - steel  | ea | 28851.07  |
|       |          |  | <b>Passive</b>   |    |           |
| AA040 | A33040   |  | Passive Cosmetic hand  | ea | 15443.64  |
|       |          |  | <b>Cosmetic Gloves</b>   |    |           |
| AA100 | A33100   |  | Prosthetic glove - cosmetic  | ea | 7861.67   |
| AA110 | A33110   |  | Prosthetic glove - leather   | ea | 1643.89   |
|       |          |  | <b>Elbows</b>  |    |           |
| AE060 | A32060   |  | Automatic locking elbow  | ea | 34989.14  |
| AE062 | A32062   |  | AE modular kit   | ea | 10922.48  |
| AE063 | A32063   |  | Replacement forearm  | ea | 32857.56  |
| AE064 | A32064   |  | Replacement elbow cable  | ea | 1391.32   |
| AE065 | A32065   |  | Manual locking elbow   | ea | 24549.42  |
| AE067 | A32067   |  | Step-up joints for short BE or TE  | ea | 27617.03  |
|       |          |  | <b>Shoulders</b>   |    |           |
| AS100 | A32066   |  | Standard   | ea | 11067.42  |
| AS102 | A32068   |  | Modular  | ea | 9565.45   |

| <b>Harness</b>          |        |  |    |          |
|-------------------------|--------|--|----|----------|
| AA071                   | A33071 | AE Figure 8 harness kit  | ea | 3972.62  |
| AA080                   | A33080 | Harness - BE   | ea | 3292.48  |
| <b>Accessories</b>      |        |  |    |          |
| AA010                   | A33010 | Cable - AE   | ea | 3602.22  |
| AA030                   | A33030 | Corset - BE  | ea | 3282.62  |
| AA070                   | A33070 | Harness - AE   | ea | 3292.5   |
| AA090                   | A33090 | Hook elastics  | ea | 87.54    |
| AA185                   | A33185 | Axilla Loop  | ea | 1078.38  |
| AA186                   | A33186 | Axilla pad   |    | 1060.48  |
|                         | A33190 | Cable Hanger   |    | 284.97   |
| AA160                   | A33160 | Wrist insert-Only with repairs                                 | ea | 2120.84  |
| AA165                   | A33165 | Wrist Unit inclusive of wrist insert                           | ea | 8248.84  |
| AA170                   | A33170 | Manual locking elbow 12K5 (Only charged separate with repairs) | ea | 12735.63 |
| AA180                   | A33180 | C708 Base Plate  | ea | 140.57   |
| AA195                   | A33195 | C711 Standard Hanger   | ea | 229.07   |
| AA196                   | A33196 | Harness Ball Receiver  | ea | 431.22   |
| AA198                   | A33198 | Harness Ball Terminal  | ea | 146.84   |
| AA200                   | A33200 | C701HD Triple Swivel   | ea | 424.55   |
| AA201                   | A33201 | C703 Standard Triple Swivel                                    |    | 424.55   |
| AA202                   | A33202 | C709HD Retainer  | ea | 240.81   |
| AA203                   | A33203 | C709 Standard Retainer   | ea | 206.31   |
| AA204                   | A33204 | C710HD Cross Bar   | ea | 381.78   |
| AA205                   | A33205 | C710 Standard Cross Bar  | ea | 368.94   |
| AA206                   | A33206 | Ball shaft adapter   |    | 594.7    |
| AA208                   | A33208 | BE harness strap   |    | 166.88   |
| AA209                   | A33209 | BE strap connector   |    | 821.99   |
| AA210                   | A33210 | Cable housing  |    | 517.98   |
| AA211                   | A33211 | Harness anchor plate   |    | 89.43    |
| <b>Prosthetic Socks</b> |        |  |    |          |
| SS010                   | A35010 | Stump sock - BK 3ply   | ea | 589.64   |
| SS020                   | A35020 | Stump sock - AK 3ply   | ea | 659.45   |
| SS030                   | A35030 | Stump sock - Arm 3ply  | ea | 424.65   |
| SS040                   | A35040 | Stump sock - Symes 3ply  | ea | 1094.19  |
| SS090                   | A35090 | Prosthetic sheath - imported                                   | ea | 661.9    |
| SS100                   | A35100 | Protective sheath - American                                   |    | 3272.51  |
| SS105                   | A35105 | Protective sheath - European (Derma seal)                      |    | 5518.37  |
| SS106                   | A35106 | Dermaseal residual limb sock 453D7                             | ea | 2967.34  |
| SS110                   | A35110 | Fix Prosthesis - European (Daw)                                | ea | 1571.39  |
| SS120                   | A35120 | Fix Prosthesis - American (silicone suspension liner)          | ea | 774.36   |
| SS121                   | A35121 | Fix prosthesis local 601 knee brace                            | ea | 604.89   |
| SS130                   | A35130 | Stump shrinker BK  | ea | 1248.6   |
| SS140                   | A35140 | Stump shrinker AK  | ea | 1659.45  |

| <b>Suspension Systems</b> |  |  |   |    |          |
|---------------------------|--|--|---|----|----------|
| AK150                     | A21650   |  | AK - hip-joint and pelvic band to prosthesis  | ea | 14229.35 |
| AK700                     | A21700   |  | AK - shoulder belt  | ea | 1441.37  |
| AK701                     | A21701   |  | AK - silesion belt  | ea | 1320.12  |
| AK704                     | A21704   |  | AK - silesion strap   | ea | 400.24   |
| AK708                     | A21708   |  | AK - waist belt   | ea | 1388.09  |
| AK712                     | A21712   |  | AK - neoprene suspension belt   | ea | 3650.19  |
| BK132                     | A20632   |  | BK joints including thigh corset  | ea | 25572.1  |
| BK133                     | A20633   |  | Bk joints including weight bearing corset   | ea | 28701.38 |
| BK192                     | A20692   |  | BK back check strap   | ea | 800.6    |
| BK193                     | A20693   |  | BK backlift   | ea | 829.96   |
| BK194                     | A20694   |  | BK crutch strap   | ea | 895.97   |
| BK197                     | A20697   |  | BK ptb strap  | ea | 1551.55  |
| BK198                     | A20698   |  | Front Control strap   | ea | 989.83   |
| BK200                     | A20700   |  | BK thigh corset   | ea | 4302.15  |
| BK201                     | A20701   |  | BK waist belt leather   | ea | 1665.4   |
| BK202                     | A20702   |  | BK waist belt webbing   | ea | 1090.63  |
| <b>Ocular Prosthesis</b>  |  |  |   |    |          |
| OCU                       | A53015   |  | Prosthesis Consultation( Not payable with A56000)                                       |    | 962.84   |
| OCU                       | A53115   |  | Impression for Ocular Prosthesis  |    | 3887     |
| OCU                       | A53215   |  | Iris Colour   |    | 1606.82  |
| OCU                       | A53315   |  | Model Fitting   |    | 7904.21  |
| OCU                       | A53415   |  | Prosthetic manufacture and moulding   |    | 9130.93  |
| OCU                       | A53515   |  | Follow-up (Within 6 months of new or replacement prosthesis but included in item 56000) |    | 532.81   |
| OCU                       | A53715   |  | Glass eye complete with consultation and fitting ( attached motivation )                |    | 7216.02  |
| OCU                       | A53815   |  | Drill ball and socket (pegging to coral) "attached motivation"                          |    | 1558.58  |
| OCU                       | A53915   |  | Trimming and Reshaping  |    | 780.34   |
| OCU                       | A54015   |  | Build up  |    | 2309.55  |
| OCU                       | A54115   |  | Veining   |    | 1088.7   |
| OCU                       | A54215   |  | Polishing   |    | 482.47   |
| OCU                       | A54315   |  | Materials for custom eye  |    | 3033.25  |
| OCU                       | A54415   |  | Stock eye ( every 5years )  |    | 2166.91  |
| OCU                       | A54515   |  | Haptic Lens (every 5 years)   |    | 4772.23  |
| OCU                       | A56000   |  | Complete eye( includes consultation A53015)   |    | 30271.64 |
| <b>Definition</b>         |  |  |   |    |          |
| <b>Feet</b>               |  |  |   |    |          |
| <b>SACH</b>               | The external keel of a foot prosthesis is the firm part on the bottom of the prosthesis, extending from the heel to the toe. The keel is both a structural support and a shock absorber as the patient transfers weight from heel to toe while walking. The SACH foot has a rubber heel wedge that lets the ankle move by compressing under weight bearing during the start of stance walking phase. It is available in different heel heights allowing wearing with various types of shoes. |  |   |    |          |
| <b>SACH composite</b>     | Flexible keel prosthetic feet are more advanced than solid ankle cushioned heel or SACH feet. However, they do not return energy in the way a dynamic response foot would. It offers cushioning and absorption of energy but does not store and return the same amount of energy.  |  |   |    |          |
| <b>Single axis</b>        | An articulated single axis foot and ankle prosthesis uses a hinge to allow the ankle to dorsiflex and plantar flex, or move up and down. Single axis feet do this with a hinge in the prosthesis at about the location of the transverse tarsal joint on the human foot. Because the prosthesis moves in a single axis, specifically up and down, movement is in the sagittal plane only. Single axis feet differ from solid ankle cushion heel foot, or SACH, feet in several ways.         |  |   |    |          |

|   |   |
|---|---|
| <b>Multi axis</b>                                     | A multi-axial foot can move in multiple planes of direction, providing its user the ability to walk on uneven surfaces. This differs from a single axis foot prosthesis that allows only plantar flexion and dorsiflexion in the sagittal plane. This design allows the forefoot of the foot or ankle mechanism to move appropriately on uneven surfaces, much as a human foot would.   |
| <b>ESAR</b>   | The foot uses a carbon and/or nylon flexible internal keel, a firm yet flexible plate located inside the sole of the prosthesis, extending from the heel to the toe. The keel is both a structural support and a shock absorber as the patient transfers weight from heel to toe while walking. The dual spring action of the keel gives a smooth transition from heel to toe as the foot moves through a walking gait, giving additional stability and confidence to its wearer.                       |
| <b>Active suspension</b>                              | Elevated vacuum suspension which controls and reduces volume fluctuations during ambulation. The suspension is a mechanism which incorporates the foot and socket suction suspension to achieve the desired elevated vacuum.  |
| <b>Axial rotation</b>                                 | An axial rotation unit allows a prosthetic limb to twist to the right or the left, helping people walk more naturally. The axial rotation accommodate rotational forces during heel strike, mid stance, terminal stance and pre-swing. Properly functioning axial rotation devices allow a socket to relieve pressure on the stump as the patient moves.  |
| <b>Low profile</b>                                    | Decreased build height which accommodates longer residual limbs with limited ground clearance   |
| <b>ESAR - multi axial</b>                             | A multi-axial foot primarily manufactured out of carbon fiber which can move in multiple planes of direction, providing its user the ability to walk on uneven surfaces. This design allows the forefoot of the foot or ankle mechanism to move appropriately on uneven surfaces, much as a human foot would.   |
| <b>Carbon pylon</b>                                   | One end of the pylon directly fits into the residual limb socket, and the other end fits into the prosthetic foot. The aim of the prosthetic pylon is to store and release energy additional energy to the user. The pylon also acts as a shock absorber.   |
| <b>Heel adjustable</b>                                | This code describes prosthetic foot with a heel height that the patient can adjust to the desired angle. Not only does this benefit a patient cosmetically by allowing adjustment to the prosthetic heel to the shoe heel height, but it can also help foot balance and support the knee, improving the patient's gait.   |
| <b>ESAR multi composite</b>                           | The foot uses nylon, glass fibre or other composites with flexible internal keel, a firm yet flexible plate located inside the sole of the prosthesis, extending from the heel to the toe. The keel is both a structural support and a shock absorber as the patient transfers weight from heel to toe while walking. The dual spring action of the keel gives a smooth transition from heel to toe as the foot moves through a walking gait, giving additional stability and confidence to its wearer. |
| <b>Knee</b>   |   |
| <b>Locking</b>  | Unit is locked stiff at the knee unit when in use. The knee will not bend until a release mechanism is operated to free the knee lock   |
| <b>Friction controlled</b>                            | Prosthetic knee unit which is controlled with friction functions within the unit  |
| <b>Pneumatic controlled</b>                           | Prosthetic knee unit which is controlled with pneumatic functions within the unit   |
| <b>Hydraulic controlled</b>                           | Prosthetic knee unit which is controlled with hydraulic functions within the unit   |
| <b>Pneumatic + electronic motor control</b>           | Multifaceted knee unit which consists of pneumatic chambers and externally powered to control the functioning of the unit   |
| <b>Hydraulic + electronic motor control</b>           | Multifaceted knee unit which consists of hydraulic chambers and externally powered to control the functioning of the unit   |
| <b>Single axis (Monocentric)</b>                      | During the flexion/extension the prosthetic knee articulate rotationally around one knee axis   |
| <b>4-Bar linkage</b>                                  | During the flexion/extension the prosthetic knee articulate rotationally around four knee axis  |
| <b>Multi axis (Polycentric)</b>                       | During the flexion/extension the prosthetic knee articulate rotationally around multiple knee axis  |
| <b>Hip</b>  |   |
| <b>Polycentric hydraulic hip joint</b>                | Multi-axis joint structure which produces three-dimensional hip movement through a hydraulic unit to compensate for pelvic rotation and promote a symmetrical, natural gait   |
| <b>Monocentric hydraulic hip joint</b>                | Single-axis joint structure which produces three-dimensional hip movement through a hydraulic unit to compensate for pelvic rotation and promote a symmetrical, natural gait  |
| <b>Extension assist hip joint</b>                     | Single axis joint with possibility to adjust abduction/adduction, flexion/extension, and rotation to support natural gait   |
| <b>Single axis locking hip joint</b>                  | Built-in manual lock which automatically engages in full extension to add stability and can be manually disengaged for sitting  |
| <b>Single axis elastic extension assist hip joint</b> | Extension assist with laterally attached latex bands help with stride control, with adjustable built-in extension stop bumper   |

| <b>Liners</b>   |   |
|---|---|
| <b>Locking liner</b>  | Interface which acts between the residual limb and socket where the liner has a distal pin attachment area  |
| <b>Suction liner</b>  | Interface which acts between the residual limb and socket where the liner incorporates a seal-off area which creates suction suspension                 |
| <b>Cushion liner</b>  | Interface which acts between the residual limb and socket. This is worn in conjunction with a knee sleeve   |
| <b>Knee sleeve</b>  | Sleeve worn over the prosthetic socket to create a seal between residual limb and prosthetic socket   |
| <b>Hybrid liner</b>   | Liner incorporating locking and suction suspension in one   |
| <b>Adjustable suction (includes ring and liner)</b>           | Suction liner which has the ability to adjust the area of suction depending on residual limb volume fluctuations  |
| <b>Distal volume cup</b>                                      | Item used for conical and/or sensitive residual limbs requiring volume build-up   |
| <b>Suspension components</b>                                  |   |
| <b>Hybrid lock</b>  | A combination suspension solution incorporating locking suspension with the benefits of vacuum suspension.  |
| <b>Active vacuum</b>  | Vacuum system that pulls vacuum in the socket using the energy created by stance and swing phase or from heel strike                                    |
| <b>Expulsion valve kit</b>                                    | Direct integrated system to create suction suspension via a valve setup within the lower limb socket  |
| <b>TF proximal socket seal in ring for suction suspension</b> | Sealing ring for use with TF suction vacuum sockets. Ring can be positioned manually to maximize area of the limb under suction or vacuum               |
| <b>Plug fit suction valve</b>                                 | Flat rubber valve manually donned in socket to create vacuum suspension   |
| <b>Pull in pvc tube</b>                                       | Tube breaching the gap between the socket and plug fit valve  |
| <b>Shuttle lock (pin/lanyard)</b>                             | A pin or lanyard which attaches on the bottom of a liner which goes to a female receiver that is fixed within the prosthetic socket.                    |
| <b>Magnetic locking system</b>                                | A magnetic pin which attaches on the bottom of a liner which goes to an integrated magnetic female receiver that is fixed within the prosthetic socket. |
| <b>Kiss locking system</b>                                    | Shuttle lanyard system for transfemoral amputees through housing receiver that is fixed within the prosthetic socket.                                   |

| List of splints and pressure garments exempted from NAPPI codes   |  | 2026    |
|---|--|---------|
| <b>Annexure A</b>   |  |         |
| <b>MODIFIER 0009 - Material Cost for Splints (Vat Exclusive )</b> |  |         |
| Code  | Code Description   | Rand    |
| 66701   | Static finger extension/flexion splint                             | 56.61   |
| 66702   | Dynamic finger extension/flexion                                   | 56.61   |
| 66703   | Buddy strap  | 55.19   |
| 66704   | DIP/PIP flexion strap  | 64.01   |
| 66705   | MP, PIP, DIP flexion strap   | 71.16   |
| 66706   | Hand based static finger extension/ flexion                        | 281.80  |
| 66707   | Hand based static thumb extension/ flexion/ opposition/ abduction  | 281.80  |
| 66708   | Hand based dynamic finger flexion/ extension                       | 394.29  |
| 66709   | Hand based dynamic thumb flexion/ extension/ opposition/ abduction | 394.29  |
| 66710   | Static wrist extension/ flexion                                    | 423.19  |
| 66711   | Dynamic wrist extension/ flexion                                   | 423.19  |
| 66712   | Flexion glove  | 539.98  |
| 66713   | Forearm based dynamic finger flexion/ extension                    | 675.85  |
| 66714   | Forearm based dorsal protection                                    | 787.63  |
| 66715   | Forearm based volar resting  | 787.63  |
| 66716   | Static elbow extension/ flexion                                    | 938.56  |
| 66718   | Shoulder abduction splint  | 1501.68 |
| 66719   | Static rigid neck splint   | 807.45  |
| 66720   | Static soft neck splint/brace                                      | 262.94  |
| 66721   | Static knee extension  | 1500.25 |
| 66722   | Static foot dorsiflexion   | 1758.20 |

CONTINUES ON PAGE 130 OF BOOK 2

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001  
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za  
Publications: Tel: (012) 748 6053, 748 6061, 748 6065



# Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA  
REPUBLIEK VAN SUID AFRIKA

Vol. 729

20

March  
Maart

2026

No. 54356

**PART 2 OF 4**

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845



9 771682 584003



**AIDS HELPLINE: 0800-0123-22 Prevention is the cure**

| <b>Annexure B</b>  |   |             |
|--|---|-------------|
| <b>MODIFIER 0009 - Material Cost for Pressure Garments</b> |   |             |
| <b>Code</b>  | <b>Code Description</b>                   | <b>Rand</b> |
| 66801  | Glove to wrist                            | 122.55      |
| 66802  | Glove to elbow                            | 285.19      |
| 66803  | Gauntlet (Glove with palm and thumb only) | 122.55      |
| 66804  | Sleeve: Upper/forearm                     | 162.64      |
| 66805  | Sleeve: full                              | 244.56      |
| 66807  | Sleeveless vest                           | 587.98      |
| 66808  | Upper leg                                 | 293.27      |
| 66809  | Lower leg                                 | 195.36      |
| 66812  | Briefs                                    | 488.64      |
| 66813  | Anklet /Foot                              | 285.84      |
| 66815  | Chin strap                                | 204.68      |
| 66816  | Full face mask                            | 391.91      |
| 66818  | Finger sock                               | 27.03       |

**ANNEXURE C: FIRST REHABILITATION / AUTHORISATION REPORT**

| <b>1. PRE- AUTHORISATION REQUEST FORM</b>  |                          |   |                          |
|--|--------------------------|---|--------------------------|
| <b>Please indicate your request type with an X:</b>  |                          |   |                          |
| <b>First rehabilitation report</b>   | <input type="checkbox"/> | <b>Extension of treatment period required</b> | <input type="checkbox"/> |
| <b>Clinical vocational rehabilitation intervention</b>   | <input type="checkbox"/> | <b>Amendment to treatment codes required</b>  | <input type="checkbox"/> |
| <b>Additional treatment sessions required</b>  | <input type="checkbox"/> |   |                          |
| <b>INJURED EMPLOYEE DETAILS</b>  |                          |   |                          |
| <b>Surname:</b>  |                          |   |                          |
| <b>First Names:</b>  |                          |   |                          |
| <b>Identity Number:</b>  |                          |   |                          |
| <b>Telephone number:</b>   |                          |   |                          |
| <b>Address:</b>  |                          |   |                          |
|  | <b>Postal code:</b>      |   |                          |
| <b>EMPLOYER DETAILS</b>  |                          |   |                          |
| <b>Name of Employer:</b>   |                          |   |                          |
| <b>Telephone number:</b>   |                          |   |                          |
| <b>Date of Injury / Onset of symptoms:</b>   |                          |   |                          |
| <b>REFERRING DOCTOR DETAILS</b>  |                          |   |                          |
| <b>Referring Doctor:</b>   |                          |   |                          |
| <b>Telephone Number:</b>   |                          |   |                          |
| <b>Email address:</b>  |                          |   |                          |
| <b>Referring Doctor Practice Number</b>  |                          |   |                          |
| <b>Dated referral letter stipulating reason for the referral and referring doctor stamp and signature has been included with this pre-authorisation request:</b> | <b>YES</b>               | <b>NO</b>                                     |                          |
|  |                          |   |                          |
| <b>SUPPORTING DOCUMENTS ATTACHED TO PRE-AUTHORISATION REQUEST ONLY IF CLAIM NOT REGISTERED</b>   |                          |   |                          |
| <b>Please indicate attached documents with an X (only attach if necessary):</b>  |                          |   |                          |
| <b>WCL2</b>  | <input type="checkbox"/> | <b>WCL4</b>                                   | <input type="checkbox"/> |
|  |                          | <b>ID</b>                                     | <input type="checkbox"/> |

|   |  |
|---|--|
| <b>INJURY / SYMPTOM DETAILS</b>   |  |
| <b>ICD 10 Code:</b>   |  |
| <b>Diagnosis:</b>   |  |
| <b>CURRENT PRESENTATION:</b>  |  |
|   |  |
| <b>REHABILITATION PLAN</b>  |  |
| <b>A. REHABILITATION PLAN</b>   |  |
| <b>Ensure that the treatment goals are specific and measurable with outcome measurements.</b> |  |
| <b>1</b>  |  |
| <b>2</b>  |  |
| <b>3</b>  |  |
| <b>4</b>  |  |
| <b>5</b>  |  |
| <b>6</b>  |  |
| <b>7</b>  |  |
| <b>8</b>  |  |
| <b>9</b>  |  |
| <b>10</b>   |  |

| <b>B. ANTICIPATED DURATION AND FREQUENCY OF TREATMENT INCLUDE DATES</b>                                      |                 |              |                 |
|--|-----------------|--------------|-----------------|
| <b>Overall expected duration of treatment intervention:</b>  |                 |              |                 |
| <b>Overall expected number of treatment sessions:</b>  |                 |              |                 |
| <b>Frequency of treatment intervention (daily; bi-daily; weekly etc):</b>                                    |                 |              |                 |
| <b>C. ANTICIPATED CODING FOR ABOVE TREATMENT SESSIONS</b>  |                 |              |                 |
| <b>CODE:</b>   | <b>QUANTITY</b> | <b>CODE:</b> | <b>QUANTITY</b> |
|  |                 |              |                 |
|  |                 |              |                 |
|  |                 |              |                 |
|  |                 |              |                 |
|  |                 |              |                 |
|  |                 |              |                 |
|  |                 |              |                 |
|  |                 |              |                 |
|  |                 |              |                 |
|  |                 |              |                 |
| <b>MOTIVATION FOR CHANGE IN AUTHORISATION REQUEST (COMPLETE ONLY IF NOT THE FIRST REHABILITATION REPORT)</b> |                 |              |                 |
|  |                 |              |                 |
| <b>SERVICE PROVIDER DETAILS</b>  |                 |              |                 |
| <b>Name:</b>   |                 |              |                 |
| <b>Practice Number:</b>  |                 |              |                 |
| <b>Date of initial consultation:</b>   |                 |              |                 |
| <b>Date of pre-authorisation request:</b>  |                 |              |                 |
| <b>Telephone Number:</b>   |                 |              |                 |
| <b>Email address:</b>  |                 |              |                 |
| <b>Signature:</b>  |                 |              |                 |

|  |  |
|--|--|
|  |  |
|--|--|

**ANNEXURE D: REHABILITATION MONTHLY/INTERIM REHAB REPORT**

| <b>INJURED EMPLOYEE DETAILS</b>   |                                     |           |
|---|-------------------------------------|-----------|
| <b>Name and Surname of Employee:</b>  |                                     |           |
| <b>Identity Number:</b>   | <b>Address:</b>                     |           |
| <b>Contact number:</b>  | <b>Postal Code:</b>                 |           |
| <b>Next of kin:</b>   |                                     |           |
| <b>Name of Employer:</b>  |                                     |           |
| <b>Contact number:</b>  |                                     |           |
| <b>Address:</b>   |                                     |           |
| <b>Date of Accident:</b>  | <b>Postal Code:</b>                 |           |
| <b>Diagnosis/ ICD 10 codes</b>  |                                     |           |
| <b>1. Date of First Treatment:</b>  | <b>Provider of First Treatment:</b> |           |
| <b>2. Name of Referring Medical Practitioner:</b>   | <b>Date of Referral:</b>            |           |
| <b>3. Number of Sessions already delivered:</b>   |                                     |           |
| <b>4. Progress achieved (including outcome measures eg. ROM, oedema, muscle strength, hand function)</b>      |                                     |           |
| <b>5. Did the patient undergo surgical procedures in this time? Dates and type of surgery</b>                 |                                     |           |
| <b>6. Number of sessions required:</b>  |                                     |           |
| <b>7. Treatment plan for proposed treatment sessions:</b>   |                                     |           |
| <b>8. a. Has the employee returned to work? (please circle where applicable)</b>                              | <b>Yes</b>                          | <b>No</b> |
| <b>b. If yes, from what date have they been fit for normal / light work? (Please circle where applicable)</b> | <b>Date:</b>                        |           |

|   |              |           |
|---|--------------|-----------|
| <b>c. If no, are there prospects of the client returning to work? (Please circle where applicable)</b>                  | <b>Yes</b>   | <b>No</b> |
| <b>I certify that I have by examination, satisfied myself that the injury(ies) are as a result of the accident.</b>     |              |           |
| <b>Signature of service provider:</b>   | <b>Date:</b> |           |
| <b>Name:</b>  |              |           |
| <b>Practice Number:</b>   |              |           |
| <b>NB: Rehabilitation progress reports must be submitted on a monthly basis and attached to the submitted accounts.</b> |              |           |

## ANNEXURE E: FINAL REHABILITATION REPORT

| INJURED EMPLOYEE DETAILS  |                              |    |
|---|------------------------------|----|
| Name and Surname of Employee:   | Address:                     |    |
| Identity Number:  |                              |    |
| Contact number:   |                              |    |
| Postal Code:  |                              |    |
| EMPLOYER DETAILS  |                              |    |
| Name of Employer:   |                              |    |
| Contact number:   |                              |    |
| Address:  |                              |    |
| Postal Code:  |                              |    |
| Date of Accident:   |                              |    |
| Diagnosis/ ICD 10 codes:  |                              |    |
| Date of First Treatment:  | Provider of First Treatment: |    |
| Name of Referring Medical Practitioner:   | Date of Referral:            |    |
| 1. Number of Sessions already delivered: From _____ To _____  |                              |    |
| 2. Progress achieved (including outcome measures eg. ROM, oedema, muscle strength, hand function):            |                              |    |
| 3. Did the patient undergo surgical procedures in this time? Dates and type of surgery                        |                              |    |
| 4. a. From what date has the employee returned to work? (please circle where applicable)                      |                              |    |
|   | Yes                          | No |
| b. If yes, from what date have they been fit for his/her normal/ light work? (Please circle where applicable) |                              |    |
| c. If no, are there prospects of the client returning to work? (Circle where applicable)                      |                              |    |
|   | Yes                          | No |
| 5. Is the employee fully rehabilitated/has the employee obtained the highest level of function?               |                              |    |

|   |            |
|---|------------|
| <b>6. If so, describe in detail any present permanent anatomical effect and/or impairment of function as a result of the accident (R.O.M., if any, must be indicated in degrees at each specific joint)</b> |            |
| I certify that I have by examination, satisfied myself that the injury(ies) are as a result of the accident.  |            |
| Signature of service provider:  | Date:      |
| Name:   |            |
| Address:  | Post Code: |
| Practice Number:  |            |
| <b>NB: Rehabilitation progress reports must be submitted on a monthly basis and attached to the submitted accounts.</b>   |            |

**ANNEXURE F****OCCUPATIONAL THERAPY REQUEST FOR WHEELCHAIRS & ASSISTIVE DEVICES**

| <b>INJURED EMPLOYEE DETAILS</b>  |  |                        |  |
|--|--|------------------------|--|
| <b>Claim number</b>  |  | <b>Identity number</b> |  |
| <b>Name</b>  |  | <b>Contact number</b>  |  |
| <b>Address</b>   |  | <b>Postal code</b>     |  |
| <b>Date of accident</b>  |  |                        |  |
| <b>EMPLOYER DETAILS</b>  |  |                        |  |
| <b>Name of employer</b>  |  | <b>Contact number</b>  |  |
| <b>Address</b>   |  | <b>Postal code</b>     |  |
| <b>MOTIVATION</b>  |  |                        |  |
| <b>1. Diagnosis:</b>   |  |                        |  |
| <b>2. Describe patient's current symptoms and functional status:</b>           |  |                        |  |
| <b>3. Equipment currently being used</b>                                       |  |                        |  |
| <b>4. Equipment recommended</b>  |  |                        |  |
| <b>5. Motivation for equipment (with reference to home / work environment)</b> |  |                        |  |
| <b>6. Quotes attached (minimum of three)</b>                                   |  |                        |  |
| <b>Signature of occupational therapist</b>                                     |  |                        |  |
| <b>Practice number</b>   |  | <b>Date</b>            |  |

FOR WHEELCHAIR REQUESTED, THIS FORM MUST BE SUBMITTED TOGETHER WITH THE COMPLETED WHEELCHAIR ASSESSMENT AND PRESCRIPTION FORM IN THE ORTHOTICS GAZETTE

## ANNEXURE G

### WORK SITE ASSESSMENT REPORT

| Employee Information   |  |  |
|--|--|--|
| Employee Name:   |  |  |
| Identity Number:   |  |  |
| Contact details:   |  |  |
| Diagnosis:   |  |  |
| Date of injury:  |  |  |
| Date of Report:  |  |  |
| Company Information  |  |  |
| Name of company:   |  |  |
| Contact Person:  |  |  |
| Address:   |  |  |
| Telephone number:  |  |  |
| Email address:   |  |  |
| Occupational health Doctor and / or Nurse name and contact number: |  |  |
| Employer representative:   |  |  |
| Designation:   |  |  |
| Work Status  |  |  |
| Current work status:   | <ul style="list-style-type: none"> <li>• Signed off on IOD leave</li> <li>• Working in accommodated duties</li> <li>• Able to complete own job but a number of difficulties noted</li> <li>• Completing own occupation</li> <li>• Working accommodated hours</li> <li>• Signed off on other leave</li> <li>• Fit for work, but not returned yet</li> <li>• Working in a temporary alternative occupation</li> <li>• Working in a permanent alternative occupation</li> </ul> |  |
|  | Date returned to work, if currently working  |  |

|  |                                     |   |
|--|-------------------------------------|---|
| <b>Current job information:</b>  |                                     |   |
| <b>Job title:</b>  |                                     |   |
| <b>Normal safety equipment utilised:</b>                                 |                                     |   |
| <b>The position is:</b>  | Permanent                           |   |
|  | Contract                            |   |
| <b>Normal work hours:</b>  |                                     |   |
| <b>Overtime hours:</b>   |                                     |   |
| <b>Job Analysis</b>  |                                     |   |
| <b>The position is defined according to the D.O.T as:</b>                | Sedentary                           |   |
|  | Light                               |   |
|  | Medium                              |   |
|  | Heavy                               |   |
|  | Very heavy                          |   |
| <b>Job description (A brief overview of the requirements of the job)</b> |                                     |   |
| <b>Job tasks</b>   | <b>As described by the employee</b> | <b>Reported difficulties – if currently working</b> |
| 1  |                                     |   |
| 2  |                                     |   |
| 3  |                                     |   |
| 4  |                                     |   |
| 5  |                                     |   |
| 6  |                                     |   |
| <b>Employer comments:</b>  |                                     |   |
|  |                                     |   |

|   |  |  |
|---|--|--|
|   |  |  |
| <b>Inherent physical demands of the job:</b>  |  |  |
|   |  |  |
| <b>Return to work plan:</b>   |  |  |
| <b>Given the employee's current physical abilities, it is considered that they are currently:</b> | <ul style="list-style-type: none"> <li>• Able to complete their own job</li> </ul>   |  |
|   | <ul style="list-style-type: none"> <li>• Complete the job, however with difficulty or lower efficiency / productivity</li> </ul> |  |
|   | <ul style="list-style-type: none"> <li>• Able to work, but requires accommodated duties</li> </ul>                               |  |
|   | <ul style="list-style-type: none"> <li>• Able to work, but requires accommodated hours</li> </ul>                                |  |
|   | <ul style="list-style-type: none"> <li>• Is not currently able to complete the job</li> </ul>                                    |  |
| Anticipated Return-to-Work date:  |  |  |
| <b>Agreed accommodations</b>  |  |  |
| <b>Duties agreed:</b>   |  |  |
| <b>Work days:</b>   |  |  |
| <b>Work hours:</b>  |  |  |
| <b>Breaks required:</b>   |  |  |
| <b>Tasks to avoid:</b>  |  |  |
| <b>The employee did / did not trial the agreed accommodations during the work visit:</b>          |  |  |
| <b>Additional comments:</b>   |  |  |

|  |
|--|
|  |
|--|

**INHERENT JOB ANALYSIS**

| (Denotes if the item was assessed during the work site visit) | General observations (Time / Repetitions / Loads / Distance) | Frequency over the work day |                      |                 | Job Tasks (state number as listed above) |
|---|--|-----------------------------|----------------------|-----------------|--|
|   |  | Occasional (< 1/3)          | Frequent (1/3 < 2/3) | Constant (>2/3) |  |
| <b>Work positions</b>   |  |                             |                      |                 |  |
| Standing  |  |                             |                      |                 |  |
| Sitting   |  |                             |                      |                 |  |
| Squatting   |  |                             |                      |                 |  |
| Kneeling  |  |                             |                      |                 |  |
| Crouching   |  |                             |                      |                 |  |
| Trunk rotation  |  |                             |                      |                 |  |
| <b>Mobility</b>   |  |                             |                      |                 |  |
| Walking (even / uneven terrain)                               |  |                             |                      |                 |  |
| Crawling  |  |                             |                      |                 |  |
| Climbing a ladder   |  |                             |                      |                 |  |
| Climbing stairs   |  |                             |                      |                 |  |
| Endurance   |  |                             |                      |                 |  |
| <b>Reaching</b>   |  |                             |                      |                 |  |
| Overhead reaching   |  |                             |                      |                 |  |
| Forward reaching  |  |                             |                      |                 |  |
| Reaching to left  |  |                             |                      |                 |  |
| Reaching to right   |  |                             |                      |                 |  |
| <b>Lifting</b>  |  |                             |                      |                 |  |
| Floor to knuckle  |  |                             |                      |                 |  |
| Knuckle to shoulder   |  |                             |                      |                 |  |
| Shoulder to overhead  |  |                             |                      |                 |  |
| <b>Carrying</b>   |  |                             |                      |                 |  |
| Bilateral   |  |                             |                      |                 |  |
| Unilateral  |  |                             |                      |                 |  |
| <b>Pushing / Pulling</b>                                      |  |                             |                      |                 |  |
| Pushing   |  |                             |                      |                 |  |

|                |  |  |  |  |  |
|----------------|--|--|--|--|--|
| <b>Pulling</b> |  |  |  |  |  |
|----------------|--|--|--|--|--|