

## DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE

NO. 7398

24 April 2026

Infotech Building, 1090 Arcadia Street, Hatfield, Pretoria  
 PO Box 1022, Garsfontein, 0042  
 +27 (0) 64 864 0129  
 agrement@agrement.co.za



## DEPARTMENT OF PUBLIC WORKS

AGRÉMENT SOUTH AFRICA  
 (Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 12 December 2025, issued an Agrément certificate, details of which appear in the schedule hereto.

## SCHEDULE

Agrément Certificate 2025/665

<b>Subject:</b>	Eco Septic Tank
<b>Certificate holder:</b>	Ecopolymers cc t/a Eco Tanks
<b>Description:</b>	<p>The Eco Tanks Septic Tank is manufactured from UV-stabilised Linear Low-Density Polyethylene (LLDPE) through a rotational moulding process. The material varies from 6 mm to 12 mm thick, depending on the volume and intended use of the digester.</p> <p>The tanks are used for the treatment and/or storage of wastewater for commercial, industrial, agricultural and domestic applications in all regions of South Africa.</p> <p>Tanks are available in 1 500 L (Dome Tank), 2 500 L (Dome Tank), 6 000 L, 6 000 L (2 Chambers), 6 000L (3 Chambers) and 7 500 L (Multi-Chambers) volume capacities and come in various colours. The wall thickness ranges from 6 mm to 12 mm, depending on the section of the tank, ensuring structural integrity during underground installation and preventing collapse when the tank is empty.</p> <p>The tank is fitted with a Ø110 mm inlet, Ø50 mm or Ø110 mm outlets to a French drain soak-away, and a Ø160 mm service manhole for inspection and desludging access. The design includes structural reinforcement that allows installation without the need to fill the tank with water prior to backfilling.</p>

[www.agrement.co.za](http://www.agrement.co.za)

The Agrément certificate contains detailed information on the system and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: Chief Executive Officer (CEO)  
Agrément South Africa, P O Box 1022, GARSFONTEIN, 0042

