

INDEPENDENT COMMUNICATIONS AUTHORITY OF SOUTH AFRICA**NOTICE 4044 OF 2026**

**PURSUANT TO SECTIONS 34 (2) AND (5) OF THE ELECTRONIC COMMUNICATIONS
ACT, 2005 (ACT NO. 36 OF 2005)**

**HEREBY ISSUES THE NATIONAL RADIO
FREQUENCY PLAN 2026**

The Independent Communications Authority of South Africa in terms of section 34 (2) and (5) of the [Electronic Communications Act, 2005 \(Act No. 36 of 2005\)](#) (as amended) hereby publishes the National Radio Frequency Plan 2026.

Mothibi G Ramusi

CHAIRPERSON

**NATIONAL RADIO FREQUENCY PLAN 2026
(NRFP-26)**

8.3 kHz - 3000 GHz

INDEPENDENT COMMUNICATIONS AUTHORITY OF SOUTH AFRICA

Table of Contents

1	TERMS, DEFINITIONS AND ACRONYMS	4
1.1	Terms and definitions	4
1.2	Acronyms.....	17
2	PREAMBLE.....	24
2.1	Legislative Framework	24
2.1.1	Treatment of MSS earth station applications near declared astronomy areas	25
2.2	ITU-R Radio Regions	25
2.3	Structure of the Table of Frequency Allocations.....	26
2.3.1	Column 1 - ITU Region 1 Allocations and footnotes.....	26
2.3.2	Column 2 - South African allocations and footnotes.....	27
2.3.3	Column 3 - Typical Applications	27
2.3.4	Column 4 - Notes and comments.....	27
2.3.5	ITU-R Region 1 and National Footnotes.....	27
2.3.6	List of frequency bands used for Maritime services.....	28
2.3.7	Frequency and wavelength bands.....	28
3	CONTACT DETAILS.....	30
4	TABLE OF FREQUENCY ALLOCATIONS	31
5	RADIO ASTRONOMY.....	293
6	NATIONAL FOOTNOTES TO THE TABLE OF FREQUENCY ALLOCATIONS	296
7	ITU RADIO REGULATIONS FOOTNOTES	303
8	LIST OF FREQUENCY BANDS USED FOR MARITIME SERVICES	384
9	REFERENCE INFORMATION SOURCES.....	387

1 TERMS, DEFINITIONS AND ACRONYMS

1.1 Terms and definitions

Term	Definition
<i>accepted interference</i> ¹ :	<i>Interference at a higher level than that defined as permissible interference and which has been agreed upon between two or more administrations without prejudice to other administrations.</i>
<i>active satellite</i> :	<i>A satellite carrying a station intended to transmit or retransmit radiocommunication signals.</i>
<i>active sensor</i> :	<i>A measuring instrument in the earth exploration-satellite service or in the space research service by means of which information is obtained by transmission and reception of radio waves.</i>
<i>adaptive system</i> :	<i>A radiocommunication system which varies its radio characteristics according to channel quality.</i>
<i>administration</i>	<i>Any governmental department or service responsible for discharging the obligations undertaken in the Constitution of the International Telecommunication Union, in the Convention of the International Telecommunication Union and in the Administrative Regulations (CS 1002).</i>
<i>aeronautical earth station</i> :	<i>An earth station in the fixed-satellite service, or, in some cases, in the aeronautical mobile-satellite service, located at a specified fixed point on land to provide a feeder link for the aeronautical mobile-satellite service.</i>
<i>aeronautical mobile (OR)** service</i> :	<i>An aeronautical mobile service intended for communications, including those relating to flight coordination, primarily outside national or international civil air routes.</i>
<i>aeronautical mobile (R)* service</i> :	<i>An aeronautical mobile service reserved for communications relating to safety and regularity of flight, primarily along national or international civil air routes.</i>
<i>aeronautical mobile service</i> :	<i>A mobile service between aeronautical stations and aircraft stations, or between aircraft stations, in which survival craft stations may participate; emergency position-indicating radiobeacon stations may also participate in this service on designated distress and emergency frequencies.</i>
<i>aeronautical mobile-satellite (OR)** service</i> :	<i>An aeronautical mobile-satellite service intended for communications, including those relating to flight coordination, primarily outside national and international civil air routes.</i>
<i>aeronautical mobile-satellite (R)* service</i> :	<i>An aeronautical mobile-satellite service reserved for communications relating to safety and regularity of flights, primarily along national or international civil air routes.</i>
<i>aeronautical mobile-satellite service</i> :	<i>A mobile-satellite service in which mobile earth stations are located on board aircraft; survival craft stations and emergency position-indicating radiobeacon stations may also participate in this service.</i>
<i>aeronautical radionavigation service</i> :	<i>A radionavigation service intended for the benefit and for the safe operation of aircraft.</i>
<i>aeronautical radionavigation-satellite service</i> :	<i>A radionavigation-satellite service in which earth stations are located on board aircraft.</i>

¹ The terms “permissible interference” and “accepted interference” are used in the coordination of frequency assignments between administrations

*(R): route.

** (OR): off-route.

Term	Definition
<i>aeronautical station:</i>	A <i>land station</i> in the <i>aeronautical mobile service</i> . In certain instances, an aeronautical station may be located, for example, on board a ship or on a platform at sea.
<i>aircraft earth station:</i>	A <i>mobile earth station</i> in the <i>aeronautical mobile-satellite service</i> located on board an aircraft.
<i>aircraft station:</i>	A <i>mobile station</i> in the <i>aeronautical mobile service</i> , other than a <i>survival craft station</i> , located on board an aircraft.
<i>allocation (of a frequency band):</i>	Entry in the Table of Frequency Allocations of a given frequency band for the purpose of its use by one or more terrestrial or space <i>radiocommunication services</i> or the <i>radio astronomy service</i> under specified conditions. This term shall also be applied to the frequency band concerned.
<i>allotment (of a radio frequency or radio frequency channel):</i>	Entry of a designated frequency channel in an agreed plan, adopted by a competent conference, for use by one or more <i>administrations</i> for a terrestrial or space <i>radiocommunication service</i> in one or more identified countries or geographical areas and under specified conditions.
<i>altitude of the apogee or of the perigee:</i>	The altitude of the apogee or perigee above a specified reference surface serving to represent the surface of the Earth.
<i>amateur service:</i>	A <i>radiocommunication service</i> for the purpose of self-training, intercommunication and technical investigations carried out by amateurs, that is, by duly authorized persons interested in radio technique solely with a personal aim and without pecuniary interest.
<i>amateur station:</i>	A <i>station</i> in the <i>amateur service</i> .
<i>amateur-satellite service:</i>	A <i>radiocommunication service</i> using <i>space stations</i> on earth <i>satellites</i> for the same purposes as those of the <i>amateur service</i> .
<i>assigned frequency band:</i>	The frequency band within which the <i>emission</i> of a <i>station</i> is authorized; the width of the band equals the <i>necessary bandwidth</i> plus twice the absolute value of the <i>frequency tolerance</i> . Where <i>space stations</i> are concerned, the assigned frequency band includes twice the maximum Doppler shift that may occur in relation to any point of the Earth's surface.
<i>assigned frequency:</i>	The centre of the frequency band assigned to a <i>station</i> .
<i>assignment (of a radio frequency or radio frequency channel):</i>	Authorization given by an <i>administration</i> for a radio <i>station</i> to use a radio frequency or radio frequency channel under specified conditions.
<i>base earth station:</i>	An <i>earth station</i> in the <i>fixed-satellite service</i> or, in some cases, in the <i>land mobile-satellite service</i> , located at a specified fixed point or within a specified area on land to provide a <i>feeder link</i> for the <i>land mobile-satellite service</i> .
<i>base station:</i>	A <i>land station</i> in the <i>land mobile service</i> .
<i>broadcasting service:</i>	A <i>radiocommunication service</i> in which the transmissions are intended for direct reception by the general public. This service may include sound transmissions, <i>television</i> transmissions, or other types of transmission (CS).
<i>broadcasting station:</i>	A <i>station</i> in the <i>broadcasting service</i> .
<i>broadcasting-satellite service:</i>	A <i>radiocommunication service</i> in which signals transmitted or retransmitted by <i>space stations</i> are intended for direct reception by the general public. In the broadcasting-satellite service, the term "direct reception" shall encompass both <i>individual reception</i> and <i>community reception</i> .
<i>carrier power (of a radio transmitter):</i>	The average power supplied to the antenna transmission line by a transmitter during one radio frequency cycle taken under the condition of no modulation.

Term	Definition
<i>characteristic frequency:</i>	A frequency which can be easily identified and measured in a given <i>emission</i> . A carrier frequency may, for example, be designated as the characteristic frequency.
<i>class of emission:</i>	The set of characteristics of an <i>emission</i> , designated by standard symbols, e.g. type of modulation of the main carrier, modulating signal, type of information to be transmitted, and also, if appropriate, any additional signal characteristics.
<i>coast earth station:</i>	An <i>earth station</i> in the <i>fixed-satellite service</i> or, in some cases, in the <i>maritime mobile-satellite service</i> , located at a specified fixed point on land to provide a <i>feeder link</i> for the <i>maritime mobile-satellite service</i> .
<i>coast station:</i>	A <i>land station</i> in the <i>maritime mobile service</i> .
<i>community reception</i> (in the broadcasting-satellite service):	The reception of <i>emissions</i> from a <i>space station</i> in the <i>broadcasting-satellite service</i> by receiving equipment, which in some cases may be complex and have antennas larger than those used for <i>individual reception</i> , and intended for use: – by a group of the general public at one location; or – through a distribution system covering a limited area.
<i>coordinated universal time (UTC):</i>	Time scale, based on the second (SI), as described in Resolution 655 (Rev.WRC-23).
<i>coordination area:</i>	When determining the need for coordination, the area surrounding an <i>earth station</i> sharing the same frequency band with <i>terrestrial stations</i> , or surrounding a transmitting <i>earth station</i> sharing the same bi-directionally allocated frequency band with receiving <i>earth stations</i> , beyond which the level of <i>permissible interference</i> will not be exceeded, and coordination is therefore not required. (WRC-2000)
<i>coordination contour:</i>	The line enclosing the <i>coordination area</i> .
<i>coordination distance:</i>	When determining the need for coordination, the distance on a given azimuth from an <i>earth station</i> sharing the same frequency band with <i>terrestrial stations</i> , or from a transmitting <i>earth station</i> sharing the same bi-directionally allocated frequency band with receiving <i>earth stations</i> , beyond which the level of <i>permissible interference</i> will not be exceeded and coordination is therefore not required. (WRC-2000)
<i>deep space:</i>	Space at distances from the Earth equal to, or greater than, 2×10^6 km.
<i>duplex operation:</i>	Operating method in which transmission is possible simultaneously in both directions of a <i>telecommunication channel</i> ² .
<i>earth exploration-satellite service:</i>	A <i>radiocommunication service</i> between <i>earth stations</i> and one or more <i>space stations</i> , which may include links between <i>space stations</i> , in which: – information relating to the characteristics of the Earth and its natural phenomena, including data relating to the state of the environment, is obtained from <i>active sensors</i> or <i>passive sensors</i> on Earth <i>satellites</i>; – similar information is collected from airborne or Earth-based platforms; – such information may be distributed to <i>earth stations</i> within the system concerned; – platform interrogation may be included. This service may also include <i>feeder links</i> necessary for its operation.

² In general, *duplex operation* require two frequencies in *radiocommunication*

Term	Definition
<i>earth station:</i>	A <i>station</i> located either on the Earth's surface or within the major portion of the Earth's atmosphere and intended for communication: – with one or more <i>space stations</i>; or – with one or more <i>stations</i> of the same kind by means of one or more <i>reflecting satellites</i> or other objects in space.
<i>effective antenna gain contour</i> (of a steerable satellite beam):	An envelope of antenna gain contours resulting from moving the boresight of a <i>steerable satellite beam</i> along the limits of the <i>effective boresight area</i> .
<i>effective boresight area</i> (of a steerable satellite beam):	An area on the surface of the Earth within which the boresight of a <i>steerable satellite beam</i> is intended to be pointed. There may be more than one unconnected effective boresight area to which a single <i>steerable satellite beam</i> is intended to be pointed.
<i>effective monopole radiated power</i> (e.m.r.p.) (in a given direction):	The product of the power supplied to the antenna and its <i>gain relative to a short vertical antenna</i> in a given direction.
<i>effective radiated power</i> (e.r.p.) (in a given direction):	The product of the power supplied to the antenna and its <i>gain relative to a half-wave dipole</i> in a given direction.
<i>emergency position-indicating radiobeacon station:</i>	A <i>station</i> in the <i>mobile service</i> the <i>emissions</i> of which are intended to facilitate search and rescue operations.
<i>emission:</i>	<i>Radiation</i> produced, or the production of <i>radiation</i> , by a radio transmitting <i>station</i> . For example, the energy radiated by the local oscillator of a radio receiver would not be an emission but a <i>radiation</i> .
<i>equivalent isotropically radiated power</i> (e.i.r.p.):	The product of the power supplied to the antenna and the antenna gain in a given direction relative to an isotropic antenna (<i>absolute or isotropic gain</i>).
<i>equivalent satellite link noise temperature:</i>	The noise temperature referred to the output of the receiving antenna of the <i>earth station</i> corresponding to the radio frequency noise power which produces the total observed noise at the output of the <i>satellite link</i> excluding noise due to <i>interference</i> coming from <i>satellite links</i> using other <i>satellites</i> and from terrestrial systems.
<i>experimental station:</i>	A <i>station</i> utilizing <i>radio waves</i> in experiments with a view to the development of science or technique. This definition does not include <i>amateur stations</i> .
<i>facsimile:</i>	A form of <i>telegraphy</i> for the transmission of fixed images, with or without half-tones, with a view to their reproduction in a permanent form.
<i>FAR147 Overberg (CP):</i>	Proclaimed flight area in Overberg, South Africa. Controlled by the South African Air Force.
<i>feeder link:</i>	A radio link from an <i>earth station</i> at a given location to a <i>space station</i> , or vice versa, conveying information for a <i>space radiocommunication service</i> other than for the <i>fixed-satellite service</i> . The given location may be at a specified fixed point, or at any fixed point within specified areas.
<i>fixed service:</i>	A <i>radiocommunication service</i> between specified fixed points.
<i>fixed station:</i>	A <i>station</i> in the <i>fixed service</i> .
<i>fixed-satellite service:</i>	A <i>radiocommunication service</i> between <i>earth stations</i> at given positions, when one or more <i>satellites</i> are used; the given position may be a specified fixed point or any fixed point within specified areas; in some cases this service includes satellite-to-satellite links, which may also be operated in the <i>inter-satellite service</i> ; the fixed-satellite service may also include <i>feeder links</i> for other <i>space radiocommunication services</i> .

Term	Definition
<i>frequency tolerance:</i>	The maximum permissible departure by the centre frequency of the frequency band occupied by an <i>emission</i> from the <i>assigned frequency</i> or, by the <i>characteristic frequency</i> of an <i>emission</i> from the <i>reference frequency</i> . The frequency tolerance is expressed in parts in 10^6 or in hertz.
<i>frequency-shift telegraphy:</i>	<i>Telegraphy</i> by frequency modulation in which the telegraph signal shifts the frequency of the carrier between predetermined values.
<i>full carrier single-sideband emission:</i>	A <i>single-sideband emission</i> without reduction of the carrier.
<i>gain of an antenna:</i>	The ratio, usually expressed in decibels, of the power required at the input of a loss-free reference antenna to the power supplied to the input of the given antenna to produce, in a given direction, the same field strength or the same power flux-density at the same distance. When not specified otherwise, the gain refers to the direction of maximum <i>radiation</i> . The gain may be considered for a specified polarization. Depending on the choice of the reference antenna a distinction is made between: a) absolute or isotropic gain (G_i), when the reference antenna is an isotropic antenna isolated in space; b) gain relative to a half-wave dipole (G_d), when the reference antenna is a half-wave dipole isolated in space whose equatorial plane contains the given direction; c) gain relative to a short vertical antenna (G_v), when the reference antenna is a linear conductor, much shorter than one quarter of the wavelength, normal to the surface of a perfectly conducting plane which contains the given direction.
<i>geostationary satellite:</i>	A <i>geosynchronous satellite</i> whose circular and direct <i>orbit</i> lies in the plane of the Earth's equator, and which thus remains fixed relative to the Earth; by extension, a <i>geosynchronous satellite</i> which remains approximately fixed relative to the Earth. (WRC-03)
<i>geostationary-satellite orbit:</i>	The <i>orbit</i> of a <i>geosynchronous satellite</i> whose circular and direct <i>orbit</i> lies in the plane of the Earth's equator.
<i>geosynchronous satellite:</i>	An earth <i>satellite</i> whose period of revolution is equal to the period of rotation of the Earth about its axis.
<i>harmful interference:</i>	<i>Interference</i> which endangers the functioning of a <i>radionavigation service</i> or of other <i>safety services</i> or seriously degrades, obstructs, or repeatedly interrupts a <i>radiocommunication service</i> operating in accordance with Radio Regulations (CS).
<i>high altitude platform station:</i>	A <i>station</i> located on an object at an altitude of 20 to 50 km and at a specified, nominal, fixed point relative to the Earth.
<i>inclination of an orbit (of an earth satellite):</i>	The angle determined by the plane containing the <i>orbit</i> and the plane of the Earth's equator measured in degrees between 0° and 180° and in counter-clockwise direction from the Earth's equatorial plane at the ascending node of the <i>orbit</i> . (WRC-2000)
<i>individual reception (in the broadcasting-satellite service):</i>	The reception of <i>emissions</i> from a <i>space station</i> in the <i>broadcasting-satellite service</i> by simple domestic installations and in particular those possessing small antennas.
<i>industrial, scientific and medical (ISM) applications (of radio frequency energy):</i>	Operation of equipment or appliances designed to generate and use locally radio frequency energy for industrial, scientific, medical, domestic or similar purposes, excluding applications in the field of <i>telecommunications</i> .

Term	Definition
<i>instrument landing system (ILS):</i>	A <i>radionavigation</i> system which provides aircraft with horizontal and vertical guidance just before and during landing and, at certain fixed points, indicates the distance to the reference point of landing.
<i>instrument landing system glide path:</i>	A system of vertical guidance embodied in the <i>instrument landing system</i> which indicates the vertical deviation of the aircraft from its optimum path of descent.
<i>instrument landing system localizer:</i>	A system of horizontal guidance embodied in the <i>instrument landing system</i> which indicates the horizontal deviation of the aircraft from its optimum path of descent along the axis of the runway.
<i>interference:</i>	The effect of unwanted energy due to one or a combination of <i>emissions</i> , <i>radiations</i> , or inductions upon reception in a <i>radiocommunication</i> system, manifested by any performance degradation, misinterpretation, or loss of information which could be extracted in the absence of such unwanted energy.
<i>inter-satellite service:</i>	A <i>radiocommunication service</i> providing links between artificial <i>satellites</i> .
<i>ionospheric scatter:</i>	The propagation of <i>radio waves</i> by scattering as a result of irregularities or discontinuities in the ionization of the ionosphere.
<i>land earth station:</i>	An <i>earth station</i> in the <i>fixed-satellite service</i> or, in some cases, in the <i>mobile-satellite service</i> , located at a specified fixed point or within a specified area on land to provide a <i>feeder link</i> for the <i>mobile-satellite service</i> .
<i>land mobile earth station:</i>	A <i>mobile earth station</i> in the <i>land mobile-satellite service</i> capable of surface movement within the geographical limits of a country or continent.
<i>land mobile service:</i>	A <i>mobile service</i> between <i>base stations</i> and <i>land mobile stations</i> , or between <i>land mobile stations</i> .
<i>land mobile station:</i>	A <i>mobile station</i> in the <i>land mobile service</i> capable of surface movement within the geographical limits of a country or continent.
<i>land mobile-satellite service:</i>	A <i>mobile-satellite service</i> in which <i>mobile earth stations</i> are located on land.
<i>land station:</i>	A station in the <i>mobile service</i> not intended to be used while in motion.
<i>left-hand (anticlockwise) polarized wave:</i>	An elliptically- or circularly-polarized wave, in which the electric field vector, observed in any fixed plane, normal to the direction of propagation, whilst looking in the direction of propagation, rotates with time in a left-hand or anticlockwise direction.
<i>maritime mobile service:</i>	A <i>mobile service</i> between <i>coast stations</i> and <i>ship stations</i> , or between <i>ship stations</i> , or between associated <i>on-board communication stations</i> ; <i>survival craft stations</i> and <i>emergency position-indicating radiobeacon stations</i> may also participate in this service.
<i>maritime mobile-satellite service:</i>	A <i>mobile-satellite service</i> in which <i>mobile earth stations</i> are located on board ships; <i>survival craft stations</i> and <i>emergency position-indicating radiobeacon stations</i> may also participate in this service.
<i>maritime radionavigation service:</i>	A <i>radionavigation service</i> intended for the benefit and for the safe operation of ships.
<i>maritime radionavigation-satellite service:</i>	A <i>radionavigation-satellite service</i> in which <i>earth stations</i> are located on board ships.
<i>marker beacon:</i>	A transmitter in the <i>aeronautical radionavigation service</i> which radiates vertically a distinctive pattern for providing position information to aircraft.
<i>mean power (of a radio transmitter):</i>	The average power supplied to the antenna transmission line by a transmitter during an interval of time sufficiently long compared with the

Term	Definition
	lowest frequency encountered in the modulation taken under normal operating conditions.
<i>meteorological aids land station:</i>	A station in the <i>meteorological aids service</i> not intended to be used while in motion. (WRC-15)
<i>meteorological aids mobile station:</i>	A station in the <i>meteorological aids service</i> intended to be used while in motion or during halts at unspecified points. (WRC-15)
<i>meteorological aids service:</i>	A radiocommunication service used for meteorological, including hydrological, observations and exploration.
<i>meteorological-satellite service:</i>	An earth exploration-satellite service for meteorological purposes.
<i>mobile earth station:</i>	An earth station in the <i>mobile-satellite service</i> intended to be used while in motion or during halts at unspecified points.
<i>mobile service:</i>	A radiocommunication service between <i>mobile</i> and <i>land stations</i> , or between <i>mobile stations</i> (CV).
<i>mobile station:</i>	A station in the <i>mobile service</i> intended to be used while in motion or during halts at unspecified points.
<i>mobile-satellite service:</i>	A radiocommunication service: – between <i>mobile earth stations</i> and one or more <i>space stations</i>, or between <i>space stations</i> used by this service; or – between <i>mobile earth stations</i> by means of one or more <i>space stations</i>. This service may also include <i>feeder links</i> necessary for its operation.
<i>multi-satellite link:</i>	A radio link between a transmitting <i>earth station</i> and a receiving <i>earth station</i> through two or more <i>satellites</i>, without any intermediate <i>earth station</i>. A multi-satellite link comprises one up-link, one or more satellite-to-satellite links and one down-link.
<i>necessary bandwidth:</i>	For a given <i>class of emission</i> , the width of the frequency band which is just sufficient to ensure the transmission of information at the rate and with the quality required under specified conditions.
<i>occupied bandwidth:</i>	The width of a frequency band such that, below the lower and above the upper frequency limits, the <i>mean powers</i> emitted are each equal to a specified percentage $b/2$ of the total <i>mean power</i> of a given <i>emission</i> . Unless otherwise specified in an ITU-R Recommendation for the appropriate <i>class of emission</i> , the value of $b/2$ should be taken as 0.5%.
<i>on-board communication station:</i>	A low-powered <i>mobile station</i> in the <i>maritime mobile service</i> intended for use for internal communications on board a ship, or between a ship and its lifeboats and life-rafts during lifeboat drills or operations, or for communication within a group of vessels being towed or pushed, as well as for line handling and mooring instructions.
<i>orbit:</i>	The path, relative to a specified frame of reference, described by the centre of mass of a <i>satellite</i> or other object in space subjected primarily to natural forces, mainly the force of gravity.
<i>out-of-band domain (of an emission):</i>	The frequency range, immediately outside the <i>necessary bandwidth</i> but excluding the <i>spurious domain</i> , in which <i>out-of-band emissions</i> generally predominate. <i>Out-of-band emissions</i> , defined based on their source, occur in the out-of-band domain and, to a lesser extent, in the <i>spurious domain</i> . <i>Spurious emissions</i> likewise may occur in the out-of-band domain as well as in the <i>spurious domain</i> . (WRC-03)
<i>out-of-band emission:</i>	<i>Emission</i> on a frequency or frequencies immediately outside the <i>necessary bandwidth</i> which results from the modulation process, but excluding <i>spurious emissions</i> .

Term	Definition
<i>passive sensor:</i>	A measuring instrument in the <i>earth exploration-satellite service</i> or in the <i>space research service</i> by means of which information is obtained by reception of <i>radio waves</i> of natural origin.
<i>peak envelope power</i> (of a radio transmitter):	The average power supplied to the antenna transmission line by a transmitter during one radio frequency cycle at the crest of the modulation envelope taken under normal operating conditions.
<i>period</i> (of a satellite):	The time elapsing between two consecutive passages of a <i>satellite</i> through a characteristic point on its <i>orbit</i> .
<i>permissible interference</i> ³ :	Observed or predicted <i>interference</i> which complies with quantitative <i>interference</i> and sharing criteria contained in these Regulations or in ITU-R Recommendations or in special agreements as provided for in these Regulations.
<i>Programme Making and Special Events:</i>	<i>Programme making</i> : The creation of content for broadcast, the production of films, presentations, advertisements, audio or video recordings; and the staging or performance of an entertainment, sporting, social or other public/private event. <i>Special events</i> : Occurrences of limited duration, typically from one day to several weeks or longer, which take place in specifically defined locations. Also known as Services Ancillary to Broadcasting (SAB)/ Services Ancillary to Programme making (SAP).
<i>port operations service:</i>	A <i>maritime mobile service</i> in or near a port, between <i>coast stations</i> and <i>ship stations</i> , or between <i>ship stations</i> , in which messages are restricted to those relating to the operational handling, the movement and the safety of ships and, in emergency, to the safety of persons. Messages which are of a <i>public correspondence</i> nature shall be excluded from this service.
<i>port station:</i>	A <i>coast station</i> in the <i>port operations service</i> .
<i>power:</i>	Whenever the power of a radio transmitter, etc. is referred to it shall be expressed in one of the following forms, according to the class of <i>emission</i> , using the arbitrary symbols indicated: – <i>peak envelope power</i> (PX or pX); – <i>mean power</i> (PY or pY); – <i>carrier power</i> (PZ or pZ). For different <i>classes of emission</i> , the relationships between <i>peak envelope power</i> , <i>mean power</i> and <i>carrier power</i> , under the conditions of normal operation and of no modulation, are contained in ITU-R Recommendations which may be used as a guide. For use in formulae, the symbol <i>p</i> denotes power expressed in watts and the symbol <i>P</i> denotes power expressed in decibels relative to a reference level.
<i>primary radar:</i>	A <i>radiodetermination</i> system based on the comparison of reference signals with radio signals reflected from the position to be determined.
<i>protection ratio</i> (R.F.):	The minimum value of the wanted-to-unwanted signal ratio, usually expressed in decibels, at the receiver input, determined under specified conditions such that a specified reception quality of the wanted signal is achieved at the receiver output.
<i>public correspondence:</i>	Any <i>telecommunication</i> which the offices and <i>stations</i> must, by reason of their being at the disposal of the public, except for transmission (CS).

³ The terms “permissible interference” and “accepted interference” are used in the coordination of frequency assignments between administrations.

Term	Definition
<i>radar beacon (racon):</i>	A transmitter-receiver associated with a fixed navigational mark which, when triggered by a <i>radar</i> , automatically returns a distinctive signal which can appear on the display of the triggering <i>radar</i> , providing range, bearing and identification information.
<i>radar:</i>	A <i>radiodetermination</i> system based on the comparison of reference signals with radio signals reflected, or retransmitted, from the position to be determined.
<i>radiation:</i>	The outward flow of energy from any source in the form of <i>radio waves</i> .
<i>radio altimeter:</i>	<i>Radionavigation</i> equipment, on board an aircraft or <i>spacecraft</i> , used to determine the height of the aircraft or the <i>spacecraft</i> above the Earth's surface or another surface.
<i>radio astronomy service:</i>	A service involving the use of <i>radio astronomy</i> .
<i>radio astronomy station:</i>	A <i>station</i> in the <i>radio astronomy service</i> .
<i>radio astronomy:</i>	Astronomy based on the reception of <i>radio waves</i> of cosmic origin.
<i>radio direction-finding station:</i>	A <i>radiodetermination station</i> using <i>radio direction-finding</i> .
<i>radio direction-finding:</i>	<i>Radiodetermination</i> using the reception of <i>radio waves</i> for the purpose of determining the direction of a <i>station</i> or object.
<i>radio waves or hertzian waves:</i>	Electromagnetic waves of frequencies arbitrarily lower than 3 000 GHz, propagated in space without artificial guide.
<i>radio:</i>	A general term applied to the use of <i>radio waves</i> .
<i>radiobeacon station:</i>	A <i>station</i> in the <i>radionavigation service</i> the <i>emissions</i> of which are intended to enable a <i>mobile station</i> to determine its bearing or direction in relation to the radiobeacon station.
<i>radiocommunication service:</i>	A service as defined in this Section involving the transmission, <i>emission</i> and/or reception of <i>radio waves</i> for specific <i>telecommunication</i> purposes. In these Regulations, unless otherwise stated, any radiocommunication service relates to <i>terrestrial radiocommunication</i> .
<i>radiocommunication:</i>	<i>Telecommunication</i> by means of <i>radio waves</i> (CS) (CV).
<i>radiodetermination service:</i>	A <i>radiocommunication service</i> for the purpose of <i>radiodetermination</i> .
<i>radiodetermination station:</i>	A <i>station</i> in the <i>radiodetermination service</i> .
<i>radiodetermination:</i>	The determination of the position, velocity and/or other characteristics of an object, or the obtaining of information relating to these parameters, by means of the propagation properties of <i>radio waves</i> .
<i>radiodetermination-satellite service:</i>	A <i>radiocommunication service</i> for the purpose of <i>radiodetermination</i> involving the use of one or more <i>space stations</i> . This service may also include <i>feeder links</i> necessary for its own operation.
<i>radiolocation land station:</i>	A <i>station</i> in the <i>radiolocation service</i> not intended to be used while in motion.
<i>radiolocation mobile station:</i>	A <i>station</i> in the <i>radiolocation service</i> intended to be used while in motion or during halts at unspecified points.
<i>radiolocation service:</i>	A <i>radiodetermination service</i> for the purpose of <i>radiolocation</i> .
<i>radiolocation:</i>	<i>Radiodetermination</i> used for purposes other than those of <i>radionavigation</i> .
<i>radiolocation-satellite service:</i>	A <i>radiodetermination-satellite service</i> used for the purpose of <i>radiolocation</i> . This service may also include the <i>feeder links</i> necessary for its operation.

Term	Definition
<i>radionavigation land station:</i>	A station in the <i>radionavigation service</i> not intended to be used while in motion.
<i>radionavigation mobile station:</i>	A station in the <i>radionavigation service</i> intended to be used while in motion or during halts at unspecified points.
<i>radionavigation service:</i>	A <i>radiodetermination service</i> for the purpose of <i>radionavigation</i> .
<i>radionavigation:</i>	<i>Radiodetermination</i> used for the purposes of navigation, including obstruction warning.
<i>radionavigation-satellite service:</i>	A <i>radiodetermination-satellite service</i> used for the purpose of <i>radionavigation</i> . This service may also include <i>feeder links</i> necessary for its operation.
<i>radiosonde:</i>	An automatic radio transmitter in the <i>meteorological aids service</i> usually carried on an aircraft, free balloon, kite or parachute, and which transmits meteorological data.
<i>radiotelegram:</i>	A <i>telegram</i> , originating in or intended for a <i>mobile station</i> or a <i>mobile earth station</i> transmitted on all or part of its route over the <i>radiocommunication channels</i> of the <i>mobile service</i> or of the <i>mobile-satellite service</i> .
<i>radiotelemetry:</i>	<i>Telemetry</i> by means of <i>radio waves</i> .
<i>radiotelephone call:</i>	A telephone call, originating in or intended for a <i>mobile station</i> or a <i>mobile earth station</i> , transmitted on all or part of its route over the <i>radiocommunication channels</i> of the <i>mobile service</i> or of the <i>mobile-satellite service</i> .
<i>radiotelex call:</i>	A telex call, originating in or intended for a <i>mobile station</i> or a <i>mobile earth station</i> , transmitted on all or part of its route over the <i>radiocommunication channels</i> of the <i>mobile service</i> or the <i>mobile-satellite service</i> .
<i>reduced carrier single-sideband emission:</i>	A <i>single-sideband emission</i> in which the degree of carrier suppression enables the carrier to be reconstituted and to be used for demodulation.
<i>reference frequency:</i>	A frequency having a fixed and specified position with respect to the <i>assigned frequency</i> . The displacement of this frequency with respect to the <i>assigned frequency</i> has the same absolute value and sign that the displacement of the <i>characteristic frequency</i> has with respect to the centre of the frequency band occupied by the <i>emission</i> .
<i>reflecting satellite:</i>	A <i>satellite</i> intended to reflect <i>radiocommunication signals</i> .
<i>right-hand (clockwise) polarized wave:</i>	An elliptically- or circularly-polarized wave, in which the electric field vector, observed in any fixed plane, normal to the direction of propagation, whilst looking in the direction of propagation, rotates with time in a right-hand or clockwise direction.
<i>safety service:</i>	Any <i>radiocommunication service</i> used permanently or temporarily for the safeguarding of human life and property.
<i>satellite emergency position-indicating radiobeacon:</i>	An <i>earth station</i> in the <i>mobile-satellite service</i> the <i>emissions</i> of which are intended to facilitate search and rescue operations.
<i>satellite link:</i>	A radio link between a transmitting <i>earth station</i> and a receiving <i>earth station</i> through one <i>satellite</i> . A satellite link comprises one up-link and one down-link.
<i>satellite network:</i>	A <i>satellite system</i> or a part of a <i>satellite system</i> , consisting of only one <i>satellite</i> and the cooperating <i>earth stations</i> .
<i>satellite system:</i>	A <i>space system</i> using one or more artificial <i>earth satellites</i> .
<i>satellite:</i>	A body which revolves around another body of preponderant mass, and which has a motion primarily and permanently determined by the force of attraction of that other body.

Term	Definition
<i>secondary radar:</i>	A <i>radiodetermination</i> system based on the comparison of reference signals with radio signals retransmitted from the position to be determined.
<i>semi-duplex operation:</i>	A method which is <i>simplex operation</i> at one end of the circuit and <i>duplex operation</i> at the other ⁴ .
<i>ship earth station:</i>	A <i>mobile earth station</i> in the <i>maritime mobile-satellite service</i> located on board ship.
<i>ship movement service:</i>	A <i>safety service</i> in the <i>maritime mobile service</i> other than a <i>port operations service</i> , between <i>coast stations</i> and <i>ship stations</i> , or between <i>ship stations</i> , in which messages are restricted to those relating to the movement of ships. Messages which are of a <i>public correspondence</i> nature shall be excluded from this service.
<i>ship station:</i>	A <i>mobile station</i> in the <i>maritime mobile service</i> located on board a vessel which is not permanently moored, other than a <i>survival craft station</i> .
<i>ship's emergency transmitter:</i>	A ship's transmitter to be used exclusively on a distress frequency for distress, urgency, or safety purposes.
<i>simplex operation:</i>	Operating method in which transmission is made possible alternately in each direction of a <i>telecommunication</i> channel, for example, by means of manual control. ⁵
<i>single-sideband emission:</i>	An amplitude modulated <i>emission</i> with one sideband only.
<i>space operation service:</i>	A <i>radiocommunication service</i> concerned exclusively with the operation of <i>spacecraft</i> , in particular <i>space tracking</i> , <i>space telemetry</i> and <i>space telecommand</i> . These functions will normally be provided within the service in which the <i>space station</i> is operating.
<i>space radiocommunication:</i>	Any <i>radiocommunication</i> involving the use of one or more <i>space stations</i> or the use of one or more <i>reflecting satellites</i> or other objects in space.
<i>space research service:</i>	A <i>radiocommunication service</i> in which <i>spacecraft</i> or other objects in space are used for scientific or technological research purposes.
<i>space station:</i>	A <i>station</i> located on an object which is beyond, is intended to go beyond, or has been beyond, the major portion of the Earth's atmosphere.
<i>space system:</i>	Any group of cooperating <i>earth stations</i> and/or <i>space stations</i> employing <i>space radiocommunication</i> for specific purposes.
<i>space telecommand:</i>	The use of <i>radiocommunication</i> for the transmission of signals to a <i>space station</i> to initiate, modify or terminate functions of equipment on an associated space object, including the <i>space station</i> .
<i>space telemetry:</i>	The use of <i>telemetry</i> for the transmission from a <i>space station</i> of results of measurements made in a <i>spacecraft</i> , including those relating to the functioning of the <i>spacecraft</i> .
<i>space tracking:</i>	Determination of the <i>orbit</i> , velocity, or instantaneous position of an object in space by means of <i>radiodetermination</i> , excluding <i>primary radar</i> , for the purpose of following the movement of the object.
<i>spacecraft:</i>	A man-made vehicle which is intended to go beyond the major portion of the Earth's atmosphere.
<i>special service:</i>	A <i>radiocommunication service</i> , not otherwise defined in this Section, carried on exclusively for specific needs of general utility, and not open to <i>public correspondence</i> .

⁴ In general, *semi-duplex operation* require two frequencies in *radiocommunication*;

⁵ In general, *simplex operation* may use either one or two frequencies in *radiocommunication*;

Term	Definition
<i>spurious domain</i> (of an emission):	The frequency range beyond the <i>out-of-band domain</i> in which <i>spurious emissions</i> generally predominate. (WRC-03)
<i>spurious emission</i> :	<i>Emission</i> on a frequency or frequencies which are outside the <i>necessary bandwidth</i> and the level of which may be reduced without affecting the corresponding transmission of information. Spurious emissions include harmonic <i>emissions</i> , parasitic <i>emissions</i> , intermodulation products, and frequency conversion products, but exclude <i>out-of-band emissions</i> .
<i>standard frequency and time signal service</i> :	A <i>radiocommunication service</i> for scientific, technical, and other purposes, providing the transmission of specified frequencies, time signals, or both, of stated high precision, intended for general reception.
<i>standard frequency and time signal station</i> :	A <i>station</i> in the <i>standard frequency and time signal service</i> .
<i>station</i> :	One or more transmitters or receivers or a combination of transmitters and receivers, including the accessory equipment, necessary at one location for carrying on a <i>radiocommunication service</i> , or the <i>radio astronomy service</i> . Each station shall be classified by the service in which it operates permanently or temporarily.
<i>steerable satellite beam</i> :	A <i>satellite</i> antenna beam that can be re-pointed.
<i>suppressed carrier single-sideband emission</i> :	A <i>single-sideband emission</i> in which the carrier is virtually suppressed and not intended to be used for demodulation.
<i>survival craft station</i> :	A <i>mobile station</i> in the <i>maritime mobile service</i> or the <i>aeronautical mobile service</i> intended solely for survival purposes and located on any lifeboat, life-raft or other survival equipment.
<i>telecommand</i> :	The use of <i>telecommunication</i> for the transmission of signals to initiate, modify or terminate functions of equipment at a distance.
<i>telecommunication</i> :	Any transmission, emission or reception of signs, signals, writings, images and sounds or intelligence of any nature by wire, radio, optical or other electromagnetic systems (CS).
<i>telegram</i> :	Written matter intended to be transmitted by <i>telegraphy</i> for delivery to the addressee. This term also includes <i>radiotelegrams</i> unless otherwise specified (CS). In this definition the term <i>telegraphy</i> has the same general meaning as defined in the Convention.
<i>telegraphy</i> ⁶	A form of <i>telecommunication</i> in which the transmitted information is intended to be recorded on arrival as a graphic document; the transmitted information may sometimes be presented in an alternative form or may be stored for subsequent use (CS 1016).
<i>telemetry</i> :	The use of <i>telecommunication</i> for automatically indicating or recording measurements at a distance from the measuring instrument.
<i>telephony</i> :	A form of <i>telecommunication</i> primarily intended for the exchange of information in the form of speech (CS 1017).
<i>television</i> :	A form of <i>telecommunication</i> for the transmission of transient images of fixed or moving objects.
<i>terrestrial radiocommunication</i> :	Any <i>radiocommunication</i> other than <i>space radiocommunication</i> or <i>radio astronomy</i> .
<i>terrestrial station</i> :	A <i>station</i> effecting <i>terrestrial radiocommunication</i> . In these Regulations, unless otherwise stated, any <i>station</i> is a terrestrial station.

⁶ A graphic document records information in a permanent form and is capable of being filed and consulted; it may take the form of written or printed matter or of a fixed image.

<i>Term</i>	<i>Definition</i>
<i>tropospheric scatter:</i>	The propagation of <i>radio waves</i> by scattering as a result of irregularities or discontinuities in the physical properties of the troposphere.
<i>unwanted emissions:</i>	Consist of <i>spurious emissions</i> and <i>out-of-band emissions</i> .

1.2 Acronyms

AAA	Astronomy Advantage Area
ACS	Automatic Connection System
AES	Aeronautical Earth Station
AGAA	Astronomy Geographic Advantage Act, 2007 (Act No. 21 of 2007)
AIS	Automatic Identification System
A-ESIM	Aeronautical Earth Station in Motion
AMESIM	Aeronautical and Maritime Earth Station in Motion
APP30A	Appendix 30A to the ITU Radio Regulations (BSS feeder-link plan/list provisions).
ASDE	Airports Surface Detection Equipment
ATC/CGC	Auxiliary Terrestrial Component /Complimentary Ground Component
BFWA	Broadband Fixed Wireless Access
BSS	Broadcast Satellite Service
BR	ITU Radiocommunication Bureau
BTX	Base Transmit
C-band	Frequency range between about 4 and 8 GHz
CEPT	European Conference of Postal and Telecommunications Administrations
CNPC	Control and Non-Payload Communication
CP	(Base) Command Post
CT2	Second generation cordless telephones operating to specification MPT1334.
DAB	Digital Audio Broadcasting
DAB+	Digital Audio Broadcasting Plus
dBW	Decibels relative to one Watt of power.

DECT	Digital European Cordless Telecommunication system. ERC Decision ERC/DEC/ (94)03 refers.
DF	Duplex Frequency
DRM ⁷	Digital Radio Mondiale
DSB	Digital Sound Broadcasting
DSC	Digital Selective Calling
DSSS	Direct Sequence Spread Spectrum
DTH	Direct-to-Home (satellite reception context)
DTT	Digital Terrestrial Television
FRMCS	Future Railway Mobile Communication System
ECA	Electronic Communications Act, 2005 (No 36. of 2005) (also, the “Act”).
ECC	Electronic Communications Committee
EESS	Earth Exploration-Satellite Service
ENG	Electronic News Gathering
EN	European Norm / European Standard (as used in “ETSI EN ...”)
ENG/OB	Electronic News Gathering / Outside Broadcasting
ENR	En Route
EPIRB	Emergency Position Indicating Radio Beacon
ERC	European Radiocommunications Committee
ESIM	Earth stations in motion
ESV	Earth Station (on board) Vessel(s)
ETSI	European Telecommunications Standards Institute
FDDB	Field Disturbance and Doppler Apparatus

⁷ Historically, the terms ‘DRM30’ and ‘DRM+’ were used to differentiate the technical parameter sets for DRM transmissions below and above 30 MHz, respectively. These terms are no longer used, as DRM is a single international standard applicable across multiple frequency bands.

FM	Frequency Modulation
FSS	Fixed Satellite Service
FWA	Fixed Wireless Access
GE06 ⁸	The Geneva 2006 Agreement
GE75	Geneva 1975 (GE75) Plan for LF/MF broadcasting (Regions 1 & 3 for MF; Region 1 for LF).
GE84	Geneva 1984 (GE84) Agreement relating to use of 87.5–108 MHz for FM sound broadcasting (Region 1 and part of Region 3)
GE89 ⁹	The Geneva 1989 Agreement
GG	Government Gazette
GLONASS	Global Navigation Satellite System
GMDSS	Global Maritime Distress and Safety System.
GPS	Global Positioning System - a satellite radio navigation system.
GSM	Global System for Mobile Communications. Originally Groupe Spécial Mobile. See ERC Decision ERC/DEC/ (94)01.
GSM-R	GSM Railways
GSO	Geostationary Satellite Orbit
HAP/HAPS	High Altitude Platform Station
HDFS	High Density Fixed Service
HDFSS	High Density Fixed Satellite Service
HERA	Hydrogen Epoch of Reionization Array
HF	High Frequency (3 to 30 MHz)

⁸ [GE06](#) is an international treaty adopted in 2006 by the International Telecommunication Union (ITU) that governs the planning of digital terrestrial broadcasting services. It established a comprehensive frequency plan for digital radio (T-DAB) and television (DVB-T) in the VHF (174–230 MHz) and UHF (470–862 MHz) bands.

⁹ [GE89](#) is the Regional Agreement relating to the planning of VHF/UHF television broadcasting in the African Broadcasting Area and neighbouring countries (Geneva, 1989).

HIBS	High-altitude platform station as IMT Base Station
ICAO	International Civil Aviation Organisation
ILS	Instrument Landing System-aeronautical radio navigation system.
IMO	International Maritime Organisation
IMT	International Mobile Telecommunications
ISM	Industrial, Scientific and Medical equipment. The use of radio for non-communication purposes such as microwave heating etc.
ISS	Inter-Satellite service
ITS	Intelligent Transportation Systems
ITU	International Telecommunication Union.
Ku-band	Part of the frequency band between about 12 and 18 GHz
LEO	Low Earth Orbit satellite
L-ESIM	Land Earth Station in Motion
LMDS	Local Multipoint Distribution Services
LMS	Land Mobile Service
LPVS	Low Power Video Surveillance
LTE	Long Term Evolution
M-ESIM	Maritime Earth Station in Motion
MF	Medium Frequency (300 to 3000 kHz)
MGWS	Multiple GIGABIT wireless systems
MIFR	Master International Frequency Register
MMS	Maritime Mobile Service
MSI	Maritime Safety Information
MSS	Mobile Satellite Service

MTX	Mobile Transmit
MWS	Multimedia Wireless Systems
NAV DAT	Digital broadcasting of safety/security related information from shore to ships in the maritime mobile service
NAVTEX	System for broadcast and automatic reception of maritime safety information using narrow-band direct-printing telegraphy
NBDP	Narrow-band direct-printing telegraphy
NF	National Footnote (South African footnote identifier format “NFxx”)
NGSO	Non-geostationary Satellite Orbit
NINP	Non-interference and non-protection
OB	Outside Broadcast.
PAMR	Public Access Mobile Radio.
RAS	Radio Astronomy Service
PMR	Private Mobile Radio.
PMSE	Programme Making and Special Events
PPDR	Public Protection and Disaster Relief
PSTN	Public Switched Telephone Network
PTP	Point-to-point
PTMP	Point-to-multipoint
Rec.	Recommendation
Res.	Resolution
RFID	Radio Frequency Identification systems
RFSAP	Radio Frequency Spectrum Assignment Plan
RFSR	Radio Frequency Spectrum Regulations
RLAN	Radio Local Area Network

RNSS	Radio Navigation Satellite Service
RR	Radio Regulation of the International Telecommunication Union (edition 2024)
RMR	Railway Mobile Radio
RTT	Road Transport Telematics
RTTT	Road Transport and Traffic Telematics
RX	Receiver/receive
SAB	Services Ancillary to Broadcasting
SABRE	South African Band Replanning Exercise
SADC	Southern African Development Community
SAP	Services Ancillary to Programme-making
SDL	Supplemental Downlink (uses unpaired spectrum to increase downlink capacity; used in IMT context)
SHF	Super High Frequency (3 to 30 GHz)
SKA	Square Kilometre Array
SNG	Satellite News Gathering
SRD	Short Range Devices, sometimes also referred to as Low Power Devices (LPDs).
SRR	Short Range Radars
SRS	Space research service (RR No. 1.55)
T-DAB	Terrestrial Digital Audio Broadcasting.
TDD	Time Division Duplex
TTT	Transport and Traffic Telematics
TX	Transmit / Transmitter
UHF	Ultra-High Frequency (300 to 3000 MHz)

UAS	Unmanned Aircraft Systems
UAV	Unmanned Aerial Vehicle
VHF	Very High Frequency (30 to 300 MHz)
VLf	Very Low Frequency (3 to 30 kHz)
VOR	Very high frequency Omnidirectional Range (aeronautical radionavigation system).
VSAT	Very Small Aperture Terminal
WAS	Wireless Access Services
WARC	World Administrative Radio Conference. The last WARC was held in 1992. WARCs are now superseded by WRCs.
WLAN	Wireless Local Area Network
WMAS	Wireless Multichannel Audio Systems
WRC	World Radiocommunication Conference.

2 PREAMBLE

2.1 Legislative Framework

The Authority in terms of section 30 (1) of the Electronic Communications Act, 2005 ([Act No. 36 of 2005](#)) (the “ECA” or “Act”) is empowered to control, plan, administer and manage the use and licensing of the radio frequency spectrum.

In accordance with section 34 (2) and (5) of the ECA the Authority has developed the National Radio Frequency Plan 2026 (NRFP-26) to ensure efficient spectrum management. The Minister approved this Plan on 2 July 2026, as recorded in the Minister’s letter to the Authority dated 2 July 2026.

Public Consultation Process

Pursuant to Section 34(8) of the Act, the Authority conducted a two-phase consultation:

- *First Phase:* The Draft National Radio Frequency Plan 2026 was published on 4 April 2025 ([Government Gazette No. 52449, General Notice 3109 of 2025](#)). Following stakeholder requests, the submission deadline was extended from 30 May 2025 to 13 June 2025.
- *Second Phase:* The Second Draft NRFP-26 was published for public comment on 10 November 2025 ([GG 53637, Notice 3585](#)), with submissions closing on 11 December 2025. Public hearings were subsequently held on 15–16 January 2026. The Authority has considered all submissions received in finalising this Plan, and Column 4, *Notes and Comments*, of Section 4, *Table of Frequency Allocations*, of this document summarises the Authority’s decisions in the implementation of the Section 30, 31, and 32 provisions of the [ECA](#).

International Agreement and Constitutional Alignment

In line with section 231 (2) of the [Constitution of the Republic of South Africa](#), 1996 this Plan harmonises national allocations with international obligations. The NRFP-26 incorporates the decisions taken by the 2023 World Radiocommunication Conference ([WRC-23](#)) including supporting Circular Letters from the ITU Radiocommunication Bureau (BR). The revision reflects the [2024 Edition of the ITU Radio Regulations](#), including the frequency allocations relevant to Region 1 and its associated footnotes. It also includes updates on the Table of Frequency Allocations extending up to 3000 GHz in addition to associated international and South African National Footnotes.

The NRFP-26 allocates the Radio Frequency Spectrum to Radiocommunication Services in the Frequency Bands between 8.3 kHz and 3000 GHz. All frequency assignments must be in accordance with the national radio frequency plan. It includes updated [International](#) and [South African National](#) Footnotes, as well as relevant ITU Resolutions and Recommendations from the [2024 Edition of the ITU Radio Regulations](#).

Repeal, Savings and Transitional Provisions

The [National Radio Frequency Plan 2021](#), published in Government Gazette No. 44337 (Notice 163 of 2021), is hereby repealed from the date of publication of NRFP-26. Notwithstanding the repeal, any radio frequency spectrum assignment or licence issued under the repealed Plan (or any previous Plan) remains valid and in force until its expiry date or until it is amended or revoked by the Authority.

In the event of any conflict between the provisions of the NRFP-26 and any previous Plan, the provisions of this Plan shall prevail.

Any application for a radio frequency spectrum licence submitted to the Authority before the publication of this Plan, and not yet finalised, shall be processed and determined with the provisions of this Plan.

2.1.1 Treatment of MSS earth station applications near declared astronomy areas


Where an MSS earth station application or modification in the band 1610.00–1621.35 MHz concerns a site located within a declared astronomy advantage area or within a defined proximity threshold of such an area, the Authority shall follow a transparent, evidence-based process when assessing any potential impact on protected radio astronomy facilities. The Authority shall ensure that applicants are afforded a clear opportunity to provide technical information, mitigation proposals and siting justifications before any licensing decision is made.

The following updates and amendments amongst others have been implemented in NRFP-26:

- National footnotes have been revised.
- The resolutions and decisions taken by World Radiocommunication Conferences preceding WRC-23.
- The resolutions and decisions taken by the WRC-23, as ratified by South Africa (Republic of), have been reflected.
- Incorporated references to the SADC Frequency Allocation Plan (FAP) and SADC Harmonised Guidelines
- Incorporated the published RFSAPs where applicable.
- Circular Letters from the BR.

2.2 ITU-R Radio Regions

For the purposes of allocating frequencies, the ITU has divided the world into three Regions as shown on the following map:



Region 1: Region 1 includes the area limited on the east by line A (lines A, B and C are defined below) and on the west by line B, excluding any of the territory of the Islamic Republic of Iran which lies between these limits. It also includes the whole of the territory of Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Turkey and Ukraine and the area to the north of Russian Federation which lies between lines A and C.

Region 2: Region 2 includes the area limited on the east by line B and on the west by line C.

Region 3: Region 3 includes the area limited on the east by line C and on the west by line A, except any of the territory of Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Turkey and Ukraine and the area to the north of Russian Federation. It also includes that part of the territory of the Islamic Republic of Iran lying outside of those limits.

The Republic of South Africa falls under ITU Region 1 and thus aligns its frequency allocations with those specified for ITU Region 1 in the ITU Radio Regulations as required by the Act.

2.3 Structure of the Table of Frequency Allocations

The [Table of Frequency Allocations \(Section 4\)](#) lists all the allocations in the radio-frequency spectrum in the Republic of South Africa. The structure of the Table, which is outlined below, is similar to that of the International Table of Frequency Allocations as it appears in Article 5 of the ITU Radio Regulations.

The Table of Frequency Allocations covers the frequency range 8.3 kilohertz (kHz) to 3 000 Gigahertz (GHz). The table of frequency allocations list for each frequency range the radiocommunication services that are permitted, and which ones are currently in use in South Africa. Information is also given on possible future uses or changes in use of particular frequency bands.

2.3.1 Column 1 - ITU Region 1 Allocations and footnotes

This column shows the type of radiocommunications service allocated to the frequency band by ITU. These allocations are defined in the [ITU Radio Regulations](#). Entries in UPPER CASE denote primary services while entries in lower case denote secondary services as defined in the ITU Radio Regulations. Footnotes (e.g., [5.149](#)) are the footnotes to the Table of Frequency Allocations as detailed in Article 5 of the Radio Regulations.

Values in this column denote the radio-frequency band. The magnitude of frequency units used in the column header are: kHz indicates kilohertz, MHz indicates Megahertz and GHz indicates Gigahertz.

Secondary services are on a non-interference and non-protection basis (NINP) to the primary services¹⁰. Spectrum assigned on a secondary basis means that the secondary station:

- (i) cannot cause harmful interference to stations of primary services to which frequencies are already assigned or to which frequencies may be assigned at a later date;
- (ii) cannot claim protection from harmful interference from stations of a primary service to which frequencies are already assigned or may be assigned at a later date, however;
- (iii) can claim protection from interference from stations of the secondary service(s) to which frequencies may be assigned at a later date.

The frequency band referred to in each allocation is indicated in the left hand top corner of the part of the Table concerned.

The order of listing does not indicate relative priority within each category.

The footnote references are those that appear in Article 5 of the ITU Radio Regulations and are applicable to Region 1.

¹⁰ Article 4.4 of the Radio Regulations: Administrations of the Member States shall not assign to a station any frequency in derogation of either the Table of Frequency Allocations in this Chapter or the other provisions of these Regulations, except on the express condition that such a station, when using such a frequency assignment, shall not cause harmful interference to, and shall not claim protection from harmful interference caused by, a station operating in accordance with the provisions of the Constitution, the Convention and these Regulations.

- The footnote references which appear in the bottom of the table reflect the allocated service or services which apply to more than one of the allocated services, or to the whole of the allocation concerned.
- The footnote references which appear to the right of the name of a service are applicable only to that particular service.

2.3.2 Column 2 - South African allocations and footnotes

This column indicates the allocations of radiocommunication service(s) specified for South Africa, based on Article 5 of the ITU Radio Regulations. Names of services are based on the definitions in the ITU Radio Regulations and footnotes relevant to South Africa are included. The allocations highlighted with UPPER-CASE letters correspond to primary status allocations; the allocations with secondary status are written in lower-case.

Values in this column denote the radio-frequency band. The magnitude of the frequency units used in the column header are: kilohertz (kHz), Megahertz (MHz) and GHz indicates Gigahertz.

Whilst the South African allocations are broadly aligned with the ITU Region 1 allocations, several variations exist. In accordance with Radio Regulations No. 4.4, such variations are subject to the condition that the associated radio installations do not cause harmful interference to the radio services or communications of other ITU Member States that operate in accordance with the provisions of the Radio Regulations, and that the possibility of harmful interference from such services and communications is accepted.

The column further makes reference to national footnotes (e.g., NF xx) that are indicated as 'NF' and appear in the table of allocation on the same basis as the ITU footnotes.

Where required, the ITU radio frequency bands could be sub-divided for South Africa as indicated in Column 2.

2.3.3 Column 3 - Typical Applications

This column indicates the current and intended national usage of the frequency band in South Africa and contains allowed applications. This column contains the main service, systems and application(s) of this frequency band or a part of it, authorized in South Africa. This column also reflects potential future applications that are envisaged. Introduction of new services or applications shall be done in a coordinated manner to ensure that incumbent services are protected from harmful interference.

If the use covers more than one frequency band or concerns only one part of the band, the frequency range is generally indicated.

2.3.4 Column 4 - Notes and comments

This column gives relevant document references as well as other additional information applicable to the frequency band and the services that are operating in the band. This column contains information about reference documents and relevant standards as well as other guidelines applicable to the frequency band, e.g., GG Notices pertinent to specific frequency bands, future requirements in specific bands, and ITU-R Recommendations or ITU Resolutions which require implementation.

2.3.5 ITU-R Region 1 and National Footnotes

South African National Footnotes and ITU-R footnotes applicable to Region 1 are contained in Sections 6 and 7, respectively.

2.3.6 List of frequency bands used for Maritime services

The summary list of frequency bands used for Maritime services is contained in Section 8.

2.3.7 Frequency and wavelength bands

The radio spectrum shall be subdivided into nine frequency bands, which shall be designated by progressive whole numbers in accordance with the following table. As the unit of frequency is the hertz (Hz), frequencies shall be expressed:

- in kilohertz (kHz), up to and including 3 000 kHz;
- in megahertz (MHz), above 3 MHz, up to and including 3 000 MHz;
- in gigahertz (GHz), above 3 GHz, up to and including 3 000 GHz.

However, where adherence to these provisions would introduce serious difficulties, for example in connection with the notification and registration of frequencies, the lists of frequencies and related matters, reasonable departures may be made (WRC-15).

Table 1: Frequency and wavelength bands

Band number	Symbols	Designations	Frequency Range (lower limit exclusive, upper limit inclusive)	Corresponding metric Subdivision=
-1		0.03-0.3 Hz	0.3-3 Hz	gigametric waves
0	TLF	Tremendously low frequency	3-30 Hz	sub-gigametric waves
1	ELF	Extremely low frequency	30-300 Hz	super-megametric waves
2	SLF	Super low frequency	300-3 000 Hz	megametric waves
3	ULF	Ultra low frequency	300-3 000 Hz	sub-megametric waves
4	VLF	Very low frequency	3-30 kHz	super-kilometric waves
5	LF	Low frequency	30-300 kHz	kilometric waves
6	MF	Medium frequency	300-3 000 kHz	hectometric waves
7	HF	High frequency	3-30 MHz	decametric waves
8	VHF	Very high frequency	30-300 MHz	metric waves
9	UHF	Ultra high frequency	300-3 000 MHz	decimetric waves
10	SHF	Super high frequency	3-30 GHz	centimetric waves
11	EHF	Extremely high frequency	30-300 GHz	millimetric waves
12	THF	Tremendously high frequency	300-3 000 GHz	sub-millimetric waves

Band number	Symbols	Designations	Frequency Range (lower limit exclusive, upper limit inclusive)	Corresponding metric Subdivision=
13			3-30 THz	super-micrometric waves
14			30-300 THz	micrometric waves
15			300-3 000 THz	sub-micrometric waves

NOTE 1—"Band number N" extends from 0.3×10^N to 3×10^N Hz.

NOTE 2-Symbols: Hz: hertz

k: kilo (10^3), M: mega (10^6), G: giga (10^9), T: tera (10^{12})

μ : micro (10^{-6}), m: milli (10^{-3}), c: centi (10^{-2}), d: deci (10^{-1})

da: deca (10), h: hecto (10^2).

Table 2 below illustrates the standard letter-band designations. Other designations are also used.

Table 2: Standard ITU/IEEE Frequency Band Nomenclature

Band	Frequency Range (GHz)	Wavelength in Free Space (centimeters)
HF band	0.003–0.03	10000–1000
VHF band	0.03–0.3	1000–100
UHF band	0.3–3	100–10
L band	1 to 2	30.0 to 15.0
S band	2 to 4	15 to 7.5
C band	4 to 8	7.5 to 3.8
X band	8 to 12	3.8 to 2.5
Ku band	12 to 18	2.5 to 1.7
K band	18 to 27	1.7 to 1.1
Ka band	27 to 40	1.1 to 0.75
V band	40 to 75	0.75 to 0.40
W band	75 to 110	0.40 to 0.27
Millimetre band	110 to 300	0.27 to 0.10

Table 3: Frequency band letter designations used by some international organizations

Letter symbols	Radar		Space radiocommunications		Wavelength in free space (centimeters)
	Frequency ranges (GHz)	Examples of frequency ranges (GHz)	Nominal designations of frequency bands/ranges	Examples of frequency ranges (GHz)	
L	1-2	1.215-1.4	1.5 GHz band	1.525-1.710	30.0-5.0
S	2-4	2.3-2.5 2.7-3.4	2.5 GHz band	2.5-2.690	15-7.5

Letter symbols	Radar		Space radiocommunications		Wavelength in free space (centimeters)
	Frequency ranges (GHz)	Examples of frequency ranges (GHz)	Nominal designations of frequency bands/ranges	Examples of frequency ranges (GHz)	
C	4-8	5.25-5.85	4/6 GHz band	3.4-4.2 4.5-4.8 5.85-7.075	7.5-3.8
X	8-12	8.5-10.5	—	—	3.8-2.5
Ku	12-18	13.4-14.0 15.3-17.3	11/14 GHz band 12/14 GHz band	10.7-13.25 14.0-14.5	2.5-1.7
K ⁽¹⁾	18-27	24.05-24.25	20 GHz band	17.7-20.2	1.7-1.1
K _a ⁽¹⁾	27-40	33.4-36.0	30 GHz band	27.5-30.0	1.1-0.75
V	—	—	40 GHz band	37.5-42.5 47.2-50.2	0.75-0.40

⁽¹⁾ For space radiocommunications, K and Ka bands are often designated by the single symbol K_a.

NOTE 3—Certain frequency bands are sometimes designated by letter other than the symbols and abbreviations recommended in Tables 1 and 2. The symbols in question consist of capital letters which may be accompanied by an index (usually a small letter). There is at present no standard correspondence between the letters and the frequency bands concerned, and the same letter may be used to designate a number of different bands. It is not advisable to use these symbols in ITU publications. If, however, a letter symbol is used, reference should be made to the corresponding frequency band limits or at least to a frequency in the band, if that information is sufficient in itself, the first time the symbol appears in the text. For information, letter designations used by some international organizations, mainly in the field of radar and space radiocommunications, are indicated in Table 3.

3 CONTACT DETAILS

Further information on the South African Table of Frequency Allocations and its interpretation can be obtained by contacting:

Independent Communications Authority of South Africa
 350 Witch-Hazel Ave.
 Eco-Park Estate
 Centurion
 0144
 Phone: +27 12 568 3000
 URL: <http://www.icasa.org.za>
 E-mail: info@icasa.org.za

4 TABLE OF FREQUENCY ALLOCATIONS

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Below 8.3 kHz (Not allocated) 5.53 5.54	Below 8.3 kHz (Not allocated) 5.53 5.54		Frequency bands below 8.3 kHz are not allocated in South Africa
8.3-9 kHz METEOROLOGICAL AIDS 5.54A 5.54B 5.54C	8.3-9 kHz METEOROLOGICAL AIDS 5.54A	Thunderstorm detection stations	
9-11.3 kHz METEOROLOGICAL AIDS 5.54A RADIONAVIGATION	9-11.3 kHz METEOROLOGICAL AIDS 5.54A RADIONAVIGATION	Thunderstorm detection stations Navigational Aids Inductive Loop Systems (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.
11.3-14 kHz RADIONAVIGATION	11.3-14 kHz RADIONAVIGATION	Navigational Aids Inductive Loop Systems (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
		SRD - inductive short-range radiocommunications (9-135 kHz)	SRD - see ITU-R Rec.SM. 1896-1 latest version.
14-19.95 kHz FIXED MARITIME MOBILE 5.57 5.55 5.56	14-19.95 kHz FIXED MARITIME MOBILE 5.57 5.56	Maritime mobile communications Inductive Loop Systems (9-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 2153-7 latest version.
19.95-20.05 kHz STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	19.95-20.05 kHz STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	Standard frequency and time Inductive 9–135 kHz; ULP-AMI 9–315 kHz. SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
20.05-70 kHz	20.05-70 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED MARITIME MOBILE 5.57 5.56 5.58	FIXED MARITIME MOBILE 5.57 STANDARD FREQUENCY AND TIME SIGNAL 5.56	Maritime mobile communications Inductive Loop Systems (9-135 kHz) RFID (59.75-60.25 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
70-72 kHz RADIONAVIGATION 5.60	70-72 kHz RADIONAVIGATION 5.60	Navigational Aids (pulsed radionavigation per RR 5.60 in 70-86 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz) Ultra-Low Power Active Medical implants (ULP-AMI) inductive applications (9-148.5 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM.1896-1 (09/2018) Report ITU-R SM.2153 Inductive SRD: ETSI EN 300 330 ULP-AMI (9-315 kHz) ETSI EN 302 195
72-84 kHz FIXED	72-84 kHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MARITIME MOBILE 5.57 RADIONAVIGATION 5.60 5.56	MARITIME MOBILE 5.57 RADIONAVIGATION 5.60 STANDARD FREQUENCY AND TIME SIGNAL 5.56	Maritime mobile communications Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) Ultra-Low Power Active Medical Implants (ULP-AMI) inductive applications (9 kHz-148.5 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (latest GG 48643, Notice 1822 , 23 May 2023). SRD - see ITU-R Rec.SM. 1896 - latest version. Inductive SRD: ETSI EN 300 330 Report ITU-R SM. 2153
84-86 kHz RADIONAVIGATION 5.60	84-86 kHz RADIONAVIGATION 5.60	Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
86-90 kHz	86-90 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.56	FIXED MARITIME MOBILE 5.57 RADIONAVIGATION STANDARD FREQUENCY AND TIME SIGNAL 5.56	Maritime mobile communications Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
90-110 kHz RADIONAVIGATION 5.62 Fixed 5.64	90-110 kHz RADIONAVIGATION 5.62 Fixed 5.64	Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
110-112 kHz FIXED	110-112 kHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MARITIME MOBILE RADIONAVIGATION 5.64	MARITIME MOBILE RADIONAVIGATION 5.64	Maritime mobile communications Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
112-115 kHz RADIONAVIGATION 5.60	112-115 kHz RADIONAVIGATION 5.60	Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
115-117.6 kHz RADIONAVIGATION 5.60 Fixed Maritime mobile	115-117.6 kHz RADIONAVIGATION 5.60 Fixed Maritime mobile	Navigational Aids Maritime mobile communications Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.64 5.66	5.64	SRD - inductive short-range radiocommunications (9-135 kHz)	SRD - see ITU-R Rec.SM. 1896-1 latest version.
117.6-126 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.60	117.6-126 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.60	Maritime mobile communications Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
5.64	5.64		
126-129 kHz RADIONAVIGATION 5.60	126-129 kHz RADIONAVIGATION 5.60	Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
129-130 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	129-130 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	Maritime mobile communications Navigational Aids Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
130-135.7 kHz FIXED MARITIME MOBILE 5.64 5.67	130-135.7 kHz FIXED MARITIME MOBILE 5.64	Maritime mobile communications Inductive Loop Systems (9-135 kHz) RFID (70-135 kHz) SRD - inductive short-range radiocommunications (9-135 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. SRD - see ITU-R Rec.SM. 1896-1 latest version.
135.7-137.8 kHz FIXED MARITIME MOBILE	135.7-137.8 kHz FIXED MARITIME MOBILE	Maritime mobile communications	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Amateur 5.67A 5.64 5.67 5.67B	Amateur 5.67A 5.64	Amateur	Amateur (135.7-137.8 kHz) services are limited to maximum radiated power of 1 W (e.i.r.p). Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641, 30 March 2015). RFSR 2015, including Annexes, to be reviewed
137.8-148.5 kHz FIXED MARITIME MOBILE 5.64 5.67	137.8-148.5 kHz FIXED MARITIME MOBILE 5.64	Maritime mobile communications	
148.5-255 kHz BROADCASTING 5.68 5.69 5.70	148.5-160 kHz BROADCASTING 160-200 kHz FIXED 5.68 200-255 kHz AERONAUTICAL RADIONAVIGATION 5.70	Broadcasting Navigational Aids	Frequency Assignment Plan (GE75) applies.
255-283.5 kHz BROADCASTING AERONAUTICAL	255-283.5 kHz AERONAUTICAL		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIONAVIGATION 5.70	RADIONAVIGATION 5.70	Navigational Aids	
283.5-315 kHz AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73	283.5- 285.3 kHz AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73 MARITIME RADIONAVIGATION 5.74	Navigational Aids Supplementary navigational information using narrow-band	
	285.3-285.7 kHz AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73 5.74	Navigational Aids Supplementary navigational information using narrow-band	
	285.7-315 kHz AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73	Navigational Aids Supplementary navigational information using narrow-band	
	5.74		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
315-325 kHz AERONAUTICAL RADIONAVIGATION Maritime radionavigation (radiobeacons) 5.73 5.75	315-325 kHz AERONAUTICAL RADIONAVIGATION Maritime radionavigation (radiobeacons) 5.73	Navigational Aids Coast Radio Telegraph Stations Radionavigation	
325-405 kHz AERONAUTICAL RADIONAVIGATION	325-405 kHz AERONAUTICAL RADIONAVIGATION	Navigational Aids	
405-415 kHz RADIONAVIGATION 5.76	405-415 kHz RADIONAVIGATION 5.76	Navigational Aids	
415-435 kHz MARITIME MOBILE 5.79 AERONAUTICAL RADIONAVIGATION	415-435 kHz MARITIME MOBILE 5.79 AERONAUTICAL RADIONAVIGATION	Maritime mobile communications Limited to radiotelegraphy	NAVDAT System (TX for coast stations only) Under the MMS, the use of the band 415- 495 kHz and 505-526.5 kHz are limited to radiotelegraphy
435-472 kHz MARITIME MOBILE 5.79	435-472 kHz MARITIME MOBILE 5.79	Maritime mobile communications	NAVDAT System (TX for coast stations only)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Aeronautical radionavigation 5.77 5.82	Aeronautical radionavigation 5.82	Coast Stations in the NAVTEX service on 490 kHz; Res.339 applies. Transmission of navigational and meteorological warnings and urgent info for ships (NBDP telegraphy). Limited to radiotelegraphy	Article 31 and Article 52 apply. Under the MMS, the use of the band 415-495 kHz and 505-526.5 kHz are limited to radiotelegraphy
472-479 kHz MARITIME MOBILE 5.79 Amateur 5.80A Aeronautical radionavigation 5.77 5.80 5.80B 5.82	472-479 kHz MARITIME MOBILE 5.79 Amateur 5.80A Aeronautical radionavigation 5.82	Limited to radiotelegraphy Navigational Aids	NAV DAT System (TX for coast stations only) Under the MMS, the use of the band 415-495 kHz and 505-526.5 kHz are limited to radiotelegraphy Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641, 30 March 2015). RFSR 2015, including Annexes, to be reviewed
479-495 kHz MARITIME MOBILE 5.79 5.79A	479-495 kHz MARITIME MOBILE 5.79 5.79A	NAVTEX service on 490 kHz	NAV DAT System (TX for coast stations only) Article 31 and Article 52 apply

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Aeronautical radionavigation 5.77	Aeronautical radionavigation	Limited to radiotelegraphy	Under the MMS, the use of the band 415-495 kHz and 505-526.5 kHz are limited to radiotelegraphy
5.82	5.82		
495-505 kHz	495-505 kHz		
MARITIME MOBILE 5.82C	MARITIME MOBILE 5.82C	Navigational Data	NAVDAT System (TX for coast stations only) Article 31 and Article 52 apply. Resolution 364 (WRC-23) apply.
5.82D	5.82D		
505-526.5 kHz	505-526.5 kHz		
MARITIME MOBILE 5.79 5.79A 5.84	MARITIME MOBILE 5.79 5.79A 5.84	Maritime mobile communications Maritime Radio Telegraphy	NAVDAT System (TX for coast stations only) Articles 31 and 52 apply. Resolution 339 Rev. WRC-07 applies. The use of the band 505-526.5 kHz in the MMS is limited to radiotelegraphy.
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	NAVTEX service on 518 kHz Coast Stations in the NAVTEX service on 518 kHz; Navigational Aids	
526.5-1 606.5 kHz	526.5-1 606.5 kHz		
BROADCASTING	BROADCASTING	Medium Wave Sound Broadcasting (535.5 -1606.5 kHz)	The Terrestrial Broadcasting Frequency Plan as amended (GG No. 36321) 02 April 2013

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.87 5.87A		Digital Sound Broadcasting (DSB) services: DRM	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015) GG 44469 Notice 215 of 23 April 2021, Digital Sound Broadcasting (DSB) Services Regulations, 2021 Recommendation ITU-R BS.1514
1 606.5-1 625 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	1 606.5-1 625 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE RADIODETERMINATION 5.92	Maritime mobile communications Land mobile communications	
1 625-1 635 kHz RADIOLOCATION 5.93	1 625-1 635 kHz RADIOLOCATION	Navigational Aids	
1 635-1 800 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92 5.96	1 635-1 800 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE RADIODETERMINATION 5.92	Maritime mobile communications Land mobile communications	
1 800-1 810 kHz	1 800-1 810 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIOLOCATION 5.93	RADIOLOCATION	Navigational Aids	
1 810-1 850 kHz AMATEUR 5.98 5.99 5.100	1 810-1 850 kHz AMATEUR	Amateur communications	Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641, 30 March 2015), RFSR 2015, including Annexes, to be reviewed.
1 850-2 000 kHz FIXED MOBILE except aeronautical mobile 5.92 5.96 5.103	1 850-2 000 kHz FIXED MOBILE except aeronautical mobile RADIODETERMINATION AMATEUR 5.92 5.103	Maritime mobile applications. Maritime mobile communications Land mobile communications Amateur communications	1850-1950 kHz is used for Maritime Coast Stations; 1950-2045 kHz is used by ship stations SSB Radio Telephony. Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641, 30 March 2015), RFSR 2015, including Annexes, to be reviewed.
2 000-2 025 kHz FIXED MOBILE except aeronautical mobile (R)	2 000-2 025 kHz FIXED MOBILE except aeronautical mobile (R) RADIODETERMINATION	Maritime mobile communications Land mobile communications	1950-2045 kHz is used by ship stations SSB Radio Telephony

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.92 5.103	5.92 5.103		
2 025-2 045 kHz FIXED MOBILE except aeronautical mobile (R) Meteorological aids 5.104	2 025-2 045 kHz FIXED MOBILE except aeronautical mobile (R) Meteorological aids 5.104 RADIODETERMINATION	Maritime mobile communications Limited to Oceanographic buoy stations	1950-2045 kHz is used by ship stations SSB Radio Telephony
5.92 5.103	5.92 5.103		
2 045-2 160 kHz FIXED MARITIME MOBILE LAND MOBILE	2 045-2 160 kHz FIXED MARITIME MOBILE LAND MOBILE RADIODETERMINATION	Maritime mobile communications Land mobile communication	
5.92	5.92		
2 160-2 170 kHz RADIOLOCATION	2 160-2 170 kHz RADIOLOCATION	Navigational Aids	
5.93 5.107			
2 170-2 173.5 kHz MARITIME MOBILE	2 170-2 173.5 kHz MARITIME MOBILE	Maritime mobile communications	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
2 173.5-2 190.5 kHz MOBILE (distress and calling) 5.108 5.109 5.110 5.111	2 173.5-2 190.5 kHz MOBILE (distress and calling) 5.108 5.109 5.110 5.111	Distress & Watch keeping (2182 kHz) 2 182 kHz is an international distress and calling frequency for radiotelephony. 2 187.5 kHz-DSC for distress and calling; 2 174.5 kHz-international distress frequency for NBDP telegraphy Automatic connection system.	Article 31 and Article 52 applies South Africa no longer provides watchkeeping on 2182 kHz 2 174.5 kHz - Recommendation ITU-R M.541
2 190.5-2 194 kHz MARITIME MOBILE	2 190.5-2 194 kHz MARITIME MOBILE	Maritime mobile communications	
2 194-2 300 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	2 194-2 300 kHz FIXED MOBILE except aeronautical mobile (R) RADIODETERMINATION 5.92 5.103	Maritime mobile communications Land mobile communications	
2 300-2 498 kHz	2 300-2 498 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.103	FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.103	Land Mobile and Maritime applications Sound Broadcasting	Terrestrial Broadcasting Frequency Plan 2013
2 498-2 501 kHz STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)	2 498-2 501 kHz STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)		
2 501-2 502 kHz STANDARD FREQUENCY AND TIME SIGNAL Space Research	2 501-2 502 kHz STANDARD FREQUENCY AND TIME SIGNAL Space Research		
2 502-2 625 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	2 502-2 625 kHz FIXED MOBILE except aeronautical mobile (R) RADIODETERMINATION 5.92 5.103	Land Mobile and Maritime applications	
2 625-2 650 kHz MARITIME MOBILE	2 625-2 650 kHz MARITIME MOBILE	Maritime mobile communications	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MARITIME RADIONAVIGATION 5.92	MARITIME RADIONAVIGATION RADIODETERMINATION 5.92	Sonobuoys	
2 650-2 850 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	2 650-2 850 kHz FIXED MOBILE except aeronautical mobile (R) RADIODETERMINATION 5.92 5.103	Fixed Services links Maritime mobile communications Land mobile communications	
2 850-3 025 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	2 850-3 025 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	Aeronautical mobile (R) 3 023 kHz may be used under the MMS for search and rescue operations	Appendix 27 Allotment Plan applies Article 31 applies
3 025-3 155 kHz AERONAUTICAL MOBILE (OR)	3 025-3 155 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile (OR)	Appendix 26 Allotment Plan applies
3 155-3 200 kHz FIXED MOBILE except aeronautical mobile (R)	3 155-3 200 kHz FIXED MOBILE except aeronautical mobile (R)	Maritime mobile communications Land mobile communications	Radio Frequency Spectrum

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.116 5.117	5.116	SRD Low power wireless hearing aids	Regulations (Annex B) (GG. No.38641, 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023). Worldwide channel for low power hearing aids (3155 to 3195 kHz). Additional channels may be assigned in the band 3155-3400 kHz.
3 200-3 230 kHz FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113	3 200-3 230 kHz FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113	Maritime mobile communications Land mobile communications HF Sound Broadcasting Low power wireless hearing aids	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023). The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Worldwide channel for low power hearing aids (3155 to 3195 kHz). Additional channels may be assigned in the band 3155-3400 kHz.
5.116	5.116		
3 230-3 400 kHz FIXED MOBILE except aeronautical mobile BROADCASTING 5.113	3 230-3 400 kHz FIXED MOBILE except aeronautical mobile BROADCASTING 5.113	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.116	5.116	Low power wireless hearing aids Sound Broadcasting	Worldwide channel for low power hearing aids (3155 to 3195 kHz). Additional channels may be assigned in the band 3155-3400 kHz.
3 400-3 500 kHz AERONAUTICAL MOBILE (R)	3 400-3 500 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)	Appendix 27 Allotment Plan applies
3 500-3 800 kHz AMATEUR FIXED MOBILE except aeronautical mobile 5.92	3 500-3 800 kHz AMATEUR FIXED MOBILE except aeronautical mobile RADIODETERMINATION 5.92	Amateur communications Maritime communications Land mobile communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015), as amended (latest GG 48643, Notice 1822 , 23 May 2023).
3 800-3 900 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	3 800-3 900 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	Aeronautical mobile (OR)	Appendix 26 Allotment Plan applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
3 900-3 950 kHz AERONAUTICAL MOBILE (OR) 5.123	3 900-3 950 kHz AERONAUTICAL MOBILE (OR) BROADCASTING 5.123	Aeronautical mobile (OR)	Appendix 26 Allotment Plan applies
3 950-4 000 kHz FIXED BROADCASTING	3 950-4 000 kHz FIXED BROADCASTING	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013
4 000-4 063 kHz FIXED MARITIME MOBILE 5.127 5.126	4 000-4 063 kHz FIXED MARITIME MOBILE 5.127	Maritime mobile communications	Use of the band 4000-4063 kHz by the MMS is limited to ship stations using radiotelephony
4 063-4 438 kHz MARITIME MOBILE 5.79A 5.82D 5.109 5.110 5.130 5.131 5.132	4 063-4 438 kHz MARITIME MOBILE 5.79A 5.82D 5.109 5.110 5.130 5.131 5.132	Maritime mobile communications 4125 kHz - use of this frequency prescribed in Article 31. 4209.5 kHz - Coast Stations in the NAVTEX service; Res.339 applies. 4207.5 kHz - DSC for distress and calling;	See Section 7 for details ITU RR Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Resolution 339 (Rev. WRC-07) applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.128	FIXED 5.128	4177.5 kHz - ACS; 4209.5 kHz - exclusive for transmission by coast stations of meteorological and navigational warnings and urgent information to ships (NBDP). 4210 kHz-maritime safety information (MSI) 4226 kHz-Coast stations in the NAVDAT system-Resolution 364 (WRC-23) applies	Articles 31 and Article 52 applies Resolution 364 (WRC-23) Recommendation ITU-R M.541 applies
4 438-4 488 kHz FIXED MOBILE except aeronautical mobile (R) Radiolocation 5.132A	4 438-4 488 kHz FIXED MOBILE except aeronautical mobile (R) Radiolocation 5.132A	Maritime communications Land mobile communications Oceanographic Radars	
4 488-4 650 kHz FIXED MOBILE except aeronautical mobile (R)	4 488-4 650 kHz FIXED MOBILE except aeronautical mobile (R)		
4 650-4 700 kHz AERONAUTICAL MOBILE (R)	4 650-4 700 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)	Appendix 27 Allotment Plan applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
4 700-4 750 kHz AERONAUTICAL MOBILE (OR)	4 700-4 750 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile (OR)	Appendix 26 Allotment Plan applies
4 750-4 850 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE BROADCASTING 5.113	4 750-4 850 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE BROADCASTING 5.113	Aeronautical mobile (OR) Land mobile HF Sound Broadcasting	Appendix 26 Allotment Plan applies The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013
4 850-4 995 kHz FIXED LAND MOBILE BROADCASTING 5.113	4 850-4 995 kHz FIXED LAND MOBILE BROADCASTING 5.113	Land mobile HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013
4 995-5 003 kHz STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)	4 995-5 003 kHz STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)		
5 003-5 005 kHz	5 003-5 005 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
STANDARD FREQUENCY AND TIME SIGNAL Space research	STANDARD FREQUENCY AND TIME SIGNAL Space research		
5 005-5 060 kHz FIXED BROADCASTING 5.113	5 005-5 060 kHz FIXED BROADCASTING 5.113	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013
5 060-5 250 kHz FIXED Mobile except aeronautical mobile 5.133	5 060-5 250 kHz FIXED Mobile except aeronautical mobile	SADC harmonised HF frequencies for cross-border mobile communications	
5 250-5 275 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	5 250-5 275 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	SADC harmonised HF frequencies for cross-border mobile communications Oceanographic Radar	Oceanographic Radars are used in accordance with ITU Res. 612 (Rev. WRC-12).
5 275-5 351.5 kHz FIXED	5 275- 5 351.5 kHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile Amateur NF0	Amateur communications (incl. the channel 5 290 kHz)	Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641 , 30 March 2015). RFSR 2015, including Annexes, to be reviewed
5 351.5-5 366.5 kHz FIXED MOBILE except aeronautical mobile Amateur 5.133B	5 351.5-5 366.5 kHz FIXED MOBILE except aeronautical mobile Amateur NF0	Amateur communications (5 350-5 450 MHz)	Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641 , 30 March 2015). RFSR 2015, including Annexes, to be reviewed.
5 366.5-5 450 kHz FIXED MOBILE except aeronautical mobile	5 366.5-5 450 kHz FIXED MOBILE except aeronautical mobile Amateur NF0	Amateur communications (5 350-5 450 MHz)	Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641 , 30 March 2015). RFSR 2015, including Annexes, to be reviewed
5 450-5 480 kHz FIXED	5 450-5 480 kHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
AERONAUTICAL MOBILE (OR) LAND MOBILE	AERONAUTICAL MOBILE (OR) LAND MOBILE	Aeronautical mobile (OR)	Appendix 27 Allotment plan applies
5 480-5 680 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	5 480-5 680 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	Aeronautical mobile (R)	Appendix 27 Allotment plan applies
5 680-5 730 kHz AERONAUTICAL MOBILE (OR) 5.111 5.115	5 680-5 730 kHz AERONAUTICAL MOBILE (OR) 5.111 5.115	Aeronautical mobile (OR) 5 680 kHz may be used under the MMS for search and rescue operations SRD applications (5 725-5 875 kHz)	Appendix 26 Allotment plan applies Article 31 applies on the use of 6215 kHz Common international SRD band; see ITU-R Rec. SM 1896-1 latest version. Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023).
5 730-5 900 kHz FIXED LAND MOBILE	5 730-5 900 kHz FIXED LAND MOBILE	Land mobile communications	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5 900-5 950 kHz BROADCASTING 5.134 5.136	5 900-5 950 kHz BROADCASTING 5.134 Fixed 5.136 Land Mobile 5.136 5.136	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Article 12 Planning Procedures and Res.517 apply.
5 950-6 200 kHz BROADCASTING	5 950-6 200 kHz BROADCASTING	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Article 12 Planning Procedures and Res.517 apply.
6 200-6 525 kHz MARITIME MOBILE 5.109 5.110 5.130 5.132 5.137A	6 200-6 213.5 kHz MARITIME MOBILE 5.109 5.110 5.130 5.132 Fixed 5.137 6 213.5-6 220.5 kHz	Maritime mobile communications 6312 kHz-DSC for distress and calling Fixed Services (6 200-6 213.5 kHz and 6 220.5-6 525 kHz)	ITU-RR Article 31 applies ITU RR Appendices 15 and 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies FS may be used on a secondary basis in the band 6 200-6 213.5 kHz and 6 220.5-6 525 kHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.137	MARITIME MOBILE 5.109 5.110 5.130 5.132	Maritime mobile communications 6215 kHz DSC for distress and calling	ITU RR Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies
	5.137 6 220.5-6 525 kHz MARITIME MOBILE 5.109 5.110 5.130 5.132 5.137A Fixed 5.137	Maritime mobile communications 6 312 kHz and 6 215 kHz-DSC for distress and calling; 6 268 kHz-international distress frequency for NBDP telegraphy; 6 337.5 kHz-MSI; App.17 applies Fixed Services (6 200-6 213.5 kHz and 6 220.5-6 525 kHz)	ITU RR Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Article 31 applies FS may be used on a secondary basis in the band 6 200-6 213.5 kHz and 6 220.5-6 525 kHz
6 525-6 685 kHz AERONAUTICAL MOBILE (R)	6 525-6 685 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications (R)	Appendix 27 Allotment Plan applies
6 685-6 765 kHz AERONAUTICAL MOBILE (OR)	6 685-6 765 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications (OR)	Appendix 26 Allotment Plan applies
6 765-7 000 kHz FIXED	6 765-7 000 kHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE except aeronautical mobile (R) 5.138	MOBILE except aeronautical mobile (R) 5.138	Inductive Loop Systems (6765-6795 kHz)	
7 000-7 100 kHz AMATEUR AMATEUR-SATELLITE 5.140 5.141 5.141A	7 000-7 100 kHz AMATEUR AMATEUR-SATELLITE	Amateur communications Amateur-satellite communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643, Notice 1822 , 23 May 2023).
7 100-7 200 kHz AMATEUR 5.141A 5.141B	7 100-7 200 kHz AMATEUR	Amateur communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643, Notice 1822 , 23 May 2023).
7 200-7 300 kHz BROADCASTING	7 200-7 300 kHz BROADCASTING	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies
7 300-7 400 kHz BROADCASTING 5.134	7 300-7 350 kHz BROADCASTING 5.134	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	5.143B 5.143		Article 12 Planning Procedures and Res.517 apply. NINP basis to broadcasting FS and LMS may operate in the band 7 300-7 450 kHz on a secondary basis
	7 350-7 400 kHz BROADCASTING 5.134 FIXED 5.143 LAND MOBILE 5.143 5.143A 5.143 5.143A 5.143B 5.143C 5.143D	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Article 12 Planning Procedures and Res.517 apply. NINP basis to broadcasting
	5.143B 5.143D		
7 400-7 450 kHz BROADCASTING	7 400-7 450 kHz BROADCASTING	HF Sound Broadcasting Inductive Loop Systems (7400-8800 kHz)	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Article 12 Planning Procedures and Res.517 apply. Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. FS and LMS may operate in the band 7 350-7 450 kHz on a secondary basis

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.143B 5.143C	5.143B		
7 450-8 100 kHz FIXED MOBILE except aeronautical mobile (R)	7 450-8 100 kHz FIXED MOBILE except aeronautical mobile (R)	Inductive Loop Systems (7400-8800 kHz)	SADC harmonised HF frequencies for cross-border mobile communications Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.
5.144			
8 100-8 195 kHz FIXED MARITIME MOBILE	8 100-8 195 kHz FIXED MARITIME MOBILE	Maritime mobile communications Inductive Loop Systems (7400-8800 kHz)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.
8 195-8 815 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145	8 195-8 815 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145	Digital Selective Calling (GMDSS) Distress Watch keeping on 8414.5 kHz Transmission of meteorological bulletins and notices to navigators	Appendix 15 of ITU RR See Section 7 for details ITU RR Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Article 31 applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.111	5.111	Maritime mobile communications 8 414.5 kHz-DSC for distress and calling; 8 376.5 kHz-ACS; 8 416.5 and 8 443 kHz-MSI Inductive Loop Systems (7 400- 8 800 kHz)	Recommendation ITU-R M.541 applies Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.
8 815-8 965 kHz AERONAUTICAL MOBILE (R)	8 815-8 965 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	Appendix 27 Allotment Plan applies
8 965-9 040 kHz AERONAUTICAL MOBILE (OR)	8 965-9 040 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	Appendix 26 Allotment Plan applies
9 040-9 305 kHz FIXED	9 040-9 305 kHz FIXED	Fixed Applications	
9 305-9 355 kHz FIXED Radiolocation 5.145A 5.145B	9 305-9 355 kHz FIXED Radiolocation 5.145A	Fixed Applications Oceanographic radars	
9 355-9 400 kHz	9 355-9 400 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED	FIXED		
9 400-9 500 kHz BROADCASTING 5.134 5.146	9 400-9 500 kHz BROADCASTING 5.134 5.146	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Fixed services may be used on a secondary basis
9 500-9 900 kHz BROADCASTING 5.147	9 500-9 775 kHz BROADCASTING 5.147	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 ITU RR Article 12 Planning Procedures applies
	9 775-9 900 kHz BROADCASTING FIXED 5.147	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 ITU RR Article 12 Planning Procedures applies
9 900-9 995 kHz FIXED	9 900-9 995 kHz FIXED	Fixed Applications	
9 995-10 003 kHz	9 995-10 003 kHz		

CONTINUES ON PAGE 642 OF BOOK 6

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 733

24

July
Julie

2026

No. 55046

PART 6 OF 9

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845



9 771682 584003



5 5 0 4 6



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz) 5.111	STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz) 5.111		
10 003-10 005 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	10 003-10 005 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	Passive sensing	
10 005-10 100 kHz AERONAUTICAL MOBILE (R) 5.111	10 005-10 100 kHz AERONAUTICAL MOBILE (R) 5.111	Aeronautical mobile communications	Appendix 27 Allotment Plan applies
10 100-10 150 kHz FIXED Amateur	10 100-10 150 kHz FIXED Amateur	Fixed Applications Amateur communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015)
10 150-11 175 kHz FIXED Mobile except aeronautical mobile (R)	10 150-11 175 kHz FIXED Mobile except aeronautical mobile (R)	SADC harmonised HF frequencies for cross-border mobile communications	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
11 175-11 275 kHz AERONAUTICAL MOBILE (OR)	11 175-11 275 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	Appendix 26 Allotment Plan applies
11 275-11 400 kHz AERONAUTICAL MOBILE (R)	11 275-11 400 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	Appendix 27 Allotment Plan applies
11 400-11 600 kHz FIXED	11 400-11 600 kHz FIXED	Fixed Applications	
11 600-11 650 kHz BROADCASTING 5.134 5.146	11 600-11 650 kHz BROADCASTING 5.134 FIXED	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.
11 650-12 050 kHz BROADCASTING	11 650-11 700 kHz BROADCASTING FIXED	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies
	11 700-11 975 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	BROADCASTING 5.147	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies
	11 975-12 050 kHz BROADCASTING FIXED 5.147	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies
12 050-12 100 kHz BROADCASTING 5.134 5.146	12 050-12 100 kHz BROADCASTING 5.134 FIXED 5.146	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.
12 100-12 230 kHz FIXED	12 100-12 230 kHz FIXED	Fixed Applications	
12 230-13 200 kHz MARITIME MOBILE 5.109	12 230-13 200 kHz MARITIME MOBILE 5.109	Maritime mobile communications Digital Selective Calling (GMDSS) Distress Watch keeping (12 577 kHz) 12 577 kHz-DSC for distress and calling; 12 520 kHz-ACS;	Appendix 15 of ITU RR Transmission of meteorological bulletins and notices to navigators. See Section 7 for details ITU RR Appendix 17 Channelling Plan and Article 31 applies. Recommendation ITU-R M.541 applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.110 5.132 5.137A 5.145	5.110 5.132 5.137A 5.145	12 663.5 and 12579 kHz-MSI	ITU RR Appendix 25 Allotment Plan applies
13 200-13 260 kHz AERONAUTICAL MOBILE (OR)	13 200-13 260 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	Appendix 26 Allotment Plan applies
13 260-13 360 kHz AERONAUTICAL MOBILE (R)	13 260-13 360 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	Appendix 27 Allotment Plan applies
13 360-13 410 kHz FIXED RADIO ASTRONOMY 5.149	13 360-13 410 kHz FIXED RADIO ASTRONOMY 5.149	Radio astronomy Observations of decametric radiation)	See Section 5 for coordination with radio astronomy
13 410-13 450 kHz FIXED Mobile except aeronautical mobile (R)	13 410-13 450 kHz FIXED Mobile except aeronautical mobile (R)	Maritime and/or land mobile communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023)
13 450-13 550 kHz FIXED	13 450-13 550 kHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Mobile except aeronautical mobile (R) Radiolocation 5.132A 5.149A	Mobile except aeronautical mobile (R) Radiolocation 5.132A	Oceanographic radars	
13 550-13 570 kHz FIXED Mobile except aeronautical mobile (R) 5.150	13 550-13 570 kHz FIXED Mobile except aeronautical mobile (R) 5.150	Inductive Loop Systems (13 553-13 567 kHz) RFID and EAS systems (13 553-13 567 kHz) SRD applications (13 553-13 567 kHz)	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023) Common international SRD band; see ITU-R Rec.SM. 1896-1 latest version
13 570-13 600 kHz BROADCASTING 5.134 5.151	13 570-13 600 kHz BROADCASTING 5.134 Fixed Mobile except aeronautical mobile (R)	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply
13 600-13 800 kHz	13 600-13 800 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING	BROADCASTING	HF Sound Broadcasting	ITU RR Article 12 Planning Procedures applies
13 800-13 870 kHz BROADCASTING 5.134 5.151	13 800-13 870 kHz BROADCASTING 5.134	HF Sound Broadcasting	Article 12 Planning Procedures and Res.517 apply.
13 870-14 000 kHz FIXED Mobile except aeronautical mobile (R)	13 870-14 000 kHz FIXED Mobile except aeronautical mobile (R)	Fixed Applications Land mobile communications Maritime communications	
14 000-14 250 kHz AMATEUR AMATEUR-SATELLITE	14 000-14 250 kHz AMATEUR AMATEUR-SATELLITE	Amateur communications Amateur-satellite communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023)
14 250-14 350 kHz AMATEUR 5.152	14 250-14 350 kHz AMATEUR	Amateur communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023)
14 350-14 990 kHz FIXED	14 350-14 990 kHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Mobile except aeronautical mobile (R)	Mobile except aeronautical mobile (R)	SADC harmonised HF frequencies for cross-border mobile communications	
14 990-15 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (15 000 kHz) 5.111	14 990-15 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (15 000 kHz) 5.111		
15 005-15 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research	15 005-15 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research		
15 010-15 100 kHz AERONAUTICAL MOBILE (OR)	15 010-15 100 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	Appendix 26 Allotment Plan applies
15 100-15 600 kHz BROADCASTING	15 100-15 600 kHz BROADCASTING	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013. ITU RR Article 12 Planning Procedures applies
15 600-15 800 kHz	15 600-15 800 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING 5.134 5.146	BROADCASTING 5.134 FIXED 5.146	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013. Article 12 Planning Procedures and Res.517 apply
15 800-16 100 kHz FIXED 5.153	15 800-16 100 kHz FIXED	Fixed Applications	
16 100-16 200 kHz FIXED Radiolocation 5.145A 5.145B	16 100-16 200 kHz FIXED Radiolocation 5.145A	Oceanographic radars	
16 200-16 360 kHz FIXED	16 200-16 360 kHz FIXED	Fixed Applications	
16 360-17 410 kHz MARITIME MOBILE 5.109	16 360-17 410 kHz MARITIME MOBILE 5.109	Maritime mobile communications Digital Selective Calling (GMDSS) Transmission of meteorological bulletins and notices to navigators. 16 804.5 kHz-DSC for distress and calling;	Appendix 15 of ITU RR See Section 7 for details ITU RR Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Article 31 applies. Recommendation ITU-R M.541 applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.110 5.132 5.137A 5.145	5.110 5.132 5.137A 5.145	16 695 kHz-ACS; 16 806.5 and 16 909.5 kHz Maritime Safety Information (MSI)	
17 410-17 480 kHz FIXED	17 410-17 480 kHz FIXED	Fixed	
17 480-17 550 kHz BROADCASTING 5.134 5.146	17 480-17 550 kHz BROADCASTING 5.134 FIXED 5.146	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013. Article 12 Planning Procedures and Res.517 apply.
17 550-17 900 kHz BROADCASTING	17 550-17 900 kHz BROADCASTING	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013. ITU RR Article 12 Planning Procedures applies
17 900-17 970 kHz AERONAUTICAL MOBILE (R)	17 900-17 970 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	Appendix 27 Allotment Plan applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
17 970-18 030 kHz AERONAUTICAL MOBILE (OR)	17 970-18 030 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	Appendix 26 Allotment Plan applies
18 030-18 052 kHz FIXED	18 030-18 052 kHz FIXED	Fixed Applications	
18 052-18 068 kHz FIXED Space research	18 052-18 068 kHz FIXED Space research	Fixed Applications	
18 068-18 168 kHz AMATEUR AMATEUR-SATELLITE 5.154	18 068-18 168 kHz AMATEUR AMATEUR-SATELLITE	Amateur communications Amateur-satellite communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643, Notice 1822 , 23 May 2023).
18 168-18 780 kHz FIXED Mobile except aeronautical mobile	18 168-18 780 kHz FIXED Mobile except aeronautical mobile	Land mobile communications	
18 780-18 900 kHz MARITIME MOBILE	18 780-18 900 kHz MARITIME MOBILE	Maritime communications	ITU RR Appendix 17 Channelling Plan applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
18 900-19 020 kHz BROADCASTING 5.134 5.146	18 900-19 020 kHz BROADCASTING 5.134 FIXED 5.146	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013. Article 12 Planning Procedures and Res.517 apply.
19 020-19 680 kHz FIXED	19 020-19 680 kHz FIXED	Fixed Applications	
19 680-19 800 kHz MARITIME MOBILE 5.132	19 680-19 800 kHz MARITIME MOBILE 5.132	19 680.5 kHz-MSI; App.17 applies	The frequency 19 680.5 kHz is the international frequency for transmission of MSI.
19 800-19 990 kHz FIXED	19 800-19 990 kHz FIXED	Fixed Applications	
19 990-19 995 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	19 990-19 995 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111		
19 995-20 010 kHz	19 995-20 010 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz) 5.111	STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz) 5.111		
20 010-21 000 kHz FIXED Mobile	20 010-21 000 kHz FIXED Mobile		
21 000-21 450 kHz AMATEUR AMATEUR-SATELLITE	21 000-21 450 kHz AMATEUR AMATEUR-SATELLITE	Amateur communications Amateur-satellite communications	Radio Frequency Spectrum Regulations (Annex B) (GG No.38641, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023).
21 450-21 850 kHz BROADCASTING	21 450-21 850 kHz BROADCASTING	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013. ITU RR Article 12 Planning Procedures applies
21 850-21 870 kHz FIXED 5.155A 5.155	21 850-21 870 kHz FIXED	Fixed Applications	
21 870-21 924 kHz FIXED 5.155B	21 870-21 924 kHz FIXED 5.155B	Fixed Applications	This band is used by the FS for services related to aircraft flight safety (5.155B)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
21 924-22 000 kHz AERONAUTICAL MOBILE (R)	21 924-22 000 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	Appendix 27 Allotment Plan applies
22 000-22 855 kHz MARITIME MOBILE 5.132 5.137A 5.156	22 000-22 855 kHz MARITIME MOBILE 5.132 5.137A	22 450.5 kHz - MSI; 22 376 kHz - MSI.	ITU RR Appendix 17 Channelling Plan applies. ITU RR Appendix 25 Allotment Plan applies. The international frequency for transmission of MSI. See Section 7 for details
22 855-23 000 kHz FIXED 5.156	22 855-23 000 kHz FIXED	Fixed Applications	
23 000-23 200 kHz FIXED Mobile except aeronautical mobile (R) 5.156	23 000-23 200 kHz FIXED Mobile except aeronautical mobile (R)		
23 200-23 350 kHz	23 200-23 350 kHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED 5.156A AERONAUTICAL MOBILE (OR)	FIXED 5.156A AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	The use of this band by the FS is limited to the provision of services related to aircraft flight safety (5.156A)
23 350-24 000 kHz FIXED MOBILE except aeronautical mobile 5.157	23 350-24 000 kHz FIXED MARITIME MOBILE 5.157	Inter-ship radiotelegraphy	The use of this band by the MMS is limited to inter-ship radiotelegraphy (5.157)
24 000-24 450 kHz FIXED LAND MOBILE	24 000-24 450 kHz FIXED LAND MOBILE		
24 450-24 600 kHz FIXED LAND MOBILE Radiolocation 5.132A 5.158	24 450-24 600 kHz FIXED LAND MOBILE Radiolocation 5.132A	Oceanographic radars	
24 600-24 890 kHz FIXED LAND MOBILE	24 600-24 890 kHz FIXED LAND MOBILE		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
24 890-24 990 kHz AMATEUR AMATEUR-SATELLITE	24 890-24 990 kHz AMATEUR AMATEUR-SATELLITE		Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015).
24 990-25 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)	24 990-25 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)		
25 005-25 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research	25 005-25 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research		
25 010-25 070 kHz FIXED MOBILE except aeronautical mobile	25 010-25 070 kHz FIXED MOBILE except aeronautical mobile		
25 070-25 210 kHz MARITIME MOBILE	25 070-25 210 kHz MARITIME MOBILE	Maritime mobile communications	ITU RR Appendix 17 Channelling Plan applies
25 210-25 550 kHz FIXED	25 210-25 550 kHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile		
25 550-25 670 kHz RADIO ASTRONOMY 5.149	25 550-25 670 kHz RADIO ASTRONOMY 5.149	Radio astronomy (Observations of decametric radiation)	See Section 5 for coordination with radio astronomy
25 670-26 100 kHz BROADCASTING	25 670-26 100 kHz BROADCASTING	HF Sound Broadcasting	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 ITU RR Article 12 Planning Procedures applies.
26 100-26 175 kHz MARITIME MOBILE 5.132	26 100-26 175 kHz MARITIME MOBILE 5.132	26 100.5 kHz MSI; App.17 applies	ITU RR Appendix 17 Channelling Plan applies. ITU RR Appendix 25 Allotment Plan applies. The frequency 26 100.5 kHz is the international frequency for transmission of MSI.
26 175-26 200 kHz FIXED MOBILE except aeronautical mobile	26 175-26 200 kHz FIXED MOBILE except aeronautical mobile	Single Frequency Mobile Mobile systems (single frequency)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
		CB Radio (26.96-27.410 MHz) ISM applications (26.975-27.283 MHz) SRD applications (26 957-27 283 kHz)	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015). Common international SRD band; see ITU-R Rec.SM. 1896-1 latest version.
26 200-26 350 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A 5.133A	26 200-26 350 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	Single Frequency Mobile Oceanography radars	
26 350-27 500 kHz FIXED MOBILE except aeronautical mobile 5.150	26 350-27 500 kHz FIXED MOBILE except aeronautical mobile 5.150	Single Frequency Mobile Inductive Loop Systems, Non-specific SRD's (26.957-27.283 MHz) Surface Model Control (26.995 MHz, 27.045 MHz, 27.095 MHz, 27.145 MHz and 27.195 MHz)	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
27.5-28 MHz METEOROLOGICAL AIDS FIXED MOBILE	27.5-28 MHz METEOROLOGICAL AIDS FIXED MOBILE	Radiosondes	
28-29.7 MHz AMATEUR AMATEUR-SATELLITE	28-29.7 MHz AMATEUR AMATEUR-SATELLITE	Amateur communications Amateur-satellite communications	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023).
29.7-30.005 MHz FIXED MOBILE	29.7-30.005 MHz FIXED MOBILE Amateur NF1	Single frequency mobile (29.7-29.99 MHz) Government Services	Amateur-disaster and emergencies Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023)
30.005-30.01 MHz SPACE OPERATION (satellite identification) FIXED	30.005-30.01 MHz SPACE OPERATION (satellite identification) FIXED	Government Services	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE SPACE RESEARCH	MOBILE SPACE RESEARCH		
30.01-37.5 MHz FIXED MOBILE	30.01-37.5 MHz FIXED MOBILE	Single Frequency Mobile (32-32.325 MHz) Government Services Mobile 1 MTX (32.325-33.675 MHz) Single Frequency Mobile (33.675-34.175 MHz) Mobile 2 MTX (34.175-35 MHz) Model Aircraft Control (35-35.5 MHz) Wireless microphone (36.65-36.75 MHz) Single Frequency Mobile (33.25-33.5 MHz) Mobile 3 BTX 35.5-36.825 MHz Single Frequency Mobile 36.825-38.5 MHz PMR	Paired with 41.65-43 MHz Paired with 40.625-41.25 MHz Exclusive use by Model Aircraft Control Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015). Paired with 38.5-39.825 MHz
37.5-38.25 MHz	37.5-38.25 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED MOBILE Radio astronomy 5.149	FIXED MOBILE Radio astronomy 5.149	Single Frequency Mobile (36.825-38.5 MHz) Government Services Radio Astronomy (Observations of decametric radiation)	See Section 5 for coordination with radio astronomy
38.25-39 MHz FIXED MOBILE	38.25-39 MHz FIXED MOBILE	Single Frequency Mobile (36.825-38.5 MHz) Government Services Mobile 3 MTX (38.5-39.825 MHz)	Paired with 35.5-36.825 MHz
39-39.5 MHz FIXED MOBILE Space research	39-39.5 MHz FIXED MOBILE Space research	Mobile 3 MTX (38.5-39.825 MHz) Single Frequency Mobile (39.825-40.625 MHz) Oceanographic radars	Paired with 35.5-36.825 MHz
39.5-39.986 MHz FIXED	39.5-39.986 MHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE Space research	MOBILE Space research	Mobile 3 MTX (38.5-39.825 MHz) Single Frequency Mobile (39.825-40.625 MHz) PMR	Paired with 35.5-36.825 MHz
39.986-40.0 MHz FIXED MOBILE Space research	39.986-40.0 MHz FIXED MOBILE Space research	Single Frequency Mobile (39.825-40.625 MHz) PMR	
40-40.02 MHz FIXED MOBILE Earth exploration satellite (active) 5.159A Space research	40-40.02 MHz FIXED MOBILE Earth exploration satellite (active) 5.159A Space research	Fixed applications PMR Model Control Devices (40.66-40.7 MHz): Radio Microphone Wireless control devices Measurement equipment Earth exploration - satellite (active)	Radio Frequency Spectrum Regulations (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.
40.02-40.98 MHz FIXED	40.02-40.98 MHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE	MOBILE	Single Frequency Mobile (39.825-40.625 MHz) Mobile 2 BTX (40.625-41.45 MHz) PMR Wireless microphones (40.65-40.7 MHz) Non-specific SRD's (40.66-40.7 MHz) Surface Model Control (40.665 MHz, 40.675 MHz, 40.685 MHz, 40.695 MHz)	Paired with 34.175-35 MHz Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023).
	AMATEUR	SRD applications (40.66 - 40.77 MHz) ISM applications (40.66-40.7 MHz) Amateur propagation studies / beacons (8 m): 40.675-40.685 MHz	Common international SRD band; see ITU-R Rec.SM.1896-1 RR No. 5.150 (ISM band 40.66-40.70 MHz) Radio Frequency Spectrum Regulations, 2015 (Annexure I)
Earth exploration-satellite (active) 5.159A	Earth exploration-satellite (active) 5.159A		
5.150	5.150		
40.98-41.015 MHz	40.98-41.015 MHz		
FIXED	FIXED		
MOBILE	MOBILE	Mobile 2 BTX (40.625-41.45 MHz) PMR	Paired with 34.175-35 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Earth exploration-satellite (active) 5.159A Space research 5.160 5.161	Earth exploration-satellite (active) 5.159A Space research		
41.015-42 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A 5.160 5.161 5.161A	41.015-42 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A	Mobile 2 BTX (40.625-41.45 MHz) Single Frequency Mobile (41.45-41.65 MHz) Mobile 1 BTX (41.65-43 MHz) Government Services PMR	Paired with 34.175-35 MHz Paired with 32.325-33.675 MHz
42-42.5 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Radiolocation 5.132A 5.160 5.161B	42-42.5 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Radiolocation 5.132A	Mobile 1 BTX (41.65-43 MHz) Government Services Oceanographic radars	Paired with 32.325-33.675 MHz
42.5-44 MHz	42.5-44 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED MOBILE Earth exploration-satellite (active) 5.159A 5.160 5.161 5.161A	FIXED MOBILE Earth exploration-satellite (active) 5.159A	Mobile 1 BTX (41.65-43 MHz) Government Services	Paired with 32.325-33.675 MHz
44-47 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A 5.162 5.162A	44-47 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A	Meteor Burst (45.3-46.9 MHz) CT0 Cordless Telephones BTX (46.61-46.97 MHz) Government Services PMR	Paired with 47.5-49.1 MHz 10 frequency pairs assigned to CT0; paired with 49.67-49.97 MHz; Radio Frequency Spectrum Regulations (Annex B) (GG No.38641 , 30 March 2015).
47-50 MHz BROADCASTING	47-50 MHz BROADCASTING LAND MOBILE 5.164	PMR Meteor Burst (47.5-49.1 MHz) CT0 Cordless Telephony MTX (49.67-49.97 MHz)	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Paired with 45.3-46.9 MHz Paired with 46.61-46.97 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Earth exploration-satellite (active) 5.159A 5.162A 5.163 5.164 5.165	Earth exploration-satellite (active) 5.159A	Government	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023).
50-52 MHz BROADCASTING Amateur 5.166A 5.166B 5.166C 5.166D 5.166E 5.169 5.169A 5.169B 5.162A 5.164 5.165	50-54 MHz AMATEUR 5.169	Government Services Wireless microphones (53-54 MHz)	Radio Frequency Spectrum Regulations (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023
52-68 MHz	54-68 MHz BROADCASTING FIXED 5.171 MOBILE except aeronautical mobile 5.171	Government Services Model control (54.45-54.55 MHz)	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.162A 5.163 5.164 5.165 5.169 5.169A 5.169B 5.171		PMR Single Frequency Mobile (54-54.325 MHz) Mobile 1 BTX (54.325-54.45 MHz) Mobile 2 BTX (55.45-56.85 MHz) Single Frequency Mobile (56.85-58.5 MHz) Mobile 2 MTX (58.5-59.9 MHz) Mobile 1 MTX (59.9-60.025 MHz) Spare 60.025-60.215 MHz Sport Stadium Communications (62.8-62.85 MHz) National Emergency Alarm Radio (NEAR) (66-68 MHz)	Paired with 59.9-60.025 MHz Paired with 58.5-59.9 MHz Paired with 55.45-56.85 MHz Paired with 54.325-54.45 MHz
68-74.8 MHz FIXED MOBILE except aeronautical mobile	68-74.8 MHz FIXED MOBILE except aeronautical mobile	Single Frequency Mobile (68-69.25 MHz) Mobile 1 BTX (69.25-70 MHz) Mobile 2 BTX (70-70.975 MHz) Single Frequency Mobile (70.975-71.475 MHz)	Paired with 76.175-76.925 MHz Paired with 75.2-76.175 MHz Current assignments for fire fighting

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149 5.175 5.177 5.179	Amateur (70-70.3 MHz) NF2 Radio Astronomy (73-74.6 MHz) 5.149	Mobile 3 BTX (71.475-72.525 MHz) Single Frequency Mobile (72.525-73.425 MHz) Mobile 4 BTX (73.425-74.8 MHz) PMR and/or PAMR	Paired with 76.925-77.975 MHz Paired with 78.625-80 MHz Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023).
74.8-75.2 MHz AERONAUTICAL RADIONAVIGATION 5.180 5.181	74.8-75.2 MHz AERONAUTICAL RADIONAVIGATION 5.180	Instrument Landing System Markers 74.80-75.20 Marker beacons (75 MHz)	
75.2-87.5 MHz FIXED MOBILE except aeronautical mobile	75.2-87.5 MHz FIXED MOBILE except aeronautical mobile	Mobile 2 MTX (75.2-76.175 MHz) Mobile 1 MTX (76.175-76.925 MHz) Mobile 3 MTX (76.925-77.975 MHz) Mobile 4 MTX (78.625-80 MHz)	Paired with 70-70.975 MHz Paired with 69.25-70 MHz Paired with 71.475-72.525 MHz Paired with 73.425-74.8 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.175 5.179 5.187		Mobile 5 BTX (77.975-78.625 MHz) Mobile 6 BTX (80-80.5 MHz) Single Frequency Mobile (80.5-81 MHz) Mobile 7 BTX (81-81.625 MHz) Mobile 8 BTX (81.625-82.975 MHz) Mobile 5 MTX (82.975-83.625 MHz) Single Frequency Mobile (83.625-85.025 MHz) Mobile 8 MTX (85.025-86.375 MHz) Mobile 7 MTX (86.375-87 MHz) Mobile 6 MTX (87-87.5 MHz) PMR and/or PAMR	Paired with 82.975-83.625 MHz Paired with 87-87.5 MHz Paired with 86.375 - 87 MHz Paired with 85.025 - 86.375 MHz Paired with 77.975 - 78.625 MHz Paired with 81.625 - 82.975 MHz Paired with 81 - 81.625 MHz Paired with 80 - 80.5 MHz Radio Frequency Spectrum Assignment Plan GG 42286 Notice 124 of 2019
87.5-100 MHz BROADCASTING	87.5-100 MHz BROADCASTING	FM Sound Broadcasting (87.5-108 MHz) Digital sound broadcasting (DSB) services: DRM	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Geneva agreement GE84 GG 44469 Notice 215 of 23 April 2021, Digital Sound Broadcasting Services Regulations, 2021

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.190			Recommendation ITU-R BS.1114 Recommendation ITU-R BS.450 Low power campus sound Broadcasting
100-108 MHz BROADCASTING 5.192 5.194	100-108 MHz BROADCASTING 5.197A	FM Sound Broadcasting (87.5-108 MHz) Digital sound broadcasting (DSB) services: DRM	The Terrestrial Broadcasting Frequency Plan (GG no.36321) 02 April 2013 Geneva agreement GE84 applies. Low power campus Sound Broadcasting GG 44469 Notice 215 of 23 April 2021, Digital Sound Broadcasting (DSB) Services Regulations, 2021 Recommendation ITU-R BS.1114 Recommendation ITU-R BS.450
108-117.975 MHz AERONAUTICAL RADIONAVIGATION	108-112 MHz AERONAUTICAL RADIONAVIGATION AERONAUTICAL MOBILE (R) (ground to air) (ground-based TX and associated RX for navigational information for navigational functions) 5.197A	ILS localiser (108-112 MHz) Aeronautical mobile communications (108-117.975 MHz)	AM(R)S shall operate in accordance with Res.413(Rev.WRC-07) . Safety and regularity of flights; in the band 108-112 MHz AM(R)S limited to ground-based transmitters.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.197 5.197A	112-117.975 MHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications (108-117.975 MHz)	
	AERONAUTICAL RADIONAVIGATION 5.197A	VOR (VHF Omni-directional Range) (112-117.975 MHz)	
117.975-137 MHz AERONAUTICAL MOBILE (R) AERONAUTICAL MOBILE-SATELLITE (R) 5.198A 5.198B 5.111 5.200 5.201 5.202	117.975-137 MHz AERONAUTICAL MOBILE (R) AERONAUTICAL MOBILE-SATELLITE (R) 5.198A 5.198B 5.111 5.200 5.201	Aeronautical mobile communications (117.975-121.450 MHz) Aeronautical emergency Frequency (121.5 MHz) Aeronautical frequency auxiliary to 121.5 MHz (123.1 MHz) Aeronautical mobile communications (121.550-137.000 MHz) Aeronautical mobile communications (R) (117.975 - 137 MHz)	Safety and regularity of flights ITU RR Article 31 applies 123.1 MHz - auxiliary emergency frequency Resolution 406 (WRC-23) applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
137-137.025 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	137-137.025 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) (non-GSO) 5.208A 5.208B 5.209 NF3 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.208	MET SAT	As per 5.208A, MSS assignments to space stations in the 137-138 MHz frequency band, administrations shall take all practicable steps to protect the radio astronomy service in the frequency band 150.05-153 MHz. Seeking MIFR registration (cf. Section 5.7)
137.025-137.175 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth)	137.025-137.175 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth)		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Fixed Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	Fixed Mobile-satellite (space-to-Earth) (non-GSO) 5.208A 5.208B 5.209 NF3 Mobile except aeronautical mobile (R) 5.208		As per 5.208A, MSS assignments to space stations in the 137-138 MHz frequency band, administrations shall take all practicable steps to protect the radio astronomy service in the frequency band 150.05-153 MHz. Seeking MIFR registration (cf. Section 5.7)
137.175-137.825 MHz SPACE OPERATION (space-to-Earth) 5.203C 5.209A METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth)	137.175-137.825 MHz SPACE OPERATION (space-to-Earth) 5.203C 5.209A METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) (non-GSO) 5.208A 5.208B 5.209 NF3 SPACE RESEARCH (space-to-Earth)	NOAA meteorological satellite (137.5-137.62 MHz)	As per 5.208A, MSS assignments to space stations in the 137-138 MHz frequency band, administrations shall take all practicable steps to protect the radio astronomy service in the frequency band 150.05-153 MHz. Seeking MIFR registration (cf. Section 5.7)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Fixed Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	Fixed Mobile except aeronautical mobile (R) 5.208		
137.825-138 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile-satellite (space-to-Earth) 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	137.825-138 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL-SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Fixed Mobile-satellite (space-to-Earth) (non-GSO) 5.208A 5.208B 5.209 NF3 Mobile except aeronautical mobile (R) 5.208		As per 5.208A , MSS assignments to space stations in the 137-138 MHz frequency band, administrations shall take all practicable steps to protect the radio astronomy service in the frequency band 150.05-153 MHz. Seeking MIFR registration (cf. Section 5.7)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
138-143.6 MHz AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	138-144 MHz FIXED MOBILE	Single Frequency Alarms (140.5-141 MHz) Mobile 1 MTX (138-140.5 MHz) Single Frequency Mobile (141-141.5 MHz) Mobile 1 BTX (141.5-144 MHz) Remote control industrial apparatus (141-142 MHz) Mobile 1 BTX (141.5-144 MHz) PMR and / or PAMR	Paired with 141.5 - 144 MHz Paired with 138-140.5 MHz Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023) Allocation includes BTX assignments at 142.8-143.270 MHz and 143.325 - 143.975 MHz Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024) Radio Frequency Spectrum Assignment Plan GG 41512 Notice 146 of 2018
143.6-143.65 MHz AERONAUTICAL MOBILE (OR) SPACE RESEARCH (space-to-Earth) 5.211 5.212 5.214			

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
143.65-144 MHz AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214			
144-146 MHz AMATEUR AMATEUR-SATELLITE 5.216	144-146 MHz AMATEUR AMATEUR-SATELLITE		
146-148 MHz FIXED MOBILE except aeronautical mobile (R)	146-148 MHz FIXED MOBILE except aeronautical mobile (R)	Mobile 2 MTX (146-148.95 MHz) PMR and / or PAMR	Paired with 153.05-156 MHz
148-149.9 MHz FIXED MOBILE except aeronautical mobile (R) MOBILE-SATELLITE (Earth-to-space) 5.209	148-149.9 MHz FIXED MOBILE except aeronautical mobile (R) MOBILE-SATELLITE (Earth-to-space) (non-GSO) 5.209 NF3	Mobile 2 MTX (146-148.95 MHz) Single Frequency Mobile (148.950-151 MHz) Wildlife telemetry Tracking (148-152 MHz) Low Earth Orbit systems	Paired with 153.05-156 MHz Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015) Systems are paired with either 137-138 MHz or 400.15-401 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.218 5.218A 5.219 5.221	SPACE OPERATION (Earth-to-space) 5.218 5.219 5.221		For some small LEO systems this band is supplemented by the band 149.9-150.05 MHz
149.9-150.05 MHz MOBILE-SATELLITE (Earth-to-space) 5.209 5.220	149.9-150.05 MHz MOBILE-SATELLITE (Earth-to-space) (non-GSO) 5.209 5.220 NF3	Low Earth Orbit systems Mobile-satellite communications Wildlife telemetry Tracking (148-152 MHz) Single Frequency Mobile (148.950-151 MHz)	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015). Radio Frequency Spectrum Assignment Plan GG 41512 Notice 149 of 2018
150.05-153 MHz FIXED MOBILE except aeronautical mobile	150.05-153 MHz FIXED MOBILE except aeronautical mobile	Single frequency alarms (152.05-152.55 MHz) Alarms, Single Frequency Mobile and Load Shedding (148.950-151 MHz) PMR and PAMR Paging Government Services	Channels 150.550 MHz and 150.5625 MHz are used for load shedding. Channels 150.625 MHz and 150.675 MHz are reserved for in-house paging

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIO ASTRONOMY 5.149	RADIO ASTRONOMY 5.149	Wildlife Telemetry Tracking (148-152 MHz) Single Frequency Mobile (152.55-153.05 MHz) Radio Astronomy (continuum band and also used for pulsar and solar observations)	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023). RFSAP was published in GG 41512 Notice 149 of 2018. See Section 5 for coordination with radio astronomy
153-154 MHz FIXED MOBILE except aeronautical mobile (R) Meteorological aids	153-154 MHz FIXED MOBILE except aeronautical mobile (R) Meteorological aids	Single Frequency Mobile (152.55-153.05 MHz) Mobile 2 BTX (153.05-156 MHz) PMR and/or PAMR	Paired with 146-148.95 MHz
154-156.4875 MHz FIXED MOBILE except aeronautical mobile (R)	154-156.4875 MHz FIXED MOBILE except aeronautical mobile (R)	PMR and/or PAMR (154-156 MHz) Maritime Mobile 2 BTX (153.05-156 MHz)	See Section 7 for details Paired with 146-148.95 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.225A 5.226	5.226	Mobile 3 MTX (156-156.7625 MHz) Single Frequency Mobile (156.375-156.7625 MHz) Maritime mobile communications (Ship stations) (156.00-156.4875 MHz) Land mobile in areas remote from coast (156.00-156.4875 MHz)	Paired with 160.6-160.975 MHz (156-156.375 MHz allocated to Land Mobile MTX in inland areas) Limited to inland areas Paired with 160.625-160.950 MHz, single frequency 156.3 MHz and in the band 156.375-156.475 MHz ITU RR Articles 31 and 52 and Appendix 18 apply
156.4875-156.5625 MHz MARITIME MOBILE (distress and calling via DSC)	156.4875-156.5125 MHz MARITIME MOBILE (distress and calling via DSC). FIXED 5.227 LAND MOBILE 5.227 5.111 5.226 5.227 156.5125-156.5375 MHz	Single Frequency Mobile (156.375-156.7625 MHz) The band 156.4875-156.5125 MHz may also be used for land mobile services while protecting the maritime mobile service.	The use of this band by the maritime services shall be in accordance with ITU Appendix 18. ITU RR Articles 31 and 52 and Appendix 18 apply. NINP basis to Maritime Mobile Service; Limited to inland areas

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	MARITIME MOBILE (distress and calling via DSC) 5.111 5.111 5.226 5.227	Maritime mobile distress, safety and calling frequency 156.525 MHz for maritime mobile VHF radiotelephone service using DSC. Single Frequency Mobile (156.375-156.7625 MHz)	The use of this band by the maritime services shall be in accordance with ITU Appendix 18. ITU RR Articles 31 and 52 and Appendix 18 apply.
	156.5375-156.5625 MHz FIXED LAND MOBILE MARITIME MOBILE (distress and calling via DSC) 5.111 5.226 5.227	The bands 156.5375-156.5625 MHz may also be used for land mobile services while protecting the maritime mobile service. Single Frequency Mobile (156.375-156.7625 MHz)	The use of this band by the maritime services shall be in accordance with ITU Appendix 18. ITU RR Articles 31 and 52 and Appendix 18 apply.
5.111 5.226 5.227	5.111 5.226 5.227		
156.5625-156.7625 MHz FIXED MOBILE except aeronautical mobile (R)	156.5625-156.7625 MHz FIXED MOBILE except aeronautical mobile (R)	Fixed and Mobile applications. Maritime mobile communications (156.5625-156.7625 MHz).	Single frequency applications ITU RR Articles 31 and 52 and Appendix 18 apply.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.226	5.226	Land mobile in areas remote from the coast.	
156.7625-156.7875 MHz MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	156.7625-156.7875 MHz MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	International distress, safety and calling frequency at 156.8 MHz for the maritime mobile VHF radiotelephone service. Distress safety and calling (156.76250-156.8375 MHz) Reception of AIS emissions of long-range AIS broadcast messages	ITU RR Article 31 and Appendix 18 apply to the use of the frequency 156.8 MHz and this band.
156.7875-156.8125 MHz MARITIME MOBILE (distress and calling) 5.111 5.226	156.7875-156.8125 MHz MARITIME MOBILE (distress and calling) 5.111 5.226	Distress safety and calling (156.76250-156.8375 MHz, channel 16)	See Section 7 for details
156.8125-156.8357 MHz MARITIME MOBILE	156.8125-156.8375 MHz MARITIME MOBILE	Distress safety and calling (156.76250-156.8375 MHz)	See Section 7 for details.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Mobile-satellite (Earth-to-space) 5.111 5.226 5.228 156.8357-156.8375 MHz MARITIME MOBILE Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	Mobile-satellite (Earth-to-space) 5.111 5.226 5.228	Reception of AIS emissions of long-range AIS broadcast messages	
156.8375-157.1875 MHz FIXED MOBILE except aeronautical mobile 5.226	156.8375-157.1875 MHz FIXED MOBILE except aeronautical mobile 5.226	Government Services 156.8375-157.45 MHz Maritime mobile communications (ship stations) Land mobile in areas remote from the coast.	Paired with 161.5-162.0 MHz and single frequency applications; ITU RR Articles 31 and 52 and Appendix 18 apply
157.1875-157.3375 MHz FIXED MOBILE except aeronautical mobile	157.1875-157.3375 MHz FIXED MOBILE except aeronautical mobile	Government Services	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	Maritime mobile-satellite (Earth-to-space) (non-GSO) Maritime mobile-satellite (space-to-Earth) (non-GSO) 5.228AB 5.228AC 5.208A 5.208B 5.226		Resolution 739 (Rev. WRC-19) apply As per 5.208A, maritime MSS (space-to-Earth) assignments in the frequency bands 157.1875-157.3375 MHz, administrations shall take all practicable steps to protect the RAS in the frequency band 150.05-153 MHz.
157.3375-161.7875 MHz FIXED MOBILE except aeronautical mobile 5.226	157.3375-161.7875 MHz FIXED MOBILE except aeronautical mobile 5.226	Government Services (157.450-160.6 MHz) PMR and/or PAMR (160.600-160.975 MHz) Maritime mobile communications (Coast stations) Land mobile in areas remote from coast (160.975-161.475 MHz) PMR and/or PAMR (161.475-162.050 MHz)	Single frequency applications Paired with 156.025-156.350 MHz; ITU RR Article 31 and Article 52 apply Appendix 18 applies. Paired with 156.9-157.4 MHz
161.7875-161.9375 MHz FIXED	161.7875-161.9375 MHz FIXED	Government Services (161.475-162.050 MHz)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile NF4	Sonobuoy (161.875-173.875)	ITU RR Article 31 and Article 52 Appendix 18 apply. As per 5.208A , maritime MSS (space-to-Earth) assignments in the frequency bands 161.7875-161.9375 MHz, administrations shall take all practicable steps to protect the RAS in the frequency band 150.05-153 MHz
Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC	Maritime mobile-satellite (Earth-to-space) (non-GSO) 5.228A 5.228B 5.228AB 5.228AC Maritime mobile-satellite (space-to-Earth) 5.208A (non-GSO) 5.228A 5.228B 5.228AB 5.228AC	Maritime mobile communications (Coast stations) Land mobile in areas remote from coast PMR and/or PAMR Automatic Identification System (AIS) at 161.975 MHz, 162.025 MHz and 162.050-174 MHz	
5.226	5.226		
161.9375 -161.9625 MHz	161.9375 -161.9625 MHz		
FIXED	FIXED		See Section 7 for details
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile NF4	Sonobuoy (161.875-173.875) Transmission of meteorological bulletins and notice to navigators Mobile 1 MTX-DF (161.475-165.0375 MHz) Single Frequency Mobile (160.45-161.475 MHz)	Paired with Mobile 1 BTX-DF (156.875-160.4375 MHz)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226	Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226	Single Frequency Mobile (156.8375-156.875 MHz) Private Maritime MTX (157.45-157.95 MHz)	Inland areas only Paired with 162.05-162.55 MHz
161.9625-161.9875 MHz FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B	161.9625-161.9875 MHz FIXED MOBILE except aeronautical mobile NF4 Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B	Search and rescue (air to ground) Mobile 1 MTX-DF (161.475-165.0375 MHz) Sonobuoy (161.875-173.875 MHz) Reception of AIS emissions from stations in the mms	Search and rescue operations and other safety-related communications (air to ground) Paired with Mobile 1 BTX-DF (156.875-160.4375 MHz)
161.9875-162.0125 MHz FIXED MOBILE except aeronautical mobile	161.9875-162.0125 MHz FIXED MOBILE except aeronautical mobile NF4	Mobile 1 MTX-DF (161.475-165.0375 MHz) Sonobuoy (161.875-173.875) Transmission of meteorological bulletins and notice to navigators	See Section 7 for details Paired with Mobile 1 BTX-DF (156.875-160.4375 MHz)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226	Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226		
162.0125-162.0375 MHz FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B	162.0125-162.0375 MHz FIXED MOBILE except aeronautical mobile NF4 Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B	Mobile 1 MTX-DF (161.475-165.0375 MHz) Sonobuoy (161.875-173.875 MHz) Reception of AIS emissions from stations in the mms. Search and rescue (air to ground)	Paired with Mobile 1 BTX-DF (156.875-160.4375 MHz) Search and rescue operations and other safety-related communications (air to ground)
162.0375-174 MHz FIXED MOBILE except aeronautical mobile	162.0375-174 MHz FIXED MOBILE except aeronautical mobile NF4	Sonobuoy in maritime service (161.875-173.875 MHz) Mobile 1 MTX-DF (161.475-165.0375 MHz) Mobile 2 MTX-DF (165.05-165.5375 MHz) Single Frequency Mobile (168.95-170.05 MHz) Mobile 3 MTX-DF (165.55-167.4875 MHz)	Paired with Mobile 1 BTX-DF (156.875-160.4375 MHz) Paired with Mobile 2 BTX-DF (170.05-170.5375 MHz) Paired with Mobile 3 BTX-DF (172.05-173.9875 MHz)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.226	5.226 NF5	Single Frequency Mobile (172-172.0375 MHz) Mobile 4 MTX-DF (167.5-168.9375 MHz) Meter Reading (169.4-169.475 MHz) Non-specific SRDs-Telecommand only (173.2125-173.2375 MHz) Non-specific SRDs (173.2375-173.2875 MHz) Wireless microphones and assistive listening devices (173.7-175.1 MHz) SAB/SAP (173.7-175.1 MHz)	Paired with Mobile 4 BTX (170.55-171.9875 MHz) Radio Frequency Spectrum Regulations (Annex B) GG No. 48643 (Notice 1822) of 23 May 2023
174-223 MHz BROADCASTING	174-223 MHz BROADCASTING	T-DAB (214-230 MHz) Digital Sound-Broadcasting (DSB) services: DAB+ (214-240 MHz) Digital Television Broadcasting (174-214 MHz)	Geneva 06 (GE06) applies Digital Sound Broadcasting (DSB) planned for this band. GG 44469 Notice 215 of 23 April 2021, Digital Sound Broadcasting (DSB) Services Regulations, 2021 Recommendation ITU-R BS.1114 Recommendation ITU-R BS.450 The Terrestrial Broadcasting Frequency Plan as amended (GG no.36321) 02 April 2013

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.235 5.237 5.243	NF5	Wireless microphones (173.7-175.1 MHz) Audio links and talkback (174-216 MHz) SAB/SAP (173.7-175.1 MHz)	Radio Frequency Spectrum Regulations (Annex B) GG No. 48643 (Notice 1822) of 23 May 2023
223-230 MHz BROADCASTING Fixed Mobile 5.243 5.246 5.247	223-230 MHz BROADCASTING Fixed Mobile	T-DAB (214-230 MHz) Digital Sound Broadcasting (DSB) services: DAB+(214-240 MHz)	Geneva 06 applies for TV in Band III The Terrestrial Broadcasting Frequency Plan as amended (GG no.36321), 02 April 2013 Digital sound broadcasting is being planned in this band. GG 44469 Notice 215 of 23 April 2021, Digital Sound Broadcasting (DSB) Services Regulations, 2021 Recommendation ITU-R BS.1114 Recommendation ITU-R BS.450
230-235 MHz	230-238 MHz BROADCASTING 5.252	Digital Television Broadcasting Digital Sound Broadcasting (DSB) services: DAB+(214-240 MHz)	GE89 applies for TV in this band The Terrestrial Broadcasting Frequency Plan as amended (GG no.36321) 02 April 2013 GG 44469 Notice 215 of 23 April 2021, Digital Sound Broadcasting (DSB) Services Regulations, 2021

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED MOBILE 5.247 5.251 5.252 235-267 MHz	Mobile-satellite		Recommendation ITU-R BS.1114 Recommendation ITU-R BS.450 Mobile-satellite may be used in (235 -322 MHz) and (335.4 -399.9 MHz)
FIXED MOBILE	238-246 MHz FIXED MOBILE Mobile-satellite BROADCASTING 5.252 5.111 5.254 5.256	PMR and/or PAMR (238- 242.95 MHz) International Distress Frequency at 243 MHz (242.95-243.05 MHz) Low-power devices (243.05- 246.00 MHz) (DSB) services: DAB+ (214-240 MHz)	Band available for distress and safety purposes. Low-power devices ancillary to the broadcasting service. Mobile-satellite may be used in (235 -322 MHz) and (335.4 -399.9 MHz) GG 44469 Notice 215 of 23 April 2021, Digital Sound Broadcasting (DSB) Services Regulations, 2021 Channel 13F (239.2 MHz) can be used nationally for DAB+ as currently used during DAB+ trials Radio Frequency Spectrum Regulations (Annex B) GG No. 48643 (Notice 1822) of 23 May 2023

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	246-254 MHz BROADCASTING 5.254 5.252	Digital Television broadcasting (246-254 MHz)	Geneva 89 (GE89) applies for TV in this band The Terrestrial Broadcasting Frequency Plan as amended (GG no.36321) 02 April 2013
5.111 5.252 5.254 5.256 5.256A	254-267 MHz MOBILE FIXED Mobile-satellite 5.111 5.254 5.256	Trunking BTX (254-259.4 MHz) Trunking MTX (262-267.4 MHz) Government Services (267.4-272 MHz)	Paired with 262-267.4 MHz Paired with 254-259.4 MHz Mobile-satellite may be used in (235 -322 MHz) and (335.4 -399.9 MHz)
267-272 MHz FIXED MOBILE Space operation (space-to-Earth) 5.254 5.257	267-272 MHz FIXED MOBILE SPACE OPERATION (telemetry) Mobile-satellite Space operation (space-to-Earth) 5.254 5.257	Government Services Trunking MTX (262-267.4 MHz) Space Telemetry (267-272 MHz)	Paired with 254-259.4 MHz Mobile-satellite may be used in (235 -322 MHz) and (335.4 -399.9 MHz)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
272-273 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE 5.254	272-273 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE Mobile-satellite 5.254	Government Services	Mobile-satellite may be used in (235 -322 MHz) and (335.4 -399.9 MHz)
273-312 MHz FIXED MOBILE 5.254	273-312 MHz FIXED MOBILE Mobile-satellite 5.254	Government Services Single Frequency Mobile (278-286 MHz)	Mobile-satellite may be used in (235 -322 MHz) and (335.4 -399.9 MHz)
312-315 MHz FIXED MOBILE Mobile-satellite (Earth-to-space) 5.254 5.255	312-315 MHz FIXED MOBILE Mobile-satellite (Earth-to-space) 5.254 5.255	Government Services	Mobile-satellite may be used in (235 -322 MHz) and (335.4 -399.9 MHz)
315-322 MHz FIXED MOBILE	315-322 MHz FIXED MOBILE	Government Services	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.254	Mobile-satellite 5.254		Mobile-satellite may be used in (235 -322 MHz) and (335.4 -399.9 MHz)
322-328.6 MHz FIXED MOBILE RADIO ASTRONOMY 5.149	322-328.6 MHz FIXED MOBILE RADIO ASTRONOMY 5.149	Government Services Radio Astronomy (Observation of deuterium)	See Section 5 coordination with radio astronomy
328.6-335.4 MHz AERONAUTICAL RADIONAVIGATION 5.258 5.259	328.6-335.4 MHz AERONAUTICAL RADIONAVIGATION 5.258	ILS Glide Path	
335.4-387 MHz FIXED	335.4-387 MHz FIXED NF6	PTP/PTMP FWA (336-346 MHz) FWA (356-366 MHz) Government Services (366-380 MHz)	Radio Frequency Spectrum Assignment Plan (RFSAP) GG 49079 Notice 3764 of 4th of August 2023 Paired with 356-366 MHz Paired with 336-346 MHz Paired with 390-397 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE	MOBILE NF7	Digital Trunking (Emergency) (380-387 MHz) (PPDR) PMR and/or PAMR (335.4-336 MHz) PPDR	(Coordination is required with PTP/PTMP in the implement of UAV) The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz).
5.254	Mobile-satellite 5.254	Unmanned Aerial Vehicle (UAV) (366.0-380.0 MHz)	
387-390 MHz	387-390 MHz		Radio Frequency Spectrum Assignment Plan GG 49079 Notice 3764 of 4th of August 2023 Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)
FIXED MOBILE	FIXED MOBILE NF7	PPDR	The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Mobile-satellite (space-to-Earth)	Mobile-satellite (space-to-Earth)		As per 5.208A , MSS assignments to space stations in the 387-390 MHz frequency band, administrations shall take all practicable steps to protect the radio astronomy service in the frequency band 150.05-153 MHz. Seeking MIFR registration (cf. Section 5.7)
5.208A 5.208B 5.254 5.255	5.208A 5.208B 5.254 5.255		
390-399.9 MHz	390-399.9 MHz		Radio Frequency Spectrum Assignment Plan GG 49079 Notice 3764 of 4th of August 2023 Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)
FIXED MOBILE	FIXED MOBILE NF7	PPDR	The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz)
5.254	Mobile-satellite 5.254		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
399.9-400.05 MHz MOBILE-SATELLITE (Earth-to-space) 5.209 5.220 5.260A 5.260B	399.9-400.05 MHz MOBILE-SATELLITE (Earth-to-space) (non-GSO) 5.209 5.220 5.260A 5.260B		Radio Frequency Spectrum Assignment Plan GG 49079 Notice 3764 of 4th of August 2023
400.05-400.15 MHz STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262	400.05-400.15 MHz STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262		
400.15-401 MHz METEOROLOGICAL AIDS METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space- to-space) 5.263	400.15-401 MHz METEOROLOGICAL AIDS METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE-SATELLITE (space-to-Earth) (non-GSO) 5.208A 5.208B 5.209 NF3 SPACE RESEARCH (space- to-space) 5.263	Radiosonde Communication with manned space vehicles Space-to-Earth - non-GSO	As per 5.208A , MSS assignments to space stations in the 400.15-401 MHz frequency band, administrations shall take all practicable steps to protect the radio astronomy service in the frequency band 322-328.6 MHz. Seeking MIFR registration (cf. Section 5.7)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Space operation (space-to-Earth) 5.262 5.264	Space operation (space-to-Earth) 5.264		
401-402 MHz METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B	401-402 MHz METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B	Radiosonde Data uplink to Geostationary Satellite orbit	Note limitations in e.i.r.p 5.264A
402-403 MHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space)	402-403 MHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space)	Radiosonde	Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643, Notice 1822 , 23 May 2023). Note limitations in e.i.r.p 5.264A

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B	METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B	Medical implants (402-405 MHz) Various SRDs (402-406 MHz) SRD - ultra low power active medical implants	SRD (402-405 MHz) ITU-R Recommendation. SM.1896-1 ITU-R Recommendation. RS.1346 latest version.
403-406 MHz METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile 5.265	403-406 MHz METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile 5.265	Radiosonde Medical implants (402-405 MHz) Various SRD's (402-406 MHz)	Note limitations in e.i.r.p 5.264A Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023). SRD (402-405 MHz) ITU-R Recommendation. SM.1896-1 latest version ITU-R Recommendation. RS.1346 latest version

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
406-406.1 MHz MOBILE-SATELLITE (Earth-to-space) 5.265 5.266 5.267	406-406.1 MHz MOBILE-SATELLITE (Earth-to-space) 5.265 5.266 5.267	COSPAS-SARSAT: Emergency Position Indicating Radio Beacon (EPIRB) Low power satellite EPIRBs (distress and safety purposes)	Personal Locator Beacon ITU RR Articles 32 apply ITU RR Articles 34 apply Appendix 15 apply
406.1-410 MHz FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149 5.265	406.1-410 MHz FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149 5.265	Fixed Links (406.1-407.625 MHz) Mobile MTX (407.625-410 MHz) Government use for public safety PMR and/or PAMR PPDR Radio Astronomy (continuum observations)	Paired with 416.1-417.625 MHz Paired with BTX (417.625-420 MHz) The Authority intends to assess future PPDR spectrum needs in 380-470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694-894 MHz and 4 940-4 990 MHz) See Section 5 for coordination with radio astronomy

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
410-420 MHz	410-420 MHz		Radio Frequency Spectrum Assignment Plan GG 49079 Notice 3766 of 4th of August 2023 Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)
FIXED MOBILE except aeronautical mobile	FIXED MOBILE except aeronautical mobile	Digital Trunking MTX (413.7625-416.1 MHz) PAMR/PMR IoT PPDR	Paired with 423.7625-426.1 MHz The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz).
SPACE RESEARCH (space-to-space) 5.268	SPACE RESEARCH (space-to-space) 5.268	Communication links with an orbiting, manned space vehicle	
420-430 MHz	420-430 MHz		Radio Frequency Spectrum Assignment Plan GG 49079 Notice 3766 of 4th of August 2023 Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)
FIXED MOBILE except aeronautical mobile	FIXED MOBILE except aeronautical mobile	Digital Trunking BTX (423.7625-426.1 MHz) PAMR/PMR IoT	Paired with MTX (413.7626-416.1 MHz)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Radiolocation 5.269 5.270 5.271	Radiolocation	PPDR	The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz)
430-432 MHz AMATEUR RADIOLOCATION 5.271 5.274 5.275 5.276 5.277	430-432 MHz AMATEUR NF8 RADIOLOCATION	Amateur Applications	Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641 , 30 March 2015). RFSR 2015, including Annexes, to be reviewed
432-438 MHz AMATEUR RADIOLOCATION	432-438 MHz AMATEUR NF8 RADIOLOCATION	Amateur (432-438 MHz) ISM (433.0-434.79 MHz) Non-Specific SRD including RFID (433.05-434.79 MHz) ISM applications	Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641 , 30 March 2015). RFSR 2015, including Annexes, to be reviewed Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641 , 30 March 2015)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Earth exploration-satellite (active) 5.279A 5.138 5.271 5.276 5.277 5.280 5.281 5.282	Earth exploration-satellite (active) 5.279A Amateur -satellite 5.138 5.282	Amateur-satellite (435-438 MHz)	For earth exploration-satellite see Rec. ITU-R RS.1260-2 latest version Conditions for amateur satellite service are given in 5.282
438-440 MHz AMATEUR RADIOLOCATION 5.271 5.274 5.275 5.276 5.277 5.283	438-440 MHz AMATEUR NF8 RADIOLOCATION	Amateur	Radio Frequency Spectrum Regulations (Annex I) (GG. No.38641 , 30 March 2015). RFSR 2015, including Annexes, to be reviewed
440-450 MHz FIXED	440-450 MHz FIXED	Telemetry / Data BTX (440-441 MHz) FIXED (telemetry, dual frequency alarm systems) Agricultural Telemetry Application	Radio Frequency Spectrum Assignment Plan GG 49079 Notice 3767 of 4th of August 2023 Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024) Paired with MTX (445-446 MHz) Channels 440.0125, 440.3625, 445.0125 and 445.3625 MHz are used for Agricultural Telemetry

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Roving simplex Application Simplex Applications Mobile MTX (441.1-445 MHz) Single Frequency Mobile (441-441.1 MHz) PMR and/or PAMR446 (446-446.1 MHz) PPDR	Channels 440.275 MHz, 440.2875 MHz, 445.2750 MHz, 445.2875 MHz, 440.375 MHz and 445.375 MHz are roving simplex channels. Channels 440 - 440.100 MHz and 445-445.1 MHz are used as simplex Paired with BTX (446.1-450 MHz) 8 channels Radio Frequency Spectrum Regulations (Annex B) (GG. No.38641, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023). PMR446-ERC/DEC/ (98)25 The Authority intends to assess future PPDR spectrum needs in 380-470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694-894 MHz and 4 940-4 990 MHz)
Radiolocation 5.269 5.285	Radiolocation 5.269 5.285		
5.270 5.271 5.284 5.286	5.270 5.271 5.284 5.286		
450-455 MHz	450-455 MHz		RFSAP- GG No. 48353, 31 March 2023 (Notice 3246 of 2023)
FIXED	FIXED	Government Services (Fixed Links)	Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)

Page | 126
National Table of Frequency Allocations

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.209 5.271 5.286A 5.286B 5.286C 5.286E	5.209 5.286A 5.286B 5.286C	PPDR	Notice 279, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023). IMT Roadmap (GG No.42829 Notice 600 of 2019). The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz)
456–459 MHz	456–459 MHz		RFSAP - GG No.48353 of 31 March 2023 (Notice 3246 of 2023)
FIXED MOBILE 5.286AA	FIXED MOBILE 5.286AA NF9	IMT450 (450–470 MHz) IoT M2M PPDR	ITU-R Recommendation M.1036-8 Resolution 224 (Rev. WRC-23) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023) The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.271 5.287 5.288	5.287		with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz).
459-460 MHz FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	459-460 MHz FIXED MOBILE 5.286AA NF9 5.209 5.286A 5.286B 5.286C	Government Services (Fixed links) IMT450 (450-470 MHz) PPDR	RFSAP- GG No. 48353 of 31 March of 2023 (Notice 3246 of 2023) ITU-R Recommendation M.1036-8 Resolution 224 (Rev. WRC-23) The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz).
460-470 MHz FIXED MOBILE 5.286AA 5.287 5.288	460-470 MHz FIXED MOBILE 5.286AA 5.287 NF9	Government Services (Fixed Links) IMT450 (450-470 MHz) IoT M2M	RFSAP- GG No. 48353 of 31 March 2023 . (Notice 3246 of 2023) ITU-R Recommendation M.1036-8 Resolution 224 (Rev. WRC-23) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 ,

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Meteorological-satellite (space-to-Earth) 5.290 5.289	Meteorological-satellite (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.289	PPDR	Notice 279 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023). The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz)
470-694 MHz BROADCASTING	470-606 MHz BROADCASTING	DTT Broadcasting (470-694 MHz) PMSE e.g. Wireless microphones (470-786 MHz)	Radio Frequency Spectrum Assignment Plan, GG 43341 (Notice 284 of 2020) Geneva 06 Agreement applies. Broadcasting Allotments in accordance with GE89 and GE06 . Broadcast assignments in accordance with the latest version of the Terrestrial Broadcasting Frequency Plan as amended (GG No.36321) 02 April 2013. Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, 30 March 2015, amended by GG 48643 included Notice No 1822 , 23 May 2023)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	Land mobile	Services Ancillary to Programme making and Services Ancillary to Broadcasting (SAP/SAB) Terrestrial broadband services TV Whitespaces	Res. ITU-R 59-3 (WRC-23) (ENG) The use of land mobiles in accordance with footnote No. 5.296) ITU Article 1.26 applies: the transmission is restricted to terrestrial only, i.e. a mobile service between base stations and land mobile stations. Regulations Television Whitespaces- GG 44373 (Notice 164 of 2021) and GG No. 41512 (Notice 147 of 2018)
	5.149 5.296 5.304 5.306 606-614 MHz		Radio Frequency Spectrum Assignment Plan, GG 43341 Notice 284 of 2020 Geneva 06 Agreement applies.
	BROADCASTING	DTT Broadcasting (470-694 MHz) PMSE e.g. Wireless microphones (470-786 MHz) Services Ancillary to Programme making and Services Ancillary to Broadcasting (SAP/SAB)	Broadcasting Allotments in accordance with GE89 and GE06 . Broadcast assignments in accordance with the latest version of the Terrestrial Broadcasting Frequency Plan as amended (GG No.36321) 02 April 2013 Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, 30 March 2015, amended by GG 48643, Notice No 1822 , 23 May 2023) Res. ITU-R 59-3 (WRC-23) (ENG)
	Land mobile	Terrestrial broadband services	The use of land mobiles in accordance with footnote No. 5.296).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	RADIO ASTRONOMY 5.149 5.296 5.304 5.306	Radio Astronomy (606-614 MHz)	ITU Article 1.26 applies: the transmission is restricted to terrestrial only, i.e. a mobile service between base stations and land mobile stations. RAS VLBI Observations (608-614 MHz). See Section 5 for coordination with radio astronomy.
	614-694 MHz BROADCASTING Land mobile	DTT Broadcasting (470-694 MHz) PMSE e.g. Wireless microphones (470-786 MHz) Services Ancillary to Programme making and Services Ancillary to Broadcasting (SAP/SAB) Terrestrial broadband services	Radio Frequency Spectrum Assignment Plan, GG 43341 Notice 284 of 2020 Geneva 06 Agreement applies. Broadcasting Allotments in accordance with GE89 and GE06 . Broadcast assignments in accordance with the latest version of the Terrestrial Broadcasting Frequency Plan as amended (GG No.36321) 02 April 2013. Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, 30 March 2015, amended by GG 48643 included Notice No 1822 , 23 May 2023) Res. ITU-R 59-3 (WRC-23) (ENG) The use of land mobiles in accordance with footnote No. 5.296 . ITU Article 1.26 applies: the transmission is restricted to terrestrial only, i.e. a mobile

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149 5.291A 5.294 5.295A 5.296 5.300 5.304 5.306 5.307A 5.307B 5.312	5.149 5.296 5.304 5.306	TV Whitespaces	service between base stations and land mobile stations. Regulations Television Whitespaces-GG 44373 (Notice 164 of 2021) and GG No. 41512 (Notice 147 of 2018)
694-790 MHz MOBILE except aeronautical mobile 5.312A 5.312B 5.317A	694-790 MHz MOBILE except aeronautical mobile 5.312A 5.312B 5.317A NF9	IMT700 MTX (703-733 MHz) IMT750 (733 to 758 MHz) SDL PPDR	Paired with BTX (758-788 MHz) Radio Frequency Spectrum Assignment Plan IMT700 (GG 47788 Notice 2886 of 2022) Radio Frequency Spectrum Assignment Plan IMT750 (GG 47788 Notice 2887 2022) Res. 224 (Rev. WRC-23), Res. 760 (Rev. WRC-23) and Res. 749 (Rev. WRC-23), apply Recommendation ITU-R M.1036-8 HCM4A for cross-border coordination The Authority intends to The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and further harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING 5.300 5.312		HIBS (694-960 MHz) Wireless microphones (470-786 MHz)	SADC PPDR recommendation Framework for Harmonisation of Radio Frequency Spectrum for Public Protection and Disaster Relief (PPDR) in SADC Edition 2020 Resolution 213 (WRC-23) applies. The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, 30 March 2015, amended by GG 48643 included Notice No 1822, 23 May 2023) Res. ITU-R 59-3 (WRC-23) (ENG)
790-862 MHz FIXED MOBILE except aeronautical mobile 5.312B 5.316B 5.317A	790-862 MHz FIXED MOBILE except aeronautical mobile 5.312B 5.316B 5.317A NF9	IMT800 MTX (832 - 862 MHz)	Paired with BTX (791-821 MHz) Radio Frequency Spectrum Assignment Plan (GG No 47788, Notice 2888 of 20th December 2022) IMT 850 RFSAP GG No 48353, Notice 3245 of 31st March 2023 was Repealed. This followed the publication of the Reasons Document GG 48353 (Notice 3243) of 31st March 2023

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
			Res. 224 (Rev. WRC-23), Res. 760 (Rev. WRC-23) and Res. 749 (Rev. WRC-23) apply IMT in accordance with ITU-R Recommendation M.2090 latest version and Resolution 760 (Rev. WRC-23) apply Recommendation ITU-R M.1036-8 HCM4A for cross-border coordination
		HIBS (694-960 MHz)	Resolution 213 (WRC-23) applies. The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
		PMSE (823–832 MHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, 30 March 2015, amended by GG 48643 included Notice No 1822, 23 May 2023)
		PPDR	The Authority intends to assess the future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Resolution 646 (694–894 MHz and 4 940–4 990 MHz). SADC PPDR recommendation Framework for Harmonisation of Radio Frequency Spectrum for Public Protection and

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING 5.312 5.319		Body Worn Equipment (823-826 MHz)	Disaster Relief (PPDR) in SADC Edition 2020 GG No. 45690, Notice 737 of 2021
862-890 MHz FIXED MOBILE except aeronautical mobile 5.312B 5.317A	862-890 MHz FIXED MOBILE except aeronautical mobile 5.312B 5.317A NF9 NF10	GSM-R MTX (877.695- 880 MHz) IMT900 MTX (880-915 MHz)	Paired with 921-925 MHz Paired with BTX (925-960 MHz) Radio Frequency Spectrum Assignment Plan GG 49556, 27 Oct 2023 Notice 3999 IMT 850 RFSAP GG No 48353, Notice 3245 of 31st March 2023 was repealed. This followed the publication of the Reasons Document GG 48353 (Notice 3243) of 31st March 2023 Recommendation ITU-R M.1036-8 Res. 224 (Rev. WRC-23), Res. 760 (Rev. WRC-23) and Res. 749 (Rev. WRC-23) apply Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING 5.322 5.319 5.323		Wireless Audio systems and Wireless microphones (863-865 MHz) CT2 cordless phones (864.1-868.1 MHz) RFID (865-868 MHz) Non-specific SRD and RFID (869.4-869.65 MHz) Non-Specific SRD (862-863. 863-870, 868-868.6 MHz, 868.7-869.2 MHz, 869.4-869.65 MHz, 869.7-870.0 MHz) Alarms (868.6-868.7 MHz, 869.25-869.3 MHz, 869.65-869.7 MHz) Social Alarms (869.2-869.25 MHz) HIBS (694-960 MHz) RMR/FRMCS (874.4-880.0 MHz paired with 919.4-925.0 MHz)	(latest GG 48643, Notice 1822, 23 May 2023). HCM4A for cross-border coordination Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, 30 March 2015, amended by GG 48643 included Notice No 1822, 23 May 2023) Resolution 213 (WRC-23) applies The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs. CEPT Report 90
890-942 MHz	890-942 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED MOBILE except aeronautical mobile 5.312B 5.317A BROADCASTING 5.322 Radiolocation 5.323	FIXED MOBILE except aeronautical mobile 5.312B 5.317A NF9 NF10 Radiolocation	IMT900 MTX (880-915 MHz) HIBS (694-960 MHz) GSM-R (BTX) (921 - 925 MHz) RMR/FRMCS (919.4-925.0 MHz paired with 874.4-880.0 MHz) RFID (including, passive tags and vehicle location) (915.1-921 MHz)	Paired with BTX (925-960 MHz) Recommendation ITU-R M.1036-8 Res. 224 (Rev. WRC-23), Res. 760 (Rev. WRC-23) and Res. 749 (Rev. WRC-23) apply Resolution 213 (WRC-23) applies. The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs. Paired with MTX (877.695- 880 MHz) Radio Frequency Spectrum Assignment Plan (GG 49556, 27 Oct 2023 Notice 3999) RFSR as amended (Annex B) (GG. No. 38641, 30 March 2015) GG No. 48643, Notice 1822 of 2023 CEPT Report 90
942-960 MHz	942-960 MHz		
FIXED	FIXED		

Page | 138
National Table of Frequency Allocations

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.328AA	AERONAUTICAL RADIONAVIGATION 5.328	Airborne electronic aids to air navigation and any directly associated ground-based facilities	
	1093.3 -1 164 MHz AERONAUTICAL MOBILE (R) 5.327A AERONAUTICAL RADIONAVIGATION 5.328	Airborne electronic aids to air navigation and any directly associated ground-based facilities	Resolution 425 (Rev. WRC-19) applies.
1 164-1 215 MHz AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.328A	1 164-1 215 MHz AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328A	Galileo (1164-1214 MHz) GLONASS (1190.3-1213.8 MHz) Airborne electronic aids to air navigation and any directly associated ground-based facilities	
1 215-1 240 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION	1 215-1 240 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION	Radar/navigation systems (1 215 - 1 300 MHz)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.330 5.331 5.332	RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.331 5.332	GPS (1 215-1 260 MHz) GLONASS (1 237.8-1 253.8 MHz)	
1 240-1 300 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur	1 240-1 260 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur 5.282 5.331 5.332 5.332A 5.335A 1 260-1 270 MHz EARTH EXPLORATION-SATELLITE (active)	 Air Traffic Control Radar (1240-1350 MHz) Radar/navigation systems (1215-1300 MHz) GPS (1215-1260 MHz) GLONASS (1237.8-1253.8 MHz) Amateur (1 240-1 300 MHz)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.282 5.330 5.331 5.332 5.332A 5.335 5.335A	RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.329A SPACE RESEARCH (active) Amateur Amateur-Satellite (Earth-to-space) 5.282 5.331 5.332 5.332A 5.335A	Air Traffic Control Radar (1 240-1 350 MHz) Radar/navigation systems (1215-1300 MHz) Galileo (1260-1300 MHz) Amateur (1 240-1 300 MHz)	
	1 270-1 300 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A	Air Traffic Control Radar (1 240-1 350 MHz) Radar/navigation systems (1215-1300 MHz) Galileo (1260-1300 MHz)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	SPACE RESEARCH (active) Amateur 5.282 5.331 5.332 5.332A 5.335A	Amateur (1 240-1 300 MHz)	
1 300-1 350 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION RADIONAVIGATION- SATELLITE (Earth-to- space) 5.149 5.337A	1 300-1 350 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION RADIONAVIGATION- SATELLITE (Earth-to- space) Radio Astronomy 5.149 5.337A	Air Traffic Control Radar (1 240-1 350 MHz) Ground-based radars and associated airborne transponders Radio Astronomy (Doppler shifted radiation from hydrogen)	See Section 5 for coordination with radio astronomy
1 350-1 400 MHz FIXED MOBILE	1 350-1 400 MHz FIXED NF14 MOBILE	1 350-1 375 MHz Fixed links (duplex) 1 375-1 400 MHz Fixed links (duplex) Audio applications, specifically wireless microphones	Paired with 1492-1517 MHz; ITU-R F.1242 refers. Paired with 1427-1452 MHz; ITU-R F.1242 refers. Resolution 528 (Rev. WRC-19) Resolution 739 (Rev. WRC-19). ITU-R BT.2338-1 (2014) ITU-R Resolution 59 (Rev. WRC-19)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIOLOCATION 5.149 5.338 5.338A 5.339	RADIOLOCATION Radio Astronomy 5.149 5.338A 5.339	DECT Based Audio (Wireless Applications) Radio Astronomy applicable to band 1350 to 1370 MHz. Radio Astronomy (Doppler shifted radiation from hydrogen)	ECC Report 245 See Section 5 for coordination with radio astronomy
1 400-1 427 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	1 400-1 427 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	 Radio Astronomy (Doppler shifted radiation from hydrogen) Passive sensing	 All emissions are prohibited in this band
1 427-1 429 MHz SPACE OPERATION (Earth-to-space) FIXED MOBILE except aeronautical mobile 5.341A 5.341B 5.341C	1 427-1 429 MHz SPACE OPERATION (Earth-to-space) FIXED NF14 MOBILE except aeronautical mobile 5.341A NF9	 IMT TDD/SDL (1 427-1 517 MHz) MFCN SDL	RFSAP (GG 48353 Notice 3244, 31 March 2023). This followed the publication of the Reasons Document GG 48353 (Notice 3243) of 31st March 2023. The Authority intends to review the RFSAP. Res. 750 (Rev. WRC-19) (passive) ITU Res. 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.338A 5.341	5.338A 5.341		Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019)
1 429-1 452 MHz	1 429-1 452 MHz		RFSAP (GG 48353 Notice 3244, 31 March 2023). This followed the publication of the Reasons Document GG 48353 (Notice 3243) of 31st March 2023. The Authority intends to amend the RFSAP considering private networks for power grid operations etc.
FIXED MOBILE except aeronautical mobile 5.341A	FIXED MOBILE except aeronautical mobile 5.341A NF9	IMT (1427-1517)	Resolution 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8 Res. 750 (Rev. WRC-19) (passive)
5.338A 5.341 5.342	5.338A 5.341		
1 452-1 492 MHz	1 452-1 492 MHz		RFSAP (GG 48353 Notice 3244, 31 March 2023). This followed the publication of the Reasons Document GG 48353 (Notice 3243) of 31st March 2023. The Authority intends to amend the RFSAP and consider the guard band and mitigation factors for interference.
FIXED MOBILE except aeronautical mobile 5.346	FIXED NF14 MOBILE except aeronautical mobile 5.346 NF9	IMT1500 (1 427-1 517 MHz)	Res. 223 (Rev. WRC-23) Resolution 761 (Rev. WRC-19) Res. 750 (Rev. WRC-19). (passive)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING BROADCASTING-SATELLITE 5.208B 5.341 5.342 5.345	5.341 5.345		Recommendation ITU-R M.1036-8 Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019) Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)
1 492-1 518 MHz FIXED MOBILE except aeronautical mobile 5.341A 5.341 5.342	1 492-1 518 MHz FIXED MOBILE except aeronautical mobile 5.341A NF9 5.341	IMT1500 (1 427-1 517 MHz)	ITU-R Res. 223 (Rev.WRC-23) Radio Frequency Spectrum Assignment Plan (GG 48353 Notice 3244 of 31st March 2023) Recommendation ITU-R M.1036-8
1 518-1 525 MHz FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B 5.351A	1 518-1 525 MHz FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.351A	Fixed links IMT Satellite component	Radio Frequency Spectrum Assignment Plan GG No. 49079 Notice 3768 of 4 August 2023. ECC Report 263. The Authority intends to review the RFSAP. The band 1518-1559 MHz is identified for the satellite component of IMT; Res.225 (Rev.WRC-23) applies.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.341 5.342	5.341		Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019) Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024). The Authority intends to review the RFSAP
1 525-1 530 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Mobile except aeronautical mobile 5.349 5.341 5.342 5.350 5.351 5.352A 5.354	1 525-1 530 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration-satellite Mobile except aeronautical mobile 5.341 5.351 5.354	GMDSS Maritime satellite (1 525- 1 544 MHz) Mobile satellite (1544-1545 MHz) Aeronautical Mobile satellite (1545-1555 MHz) Land Mobile satellite (1555-1559 MHz)	ITU Res. 212 (Rev. WRC-19) and 225 (Rev. WRC-07) Paired with 1 626.5-1 660.5 MHz The band 1518-1559 MHz is identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies.
1 530-1 535 MHz SPACE OPERATION (space-to-Earth)	1 530-1 535 MHz SPACE OPERATION (space- to-Earth)	GMDSS Maritime satellite (1 525- 1 544 MHz)	Paired with 1 626.5-1 660.5 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A Earth exploration-satellite Fixed Mobile except aeronautical mobile 5.341 5.342 5.351 5.354	MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A Earth exploration-satellite Fixed Mobile except aeronautical mobile 5.341 5.351 5.354	Mobile satellite (1544-1545 MHz) Aeronautical Mobile satellite (1545-1555 MHz) Land Mobile satellite (1555-1559 MHz)	The band 1518-1559 MHz is identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies. In the band 1530-1544 MHz priority for maritime mobile distress, urgency and safety communications (GMDSS); Res.222 (Rev. WRC-23) applies.
1 535-1 559 MHz	1 535-1 544 MHz MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.353A 5.354 5.356 5.357 5.357A	GMDSS Maritime satellite (1 525- 1 544 MHz)	Paired with 1 626.5-1 660.5 MHz The band 1518-1559 MHz is identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies. In the band 1530-1544 MHz priority for maritime mobile distress, urgency and safety communications (GMDSS); Res.222 (Rev. WRC-23) applies.
	1 544-1 545 MHz MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A	Mobile satellite (1544-1545 MHz) (Distress and safety)	The band 1518-1559 MHz is identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.341 5.351 5.353A 5.354 5.355 5.356 5.357 5.357A 5.359 5.362A	5.341 5.351 5.353A 5.354 5.356 5.357 5.357A		
	1 545-1 555 MHz AERONAUTICAL MOBILE (R) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A	Aeronautical Mobile satellite (1545-1555 MHz) (Air to air) (Ground to air)	The band 1518-1559 MHz is identified for the satellite component of IMT; Res.225 applies.
	5.341 5.351 5.353A 5.354 5.356 5.357 5.357A		
	1 555-1 559 MHz MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A	Land Mobile satellite (1555-1559 MHz)	The band 1518-1559 MHz is identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies.
	5.341 5.351 5.353A 5.354 5.356 5.357 5.357A		
1 559-1 610 MHz AERONAUTICAL RADIONAVIGATION	1 559-1 610 MHz AERONAUTICAL RADIONAVIGATION		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A 5.341	RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A 5.341	Global Positioning System (1 563.42-1 587.42 MHz) GALILEO (1559.42-1591.42 MHz) GLONAS (1592.9-1610.5 MHz)	
1 610-1 610.6 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372	1 610-1 610.6 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Radiodetermination-satellite 5.341 5.364 5.366 5.367 5.368 5.371 5.372	MSS (1 610-1 626.5 MHz) GLONASS (1 592.9-1610.5 MHz) Airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities	Paired with 2 483.5-2 500 MHz for some systems The band 1610-1645.5 MHz is identified for the satellite component of IMT; Res.225 (Rev.WRC-23) applies. This band is designated world-wide for the MSS. Paired with 2483.5-2484.1 MHz for some systems.
1 610.6-1 613.8 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A	1 610.6-1 613.8 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A	MSS (1 610-1 626.5 MHz)	Paired with 2 483.5-2 500 MHz for some systems

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio Astronomy (Observation of OH radical and molecules) Airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities	The band 1610-1645.5 MHz is identified for the satellite component of IMT; Res.225 (Rev.WRC-23) applies. This band is designated world-wide for the MSS. Paired with 2484.1-2487.3 MHz for some systems. See Section 5 for coordination with radio astronomy
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION		
5.149 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372	Radiodetermination-satellite 5.149 5.341 5.364 5.366 5.367 5.368 5.371 5.372		
1 613.8-1 621.35 MHz	1 613.8-1 621.35 MHz	MSS (1 610-1 626.5 MHz)	Paired with 2 483.5-2 500 MHz for some systems
MOBILE-SATELLITE (Earth-to-space) 5.351A	MOBILE-SATELLITE (Earth-to-space) 5.351A		The band 1610-1645.5 MHz is identified for the satellite component of IMT; Res.225 (Rev.WRC-23) applies.
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	Airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities	Paired with 1593-1594 MHz for aeronautical public correspondence

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Mobile-satellite (space-to-Earth) 5.208B 5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372 5.372A	Mobile-satellite (space-to-Earth) 5.208B Radiodetermination-satellite 5.341 5.364 5.365 5.366 5.367 5.368 5.371 5.372 5.372A		
1 621.35-1 626.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION MARITIME MOBILE- SATELLITE (space-to- Earth) 5.373 5.373A Mobile-satellite (space-to- Earth) except maritime mobile-satellite (space-to- Earth) 5.208B 5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372	1 621.35-1 626.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION MARITIME MOBILE- SATELLITE (space-to- Earth) 5.373 5.373A Mobile-satellite (space-to- Earth) except maritime mobile-satellite (space-to- Earth) 5.365 Radiodetermination-satellite 5.371 5.208B 5.341 5.364 5.366 5.368 5.372	MSS (1 610-1 626.5 MHz) Airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities	Paired with 2 483.5-2 500 MHz for some systems The band 1610-1645.5 MHz is identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies. Recommendation ITU-R RA769-2 and ITU-R RA.1513-2 and Recommendation ITU-R M.1583-1 and Recommendation ITU-R RA.1631-0 all apply to this band.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
1 626.5-1 660 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A	1 626.5-1 645.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A 5.341 5.351 5.353A 5.354 5.357A 5.374 5.375 5.376	GMDSS Maritime satellite (1 525-1 544 MHz) Mobile satellite (1544-1545 MHz) Aeronautical Mobile satellite (1545-1555 MHz) 1 525-1 559 MHz Land Mobile satellite (1555-1559 MHz)	In the band 1626.5-1645.5 MHz priority is given to maritime mobile distress, urgency and safety communications (GMDSS); Res.222 (Rev. WRC-23) applies. 1 544-1 545 MHz by the MSS (space-to-Earth) is limited to distress and safety communications (see Article 31) Res.222 (Rev. WRC-23) Paired with 1 646.5-1 656.5 MHz (Earth-to-space) Res.222 (Rev. WRC-23) The bands 1610-1645.5 MHz and 1646.5-1660.5 MHz are identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies.
	1 645.5-1 646.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A	GMDSS Maritime satellite (1 525-1 544 MHz) Mobile satellite (1544-1545 MHz) Aeronautical Mobile satellite (1545-1555 MHz) Land Mobile satellite (1555-1559 MHz) Distress and safety	Paired with 1 626.5-1 660.5 MHz The bands 1610-1645.5 MHz and 1646.5-1660.5 MHz are identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies. In the band 1626.5-1645.5 MHz priority is given to maritime mobile distress, urgency and safety communications (GMDSS); Res.222 (Rev. WRC-23) applies.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.341 5.351 5.353A 5.354 5.355 5.357A 5.359 5.362A 5.374 5.375 5.376	5.341 5.351 5.353A 5.354 5.357A 5.374 5.375 5.376		
	1 646.5-1 656.5 MHz AERONAUTICAL MOBILE (R) MOBILE-SATELLITE (Earth-to-space) 5.351A	GMDSS Maritime satellite (1 525-1 544 MHz) Mobile satellite (1544-1545 MHz) Aeronautical Mobile satellite (1545-1555 MHz) Land Mobile satellite (1555-1559 MHz) Air to air Air to ground	Paired with 1 626.5-1 660.5 MHz The bands 1610-1645.5 MHz and 1646.5-1660.5 MHz are identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies. In the band 1626.5-1645.5 MHz priority is given to maritime mobile distress, urgency and safety communications (GMDSS); Res.222 (Rev. WRC-23) applies.
	5.341 5.351 5.353A 5.354 5.357A 5.374 5.375 5.376		
	1 656.5-1 660 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A	GMDSS Maritime satellite (1 525-1 544 MHz) Mobile satellite (1544-1545 MHz) Aeronautical Mobile satellite (1545-1555 MHz) Land Mobile satellite (1555-1559 MHz)	Paired with 1 626.5-1 660.5 MHz The bands 1610-1645.5 MHz and 1646.5-1660.5 MHz are identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies. In the band 1626.5-1645.5 MHz priority is given to maritime mobile distress, urgency and safety communications (GMDSS); Res.222 (Rev. WRC-23) applies.
5.341 5.351 5.353A 5.354 5.355 5.357A 5.359 5.362A 5.374 5.375 5.376	5.341 5.351 5.353A 5.354 5.357A 5.374 5.375 5.376		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
1 660-1 660.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY 5.149 5.341 5.351 5.354 5.362A 5.376A	1 660-1 660.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY 5.149 5.341 5.351 5.354 5.376A	GMDSS Maritime satellite (1 525-1 544 MHz) Mobile satellite (1544-1545 MHz) Aeronautical Mobile satellite (1545-1555 MHz) Land Mobile satellite (1555-1559 MHz) Radio Astronomy (Observation of OH radical and molecules)	Paired with 1 626.5-1 660.5 MHz The band 1610-1645.5 MHz and 1646.5-1660.5 MHz are identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies. See Section 5 for coordination with radio astronomy
1 660.5-1 668 MHz RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	1 660.5-1 668 MHz RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379A	Radio Astronomy (Observation of OH radical and molecules) Fixed Applications	See Section 5 for coordination with radio astronomy
1 668-1 668.4 MHz	1 668-1 668.4 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C	MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C	IMT satellite component (1 668-1 675 MHz)	The band 1668-1675 MHz is identified for the satellite component of IMT; Res.225 (Rev.WRC-23) applies.
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio Astronomy (Observation of OH radical and molecules)	See Section 5 for coordination with radio astronomy
SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379A		
1 668.4-1 670 MHz	1 668.4-1 670 MHz		
METEOROLOGICAL AIDS FIXED MOBILE except aeronautical mobile	METEOROLOGICAL AIDS FIXED MOBILE except aeronautical mobile	Radiosonde (1 668-1 700 MHz)	
MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C	MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C	IMT satellite component (1 668-1 675 MHz)	The band 1668-1675 MHz is identified for the satellite component of IMT; Res.225 (Rev.WRC-23) applies.
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio Astronomy (Observation of OH radical and molecules)	See Section 5 for coordination with radio astronomy Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019) Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149 5.341 5.379D 5.379E	5.149 5.341 5.379D 5.379E		
1 670-1 675 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.341 5.379D 5.379E 5.380A	1 670-1 675 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.341 5.379D 5.379E 5.380A	Radiosonde (1 668-1 700 MHz) IMT satellite component (1 668-1 675 MHz)	Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019) Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024) The band 1668-1675 MHz is identified for the satellite component of IMT; Res.225 (Rev. WRC-23) applies.
1 675-1 690 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE except aeronautical mobile 5.341	1 675-1 690 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE except aeronautical mobile 5.341	Radiosonde (1 668-1 700 MHz) Fixed Applications	
1 690-1 700 MHz METEOROLOGICAL AIDS	1 690-1 700 MHz METEOROLOGICAL AIDS	Radiosonde (1 668-1 700 MHz)	Channels 1695.6938 MHz; 1695.7250 MHz; 1695.7562 MHz; 1695.7874 MHz; 1691 MHz and 1694.5 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
METEOROLOGICAL-SATELLITE (space-to-Earth) Fixed Mobile except aeronautical mobile 5.289 5.341 5.382	METEOROLOGICAL-SATELLITE (space-to-Earth) Fixed Mobile except aeronautical mobile Earth exploration-satellite (space-to-Earth) 5.289 5.341		
1 700-1 710 MHz FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341	1 700-1 710 MHz FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile Earth exploration-satellite (space-to-Earth) 5.289 5.341	Fixed links (single frequency)	
1 710-1 930 MHz FIXED	1 710-1 930 MHz FIXED	FWA TDD (1 880-1 900 MHz) FWA TDD (1 900-1 920 MHz) Fixed Broadband data applications (1 785-1 805 MHz)	Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025). The Authority intends to conduct the feasibility study and develop the RFSAP.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE 5.384A 5.388 5.388A	MOBILE 5.384A 5.388 5.388A NF9	IMT1800 MTX (1710-1785 MHz) IMT2100 MTX (1920-1980 MHz) IMT1900 TDD (1900-1920 MHz) DECT Cordless telephones (1 880-1 900 MHz) DECT Cordless Telecommunications Systems DECT-based audio applications RMR/FRMCS (1900-1910 MHz) HIBS (1 710-1 980, 2 010-2 025 and 2 110-2 170 MHz) PMSE e.g. WMAS (1785-1805 MHz)	Paired with IMT 1800 BTX (1805-1880 MHz) Paired with IMT2100 BTX (2110-2170 MHz) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279, 30 March 2015), amended by GG 45690, 24 Dec 2021 and then in GG 48643, 18 May 2023) Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8 ITU-R Report BT.2338 (2014); ITU-R Resolution 59 (Rev. WRC-19) CEPT Report 90, ECC/DEC/(20)02 and ECC/REC/(23)01. RMR encompasses GSM-R and its successor(s), including FRMCS. Resolution 221 (Rev. WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs. CEPT Report 85

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149 5.341 5.385 5.386 5.387	Radio astronomy 5.149 5.341 5.385	Radio astronomy (1718.8-1722.2 MHz) Radio astronomy (OH radical and molecules)	See Section 5 of this NRFP for coordination with radio astronomy
1 930-1 970 MHz FIXED MOBILE 5.388 5.388A	1 930-1 970 MHz FIXED MOBILE 5.388 5.388A NF9	IMT2100 MTX (1920-1980 MHz) HIBS (1 710-1 980, 2 010-2 025 MHz and 2 110-2 170 MHz)	Paired with BTX (2110-2170 MHz) Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to develop the RFSAP. Res. 221 (Rev. WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
1 970-1 980 MHz FIXED	1 970-1 980 MHz FIXED		FIXED (HAPS) (base stations for IMT)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE 5.388 5.388A	MOBILE 5.388 5.388A NF9	IMT2100 MTX (1 920-1 980 MHz) HIBS (1 710-1 980, 2 010-2 025 MHz and 2 110-2 170 MHz1)	Paired with BTX (2110-2170 MHz) Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to develop the RFSAP. Resolution 221 (Rev.WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
1 980-2 010 MHz FIXED MOBILE 5.388 MOBILE-SATELLITE (Earth-to-space) 5.351A	1 980-2 010 MHz FIXED MOBILE 5.388 MOBILE-SATELLITE (Earth-to-space) 5.351A	Fixed links (1 980-2 010 MHz) CGC/ATC fixed systems (1 980-2010 MHz) (IMT) IMT (satellite) (1980-2010 MHz)	Paired with 2 170-2 200 MHz Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) The development of satellites for IMT services to be monitored. Res. 716 (Rev.WRC-23) Res. 225 (Rev.WRC-23) Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.389A 5.389B 5.389F	5.389A NF13		Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024) Recommendation ITU-R M.1036-8 The Authority intends to conduct a feasibility study and develop the RFSAP.
2 010-2 025 MHz FIXED MOBILE 5.388A	2 010-2 025 MHz FIXED MOBILE 5.388A NF9	IMT (2 010-2 025 MHz) HIBS (1 710-1 980, 2 010-2 025 MHz and 2 110-2 170 MHz)	IMT TDD applications Rec. ITU-R M.1036-8 Res. 221 (Rev. WRC-23) Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to develop the RFSAP. Res. 221 (Rev. WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
5.388	5.388		
2 025-2 110 MHz	2 025-2 110 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
SPACE OPERATION (Earth-to-space) (space-to-space) EARTH EXPLORATION-SATELLITE (Earth-to-space) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (Earth-to-space) (space-to-space) 5.392	SPACE OPERATION (Earth-to-space) (space-to-space) EARTH EXPLORATION-SATELLITE (Earth-to-space) (space-to-space) FIXED NF14 MOBILE 5.391 SPACE RESEARCH (Earth-to-space) (space-to-space) 5.392	Earth exploration satellite applications Fixed Links (2025-2110 MHz)	Paired with 2 200-2 285 MHz RFSAP (GG 42230, Notice 75 of 2019) Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019) Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)
2 110-2 120 MHz FIXED MOBILE 5.388 5.388A	2 110-2 120 MHz FIXED MOBILE 5.388 5.388A NF9	IMT2100 BTX (2110-2170 MHz) HIBS (1 710-1 980, 2 010-2 025 MHz and 2 110-2 170 MHz)	FIXED (HAPS) (base stations for IMT) Paired with MTX (1920-1980 MHz) Recommendation ITU-R M.1036-8 Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to develop the RFSAP.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
SPACE RESEARCH (deep space) (Earth-to-space)	SPACE RESEARCH (deep space) (Earth-to-space)		Res. 221 (Rev. WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
2 120-2 160 MHz FIXED MOBILE 5.388 5.388A	2 120-2 160 MHz FIXED MOBILE 5.388 5.388A NF9	IMT-2100 BTX (2 110-2 170 MHz) HIBS (1 710-1 980, 2 010-2 025 MHz and 2 110-2 170 MHz)	FIXED (HAPS) (base stations for IMT) Paired with MTX (1920-1980 MHz) Recommendation ITU-R M.1036-8 Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to develop the RFSAP. Res. 221 (Rev. WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
2 160-2 170 MHz FIXED	2 160-2 170 MHz FIXED		FIXED (HAPS) (base stations for IMT)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE 5.388 5.388A	MOBILE 5.388 5.388A NF9	IMT2100 BTX (2 110-2 170 MHz) HIBS (1 710-1 980, 2 010-2 025 MHz and 2 110-2 170 MHz)	Paired with MTX (1920-1980 MHz) Recommendation ITU-R M.1036-8 Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to develop the RFSAP. Res. 221 (Rev. WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
2 170-2 200 MHz FIXED MOBILE 5.388 MOBILE-SATELLITE (space-to-Earth) 5.351A 5.389A 5.389F	2 170-2 200 MHz FIXED MOBILE 5.388 MOBILE-SATELLITE (space-to-Earth) 5.351A 5.389A 5.389F NF13	CGC/ATC fixed systems (1980-2010 MHz) (IMT) IMT (satellite) (2170-2200 MHz)	Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019) Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024) Res. 212 (Rev. WRC-23) Res. 223 (Rev. WRC-23) Paired with 1980-2010 MHz IMT (satellite) Res. 716 (Rev. WRC-23) Res. 225 (Rev. WRC-23)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
2 200-2 290 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) (space-to-space) FIXED MOBILE 5.391 SPACE OPERATION (space-to-Earth) (space-to-space) SPACE RESEARCH (space-to-Earth) (space-to-space) 5.392	2 200-2 290 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) (space-to-space) FIXED NF14 MOBILE 5.391 SPACE OPERATION (space-to-Earth) (space-to-space) SPACE RESEARCH (space-to-Earth) (space-to-space) 5.392	Earth exploration satellite applications Fixed Links (2 200-2 285 MHz) BFWA (2 285-2 300 MHz) TT&C received from space	Paired with 2 025-2 110 MHz Radio Frequency Spectrum Assignment Plan (GG 42230 Notice 75 of 2019). Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019) Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)
2 290-2 300 MHz FIXED MOBILE except aeronautical mobile	2 290-2 300 MHz FIXED MOBILE except aeronautical mobile	Fixed Links, BFWA (2 285-2 300 MHz) (Coordination is expected prior to the implementation of Fixed links and BFWA services)	Radio Frequency Spectrum Assignment Plan GG 41512 Notice 145 of 2018

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
SPACE RESEARCH (deep space) (space-to-Earth)	SPACE RESEARCH (deep space) (space-to-Earth)		
2 300-2 450 MHz	2 300-2 450 MHz		RFSAP (GG 50657, Notice No.4824 of 2024)
FIXED	FIXED	Aeronautical Mobile Flight Testing	FAR147 Overberg (CP) (ENR 5.1)
MOBILE 5.384A	MOBILE 5.384A NF9	IMT2300 TDD (2 300-2 400 MHz)	Res. 223 (Rev. WRC-23)
		WLAN, FDDA and model ctrl. (2 400-2 483.5 MHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279, 30 March 2015), as amended GG No. 48643 (Notice 1822) of 23 May 2023
			Recommendation ITU-R M.1036-8
			Final Frequency Migration Plan 2019 (GG No.42337 Notice 36 of 2019)
			Draft Frequency Migration Plan (GG 50389, Notice 4559 of 24 March 2024)
		Non-Specific SRD and low power video surveillance (2 400-2 483.5 MHz)	Common international SRD band; see ITU-R Rec. SM.1896-1 (09/2018)
		RFID (2 400-2 483.5 MHz)	(above 2 400 MHz)
		ISM applications (2 400-2 500 MHz)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Amateur Radiolocation 5.150 5.282 5.395	Amateur Radiolocation Amateur-satellite 5.150 5.282	Amateur-satellite (2400-2450 MHz)	
2 450-2 483.5 MHz FIXED MOBILE Radiolocation 5.150	2 450-2 483.5 MHz FIXED MOBILE Radiolocation 5.150	WLAN, FDDA and model ctrl. (2 400-2 483.5 MHz) RFID (2 400-2 483.5 MHz) Non-Specific SRD and low power video surveillance (2 400-2483.5 MHz) ISM applications (2 400-2 500 MHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015). Common international SRD band; see ITU-R Rec. SM.1896-1 (09/2018)
2 483.5-2 500 MHz FIXED MOBILE	2 483.5-2 500 MHz FIXED MOBILE	ISM applications (2 483.5-2 500 MHz) SRD	RFSR (2483.5-2500 MHz) as amended (Annex B) (GG. No. 38641, 30 March 2015) Common international SRD band; see ITU-R Rec. SM.1896-1 (09/2018)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE-SATELLITE (space-to-Earth) 5.351A	MOBILE-SATELLITE (space-to-Earth) 5.351A	Aeronautical Mobile Video surveillance MSS (2483.5-2500 MHz)	Unmanned aerial vehicles only The band 2 483.5-2 500 MHz is identified for satellite component of IMT; Res.225 (Rev. WRC-23) Exclusion zones for Earth stations near Karoo Central Astronomy Advantage Area or Hartebeesthoek Some MSS systems are paired with 1610-1626.5 MHz Res. 365 (WRC-23) (MMSS) Res. 212 (Rev. WRC-23) (MSS) Res. 225 (Rev. WRC-23) (MSS) The Authority shall take all practicable steps to protect the RAS in the frequency band
RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 Radiolocation 5.398A 5.150 5.368 5.372A 5.399 5.401 5.402	RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398 Radiolocation 5.150 5.368 5.401 5.402		
2 500-2 520 MHz FIXED 5.410 MOBILE except aeronautical mobile 5.384A 5.409A	2 500-2 520 MHz MOBILE except aeronautical mobile 5.384A 5.409A NF9	IMT2600 TDD (2 500-2 690 MHz)	Radio Frequency Spectrum Assignment Plan on 22 May 2020 (GG 43341 , Notice 285 of 2020). Recommendation ITU-R M.1036-8 Res. 223 (Rev. WRC-23)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.412		HIBS (2 500-2 690 MHz)	Res. 218 (WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
2 520-2 655 MHz FIXED 5.410 MOBILE except aeronautical mobile 5.384A 5.409A BROADCASTING-SATELLITE 5.413 5.416 5.339 5.412 5.418B 5.418C	2 520-2 655 MHz MOBILE except aeronautical mobile 5.384A 5.409A NF9 Earth exploration-satellite (passive) Space research (passive) 5.339 5.418B 5.418C	 IMT2600 TDD (2 500-2 690 MHz) HIBS (2 500-2 690 MHz) Earth exploration-satellite (passive) (2 640-2 655 MHz) Space research (passive) (2 640-2 655 MHz)	RFSAP on 22 May 2020 (GG 43341, Notice 285 of 2020). Recommendation ITU-R M.1036 -7 Res. 223 (Rev. WRC-23) Res. 218 (WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.
2 655-2 670 MHz FIXED 5.410 MOBILE except aeronautical mobile 5.384A 5.409A	2 655-2 670 MHz MOBILE except aeronautical mobile 5.384A 5.409A NF9	IMT2600 (2 500-2 690 MHz)	Res. 223 (Rev. WRC-23)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING-SATELLITE 5.208B 5.413 5.416 Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149 5.412	Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149	HIBS (2 500-2 690 MHz) Radio Astronomy (2 655-2 690 MHz) (Continuum measurement and galactic studies)	Radio Frequency Spectrum Assignment Plan (GG 43341, Notice 285 of 2020). Recommendation ITU-R M.1036-8 Res. 218 (WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs. See Section 5 for coordination with radio astronomy
2 670-2 690 MHz FIXED 5.410 MOBILE except aeronautical mobile 5.384A 5.409A	2 670-2 690 MHz MOBILE except aeronautical mobile 5.384A 5.409A NF9	IMT2600 (2 500-2 690 MHz) HIBS (2 500-2 690 MHz)	Radio Frequency Spectrum Assignment Plan on 22 May 2020 (GG 43341, Notice 285 of 2020) Res. 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8 Res. 218 (WRC-23) The Authority intends to develop the Regulatory Framework & Guidelines for HIBS vs. IMT and update existing and/or formulate new RFSAPs.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149 5.412	Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149	Radio Astronomy (Continuum measurement and galactic studies)	See Section 5 for coordination with radio astronomy
2 690-2 700 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.422	2 690-2 700 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Passive sensing Radio Astronomy (Continuum measurement and galactic studies)	
2 700-2 900 MHz AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation	2 700-2 900 MHz AERONAUTICAL RADIONAVIGATION 5.337 METEOROLOGICAL AIDS Radiolocation	Aeronautical radionavigation radars: • Primary surveillance radar • Meteorological radar Government Services Ground-based radars and associated airborne transponders	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.423 5.424	5.423		
2 900-3 100 MHz RADIOLOCATION 5.424A RADIONAVIGATION 5.426	2 900-3 100 MHz RADIOLOCATION 5.424A AERONAUTICAL RADIONAVIGATION 5.337	Aeronautical radionavigation radars: • Primary surveillance radar • Meteorological radar	
5.425 5.427	5.425 5.427		
3 100-3 300 MHz RADIOLOCATION Earth exploration-satellite (active) Space research (active)	3 100-3 300 MHz RADIOLOCATION Earth exploration-satellite (active) Space research (active)		
5.149 5.428	5.149		
3 300-3 400 MHz RADIOLOCATION	3 300-3 400 MHz RADIOLOCATION MOBILE except aeronautical mobile NF9	Radio astronomy (CH Molecules) IMT (3 300-3 400 MHz)	See Section 5 for coordination with radio astronomy RFSAP (GG. 47788, Notice 2891 of 20 December 2022). RFSAP to be reviewed Res. 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8
5.149 5.429 5.429A 5.429B 5.430	5.149 5.429A 5.429B		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
3 400-3 600 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.430A Radiolocation 5.431	3 400-3 600 MHz FIXED MOBILE except aeronautical mobile 5.430A NF9 Radiolocation	IMT3500 TDD (3 400-3 600 MHz)	RFSAP (GG. 47763, Notice 2879 of 19 December 2022) RFSAP to be reviewed Res. 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8
3 600-3 800 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.433B 5.434A 5.434B 5.435A	3 600-3 800 MHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.433B 5.434A 5.434B NF9	Fixed links (4 GHz) (3600-3800 MHz) BFWA (3600-3800 MHz) C-band downlink (VSAT/SNG/PTP links 3600-3800 MHz) IMT3700 (3 600-3 800 MHz)	The channelling arrangement for PTP links in this band is based on ITU-R Recommendation F.635 latest version Annex 1. 3 600-3 800 MHz band is still used for medium and high capacity PTP links and FSS. In the band 3 600-3 800 MHz, FS PTP and FSS applications will have to operate on a coordinated basis. Licensees/users of this band are encouraged to register all C-Band licenses/usage on the ICASA online database The band 3 600-3 800 MHz shall be used for IMT noting ITU-R Recommendation M.1036-8

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
			Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to develop the RFSAP.
3 800-4 200 MHz	3 800-4 200 MHz		Spectrum sharing regulations in progress. e.g. The development of Draft Regulations on Dynamic Spectrum Access and Opportunistic Spectrum Management in the Innovation Spectrum is in progress (GG 52415 No 6066 of 28 March 2025)
FIXED	FIXED NF14	Fixed links (4 GHz) (3 800-4 200 MHz)	The channelling arrangement for PTP links in this band is based on ITU-R Recommendation F.635 Annex 1 latest version
FIXED-SATELLITE (space-to-Earth)	FIXED-SATELLITE (space-to-Earth)	Fixed-satellite (space-to-Earth) (PTP/VSAT/SNG) (3800-4200 MHz)	The frequency band 3 800-4 200 MHz is used for medium and high capacity PTP links and FSS.
Mobile	Mobile	C-band downlink (3 800-4 200 MHz)	Licensees/users are encouraged to register all C-Band licenses/usage including Earth stations on the ICASA online database

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
4 200-4 400 MHz AERONAUTICAL MOBILE (R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 5.437 5.439 5.440	4 200-4 204 MHz AERONAUTICAL MOBILE (R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (4 202 MHz) (space-to-Earth) Earth exploration-satellite (passive) Space research (passive) 5.437 5.440	Wireless avionics intra-communication systems Radio altimeters on board aircraft and associated ground transponders) Radars	
	4 204-4 400 MHz AERONAUTICAL MOBILE (R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 Earth exploration-satellite (passive) Space research (passive) 5.437 5.440	Wireless avionics intra-communication systems Radio altimeters on board aircraft and associated ground transponders)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
4 400-4 500 MHz FIXED MOBILE 5.440A	4 400-4 500 MHz FIXED NF14 NF15 MOBILE NF15	Fixed links (4.8 GHz) (4400-5000 MHz) Government services Outside Broadcast links Electronic News Gathering	
4 500-4 800 MHz FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE 5.440A	4 500-4 800 MHz FIXED NF14 NF15 FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE NF15	Fixed links (4.8 GHz) (4400-5000 MHz) Government services (FS) Outside Broadcast links Electronic News Gathering SRD (reservoir level probing radar)	The band 4 500-4 800 MHz is part of the APP30B Plan (FSS space-to-Earth). Ultra-wideband applications (UWB) see ITU-R Recommendation SN.1896-1 . Rec SM.1755 and Rep SM.2153-7 (latest versions)
4 800-4 990 MHz FIXED MOBILE 5.440A 5.441A 5.441B 5.442	4 800-4 825 MHz FIXED NF14 NF15 MOBILE 5.441B NF9 NF15	Fixed links (4.8 GHz) (4400-5000 MHz) Government services Outside Broadcast Links IMT4800 TDD (4800-4990 MHz)	Rec. ITU-R F.1099 , Annex 1 Res. 223 (Rev. WRC-23) Rec. ITU-R M.1036-8

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Radio astronomy 5.443		Electronic News Gathering Mobile ENG (e.g. RF cameras, mobile uplinks, portable links)	Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to develop the RFSAP for the band 4800-4990 MHz
	Radio astronomy 5.443	Radio astronomy (Observations of formaldehyde (H ₂ CO) interstellar clouds)	See Section 5 for coordination with radio astronomy
	4 825-4 835 MHz		
	FIXED NF14 NF15	Fixed links (4.8 GHz) (4400-5000 MHz) Government services Outside Broadcast Links and Electronic News Gathering	Rec. ITU-R F.1099 , Annex 1
	MOBILE except aeronautical mobile 5.441B NF9 NF15	IMT4800 TDD (4800-4990 MHz)	Res. 223 (Rev. WRC-23) Rec. ITU-R M.1036-8 Second Draft IMT Roadmap (GG 53883, Notice 3712 of 2025) The Authority intends to develop the RFSAP for the band 4800-4990 MHz
	Radio astronomy	Radio astronomy (Observations of formaldehyde (H ₂ CO) interstellar clouds)	See Section 5 for coordination with radio astronomy
	5.149		
	4 835-4 950 MHz		
	FIXED NF14 NF15	Fixed links (4.8 GHz) (4400-5000 MHz)	Rec. ITU-R F.1099 , Annex 1

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	MOBILE 5.441B NF9 NF15	Government services Outside Broadcast Links (Point-to-point ENG links) IMT4800 TDD (4 800-4 990 MHz) Electronic News Gathering: Mobile ENG (e.g. RF cameras, mobile uplinks, portable links) PPDR (4 940-4 990 MHz)	Res. 223 (Rev. WRC-23) Rec. ITU-R M.1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to assess future PPDR spectrum needs in 380-470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Res. 646 (694-894 MHz and 4 940-4 990 MHz). SADC PPDR recommendation Framework for Harmonisation of Radio Frequency Spectrum for Public Protection and Disaster Relief (PPDR) in SADC Edition 2020 The Authority intends to develop the RFSAP for the band 4 800-4 990 MHz See Section 5 for coordination with radio astronomy
	Radio astronomy	Radio astronomy (Observations of formaldehyde (H ₂ CO) interstellar clouds)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	4 950-4 990 MHz		
	FIXED NF14 NF15	Fixed links (4.8 GHz) (4400-5000 MHz) Government services Outside Broadcast Links	Rec. ITU-R F.1099 , Annex 1
	MOBILE except aeronautical mobile 5.441B 5.442 NF9 NF15	Electronic News Gathering: Mobile ENG (e.g. RF cameras, mobile uplinks, portable links) IMT4800 TDD (4800-4990 MHz)	Res. 223 (Rev. WRC-23) Recommendation ITU-R M.1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025)
		PPDR (4940-4990 MHz)	The Authority intends to assess future PPDR spectrum needs in 380–470 MHz (primarily narrowband) and evaluate broadband requirements in accordance with ITU-R M.2015 and harmonised ranges identified under Res. 646 (694–894 MHz and 4 940–4 990 MHz).
			SADC PPDR recommendation Framework for Harmonisation of Radio Frequency Spectrum for Public Protection and Disaster Relief (PPDR) in SADC Edition 2020
	Earth exploration-satellite (passive)		The Authority intends to develop the RFSAP for the band 4800-4990 MHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149 5.339 5.443	Radio astronomy Space research (passive) 5.149 5.339	Radio astronomy (Observations of formaldehyde (H ₂ CO) interstellar clouds)	See Section 5 for coordination with radio astronomy
4 990-5 000 MHz FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY Space research (passive) 5.149	4 990-5 000 MHz FIXED NF14 NF15 MOBILE except aeronautical mobile NF15 RADIO ASTRONOMY Space research (passive) 5.149	Fixed links (4.8 GHz) (4400-5000 MHz) Outside Broadcast links Government Electronic News Gathering Radio astronomy (Observations of formaldehyde (H ₂ CO) interstellar clouds)	Recommendation ITU-R F.1099 , Annex 1 See Section 5 for coordination with radio astronomy
5 000-5 010 MHz AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (Earth-to-space)	5 000-5 010 MHz AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (Earth-to-space)		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5 010-5 030 MHz AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.443B	5 010-5 030 MHz AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.443B 5.328B		
5 030-5 091 MHz AERONAUTICAL MOBILE (R) 5.443C AERONAUTICAL MOBILE-SATELLITE (R) 5.443D AERONAUTICAL RADIONAVIGATION 5.444	5 030-5 091 MHz AERONAUTICAL MOBILE (R) 5.443C AERONAUTICAL MOBILE-SATELLITE (R) 5.443D AERONAUTICAL RADIONAVIGATION 5.444	Microwave Landing System AERONAUTICAL RADIONAVIGATION (MLS) (precision approach and landing)	
5 091-5 150 MHz FIXED-SATELLITE (Earth-to-space) 5.444A	5 091-5 150 MHz FIXED-SATELLITE (Earth-to-space) 5.444A	NGSO MSS feeder links (5091-5150 MHz) Surface applications at airports	Res. 748 (Rev.WRC-19) (AM(R)) Res. 114 (Rev.WRC-15) (NGSO MSS)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
AERONAUTICAL MOBILE 5.444B	AERONAUTICAL MOBILE 5.444B	AMT (Air to ground) (5091-5250 MHz)	Res. 418 (Rev. WRC-19) (AMT)
AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA	AERONAUTICAL MOBILE (telemetry) AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA		
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION (MLS) (precision approach and landing) (5030-5150 MHz)	
5.444	5.444		
5 150-5 250 MHz	5 150-5 216 MHz		ITU Res. 229 (Rev. WRC-19)
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION		
FIXED-SATELLITE (Earth-to-space) 5.447A	FIXED-SATELLITE (Earth-to-space) 5.447A	Feeder links of non-GSO-satellite systems in the MSS (5150-5250 MHz)	
	FIXED-SATELLITE (space-to-Earth)	NGSO MSS feeder links (5150-5216 MHz)	
MOBILE except aeronautical mobile 5.446A 5.446B	MOBILE except aeronautical mobile 5.446A 5.446B	WAS / RLAN (5150-5350 MHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023).
	AERONAUTICAL MOBILE (telemetry)	AMT Air-to-ground (5091-5250 MHz)	Res. 418 (Rev. WRC-19) (AMT)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	Radiodetermination-satellite (space-to-Earth) 5.446 5.446C 5.447B 5.447C		
	5 216-5 250 MHz MOBILE except aeronautical mobile 5.446A 5.446B AERONAUTICAL MOBILE (telemetry) (air to ground) AERONAUTICAL RADIONAVIGATION FIXED-SATELLITE (Earth-to-space) 5.447A	WAS / RLAN (5150-5350 MHz) (indoor use only-ITU Res229 WRC-19) AMT Air-to-ground (5091-5250 MHz) Feeder links of non-GSO-satellite systems in the MSS (Earth-to-space) (5150-5250 MHz)	Res. 229 (Rev.WRC-19) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279, 30 March 2015), as amended (latest GG 48643, Notice 1822, 23 May 2023). Res. 418 (Rev.WRC-19) (AMT)
5.446 5.446C 5.446D 5.447 5.447B 5.447C	5.446 5.446C 5.447C		
5 250-5 255 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.447D	5 250-5 255 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.447D	Active spaceborne sensors Other than active spaceborne	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE except aeronautical mobile 5.446A 5.447F 5.447E 5.448 5.448A	MOBILE except aeronautical mobile 5.446A 5.447F Space research 5.448A	WAS / RLAN (5 150-5 350 MHz) (indoor use only) sensors (secondary basis)	Res. 229 (Rev. WRC-23) (WAS/RLAN) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023).
5 255-5 350 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) MOBILE except aeronautical mobile 5.446A 5.447F 5.447E 5.448 5.448A	5 255-5 350 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) MOBILE except aeronautical mobile 5.446A 5.447F 5.448A	WAS / RLAN (5150-5350 MHz) Indoor use only	Res. 229 (Rev. WRC-23) (WAS/RLAN) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023).
5 350-5 460 MHz EARTH EXPLORATION-SATELLITE (active) 5.448B SPACE RESEARCH (active) 5.448C	5 350-5 460 MHz EARTH EXPLORATION-SATELLITE (active) 5.448B SPACE RESEARCH (active) 5.448C		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
AERONAUTICAL RADIONAVIGATION 5.449 RADIOLOCATION 5.448D	AERONAUTICAL RADIONAVIGATION 5.449 RADIOLOCATION 5.448D	Ground based airborne weather radars and associated airborne beacons	
5 460-5 470 MHz RADIONAVIGATION 5.449 EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.448D 5.448B	5 460-5 470 MHz AERONAUTICAL RADIONAVIGATION 5.449 EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.448D RADIONAVIGATION except aeronautical radionavigation 5.448B	Ground based airborne weather radars and associated airborne beacons	
5 470-5 570 MHz MARITIME RADIONAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A	5 470-5 570 MHz MARITIME RADIONAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A	WAS / RLAN (5470-5725 MHz)	Res. 229 (Rev. WRC-23) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (Notice 1822 of 2023 in GG 48643 (23 May 2023)).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
EARTH EXPLORATION-SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.450B 5.448B 5.450 5.451	EARTH EXPLORATION-SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.450B 5.448B		
5 570-5 650 MHz MARITIME RADIONAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B	5 570-5 600 MHz MARITIME RADIONAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B 5.452	WAS / RLAN (5470-5725 MHz) Location Radar	Res. 229 (Rev. WRC-23) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (Notice 1822 of 2023 in GG 48643 (23 May 2023)).
	5 600-5 650 MHz MARITIME RADIONAVIGATION METEOROLOGICAL AIDS MOBILE except aeronautical mobile 5.446A 5.450A	WAS / RLAN (5470-5725 MHz)	ITU Res. 229 (Rev. WRC-23) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (Notice 1822 of 2023 in GG 48643 (23 May 2023)).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5 450 5 451 5 452	RADIOLOCATION 5.450B 5.452	Ground based meteorological radars (5600-5650 MHz)	
5 650-5 725 MHz MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION Amateur Space research (deep space) 5.454	5 650-5 670 MHz MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION Amateur Amateur-satellite (Earth-to-space) Space research (deep space) 5.282	WAS / RLAN (5470-5725 MHz)	Res. 229 (Rev. WRC-23) (WAS/RLAN) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (Notice 1822 of 2023 in GG 48643 (23 May 2023)).
	5 670-5 725 MHz RADIOLOCATION MOBILE except aeronautical mobile 5.446A 5.450A Amateur	WAS / RLAN (5470-5725 MHz)	Res. 229 (Rev. WRC-23) (WAS/RLAN) Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015) as amended (Notice 1822 of 2023 in GG 48643 (23 May 2023)).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	Space research (deep space)		
5.282 5.451 5.453 5.455	5.453		
5 725-5 830 MHz FIXED-SATELLITE (Earth-to-space) RADIOLOCATION Amateur	5 725-5 830 MHz FIXED-SATELLITE (Earth-to-space) RADIOLOCATION Amateur Fixed (5725-5850 MHz) NF16 5.453	RTT data (5795-5815 MHz) Fixed links (5725-5850 MHz) BFWA (5725-5850 MHz) ISM applications (5725-5875 MHz) RTTT (Road Transport and Traffic Telematics) (5795-5815 MHz) Transport and Traffic Telematics (TTT) Devices (5795-5805 MHz, 5805-5815 MHz) SRD applications (5725-5875 MHz) SRD - Transport and information control systems (5805-5815 MHz)	BFWA in some SADC countries, incl. South Africa, is limited to below 5850 MHz in order to protect FSS in the band 5850-6425 MHz. Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (Notice 1822 of 2023 in GG 48643 (23 May 2023)). Common international SRD band; see ITU-R Rec. SM.1896-1 Transport information and control systems Rec. ITU-R M.1453
5.150 5.451 5.453 5.455	5.150		
5 830-5 850 MHz	5 830-5 850 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (Earth-to-space) RADIOLOCATION Amateur Amateur-satellite (space-to-Earth)	FIXED-SATELLITE (Earth-to-space) RADIOLOCATION Amateur Amateur-satellite (space-to-Earth) Fixed (5725-5850 MHz) NF16 5.453	Fixed links BFWA (5725-5850 MHz) ISM applications (5725-5875 MHz) SRD's-Reservoir Level Probing Radars	BFWA in some SADC countries, incl. South Africa, is limited to below 5850 MHz in order to protect FSS in the band 5850-6425 MHz Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, 31 March 2015) as amended (Notice 1822 of 2023 in GG 48643 (23 May 2023)).
5.150 5.451 5.453 5.455	5.150		
5 850-5 925 MHz	5 850-5 925 MHz		
FIXED FIXED-SATELLITE (Earth-to-space)	FIXED FIXED-SATELLITE (Earth-to-space)	FIXED links (5850-5925 MHz) C-band uplink (VSAT/SNG links) Fixed-satellite uplinks (PTP/VSAT/SNG) (5850-6425 MHz) ISM applications (5725-5875 MHz)	FS could be used for temporary OB links. Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, 31 March 2015) as amended (Notice 1822 of 2023 in GG 48643 (23 May 2023)).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE 5.150	MOBILE 5.150		
5 925-6 700 MHz FIXED 5.457 FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B MOBILE 5.457C 5.457D 5.457E 5.457F	5 925-6 425 MHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) 5.457A MOBILE 5.149 5.440 6 425-6 429 MHz FIXED NF14	Fixed links - Lower 6 GHz (5925-6425 MHz) BFWA Fixed-satellite uplinks (PTP/VSAT/SNG) (5850-6425 MHz) ESVs (5925-6425 MHz) Radio astronomy (observation of Methanol) WAS/RLAN (5925-6425 MHz) Fixed links - Upper 6 GHz (6425-7110 MHz), incl. BFWA subject	Channelling plan for L6 GHz band in accordance with ITU-R Rec. F.383 latest version Res. 902 (Rev. WRC-23) (ESVs) Radio Frequency Spectrum Regulations, 2015-Annexure B as amended by GG No. 48643 (Notice 1822) of 23 May 2023 The development of Draft Regulations on Dynamic Spectrum Access and Opportunistic Spectrum Management in the Innovation Spectrum is in progress (GG 52415 No 6066 of 28 March 2025) The Authority intends to develop the RFSAP for this band (5925-6425 MHz). Channelling plan for U6 GHz band in accordance with ITU-R Rec. F.384 latest version.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149 5.440 5.458	MOBILE NF9 5.457E 5.458	IMT TDD (6 429 -6 700 MHz)	Res. 220 (WRC-23) The Authority intends to develop the Channel Plan in accordance with ITU-R Recommendation M.1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to conduct the feasibility study and develop the RFSAP for the band 6 425- 7 125 MHz
6 700-7 075 MHz FIXED FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 MOBILE 5.457E 5.458 5.458A 5.458B	6 700-7 075 MHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 MOBILE NF9 5.457E 5.458 5.458A 5.458B	Fixed Links (U6) (6 425-7 110 MHz) IMT TDD (6 700 -7 125 MHz)	Channelling plan for U6 GHz band in accordance with ITU-R Rec. F.384 latest version. The band 6 725-7 025 MHz is part of the APP30B Plan (FSS Earth-to-space) Res. 220 (WRC-23) (IMT) ITU-R Recommendation M.1036-8 . Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to conduct the feasibility study and develop the RFSAP for the band 6 425- 7 125 MHz
7 075-7 145 MHz	7 075-7 145 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED	FIXED NF14	Fixed Links (U6) (6 425-7 110 MHz)	Channelling plan for U6 band in accordance with ITU-R Rec. F.384 latest version.
MOBILE 5.457E	MOBILE NF9 5.457E (7 075–7 125 MHz)	Fixed Links (L7) (7 110-7 425 MHz)	Channelling plan for L7 band is in accordance with ITU-R Rec. F.385 Annex 3, latest version.
5.458 5.459	5.458	IMT (6700 -7125 MHz)	Res. 220 (WRC-23) ITU-R Recommendation M.1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) The Authority intends to conduct the feasibility study and develop the RFSAP for the band 6 425-7 125 MHz
7 145-7 190 MHz	7 145-7 190 MHz		
FIXED	FIXED	Fixed links (7110-7425 MHz)	Channelling plan for L7 band in accordance with ITU-R Rec. F.385 Annex 3, latest version.
MOBILE SPACE RESEARCH (deep space) (Earth-to-space)	MOBILE SPACE RESEARCH (deep space) (Earth-to-space)		SANAS to erect a facility near Matjiesfontein
5.458 5.459	5.458		
7 190-7 235 MHz	7 190-7 235 MHz		
EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A 5.460B	EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A 5.460B	Tracking, telemetry and command for spacecraft operation	SANAS to erect a facility near Matjiesfontein

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED MOBILE SPACE RESEARCH (Earth-to-space) 5.460 5.458 5.459	FIXED NF14 MOBILE SPACE RESEARCH (except deep space) (Earth-to-space) 5.460 5.458	Fixed Links (L7) (7 110-7 425 MHz)	Channelling plan for L7 band in accordance to ITU-R Rec. F.385 Annex 3, latest version
7 235-7 250 MHz EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A FIXED MOBILE 5.458	7 235-7 250 MHz EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A FIXED NF14 MOBILE 5.458	Tracking, telemetry and command for spacecraft operation Fixed links (7 110-7 425 MHz)	SANAS to erect a facility near Matjiesfontein Channelling plan for L7 band in accordance with ITU-R Rec. F.385 Annex 3, latest version
7 250-7 300 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE	7 250-7 300 MHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) MOBILE	Fixed links (7 110-7 425 MHz)	Channelling plan for L7 band in accordance with ITU-R Rec. F.385 Annex 3, latest version.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.461	MOBILE-SATELLITE (space-to-Earth) 5.461	MSS (7 250-7 375 MHz)	
7 300-7 375 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.461	7 300-7 375 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MOBILE-SATELLITE (space-to-Earth) (7 250-7 375 MHz) 5.461	Fixed links - (7 110-7 425 MHz) and (7 425-7 750 MHz) MSS (7 250-7 375 MHz)	Channelling plan for (7 110-7 425 MHz) and (7 425-7 750 MHz) in accordance with ITU-R Rec. F.385 Annex 3, latest version.
7 375-7 450 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB	7 375-7 450 MHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB	Fixed links (7 110-7 425 MHz) and (7 425-7 750 MHz)	Channelling plan for (7 110-7 425 MHz) and (7 425-7 750 MHz) in accordance with ITU-R Rec. F.385 Annex 3, latest version.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.461AC	5.461AC		
7 450-7 550 MHz	7 450-7 550 MHz		
FIXED	FIXED NF14	Fixed links (7 425-7 750 MHz)	Channelling plan for U7 band in accordance with ITU-R Rec. F.385 Annex 3, latest version.
FIXED-SATELLITE (space-to-Earth)	FIXED-SATELLITE (space-to-Earth)		
METEOROLOGICAL-SATELLITE (space-to-Earth)	METEOROLOGICAL-SATELLITE (GSO) (space-to-Earth)		
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile		
MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB	MARITIME MOBILE-SATELLITE (space-to-Earth) (GSO) 5.461AA 5.461AB		
5.461A 5.461AC	5.461A 5.461AC		
7 550-7 750 MHz	7 550-7 750 MHz		
FIXED	FIXED NF14	Fixed links (7 425-7 750 MHz)	Channelling plan for U7 band in accordance with ITU-R Rec. F.385 Annex 3, latest version.
FIXED-SATELLITE (space-to-Earth)	FIXED-SATELLITE (space-to-Earth)		
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AA 5.461AB 5.461AC	MARITIME MOBILE-SATELLITE (space-to-Earth) 5.461AC		
7 750-7 900 MHz FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) 5.461B MOBILE except aeronautical mobile	7 750-7 900 MHz FIXED NF14 METEOROLOGICAL-SATELLITE (non-GSO) (space-to-Earth) 5.461B MOBILE except aeronautical mobile	Fixed links (7 725-8 275 MHz)	Channelling plan for L8 band in accordance with ITU-R Rec. F.386 Annex 2, latest version
7 900-8 025 MHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.461	7 900-8 025 MHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) MOBILE MOBILE-SATELLITE (Earth-to-space) 5.461	Fixed links - (7 725-8 275 MHz)	Channelling plan for L8 band in accordance with ITU-R Rec. F.386 Annex 2, latest version.
8 025-8 175 MHz	8 025-8 175 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED NF14 FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	Earth exploration satellite systems Fixed links - Lower 8 GHz (7725-8275 MHz)	Channelling plan for L8 band in accordance with ITU-R Rec. F.386 Annex 2, latest version.
8 175-8 215 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	8 175-8 215 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED NF14 FIXED-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	Earth exploration satellite systems Fixed links (7 725-8 275 MHz) Ground to air	Channelling plan for L8 band in accordance with ITU-R Rec. F.386 Annex 2, latest version.
8 215-8 400 MHz	8 215-8 400 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED NF14 FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	Ground to air Fixed links (7 725-8 275 MHz) and (8 275-8 500 MHz)	Channelling plan for L8 band in accordance with ITU-R Rec. F.386 Annex 2, latest version. Channelling plan for U8 band in accordance with ITU-R Rec. F.386 Annex 2, latest version.
8 400-8 500 MHz FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth) 5.465 5.466	8 400-8 450 MHz FIXED NF14 MOBILE except aeronautical mobile SPACE RESEARCH (deep space) (space-to-Earth) 5.465	Fixed links (8 275-8 500 MHz)	Channelling plan for L8 band in accordance with ITU-R Rec. F.386 Annex 2, latest version.
	8 450-8 500 MHz FIXED NF14 MOBILE except aeronautical mobile	Fixed links (8 275-8 500 MHz)	Channelling plan for L8 band in accordance with ITU-R Rec. F.386 Annex 2, latest version.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	SPACE RESEARCH (space-to-Earth)		
8 500-8 550 MHz RADIOLOCATION 5.468 5.469	8 500-8 550 MHz RADIOLOCATION	RADARS. aeronautical radio navigation e.g. precision airfield approach radars.	
8 550-8 650 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.468 5.469 5.469A	8 550-8 650 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.469A	RADARS. aeronautical radionavigation e.g. precision airfield approach radars	
8 650-8 750 MHz RADIOLOCATION 5.468 5.469	8 650-8 750 MHz RADIOLOCATION	RADARS. aeronautical radio navigation e.g. precision airfield approach radars	
8 750-8 850 MHz RADIOLOCATION	8 750-8 850 MHz RADIOLOCATION	RADARS. aeronautical radionavigation e.g. precision airfield approach radars	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
AERONAUTICAL RADIONAVIGATION 5.470 5.471	AERONAUTICAL RADIONAVIGATION 5.470	Airborne Doppler navigation aids (8 800 MHz)	
8 850-9 000 MHz RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473	8 850-9 000 MHz RADIOLOCATION MARITIME RADIONAVIGATION 5.472	RADARS. aeronautical radionavigation e.g. precision airfield approach radars Shore-based radars	
9 000-9 200 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION 5.471 5.473A	9 000-9 200 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION 5.473A	Approach radars RADARS. aeronautical radionavigation e.g. precision airfield approach radars Ground-based radars and associated airborne transponders	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
9 200-9 300 MHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION MARITIME RADIONAVIGATION 5.472	9 200-9 225 MHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.474 5.474D	Field Disturbance and Doppler Apparatus (9200-9975 MHz) RADARS. aeronautical radionavigation e.g. precision airfield approach radars Harbour radars Shore-based radars	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
	9 225-9 300 MHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION	RADARS. aeronautical radionavigation e.g. precision airfield approach radars	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.473 5.474 5.474D	MARITIME RADIONAVIGATION 5.474 5.474D	Field Disturbance and Doppler Apparatus (9 200-9 975 MHz) Harbour radars Shore-based radars	
9 300-9 500 MHz RADIONAVIGATION 5.475 EARTH EXPLORATION-SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION	9 300-9 320 MHz RADIONAVIGATION except aeronautical radionavigation EARTH EXPLORATION-SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION AERONAUTICAL RADIONAVIGATION	Shore based radars (9380-9440 MHz) Search and rescue transponders (SART) (9 200-9 500 MHz) Field Disturbance and Doppler Apparatus (9200-9975 MHz) RADARS. aeronautical radionavigation e.g. precision airfield approach radars Airborne weather radars Ground-based radar beacons Ground-based radars	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279, 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023). RR No. 5.474; ITU-R M.628-5 (SART)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	5.427 5.474 5.475 5.475A 5.475B 5.476A		
	9 320-9 500 MHz		
	RADIONAVIGATION except aeronautical radionavigation	Shore based radars (9 380-9 440 MHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279, 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
	EARTH EXPLORATION- SATELLITE (active)		
	SPACE RESEARCH (active)		
	RADIOLOCATION	Field Disturbance and Doppler Apparatus (9200-9975 MHz)	
		Search and rescue transponders (SART) (9 200-9 500 MHz)	RR No. 5.474; ITU-R M.628-5 (SART)
	AERONAUTICAL RADIONAVIGATION	RADARS, aeronautical radionavigation e.g. precision airfield approach radars	
		Airborne weather radars	
		Ground-based radar beacons	
		Ground-based radars	
5.427 5.474 5.475A 5.475B 5.476A	5.427 5.474 5.475 5.475A 5.475B 5.476A		
9 500-9 800 MHz	9 500-9 800 MHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active) 5.476A	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active) 5.476A	Field Disturbance and Doppler Apparatus (9200-9975 MHz) RADARS. aeronautical radionavigation e.g. precision airfield approach radars	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
9 800-9 900 MHz RADIOLOCATION Earth exploration-satellite (active) Space research (active) Fixed 5.477 5.478 5.478A 5.478B	9 800-9 900 MHz RADIOLOCATION Earth exploration-satellite (active) Space research (active) Fixed 5.478A 5.478B	Field Disturbance and Doppler Apparatus (9200-9975 MHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
9 900-10 000 MHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION	9 900-9 975 MHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION	Field Disturbance and Doppler Apparatus (9 200-9 975 MHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Fixed	Fixed 5.474D	RADARS. aeronautical radionavigation e.g. precision airfield approach radars	(most recently GG 48643 Notice 1822 of 23 May 2023).
	9 975-10 000 MHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION Fixed Meteorological-satellite	RADARS. aeronautical radionavigation e.g. precision airfield approach radars Weather radars Fixed Meteorological (9 975-10 025 MHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
5.474D 5.477 5.478 5.479	5.474D 5.479		
10-10.4 GHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION	10-10.025 GHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION	 Fixed PtP Links Low power video links (10.0-10.15) GHz	 Rec. ITU-R RS.2066 (EESS) Rec. ITU-R RS.2065 (EESS)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Amateur	Amateur Meteorological-satellite (9975-10025 MHz) 5.474D 5.479		
	10.025-10.4 GHz EARTH EXPLORATION- SATELLITE (active) 5.474A 5.474B 5.474C FIXED NF14 MOBILE RADIOLOCATION Amateur	Fixed PtP Links Low power video links (10.0-10.15 GHz) FS links or BFWA (10.15-10.3 GHz)	Rec. ITU-R RS.2066-1 (EESS) Rec. ITU-R RS.2065-1 (EESS) Paired with 10.5-10.65 GHz FS links channelling plan for 10.15-10.3 GHz band in accordance with ITU-R Rec. F.1568 Annex 1, latest version
5.474D 5.479	5.474D 5.479		
10.4-10.45 GHz	10.4-10.45 GHz		Radio Frequency Spectrum Regulations (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
FIXED	FIXED	Low power video links (10.0- 10.15 GHz)	Paired with 10.50-10.65 GHz Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568-2 , Annex 1.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE RADIOLOCATION Amateur	MOBILE RADIOLOCATION Amateur	Motion sensors (Radiodetermination Applications in 8500 MHz–10.6 GHz) Radiolocation radars	
10.45-10.5 GHz RADIOLOCATION Amateur Amateur-satellite 5.481	10.45-10.5 GHz RADIOLOCATION Amateur Amateur-satellite	Radiolocation Radars Motion Sensors (as Radiodetermination Applications in 8500 MHz–10.6 GHz) Radiolocation radars	Radio Frequency Spectrum Regulations (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
10.5-10.55 GHz FIXED	10.5-10.55 GHz FIXED NF14	BFWA (10.5-10.65 GHz)	Radio Frequency Spectrum Regulations (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023). Paired with 10.15-10.30 GHz

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE Radiolocation	MOBILE Radiolocation	SAP/SAB Applications (Video connections) (10.5-10.68 GHz) FDDA (10.5-10.6 GHz)	Channelling plan for 10.5-10.65 GHz band in accordance with ITU-R Rec. F.1568 Annex 1, latest version.
10.55-10.6 GHz FIXED MOBILE except aeronautical mobile Radiolocation	10.55-10.6 GHz FIXED NF14 MOBILE except aeronautical mobile Radiolocation	BFWA (10.5-0.65 GHz) SAP/SAB Applications (video connections) (10.5-10.68 GHz) FDDA (10.5-10.6 GHz)	Paired with 10.15-10.3 GHz Radio Frequency Spectrum Regulations (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023). Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568-2 , Annex 1
10.6-10.68 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED	10.6-10.68 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED NF14	BFWA (10.5-10.65 GHz) SAP/SAB Applications (video connections) (10.5-10.68 GHz)	For sharing between EESS (passive) and the fixed and mobile services, RR No. 5.482A / 5.482 / Res.751 (WRC-07) applies Paired with 10.15-10.3 GHz Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568-2 , Annex 1

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) Radiolocation 5.149 5.482 5.482A	MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) Radiolocation 5.149 5.482 5.482A	Radio astronomy (Non thermal synchrotron and enigmatic quasars) Motion sensors	See Section 5 for coordination with radio astronomy
10.68-10.7 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.483	10.68-10.7 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Radio astronomy (Non thermal synchrotron and enigmatic quasars)	See Section 5 for coordination with radio astronomy
10.7-10.95 GHz FIXED	10.7-10.95 GHz FIXED NF14	Feeder links in the BSS (UL) Fixed Links (11 GHz) (10.7-11.7 GHz)	The channelling plan for FS Links are in accordance with ITU-R Rec. F387-13 The use of the band 10.7-11.7 GHz by the fixed-satellite service (Earth-to-space) is limited to BSS feeder links (see 5.484).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	FIXED-SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	The band is available for FSS Planned services (see Appendix 30B)	The Authority intends to develop the RFSAP for the band (10.7-11.7 GHz)
10.95-11.2 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	10.95-11.2 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	Feeder links in the BSS (uplink) Fixed Links (11 GHz) (10.7-11.7 GHz) DTH Applications under the FSS Ku-band downlink (VSAT/SNG/satellite PTP)	The channelling plan for FS Links are in accordance with ITU-R Rec. F387-13 Res. 155 (WRC-19) (unmanned aircraft). The use of the band 10.7-11.7 GHz by the FSS (Earth-to-space) is limited to BSS feeder links (see 5.484). The Authority intends to develop the RFSAP for the band (10.7-11.7 GHz)
11.2-11.45 GHz FIXED	11.2-11.45 GHz FIXED NF14	Feeder links in the BSS (uplink) Fixed Links (11 GHz) (10.7-11.7 GHz)	The channelling plan for FS Links are in accordance with ITU-R Rec. F387-13 The use of the band 10.7-11.7 GHz by the FSS (Earth-to-space) is limited to BSS feeder links (see 5.484).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	FIXED-SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	The band is also available for FSS Planned services (see Appendix 30B).	The Authority intends to develop the RFSAP for the band (10.7-11.7 GHz)
11.45-11.7 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	11.45-11.7 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	Fixed links (11 GHz) (10.7-11.7 GHz) Fixed-satellite downlinks (PTP/VSAT/SNG), Feeder links in the BSS (uplink) DTH Applications under the FSS	The channelling plan for FS Links are in accordance with ITU-R Rec. F387-13 The use of the band 10.7-11.7 GHz by the FSS (Earth-to-space) is limited to BSS feeder links (see 5.484). The Authority intends to develop the RFSAP for the band (10.7-11.7 GHz)
11.7-12.5 GHz FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE 5.492	11.7-12.5 GHz FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING-SATELLITE 5.492	Fixed links OB links Broadcast satellite systems BSS feeder links	This band is available for BSS in accordance with Appendix 30 of ITU RR. Refer to Annex B.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.487 5.487A	FIXED-SATELLITE (non-GSO) (space-to-Earth) 5.487 5.487A	ENG	
12.5-12.75 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.494 5.495 5.496	12.5-12.75 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space)	FSS uplinks (VSAT/SNG) (12.5-12.75 GHz) A-ESIM/ESV/ESIM Applications NGSO FSS	Article 9.12 applies (per 5.484A) Res. 155 (Rev. WRC-19) applies
12.75-13.25 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.441 5.496A MOBILE Space research (deep space) (space-to-Earth)	12.75-13.25 GHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) 5.441 5.496A MOBILE Space research (deep space) (space-to-Earth)	Fixed Links (13 GHz) (12.75-13.25 GHz) The band 12.75-13.25 GHz is part of the APP30B Plan (FSS Earth-to-space)	Channelling plan for 13 GHz band in accordance with ITU-R Rec. F.497 latest version. 5.496A / Res. 121 (WRC-23) (ESVs)
13.25-13.4 GHz EARTH EXPLORATION-SATELLITE (active)	13.25-13.4 GHz EARTH EXPLORATION-SATELLITE (active)		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active) 5.498A 5.499	AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active) 5.498A	Airborne Doppler Radar Doppler navigation aids	
13.4-13.65 GHz EARTH EXPLORATION- SATELLITE (active) FIXED SATELLITE (space- to-Earth) 5.499A 5.499B RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal-satellite (Earth-to- space)	13.4-13.65 GHz EARTH EXPLORATION- SATELLITE (active) FIXED SATELLITE (GSO) (space-to-Earth) 5.499A 5.499B RADIOLOCATION SPACE RESEARCH 5.499C 5.499D SPACE RESEARCH (space- to-Earth) Standard frequency and time signal-satellite (Earth-to- space)	SRD: Radio Determination Allocations Active spaceborne sensors Relay data from GSO space stations to associated Earth stations Relay data from GSO space stations to associated non-GSO space stations Space research	Radio Frequency Spectrum Regulations (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023). ITU-R Rec SM 1896-1 and Report ITU-R SM.2153-7

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.499E 5.500 5.501 5.501B	5.499E 5.501B 5.499 5.499E 5.500 5.5015.501B		
13.65-13.75 GHz	13.65-13.75 GHz		Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION	FDDA (13.4-14 GHz) Active spaceborne sensors Other than active spaceborne sensors	
SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.499 5.500 5.501 5.501B	SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.501B		
13.75-14 GHz	13.75-14 GHz		Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023).
FIXED-SATELLITE (Earth-to-space) 5.484A	FIXED-SATELLITE (Earth-to-space) 5.484A	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIOLOCATION Earth exploration-satellite Standard frequency and time signal-satellite (Earth-to-space) Space research 5.499 5.500 5.501 5.502 5.503	RADIOLOCATION Earth exploration-satellite Standard frequency and time signal-satellite (Earth-to-space) Space research 5.502 5.503	FDDA (13.4-14 GHz)	
14-14.25 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.504C 5.506A Space research 5.504A 5.505	14-14.25 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B NF17 RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.504C 5.506A Space research 5.504A	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz) incl. AES and UAS CNPC (14.0–14.47 GHz, subject to RR conditions) ESVs (14 -14.5 GHz) Feeder links for the BSS (14-14.5 GHz)	Res. 155 (Rev. WRC-19) (unmanned aircraft) Rec. ITU-R M.1643-0 (aircraft earth stations) Res. 902 (Rev. WRC-23) (ESVs) The band 14.0-14.5 GHz may also be used for UAS CNPC (aircraft-to-space station). The Authority intends to develop the RFSAP for the band (14-14.0 GHz).
14.25-14.3 GHz	14.25-14.3 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.508A Space research 5.504A 5.505 5.508	FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B NF17 RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.506A Space research 5.504A	FSS uplinks (satellite PTP/VSAT/SNG) (13.75-14.5 GHz) ESVs (14-14.5 GHz) Feeder links for the BSS (14-14.5 GHz)	Res. 155 (WRC-19) (unmanned aircraft). Rec. ITU-R M.1643-0 (aircraft earth stations). Res. 902 (Rev.WRC-23) (ESVs) The band 14.0-14.5 GHz may also be used for UAS CNPC (aircraft-to-space station). The Authority intends to develop the RFSAP for band (14-14.5GHz).
14.3-14.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile	14.3-14.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B NF17 MOBILE except aeronautical mobile	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz) ESVs (14 -14.5 GHz) Feeder links for the BSS (14-14.5 GHz)	Res. 155 (WRC-19) (unmanned aircraft) Res. 902 (Rev.WRC-23) (ESVs) The band 14.0-14.5 GHz may also be used for UAS CNPC (aircraft-to-space station). Rec. ITU-R M.1643-0 (aircraft earth station)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A	Mobile-satellite (Earth-to-space) 5.504B 5.506A Radionavigation-satellite 5.504A		The Authority intends to develop the RFSAP for band (14-14.5GHz).
14.4-14.47 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Space research (space-to-Earth)	14.4-14.47 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 5.506B NF17 MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A Space research (space-to-Earth)	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz) ESVs (14 -14.5 GHz) Feeder links for the BSS (14 - 14.5 GHz)	Res. 902 (Rev. WRC-23) (ESVs). The band 14.0-14.5 GHz may also be used for UAS CNPC (aircraft-to-space station). Rec. ITU-R M.1643-0 (aircraft earth station). The Authority intends to develop the RFSAP for band (14-14.5GHz).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.504A	5.504A		
14.47-14.5 GHz	14.47-14.5 GHz		
FIXED	FIXED	Fixed links	Channelling plan available in Rec. ITU-R F.636 , latest version
FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B	FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506 NF17	FSS uplinks (PTP/VSAT/SNG) (13.75-14.5 GHz)	ITU-R M.1643-0 (aircraft earth station)
		ESVs (14 -14.5 GHz)	Res. 902 (Rev. WRC-23) (ESVs)
		Feeder links for the BSS (14 - 14.5 GHz)	The band 14.0-14.5 GHz may also be used for UAS CNPC (aircraft-to-space station).
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile		
Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A	Mobile-satellite (Earth-to-space) 5.504B 5.506A 5.509A		
Radio astronomy	Radio astronomy	Radio Astronomy (non-thermal synchrotron and enigmatic quasars)	See Section 5 for coordination with radio astronomy
			The Authority intends to develop the RFSAP for band (14-14.5GHz).
5.149 5.504A	5.149 5.504A		
14.5-14.75 GHz	14.5-14.75 GHz		
FIXED	FIXED NF14	Fixed links, 15 GHz (14.5-15.35 GHz)	Channelling plan for 15GHz in accordance with ITU-R Rec. F.636 , latest version
FIXED-SATELLITE (Earth-to-space) 5.509B 5.509C	FIXED-SATELLITE (Earth-to-space) 5.510	Feeder links for the BSS (14.5 - 14.8 GHz)	The band 14.5-14.8 GHz is part of the Appendix 30A Plan (Feeder Links for BSS) for some SADC countries.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.509D 5.509E 5.509F 5.510 MOBILE Space research 5.509G	MOBILE SPACE RESEARCH (Earth-to-space) 5.509G	Relay data to GSO space stations from associated Earth stations (under SRS on a primary basis) All uses other than relay data to GSO space stations from associated Earth stations is on a secondary basis.	
14.75-14.8 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.510 MOBILE Space research 5.509G	14.75-14.8 GHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) 5.510 MOBILE SPACE RESEARCH (Earth-to-space) 5.509G	Fixed links 15 GHz (14.5-15.35 GHz) Feeder links for the BSS (14.5 - 14.8 GHz) Relay data to GSO space stations from associated Earth stations (under SRS on a primary basis) All uses other than relay data to GSO space stations from associated Earth stations is on a secondary basis.	Channelling plan for 15GHz in accordance with ITU-R Rec. F.636 , latest version. The band 14.5-14.8 GHz is part of the APP30A Plan (Feeder Links for BSS) for some SADC countries.
14.8-15.35 GHz FIXED	14.8-15.2 GHz FIXED NF14	Fixed Links (15 GHz) (14.5-15.35 GHz)	Channelling plan in accordance with ITU-R Rec. F.636 , latest version.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE SPACE RESEARCH 5.510A	MOBILE SPACE RESEARCH 5.510A		
	15.2-15.35 GHz FIXED NF14 MOBILE Earth exploration-satellite (passive) SPACE RESEARCH 5.510A Space research (passive) 5.339	Fixed Links (15 GHz) (14.5-15.35 GHz)	Channel arrangement for 15 GHz band in accordance with ITU-R Rec. F.636 , latest version.
15.35-15.4 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.511	15.35-15.4 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Very long base interferometry Observations Radio Astronomy (non-thermal synchrotron and enigmatic quasars) Passive sensing	
15.4-15.41 GHz RADIOLOCATION 5.511E 5.511F	15.4-15.41 GHz RADIOLOCATION 5.511E 5.511F	Radio Altimeters/Doppler Radars	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION		
15.41-15.43 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	15.41-15.43 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	Radio Altimeters/ Doppler Radars	ICAO: Guidelines on Radiocommunication (Annex 10)
15.43-15.63 GHz FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G 5.511C	15.43-15.63 GHz FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G 5.511C	Feeder links of non-GSO-satellite systems in the MSS Radio Altimeters Doppler Radars	ICAO: Guidelines on Radiocommunication (Annex 10)
15.63-15.7 GHz RADIOLOCATION 5.511E 5.511F	15.63-15.7 GHz RADIOLOCATION 5.511E 5.511F	Radio Altimeters Doppler Radars	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G		ICAO: Guidelines on Radiocommunication (Annex 10)
15.7-16.6 GHz RADIOLOCATION 5.512 5.513	15.7-16.6 GHz RADIOLOCATION	Doppler Radars Government Services	Altimeters / Distance measuring equipment
16.6-17.1 GHz RADIOLOCATION Space research (deep space) (Earth-to-space) 5.512 5.513	16.6-17.1 GHz RADIOLOCATION Space research (deep space) (Earth-to-space)		
17.1-17.2 GHz RADIOLOCATION 5.512 5.513	17.1-17.2 GHz RADIOLOCATION	HiperLAN (17.1-17.3 GHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023). CEPT/ERC/REC 70-03
17.2-17.3 GHz EARTH EXPLORATION- SATELLITE (active)	17.2-17.3 GHz EARTH EXPLORATION- SATELLITE (active)		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIOLOCATION	RADIOLOCATION	HiperLAN (17.1-17.3 GHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279, 30 March 2015), as amended (most recently GG 48643 Notice 1822 of 23 May 2023). CEPT/ERC/REC 70-03
SPACE RESEARCH (active) 5.512 5.513 5.513A	SPACE RESEARCH (active) 5.513A		
17.3-17.7 GHz	17.3-17.7 GHz		
FIXED-SATELLITE (Earth-to-space) 5.515 5.516 (space-to-Earth) 5.516A 5.516B Radiolocation 5.514	FIXED-SATELLITE (Earth-to-space) 5.515 5.516 (space-to-Earth) 5.516A 5.516B (non-GSO) (Earth-to-space) Radiolocation	Feeder links of GSO-satellite systems in the BSS HDFSS (space-to-Earth)	The band 17.3-17.7 GHz is part of the APP30A Plan (Feeder Links for BSS) for many SADC countries; refer to Annex B. The band 17.3-17.7 GHz is identified for HDFSS; Res.143 (Rev. WRC-19) applies.
17.7-18.1 GHz	17.7-18.1 GHz		
FIXED	FIXED NF14	Fixed Links (18 GHz) (17.7-19.7 GHz)	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1, latest version
FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A 5.517B (Earth-to-space) 5.515 5.516	FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A 5.517B (Earth-to-space) 5.515 5.516	ESIM (under the FSS) (17.7-18.6 GHz) BSS Feeder Links (17.3-18.1 GHz)	Res. 169 (Rev. WRC-23) (GSO ESIM FSS) Res. 123 (WRC-23) (NGSO ESIM FSS)
MOBILE	MOBILE		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
18.1-18.4 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B 5.517A 5.517B (Earth-to-space) 5.520 INTER-SATELLITE 5.521A MOBILE 5.519 5.521	18.1-18.4 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A 5.517B (Earth-to-space) 5.520 INTER-SATELLITE 5.521A MOBILE METEOROLOGICAL-SATELLITE (GSO) (space-to-Earth) 5.519	Fixed Links (18 GHz) (17.7-19.7 GHz) ESIMs (under the FSS) BSS Feeder Links (18.1-18.4 GHz) Inter-satellite (18.1-18.6 GHz)	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1, latest version Res. 169 (Rev. WRC-23) (GSO ESIM FSS) Res. 123 (WRC-23) (NGSO ESIM FSS) Res. 679 (WRC-23) Inter-sat service
18.4-18.6 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B 5.517A 5.517B INTER-SATELLITE 5.521A MOBILE	18.4-18.6 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A 5.517B INTER-SATELLITE 5.521A MOBILE	Fixed Links (18 GHz) (17.7-19.7 GHz) ESIMs (GSO and NGSO, under the FSS) Inter-satellite (18.1-18.6 GHz)	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1, latest version Res. 169 (Rev. WRC-23) (GSO ESIM FSS) Res. 123 (WRC-23) (NGSO ESIM FSS) Res. 679 (WRC-23) (ISS)
18.6-18.8 GHz	18.6-18.8 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)		Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1, latest version
FIXED	FIXED NF14	Fixed Links (18 GHz) (17.7-19.7 GHz)	
FIXED-SATELLITE (space-to-Earth) 5.517A 5.522B	FIXED-SATELLITE (space-to-Earth) 5.517A 5.522B	Under FSS, only GSO and systems with orbit apogee greater than 20 000 km	Res. 169 (Rev. WRC-23) (GSO ESIM FSS)
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	ESIMs (under the FSS)	
Space research (passive)	Space research (passive)	Passive Sensing	
5.522A 5.522C	5.522A		
18.8-19.3 GHz	18.8-19.3 GHz		
FIXED	FIXED NF14	Fixed Links (18 GHz) (17.7-19.7 GHz)	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1, latest version
FIXED-SATELLITE (space-to-Earth) 5.516B 5.517A 5.517B 5.523A	FIXED-SATELLITE (space-to-Earth) 5.517A 5.517B 5.523A	ESIMs (under the FSS)	Res. 169 (Rev. WRC-23) (GSO ESIM FSS) Res. 123 (WRC-23) (NGSO ESIM FSS)
INTER-SATELLITE 5.521A	INTER-SATELLITE 5.521A	Inter-satellite (18.8-20.2 GHz)	Res. 679 (WRC-23) (ISS)
MOBILE	MOBILE		
19.3-19.7 GHz	19.3-19.7 GHz		
FIXED	FIXED NF14	Fixed Links (18 GHz) (17.7-19.7 GHz)	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1, latest version

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.517A 5.523B 5.523C 5.523D 5.523E INTER-SATELLITE 5.521A 5.523DA MOBILE	FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.517A 5.523B 5.523C 5.523D 5.523E INTER-SATELLITE 5.521A 5.523DA MOBILE	FSS (Earth-to-space) is limited to feeder links of non-GSO-satellite systems in the MSS ESIMs (under the FSS) Inter-satellite (18.8-20.2 GHz)	Res. 169 (Rev. WRC-23) (ESIMs GSO FSS) Res. 679 (WRC-23) (ISS)
19.7-20.1 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A INTER-SATELLITE 5.521A Mobile-satellite (space-to-Earth) 5.524	19.7-20.1 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A INTER-SATELLITE 5.521A Mobile-satellite (space-to-Earth)	ESIMs (under the FSS) HDFSS (space-to-Earth) (19.7-20.2 GHz) GSO/FSS Inter-satellite (18.8-20.2 GHz)	Res. 156 (Rev. WRC-23) applies to ESIMs Res. 123 (WRC-23) AMESIM NGSO FSS Res. 143 (Rev. WRC-19) (HDFSS) Res. 155 (Rev. WRC-19) (unmanned aircraft) Res. 679 (WRC-23) (ISS)
20.1-20.2 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A INTER-SATELLITE 5.521A MOBILE-SATELLITE (space-to-Earth)	20.1-20.2 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A INTER-SATELLITE 5.521A MOBILE-SATELLITE (space-to-Earth)	ESIMs (under the FSS) HDFSS (space-to-Earth) (19.7-20.2 GHz) Inter-satellite (18.8-20.2 GHz)	Res. 156 (Rev. WRC-23) applies to ESIMs GSO FSS Res. 123 (WRC-23) AMESIM NGSO FSS Res. 143 (Rev. WRC-19) (HDFSS) Res. 679 (WRC-23) Inter-sat service

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.524 5.525 5.526 5.527 5.528	5.525 5.526 5.527 5.528		
20.2-21.2 GHz FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard frequency and time signal-satellite (space-to-Earth) 5.524 5.529A	20.2-21.2 GHz FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard frequency and time signal-satellite (space-to-Earth) 5.529A	Fixed Satellite Systems (TVRO)	
21.2-21.4 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive)	21.2-21.4 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED NF14 MOBILE SPACE RESEARCH (passive)	Passive Sensing Fixed Links (23 GHz) (21.2-23.6 GHz)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version
21.4-22 GHz FIXED MOBILE	21.4-22 GHz FIXED NF14 MOBILE	Fixed Links (23 GHz) (21.2-23.6 GHz)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING-SATELLITE 5.208B	BROADCASTING-SATELLITE 5.208B	Broadcast satellite systems	5.530B encourages no stations deployed in the mobile service in this band Use of BSS in this band is subject to Res. 552 (Rev. WRC-23), Res. 553 (Rev. WRC-23) and Res. 554 (WRC-12). Res. 555 (Rev. WRC-15) was abrogated on 23 November 2019 by Res. 99 (Rev. WRC-19).
5.530A 5.530B	5.530A 5.530B		
22-22.2 GHz	22-22.2 GHz		
FIXED	FIXED NF14	Fixed Links (23 GHz) (21.2-23.6 GHz)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version
MOBILE except aeronautical mobile (R) 5.531A 5.531B 5.531C 5.531D 5.531F	MOBILE except aeronautical mobile (R) 5.531A 5.531B 5.531C 5.531D 5.531F	Radio astronomy (red-shifted H ₂ O Passive Sensing)	See Section 5 for coordination with radio astronomy
5.149	5.149		
22.2-22.21 GHz	22.2-22.21 GHz		
FIXED	FIXED NF14	Fixed Links (23 GHz) (21.2- 23.6 GHz)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Radio astronomy (red-shifted H ₂ O Passive Sensing)	See Section 5 for coordination with radio astronomy

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149	5.149		
22.21-22.5 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.532	22.21-22.5 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED NF14 MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.532	Fixed Links (23 GHz) (21.2-23.6 GHz) Radio astronomy (red-shifted H ₂ O) Passive Sensing	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version See Section 5 for coordination with radio astronomy
22.5-22.55 GHz FIXED MOBILE	22.5-22.55 GHz FIXED NF14 MOBILE	Fixed Links (23 GHz) (21.2-23.6 GHz)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version
22.55-23.15 GHz FIXED INTER-SATELLITE 5.338A MOBILE	22.55-23.15 GHz FIXED NF14 INTER-SATELLITE 5.338A MOBILE	Fixed Links (23 GHz) (21.2-23.6 GHz)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
SPACE RESEARCH (Earth-to-space) 5.532A 5.149	SPACE RESEARCH (Earth-to-space) 5.532A 5.149		See Section 5 for coordination with radio astronomy Res. 750 (Rev. WRC-19) (passive protection)
23.15-23.55 GHz FIXED INTER-SATELLITE 5.338A MOBILE	23.15-23.55 GHz FIXED NF14 INTER-SATELLITE 5.338A MOBILE	Fixed Links (23 GHz) (21.2-23.6 GHz)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version
23.55-23.6 GHz FIXED MOBILE	23.55-23.6 GHz FIXED NF14 MOBILE	Fixed Links (23 GHz) (21.2-23.6 GHz)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1, latest version
23.6-24 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	23.6-24 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Radio astronomy (observation of ammonia and continuum observations) Passive Sensing	See Section 5 for coordination with radio astronomy

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
24-24.05 GHz AMATEUR AMATEUR-SATELLITE 5.150	24-24.05 GHz AMATEUR AMATEUR-SATELLITE 5.150	Non-specific SRD (24-24.25 GHz) SRD applications (24-24.25 GHz) ISM (24.0-24.25 GHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015); Annexure B (apparatus exempt from radio frequency spectrum licences), as amended (most recently GG 48643, Notice 1822 of 23 May 2023). Common international SRD band; see ITU-R Rec. SM.1896-1 . Report ITU-R SM.2153-9 . The band 24-24.25 GHz is designated for ISM applications (5.150).
24.05-24.25 GHz RADIOLOCATION Amateur	24.05-24.25 GHz RADIOLOCATION Amateur	FDDA (24.05-24.25 GHz) SRD (24-24.25 GHz) (Reservoir Level Probing Radar) ISM (24.0-24.25 GHz)	Radio Frequency Spectrum Regulations as amended (Annex I) (GG. No. 38641, Notice 279 , 30 March 2015); Annexure B (apparatus exempt from radio frequency spectrum licences), as amended (most recently GG 48643, Notice 1822 of 23 May 2023). Common international ISM/SRD band; see ITU-R Rec. SM.1896-1 . ITU-R Report SM.2153-9 , latest version applies

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Earth exploration-satellite (active) 5.150	Earth exploration-satellite (active) 5.150		
24.25-24.45 GHz FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	24.25-24.45 GHz FIXED NF14 MOBILE except aeronautical mobile 5.338A 5.532AB NF9	Fixed links-26 GHz (24.25-26.5 GHz) IMT TDD (24.25-27.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1, latest version Temporary fixed links for ENG/OB Res. 242 (Rev. WRC-23) (IMT) Recommendation ITU-R M.1036-8 Second Draft IMT Roadmap (GG 53883 , Notice 3712 of 18 Dec 2025) Res. 750 (Rev. WRC-19) (passive protection) The Authority intends to develop the RFSAP for the band 24.25-27.5 GHz
24.45-24.65 GHz FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB	24.45-24.65 GHz FIXED NF14 INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB NF9	Fixed links-26 GHz (24.5-26.5 GHz) BFWA (24.5-26.5 GHz) IMT TDD (24.25-27.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1, latest version Res. 242 (Rev. WRC-23) (IMT) Rec. ITU-R M.1036-8 Second Draft IMT Roadmap (GG 53883 , Notice 3712 of 18 Dec 2025) Res. 750 (Rev. WRC-19) (passive protection)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
			The Authority intends to develop the RFSAP for the band 24.25-27.5 GHz
24.65-24.75 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB	24.65-24.75 GHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE 5.533 MOBILE except aeronautical mobile 5.338A 5.532AB NF9	Fixed links-26 GHz (24.5-26.5 GHz) BFWA (24.5-26.5 GHz) IMT TDD (24.25-27.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1, latest version Second Draft IMT Roadmap (GG 53883 , Notice 3712 of 18 Dec 2025) Res. 242 (Rev. WRC-23) (IMT) Rec. ITU-R M.1036-8 Res. 750 (Rev. WRC-19) (passive protection) The Authority intends to develop the RFSAP for the band 24.25-27.5 GHz
24.75-25.25 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.532B MOBILE except aeronautical mobile 5.338A 5.532AB	24.75-25.25 GHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) 5.532B MOBILE except aeronautical mobile 5.338A 5.532AB NF9	Fixed links - 26 GHz (24.5-26.5 GHz) BFWA (24.5-26.5 GHz) IMT TDD (24.25-27.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1, latest version Rec. 242 (WRC-23) (IMT) Rec. ITU-R M.1036-8

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
			Second Draft IMT Roadmap (GG 53883 Notice 3712 of 18 Dec 2025) The Authority intends to develop the RFSAP for the band 24.25-27.5 GHz Res. 750 (Rev. WRC-19) (passive protection)
25.25-25.5 GHz	25.25-25.5 GHz		
FIXED 5.534A	FIXED NF14	Fixed Links (26 GHz) (24.5-26.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1, latest version
INTER-SATELLITE 5.536	INTER-SATELLITE (Earth exploration-satellite applications) 5.536 INTER-SATELLITE (space research applications) 5.536 INTER-SATELLITE (transmissions of data originating from industrial and medical activities in space) 5.536	BFWA (24.5-26.5 GHz)	
MOBILE 5.338A 5.532AB	MOBILE 5.338A 5.532AB NF9	IMT TDD (24.25-27.5 GHz)	Rec. 242 (WRC-23) (IMT) Rec ITU-R M.1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 18 Dec 2025) Res. 750 (Rev. WRC-19) (passive protection)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Standard frequency and time signal-satellite (Earth-to-space)	Standard frequency and time signal-satellite (Earth-to-space)		The Authority intends to develop the RFSAP for the band 24.25-27.5 GHz
25.5-27 GHz	25.5-27 GHz		
EARTH EXPLORATION-SATELLITE (space-to Earth) 5.536B	EARTH EXPLORATION-SATELLITE (space-to Earth) 5.536B	National Polar-Orbiting Operational Environment Satellite System (NPOESS) 25.5-27 GHz	
FIXED 5.534A	FIXED NF14	Fixed Links (26 GHz) (24.5-26.5 GHz) FWA (24.5-26.5 GHz)	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 latest version Annex 1, latest version
INTER-SATELLITE 5.536	INTER-SATELLITE (Earth exploration-satellite applications) 5.536 INTER-SATELLITE (space research applications) 5.536 INTER-SATELLITE (transmissions of data originating from industrial and medical activities in space) 5.536		
MOBILE 5.338A 5.532AB	MOBILE 5.338A 5.532AB NF9	IMT TDD (24.25-27.5 GHz)	Second Draft IMT Roadmap (GG 53883 Notice 3712 of 18 Dec 2025) Res. 242 (Rev. WRC-23) (IMT) Rec ITU-R M.1036-8 Res. 750 (Rev. WRC-19) (passive protection)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
SPACE RESEARCH (space-to-Earth) 5.536C Standard frequency and time signal-satellite (Earth-to-space) 5.536A	SPACE RESEARCH (space-to-Earth) 5.536C Standard frequency and time signal-satellite (Earth-to-space) 5.536A		The Authority intends to develop the RFSAP for the band 24.25-27.5 GHz.
27-27.5 GHz FIXED INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB	27-27.5 GHz FIXED INTER-SATELLITE (Earth exploration-satellite applications) 5.536 INTER-SATELLITE (space research applications) 5.536 INTER-SATELLITE (transmissions of data originating from industrial and medical activities in space) 5.536 5.537 MOBILE 5.338A 5.532AB NF9	IMT TDD (24.25-27.5 GHz)	Second Draft IMT Roadmap (GG 53883 Notice 3712 of 18 Dec 2025) Rec. ITU-R M.1036 - latest version Res. 750 (Rev. WRC-19) (passive protection) RFSAP for the band 24.25 - 27.5 GHz to be developed.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
27.5-28.5 GHz	27.5-27.501 GHz		
FIXED 5.537A	FIXED 5.537A NF14 NF18	Fixed Links (28 GHz) (27.5-29.5 GHz)	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 Annex 2, latest version
FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.539	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.539	HDFSS (Earth-to-space) (27.5-27.82 GHz)	Res.143 (Rev. WRC-19) (HDFSS).
INTER-SATELLITE 5.521A	INTER-SATELLITE 5.521A	ESIMS (under the FSS) GSO (27.5-29.5 GHz) and NGSO (27.5-29.1 GHz)	The band 27.5-30 GHz may be used by the FSS for BSS feeder links under the FSS (Earth-to-space). Res. 169 (Rev. WRC-23) (ESIMs GSO FSS) Res. 123 (WRC-23) (ESIMs NGSO FSS)
MOBILE	FIXED-SATELLITE (space-to-Earth) (27.5-27.501 GHz) 5.538	Beacon transmission for uplink power control) (FSS (space-to-Earth))	Res. 679 (WRC-23) (ISS)
	MOBILE		
	27.501-27.82 GHz		
	FIXED 5.537A NF14 NF18	Fixed Links (28 GHz) (27.5-29.5 GHz)	Paired with 31.0-31.3 GHz (subscriber to base station)
	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.539	Beacon transmission for up-link power control) (FSS (space-to-Earth))	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 Annex 2 latest version

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	INTER-SATELLITE 5.521A Fixed-satellite (space-to-Earth) (27.501-29.999 GHz) 5.540 MOBILE 5.540	HDFSS (Earth-to-space) (27.5-27.82 GHz) ESIMs (under the FSS) GSO (27.5-29.5 GHz) and NGSO (27.5-29.1 GHz) Inter-satellite (27.5-30 GHz)	The band 27.5-30 GHz may be used by the FSS for BSS feeder links under the FSS (Earth-to-space). Res. 143 (Rev. WRC-19) (HDFSS) Res. 169 (Rev. WRC-23) (ESIMs GSO FSS) Res. 123 (WRC-23) (ESIMs NGSO FSS) Res. 679 (WRC-23) (ISS)
	27.82-28.45 GHz FIXED 5.537A NF14 NF18 FIXED-SATELLITE (Earth-to-space) 5.484A 5.517A 5.517B 5.539 INTER-SATELLITE 5.521A	Fixed Links (28 GHz) (27.5-29.5 GHz) Beacon transmission for up-link power control FSS (space-to-Earth) ESIMs (under the FSS) GSO (27.5-29.5 GHz) and NGSO (27.5-29.1 GHz) FSS for BSS feeder links Inter-satellite (27.5-30 GHz)	Paired with 31.0-31.3 GHz (subscriber to base station) Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 Annex 2, latest version Res. 169 (Rev. WRC-23) (ESIMs GSO FSS) Res. 123 (WRC-23) (ESIMs NGSO FSS) Res. 679 (WRC-23) (ISS)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	Fixed-satellite (space-to-Earth) (27.501-29.999 GHz) MOBILE 5.540		
	28.45-28.5 GHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.539 INTER-SATELLITE 5.521A Fixed-satellite (space-to-Earth) 5.540 MOBILE	Fixed Links (28 GHz) (27.5-29.5 GHz) Beacon transmission for up-link power control) FSS (space-to-Earth (27.501-29.999 GHz) HDFSS (Earth-to-space) (28.45-28.94 GHz) FSS for BSS feeder links ESIMs (under the FSS) GSO (27.5-29.5 GHz) and NGSO (27.5-29.1 GHz) Inter-satellite (27.5-30 GHz)	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 Annex 2, latest version Res.143 (Rev. WRC-19) (HDFSS). Res. 169 (Rev. WRC-23) (ESIMs GSO FSS) Res. 123 (WRC-23) (ESIMs NGSO FSS) Res. 679 (WRC-23) (ISS)
5.538 5.540			
28.5-29.1 GHz	28.5-28.94 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED	FIXED NF14	Fixed Links (28 GHz) (27.5-29.5 GHz)	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 Annex 2, latest version.
FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.523A 5.539	FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.523A 5.539	Beacon transmission for up-link power control) (FSS (space-to Earth))	Res. 143 (Rev.WRC19)
		HDFSS (Earth-to-space) (under the FSS) (28.45-28.94 GHz)	Res. 169 (Rev. WRC-23) (ESIMs GSO FSS)
		ESIMs (under the FSS) GSO (27.5-29.5 GHz) and NGSO (27.5-29.1 GHz)	Res. 123 (WRC-23) (ESIMs NGSO FSS)
		FSS for BSS feeder links	
INTER-SATELLITE 5.521A	INTER-SATELLITE 5.521A	Inter-satellite (27.5-30 GHz)	Res. 679 (WRC-23) (ISS)
MOBILE	MOBILE		
Earth exploration-satellite (Earth-to-space) 5.541	Earth exploration-satellite (Earth-to-space) 5.541	Transfer of data between stations (EESS)	
	Fixed-satellite (space-to-Earth)		
	5.540		
	28.94-29.1 GHz		
	FIXED NF14	Fixed Links (28 GHz) (27.5-29.5 GHz)	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 Annex 2, latest version
	FIXED-SATELLITE (Earth-to-space) 5.484A 5.517A 5.523A 5.517B 5.539	Beacon transmission for up-link power control (FSS (space-to-Earth) (27.501-29.999 GHz)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.540	INTER-SATELLITE 5.521A MOBILE Earth exploration-satellite (Earth-to-space) 5.541 Fixed-satellite (space-to-Earth)	ESIMs (under the FSS) GSO (27.5-29.5 GHz) and NGSO (27.5-29.1 GHz) FSS for BSS feeder links Inter-satellite (27.5-30 GHz) Transfer of data between stations (EESS)	Res. 169 (Rev. WRC-23) (ESIMs GSO FSS) Res. 123 (WRC-23) (ESIMs NGSO FSS) Res. 679 (WRC-23) (ISS)
29.1-29.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.517A 5.523C 5.523E 5.535A 5.539 5.541A	29.1-29.46 GHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) 5.517A 5.523C 5.523E 5.535A 5.539 5.541A	Fixed Links (28 GHz) (27.5-29.5 GHz) ESIMs (under the FSS) (27.5-29.5 GHz) Fixed-satellite (space-to-Earth) (27.501-29.999 GHz) FSS (uplink)-limited to GSO systems and feeder links of non-NGSO-satellite systems in the MSS Transfer of data between stations (EESS)	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 latest version Annex 2. Res. 169 (Rev. WRC-23)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
INTER-SATELLITE 5.521A MOBILE Earth exploration-satellite (Earth-to-space) 5.541	INTER-SATELLITE 5.521A MOBILE Earth exploration-satellite (Earth-to-space) 5.541 Fixed-satellite (space-to-Earth) 5.540	Beacon transmission for up-link power control FSS for BSS feeder links Inter-satellite (27.5-30 GHz)	Res. 679 (WRC-23)
	29.46-29.5 GHz FIXED NF14 FIXED-SATELLITE (Earth-to-space) 5.516B 5.517A 5.523C 5.523E 5.535A 5.539 5.541A	ESIMs (under the FSS) (27.5-29.5 GHz) FSS (uplink)-limited to GSO systems and feeder links of non-NGSO-satellite systems in the MSS Beacon transmission for up-link power control (FSS space-to-earth) HDFSS (in the FSS) (space-to-Earth) FSS for BSS feeder links	Channelling plan for 28 GHz band in accordance with ITU-R Rec. F.748 latest Annex 2 latest version. Res. 123 (WRC-23) (ESIMs NGSO FSS) Res. 156 (Rev. WRC-23) (ESIMs GSO FSS) Res. 169 (Rev. WRC-23) Res. 155 (Rev. WRC-19) (unmanned aircraft) Res. 143 (Rev.WRC19) (HDFSS)
	INTER-SATELLITE 5.521A	Inter-satellite (27.5-30 GHz)	Res. 679 (WRC-23) (ISS)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.540	FIXED-SATELLITE (GSO) (Earth-to-space) MOBILE Earth exploration-satellite (Earth-to-space) 5.541 Fixed-satellite (space-to-Earth) 5.540	Transfer of data between stations (EESS)	
29.5-29.9 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.517B 5.527A 5.539 INTER-SATELLITE 5.521A Earth exploration-satellite (Earth-to-space) 5.541 Mobile-satellite (Earth-to-space) 5.540 5.542	29.5-29.9 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.517B 5.527A 5.539 INTER-SATELLITE 5.521A Earth exploration-satellite (Earth-to-space) 5.541 Fixed-satellite (space-to-Earth) Mobile-satellite (Earth-to-space) 5.540	Fixed-satellite (space-to-Earth) (27.501-29.999 GHz) ESIMS (under the FSS) GSO and NGSO (29.5-30 MHz) Beacon transmission for up-link power control (FSS (space-to-Earth)) High Density FSS (Earth-to-space) (29.46-30 GHz) Inter-satellite (27.5-30 GHz) Transfer of data between stations (EESS)	Res. 155 (Rev. WRC-19) (unmanned aircraft) Res. 123 (WRC-23) (ESIMs NGSO FSS) Res. 156 (Rev. WRC-23) (ESIMs GSO FSS) Res.143 applies for HDFSS Res. 679 (WRC-23)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
29.9-30 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.517B 5.527A 5.539 INTER-SATELLITE 5.521A MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543	29.9-29.95 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.517B 5.527A 5.539 INTER-SATELLITE 5.521A MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543 Fixed-satellite (space-to-Earth) 5.525 5.526 5.527 5.540	ESIMs (under the FSS) Beacon transmission for up-link power control High Density FSS (space-to-Earth) (29.46-30 GHz) Inter-satellite (27.5-30 GHz) Transfer of data between stations	Res. 156 (Rev.WRC-23) applies for ESIM Res. 123 (WRC-23) Res. 155 (Rev.WRC-19) (unmanned aircraft) Res. 143 (Rev.WRC19) (HDFSS) Res. 679 (WRC-23) The Authority intends to develop the RFSAP for the band 27.5-31 GHz.
	29.95-29.999 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.517B 5.539	ESIMs (under the FSS) Fixed-satellite (space-to-Earth) (27.501-29.999 GHz) Transfer of data between stations Telemetry, tracking and control Beacon transmission for up-link power control	Res. 156 (Rev.WRC-23) applies for ESIM Res. 123 (WRC-23) Res. 155 (Rev.WRC-19) (unmanned aircraft)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
	INTER-SATELLITE 5.521A MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543 Earth exploration-satellite (space-to-space) Fixed-satellite (space-to-Earth) 5.525 5.526 5.527 5.540	High Density FSS (space-to-Earth) (29.46-30 GHz) Inter-satellite (27.5-30 GHz)	Res. 143 (Rev. WRC-19) (HDFSS) Res. 679 (WRC-23)
	29.999-30 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.527A 5.517B 5.539 FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE 5.521A	ESIMs (under the FSS) NGSO (29.5-30 GHz) Beacon transmission for up-link power control Fixed-satellite (space-to-Earth) Transfer of data between stations (EESS) Telemetry, tracking and control (EESS) High Density FSS (space-to-Earth) (29.46-30 GHz) Inter-satellite (27.5-30 GHz)	Res. 155 (WRC-19) (unmanned aircraft) Res. 156 (Rev. WRC-23) applies for ESIM Res. 123 (WRC-23) Res.143 (Rev. WRC-19) applies for HDFSS Res. 679 (WRC-23)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.525 5.526 5.527 5.538 5.540 5.542	MOBILE-SATELLITE (Earth-to-space) Earth exploration-satellite (Earth-to-space) 5.541 5.543 Earth exploration-satellite (space-to-space) 5.525 5.526 5.527 5.538		
30-31 GHz FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space-to-Earth) 5.529A 5.542	30-31 GHz FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space-to-Earth) 5.529A		Res. 750 (Rev. WRC-19) The Authority intends to develop the RFSAP for the band 27.5-31 GHz.
31-31.3 GHz FIXED 5.338A 5.543B MOBILE	31-31.3 GHz FIXED NF18 5.338A MOBILE	Fixed Links HAPS	Paired with 27.5-28.35 GHz (base station to subscriber) Res. 167 (Rev. WRC-23) (HAPS)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Standard frequency and time signal-satellite (space-to-Earth) Space research 5.544 5.545 5.149	Standard frequency and time signal-satellite (space-to-Earth) Space research 5.544 5.149	Radio astronomy (Continuum Observations)	See Section 5 for coordination with radio astronomy Res. 750 (Rev. WRC-19) (passive protection)
31.3-31.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	31.3-31.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Radio astronomy (Continuum Observations)	Radio astronomy (Continuum Observations)
31.5-31.8 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed	31.5-31.8 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed 5.546	Radio astronomy (Continuum Observations) Passive Sensing	Radio astronomy (Continuum Observations)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Mobile except aeronautical mobile 5.149 5.546	Mobile except aeronautical mobile 5.546 5.149		
31.8-32 GHz FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.547B 5.548	31.8-32 GHz FIXED 5.547A NF14 RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.548	HDFS (31.8-33.4 GHz)	Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1, latest version
32-32.3 GHz FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.547C 5.548	32-32.3 GHz FIXED 5.547A NF14 RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.548	HDFS (31.8-33.4 GHz)	Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1, latest version
32.3-33 GHz FIXED 5.547A INTER-SATELLITE RADIONAVIGATION	32.3-33 GHz FIXED 5.547A NF14 INTER-SATELLITE RADIONAVIGATION	HDFS (31.8-33.4 GHz)	Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1, latest version

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.547 5.547D 5.548	5.547 5.548		
33-33.4 GHz FIXED 5.547A RADIONAVIGATION 5.547 5.547E	33-33.4 GHz FIXED 5.547A NF14 RADIONAVIGATION 5.547	HDFS (31.8-33.4 GHz)	Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1 latest version
33.4-34.2 GHz RADIOLOCATION 5.549	33.4-34.2 GHz RADIOLOCATION	Government Services	
34.2-34.7 GHz RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space) 5.549	34.2-34.7 GHz RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space)	Government Services	
34.7-35.2 GHz RADIOLOCATION Space research 5.550 5.549	34.7-35.2 GHz RADIOLOCATION Space research	Government Services	
35.2-35.5 GHz METEOROLOGICAL AIDS RADIOLOCATION	35.2-35.5 GHz METEOROLOGICAL AIDS RADIOLOCATION	Government Services	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.549			
35.5-36 GHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.549 5.549A	35.5-36 GHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.549A	Government Services	
36-37 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A	36-37 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A	Government Services Passive Sensing Radio astronomy (HC3N and OH lines)	See Section 5 for coordination with radio astronomy
37-37.5 GHz FIXED MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth)	37-37.5 GHz FIXED NF14 MOBILE except aeronautical mobile 5.550B NF9 SPACE RESEARCH (space-to-Earth)	Fixed Links (38 GHz) (37.0-39.5 GHz) HDFS (37-40 GHz) (5.547) IMT TDD (37-43.5 GHz)	Res. 243 (Rev. WRC-23) Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) Recommendation ITU-R M. 1036-8

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.547	5.547		RFSAP for the frequency range 37-43.5 GHz to be developed.
37.5-38 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.550C 5.550CA MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547	37.5-38 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) 5.550C 5.550CA MOBILE except aeronautical mobile 5.550B NF9 SPACE RESEARCH (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547	Fixed Links (38 GHz) (37.0-39.5 GHz) HDFS (37-40 GHz) (5.547) IMT TDD (37-43.5 GHz)	Channelling plan for 38 GHz band in accordance with ITU Rec. F.749 Annex 1. Res. 770 (Rev. WRC-23) (FSS) Res. 76 (Rev. WRC-12) applies. Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) Res. 243 (Rev. WRC-23) (IMT) RFSAP for the frequency range 37-43.5 GHz to be developed.
38-39.5 GHz FIXED 5.550D	38-39.5 GHz FIXED 5.550D NF14	Fixed Links (38 GHz) (37.0-39.5 GHz) HDFS (37-40 GHz) (5.547) FIXED (HAPS) (38-39.5 GHz)	Channelling plan for 38 GHz band in accordance with ITU-R Rec. F.749 Annex 1. Res. 168 (Rev. WRC-23) (HAPS)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE 5.550B Earth exploration-satellite (space-to-Earth) 5.547	FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE 5.550B NF9 Earth exploration-satellite (space-to-Earth) 5.547	IMT TDD (37-43.5 GHz)	Res. 770 (Rev. WRC-23) (FSS) Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) Recommendation ITU-R M.1036-8 Res. 243 (Rev. WRC-23) (IMT) RFSAP for the frequency range 37-43.5 GHz to be developed.
39.5-40 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547 5.550E	39.5-40 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B NF9 MOBILE-SATELLITE (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547 5.550E	Fixed links HDFS (37-40 GHz) (5.547) HDFSS (space-to-Earth) (39.5-40.5 GHz) IMT TDD (37-43.5 GHz)	Res. 143 (Rev. WRC-19) (HDFSS) Res. 770 (Rev. WRC-23) (FSS) Res. 243 (Rev. WRC-23) (IMT) Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) RFSAP for the frequency range 37-43.5 GHz to be developed.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
40-40.5 GHz EARTH EXPLORATION-SATELLITE (Earth-to-space) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) SPACE RESEARCH (Earth-to-space) Earth exploration-satellite (space-to-Earth) 5.550E	40-40.5 GHz EARTH EXPLORATION-SATELLITE (Earth-to-space) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C MOBILE 5.550B NF9 MOBILE-SATELLITE (space-to-Earth) SPACE RESEARCH (Earth-to-space) Earth exploration-satellite (space-to-Earth) 5.550E	Government Services HDFSS (space-to-Earth) (39.5-40.5 GHz) IMT (TDD) (37-43.5 GHz)	Res. 143 (Rev. WRC-19) (HDFSS) Res. 770 (Rev. WRC-23) (FSS) Res. 243 (Rev. WRC-23) (IMT) Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) RFSAP for the frequency range 37 - 43.5 GHz to be developed.
40.5-41 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B	40.5-41 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B NF9	Fixed links (42 GHz) (40.5-43.5 GHz) HDFS (40.5-43.5 GHz) (5.547) IMT (TDD) (37-43.5 GHz)	ITU-R Rec. F.2005 Annex 1 (channel plan) Res. 770 (Rev. WRC-23) (NGSO FSS) Res. 243 (Rev. WRC-23) (IMT) Recommendation ITU-R M. 1036-8

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547	BROADCASTING BROADCASTING-SATELLITE Aeronautical mobile Maritime mobile 5.547		Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) RFSAP for the frequency range 37 - 43.5 GHz to be developed.
41-42.5 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE 5.547 5.551F 5.551H 5.551I	41-42.5 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) 5.550C LAND MOBILE 5.550B NF9 BROADCASTING BROADCASTING-SATELLITE 5.547 5.551H 5.551I	Fixed links (42 GHz) (40.5-43.5 GHz) HDFS (40.5-43.5 GHz) (5.547) IMT (TDD) (37-43.5 GHz)	ITU-R Rec. F.2005 Annex 1 (channel plan) Res. 770 (Rev. WRC-23) (NGSO FSS) Res. 243 (Rev. WRC-23) (IMT) Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) RFSAP for the frequency range 37 - 43.5 GHz to be developed.
42.5-43.5 GHz	42.5-43.5 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED	FIXED NF14	Fixed links (42 GHz) (40.543.5 GHz)	Channelling plan for 42 GHz band in accordance with ITU-R Rec. F.2005 Annex 1.
FIXED-SATELLITE (Earth-to-space) 5.552	FIXED-SATELLITE (Earth-to-space) 5.552	HDFS (40.5-43.5 GHz) (5.547)	
MOBILE except aeronautical mobile 5.550B	MOBILE except aeronautical mobile 5.550B	IMT (TDD) (37-43.5 GHz)	Res. 243 (Rev. WRC-23) (IMT) Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025)
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio astronomy (Observation of silicon monoxide)	See Section 5 for coordination with radio astronomy RFSAP for the frequency range 37 - 43.5 GHz to be developed.
5.149 5.547	5.149 5.547		
43.5-47 GHz	43.5-45.5 GHz	Government Services (43.5-45.5 GHz)	
MOBILE 5.553 5.553A	MOBILE 5.553 5.553A		
MOBILE-SATELLITE	MOBILE-SATELLITE		
RADIONAVIGATION	RADIONAVIGATION		
RADIONAVIGATION-SATELLITE	RADIONAVIGATION-SATELLITE		
	5.554		
	45.5-47 GHz		
	MOBILE 5.553 5.553A NF9	IMT (TDD) (45.5-47 GHz)	Res. 244 (Rev. WRC-23) (IMT)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.554	MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554		Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) RFSAP for the band 45.5-47 GHz to be developed.
47-47.2 GHz AMATEUR AMATEUR-SATELLITE	47-47.2 GHz AMATEUR AMATEUR-SATELLITE	Amateur Amateur satellite	
47.2-47.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B	47.2-47.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B NF9	FIXED (HAPS) (47.2-47.5 GHz) IMT (TDD) (47.2-48.2 GHz)	Res. 122 (Rev. WRC-19) ITU-R F.1500 (HAPS) Res. 770 (Rev. WRC-23) for NGSO in 47.2-50.2 GHz (E-to-s) NGSO/GSO sharing: Res. 770 (Rev. WRC-23) and Res. 771 (WRC-19) apply for NGSO FSS in 47.2-50.2 GHz Res. 243 (Rev. WRC-23) (IMT) Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 , Notice 3712 of 2025)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.552A	5.552A		RFSAP for the frequency range 47.2-48.2 GHz to be developed
47.5-47.9 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A MOBILE 5.553B	47.5-47.9 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (GSO) (space-to-Earth) 5.516B 5.554A MOBILE 5.553B NF9	(HDFSS) (space-to-Earth) IMT (TDD) 47.2-48.2 GHz	Res. 770 (Rev. WRC-23) for NGSO in 47.2-50.2 GHz (E-to-s) Res. 143 (Rev. WRC-19) (HDFSS s-to-E) ITU-R S.2461 (2019) (HDFSS spectrum needs; 47.5-47.9 GHz s-to-E, GSO-only) Res. 243 (Rev. WRC-23) (IMT) Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) RFSAP for the frequency range 47.2-48.2 GHz to be developed.
47.9-48.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B	47.9-48.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B NF9	FIXED (HAPS) (47.9-48.2 GHz) FSS uplinks (E-to-s), especially BSS feeder uplinks (within 47.2-49.2 GHz per 5.552). IMT (TDD) (47.2-48.2 GHz)	ITU-R F.1500 (HAPS) Res. 122 (Rev. WRC-19) (HAPS) Res. 770 (Rev. WRC-23) for NGSO FSS in 47.2-50.2 GHz (E-to-s) Res. 243 (Rev. WRC-23) (IMT) Recommendation ITU-R M. 1036-8

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.552A	5.552A		Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) RFSAP for the frequency range 47.2-48.2 GHz to be developed.
48.2-48.54 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	48.2-48.54 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	FSS uplinks (E-to-s) (incl. NGSO) HDFSS (space-to-Earth) (48.2-48.54 GHz) FSS (space-to-Earth) (48.2-48.54 GHz) is limited to GSO	Res. 770 (Rev. WRC-23) for NGSO FSS in 47.2-50.2 GHz (E-to-s) Res. 143 (WRC-19) (HDFSS) Res. 771 (Rev. WRC-19)
48.54-49.44 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE	48.54-48.94 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.149 5.340 5.555 48.94-49.04 GHz FIXED		Res. 770 (Rev. WRC-23) for NGSO in 47.2-50.2 GHz (E-to-s) Res. 771 (Rev. WRC-19)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149 5.340 5.555	FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE RADIO ASTRONOMY 5.149 5.340 5.555	Radio astronomy (diatomic molecules and other molecules)	Res. 770 (Rev. WRC-23) applies (non-GSO FSS) Res. 771 (Rev. WRC-19) See Section 5 for coordination with radio astronomy
	49.04-49.44 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.149 5.340 5.555		Res. 770 (Rev. WRC-23) for non-GSO in 47.2-50.2 GHz (E-to-s) Res. 771 (Rev. WRC-19)
49.44-50.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	49.44-50.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	HDFSS (space-to-Earth) (49.44-50.2 GHz) FSS (space-to-Earth) (49.44-50.2 GHz) is limited to GSO	Res. 770 (Rev. WRC-23) for non-GSO in 47.2-50.2 GHz (E-to-s) Res. 143 (WRC-19) applies (HDFSS) Res. 750 (WRC-19) applies. Rec. ITU-R S.1783 (2007)
50.2-50.4 GHz	50.2-50.4 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340		
50.4-51.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C MOBILE Mobile-satellite (Earth-to-space)	50.4-51.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C MOBILE Mobile-satellite (Earth-to-space)	Fixed links	Res. 770 (Rev. WRC-23) 50.4-51.4 GHz (Earth-to-space) Res. 750 (WRC-19) applies.
51.4-52.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.555C MOBILE 5.338A 5.547 5.556	51.4-52.4 GHz FIXED 5.338A NF14 FIXED-SATELLITE (Earth-to-space) 5.555C MOBILE 5.547 5.556	Fixed links (52 GHz) (51.4-52.6 GHz) HDFS (51.4-52.6 GHz) (5.547)	Channelling plan for the 52 GHz band is in accordance with ITU Rec. F.1496 , Annex 1 (latest version). ITU-R S.2461 (2019) Res. 750 (WRC-19) (passive) FSS (Earth-to-space) is limited to GSO networks (antenna size min 2.4m).
52.4-52.6 GHz	52.4-52.6 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED 5.338A	FIXED 5.338A NF14	Fixed links (52 GHz) (51.4-52.6 GHz) incl. HDFS (51.4-52.6 GHz) (5.547)	ITU-R Rec. F.1496, Annex 1 Res. 750 (WRC-19) applies.
MOBILE	MOBILE		
5.547 5.556	5.547 5.556		
52.6-54.25 GHz	52.6-54.25 GHz	Passive Sensing (53.6-59.3 GHz) (EESS/SRS)	Res. 750 (WRC-19) applies.
EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)		
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)		
5.340 5.556	5.340 5.556	Passive Sensing (53.6-59.3 GHz) (EESS/SRS) GSO inter-satellite links (per 5.556A)	
54.25-55.78 GHz	54.25-55.78 GHz		
EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)		
INTER-SATELLITE 5.556A	INTER-SATELLITE (GSO) 5.556A		
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)	Passive Sensing (53.6-59.3 GHz) (EESS/SRS)	
5.556B			
55.78-56.9 GHz	55.78-56.9 GHz		
EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive Sensing (53.6-59.3 GHz) (EESS/SRS)	Channelling plan for the 55.78-57.0 GHz band is in accordance with ITU Rec. F.1497, Annex 1 (latest version).
FIXED 5.557A	FIXED 5.557A NF14	Fixed links (55.78-57.0 GHz) HDFS (55.78-59 GHz) (5.547)	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	INTER-SATELLITE (GSO) 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547		
56.9-57 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	56.9-57 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED NF14 INTER-SATELLITE (GSO) 5.558A INTER-SATELLITE (non-GSO) 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	Passive Sensing (53.6-59.3 GHz) (EESS/SRS) Fixed links (55.78-57.0 GHz) HDFS (55.78-59 GHz) (5.547) Transmission from HEO to LEO	Channelling plan for the 55.78-57.0 GHz band is in accordance with ITU Rec. F.1497 , Annex 1 (latest version)
57-58.2 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED	57-58.2 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED NF14	Passive Sensing (53.6-59.3 GHz) Fixed links (62 GHz or V-Band) (57-66 GHz) Point-to-Point Digital Fixed Radio Systems (DFRS) (57-64 GHz)	Channelling plan for the 57-66 GHz band is in accordance with ITU-R Rec. F.1497 , Annex 2 (latest version).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
INTER-SATELLITE 5.556A	INTER-SATELLITE (GSO) 5.556A	HDFS (55.78-59 GHz) (5.547) MGWS (57-71 GHz)	Radio Frequency Spectrum Regulations, 2015 (as amended): GN 279, GG 38641 (30 Mar 2015) ITU-R Rec. M.2003 MGWS Inter-satellite limits: 5.556A .
MOBILE 5.558 SPACE RESEARCH (passive)	MOBILE 5.558 SPACE RESEARCH (passive)	SRD applications (57-64 GHz), incl. Level Probing Radar (LPR) 57-64 GHz Passive Sensing (53.6-59.3 GHz) (EESS/SRS)	ETSI EN 302 729 (V2.1.1) Radio Frequency Spectrum Regulations, 2015 (as amended): GN 279, GG 38641 (30 Mar 2015), as amended
5.547 5.557	5.547	Radiodetermination Applications 57-64 GHz (per Annex. B)	
58.2-59 GHz	58.2-59 GHz		
EARTH EXPLORATION-SATELLITE (passive) FIXED	EARTH EXPLORATION-SATELLITE (passive) FIXED NF14	Fixed links (62 GHz or V-Band) (57-66 GHz) Point-to-Point Digital Fixed Radio Systems (DFRS) (57-64 GHz) HDFS (55.78-59 GHz) (5.547) MGWS (57-71 GHz)	Channelling plan for the 57-66 GHz band is in accordance with ITU Rec. F.1497 , Annex 2 (latest version). ITU-R Rec. M.2003 MGWS
MOBILE	MOBILE	Radiodetermination Applications 57-64 GHz (per Annex. B)	Radio Frequency Spectrum Regulations 2015, (GG. No. 38641, Notice 279 of 30 March

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
SPACE RESEARCH (passive) 5.547 5.556	SPACE RESEARCH (passive) 5.547 5.556	SRD applications (57-64 GHz), incl. Level Probing Radar (LPR) 57-64 GHz Passive Sensing (53.6-59.3 GHz) (EESS/SRS)	2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. Radio astronomy observations may be carried out under national arrangements (5.556)
59-59.3 GHz	59-59.3 GHz	Government Services	The band 59-61 GHz reserved for government use.
EARTH EXPLORATION-SATELLITE (passive) FIXED	EARTH EXPLORATION-SATELLITE (passive) FIXED NF14	Passive Sensing (53.6-59.3 GHz) Fixed links (62 GHz or V-Band) (57-66 GHz)	Channelling plan for the 57-66 GHz band is in accordance with ITU Rec. F.1497 , Annex 2 (latest version). ITU-R Rec. M.2003
INTER-SATELLITE 5.556A	INTER-SATELLITE (GSO) 5.556A	Point-to-Point Digital Fixed Radio Systems (DFRS) (57-64 GHz) Inter-satellite links (per 5.556A)	Inter-satellite limits: 5.556A .
MOBILE 5.558	MOBILE 5.558	SRD applications (57-64 GHz) MGWS (57-71 GHz) Radiodetermination Applications 57-64 GHz (per Annex. B)	Radio Frequency Spectrum Regulations, 2015 (as amended): GN 279 , GG 38641 (30 Mar 2015), as amended
RADIOLOCATION 5.559	RADIOLOCATION 5.559		
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)		
59.3-64 GHz	59.3-64 GHz	Government Services	The band 59-61 GHz reserved for government use.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED	FIXED NF14	Fixed links (62 GHz or V-Band) (57-66 GHz) Point-to-Point Digital Fixed Radio Systems (DFRS) (57-64 GHz) MGWS (57-71 GHz)/WAS/RLANs SRD applications (57-64 GHz) The band 61-61.5 GHz is designated for ISM applications (5.138). Radiodetermination Applications 57-60 MHz (per Annex. B) Intelligent Transport Systems (ITS) 63.72-65.88 GHz (per Annex. B)	Channelling plan for the 57-66 GHz band is in accordance with ITU Rec. F.1497 , Annex 2 (latest version). EN 302 217 (Point-to-Point Fixed Radio) EN 302 567 (MGWS, 60 GHz) Common international SRD band; see ITU-R Rec. SM. 1896 ITU-R Rec. M.2003 MGWS Radio Frequency Spectrum Regulations, 2015 (as amended): GN 279 , GG 38641 (30 Mar 2015), as amended. EN 302 372 (Tank Level Probing Radar) ITU-R M.1452-2 ; ITU-R M.2445 .
INTER-SATELLITE	INTER-SATELLITE		
MOBILE 5.558	MOBILE 5.558		
RADIOLOCATION 5.559	RADIOLOCATION 5.559		
5.138	5.138		
64-65 GHz	64-65 GHz		
FIXED	FIXED NF14	Fixed links Point-to-Point, Digital Fixed Radio Systems (DFRS) 64-66 GHz The band 64-66 GHz is identified for HDFS MGWS (57-71 GHz)	ITU-R F.1497 (Annex 3) ITU-R Rec. M.2003 MGWS

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556	INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556	WAS/RLANs Intelligent Transport Systems (ITS) 63.72-65.88 GHz (per Annex. B)	Radio Frequency Spectrum Regulations, 2015 (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.
65-66 GHz EARTH EXPLORATION-SATELLITE FIXED	65-66 GHz EARTH EXPLORATION-SATELLITE FIXED NF14	Fixed links (57-66 GHz) Point-to-Point, Digital Fixed Radio Systems (DFRS) 64-66 GHz The band 64-66 GHz is identified for HDFS MGWS (57-71 GHz) WAS/RLANs Intelligent Transport Systems (ITS) 63.72-65.88 GHz (per Annex. B)	Channelling arrangement for the 57-66 GHz band - ITU-R F.1497 (Annex 3), latest version ITU-R Rec. M.2003 MGWS Radio Frequency Spectrum Regulations 2015, (GG. No. 38641, Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023.
INTER-SATELLITE MOBILE except aeronautical mobile	INTER-SATELLITE MOBILE except aeronautical mobile		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
SPACE RESEARCH 5.547	SPACE RESEARCH 5.547		The Authority intends to develop the RFSAP for this band
66-71 GHz INTER-SATELLITE MOBILE 5.553 5.558 5.559AA	66-71 GHz INTER-SATELLITE MOBILE 5.553 5.558 5.559AA NF9	IMT (TDD) (66-71 GHz) MGWS (57-71 GHz) WAS/RLANs	Res. 241 (WRC 23) Recommendation ITU-R M. 1036-8 Second Draft IMT Roadmap (GG 53883 Notice 3712 of 2025) ITU-R Rec. M.2003 MGWS Radio Frequency Spectrum Regulations 2015 (GG. No. 38641 , Notice 279 of 30 March 2015), Annex B as amended by GG 48643 Notice 1822 of 23 May 2023. The Authority intends to develop the RFSAP for the band (66-70 GHz).
MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554		
71-74 GHz FIXED	71-74 GHz FIXED NF14	Fixed Links (80 GHz) (71-76 GHz)	Paired with 81-86 GHz.

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	Government use	Channelling plan as per ITU-R F.2006 (71-76 GHz and 81-86 GHz) (03/2012) Radio Frequency Spectrum Regulations Amendments (GG Number 40436, Notice 781, 22 November 2016), as amended (latest GG 48643, Notice 1822 , 23 May 2023).
74-76 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE Space research (space-to-Earth)	74-76 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE Space research (space-to-Earth)	Fixed Links (80 GHz or E-band) (71-76 GHz) Radiodetermination Applications 75-85 GHz (per Annex. B)	Paired with 81-86 GHz. Channelling plan as per ITU-R F.2006 (71-76 GHz and 81-86 GHz) (03/2012) Radio Frequency Spectrum Regulations Amendments (GG Number 40436, Notice 781, 22 November 2016), as amended (latest GG 48643, Notice 1822 , 23 May 2023).

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.561	5.561		
76-77.5 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth)	76-77.5 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth)	Radiodetermination Applications 75-85 GHz (per Annex. B) RTTT (76-77 GHz) SRD - Road Transport and Traffic Telematics Radar (76-77 GHz)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended (latest GG 48643 , Notice 1822 , 23 May 2023). Common international SRD band; see ITU-R Rec. SM.1896-1 and Rec. M.1452 latest version applies.
5.149	5.149		
77.5-78 GHz AMATEUR AMATEUR-SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space-to-Earth)	77.5-78 GHz AMATEUR AMATEUR-SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space-to-Earth)	Radiodetermination Applications 75-85 GHz (per Annex. B) Transport and Traffic Telematics (TTT) Obstacle-Detection	 Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641 , Notice 279 , 30 March 2015), as amended

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149	5.149	Radars 76–77 GHz (as per Annex. B)	(latest GG 48643, Notice 1822 , 23 May 2023). ITU-R M.1452-2 (2012) (76–81 GHz) collision avoidance radars and radiocomm. for intel. transport systems (ITS) ITU-R M.2057-1 (2018) (76–81 GHz) autom. radars for ITS
78-79 GHz RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space-to-Earth)	78-79 GHz RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space-to-Earth)	Radiodetermination Applications 75–85 GHz (per Annex. B) Transport and Traffic Telematics (TTT) Obstacle-Detection Radars 76–77 GHz (as per Annex. B)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (latest GG 48643, Notice 1822 , 23 May 2023). ITU-R M.1452-2 (2012) (76–81 GHz) collision avoidance radars and radiocomm. for intel. transport systems (ITS) ITU-R M.2057-1 (2018) (76–81 GHz) autom. radars for ITS
5.149 5.560	5.149 5.560		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
79-81 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149	79-81 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth) 5.149	TTT Applications for Automotive SRR 77-81 GHz (per Annex. B)	Radio Frequency Spectrum Regulations as amended (Annex B) (GG. No. 38641, Notice 279 , 30 March 2015), as amended (latest GG 48643, Notice 1822 , 23 May 2023). ITU-R M.1452-2 (2012) (76-81 GHz) collision avoidance radars and radiocomm. for intel. transport systems (ITS) ITU-R M.2057-1 (2018) (76-81 GHz) autom. radars for ITS
81-84 GHz FIXED 5.338A FIXED-SATELLITE (Earth-to-space)	81-81.5 GHz FIXED 5.338A NF14 FIXED-SATELLITE (Earth-to-space)	Fixed Links (80 GHz or E-band) (81-86 GHz) Radiodetermination Applications 75-85 GHz (per Annex. B)	Paired with 71-76 GHz. Channelling plan as per ITU-R F.2006 (71-76 GHz and 81-86 GHz) (03/2012) Res. 750 (Rev. WRC-19) Radio Frequency Spectrum Regulations Amendments (GG Number 40436 Notice 781, 22 November 2016), as amended (latest GG 48643, Notice 1822 , 23 May 2023)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY Space research (space-to-Earth)	MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY Amateur Amateur-satellite Space research (space-to-Earth) 5.149 5.561A		
	81.5-84 GHz FIXED 5.338A NF14 FIXED-SATELLITE (Earth-to-space) MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY Space research (space-to-Earth)	Fixed Links (80 GHz or E-band) (81-86 GHz) Radiodetermination Applications 75-85 GHz (per Annex. B)	Paired with 71-76 GHz. Res. 750 (Rev. WRC-19) Radio Frequency Spectrum Regulations Amendments (GG Number 40436, Notice 781, 22 November 2016), as amended (latest GG 48643 , Notice 1822 , 23 May 2023)
5.149 5.561A	5.149 5.561A		
84-86 GHz	84-86 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED 5.338A FIXED-SATELLITE (Earth-to-space) 5.561B MOBILE RADIO ASTRONOMY 5.149	FIXED 5.338A NF14 FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149	Radiodetermination Applications 75-85 GHz (per Annex. B) Fixed Links (80 GHz or E-band) (81-86 GHz)	Radio Frequency Spectrum Regulations Amendments (GG Number 40436, Notice 781, 22 November 2016) as amended (latest GG 48643, Notice 1822 , 23 May 2023) Res. 750 (Rev. WRC-19) (passive protection)
86-92 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	86-92 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		
92-94 GHz FIXED 5.338A MOBILE	92-94 GHz FIXED 5.338A NF14 MOBILE	Fixed links	Draft new Recommendation ITU-R F.[W-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(02) on FS channel/block arrangements for 92-94, 94.1-100, 102-109.5, 111.8-114.25 GHz. Adopted 14 Sep 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025 Res. 750 (Rev. WRC-19)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIO ASTRONOMY RADIOLOCATION 5.149	RADIO ASTRONOMY RADIOLOCATION 5.149		
94-94.1 GHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy 5.562 5.562A	94-94.1 GHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy 5.562 5.562A	Spaceborne cloud radars Short Range Radar. Cloud profile radar. Spaceborne cloud radars	
94.1-95 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	94.1-95 GHz FIXED NF14 MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	Fixed links Short Range Radar	Draft new Recommendation ITU-R F.[W-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(02) on FS channel/block arrangements for 92–94, 94.1–100, 102–109.5, 111.8–114.25 GHz. Adopted 14 Sep 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025 ITU-R M.2162-0 (2023) (radiolocation and radionavigation)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
95-100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554	95-100 GHz FIXED NF14 MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554	Fixed links	Draft new Recommendation ITU-R F.[W-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(02) on FS channel/block arrangements for 92–94, 94.1–100, 102–109.5, 111.8–114.25 GHz. Adopted 14 Sep 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
100-102 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	100-102 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	Passive sensing	
102-105 GHz FIXED	102-105 GHz FIXED NF14	Fixed links	Draft new Recommendation ITU-R F.[W-BAND]/ ECC Report 282

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE RADIO ASTRONOMY 5.149 5.341	MOBILE RADIO ASTRONOMY 5.149 5.341		FS channelling plan: ECC Rec 18(02) on FS channel/block arrangements for 92–94, 94.1–100, 102–109.5, 111.8–114.25 GHz. Adopted 14 Sep 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
105–109.5 GHz FIXED	105–109.5 GHz FIXED NF14	Fixed links	Draft new Recommendation ITU-R F.[W-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(02) on FS channel/block arrangements for 92–94, 94.1–100, 102–109.5, 111.8–114.25 GHz. Adopted 14 Sep 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	Space-based radio astronomy	
109.5–111.8 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY	109.5–111.8 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY	Passive Sensing	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
SPACE RESEARCH (passive) 5.340 5.341	SPACE RESEARCH (passive) 5.340 5.341		
111.8-114.25 GHz FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	111.8-114.25 GHz FIXED NF14 MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	Fixed links Space-based radio astronomy	Draft new Recommendation ITU-R F.[W-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(02) on FS channel/block arrangements for 92–94, 94.1–100, 102–109.5, 111.8–114.25 GHz. Adopted 14 Sep 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
114.25-116 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	114.25-116 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341		
116-119.98 GHz EARTH EXPLORATION-SATELLITE (passive)	116-119.98 GHz EARTH EXPLORATION-SATELLITE (passive)	Passive Sensing	

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.341	INTER-SATELLITE (GSO) 5.562C SPACE RESEARCH (passive) 5.341		
119.98-122.25 GHz EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138 5.341	119.98-122.25 GHz EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138 5.341	Passive Sensing (114.25-122.25 GHz) SRD 122-122.25 GHz (per Annex. B)	Radio Frequency Spectrum Regulations-Annexure B (GG 48643 , Notice 1822 of 23 May 2023)
122.25-123 GHz FIXED INTER-SATELLITE MOBILE 5.558 Amateur 5.138	122.25-123 GHz FIXED INTER-SATELLITE MOBILE 5.558 Amateur 5.138	SRDs (as per Annex B) - licence-exempt short-range radars (e.g., collision-avoidance and industrial sensors in 122.25–123 GHz)	Radio Frequency Spectrum Regulations-Annexure B (GG 48643 , Notice 1822 of 23 May 2023)
123-130 GHz	123-130 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy 5.562D 5.149 5.554	FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy 5.149 5.554		
130-134 GHz EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY	130-133.5 GHz FIXED NF14 INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY 5.149 5.562A 133.5-134 GHz	Fixed links	Draft new Recommendation ITU-R F.[D-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(01) on FS channel/block arrangements for 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz. Adopted 27 April 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.149 5.562A	EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED NF14 INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY 5.149 5.562A	Fixed links	Draft new Recommendation ITU-R F.[D-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(01) on FS channel/block arrangements for 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz. Adopted 27 April 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
134-136 GHz AMATEUR AMATEUR-SATELLITE Radio astronomy	134-136 GHz AMATEUR AMATEUR-SATELLITE Radio astronomy		
136-141 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	136-141 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149		
141-148.5 GHz	141-148.5 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED	FIXED NF14	Fixed links	Draft new Recommendation ITU-R F.[D-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(01) on FS channel/block arrangements for 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz. Adopted 27 April 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149		
148.5-151.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	148.5-151.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Passive Sensing	
151.5-155.5 GHz FIXED	151.5-155.5 GHz FIXED NF14	Fixed links	Draft new Recommendation ITU-R F.[D-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(01) on FS channel/block arrangements for 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz. Adopted 27 April 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
MOBILE	MOBILE		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIO ASTRONOMY RADIOLOCATION 5.149	RADIO ASTRONOMY RADIOLOCATION 5.149		
155.5-158.5 GHz FIXED MOBILE RADIO ASTRONOMY 5.149	155.5-158.5 GHz FIXED NF14 MOBILE RADIO ASTRONOMY 5.149	Fixed links	Draft new Recommendation ITU-R F.[D-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(01) on FS channel/block arrangements for 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz. Adopted 27 April 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
158.5-164 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE	158.5-164 GHz FIXED NF14 FIXED-SATELLITE (space-to-Earth) MOBILE	Fixed links	Draft new Recommendation ITU-R F.[D-BAND]/ ECC Report 282 FS channelling plan: ECC Rec 18(01) on FS channel/block arrangements for 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz. Adopted 27 April 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE-SATELLITE (space-to-Earth)	MOBILE-SATELLITE (space-to-Earth)		
164-167 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	164-167 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Passive Sensing	
167-174.5 GHz FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149 5.562D	167-174.5 GHz FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149	Fixed links	FS channelling plan: ECC Rec 18(01) on FS channel/block arrangements for 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz. Adopted 27 April 2018 and added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
174.5-174.8 GHz FIXED	174.5-174.8 GHz FIXED	Fixed links	FS channelling plan: ECC Rec 18(01) on FS channel/block arrangements for 130-134 GHz, 141-148.5 GHz, 151.5-164 GHz and 167-174.8 GHz. Adopted 27 April 2018 and

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
INTER-SATELLITE MOBILE 5.558	INTER-SATELLITE MOBILE 5.558		added to the European Table of Frequency Allocations (ECA Report 25) on 27 Jun 2025
174.8-182 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	174.8-182 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE (GSO) 5.562H SPACE RESEARCH (passive)	Passive sensing (174.8-191.8 GHz)	
182-185 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	182-185 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Passive sensing (174.8-191.8 GHz)	
185-190 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	185-190 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE (GSO) 5.562H SPACE RESEARCH (passive)	Passive sensing (174.8-191.8 GHz)	
190-191.8 GHz	190-191.8 GHz		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	Passive sensing (174.8-191.8 GHz)	
191.8-200 GHz FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.341 5.554	191.8-200 GHz FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.341 5.554		
200-209 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A	200-209 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A	Passive sensing.	
209-217 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE	209-217 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
RADIO ASTRONOMY 5.149 5.341	RADIO ASTRONOMY 5.149 5.341		
217-226 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	217-226 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	Space-based radio astronomy	
226-231.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	226-231.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	Passive Sensing (226-232 GHz)	
231.5-232 GHz FIXED MOBILE Radiolocation	231.5-232 GHz FIXED MOBILE Radiolocation		
232-235 GHz FIXED	232-235 GHz FIXED		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation	FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation		
235-238 GHz EARTH EXPLORATION-SATELLITE (passive) 5.563AA FIXED FIXED-SATELLITE (space-to-Earth) MOBILE SPACE RESEARCH (passive)	235-237.9 GHz EARTH EXPLORATION-SATELLITE (passive) 5.563AA FIXED FIXED-SATELLITE (space-to-Earth) MOBILE SPACE RESEARCH (passive) 5.563A	Passive Sensing	
	237.9-238 GHz EARTH EXPLORATION-SATELLITE (active) EARTH EXPLORATION-SATELLITE (passive) 5.563AA FIXED FIXED-SATELLITE (space-to-Earth) MOBILE SPACE RESEARCH (active) SPACE RESEARCH (passive)		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
5.563A 5.563B	5.563A 5.563B		
238-239.2 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE	238-239.2 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE		
239.2-240 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE	239.2-240 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE		
240-241 GHz EARTH EXPLORATION-SATELLITE (passive) RADIOLOCATION	240-241 GHz EARTH EXPLORATION-SATELLITE (passive) RADIOLOCATION		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
241-242.2 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	241-242.2 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149		
242.2-244.2 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149	242.2-244.2 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149	SRD 244-246 GHz (per Annex. B)	Radio Frequency Spectrum Regulations, Annexure B (as amended-most recently GG 48643, Notice 1822 of 23 May 2023)
244.2-247.2 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION	244.2-247.2 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION	SRD 244-246 GHz (per Annex. B)	Radio Frequency Spectrum Regulations, Annexure B (as amended-most recently GG 48643, Notice 1822 of 23 May 2023)

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
Amateur Amateur-satellite 5.138 5.149	Amateur Amateur-satellite 5.138 5.149		
247.2-248 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	247.2-248 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149		
248-250 GHz AMATEUR AMATEUR-SATELLITE Radio astronomy 5.149	248-250 GHz AMATEUR AMATEUR-SATELLITE Radio astronomy 5.149		
250-252 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.563A	250-252 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.563A	Passive Sensing	
252-265 GHz FIXED MOBILE	252-265 GHz FIXED MOBILE		

ITU Region 1 allocations and footnotes	South African allocations and footnotes	Typical Applications	Notes and Comments
MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554	MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.149 5.554		
265-275 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.563A	265-275 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.563A		
275-3 000 GHz (Not allocated) 5.565 5.564A 5.565	275-1 000 GHz (Not allocated) 5.565 5.564A	Radio astronomy service Earth exploration-satellite service (passive) Space research (passive)	
	1 000-3 000 GHz (Not allocated) 5.565		Assignments may be considered for Amateur services on a secondary basis above 1000 GHz

5 RADIO ASTRONOMY

The Astronomy Geographic Advantage Act, 2007 ([AGA Act No. 21 of 2007](#)) provides the legal basis and framework for the declaration of astronomy advantage areas and protection of such areas from harmful radio frequency interference that may hamper the cosmic observations by scientific instruments located within those areas. The Authority develops the national spectrum allocations (which is approved by the Minister), assigns frequencies to licensees, and monitor compliance with licence terms. The Astronomy Management Authority (AMA) within the Department of Science and Innovation was assigned to manage the declared Karoo Central Astronomy Advantage Areas (KCAAAAs). The Authority gave notice to all radio frequency spectrum licensees operating within the KCAAAAs to apply for a permit with the AMA in terms of the KCAAAAs Regulations; through [GG No. 42080 under Notice No. 765 of 4 December 2018](#).

This Section provides information on the regulatory framework established for the protection of radio astronomy in South Africa.

5.1 DECLARATION OF ASTRONOMY ADVANTAGE AREAS

The Minister of Science, Technology and Innovation, may declare any area or part of an area in the Province of the Northern Cape (excluding Sol Plaatjie Municipality) as an astronomy advantage area to be protected, preserved and properly maintained in respect of radio frequency interference or interference in any other way.

- i. The whole of the territory of the Northern Cape Province excluding Sol Plaatjie Municipality is declared for radio astronomy purpose, as Declared in GG No. 32951 Notice No. 115 of 19 February 2010.
- ii. The Karoo Core Astronomy Advantage Area (KCoreAAA) is used for the purposes of radio astronomy and related scientific endeavours, as declared in GG No. 33462 Notice No. 723 of 20 August 2010.
- iii. The Karoo Central Astronomy Advantage Area (KCAAAAs) is used for the purpose of radio astronomy and related scientific endeavours, as declared in [GG No. 37434 Notice No. 198 of 12 March 2014](#).

The purpose of the declaration of areas as astronomy advantage areas is to ensure that the geographic area, which are suitable for astronomy and related scientific endeavours, is protected, preserved, and properly maintained in accordance with good national and international practices.

5.2 REGULATIONS OF ASTRONOMY ADVANTAGE AREAS

The Minister of Science, Technology and Innovation, may make regulations for the management and protection of astronomy advantage areas.

- i. Regulations on radio astronomy protection levels in astronomy advantage areas declared for the purpose of radio astronomy were published in GG No. 35007 under Notice No. R. 90 of 10 February 2012.
- ii. Regulations to prohibit or restrict certain activities in the core astronomy advantage areas declared for the radio astronomy purposes were published in GG No. 35450, under notice No. R. 465 of 22 June 2012.
- iii. Regulations on the protection of the Karoo central astronomy advantage areas declared for the purpose of radio astronomy were published in GG No. 41321, under Notice No.

1411 of 15 December 2017, as amended by GG No. 50527 (Notice No. 4726) of 17 April 2024.

The Minister obtained concurrence of ICASA when making regulations for prohibiting or restricting activities that have an adverse effect on astronomy and related scientific endeavours.

5.3 ASTRONOMY DEVICES

The Minister of Science, Technology and Innovation, may declare any existing or proposed scientific endeavour to be astronomy and related scientific endeavours for the purpose of the Astronomy Geographic Advantage Act.

- i. The establishment and operation of MeerKAT telescope is declared a scientific endeavour in GG No. 33614, under Notice No. 897 of 15 October 2010.
- ii. The establishment and operation of Square Kilometre Array (SKA) telescope is declared a scientific endeavour in GG No. 33614, under Notice No. 897 of 15 October 2010.
- iii. The operation of C-BASS telescope within the spectrum between 4.5 GHz and 6.5 GHz is declared a scientific endeavour in GG No. 36826, under Notice No. 684 of 13 September 2013.
- iv. The development and operation of PAPER telescope and HERA telescope within the spectrum between 100 MHz and 200 MHz is declared a scientific endeavour in GG No. 36826, under Notice No. 684 of 13 September 2013.

5.4 SPECTRUM LIST EXEMPTED FROM PROHIBITION

From one (1) year after the date that KCAAA's Regulations become operational, no licensee or licence exempted operator shall use, or continue to use, the radio frequency spectrum from 100 MHz to 25.5 GHz to conduct radio transmissions within the declared KCAAA's, unless the spectrum is exempted from prohibition. The Minister published a list of the radio frequency spectrum and applications that are exempted from the prohibition of use for transmissions located within the KCAAA's in [GG No. 45045, under Notice No. 753 of 26 August 2021](#).

5.5 ASTRONOMY FACILITIES WITHIN THE DECLARED AREAS

The use of radio frequency bands in the areas declared as Karoo Core and Central Astronomy Advantage Areas are regulated as follows:

Unless required for the purpose of radio astronomy and related scientific endeavours the use of the radio frequency spectrum in Table 2 is restricted within the declared Karoo Core and Central Astronomy Advantage Areas.

Table 2: Restrictions on the use of radio frequency spectrum

Declared Area	Prohibited Band ¹¹
KCoreAAA	9 kHz to 3 000 GHz
KCAAA 1	100 MHz to 2 170 MHz
KCAAA 2	2170 MHz to 6 GHz
KCAAA 3	6000 MHz to 25.5 GHz

¹¹ This reflects the regulations in GG 41321 of 15 December 2017

Footnotes

Note: KCAAA 1 and KCAAA 2 ranges updated to reflect GG 41321 of 15 December 2017

In terms of Section 22(6) of the AGA read with Section 30(1) and Section 31 of the Electronic Communications Act, 2005 (Act No. 36 of 2005) (“ECA”), the Authority has an obligation not to issue Radio Frequency Spectrum Licences where frequency used could cause radio frequency interference (“RFI”) in the KCAAA. As a result, the Authority has put measures in place to ensure that it fulfils its role of preventing RFI in the KCAAA when licensing radio communication and broadcasting spectrum licenses. The Authority shall apply the necessary enforcement steps in terms of Section 31 of the ECA and relevant regulations pertaining to the failure by a Radio Frequency Spectrum Licensees to comply with the provisions of the ECA including Notice No. 765 in GG No. 42080 of 4 December 2018.

5.6 ASTRONOMY FACILITIES OUTSIDE THE DECLARED AREAS

The radio instruments located at Hartebeesthoek Radio Astronomy Observatory near Pretoria are registered in the [ITU-R MIFR](#) and they include HART15M, HARTRAO and HARTVGS. The observations undertaken by these instruments in RAS bands are globally recognised and internationally protected. The applications and services operating within a 15 km radius from the location; Latitude 25°53'24.06"S and Longitude 27°41'7.45"E; must coordinate with SARAO and give due consideration when operating stations in frequency bands listed under No. 5.149, also identified in the previous [NRFP2021](#) table of frequency allocation.

5.7 REGISTRATION OF THE SKA

ICASA notes that it is working closely with the South African Radio Astronomy Observatory (SARAO) to secure the registration of the SKA-Mid radio telescope in the ITU Master International Frequency Register (MIFR). This initiative complements existing national protections - such as the radio-quiet zone for MeerKAT and SKA-Mid - and aims to ensure effective protection from harmful interference not only from domestic transmitters, but also from international services including aircraft, satellite systems (particularly in Low Earth Orbit), and High-Altitude Platform Stations (HAPS). The MIFR registration will recognise SKA-Mid's full operational frequency range to protect the radio astronomy service in the bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and 608-614 MHz from harmful interference from unwanted emissions, as well as other frequencies not traditionally allocated to radio astronomy but essential for breakthrough science. Considering the rapid growth of non-geostationary satellite constellations and emerging HAPS deployments, ICASA and SARAO consider timely MIFR recognition a key safeguard to preserve South Africa's unique investment in world-leading radio astronomy infrastructure.

Footnotes

6 NATIONAL FOOTNOTES TO THE TABLE OF FREQUENCY ALLOCATIONS

NF0 (5350 - 5450 kHz)

The band 5350-5450 kHz and the channel 5290 kHz is allocated on secondary basis to radio amateurs under the [Article 4.4 of the ITU Radio Regulations](#).

NF1 (29.7 - 30 MHz)

This portion of the spectrum is allocated to the amateur service on a secondary basis for use during disaster exercises and emergency situations. This is in addition to the existing exclusive amateur band 28 - 29.7 MHz, which retains its primary status. The additional spectrum is used for single frequency mobile applications.

NF2 (70 - 70.3 MHz)

This sub-band is allocated to the amateur service on a secondary basis in order to undertake experimental work on propagation. The channels 70.025-70.150 MHz are used for civil defence purposes.

NF3 (148 - 150.05 MHz)

This frequency band was allocated internationally at WARC-92 for the mobile satellite service (MSS) in the Earth-to-space direction. The space-to-Earth link is provided at either 137-138 MHz or 400.15 - 401 MHz, depending on the satellite system.

NF4 (161.875 - 173.875 MHz)

The frequency band is used for sonobouy in the maritime service. Assignments were previously not allowed within a distance of 200 km from the coast. It is generally agreed that there is scope for increased sharing even near the coast. Proper care will be taken in making assignments near the coast in this frequency band and frequency coordination is to be performed with existing services on case-by-case basis.

NF5 (173.7-175.1 MHz)

This frequency band may be used for wireless microphones for services ancillary to Broadcasting (SAB) and services ancillary to programme (SAP) making. Use of wireless microphones must be co-ordinated and licensed.

NF6 (336 - 366 MHz)

The frequency band 336-346 MHz, paired with the frequency band 356-366 MHz, is allocated to fixed services on a primary basis and is applicable for use by Fixed Wireless Access (FWA) systems. Within this frequency band, the sub-band 337-344 MHz paired with 357-364 MHz is to be used for WAS whereas the sub-band 344-346 MHz paired with 364-366 MHz is to be used for alarm monitoring and tracking services using DSSS. The band is also considered for use by the Unmanned Aerial Vehicle (UAV) including Remotely Piloted Aircraft System (RPAS) within the sub band 336-346 paired with 356-366 MHz. This spectrum is potentially very useful for providing electronic communications services, in particular in rural areas considering its excellent propagation conditions.

NF7 (380-399.9 MHz)

The frequency band 380 –399.9 MHz is allocated through ITU Resolution 646 (Rev. [WRC-19](#)) to Public Protection and Disaster Relief (p) applications in line with ITU-R [M.2015](#).

NF8 (430 - 440 MHz)

This frequency band is allocated to the amateur service in South Africa in line with ITU Region 1. The sub-band 433.05 - 434.79 MHz, however, is also designated as an ISM band in Region 1, subject to the special authorisation of the administration concerned (see RR 5.138). Furthermore, the sub-band 433.05 - 434.79 MHz can be used for non-specific short-range devices on an licence-exempt basis in accordance with the prescribed Regulations. The consequence of this is that the amateur service may not claim protection from (in-band) emissions from ISM equipment operating in the band, nor can ISM equipment and low power devices claim protection from amateur users operating in the band.

NF9 (IMT Frequency Bands - Terrestrial)

The table below lists all possible IMT frequency bands identified by the ITU, relevant ITU Radio Regulation footnote as well as the applicable ITU-R channel plan. The reference to the ITU channel plan refers to the latest edition as adopted by the ITU. See also notes regarding the application of the table at the end of the table.

Band	Frequency band	Bandwidth (MHz)	ITU RR FN	Channel Plan	WRC Resolution/s
450 MHz	452.5-457.5 MHz // 462.5-467.5 MHz	2x5 MHz	5.286AA	Rec. ITU-R M.1036-8 D14 / B31	224 (Rev. WRC-23)
700 MHz	703-733 MHz // 758 - 788 MHz	2x30 MHz	5.312A 5.317A	Rec. ITU-R M.1036-8 A7 / B28	224 (Rev. WRC-23); 760 (Rev. WRC-23)
750 MHz	738-758 MHz	20 MHz	5.312A 5.317A	Rec. ITU-R M.1036-8 A10 / B67	224 (Rev. WRC-23); 760 (Rev. WRC-23)
800 MHz	791-821 MHz // 832-862 MHz	72 MHz 2x30 MHz	5.312A 5.316B 5.317A	Rec. ITU-R M.1036-8 A3 / B20	224 (Rev. WRC-23), 749 (Rev. WRC-23); 760 (Rev. WRC-23)
900 MHz	880- 915 MHz // 925-960 MHz	2x 35 MHz	5.317A	Rec. ITU-R M.1036-8 A2 / B8	224 (Rev. WRC-23); 749 (Rev. WRC-23); 760 (Rev. WRC-23)
1500 MHz	1427-1517 MHz	90 MHz	5.341A 5.346	Rec. ITU-R M.1036-8 G3 / B75	223 (Rev. WRC-23), 750 (Rev. WRC-19), 761 (Rev. WRC-19)
1800 MHz	1710-1785 MHz // 1805-1880 MHz	2x 75 MHz	5.384A	Rec. ITU-R M.1036-8 B2 / B3	223 (Rev. WRC-23)
2100 MHz	1920-1980 MHz // 2110-2170 MHz	2x 60 MHz	5.388	Rec. ITU-R M.1036-8 B1 / B1	212 (Rev. WRC-23), 223 (Rev. WRC-23)
2100 MHz (TDD)	1900-1920 MHz, 2010-2025 MHz	20 MHz 15 MHz	5.388	Rec. ITU-R M.1036-8	212 (Rev. WRC-23), 223 (Rev. WRC-23)

Footnotes

Band	Frequency band	Bandwidth (MHz)	ITU RR FN	Channel Plan	WRC Resolution/s
				B1(subset) / B4 / B33 / B34	
2300 MHz	2300-2400 MHz	100 MHz	5.384A	Rec. ITU-R M.1036-8 E1 / B40	223 (Rev. WRC-23)
2600 MHz	2500-2690 MHz	190 MHz	5.384A	Rec. ITU-R M.1036-8. C3 / B38	223 (Rev. WRC-23)
3.5 GHz	3300-3800 MHz	500 MHz	5.429B 5.430A 5.434A 5.434B	Rec. ITU-R M.1036-8 F3 / n78	223 (Rev. WRC-23)
3.7 GHz	3600-3800 MHz	200 MHz	5.434A 5.434B	Rec. ITU-R M.1036-8 F3	
4.9 GHz	4800-4990 MHz	190 MHz	5.441B	Rec. ITU-R M.1036-8 H1	223 (Rev. WRC-23)
6 GHz	6425-7125 MHz	700 MHz	5.457E	N1 / n104	220 (WRC-23)
26 GHz	24.25-27.5 GHz	3250 MHz	5.532AB	Rec. ITU-R M.1036-8 I1 / n258	242 (Rev. WRC-23)
40 GHz	37-43.5 GHz	6500 MHz	5.550B	Rec. ITU-R M.1036-8 J1 / n259/n260	243 (Rev. WRC-23)
45 GHz	45.5-47 GHz	1500 MHz	5.553A	Rec. ITU-R M.1036-8 K1	244 (Rev. WRC-23)
48 GHz	47.2-48.2 GHz	1000 MHz	5.553B	Rec. ITU-R M.1036-8 L1 / n262	243 (Rev. WRC-23)
66 GHz	66-71 GHz	5000 MHz	5.559AA	Rec. ITU-R M.1036-8 M1 / n263	241 (Rev. WRC-23)

*Notes to the table:

- Frequency band: This reflects the IMT frequencies that is relevant to South Africa, either as FDD or TDD.
- Bandwidth: this is the amount of IMT spectrum that is licensed or will be available for licensing for IMT.
- RR FN: This is a list of ITU RR footnotes relevant to IMT; see also table of frequency allocations for additional information.
- Channel Plan: ITU-R plan, normally linked to ITU-R M.1036 and the 3GPP band plan.

Footnotes

NF10 (876 - 880 // 921 - 925 MHz)

This paired frequency band is used by railway (GSM-R) systems.

NF11 (915 - 921 MHz)-Suppressed**NF12 (1452 - 1492 MHz)-Suppressed****NF13 (1980-2010 MHz paired with 2170-2200 MHz)**

These frequency bands are allocated, amongst others, to both the mobile and mobile-satellite services and are also earmarked for the satellite component of IMT. Further, guidance on the implementation of technical and operational measures to facilitate coexistence between terrestrial and satellite components of IMT in the frequency bands 1 980- 2 010 MHz and 2 170-2 200 MHz is addressed in Resolution 212 (Rev. [WRC-23](#)),

NF14 (Channel arrangements for Fixed Services Systems)

The table below lists the main fixed services frequency bands and the applicable ITU-R Recommendation specifying the applicable frequency channel arrangement. Different channel spacing for each frequency band will be allowed in accordance with the relevant ITU-R Recommendation. Sub-division of channels will also be allowed to cater for smaller bandwidth systems. Hop distances will be determined, amongst others, by propagation conditions. Sharing with services other than fixed services is indicated in the comments column. Also refer to the Table of Frequency Allocations for further details pertaining to sharing and compatibility with other radiocommunication services.

Band	Band limits	Channel Plan	Comments
1-2 GHz	1350 - 1375 MHz // 1492-1517 MHz 1375-1400 MHz // 1427-1452 MHz	ITU-R F.1242	The migration of fixed links from these bands to be included in the FMP, as amended
2 GHz	2025-2110 MHz // 2200-2285 MHz	ITU-R F.1098	
4 GHz	3600-4200 MHz	ITU-R F.635 , Annex 1	Shared with FSS (downlink) (Note 1)
4.8 GHz	4400-5000 MHz	ITU-R F.1099 , Annex 1	Government Services
Lower 6 GHz	5925-6425 MHz	ITU-R F.383	Shared with FSS (uplink) (Note 2)
Upper 6 GHz	6425-7110 MHz	ITU-R F.384	Shared with FSS (Note 3)
7 GHz (L7 + U7)	7110-7750 MHz	ITU-R F.385 , Annex 3	L7 band sharing with Space Research services (Note 3bis)
Lower 8 GHz	7725-8275 MHz	ITU-R F.386 , Annex 2	
Upper 8 GHz	8275-8500 MHz	ITU-R F.386 , Annex 2	
10.5 GHz	10.15-10.3 GHz // 10.5-10.65 GHz	ITU-R F.1568 , Annex 1	
11 GHz	10.7-11.7 GHz	ITU-R F.387	Shared with FSS (Note 4)

Footnotes

Band	Band limits	Channel Plan	Comments
13 GHz	12.75-13.25 GHz	ITU-R F.497	
15 GHz	14.5-15.35 GHz	ITU-R F.636	
18 GHz	17.7-19.7 GHz	ITU-R F.595 , Annex 1	
23 GHz	21.2-23.6 GHz	ITU-R F.637 , Annex 1	Shared with BSS (Note 5)
26 GHz	24.5-26.5 GHz	ITU-R F.748-4 , Annex 1	Shared with EESS (Note 6)
28 GHz	27.5-29.5 GHz	ITU-R F.748-4 , Annex 2	
32 GHz	31.8-33.4 GHz	ITU-R F.1520 , Annex 1	This band is identified for HDFS
38 GHz	37.0-39.5 GHz	ITU-R F.749 Annex 1	
42 GHz	40.5-43.5 GHz	ITU-R F.2005 Annex 1	
52 GHz	51.4-52.6 GHz	ITU-R F.1496 Annex 1	
62 GHz	55.78-57 GHz	ITU-R F.1497 Annex 1	(Note 6bis)
	57 - 64 GHz	ITU-R F.1497 Annex 2	(Note 6bis)
	64 - 66 GHz	ITU-R F.1497 Annex 3	(Note 6bis)
80 GHz	71-76 GHz // 81-86 GHz	ITU-R F.2006	(E-band) (Note 7)
94 GHz	92-94 GHz 94.1-100 GHz	ITU-R F.2004 Draft new Recommendation ITU-R F.[W- BAND] ECA Report 25/ ECC Report 282	(W- Band)
102–109.5 GHz	102–109.5 GHz	Draft new Recommendation ITU-R F.[W- BAND] ECA Report 25/ ECC Report 282	(W- Band)
111.8– 114.25 GHz	111.8–114.25 GHz	Draft new Recommendation ITU-R F.[W- BAND] ECA Report 25/ ECC Report 282	(W- Band)
130-134 GHz	130-134 GHz	Draft new Recommendation ITU-R F.[D-BAND] ECA Report 25	(D- Band)

Footnotes

Band	Band limits	Channel Plan	Comments
141-148.5 GHz	141-148.5 GHz	Draft new Recommendation ITU-R F.[D-BAND] ECA Report 25/ ECC Report 282	(D- Band)
151.5-164 GHz	151.5-164 GHz	Draft new Recommendation ITU-R F.[D-BAND] ECA Report 25/ ECC Report 282	(D- Band)
167-174.8 GHz	167-174.8 GHz	Draft new Recommendation ITU-R F.[D-BAND] ECA Report 25/ ECC Report 282	(D- Band)

Note 1: The band 3 600-4 200 MHz is used on a national basis for high capacity, core network telecommunication services under the fixed service for fixed services links generally over long hop lengths. The band 3 625-4 200 MHz, part of the C-band, is used extensively for FSS (space-to-Earth) applications. This band is shared between FS and FSS. The band 3 800-4 200 MHz may also be used for DSA on a non-interference and non-protection basis.

Note 2: In addition to the deployment of fixed services links under the fixed services, the band 5 850-6 425 MHz, part of the C-band, is also used for FSS (Earth-to-space) applications on a shared basis with FS. The C-band is also used for satellite news gathering (SNG) operations, which will require frequency co-ordination with fixed links on a case-by-case basis. Users are encouraged to, as far as possible, use the Ku-band for SNG operations in South Africa in order to avoid the need for frequency coordination and the interference problems associated with C-band SNG operations. The band 5 850-5 925 MHz may also be used for temporary deployment for ENG and OB links under the mobile and fixed services respectively on a strictly coordinated basis. The band 5925-6425 MHz may also to be used for DSA on a non-interference and non-protection basis. The band is also available for WAS/RLAN systems as stipulated in the latest version of the RFSR, Annexure B.

Note 3: This band is used on a national basis for fixed services links under the fixed service. Fixed links are shared with NGSO MSS (space-to-Earth) feeder links and geo-stationary satellite orbit (GSO) FSS (Earth-to-space) systems on a strictly controlled and co-ordinated basis.

Note 3bis: The band 7 145-7 235 MHz is used under the space research services at a site being developed at Matjiesfontein, Karoo. Sharing with fixed links in the area is required.

Note 4: This band is used on a national basis for fixed services links under the fixed service. The sub-bands 10.95-11.2 GHz and 11.45-11.7 GHz are also shared with FSS (space-to-Earth) systems (typically VSAT/SNG and satellite PTP links). The sub-bands 10.95-11.2 GHz and 11.45-11.7 GHz are also used DTH satellite broadcasting services on a secondary basis to the FS and FSS services. The sub-bands 10.7-10.95 GHz and 11.2-11.45 GHz form part of the [Appendix 30B Plan](#).

Note 5: In accordance with 5.530A, all fixed links must comply to the prescribed pfd limits at national borders, unless otherwise agreed with the administration concerned. In line with [5.530B](#), the band 21.4-22 GHz will not be used for mobile services in South Africa and fixed service deployments will be restricted to point-to-point links.

Footnotes

Note 6: An unmanned receive only earth station, forming part of the National Polar-Orbiting Operational Environmental Satellite System (NPOESS) is located in South Africa, and this system operates within the frequency band 25.5-27 GHz in the Earth Exploration Satellite (space-to-earth) service.

Note 6bis: The 62 GHz band is divided into three sub-bands as indicated in the table above. The band 55.78-57 GHz is available for fixed services links on a licensed basis. The bands 57-64 GHz and 64-66 GHz, also known as the V-band, can be used on a licensed exempt basis as per the RFSR, 2015 as amended. All three bands can be used for either TDD or FDD.

Note 7: The frequency bands 71-76 GHz paired with 81-86 GHz are allocated to the fixed services and are used extensively for very high-capacity Broadband Fixed Wireless Systems over very short hop lengths. Radio frequency channel arrangements for fixed service systems operating in the bands 71-76 GHz and 81-86 GHz are according to the Radio Frequency Spectrum Regulations (GG. No.38641, 30 March 2015, as amended).

NF15 (4400-5000 MHz)

The frequency band 4 400-5 000 MHz is allocated to electronic news gathering (ENG) and outside broadcasting (OB) services under the mobile and fixed services respectively and is shared with Government Services.

NF16 (5725-5850 MHz)

The band 5 725-5 875 MHz is designated as an ISM band through ITU-R RR footnote 5.150. In addition to ISM applications, the band 5 725-5 850 MHz is also available for fixed links on a license-exempt basis, provided adherence to the provisions indicated below. Type Approval of these systems is mandatory. See also Radio Frequency Spectrum Regulations (RFSR) (Annexure B) (GG. No.38641, 30 March 2015), as amended.

The Authority reserves the right to require users to change the frequency, reduce the power, or cease operations, where harmful interference is caused.

NF17 (14.0-14.5 GHz)

The frequency band 14.0-14.5 GHz, part of the Ku-band is used extensively for FSS (Earth-to-space) applications (VSAT/SNG/satellite PTP links).

NF18 (27.5-28.35 GHz)

The frequency bands 27.5-28.35 GHz (base station to subscriber) and 31.0-31.3 GHz (subscriber to base station) are allocated to broadband service - local multipoint distribution services (LMDS) under the fixed service using a PTMP topology.

7 ITU RADIO REGULATIONS FOOTNOTES

The ITU Radio Regulations footnote listed are those that are applicable to Region 1.

5.53	Administrations authorising the use of frequencies below 8.3 kHz shall ensure that no harmful interference is caused to services to which the bands above 8.3 kHz are allocated. (WRC-12)
5.54	Administrations conducting scientific research using frequencies below 8.3 kHz are urged to advise other administrations that may be concerned in order that such research may be afforded all practicable protection from harmful interference. (WRC-12)
5.54A	Use of the 8.3-11.3 kHz frequency band by stations in the meteorological aids service is limited to passive use only. In the band 9-11.3 kHz, meteorological aids stations shall not claim protection from stations of the radionavigation service submitted for notification to the Bureau prior to 1 January 2013. For sharing between stations of the meteorological aids service and stations in the radionavigation service submitted for notification after this date, the most recent version of Recommendation ITU-R RS.1881 should be applied. (WRC-12)
5.54B	<i>Additional allocation:</i> in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, the Russian Federation, Iran (Islamic Republic of), Iraq, Kuwait, Lebanon, Morocco, Qatar, the Syrian Arab Republic, Sudan and Tunisia, the frequency band 8.3-9 kHz is also allocated to the radionavigation, fixed and mobile services on a primary basis. (WRC-15)
5.54C	<i>Additional allocation:</i> in China, the frequency band 8.3-9 kHz is also allocated to the maritime radionavigation and maritime mobile services on a primary basis. (WRC-12)
5.55	<i>Additional allocation:</i> in Armenia, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the frequency band 14-17 kHz is also allocated to the radionavigation service on a primary basis. (WRC-15)
5.56	The stations of services to which the frequency bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the frequency bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same conditions. (WRC-23)
5.57	The use of the bands 14-19.95 kHz, 20.05-70 kHz and 70-90 kHz (72-84 kHz and 86-90 kHz in Region 1) by the maritime mobile service is limited to coast radiotelegraph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.
5.58	<i>Additional allocation:</i> in Armenia, Azerbaijan, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the frequency band 67-70 kHz is also allocated to the radionavigation service on a primary basis. (WRC-23)
5.59	<i>Different category of service:</i> in Bangladesh and Pakistan, the allocation of the bands 70-72 kHz and 84-86 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33). (WRC-2000)
5.60	In the bands 70-90 kHz (70-86 kHz in Region 1) and 110-130 kHz (112-130 kHz in Region 1), pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services to which these bands are allocated.
5.61	In Region 2, the establishment and operation of stations in the maritime radionavigation service in the bands 70-90 kHz and 110-130 kHz shall be subject to agreement obtained under No. 9.21 with administrations whose services, operating in accordance with the Table, may be affected. However, stations of the fixed, maritime mobile and

	radiolocation services shall not cause harmful interference to stations in the maritime radionavigation service established under such agreements.
5.62	Administrations which operate stations in the radionavigation service in the band 90-110 kHz are urged to coordinate technical and operating characteristics in such a way as to avoid harmful interference to the services provided by these stations.
5.63	SUP (WRC-97)
5.64	Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90 kHz and 160 kHz (148.5 kHz in Region 1) and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 160 kHz (148.5 kHz in Region 1). Exceptionally, class J2B or J7B emissions are also authorized in the bands between 110 kHz and 160 kHz (148.5 kHz in Region 1) for stations of the maritime mobile service.
5.65	Different category of service: in Bangladesh, the allocation of the bands 112-117.6 kHz and 126-129 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33). (WRC-2000)
5.66	<i>Different category of service:</i> in Germany, the allocation of the band 115-117.6 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33) and to the radionavigation service on a secondary basis (see No. 5.32).
5.67	<i>Additional allocation:</i> in Kyrgyzstan and Turkmenistan, the frequency band 130-148.5 kHz is also allocated to the radionavigation service on a secondary basis. Within and between these countries this service shall have an equal right to operate. (WRC-19)
5.67A	Stations in the amateur service using frequencies in the band 135.7-137.8 kHz shall not exceed a maximum radiated power of 1 W (e.i.r.p.) and shall not cause harmful interference to stations of the radionavigation service operating in countries listed in No. 5.67. (WRC-07)
5.67B	The use of the frequency band 135.7-137.8 kHz in Algeria, Egypt, Iraq, Lebanon, Syrian Arab Republic, Sudan, South Sudan, and Tunisia is limited to the fixed and maritime mobile services. The amateur service shall not be used in the above-mentioned countries in the frequency band 135.7-137.8 kHz, and this should be taken into account by the countries authorizing such use. (WRC-19)
5.68	<i>Alternative allocation:</i> in Congo (Rep. of the), the Dem. Rep. of the Congo and South Africa, the frequency band 160- 200 kHz is allocated to the fixed service on a primary basis. (WRC-15)
5.69	<i>Additional allocation:</i> in Somalia, the band 200-255 kHz is also allocated to the aeronautical radionavigation service on a primary basis.
5.70	<i>Alternative allocation:</i> in Angola, Botswana, Burundi, the Central African Rep., Congo (Rep. of the), Eswatini, Ethiopia, Kenya, Lesotho, Madagascar, Malawi, Mozambique, Namibia, Nigeria, Oman, the Dem. Rep. of the Congo, South Africa, Tanzania, Chad, Zambia and Zimbabwe, the frequency band 200-283.5 kHz is allocated to the aeronautical radionavigation service on a primary basis. (WRC-19)
5.71	SUP (WRC-19)
5.72	SUP (WRC-12)
5.73	The band 285-325 kHz (283.5-325 kHz in Region 1) in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service. (WRC-97)
5.74	<i>Additional Allocation:</i> in Region 1, the frequency band 285.3-285.7 kHz is also allocated to the maritime radionavigation service (other than radiobeacons) on a primary basis.
5.75	<i>Different category of service:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and the Black Sea areas of Romania, the allocation of the band 315-325 kHz to the maritime radionavigation service is on a primary basis under the condition that in the Baltic Sea area, the assignment of frequencies in this band to new stations in the maritime or

Footnotes

	aeronautical radionavigation services shall be subject to prior consultation between the administrations concerned. (WRC-07)
5.76	The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other radionavigation services to which the band 405-415 kHz is allocated shall not cause harmful interference to radio direction-finding in the band 406.5-413.5 kHz.
5.77	<i>Different category of service:</i> in Australia, China, the French overseas communities of Region 3, Korea (Rep. of), India, Iran (Islamic Republic of), Japan, Pakistan, Papua New Guinea, the Dem. People's Rep. of Korea and Sri Lanka, the allocation of the frequency band 415-495 kHz to the aeronautical radionavigation service is on a primary basis. In Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Latvia, Uzbekistan and Kyrgyzstan, the allocation of the frequency band 435-495 kHz to the aeronautical radionavigation service is on a primary basis. Administrations in all the aforementioned countries shall take all practical steps necessary to ensure that aeronautical radionavigation stations in the frequency band 435-495 kHz do not cause interference to reception by coast stations of transmissions from ship stations on frequencies designated for ship stations on a worldwide basis. (WRC-19)
5.78	<i>Different category of service:</i> in Cuba, the United States of America and Mexico, the allocation of the band 415-435 kHz to the aeronautical radionavigation service is on a primary basis.
5.79	In the maritime mobile service, the frequency bands 415-495 kHz and 505-526.5 kHz are limited to radiotelegraphy and may also be used for the NAVDAT system in accordance with the most recent version of Recommendation ITU-R. M.2010, subject to agreement between interested and affected administrations. NAVDAT transmitting stations are limited to coast stations. (WRC-19)
5.79A	When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4 209.5 kHz, administrations are strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution 339 (Rev.WRC-07)). (WRC-07)
5.80	In Region 2, the use of the band 435-495 kHz by the aeronautical radionavigation service is limited to non-directional beacons not employing voice transmission.
5.80A	The maximum equivalent isotropically radiated power (e.i.r.p.) of stations in the amateur service using frequencies in the band 472-479 kHz shall not exceed 1 W. Administrations may increase this limit of e.i.r.p. to 5 W in portions of their territory which are at a distance of over 800 km from the borders of Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iran (Islamic Republic of), Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Morocco, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia, Ukraine and Yemen. In this frequency band, stations in the amateur service shall not cause harmful interference to, or claim protection from, stations of the aeronautical radionavigation service. (WRC-12)
5.80B	The use of the frequency band 472-479 kHz in Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia and Yemen is limited to the maritime mobile and aeronautical radionavigation services. The amateur service shall not be used in the abovementioned countries in this frequency band, and this should be taken into account by the countries authorizing such use. (WRC-12)
5.81	SUP (WRC-2000)
5.82	In the maritime mobile service, the frequency 490 kHz is to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles 31 and 52. In

Footnotes

	using the frequency band 415-495 kHz for the aeronautical radionavigation service, administrations are requested to ensure that no harmful interference is caused to the frequency 490 kHz. In using the frequency band 472-479 kHz for the amateur service, administrations shall ensure that no harmful interference is caused to the frequency 490 kHz. (WRC-12)
5.82A	SUP (WRC-12)
5.82B	SUP (WRC-12)
5.82C	The frequency band 495-505 kHz is used for the international NAVDAT system as described in the most recent version of Recommendation ITU-R M.2010. NAVDAT transmitting stations are limited to coast stations. (WRC-19)
5.82D	When establishing coast stations in the NAVDAT system on the frequencies 500 kHz and 4 226 kHz, the conditions for the use of the frequencies 500 kHz and 4 226 kHz are prescribed in Articles 31 and 52. Administrations are strongly recommended to coordinate the NAVDAT systems operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution 364 (WRC-23)). (WRC-23)
5.83	SUP (WRC-07)
5.84	The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles 31 and 52. (WRC-07)
5.85	Not used.
5.86	In Region 2, in the band 525-535 kHz the carrier power of broadcasting stations shall not exceed 1 kW during the day and 250 W at night.
5.87	<i>Additional allocation:</i> in Angola, Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia and Niger, the frequency band 526.5-535 kHz is also allocated to the mobile service on a secondary basis. (WRC-19)
5.87A	<i>Additional allocation:</i> in Uzbekistan, the band 526.5-1 606.5 kHz is also allocated to the radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-97)
5.88	<i>Additional allocation:</i> in China, the band 526.5-535 kHz is also allocated to the aeronautical radionavigation service on a secondary basis.
5.89	In Region 2, the use of the band 1 605-1 705 kHz by stations of the broadcasting service is subject to the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988). The examination of frequency assignments to stations of the fixed and mobile services in the band 1 625-1 705 kHz shall take account of the allotments appearing in the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).
5.90	In the band 1 605-1 705 kHz, in cases where a broadcasting station of Region 2 is concerned, the service area of the maritime mobile stations in Region 1 shall be limited to that provided by ground-wave propagation.
5.91	<i>Additional allocation:</i> in the Philippines and Sri Lanka, the band 1 606.5-1 705 kHz is also allocated to the broadcasting service on a secondary basis. (WRC-97)
5.92	Some countries of Region 1 use radiodetermination systems in the bands 1 606.5-1 625 kHz, 1 635-1 800 kHz, 1 850-2 160 kHz, 2 194-2 300 kHz, 2 502-2 850 kHz and 3 500-3 800 kHz, subject to agreement obtained under No. 9.21. The radiated mean power of these stations shall not exceed 50 W.
5.93	<i>Additional allocation:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Mongolia, Nigeria, Uzbekistan, Poland, Kyrgyzstan, Slovakia, Tajikistan, Chad, Turkmenistan and Ukraine, the frequency bands 1 625-1 635 kHz, 1 800-1 810 kHz and 2 160-2 170 kHz are also allocated to the fixed and land mobile services on a primary basis, subject to agreement obtained under No. 9.21. (WRC-15)
5.94	Not used
5.95	Not used.

Footnotes

5.96	In Germany, Armenia, Austria, Azerbaijan, Belarus, Croatia, Denmark, Estonia, the Russian Federation, Finland, Georgia, Hungary, Ireland, Iceland, Israel, Kazakhstan, Latvia, Liechtenstein, Lithuania, Malta, Moldova, Norway, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., the United Kingdom, Sweden, Switzerland, Tajikistan, Turkmenistan and Ukraine, administrations may allocate up to 200 kHz to their amateur service in the frequency bands 1 715-1 800 kHz and 1 850-2 000 kHz. However, when allocating the frequency bands within this range to their amateur service, administrations shall, after prior consultation with administrations of neighbouring countries, take such steps as may be necessary to prevent harmful interference from their amateur service to the fixed and mobile services of other countries. The mean power of any amateur station shall not exceed 10 W. (WRC-15)
5.97	In Region 3, the Loran system operates either on 1 850 kHz or 1 950 kHz, the bands occupied being 1 825-1 875 kHz and 1 925-1 975 kHz respectively. Other services to which the band 1 800-2 000 kHz is allocated may use any frequency therein on condition that no harmful interference is caused to the Loran system operating on 1 850 kHz or 1 950 kHz.
5.98	<i>Alternative allocation:</i> in Armenia, Azerbaijan, Belarus, Belgium, Cameroon, Congo (Rep. of the), Denmark, Eritrea, Spain, Ethiopia, the Russian Federation, Georgia, Greece, Italy, Kazakhstan, Lebanon, Lithuania, the Syrian Arab Republic, Türkiye, Kyrgyzstan, Somalia, Tajikistan, Tunisia and Turkmenistan, the frequency band 1 810-1 830 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-23)
5.99	<i>Additional allocation:</i> in Saudi Arabia, Austria, Egypt, Iraq, Libya, Uzbekistan, Romania, Slovakia, Slovenia, Chad, and Togo, the frequency band 1 810-1 830 kHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-23)
5.100	In Region 1, the authorization to use the band 1 810-1 830 kHz by the amateur service in countries situated totally or partially north of 40° N shall be given only after consultation with the countries mentioned in Nos. 5.98 and 5.99 to define the necessary steps to be taken to prevent harmful interference between amateur stations and stations of other services operating in accordance with Nos. 5.98 and 5.99.
5.101	SUP (WRC12)
5.102	<i>Alternative allocation:</i> in Bolivia, Chile, Paraguay and Peru, the frequency band 1 850-2 000 kHz is allocated to the fixed, mobile except aeronautical mobile, radiolocation and radionavigation services on a primary basis. (WRC-15)
5.103	In Region 1, in making assignments to stations in the fixed and mobile services in the bands 1 850-2 045 kHz, 2 194-2 498 kHz, 2 502-2 625 kHz and 2 650-2 850 kHz, administrations should bear in mind the special requirements of the maritime mobile service.
5.104	In Region 1, the use of the band 2 025-2 045 kHz by the meteorological aids service is limited to oceanographic buoy stations.
5.105	In Region 2, except in Greenland, coast stations and ship stations using radiotelephony in the band 2 065-2 107 kHz shall be limited to class J3E emissions and to a peak envelope power not exceeding 1 kW. Preferably, the following carrier frequencies should be used: 2 065.0 kHz, 2 079.0 kHz, 2 082.5 kHz, 2 086.0 kHz, 2 093.0 kHz, 2 096.5 kHz, 2 100.0 kHz and 2 103.5 kHz. In Argentina and Uruguay, the carrier frequencies 2 068.5 kHz and 2 075.5 kHz are also used for this purpose, while the frequencies within the band 2 072-2 075.5 kHz are used as provided in No. 52.165.
5.106	In Regions 2 and 3, provided no harmful interference is caused to the maritime mobile service, the frequencies between 2 065 kHz and 2 107 kHz may be used by stations of the fixed service communicating only within national borders and whose mean power does not exceed 50 W. In notifying the frequencies, the attention of the Bureau should be drawn to these provisions.

Footnotes

5.107	<i>Additional allocation:</i> in Saudi Arabia, Eritrea, Eswatini, Ethiopia, Iraq, Libya and Somalia, the frequency band 2 160-2 170 kHz is also allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. The mean power of stations in these services shall not exceed 50 W. (WRC-19)
5.108	The carrier frequency 2 182 kHz is an international distress and calling frequency for radiotelephony. The conditions for the use of the band 2 173.5-2 190.5 kHz are prescribed in Articles 31 and 52. (WRC-07)
5.109	The frequencies 2 187.5 kHz, 4 207.5 kHz, 6 312 kHz, 8 414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article 31.
5.110	The frequencies 2 174.5 kHz, 4 177.5 kHz, 6 268 kHz, 8 376.5 kHz, 12 520 kHz and 16 695 kHz are used for the automatic connection system (ACS), as described in the most recent version of Recommendation ITU-R M.541. (WRC-23)
5.111	The carrier frequencies 2 182 kHz, 3 023 kHz, 5 680 kHz, 8 364 kHz and the frequencies 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article 31. The same applies to the frequencies 10 003 kHz, 14 993 kHz and 19 993 kHz, but in each of these cases emissions must be confined in a band of ± 3 kHz about the frequency. (WRC-07)
5.112	<i>Alternative allocation:</i> in Sri Lanka, the frequency band 2 194-2 300 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
5.113	For the conditions for the use of the bands 2 300-2 495 kHz (2 498 kHz in Region 1), 3 200-3 400 kHz, 4 750-4 995 kHz and 5 005-5 060 kHz by the broadcasting service, see Nos. 5.16 to 5.20, 5.21 and 23.3 to 23.10.
5.114	<i>Alternative allocation:</i> in Iraq, the frequency band 2 502-2 625 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
5.115	The carrier (reference) frequencies 3 023 kHz and 5 680 kHz may also be used, in accordance with Article 31, by stations of the maritime mobile service engaged in coordinated search and rescue operations. (WRC-07)
5.116	Administrations are urged to authorize the use of the band 3 155-3 195 kHz to provide a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned by administrations in the bands between 3 155 kHz and 3 400 kHz to suit local needs. It should be noted that frequencies in the range 3 000 kHz to 4 000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the induction field.
5.117	<i>Alternative allocation:</i> in Liberia, Sri Lanka and Togo, the frequency band 3 155-3 200 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-23)
5.118	<i>Additional allocation:</i> in the United States, Mexico and Peru, the frequency band 3 230-3 400 kHz is also allocated to the radiolocation service on a secondary basis. (WRC-19)
5.119	<i>Additional allocation:</i> in Peru, the frequency band 3 500-3 750 kHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)
5.120	SUP (WRC-2000)
5.121	Not used.
5.122	<i>Alternative allocation:</i> in Bolivia, Chile, Ecuador, Paraguay and Peru, the frequency band 3 750-4 000 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-15)
5.123	<i>Additional allocation:</i> in Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe, the frequency band 3 900-3 950 kHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-19)

Footnotes

5.124	SUP (WRC-2000)
5.125	<i>Additional allocation:</i> in Greenland, the band 3 950-4 000 kHz is also allocated to the broadcasting service on a primary basis. The power of the broadcasting stations operating in this band shall not exceed that necessary for a national service and shall in no case exceed 5 kW.
5.126	In Region 3, the stations of those services to which the band 3 995-4 005 kHz is allocated may transmit standard frequency and time signals.
5.127	The use of the band 4 000-4 063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. 52.220 and Appendix 17).
5.128	Frequencies in the frequency bands 4 063-4 123 kHz and 4 130-4 438 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W, on condition that harmful interference is not caused to the maritime mobile service. In addition, in Afghanistan, Argentina, Armenia, Belarus, Botswana, Burkina Faso, the Central African Rep., China, the Russian Federation, Georgia, India, Kazakhstan, Mali, Niger, Pakistan, Kyrgyzstan, Tajikistan, Chad, Turkmenistan and Ukraine, in the frequency bands 4 063-4 123 kHz, 4 130-4 133 kHz and 4 408-4 438 kHz, stations in the fixed service, with a mean power not exceeding 1 kW, can be operated on condition that they are situated at least 600 km from the coast and that harmful interference is not caused to the maritime mobile service. (WRC-19)
5.129	SUP (WRC-07)
5.130	The conditions for the use of the carrier frequencies 4 125 kHz and 6 215 kHz are prescribed in Articles 31 and 52. (WRC-07)
5.131	The frequency 4 209.5 kHz is used exclusively for the transmission by coast stations of meteorological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques. (WRC-97)
5.132	The frequencies 4 210 kHz, 6 314 kHz, 8 416.5 kHz, 12 579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendices 15 and 17). (WRC-23)
5.132A	Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (WRC-12). (WRC-12)
5.132B	<i>Alternative allocation:</i> in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 4 438-4 488 kHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. (WRC-19)
5.133	<i>Different category of service:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Niger, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 5 130-5 250 kHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-12)
5.133A	<i>Alternative allocation:</i> in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency bands 5 250-5 275 kHz and 26 200- 26 350 kHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
5.133B	Stations in the amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 15 W (e.i.r.p.). However, in Region 2 in Mexico, stations in the amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 20 W (e.i.r.p.). In the following Region 2 countries: Antigua and Barbuda, Argentina, Bahamas, Barbados, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Dominica, El Salvador, Ecuador, Grenada, Guatemala, Guyana, Haiti, Honduras, Jamaica, Nicaragua, Panama, Paraguay, Peru, Saint Lucia, Saint Kitts and Nevis, Saint Vincent and the Grenadines, Suriname, Trinidad and Tobago, Uruguay, Venezuela, as well as the overseas countries and territories within the Kingdom of the Netherlands in Region 2, stations in the

Footnotes

	amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 25 W (e.i.r.p.). (WRC-19)
5.134	The use of the frequency bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service is subject to the application of the procedure of Article 12. Administrations are encouraged to use these frequency bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 (Rev.WRC-19). (WRC-19)
5.135	SUP (WRC-97)
5.136	<i>Additional allocation:</i> frequencies in the band 5 900-5 950 kHz may be used by stations in the following services, communicating only within the boundary of the country in which they are located: fixed service (in all three Regions), land mobile service (in Region 1), mobile except aeronautical mobile (R) service (in Regions 2 and 3), on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
5.137	On condition that harmful interference is not caused to the maritime mobile service, the bands 6 200-6 213.5 kHz and 6 220.5-6 525 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W. At the time of notification of these frequencies, the attention of the Bureau will be drawn to the above conditions.
5.137A	The frequencies 6 337.5 kHz, 8 443 kHz, 12 663.5 kHz, 16 909.5 kHz and 22 450.5 kHz are the regional frequencies for the transmission of maritime safety information (MSI) by means of the NAVDAT system (see Appendices 15 and 17). (WRC-23)
5.138	The following bands: 6 765-6 795 kHz (centre frequency 6 780 kHz), 433.05-434.79 MHz (centre frequency 433.92 MHz) in Region 1 except in the countries mentioned in No. 5.280, 61-61.5 GHz (centre frequency 61.25 GHz), 122-123 GHz (centre frequency 122.5 GHz), and 244-246 GHz (centre frequency 245 GHz) are designated for industrial, scientific and medical (ISM) applications. The use of these frequency bands for ISM applications shall be subject to special authorization by the administration concerned, in agreement with other administrations whose radiocommunication services might be affected. In applying this provision, administrations shall have due regard to the latest relevant ITU-R Recommendations.
5.138A	SUP (WRC-12)
5.139	SUP (WRC-12)
5.140	<i>Additional allocation:</i> in Angola, Iraq, Somalia and Togo, the frequency band 7 000-7 050 kHz is also allocated to the fixed service on a primary basis. (WRC-15)
5.141	<i>Alternative allocation:</i> in Egypt, Eritrea, Ethiopia, Guinea, Libya, Madagascar and Niger, the band 7 000-7 050 kHz is allocated to the fixed service on a primary basis. (WRC-12)
5.141A	<i>Additional allocation:</i> in Uzbekistan and Kyrgyzstan, the bands 7 000-7 100 kHz and 7 100-7 200 kHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-03)
5.141B	<i>Additional allocation:</i> in Algeria, Saudi Arabia, Australia, Bahrain, Botswana, Brunei Darussalam, China, Comoros, Korea (Rep. of), Diego Garcia, Djibouti, Egypt, United Arab Emirates, Eritrea, Guinea, Indonesia, Iran (Islamic Republic of), Japan, Jordan, Kuwait, Libya, Mali, Morocco, Mauritania, Niger, New Zealand, Oman, Papua New Guinea, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Sudan, South Sudan, Tunisia, Viet Nam and Yemen, the frequency band 7 100-7 200

Footnotes

	kHz is also allocated to the fixed and the mobile, except aeronautical mobile (R), services on a primary basis. (WRC-19)
5.141C	SUP (WRC-12)
5.142	the use of the band 7 100-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. (WRC-12)
5.143	<i>Additional allocation:</i> frequencies in the band 7 300-7 350 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
5.143A	In Region 3, the band 7 350-7 450 kHz may be used by stations in the fixed service on a primary basis and to the land mobile service on a secondary basis. , communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-12)
5.143B	In Region 1, frequencies in the band 7 350-7 450 kHz may be used by stations in the fixed and land mobile services communicating only within the boundary of the country in which they are located on condition that harmful interference is not caused to the broadcasting service. The total radiated power of each station shall not exceed 24 dBW. (WRC-12)
5.143C	Additional allocation: in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Iran (Islamic Republic of), Libya, Jordan, Kuwait, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, South Sudan, Tunisia and Yemen, the bands 7 350-7 400 kHz and 7 400-7 450 kHz are also allocated to the fixed service on a primary basis. (WRC-12)
5.143D	In Region 2, frequencies in the band 7 350-7 400 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-12)
5.143E	(SUP - WRC-12)
5.144	In Region 3, the stations of those services to which the band 7 995-8 005 kHz is allocated may transmit standard frequency and time signals.
5.145	The conditions for the use of the carrier frequencies 8 291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles 31 and 52. (WRC-07)
5.145A	Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed service. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (WRC-12).
5.145B	<i>Alternative allocation:</i> in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency bands 9 305-9 355 kHz and 16 100- 16 200 kHz are allocated to the fixed service on a primary basis. (WRC-19)
5.146	<i>Additional allocation:</i> frequencies in the bands 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not

Footnotes

	caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)																																																											
5.147	On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9 775-9 900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.																																																											
5.148	SUP (WRC-97)																																																											
5.149	In making assignments to stations of other services to which the bands: <table><tr><td>13 360-13 410 kHz,</td><td>4 950-4 990 MHz,</td><td>102-109.5 GHz,</td></tr><tr><td>25 550-25 670 kHz,</td><td>4 990-5 000 MHz,</td><td>111.8-114.25 GHz,</td></tr><tr><td>37.5-38.25 MHz,</td><td>6 650-6 675.2 MHz,</td><td>128.33-128.59 GHz,</td></tr><tr><td>73-74.6 MHz in Regions 1 and 3,</td><td>10.6-10.68 GHz,</td><td>129.23-129.49 GHz,</td></tr><tr><td></td><td>14.47-14.5 GHz,</td><td>130-134 GHz,</td></tr><tr><td>150.05-153 MHz in Region 1,</td><td>22.01-22.21 GHz,</td><td>136-148.5 GHz,</td></tr><tr><td>322-328.6 MHz,</td><td>22.21-22.5 GHz,</td><td>151.5-158.5 GHz,</td></tr><tr><td>406.1-410 MHz,</td><td>22.81-22.86 GHz,</td><td>168.59-168.93 GHz,</td></tr><tr><td>608-614 MHz in Regions 1 and 3,</td><td>23.07-23.12 GHz,</td><td>171.11-171.45 GHz,</td></tr><tr><td></td><td>31.2-31.3 GHz,</td><td>172.31-172.65 GHz,</td></tr><tr><td>1 330-1 400 MHz,</td><td>31.5-31.8 GHz in Regions 1 and 3,</td><td>173.52-173.85 GHz,</td></tr><tr><td>1 610.6-1 613.8 MHz,</td><td></td><td>195.75-196.15 GHz,</td></tr><tr><td>1 660-1 670 MHz,</td><td>36.43-36.5 GHz,</td><td>209-226 GHz,</td></tr><tr><td>1 718.8-1 722.2 MHz,</td><td>42.5-43.5 GHz,</td><td>241-250 GHz,</td></tr><tr><td>2 655-2 690 MHz,</td><td>48.94-49.04 GHz,</td><td>252-275 GHz</td></tr><tr><td>3 260-3 267 MHz,</td><td>76-86 GHz,</td><td></td></tr><tr><td>3 332-3 339 MHz,</td><td>92-94 GHz,</td><td></td></tr><tr><td>3 345.8-3 352.5 MHz,</td><td>94.1-100 GHz,</td><td></td></tr><tr><td>4 825-4 835 MHz,</td><td></td><td></td></tr></table> are allocated, administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious sources of interference to the radio astronomy service (see Nos. 4.5 and 4.6 and Article 29). (WRC-07)			13 360-13 410 kHz,	4 950-4 990 MHz,	102-109.5 GHz,	25 550-25 670 kHz,	4 990-5 000 MHz,	111.8-114.25 GHz,	37.5-38.25 MHz,	6 650-6 675.2 MHz,	128.33-128.59 GHz,	73-74.6 MHz in Regions 1 and 3,	10.6-10.68 GHz,	129.23-129.49 GHz,		14.47-14.5 GHz,	130-134 GHz,	150.05-153 MHz in Region 1,	22.01-22.21 GHz,	136-148.5 GHz,	322-328.6 MHz,	22.21-22.5 GHz,	151.5-158.5 GHz,	406.1-410 MHz,	22.81-22.86 GHz,	168.59-168.93 GHz,	608-614 MHz in Regions 1 and 3,	23.07-23.12 GHz,	171.11-171.45 GHz,		31.2-31.3 GHz,	172.31-172.65 GHz,	1 330-1 400 MHz,	31.5-31.8 GHz in Regions 1 and 3,	173.52-173.85 GHz,	1 610.6-1 613.8 MHz,		195.75-196.15 GHz,	1 660-1 670 MHz,	36.43-36.5 GHz,	209-226 GHz,	1 718.8-1 722.2 MHz,	42.5-43.5 GHz,	241-250 GHz,	2 655-2 690 MHz,	48.94-49.04 GHz,	252-275 GHz	3 260-3 267 MHz,	76-86 GHz,		3 332-3 339 MHz,	92-94 GHz,		3 345.8-3 352.5 MHz,	94.1-100 GHz,		4 825-4 835 MHz,		
13 360-13 410 kHz,	4 950-4 990 MHz,	102-109.5 GHz,																																																										
25 550-25 670 kHz,	4 990-5 000 MHz,	111.8-114.25 GHz,																																																										
37.5-38.25 MHz,	6 650-6 675.2 MHz,	128.33-128.59 GHz,																																																										
73-74.6 MHz in Regions 1 and 3,	10.6-10.68 GHz,	129.23-129.49 GHz,																																																										
	14.47-14.5 GHz,	130-134 GHz,																																																										
150.05-153 MHz in Region 1,	22.01-22.21 GHz,	136-148.5 GHz,																																																										
322-328.6 MHz,	22.21-22.5 GHz,	151.5-158.5 GHz,																																																										
406.1-410 MHz,	22.81-22.86 GHz,	168.59-168.93 GHz,																																																										
608-614 MHz in Regions 1 and 3,	23.07-23.12 GHz,	171.11-171.45 GHz,																																																										
	31.2-31.3 GHz,	172.31-172.65 GHz,																																																										
1 330-1 400 MHz,	31.5-31.8 GHz in Regions 1 and 3,	173.52-173.85 GHz,																																																										
1 610.6-1 613.8 MHz,		195.75-196.15 GHz,																																																										
1 660-1 670 MHz,	36.43-36.5 GHz,	209-226 GHz,																																																										
1 718.8-1 722.2 MHz,	42.5-43.5 GHz,	241-250 GHz,																																																										
2 655-2 690 MHz,	48.94-49.04 GHz,	252-275 GHz																																																										
3 260-3 267 MHz,	76-86 GHz,																																																											
3 332-3 339 MHz,	92-94 GHz,																																																											
3 345.8-3 352.5 MHz,	94.1-100 GHz,																																																											
4 825-4 835 MHz,																																																												
5.149A	Alternative allocation: in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 13 450-13 550 kHz is allocated to the fixed service on a primary basis and to the mobile, except aeronautical mobile (R), service on a secondary basis. (WRC-19)																																																											
5.150	The following bands:																																																											

Footnotes

	13 553-13 567 kHz (centre frequency 13 560 kHz), 26 957-27 283 kHz (centre frequency 27 120 kHz), 40.66-40.70 MHz (centre frequency 40.68 MHz), 902-928 MHz in Region 2 (centre frequency 915 MHz), 2 400-2 500 MHz (centre frequency 2 450 MHz), 5 725-5 875 MHz (centre frequency 5 800 MHz), and 24-24.25 GHz (centre frequency 24.125 GHz) are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No. 15.13 .
5.151	<i>Additional allocation:</i> frequencies in the bands 13 570-13 600 kHz and 13 800-13 870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
5.152	<i>Additional allocation:</i> in Armenia, Azerbaijan, China, Côte d'Ivoire, the Russian Federation, Georgia, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 14 250-14 350 kHz is also allocated to the fixed service on a primary basis. Stations of the fixed service shall not use a radiated power exceeding 24 dBW. (WRC-03)
5.153	In Region 3, the stations of those services to which the band 15 995-16 005 kHz is allocated may transmit standard frequency and time signals.
5.154	<i>Additional allocation:</i> in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 18 068-18 168 kHz is also allocated to the fixed service on a primary basis for use within their boundaries, with a peak envelope power not exceeding 1 kW. (WRC-03)
5.155	<i>Additional allocation:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the frequency band 21 850-21 870 kHz is also allocated to the aeronautical mobile (R) service on a primary basis. (WRC-23)
5.155A	In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the use of the frequency band 21 850-21 870 kHz by the fixed service is limited to provision of services related to aircraft flight safety. (WRC-23)
5.155B	The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.
5.156	<i>Additional allocation:</i> in Nigeria, the band 22 720-23 200 kHz is also allocated to the meteorological aids service (radiosondes) on a primary basis.
5.156A	The use of the band 23 200-23 350 kHz by the fixed service is limited to provision of services related to aircraft flight safety.
5.157	The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.
5.158	<i>Alternative allocation:</i> in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 24 450-24 600 kHz is allocated to the fixed and land mobile services on a primary basis. (WRC-19)
5.159	<i>Alternative allocation:</i> in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 39-39.5 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-19)
5.159A	The use of the frequency band 40-50 MHz by the Earth exploration-satellite service (active) shall be in accordance with the geographical area restrictions and the operational

Footnotes

	and technical conditions defined in Resolution 677 (WRC-23) . The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30 . (WRC-23)
5.160	<i>Additional allocation:</i> in Botswana, Burundi, Dem. Rep. of the Congo and Rwanda, the band 41-44 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)
5.161	<i>Additional allocation:</i> in Iran (Islamic Republic of) and Japan, the band 41-44 MHz is also allocated to the radiolocation service on a secondary basis.
5.161A	<i>Additional allocation:</i> in Korea (Rep. of), the United States and Mexico, the frequency bands 41.015-41.665 MHz and 43.35-44 MHz are also allocated to the radiolocation service on a primary basis. Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (Rev.WRC-12) . (WRC-19)
5.161B	<i>Alternative allocation:</i> in Albania, Germany, Armenia, Austria, Belarus, Belgium, Bosnia and Herzegovina, Cyprus, Vatican, Croatia, Denmark, Spain, Estonia, Finland, France, Greece, Hungary, Ireland, Iceland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malta, Moldova, Monaco, Montenegro, Norway, Uzbekistan, Netherlands, Portugal, Kyrgyzstan, Slovakia, Czech Rep., Romania, United Kingdom, San Marino, Slovenia, Sweden, Switzerland, Turkey and Ukraine, the frequency band 42-42.5 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-23)
5.162	<i>Additional allocation:</i> in Australia, the band 44-47 MHz is also allocated to the broadcasting service on a primary basis. (WRC-12)
5.162A	<i>Additional allocation:</i> in Germany, Australia, Austria, Belgium, Bosnia and Herzegovina, China, Vatican, Korea (Rep. of), Denmark, Spain, Estonia, the Russian Federation, Finland, France, Indonesia, Ireland, Iceland, Italy, Japan, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Monaco, Montenegro, Norway, the Netherlands, Poland, Portugal, the Dem. People's Rep. of Korea, the Czech Rep., the United Kingdom, Serbia, Slovenia, Sweden and Switzerland, the frequency band 46-68 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (Rev.WRC-23) .
5.163	<i>Additional allocation:</i> in Armenia, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency bands 47-48.5 MHz and 56.5-58 MHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-19)
5.164	<i>Additional allocation:</i> in Albania, Algeria, Germany, Austria, Belgium, Bosnia and Herzegovina, Botswana, Bulgaria, Côte d'Ivoire, Croatia, Denmark, Spain, Estonia, Eswatini, Finland, France, Gabon, Greece, Hungary, Ireland, Israel, Italy, Jordan, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Malta, Morocco, Mauritania, Monaco, Montenegro, Nigeria, Norway, the Netherlands, Poland, Syrian Arab Republic, Slovakia, Czech Rep., Romania, the United Kingdom, Serbia, Slovenia, Sweden, Switzerland, Chad, Togo, Tunisia and Turkey, the frequency band 47-68 MHz, in South Africa the frequency band 47-50 MHz, and in Latvia the frequency bands 48.5-56.5 MHz and 58-68 MHz, are also allocated to the land mobile service on a primary basis. However, stations of the land mobile service in the countries mentioned in connection with each frequency band referred to in this footnote shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations of countries other than those mentioned in connection with the frequency band. (WRC-23)
5.165	<i>Additional allocation:</i> in Angola, Cameroon, Congo (Rep. of the), Egypt, Madagascar, Mozambique, Niger, Somalia, Sudan, South Sudan, Tanzania and Chad, the frequency

Footnotes

	band 47-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
5.166	SUP (WRC-15)
5.166A	<i>Different category of service:</i> in Austria, Cyprus, the Vatican, Croatia, Denmark, Spain, Finland, Hungary, Latvia, the Netherlands, the Czech Republic, the United Kingdom, Slovakia and Slovenia, the frequency band 50.0-50.5 MHz is allocated to the amateur service on a primary basis. Stations in the amateur service in these countries shall not cause harmful interference to, or claim protection from, stations of the broadcasting, fixed and mobile services operating in accordance with the Radio Regulations in the frequency band 50.0-50.5 MHz in the countries not listed in this provision. For a station of these services, the protection criteria in No. 5.169B shall also apply. In Region 1, with the exception of those countries listed in No. 5.169 , wind profiler radars operating in the radiolocation service under No. 5.162A are authorized to operate on the basis of equality with stations in the amateur service in the frequency band 50.0-50.5 MHz. (WRC-19)
5.166B	In Region 1, stations in the amateur service operating on a secondary basis shall not cause harmful interference to, or claim protection from, stations of the broadcasting service. The field strength generated by an amateur station in Region 1 in the frequency band 50-52 MHz shall not exceed a calculated value of +6 dB(μV/m) at a height of 10 m above ground for more than 10% of time along the border of a country with operational analogue broadcasting stations in Region 1 and of neighbouring countries with broadcasting stations in Region 3 listed in Nos. 5.167 and 5.168 . (WRC-19)
5.166C	In Region 1, stations in the amateur service in the frequency band 50-52 MHz, with the exception of those countries listed in No. 5.169 , shall not cause harmful interference to, or claim protection from, wind profiler radars operating in the radiolocation service under No. 5.162A . (WRC-19)
5.166D	<i>Different category of service:</i> in Lebanon, the frequency band 50-52 MHz is allocated to the amateur service on a primary basis. Stations in the amateur service in Lebanon shall not cause harmful interference to, or claim protection from, stations of the broadcasting, fixed and mobile services operating in accordance with the Radio Regulations in the frequency band 50-52 MHz in the countries not listed in this provision. (WRC-19)
5.166E	In the Russian Federation, only the frequency band 50.080-50.280 MHz is allocated to the amateur service on a secondary basis. The protection criteria for the other services in the countries not listed in this provision are specified in Nos. 5.166B and 5.169B . (WRC-19)
5.167	<i>Alternative allocation:</i> in Bangladesh, Brunei Darussalam, India, Iran (Islamic Republic of), Pakistan and Singapore, the frequency band 50-54 MHz is allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-15)
5.167A	Additional allocation: in Indonesia and Thailand, the frequency band 50-54 MHz is also allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-15)
5.168	<i>Additional allocation:</i> in Australia, China, and the Dem. People's Rep. of Korea, the band 50-54 MHz is also allocated to the broadcasting service on a primary basis.
5.169	<i>Alternative allocation:</i> in Botswana, Eswatini, Lesotho, Malawi, Namibia, Rwanda, South Africa, Zambia and Zimbabwe, the frequency band 50-54 MHz is allocated to the amateur service on a primary basis. In Senegal, the frequency band 50-51 MHz is allocated to the amateur service on a primary basis. (WRC-19)
5.169A	<i>Alternative allocation:</i> in the following countries in Region 1: Angola, Saudi Arabia, Bahrain, Burkina Faso, Burundi, the United Arab Emirates, Gambia, Jordan, Kenya, Kuwait, Mauritius, Mozambique, Oman, Uganda, Qatar, South Sudan and Tanzania, the frequency band 50-54 MHz is allocated to the amateur service on a primary basis. In Guinea-Bissau, the frequency band 50.0-50.5 MHz is allocated to the amateur service on a primary basis. In Djibouti, the frequency band 50-52 MHz is allocated to the amateur service on a primary basis. With the exception of those countries listed in No.

Footnotes

	5.169 , stations in the amateur service operating in Region 1 under this footnote, in all or part of the frequency band 50- 54 MHz, shall not cause harmful interference to, or claim protection from, stations of other services operating in accordance with the Radio Regulations in Algeria, Egypt, Iran (Islamic Republic of), Iraq, Israel, Libya, Palestine*, the Syrian Arab Republic, the Dem. People's Republic of Korea, Sudan, and Tunisia. The field strength generated by an amateur station in the frequency band 50-54 MHz shall not exceed a value of +6 dB(µV/m) at a height of 10 m above ground for more than 10% of time along the borders of listed countries requiring protection. (WRC-19)
5.169B	Except countries listed under No. 5.169 , stations in the amateur service used in Region 1, in all or part of the 50-54 MHz frequency band, shall not cause harmful interference to, or claim protection from, stations of other services used in accordance with the Radio Regulations in Algeria, Armenia, Azerbaijan, Belarus, Egypt, Russian Federation, Iran (Islamic Republic of), Iraq, Kazakhstan, Kyrgyzstan, Libya, Uzbekistan, Palestine*, the Syrian Arab Republic, Sudan, Tunisia and Ukraine. The field strength generated by an amateur station in the frequency band 50-54 MHz shall not exceed a value of +6 dB(µV/m) at a height of 10 m above ground for more than 10% of time along the borders of the countries listed in this provision. (WRC-19)
5.170	<i>Additional allocation:</i> in New Zealand, the frequency band 51-54 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)
5.171	<i>Additional allocation:</i> in Botswana, Eswatini, Lesotho, Malawi, Mali, Namibia, Dem. Rep. of the Congo, Rwanda, South Africa, Zambia and Zimbabwe, the frequency band 54-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
5.172	<i>Different category of service:</i> in the French overseas departments and communities in Region 2 and Guyana, the allocation of the frequency band 54-68 MHz to the fixed and mobile services is on a primary basis (see No. 5.33). (WRC-15)
5.173	<i>Different category of service:</i> in the French overseas departments and communities in Region 2 and Guyana, the allocation of the frequency band 68-72 MHz to the fixed and mobile services is on a primary basis (see No. 5.33). (WRC-15)
5.174	SUP (WRC-07)
5.175	<i>Alternative allocation:</i> in Armenia, Belarus, the Russian Federation, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting service on a primary basis. In Latvia and Lithuania, the frequency bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting and mobile, except aeronautical mobile, services on a primary basis. In Mongolia, the frequency band 76-87.5 MHz is allocated to the broadcasting service on a primary basis; the stations of the broadcasting service shall not cause harmful interference to, or claim protection from, existing or planned fixed and mobile stations in the neighbouring countries. The services to which these frequency bands are allocated in other countries and the broadcasting service in the countries listed above are subject to agreements with the neighbouring countries concerned. (WRC-23)
5.176	<i>Additional allocation:</i> in Australia, China, Korea (Rep. of), the Philippines, the Dem. People's Rep. of Korea and Samoa, the band 68-74 MHz is also allocated to the broadcasting service on a primary basis. (WRC-07)
5.177	<i>Additional allocation:</i> in Armenia, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 73-74 MHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21 . (WRC-23)
5.178	<i>Additional allocation:</i> in Colombia, Cuba, El Salvador, Guatemala, Guyana, Honduras and Nicaragua, the band 73-74.6 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-12)
5.179	<i>Additional allocation:</i> in Armenia, Azerbaijan, Belarus, China, the Russian Federation, Georgia, Kazakhstan, Lithuania, Mongolia, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the bands 74.6-74.8 MHz and 75.2-75.4 MHz are also

Footnotes

	accordance with Resolution 413 (Rev.WRC-23). The use of the frequency band 108-112 MHz by the aeronautical mobile (R) service shall be limited to systems composed of ground-based transmitters and associated receivers that provide navigational information in support of air navigation functions in accordance with recognized international aeronautical standards. (WRC-23)
5.198	SUP (WRC-07)
5.198A	The use of the frequency band 117.975-137 MHz by the aeronautical mobile-satellite (R) service is subject to coordination under No. 9.11A. No. 9.16 does not apply. Such use shall be limited to non-geostationary-satellite systems operated in accordance with international aeronautical standards. Resolution 406 (WRC-23) applies. (WRC-23)
5.198B	The use of the frequency band 117.975-137 MHz by the aeronautical mobile (R) service shall have priority over use by the aeronautical mobile-satellite (R) service. (WRC-23)
5.199	SUP (WRC-07)
5.200	In the frequency band 117.975-137 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency and, where required, the frequency 123.1 MHz is the aeronautical frequency auxiliary to 121.5 MHz. Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article 31 for distress and safety purposes with stations of the aeronautical mobile service and the aeronautical mobile-satellite service. (WRC-23)
5.201	<i>Additional allocation:</i> in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Egypt, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq (Republic of), Japan, Kazakhstan, Mali, Mongolia, Mozambique, Uzbekistan, Papua New Guinea, Poland, Qatar, Kyrgyzstan, Romania, Senegal, Somalia, Tajikistan and Turkmenistan, the frequency band 132-136 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-23)
5.202	<i>Additional allocation:</i> in Saudi Arabia, Armenia, Azerbaijan, Bahrain, the United Arab Emirates, the Russian Federation, Georgia, Iran (Islamic Republic of), Jordan, Mali, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, Senegal, Tajikistan and Turkmenistan, the frequency band 136-137 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-23)
5.203	SUP (WRC-07)
5.203A	SUP(WRC-07)
5.203B	SUP(WRC-07)
5.203C	The use of the space operation service (space-to-Earth) with non-geostationary-satellite short-duration mission systems in the frequency band 137-138 MHz is subject to Resolution 660 (WRC-19). Resolution 32 (WRC-19) applies. These systems shall not cause harmful interference to, or claim protection from, the existing services to which the frequency band is allocated on a primary basis. (WRC-19)
5.204	<i>Different category of service:</i> in Afghanistan, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Cuba, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Kuwait, Montenegro, Oman, Pakistan, the Philippines, Qatar, Singapore, Thailand and Yemen, the frequency band 137-138 MHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis (see No. 5.33). (WRC-19)
5.205	<i>Different category of service:</i> in Israel and Jordan, the allocation of the band 137-138 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33).
5.206	<i>Different category of service:</i> in Armenia, Azerbaijan, Belarus, Bulgaria, Egypt, the Russian Federation, Finland, France, Georgia, Greece, Kazakhstan, Lebanon, Moldova,

Footnotes

	Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Syrian Arab Republic, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 137-138 MHz to the aeronautical mobile (OR) service is on a primary basis (see No. 5.33). (WRC-2000)
5.207	<i>Additional allocation:</i> in Australia, the band 137-144 MHz is also allocated to the broadcasting service on a primary basis until that service can be accommodated within regional broadcasting allocations.
5.208	The use of the band 137-138 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-97)
5.208A	In making assignments to space stations in the mobile-satellite service in the frequency bands 137-138 MHz, 387-390 MHz and 400.15-401 MHz and in the maritime mobile-satellite service (space-to-Earth) in the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the frequency bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and 608-614 MHz from harmful interference from unwanted emissions as shown in the most recent version of Recommendation ITU-R RA.769. (WRC-19)
5.208B*	In the frequency bands: 137-138 MHz, 157.1875-157.3375 MHz, 161.7875-161.9375 MHz, 387-390 MHz, 400.15-401 MHz, 1 452-1 492 MHz, 1 525-1 610 MHz, 1 613.8-1 626.5 MHz, 2 655-2 690 MHz, 21.4-22 GHz, Resolution 739 (Rev.WRC-19) applies. (WRC-19)
5.209	The use of the bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz, 400.15-401 MHz, 454-456 MHz, and 459-460 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems. (WRC-97)
5.209A	The use of the frequency band 137.175-137.825 MHz by non-geostationary-satellite systems in the space operation service identified as short-duration mission in accordance with Appendix 4 is not subject to No. 9.11A. (WRC-19)
5.210	<i>Additional allocation:</i> in Italy and the United Kingdom, the bands 138-143.6 MHz and 143.65-144 MHz are also allocated to the space research service (space-to-Earth) on a secondary basis. (WRC-23)
5.211	<i>Additional allocation:</i> in Germany, Saudi Arabia, Austria, Bahrain, Belgium, Denmark, the United Arab Emirates, Spain, Finland, Greece, Guinea, Ireland, Israel, Kenya, Kuwait, Lebanon, Liechtenstein, Luxembourg, North Macedonia, Mali, Malta, Montenegro, Norway, the Netherlands, Qatar, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sweden, Switzerland, Tanzania, Tunisia and Turkey, the frequency band 138-144 MHz is also allocated to the maritime mobile and land mobile services on a primary basis. (WRC-23)
5.212	<i>Alternative allocation:</i> in Angola, Botswana, Cameroon, the Central African Rep., Congo (Rep. of the), Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Lesotho, Liberia, Libya, Malawi, Mozambique, Namibia, Niger, Oman, Uganda, Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sierra Leone, South Africa, Chad, Togo, Zambia and Zimbabwe, the frequency band 138-144 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-19)
5.213	<i>Additional allocation:</i> in China, the band 138-144 MHz is also allocated to the radiolocation service on a primary basis.

Footnotes

5.214	<i>Additional allocation:</i> in Eritrea, Ethiopia, Kenya, North Macedonia, Montenegro, Serbia, Somalia, Sudan, South Sudan and Tanzania, the frequency band 138-144 MHz is also allocated to the fixed service on a primary basis. (WRC-19)
5.215	Not used.
5.216	<i>Additional allocation:</i> in China, the band 144-146 MHz is also allocated to the aeronautical mobile (OR) service on a secondary basis.
5.217	<i>Alternative allocation:</i> in Afghanistan, Bangladesh, Cuba, Guyana and India, the band 146-148 MHz is allocated to the fixed and mobile services on a primary basis.
5.218	<i>Additional allocation:</i> the band 148-149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21. The bandwidth of any individual transmission shall not exceed ± 25 kHz.
5.218A	The frequency band 148-149.9 MHz in the space operation service (Earth-to-space) may be used by non-geostationary-satellite systems with short-duration missions. Non-geostationary-satellite systems in the space operation service used for a short-duration mission in accordance with Resolution 32 (WRC-19) of the Radio Regulations are not subject to agreement under No. 9.21. At the stage of coordination, the provisions of Nos. 9.17 and 9.18 also apply. In the frequency band 148-149.9 MHz, non-geostationary-satellite systems with short-duration missions shall not cause unacceptable interference to, or claim protection from, existing primary services within this frequency band, or impose additional constraints on the space operation and mobile-satellite services. In addition, earth stations in non-geostationary-satellite systems in the space operation service with short-duration missions in the frequency band 148-149.9 MHz shall ensure that the power flux-density does not exceed $-149 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 1% of time at the border of the territory of the following countries: Armenia, Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, Russian Federation, India, Iran (Islamic Republic of), Japan, Kazakhstan, Malaysia, Uzbekistan, Kyrgyzstan, Thailand and Viet Nam. In case this power flux-density limit is exceeded, agreement under No. 9.21 is required to be obtained from countries mentioned in this footnote. (WRC-19)
5.219	The use of the frequency band 148-149.9 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the frequency band 148-149.9 MHz. The use of the frequency band 148-149.9 MHz by non-geostationary-satellite systems in the space operation service identified as short-duration mission is not subject to No. 9.11A. (WRC-19)
5.220	The use of the frequency bands 149.9-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-15)
5.221	Stations of the mobile-satellite service in the frequency band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations in the following countries: Albania, Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Benin, Bosnia and Herzegovina, Botswana, Brunei Darussalam, Bulgaria, Cameroon, China, Cyprus, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Croatia, Cuba, Denmark, Djibouti, Egypt, the United Arab Emirates, Eritrea, Spain, Estonia, Eswatini, Ethiopia, the Russian Federation, Finland, France, Gabon, Georgia, Ghana, Greece, Guinea, Guinea Bissau, Hungary, India, Iran (Islamic Republic of), Ireland, Iceland, Israel, Italy, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malaysia, Mali, Malta, Mauritania, Moldova, Mongolia, Montenegro, Mozambique, Namibia, Norway, New Zealand, Oman, Uganda, Uzbekistan, Pakistan, Panama, Papua New Guinea, Paraguay, the Netherlands, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Türkiye, Kyrgyzstan, Dem. People's Rep. of Korea, Slovakia, Romania, the United Kingdom, Senegal, Serbia, Sierra Leone, Singapore, Slovenia, Somalia, Sudan, Sri

Footnotes

	Lanka, South Africa, Sweden, Switzerland, Tanzania, Chad, Togo, Tonga, Trinidad and Tobago, Tunisia, Ukraine, Viet Nam, Yemen, Zambia and Zimbabwe. (WRC-23)
5.222	SUP (WRC-15)
5.223	SUP (WRC-15)
5.224	SUP (WRC-97)
5.224A	SUP (WRC-15)
5.224B	SUP (WRC-15)
5.225	<i>Additional allocation:</i> in Australia and India, the band 150.05-153 MHz is also allocated to the radio astronomy service on a primary basis.
5.225A	<i>Additional allocation:</i> in Algeria, Armenia, Azerbaijan, Belarus, China, the Russian Federation, France, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and Viet Nam, the frequency band 154-156 MHz is also allocated to the radiolocation service on a primary basis. The usage of the frequency band 154-156 MHz by the radiolocation service shall be limited to space-object detection systems operating from terrestrial locations. The operation of stations in the radiolocation service in the frequency band 154-156 MHz shall be subject to agreement obtained under No. 9.21 . For the identification of potentially affected administrations in Region 1, the instantaneous field-strength value of 12 dB(V/m) for 10% of the time produced at 10 m above ground level in the 25 kHz reference frequency band at the border of the territory of any other administration shall be used. For the identification of potentially affected administrations in Region 3, the interference-to-noise ratio (I/N) value of 6 dB ($N = 161$ dBW/4 kHz), or 10 dB for applications with greater protection requirements, such as public protection and disaster relief (PPDR ($N = 161$ dBW/4 kHz)), for 1% of the time produced at 60 m above ground level at the border of the territory of any other administration shall be used. In the frequency bands 156.7625-156.8375 MHz, 156.5125-156.5375 MHz, 161.9625- 161.9875 MHz, 162.0125-162.0375 MHz, out-of-band e.i.r.p. of space surveillance radars shall not exceed 16 dBW. Frequency assignments to the radiolocation service under this allocation in Ukraine shall not be used without the agreement of Moldova. (WRC-12)
5.226	The frequency 156.525 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service using digital selective calling (DSC). The conditions for the use of this frequency and the band 156.4875-156.5625 MHz are contained in Articles 31 and 52, and in Appendix 18. The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service. The conditions for the use of this frequency and the band 156.7625-156.8375 MHz are contained in Article 31 and Appendix 18. In the bands 156-156.4875 MHz, 156.5625-156.7625 MHz, 156.8375-157.45 MHz, 160.6-160.975 MHz and 161.475-162.05 MHz, each administration shall give priority to the maritime mobile service on only such frequencies as are assigned to stations of the maritime mobile service by the administration (see Articles 31 and 52, and Appendix 18). Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service. However, the frequencies 156.8 MHz and 156.525 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements. (WRC-07)

Footnotes

5.227	<i>Additional allocation:</i> the bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz are also allocated to the fixed and land mobile services on a primary basis. The use of these bands by the fixed and land mobile services shall not cause harmful interference to nor claim protection from the maritime mobile VHF radiocommunication service. (WRC-07)
5.227A	SUP (WRC-12)
5.228	The use of the frequency bands 156.7625-156.7875 MHz and 156.8125-156.8375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system (AIS) emissions of long-range AIS broadcast messages (Message 27, see the most recent version of Recommendation ITU-R M.1371). With the exception of AIS emissions, emissions in these frequency bands by systems operating in the maritime mobile service for communications shall not exceed 1W. (WRC-12)
5.228A	The frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz may be used by aircraft stations for the purpose of search and rescue operations and other safety-related communications. (WRC-12)
5.228AA	The use of the frequency bands 161.9375-161.9625 MHz and 161.9875-162.0125 MHz by the maritime mobile-satellite (Earth-to-space) service is limited to the systems which operate in accordance with Appendix 18. (WRC-15)
5.228AB	The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (Earth-to-space) is limited to non-GSO satellite systems operating in accordance with Appendix 18. (WRC-19)
5.228AC	The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (space-to-Earth) is limited to non-GSO satellite systems operating in accordance with Appendix 18. Such use is subject to agreement obtained under No. 9.21 with respect to the terrestrial services in Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, the Russian Federation, the Syrian Arab Republic, the Dem. People's Rep. of Korea, South Africa and Viet Nam. (WRC-19)
5.228B	The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the fixed and land mobile services shall not cause harmful interference to, or claim protection from, the maritime mobile service. (WRC-12)
5.228C	The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the maritime mobile service and the mobile-satellite (Earth-to-space) service is limited to the automatic identification system (AIS), including AIS search and rescue transmitters (AIS-SART) and satellite emergency position indicating radio beacons with AIS (EPIRB-AIS). The use of these frequency bands by the aeronautical mobile (OR) service is limited to AIS emissions from search and rescue aircraft operations. The AIS, AIS-SART and EPIRB-AIS operations in these frequency bands shall not constrain the development and use of the fixed and mobile services operating in the adjacent frequency bands. (WRC-23)
5.228D	The frequency bands 161.9625-161.9875 MHz (AIS 1) and 162.0125-162.0375 MHz (AIS 2) may continue to be used by the fixed and mobile services on a primary basis until 1 January 2025, at which time this allocation shall no longer be valid. Administrations are encouraged to make all practicable efforts to discontinue the use of these bands by the fixed and mobile services prior to the transition date. During this transition period, the maritime mobile service in these frequency bands has priority over the fixed, land mobile and aeronautical mobile services. (WRC-12)
5.228E	The use of the automatic identification system in the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the aeronautical mobile (OR) service is limited to aircraft stations for the purpose of search and rescue operations and other safety-related communications. (WRC-12)
5.228F	The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system emissions from stations operating in the maritime mobile service. (WRC-12)

Footnotes

	SUP (WRC-23)
5.230	<i>Additional allocation:</i> in China, the band 163-167 MHz is also allocated to the space operation service (space-to-Earth) on a primary basis, subject to agreement obtained under No. 9.21.
5.231	<i>Additional allocation:</i> in Afghanistan, and China, the band 167-174 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service into this band shall be subject to agreement with the neighbouring countries in Region 3 whose services are likely to be affected. (WRC 12)
5.232	SUP (WRC-12)
5.233	<i>Additional allocation:</i> in China, the band 174-184 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis, subject to agreement obtained under No. 9.21. These services shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations.
5.234	SUP (WRC-12)
5.235	<i>Additional allocation:</i> in Germany, Austria, Belgium, Denmark, Spain, Finland, France, Israel, Italy, Liechtenstein, Malta, Monaco, Norway, the Netherlands, the United Kingdom, Sweden and Switzerland, the band 174-223 MHz is also allocated to the land mobile service on a primary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, broadcasting stations, existing or planned, in countries other than those listed in this footnote.
5.236	Not used
5.237	<i>Additional allocation:</i> in Congo (Rep. of the), Egypt, Eritrea, Ethiopia, Gambia, Guinea, Libya, Mali, Sierra Leone, Somalia and Chad, the band 174-223 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-12)
5.238	<i>Additional allocation:</i> in Bangladesh, India, Pakistan and the Philippines, the band 200-216 MHz is also allocated to the aeronautical radionavigation service on a primary basis.
5.239	Not used.
5.240	<i>Additional allocation:</i> in China and India, the band 216-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.
5.241	In Region 2, no new stations in the radiolocation service may be authorized in the band 216-225 MHz. Stations authorized prior to 1 January 1990 may continue to operate on a secondary basis.
5.242	<i>Additional allocation:</i> in Canada and Mexico, the frequency band 216-220 MHz is also allocated to the land mobile service on a primary basis. (WRC-19)
5.243	<i>Additional allocation:</i> in Somalia, the band 216-225 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to not causing harmful interference to existing or planned broadcasting services in other countries.
5.244	SUP (WRC-97)
5.245	<i>Additional allocation:</i> in Japan, the band 222-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.
5.246	<i>Alternative allocation:</i> in Spain, France, Israel and Monaco, the band 223-230 MHz is allocated to the broadcasting and land mobile services on a primary basis (see No. 5.33) on the basis that, in the preparation of frequency plans, the broadcasting service shall have prior choice of frequencies; and allocated to the fixed and mobile, except land mobile, services on a secondary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations in Morocco and Algeria.
5.247	<i>Additional allocation:</i> in Saudi Arabia, Bahrain, the United Arab Emirates, Jordan, Oman, Qatar and Syrian Arab Republic, the band 223-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis.

Footnotes

5.248	Not used
5.249	Not used
5.250	<i>Additional allocation:</i> in China, the band 225-235 MHz is also allocated to the radio astronomy service on a secondary basis.
5.251	<i>Additional allocation:</i> in Nigeria, the band 230-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to agreement obtained under No. 9.21 .
5.252	<i>Alternative allocation:</i> in Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe, the frequency bands 230-238 MHz and 246-254 MHz are allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21 . (WRC-19)
5.253	Not used.
5.254	The bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. 9.21 , on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations except for the additional allocation made in footnote No. 5.256A . (WRC-03)
5.255	The bands 312-315 MHz (Earth-to-space) and 387-390 MHz (space-to-Earth) in the mobile-satellite service may also be used by non-geostationary-satellite systems. Such use is subject to coordination under No. 9.11A .
5.256	The frequency 243 MHz is the frequency in this band for use by survival craft stations and equipment used for survival purposes. (WRC-07)
5.256A	<i>Additional allocation:</i> in China, the Russian Federation and Kazakhstan, the frequency band 258-261 MHz is also allocated to the space research service (Earth-to-space) and space operation service (Earth-to-space) on a primary basis. Stations in the space research service (Earth-to-space) and space operation service (Earth-to-space) shall not cause harmful interference to, or claim protection from, or constrain the use and development of, the mobile service systems and mobile-satellite service systems operating in the frequency band. Stations in space research service (Earth-to-space) and space operation service (Earth-to-space) shall not constrain the future development of fixed service systems of other countries. (WRC-15)
5.257	The band 267-272 MHz may be used by administrations for space telemetry in their countries on a primary basis, subject to agreement obtained under No. 9.21 .
5.258	The use of the band 328.6-335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path).
5.259	<i>Additional allocation:</i> in Egypt, and the Syrian Arab Republic, the band 328.6-335.4 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21 . In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. 9.21 . (WRC-12)
5.260	
5.260A	In the frequency band 399.9-400.05 MHz, the maximum e.i.r.p. of any emission of earth stations in the mobile-satellite service shall not exceed 5 dBW in any 4 kHz band and the maximum e.i.r.p. of each earth station in the mobile-satellite service shall not exceed 5 dBW in the whole 399.9-400.05 MHz frequency band. Until 22 November 2022, this limit shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2022, these limits shall apply to all systems within the mobile-satellite service operating in this frequency band. In the frequency band 399.99-400.02 MHz, the e.i.r.p. limits as specified above shall apply after 22 November 2022 to all systems within the mobile-satellite service.

Footnotes

	Administrations are requested that their mobile-satellite service satellite links in the 399.99-400.02 MHz frequency band comply with the e.i.r.p. limits as specified above, after 22 November 2019. (WRC-19)
5.260B	In the frequency band 400.02-400.05 MHz, the provisions of No. 5.A12 are not applicable for telecommand uplinks within the mobile-satellite service. (WRC-19)
5.261	Emissions shall be confined in a band of ± 25 kHz about the standard frequency 400.1 MHz.
5.262	<i>Additional allocation:</i> in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Botswana, Colombia, Cuba, Egypt, the United Arab Emirates, Ecuador, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Liberia, Malaysia, Moldova, Uzbekistan, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Kyrgyzstan, Romania, Singapore, Somalia, Tajikistan, Chad, Turkmenistan and Ukraine, the band 400.05-401 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)
5.263	The band 400.15-401 MHz is also allocated to the space research service in the space-to-space direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.
5.264	The use of the band 400.15-401 MHz by the mobile-satellite service is subject to coordination under No. 9.11A . The power flux-density limit indicated in Annex 1 of Appendix 5 shall apply until such time as a competent world radiocommunication conference revises it.
5.264A	In the frequency band 401-403 MHz, the maximum e.i.r.p. of any emission of each earth station in the meteorological- satellite service and the Earth exploration-satellite service shall not exceed 22 dBW in any 4 kHz band for geostationary systems and non-geostationary systems with an orbit of apogee equal or greater than 35 786 km. The maximum e.i.r.p. of any emission of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 7 dBW in any 4 kHz band for non-geostationary systems with an orbit of apogee lower than 35 786 km. The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 22 dBW for geostationary systems and non-geostationary systems with an orbit of apogee equal or greater than 35 786 km in the whole 401-403 MHz frequency band. The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 7 dBW for non-geostationary systems with an orbit of apogee lower than 35 786 km in the whole 401-403 MHz frequency band. Until 22 November 2029, these limits shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2029, these limits shall apply to all systems within the meteorological-satellite service and the Earth exploration-satellite service operating in this frequency band. (WRC-19)
5.264B	Non-geostationary-satellite systems in the meteorological-satellite service and the Earth exploration satellite service for which complete notification information has been received by the Radiocommunication Bureau no later than 28 April 2007 are exempt from provisions of No. 5.264A and may continue to operate in the frequency band 401.898-402.522 MHz on a primary basis without exceeding a maximum e.i.r.p. level of 12 dBW. (WRC-23)
5.265	In the frequency band 403-410 MHz, Resolution 205 (Rev.WRC-19) applies. (WRC-19)

Footnotes

5.266	The use of the band 406-406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position- indicating radiobeacons (see also Article 31). (WRC-07)
5.267	Any emission capable of causing harmful interference to the authorized uses of the band 406-406.1 MHz is prohibited.
5.268	Use of the frequency band 410-420 MHz by the space research service is limited to space-to-space communication links with an orbiting, manned space vehicle. The power flux-density at the surface of the Earth produced by emissions from transmitting stations of the space research service (space-to-space) in the frequency band 410-420 MHz shall not exceed $-153 \text{ dB(W/m}^2\text{)}$ for $0^\circ \leq \delta \leq 5^\circ$, $-153 + 0.077 (\delta - 5) \text{ dB(W/m}^2\text{)}$ for $5^\circ \leq \delta \leq 70^\circ$ and $-148 \text{ dB(W/m}^2\text{)}$ for $70^\circ \leq \delta \leq 90^\circ$, where δ is the angle of arrival of the radio-frequency wave and the reference bandwidth is 4 kHz. In this frequency band, stations of the space research service (space-to-space) shall not claim protection from, nor constrain the use and development of, stations of the fixed and mobile services. No. 4.10 does not apply. (WRC-15)
5.269	<i>Different category of service:</i> in Australia, Brazil, the United States, India, Japan and the United Kingdom, the allocation of the frequency bands 420-430 MHz and 440-450 MHz to the radiolocation service is on a primary basis (see No. 5.33). (WRC-23)
5.270	<i>Additional allocation:</i> in Australia, the United States, Jamaica and the Philippines, the bands 420-430 MHz and 440- 450 MHz are also allocated to the amateur service on a secondary basis.
5.271	<i>Additional allocation:</i> in Belarus, China, India, Kyrgyzstan and Turkmenistan, the band 420-460 MHz is also allocated to the aeronautical radionavigation service (radio altimeters) on a secondary basis. (WRC-07)
5.272	SUP (WRC-12)
5.273	SUP (WRC-12)
5.274	<i>Alternative allocation:</i> in Denmark, Norway, Sweden, and Chad the bands 430-432 MHz and 438-440 MHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC12)
5.275	<i>Additional allocation:</i> in Croatia, Estonia, Finland, Libya, North Macedonia, Montenegro and Serbia, the frequency bands 430-432 MHz and 438-440 MHz are also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
5.276	<i>Additional allocation:</i> in Afghanistan, Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burkina Faso, Djibouti, Egypt, the United Arab Emirates, Ecuador, Eritrea, Ethiopia, Greece, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Italy, Jordan, Kenya, Kuwait, Libya, Malaysia, Niger, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Switzerland, Thailand, Togo, Turkey and Yemen, the frequency band 430-440 MHz is also allocated to the fixed service on a primary basis and the frequency bands 430-435 MHz and 438-440 MHz are also allocated, except in Ecuador, to the mobile, except aeronautical mobile, service on a primary basis. (WRC-23)
5.277	<i>Additional allocation:</i> in Angola, Armenia, Azerbaijan, Belarus, Cameroon, Congo (Rep. of the), Djibouti, the Russian Federation, Georgia, Hungary, Israel, Kazakhstan, Mali, Uzbekistan, Poland, the Dem. Rep. of the Congo, Kyrgyzstan, Slovakia, Romania, Rwanda, Tajikistan, Chad, Turkmenistan and Ukraine, the frequency band 430-440 MHz is also allocated to the fixed service on a primary basis. (WRC-19)
5.278	<i>Different category of service:</i> in Argentina, Brazil, Colombia, Costa Rica, Cuba, Guyana, Honduras, Panama, Paraguay, Uruguay and Venezuela, the allocation of the frequency band 430-440 MHz to the amateur service is on a primary basis (see No. 5.33). (WRC-19)
5.279	<i>Additional allocation:</i> in Mexico, the frequency bands 430-435 MHz and 438-440 MHz are also allocated on a primary basis to the mobile, except aeronautical mobile, service,

Footnotes

	and on a secondary basis to the fixed service, subject to agreement obtained under No. 9.21. (WRC-19)
5.279A	The use of the frequency band 432-438 MHz by sensors in the Earth exploration-satellite service (active) shall be in accordance with Recommendation ITU-R RS.1260-2 . Additionally, the Earth exploration-satellite service (active) in the frequency band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30. (WRC-19)
5.280	In Germany, Austria, Bosnia and Herzegovina, Croatia, Liechtenstein, North Macedonia, Montenegro, Portugal, Serbia, Slovenia and Switzerland, the frequency band 433.05-434.79 MHz (centre frequency 433.92 MHz) is designated for industrial, scientific, and medical (ISM) applications. Radiocommunication services of these countries operating within this frequency band must accept harmful interference which may be caused by these applications. ISM equipment operating in this frequency band is subject to the provisions of No. 15.13. (WRC-19)
5.281	<i>Additional allocation:</i> in the French overseas departments and communities in Region 2 and India, the band 433.75-434.25 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis. In France and in Brazil, the band is allocated to the same service on a secondary basis.
5.282	In the bands 435-438 MHz, 1 260-1 270 MHz, 2 400-2 450 MHz, 3 400-3 410 MHz (in Regions 2 and 3 only) and 5 650- 5 670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in accordance with the Table (see No. 5.43). Administrations authorizing such use shall ensure that any harmful interference caused by emissions from a station in the amateur-satellite service is immediately eliminated in accordance with the provisions of No. 25.11 . The use of the bands 1 260-1 270 MHz and 5 650-5 670 MHz by the amateur-satellite service is limited to the Earth-to-space direction.
5.283	<i>Additional allocation:</i> in Austria, the band 438-440 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
5.284	<i>Additional allocation:</i> in Canada, the band 440-450 MHz is also allocated to the amateur service on a secondary basis.
5.285	<i>Different category of service:</i> in Canada, the allocation of the band 440-450 MHz to the radiolocation service is on a primary basis (see No. 5.33).
5.286	The band 449.75-450.25 MHz may be used for the space operation service (Earth-to-space) and the space research service (Earth-to-space), subject to agreement obtained under No. 9.21 .
5.286A	The use of the bands 454-456 MHz and 459-460 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-97)
5.286AA	The frequency band 450-470 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) - see Resolution 224 (Rev.WRC-19) . This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)
5.286B	The use of the band 454-455 MHz in the countries listed in No. 5.286D , 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. 5.286E , by stations in the mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)
5.286C	The use of the band 454-455 MHz in the countries listed in No. 5.286D , 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. 5.286E , by stations in the mobile-satellite service, shall not constrain the development and use of the fixed and mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)

Footnotes

5.286D	Additional allocation: in Canada, the United States and Panama, the band 454-455 MHz is also allocated to the mobile- satellite service (Earth-to-space) on a primary basis. (WRC-07)
5.286E	Additional allocation: in Cape Verde, Nepal and Nigeria, the bands 454-456 MHz and 459-460 MHz are also allocated to the mobile-satellite (Earth-to-space) service on a primary basis. (WRC-23)
5.287	Use of the frequency bands 457.5125-457.5875 MHz and 467.5125-467.5875 MHz by the maritime mobile service is limited to on-board communication stations. The characteristics of the equipment and the channelling arrangement shall be in accordance with Recommendation ITU-R M.1174-4. The use of these frequency bands in territorial waters is subject to the national regulations of the administration concerned. (WRC-19)
5.288	In the territorial waters of the United States and the Philippines, the preferred frequencies for use by on-board communication stations shall be 457.525 MHz, 457.550 MHz, 457.575 MHz and 457.600 MHz paired, respectively, with 467.750 MHz, 467.775 MHz, 467.800 MHz and 467.825 MHz. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-4. (WRC-19)
5.289	Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the bands 460-470 MHz and 1 690-1 710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Table.
5.290	<i>Different category of service:</i> in Afghanistan, Azerbaijan, Belarus, China, the Russian Federation, Japan, Kyrgyzstan, , Tajikistan and, Turkmenistan the allocation of the band 460-470 MHz to the meteorological-satellite service (space- to-Earth) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 . (WRC-12)
5.291	<i>Additional allocation:</i> in China, the band 470-485 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis subject to agreement obtained under No. 9.21 and subject to not causing harmful interference to existing and planned broadcasting stations.
5.291A	<i>Additional allocation:</i> in Germany, Austria, Denmark, Estonia, Liechtenstein, Serbia and Switzerland, the frequency band 470-494 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (Rev.WRC-23) . (WRC-23)
5.292	<i>Different category of service:</i> in Argentina, Uruguay and Venezuela, the allocation of the frequency band 470-512 MHz to the mobile service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 . (WRC-15)
5.293	<i>Different category of service:</i> in Canada, Chile, Cuba, the United States, Guyana and Panama, the allocation of the frequency bands 470-512 MHz and 614-806 MHz to the fixed service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 . In the Bahamas, Barbados, Canada, Chile, Cuba, the United States, Guyana, Jamaica, Mexico and Panama, the allocation of the frequency bands 470-512 MHz and 614-698 MHz to the mobile service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 . In Argentina and Ecuador, the allocation of the frequency band 470-512 MHz to the fixed and mobile services is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 . (WRC-23)
5.294	<i>Additional allocation:</i> in Saudi Arabia, Cameroon, Côte d'Ivoire, Egypt, Ethiopia, Israel, Libya, Palestine*, the Syrian Arab Republic, Chad and Yemen, the frequency band 470-582 MHz is also allocated to the fixed service on a secondary basis. (WRC-23)
5.295	In the Bahamas, Barbados, Canada, the United States and Mexico, the frequency band 470-608 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT)-see Resolution 224 (Rev.WRC-19) . This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement

Footnotes

	obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply. (WRC-19)
5.295A	<i>Additional allocation:</i> in Albania, Germany, Andorra, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Cyprus, Vatican, Croatia, Denmark, Estonia, Finland, France, Georgia, Greece, Hungary, Ireland, Iceland, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malta, Moldova, Monaco, Montenegro, Norway, Uzbekistan, Kingdom of the Netherlands, Poland, Portugal, Türkiye, Slovakia, the Czech Republic, Romania, the United Kingdom, San Marino, Serbia, Slovenia, Sweden, Switzerland and Ukraine, the frequency band 470-694 MHz is allocated to the mobile, except aeronautical mobile, service on a secondary basis, subject to agreement obtained under No. 9.21. For the protection of the broadcasting service, stations in the mobile service shall not create a field strength for more than 1% of the time at the highest of the clutter height or 10 m above ground level at the border of the territory of any other administration that exceeds the field strength value as calculated using § 4.1.3.2 of Annex 2 to the GE06 Agreement with regard to allowance for multiple interference, Table A.1.10 and the methodology given in the GE06 Agreement. These limits may be exceeded on the territory of any country whose administration has so agreed. This allocation shall in no way adversely affect the broadcast development or undermine new entries of the broadcasting service to the GE06 Plan. (WRC-23)
5.296	<i>Additional allocation:</i> in Albania, Algeria, Germany, Angola, Saudi Arabia, Austria, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Botswana, Bulgaria, Burkina Faso, Burundi, Cameroon, Vatican, Congo (Rep. of the), Côte d'Ivoire, Croatia, Denmark, Djibouti, Egypt, United Arab Emirates, Spain, Estonia, Eswatini, Finland, France, Gabon, Gambia, Georgia, Ghana, Hungary, Iraq, Ireland, Iceland, Israel, Italy, Jordan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malawi, Mali, Malta, Morocco, Mauritius, Mauritania, Moldova, Monaco, Mozambique, Namibia, Niger, Nigeria, Norway, Oman, Uganda, Palestine*, the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Türkiye, Slovakia, the Czech Republic, Romania, the United Kingdom, Rwanda, San Marino, Senegal, Serbia, Sudan, South Africa, Sweden, Switzerland, Tanzania, Chad, Togo, Tunisia, Ukraine, Zambia and Zimbabwe, the frequency band 470-694 MHz is also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting and programme-making. Stations of the land mobile service in the countries listed in this footnote shall not cause harmful interference to existing or planned stations operating in accordance with the Table in countries other than those listed in this footnote. (WRC-23)
5.296A	In Micronesia, the Solomon Islands, Tuvalu and Vanuatu, the frequency band 470-698 MHz, or portions thereof, and in Bangladesh, Lao P.D.R., Maldives, New Zealand and Viet Nam, the frequency band 610-698 MHz, or portions thereof, are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT)-see Resolution 224 (Rev.WRC-23). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. The mobile allocation in this frequency band shall not be used for IMT systems unless subject to agreement obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply. (WRC https://www.itu.int/pub/R-ACT-WRC.16-2024-23)
5.297	<i>Additional allocation:</i> in Canada, Costa Rica, Cuba, El Salvador, the United States, Guatemala, Guyana and Jamaica, the frequency band 512-608 MHz is also allocated to the fixed and mobile services on a primary basis, subject to agreement obtained under No. 9.21. In the Bahamas, Barbados and Mexico, the frequency band 512-608 MHz is also allocated to the mobile service on a primary basis, subject to agreement obtained

Footnotes

	under No. 9.21 . In Mexico, the frequency band 512-608 MHz is also allocated on a secondary basis to the fixed service (see No. 5.32). (WRC-19)
5.298	<i>Additional allocation:</i> in India, the band 549.75-550.25 MHz is also allocated to the space operation service (space-to- Earth) on a secondary basis.
5.299	Not used.
5.300	<i>Additional allocation:</i> in Saudi Arabia, Cameroon, Egypt, United Arab Emirates, Iraq, Israel, Jordan, Libya, Oman, Palestine*, Qatar, the Syrian Arab Republic and Sudan, the frequency band 582-790 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-23)
5.301	Not used.
5.302	SUP (WRC-12)
5.303	Not used.
5.304	<i>Additional allocation:</i> in the African Broadcasting Area (see Nos. 5.10 to 5.13), the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.
5.305	<i>Additional allocation:</i> in China, the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.
5.306	<i>Additional allocation:</i> in Region 1, except in the African Broadcasting Area (see Nos. 5.10 to 5.13), and in Region 3, except in China and India, the band 608-614 MHz is also allocated to the radio astronomy service on a secondary basis. (WRC-23)
5.307	<i>Additional allocation:</i> in India, the band 608-614 MHz is also allocated to the radio astronomy service on a primary basis.
5.307A	<i>Additional allocation:</i> in Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, Iraq, Jordan, Kuwait, Oman, Palestine*, Qatar and the Syrian Arab Republic, the frequency band 614-694 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis and identified for International Mobile Telecommunications (IMT)-see Resolution 224 (Rev.WRC-23) subject to the agreement obtained under No. 9.21 . Stations in the mobile service shall not create a field strength for more than 1% of the time at the highest of the clutter height or 10 m above ground level at the border of the territory of any other administration that exceeds the field strength value as calculated using § 4.1.3.2 of Annex 2 to the GE06 Agreement with regard to allowance for multiple interference, Table A.1.10 and the methodology given in the GE06 Agreement. Stations in the mobile service of the countries listed in this footnote shall not cause harmful interference to, or claim protection from the existing and future broadcasting stations of the neighbouring countries operating in accordance with the GE06 Plan. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations and shall in no way adversely affect the development of the existing and future broadcasting service in accordance with the GE06 Agreement. For countries party to the GE06 Agreement, the use of stations in the mobile service is also subject to the successful application of the procedures of that Agreement. This allocation does not establish priority in the Radio Regulations and shall allow the implementation and development of the broadcasting service in accordance with the GE06 Agreement. The countries listed in this footnote and located in the African Broadcasting Area should ensure protection of the radio astronomy service within the frequency band 606-614 MHz, as allocated in No. 5.304 , consistent with the most recent version of Recommendation ITU-R RA.769. The countries listed in this footnote, which are neighbouring to the countries listed in No. 5.312 , should ensure the protection of the aeronautical radionavigation service in the frequency band 645-862 MHz. (WRC-23)
5.307B	<i>Additional allocation:</i> in Gambia, Mauritania, Namibia, Nigeria, Senegal, Somalia, Tanzania and Chad, the frequency band 614-694 MHz is allocated to the mobile service on a secondary basis. For the protection of the broadcasting service, stations in the mobile service shall not create a field strength for more than 1% of the time at the highest of the clutter height or 10 m above ground level at the border of the territory of any other

Footnotes

	administration that exceeds the field strength value as calculated using § 4.1.3.2 of Annex 2 to the GE06 Agreement with regard to allowance for multiple interference, Table A.1.10 and the methodology given in the GE06 Agreement. This allocation shall in no way adversely affect the broadcast development or undermine new entries of the broadcasting service to the GE06 Plan. Additional measures shall be used by administrations implementing stations in the mobile services to protect stations in the broadcasting service of neighbouring administrations such as a distance limitation from the border of a neighbouring country. (WRC-23)
5.308	<i>Additional allocation Different category of service:</i> in Belize, Colombia, El Salvador and Guatemala, the frequency band 614-698 MHz is also allocated to the mobile service on a primary basis. Stations of the mobile service within the frequency band are subject to agreement obtained under No. 9.21 . (WRC-23)
5.308A	In the Bahamas, Barbados, Belize, Canada, Colombia, El Salvador, the United States, Guatemala and Mexico, the frequency band 614-698 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT)-see Resolution 224 (Rev.WRC-23) . This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply. (WRC-23)
5.309	<i>Different category of service:</i> in El Salvador, the allocation of the frequency band 614-806 MHz to the fixed service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 . (WRC-15)
5.310	SUP (WRC-97)
5.311	SUP (WRC-07)
5.311A	SUP (WRC-19)
5.312	<i>Additional allocation:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 645-862 MHz, and in Bulgaria the frequency bands 726-753 MHz, 778-811 MHz and 822-852 MHz, are also allocated to the aeronautical radionavigation service on a primary basis. (WRC-23)
5.312A	In Region 1, the use of the frequency band 694-790 MHz by the mobile, except aeronautical mobile, service is subject to the provisions of Resolution 760 (Rev.WRC-23). See also Resolution 224 (Rev.WRC-23). (WRC-23)
5.312B	The frequency band 698-960 MHz, or portions thereof, in Region 2, and the frequency band 694-960 MHz, or portions thereof, in Region 1, are identified for use by high-altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 213 (WRC-23) shall apply. HIBS shall not claim protection from existing primary services. No. 5.43A does not apply, see <i>resolves</i> 2 of Resolution 213 (WRC-23) . Such use of HIBS in the frequency bands 694-728 MHz, 830- 835 MHz and 805.3-806.9 MHz is limited to reception by HIBS. (WRC-23)
5.313	SUP (WRC-97)
5.313A	The frequency band, or portions of the frequency band 698-790 MHz, in Australia, Bangladesh, Brunei Darussalam, Cambodia, China, Korea (Rep. of), Fiji, India, Indonesia, Japan, Kiribati, Lao P.D.R., Malaysia, Myanmar (Union of), New Zealand, Pakistan, Papua New Guinea, the Philippines, the Dem. People's Rep. of Korea, Solomon Islands, Samoa, Singapore, Thailand, Tonga, Tuvalu, Vanuatu and Viet Nam, are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-19)

Footnotes

5.313B	SUP (WRC-15)
5.314	SUP (WRC-15)
5.314A	The frequency band 698-960 MHz, or portions thereof, in Australia, Maldives, Micronesia, Papua New Guinea, Tonga and Vanuatu, and the frequency bands 703-733 MHz, 758-788 MHz, 890-915 MHz and 935-960 MHz, or portions thereof, in China, India, Indonesia, Japan, Korea (Rep. of), Malaysia, the Philippines and Thailand are identified for use by high-altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 213 (WRC-23) shall apply. HIBS shall not claim protection from existing primary services. No. 5.43A does not apply, see <i>resolves</i> 2 of Resolution 213 (WRC-23) . Such use of HIBS in the frequency bands 698-728 MHz and 830-835 MHz is limited to reception by HIBS. (WRC-23)
5.315	SUP (WRC-15)
5.316	SUP (WRC-15)
5.316A	SUP (WRC-15)
5.316B	In Region 1, the allocation to the mobile, except aeronautical mobile, service in the frequency band 790-862 MHz is subject to agreement obtained under No. 9.21 with respect to the aeronautical radionavigation service in countries mentioned in No. 5.312 . For countries party to the GE06 Agreement, the use of stations of the mobile service is also subject to the successful application of the procedures of that Agreement. Resolutions 224 (Rev.WRC-23) and 749 (Rev.WRC-23) shall apply, as appropriate. (WRC-23)
5.317	<i>Additional allocation:</i> in Region 2 (except Brazil, the United States and Mexico), the frequency band 806-890 MHz is also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. 9.21 . The use of this service is intended for operation within national boundaries. (WRC-15)
5.317A	The parts of the frequency band 698-960 MHz in Region 2 and the frequency bands 694-790 MHz in Region 1 and 790-960 MHz in Regions 1 and 3 which are allocated to the mobile service on a primary basis are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT)-see Resolutions 224 (Rev.WRC-23) , 760 (Rev.WRC-23) and 749 (Rev.WRC-23) , where applicable. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-23)
5.318	<i>Additional allocation:</i> in Canada, the United States and Mexico, the bands 849-851 MHz and 894-896 MHz are also allocated to the aeronautical mobile service on a primary basis, for public correspondence with aircraft. The use of the band 849-851 MHz is limited to transmissions from aeronautical stations and the use of the band 894-896 MHz is limited to transmissions from aircraft stations.
5.319	<i>Additional allocation:</i> in Belarus, the Russian Federation and Ukraine, the bands 806-840 MHz (Earth-to-space) and 856-890 MHz (space-to-Earth) are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service. The use of these bands by this service shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations and is subject to special agreements between the administrations concerned.
5.320	<i>Additional allocation:</i> in Region 3, the bands 806-890 MHz and 942-960 MHz are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service on a primary basis, subject to agreement obtained under No. 9.21 . The use of this service is limited to operation within national boundaries. In seeking such agreement, appropriate protection shall be afforded to services operating in accordance with the Table, to ensure that no harmful interference is caused to such services.
5.321	SUP (WRC-07)

Footnotes

5.322	In Region 1, in the band 862-960 MHz, stations of the broadcasting service shall be operated only in the African Broadcasting Area (see Nos. 5.10 to 5.13) excluding Algeria, Burundi, Egypt, Spain, Lesotho, Libya, Morocco, Malawi, Namibia, Nigeria, South Africa, Tanzania, Zimbabwe and Zambia, subject to agreement obtained under No. 9.21 . (WRC-23)
5.323	<i>Additional allocation:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 862-960 MHz, in Bulgaria the frequency bands 862-880 MHz and 915-925 MHz, and in Romania the frequency bands 862-880 MHz and 915-925 MHz, are also allocated to the aeronautical radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-19)
5.324	Not used.
5.325	<i>Different category of service:</i> in the United States, the allocation of the band 890-942 MHz to the radiolocation service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 .
5.325A	<i>Different category of service:</i> in Argentina, Brazil, Costa Rica, Cuba, Dominican Republic, El Salvador, Ecuador, the French overseas departments and communities in Region 2, Guatemala, Paraguay, Uruguay and Venezuela, the frequency band 902-928 MHz is allocated to the land mobile service on a primary basis. In Mexico, the frequency band 902-928 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. In Colombia, the frequency band 902-915 MHz is allocated to the land mobile service on a primary basis. (WRC-23)
5.326	<i>Different category of service:</i> in Chile, the band 903-905 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. 9.21 .
5.327	<i>Different category of service:</i> in Australia, the allocation of the band 915-928 MHz to the radiolocation service is on a primary basis (see No. 5.33).
5.327A	The use of the frequency band 960-1 164 MHz by the aeronautical mobile (R) service is limited to systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 417 (Rev.WRC-15) . (WRC-15)
5.328	The use of the band 960-1 215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities. (WRC-2000)
5.328A	Stations in the radionavigation-satellite service in the band 1 164-1 215 MHz shall operate in accordance with the provisions of Resolution 609 (Rev.WRC-07) and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1 215 MHz. No. 5.43A does not apply. The provisions of No. 21.18 shall apply. (WRC-07)
5.328AA	The frequency band 1 087.7-1 092.3 MHz is also allocated to the aeronautical mobile-satellite (R) service (Earth-to- space) on a primary basis, limited to the space station reception of Automatic Dependent Surveillance-Broadcast (ADS-B) emissions from aircraft transmitters that operate in accordance with recognized international aeronautical standards. Stations operating in the aeronautical mobile-satellite (R) service shall not claim protection from stations operating in the aeronautical radionavigation service. Resolution 425 (Rev.WRC-19) shall apply. (WRC-19)
5.328B	The use of the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. 9.12 , 9.12A and 9.13 . Resolution 610 (WRC-03) shall also apply; however, in the case of radionavigation-satellite service (space-to-space) networks and

Footnotes

	systems, Resolution 610 (WRC-03) shall only apply to transmitting space stations. In accordance with No. 5.329A , for systems and networks in the radionavigation-satellite service (space-to-space) in the bands 1 215-1 300 MHz and 1 559-1 610 MHz, the provisions of Nos. 9.7 , 9.12 , 9.12A and 9.13 shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space). (WRC-07)
5.329	Use of the radionavigation-satellite service in the frequency band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No. 5.331 . Furthermore, the use of the radionavigation-satellite service in the frequency band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. 5.43 shall not apply in respect of the radiolocation service. Resolution 608 (Rev.WRC-19) shall apply. (WRC-19)
5.329A	Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1 215-1 300 MHz and 1 559-1 610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on radionavigation-satellite service (space-to-Earth) systems or on other services operating in accordance with the Table of Frequency Allocations. (WRC-07)
5.330	<i>Additional allocation:</i> in Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, China, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Nepal, Oman, Pakistan, Palestine*, the Philippines, Qatar, the Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the frequency band 1 215-1 300 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-23)
5.331	<i>Additional allocation:</i> in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Djibouti, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Madagascar, Mali, Mauritania, Montenegro, Nigeria, Norway, Oman, Pakistan, Palestine*, the Kingdom of the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Türkiye, Dem. People's Rep. of Korea, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sudan, South Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Venezuela and Viet Nam, the frequency band 1 215-1 300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the frequency band 1 240-1 300 MHz is also allocated to the radionavigation service, and use of the radionavigation service shall be limited to the aeronautical radionavigation service. (WRC-23)
5.332	In the band 1 215-1 260 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis. (WRC-2000)
5.332A	Administrations authorizing operation of the amateur and amateur-satellite services in the frequency band 1 240-1 300 MHz, or portions thereof, shall ensure that the amateur and amateur-satellite services do not cause harmful interference to radionavigation-satellite service (space-to-Earth) receivers in accordance with No. 5.29 (see the most recent version of Recommendation ITU-R M.2164). The authorizing administration, upon receipt of a report of harmful interference caused by a station of the amateur or amateur-satellite services, shall take all necessary steps to rapidly eliminate such interference. (WRC-23)
5.333	SUP (WRC-97)

Footnotes

5.334	<i>Additional allocation:</i> in Canada and the United States, the band 1 350-1 370 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)
5.335	In Canada and the United States in the band 1 240-1 300 MHz, active spaceborne sensors in the earth exploration- satellite and space research services shall not cause interference to, claim protection from, or otherwise impose constraints on operation or development of the aeronautical radionavigation service. (WRC-97)
5.335A	In the band 1 260-1 300 MHz, active spaceborne sensors in the Earth exploration- satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service and other services allocated by footnotes on a primary basis. (WRC-2000)
5.336	Not used.
5.337	The use of the bands 1 300-1 350 MHz, 2 700-2 900 MHz and 9 000-9 200 MHz by the aeronautical radionavigation service is restricted to ground-based radars and to associated airborne transponders which transmit only on frequencies in these bands and only when actuated by radars operating in the same band.
5.337A	The use of the band 1 300-1 350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrain the operation and development of, the aeronautical-radionavigation service. (WRC-2000)
5.338	In Kyrgyzstan, Slovakia, and Turkmenistan, existing installations of the radionavigation service may continue to operate in the band 1 350-1 400 MHz. (WRC-12)
5.338A	In the frequency bands 1 350-1 400 MHz, 1 427-1 452 MHz, 22.55-23.55 GHz, 24.25-27.5 GHz, 30-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz, 51.4-52.6 GHz, 81-86 GHz and 92-94 GHz, Resolution 750 (Rev.WRC-19) applies. (WRC-19)
5.339	The bands 1 370-1 400 MHz, 2 640-2 655 MHz, 4 950-4 990 MHz and 15.20-15.35 GHz are also allocated to the space research (passive) and Earth exploration-satellite (passive) services on a secondary basis.
5.339A	SUP (WRC-07)
5.340	All emissions are prohibited in the following bands: 1 400-1 427 MHz, 2 690-2 700 MHz, except those provided for by No. 5.422, 10.68-10.7 GHz, except those provided for by No. 5.483, 15.35-15.4 GHz, except those provided for by No. 5.511, 23.6-24 GHz, 31.3-31.5 GHz, 31.5-31.8 GHz, in Region 2, 48.94-49.04 GHz, from airborne stations 50.2-50.4 GHz², 52.6-54.25 GHz, 86-92 GHz, 100-102 GHz, 109.5-111.8 GHz, 114.25-116 GHz, 148.5-151.5 GHz, 164-167 GHz, 182-185 GHz, 190-191.8 GHz, 200-209 GHz, 226-231.5 GHz, 250-252 GHz. (WRC-03) ² 5.340.1 The allocation to the Earth exploration-satellite service (passive) and the space research service (passive) in the band 50.2-50.4 GHz should not impose undue

Footnotes

	constraints on the use of the adjacent bands by the primary allocated services in those bands. (WRC-97)
5.341	In the bands 1 400-1 727 MHz, 101-120 GHz and 197-220 GHz, passive research is being conducted by some countries in a programme for the search for intentional emissions of extraterrestrial origin.
5.341A	In Region 1, the frequency bands 1 427-1 452 MHz and 1 492-1 518 MHz are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-15) . This identification does not preclude the use of these frequency bands by any other application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of IMT stations is subject to agreement obtained under No. 9.21 with respect to the aeronautical mobile service used for aeronautical telemetry in accordance with No. 5.342 . (WRC-15)
5.341B	In Region 2, the frequency band 1 427-1 518 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-15) . This identification does not preclude the use of this frequency band by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-15)
5.341C	The frequency bands 1 427-1 452 MHz and 1 492-1 518 MHz are identified for use by administrations in Region 3 wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-15) . The use of these frequency bands by the above administrations for the implementation of IMT in the frequency bands 1 429-1 452 MHz and 1 492-1 518 MHz is subject to agreement obtained under No. 9.21 from countries using stations of the aeronautical mobile service. This identification does not preclude the use of these frequency bands by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-15)
5.342	<i>Additional allocation:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Uzbekistan, Kyrgyzstan and Ukraine, the frequency band 1 429-1 535 MHz is also allocated to the aeronautical mobile service on a primary basis, exclusively for the purposes of aeronautical telemetry within the national territory. As of 1 April 2007, the use of the frequency band 1 452-1 492 MHz is subject to agreement between the administrations concerned. (WRC-15)
5.343	In Region 2, the use of the band 1 435-1 535 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service.
5.344	<i>Alternative allocation:</i> in the United States, the band 1 452-1 525 MHz is allocated to the fixed and mobile services on a primary basis (see also No. 5.343).
5.345	Use of the frequency band 1 452-1 492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19) . (WRC-19)
5.346	In Algeria, Angola, Saudi Arabia, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Kenya, Kuwait, Lesotho, Lebanon, Liberia, Madagascar, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Palestine**, Qatar, Dem. Rep. of the Congo, Rwanda, Senegal, Seychelles, Somalia, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Tunisia, Zambia, and Zimbabwe, the frequency band 1 452-1 492 MHz is identified for use by administrations listed above wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-23) . This identification does not preclude the use of this frequency band by any other application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of this frequency band for the implementation of IMT is subject to agreement obtained under

Footnotes

	No. 9.21 with respect to the aeronautical mobile service used for aeronautical telemetry in accordance with No. 5.342 . See also Resolution 761 (Rev.WRC-19) . (WRC-23)
5.346A	The frequency band 1 452-1 492 MHz is identified for use by administrations in Region 3 wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-19) and Resolution 761 (Rev.WRC-19) . The use of this frequency band by the above administrations for the implementation of IMT is subject to agreement obtained under No. 9.21 from countries using stations of the aeronautical mobile service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)
5.347	SUP (WRC-07)
5.347A	SUP (WRC-07)
5.348	The use of the band 1 518-1 525 MHz by the mobile-satellite service is subject to coordination under No. 9.11A . In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from the stations in the fixed service. No. 5.43A does not apply. (WRC-03)
5.348A	In the band 1 518-1 525 MHz, the coordination threshold in terms of the power flux-density levels at the surface of the Earth in application of No. 9.11A for space stations in the mobile-satellite (space-to-Earth) service, with respect to the land mobile service use for specialized mobile radios or used in conjunction with public switched telecommunication networks (PSTN) operating within the territory of Japan, shall be – 150 dB(W/m ²) in any 4 kHz band for all angles of arrival, instead of those given in Table 5-2 of Appendix 5. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from stations in the mobile service in the territory of Japan. No. 5.43A does not apply. (WRC-03)
5.348B	In the band 1 518-1 525 MHz, stations in the mobile-satellite service shall not claim protection from aeronautical mobile telemetry stations in the mobile service in the territory of the United States (see Nos. 5.343 and 5.344) and in the countries listed in No. 5.342 . No. 5.43A does not apply. (WRC-03)
5.348C	SUP (WRC-07)
5.349	<i>Different category of service:</i> in Saudi Arabia, Azerbaijan, Bahrain, Cameroon, Egypt, Iran (Islamic Republic of), Iraq, Israel, Kuwait, Lebanon, North Macedonia, Morocco, Qatar, Syrian Arab Republic, Kyrgyzstan, Turkmenistan and Yemen, the allocation of the frequency band 1 525-1 530 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-23)
5.350	<i>Additional allocation:</i> in Kyrgyzstan and Turkmenistan, the frequency band 1 525-1 530 MHz is also allocated to the aeronautical mobile service on a primary basis. (WRC-19)
5.351	The bands 1 525-1 544 MHz, 1 545-1 559 MHz, 1 626.5-1 645.5 MHz and 1 646.5-1 660.5 MHz shall not be used for feeder links of any service. In exceptional circumstances, however, an earth station at a specified fixed point in any of the mobile-satellite services may be authorized by an administration to communicate via space stations using these bands.
5.351A	For the use of the bands 1 518-1 544 MHz, 1 545-1 559 MHz, 1 610-1 645.5 MHz, 1 646.5-1 660.5 MHz, 1 668-1 675 MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 520 MHz and 2 670-2 690 MHz by the mobile-satellite service, see Resolutions 212 (Rev.WRC-23) and 225 (Rev.WRC-23) . (WRC-23)
5.352	SUP (WRC-97)
5.352A	In the frequency band 1 525-1 530 MHz, stations in the mobile-satellite service, except stations in the maritime mobile- satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed service in Algeria, Saudi Arabia, Egypt, Guinea, India, Israel, Italy, Jordan, Kuwait, Mali, Morocco, Mauritania, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Viet Nam and Yemen notified prior to 1 April 1998. (WRC-19)

Footnotes

5.353	SUP (WRC-97)
5.353A	In applying the procedures of Section II of Article 9 to the mobile-satellite service in the bands 1 530-1 544 MHz and 1 626.5-1 645.5 MHz, priority shall be given to accommodating the spectrum requirements for distress, urgency and safety communications of the Global Maritime Distress and Safety System (GMDSS). Maritime mobile-satellite distress, urgency and safety communications shall have priority access and immediate availability over all other mobile satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, distress, urgency and safety communications of the GMDSS. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (Rev.WRC-23) shall apply.) (WRC-23)
5.354	The use of the bands 1 525-1 559 MHz and 1 626.5-1 660.5 MHz by the mobile-satellite services is subject to coordination under No. 9.11A.
5.355	<i>Additional allocation:</i> in Bahrain, Bangladesh, Congo (Rep. of the), Djibouti, Egypt, Eritrea, Iraq, Israel, Kuwait, , Qatar, Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the bands 1 540-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a secondary basis. (WRC-12)
5.356	The use of the band 1 544-1 545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications (see Article 31).
5.357	Transmissions in the band 1 545-1 555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorized when such transmissions are used to extend or supplement the satellite-to-aircraft links.
5.357A	In applying the procedures of Section II of Article 9 to the mobile-satellite service in the frequency bands 1 545-1 555 MHz and 1 646.5-1 656.5 MHz, priority shall be given to accommodating the spectrum requirements of the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 in Article 44. Aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44 shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. The provisions of Resolution 222 (Rev.WRC-23) shall apply. (WRC-23)
5.358	SUP (WRC-97)
5.359	<i>Additional allocation:</i> in Germany, Saudi Arabia, Armenia, Azerbaijan, Belarus, Cameroon, the Russian Federation, Georgia, Guinea, Guinea-Bissau, Jordan, Kazakhstan, Kuwait, Lithuania, Mauritania, Uganda, Uzbekistan, Pakistan, Poland, the Syrian Arab Republic, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Tajikistan, Tunisia and Turkmenistan, the frequency bands 1 550-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a primary basis. Administrations are urged to make all practicable efforts to avoid the implementation of new fixed-service stations in these frequency bands. (WRC-23)
5.360 to 5.362	SUP (WRC-97)
5.362A	In the United States, in the bands 1 555-1 559 MHz and 1 656.5-1 660.5 MHz, the aeronautical mobile-satellite (R) service shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable

	interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (WRC-97)
5.362B	SUP (WRC-15)
5.362C	SUP (WRC-15)
5.363	SUP (WRC-07)
5.364	The use of the band 1 610-1 626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodetermination- satellite service (Earth-to-space) is subject to coordination under No. 9.11A. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of -15 dB(W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. 5.366 (to which No. 4.10 applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed -3 dB (W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. 5.366 and stations in the fixed service operating in accordance with the provisions of No. 5.359. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. 5.366.
5.365	The use of the band 1 613.8-1 626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under No. 9.11A.
5.366	The band 1 610-1 626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. 9.21.
5.367	<i>Additional allocation:</i> The frequency bands 1 610-1 626.5 MHz is also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-12)
5.368	The provisions of No. 4.10 do not apply with respect to the radiodetermination-satellite and mobile-satellite services in the frequency band 1 610-1 626.5 MHz. However, No. 4.10 applies in the frequency band 1 610-1 626.5 MHz with respect to the aeronautical radionavigation-satellite service when operating in accordance with No. 5.366, the aeronautical mobile-satellite (R) service when operating in accordance with No. 5.367, and in the frequency bands 1 614.4225-1 618.725 MHz or 1 616.3-1 620.38 MHz (Earth-to-space) (see <i>resolves</i> 5 of Resolution 365 (WRC-23)) and 1 621.35-1 626.5 MHz with respect to the maritime mobile-satellite service when used for the global maritime distress and safety system (GMDSS). In applying the procedure of Section II of Article 9, the provisions of No. 4.10 do not apply for the frequency bands 1 614.4225-1 618.725 MHz or 1 616.3-1 620.38 MHz (Earth-to-space) (see <i>resolves</i> 5 of Resolution 365 (WRC-23)) and 2 483.59-2 499.91 MHz (space-to-Earth) for the maritime mobile-satellite service when used for the GMDSS with satellite networks or systems for which complete coordination information has been received by the Radiocommunication Bureau before 20 November 2023. Resolution 365 (WRC-23) applies. (WRC-23)
5.369	<i>Different category of service:</i> in Angola, Australia, China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), Israel, Lebanon, Liberia, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, the Dem. Rep. of the Congo, Sudan, South Sudan, Togo and Zambia, the allocation of the band 1 610-1 626.5 MHz to the radiodetermination-satellite service (Earth-to-space) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 from countries not listed in this provision. (WRC-12)
5.370	<i>Different category of service:</i> in Venezuela, the allocation to the radiodetermination-satellite service in the band 1 610- 1 626.5 MHz (Earth-to-space) is on a secondary basis.

Footnotes

5.371	<i>Additional allocation:</i> in Region 1, the bands 1 610-1 626.5 MHz (Earth-to-space) (space-to-Earth) is also allocated to the radiodetermination-satellite service on a secondary basis, subject to agreement obtained under No. 9.21 . (WRC 12)
5.372	Harmful interference shall not be caused to stations of the radio astronomy service using the frequency band 1 610.6- 1 613.8 MHz by stations of the radiodetermination-satellite and mobile satellite services (No. 29.13 applies). The equivalent power flux-density (epfd) produced in the frequency band 1 610.6-1 613.8 MHz by all space stations of a non-geostationary-satellite system in the mobile-satellite service (space-to-Earth) operating in frequency band 1 613.8- 1 626.5 MHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, using the methodology given in Recommendation ITU-R M.1583-1, and the radio astronomy antenna pattern described in Recommendation ITU-R RA.1631-0. (WRC-19)
5.372A	The maritime mobile-satellite service in the frequency bands 1 614.4225-1 618.725 MHz or 1 616.3-1 620.38 MHz (Earth-to-space) (see <i>resolves</i> 5 of Resolution 365 (WRC-23)) and 2 483.59-2 499.91 MHz (space-to-Earth) when they are used for the global maritime distress and safety system (GMDSS) is limited to the geostationary satellite networks identified in Resolution 365 (WRC-23) and their associated earth stations located within a service area from 75°E to 135°E longitude and from 10°N to 55°N latitude. Resolution 365 (WRC-23) applies. (WRC-23)
5.373	Maritime mobile earth stations receiving in the frequency band 1 621.35-1 626.5 MHz shall not impose additional constraints on earth stations operating in the maritime mobile-satellite service or maritime earth stations of the radiodetermination-satellite service operating in accordance with the Radio Regulations in the frequency band 1 610-1621.35 MHz or on earth stations operating in the maritime mobile-satellite service operating in accordance with the Radio Regulations in the frequency band 1 626.5-1 660.5 MHz, unless otherwise agreed between the notifying administrations. (WRC-19)
5.373A	Maritime mobile earth stations receiving in the frequency band 1 621.35-1 626.5 MHz shall not impose constraints on the assignments of earth stations of the mobile-satellite service (Earth-to-space) and the radiodetermination satellite service (Earth-to-space) in the frequency band 1 621.35-1 626.5 MHz in networks for which complete coordination information has been received by the Radiocommunication Bureau before 28 October 2019. (WRC-19)
5.374	Mobile earth stations in the mobile-satellite service operating in the bands 1 631.5-1 634.5 MHz and 1 656.5-1 660 MHz shall not cause harmful interference to stations in the fixed service operating in the countries listed in No. 5.359 . (WRC-97)
5.375	The use of the frequency band 1 645.5-1 646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress, urgency, and safety communications (see Article 31). (WRC-23)
5.376	Transmissions in the band 1 646.5-1 656.5 MHz from aircraft stations in the aeronautical mobile (R) service directly to terrestrial aeronautical stations, or between aircraft stations, are also authorized when such transmissions are used to extend or supplement the aircraft-to-satellite links.
5.376A	Mobile earth stations operating in the band 1 660-1 660.5 MHz shall not cause harmful interference to stations in the radio astronomy service. (WRC-97)
5.377	SUP (WRC-03)
5.378	Not used.
5.379	<i>Additional allocation:</i> in Bangladesh, India, Indonesia, Nigeria and Pakistan, the band 1 660.5-1 668.4 MHz is also allocated to the meteorological aids service on a secondary basis.
5.379A	Administrations are urged to give all practicable protection in the band 1 660.5-1 668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground

Footnotes

	transmissions in the meteorological aids service in the band 1 664.4-1 668.4 MHz as soon as practicable.
5.379B	The use of the frequency band 1 668-1 675 MHz by the mobile-satellite service is subject to coordination under No. 9.11A . (WRC-23)
5.379C	In order to protect the radio astronomy service in the band 1 668-1 670 MHz, the aggregate power flux-density values produced by mobile earth stations in a network of the mobile-satellite service operating in this band shall not exceed -181 dB(W/m ²) in 10 MHz and -194 dB(W/m ²) in any 20 kHz at any radio astronomy station recorded in the Master International Frequency Register, for more than 2% of integration periods of 2 000 s. (WRC-03)
5.379D	For sharing of the frequency band 1 668.4-1 675 MHz between the mobile-satellite service and the fixed and mobile services, Resolution 744 (Rev.WRC-23) shall apply. (WRC-23)
5.379E	In the band 1 668.4-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to stations in the meteorological aids service in China, Iran (Islamic Republic of), Japan and Uzbekistan. In the band 1 668.4-1 675 MHz, administrations are urged not to implement new systems in the meteorological aids service and are encouraged to migrate existing meteorological aids service operations to other bands as soon as practicable. (WRC-03)
5.380	SUP (WRC-07)
5.380A	In the band 1 670-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to, nor constrain the development of, existing earth stations in the meteorological-satellite service notified before 1 January 2004. Any new assignment to these earth stations in this band shall also be protected from harmful interference from stations in the mobile-satellite service. (WRC-07)
5.381	<i>Additional allocation:</i> in Afghanistan, Cuba, India, Iran (Islamic Republic of) and Pakistan, the band 1 690-1 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis, and in the Dem. People's Rep. of Korea the frequency band 1 690-1 700 MHz is also allocated to the fixed service on a primary basis (see No. 5.33) and to the mobile, except aeronautical mobile, service on a secondary basis. (WRC-23)
5.382	<i>Different category of service:</i> in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, the Russian Federation, Guinea, Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, North Macedonia, Mauritania, Moldova, Mongolia, Oman, Uzbekistan, Poland, Qatar, the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Turkmenistan, Ukraine and Yemen, the allocation of the frequency band 1 690-1 700 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33), a (WRC-23)
5.383	Not used.
5.384	<i>Additional allocation:</i> in India, Indonesia and Japan, the band 1 700-1 710 MHz is also allocated to the space research service (space-to-Earth) on a primary basis. (WRC-97)
5.384A	The frequency bands 1 710-1 885 MHz, 2 300-2 400 MHz and 2 500-2 690 MHz, or portions thereof, are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-15) . This identification does not preclude the use of these by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-15)
5.385	<i>Additional allocation:</i> the band 1 718.8-1 722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations. (WRC-2000)
5.386	<i>Additional allocation:</i> the frequency band 1 750-1 850 MHz is also allocated to the space operation (Earth-to- space) and space research (Earth-to-space) services in Region 2 (except in Mexico), in Australia, Guam, India, Indonesia and Japan on a primary basis,

Footnotes

	subject to agreement obtained under No. 9.21 , having particular regard to troposcatter systems. (WRC-15)
5.387	<i>Additional allocation:</i> in Belarus, Georgia, Kyrgyzstan, Romania, Tajikistan and Turkmenistan, the frequency band 1 770-1 790 MHz is also allocated to the meteorological-satellite service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-23)
5.388	The frequency bands 1 885-2 025 MHz and 2 110-2 200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications (IMT). Such use does not preclude the use of these frequency bands by other services to which they are allocated. The frequency bands should be made available for IMT in accordance with Resolution 212 (Rev.WRC-23) (see also Resolution 223 (Rev.WRC-23)). (WRC-23)
5.388A	The frequency bands 1 710-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz in Regions 1 and 3 and the frequency bands 1 710-1 980 MHz and 2 110-2 160 MHz in Region 2 are identified for the use by high altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 221 (Rev.WRC-23) shall apply. HIBS shall not claim protection from existing primary services. No. 5.43A does not apply. Such use of HIBS in the frequency bands 1 710-1 785 MHz in Regions 1 and 2, and 1 710-1 815 MHz in Region 3 is limited to reception by HIBS, and in the frequency band 2 110-2 170 MHz is limited to transmission from HIBS. (WRC-23)
5.388B	SUP (WRC-23)
5.389	Not used.
5.389A	The use of the frequency bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service is subject to coordination under No. 9.11A and to the provisions of Resolution 716 (Rev.WRC-23) . (WRC-23)
5.389B	The use of the frequency band 1 980-1 990 MHz by the mobile-satellite service shall not cause harmful interference to or constrain the development of the fixed and mobile services in Argentina, Brazil, Canada, Chile, Ecuador, the United States, Honduras, Jamaica, Mexico, Paraguay, Peru, Suriname, Trinidad and Tobago, Uruguay, and Venezuela. (WRC-19)
5.389C	The use of the frequency bands 2 010-2 025 MHz and 2 160-2 170 MHz in Region 2 by the mobile-satellite service is subject to coordination under No. 9.11A and to the provisions of Resolution 716 (Rev.WRC-23) . (WRC-23)
5.389CD	SUP (WRC-03)
5.389E	The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz by the mobile-satellite service in Region 2 shall not cause harmful interference to or constrain the development of the fixed and mobile services in Regions 1 and 3.
5.389F	In Algeria, Cape Verde, Egypt, Iran (Islamic Republic of), Mali, Syrian Arab Republic and Tunisia, the use of the frequency bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service shall neither cause harmful interference to the fixed and mobile services, brought into use prior to 1 January 2005, nor hamper the development of those services, nor shall the former service request protection from the latter services. (WRC-23)
5.390	SUP (WRC-07)
5.391	In making assignments to the mobile service in the frequency bands 2 025-2 110 MHz and 2 200-2 290 MHz, administrations shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154-0, and shall take that Recommendation into account for the introduction of any other type of mobile system. (WRC-15)

Footnotes

5.392	Administrations are urged to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non- geostationary satellites.
5.392A	SUP (WRC-07)
5.393	<i>Additional allocation:</i> in Canada, the United States and India, the frequency band 2 310-2 360 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial sound broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19) , with the exception of <i>resolves</i> 3 in regard to the limitation on broadcasting-satellite systems in the upper 25 MHz. Complementary terrestrial sound broadcasting stations shall be subject to bilateral coordination with neighbouring countries prior to their bringing into use. (WRC-19)
5.394	In the United States, the use of the frequency band 2 360-2 395 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. In Canada, the use of the frequency band 2 360-2 400 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. (WRC-23)
5.395	In France and Turkey, the use of the band 2 310-2 360 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service. (WRC-03)
5.396	SUP (WRC-19)
5.397	SUP (WRC-12)
5.398	In respect of the radiodetermination-satellite service in the band 2 483.5-2 500 MHz, the provisions of No. 4.10 do not apply
5.398A	<i>Different category of service:</i> In Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan and Ukraine, the band 2 483.5-2 500 MHz is allocated on a primary basis to the radiolocation service. The radiolocation stations in these countries shall not cause harmful interference to, or claim protection from, stations of the fixed, mobile and mobile-satellite services operating in accordance with the Radio Regulations in the frequency band 2 483.5-2 500 MHz. (WRC-12)
5.399	Except for cases referred to in No., 5.401 , stations of the radiodetermination-satellite service operating in the frequency band 2 483.5-2 500 MHz for which notification information is received by the Bureau after 17 February 2012, and the service area of which includes Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan and Ukraine, shall not cause harmful interference to, and shall not claim protection from stations of the radiolocation service operating in these countries in accordance with No. 5.398A . (WRC-12)
5.400	SUP (WRC-12)
5.401	In Angola, Australia, Bangladesh, China, Eritrea, Eswatini, Ethiopia, India, Lebanon, Liberia, Libya, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, Dem. Rep. of the Congo, Sudan, Togo and Zambia, the frequency band 2 483.5-2 500 MHz was already allocated on a primary basis to the radiodetermination-satellite service before WRC-12, subject to agreement obtained under No. 9.21 from countries not listed in this provision. Systems in the radiodetermination-satellite service for which complete coordination information has been received by the Radiocommunication Bureau before 18 February 2012 will retain their regulatory status, as of the date of receipt of the coordination request information. (WRC-19)
5.402	The use of the band 2 483.5-2 500 MHz by the mobile-satellite and the radiodetermination-satellite services is subject to the coordination under No. 9.11A . Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2 483.5-2 500 MHz band, especially those caused by second-harmonic radiation that would fall into the 4 990-5 000 MHz band allocated to the radio astronomy service worldwide.

Footnotes

5.403	Subject to agreement obtained under No. 9.21 , the band 2 520-2 535 MHz may also be used for the mobile-satellite (space-to-Earth), except aeronautical mobile-satellite, service for operation limited to within national boundaries. The provisions of No. 9.11A apply. (WRC-07)
5.404	<i>Additional allocation:</i> in India and Iran (Islamic Republic of), the band 2 500-2 516.5 MHz may also be used for the radiodetermination-satellite service (space-to-Earth) for operation limited to within national boundaries, subject to agreement obtained under No. 9.21
5.405	SUP (WRC-12)
5.406	Not used.
5.407	In the band 2 500-2 520 MHz, the power flux-density at the surface of the Earth from space stations operating in the mobile-satellite (space-to-Earth) service shall not exceed $-152 \text{ dB (W/(m}^2 \text{ 114 kHz))}$ in Argentina, unless otherwise agreed by the administrations concerned.
5.408	SUP (WRC-2000)
5.409	SUP (WRC-07)
5.409A	The frequency band 2 500-2 690 MHz in Regions 1 and 2, and the frequency band 2 500-2 655 MHz in Region 3 are identified for use by high-altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 218 (WRC-23) shall apply. HIBS shall not claim protection from existing primary services. No. 5.43A does not apply. Such use of HIBS in the frequency bands 2 500-2 510 MHz in Regions 1 and 2, and 2 500-2 535 MHz in Region 3 is limited to reception by HIBS. (WRC-23)
5.410	The band 2 500-2 690 MHz may be used for tropospheric scatter systems in Region 1, subject to agreement obtained under No. 9.21 . No. 9.21 does not apply to tropospheric scatter links situated entirely outside Region 1. Administrations shall make all practicable efforts to avoid developing new tropospheric scatter systems in this band. When planning new tropospheric scatter radio-relay links in this band, all possible measures shall be taken to avoid directing the antennas of these links towards the geostationary-satellite orbit. (WRC-12)
5.412	<i>Alternative allocation:</i> in Kyrgyzstan and Turkmenistan, the band 2 500-2 690 MHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
5.413	In the design of systems in the broadcasting-satellite service in the bands between 2 500 MHz and 2 690 MHz, administrations are urged to take all necessary steps to protect the radio astronomy service in the band 2 690- 2 700 MHz.
5.414	The allocation of the frequency band 2 500-2 520 MHz to the mobile-satellite service (space-to-Earth) is subject to coordination under No. 9.11A . (WRC-07)
5.414A	In Japan and India, the use of the bands 2 500-2 520 MHz and 2 520-2 535 MHz, under No. 5.403 , by a satellite network in the mobile-satellite service (space-to-Earth) is limited to operation within national boundaries and subject to the application of No. 9.11A . The following pfd values shall be used as a threshold for coordination under No. 9.11A , for all conditions and for all methods of modulation, in an area of 1 000 km around the territory of the administration notifying the mobile-satellite service network: $-136 \text{ dB (W/(m}^2 \cdot \text{ MHz)) for } 0^\circ \leq \theta \leq 5^\circ$ $-136 + 0.55 (\theta - 5) \text{ dB (W/(m}^2 \cdot \text{ MHz)) for } 5^\circ < \theta \leq 25^\circ$ $-125 \text{ dB (W/(m}^2 \cdot \text{ MHz)) for } 25^\circ < \theta \leq 90^\circ$ where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. Outside this area Table 21-4 of Article 21 shall apply. Furthermore, the coordination thresholds in Table 5-2 of Annex 1 to Appendix 5 of the Radio Regulations (Edition of 2004), in conjunction with the applicable provisions of Articles 9 and 11 associated with

Footnotes

	No. 9.11A, shall apply to systems for which complete notification information has been received by the Radiocommunication Bureau by 14 November 2007 and that have been brought into use by that date. (WRC-07)
5.415	The use of the bands 2 500-2 690 MHz in Region 2 and 2 500-2 535 MHz and 2 655-2 690 MHz in Region 3 by the fixed- satellite service is limited to national and regional systems, subject to agreement obtained under No. 9.21, giving particular attention to the broadcasting-satellite service in Region 1. (WRC-07)
5.415A	Additional allocation: in India and Japan, subject to agreement obtained under No. 9.21, the band 2 520-2 535 MHz may also be used for the aeronautical mobile-satellite service (space-to-Earth) for operation limited to within their national boundaries. (WRC-23)
5.416	The use of the band 2 520-2 670 MHz by the broadcasting-satellite service is limited to national and regional systems for community reception, subject to agreement obtained under No. 9.21. The provisions of No. 9.19 shall be applied by administrations in this band in their bilateral and multilateral negotiations. (WRC-07)
5.417	SUP (WRC-2000)
5.417A	SUP (WRC-15)
5.417B	SUP (WRC-15)
5.417C	SUP (WRC-15)
5.417D	SUP (WRC-15)
5.418	<i>Additional allocation:</i> in India, the frequency band 2 535-2 655 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19). The provisions of No. 5.416 and Table 21-4 of Article 21 do not apply to this additional allocation. Use of non-geostationary-satellite systems in the broadcasting-satellite service (sound) is subject to Resolution 539 (Rev.WRC-19). Geostationary broadcasting-satellite service (sound) systems for which complete Appendix 4 coordination information has been received after 1 June 2005 are limited to systems intended for national coverage. The power flux-density at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the frequency band 2 630-2 655 MHz, and for which complete Appendix 4 coordination information has been received after 1 June 2005, shall not exceed the following limits, for all conditions and for all methods of modulation: –130 dB (W/(m² · MHz)) for 0° ≤ θ ≤ 5° –130 + 0.4(θ – 5) dB(W/(m² · MHz)) for 5° < θ ≤ 25° –122 dB (W/(m² · MHz)) for 25° < θ ≤ 90° where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. As an exception to the limits above, the pfd value f –122 dB(W/(m² · MHz)) shall be used as a threshold for coordination under No. 9.11 in an area of 1 500 km around the territory of the administration notifying the broadcasting-satellite service (sound) system. In addition, an administration listed in this provision shall not have simultaneously two frequency assignments, one under this provision and the other under No. 5.416 for systems for which complete Appendix 4 coordination information has been received after 1 June 2005. (WRC-19)
5.418A	In certain Region 3 countries listed in No. 5.418, use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound) for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No.

Footnotes

	9.12A , in respect of geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, is considered to have been received after 2 June 2000, and No. 22.2 does not apply. No. 22.2 shall continue to apply with respect to geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, is considered to have been received before 3 June 2000. (WRC-03)
5.418B	Use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418, for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. 9.12. (WRC-03)
5.418C	Use of the band 2 630-2 655 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000 is subject to the application of the provisions of No. 9.13 with respect to non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418 and No. 22.2 does not apply. (WRC-03)
5.419	The use of the frequency band 2 670-2 690 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-23).
5.420	The band 2 655-2 670 MHz may also be used for the mobile-satellite (Earth-to-space), except aeronautical mobile- satellite, service for operation limited to within national boundaries, subject to agreement obtained under No. 9.21. The coordination under No. 9.11A applies. (WRC-07)
5.420A	SUP (WRC-07)
5.421	SUP (WRC-03)
5.422	<i>Additional allocation:</i> in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Brunei Darussalam, Congo (Rep. of the), Côte d'Ivoire, Cuba, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Georgia, Guinea, Guinea-Bissau, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Mauritania, , Mongolia, Montenegro, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, the Dem. Rep. of the Congo, Romania, Somalia, Tajikistan, Tunisia, Turkmenistan, Ukraine and Yemen, the band 2 690-2 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-12)
5.423	In the band 2 700-2 900 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the aeronautical radionavigation service.
5.424	<i>Additional allocation:</i> in Canada, the band 2 850-2 900 MHz is also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars.
5.424A	In the band 2 900-3 100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service. (WRC-03)
5.425	In the band 2 900-3 100 MHz, the use of the shipborne interrogator-transponder (SIT) system shall be confined to the sub-band 2 930 -2 950 MHz.
5.426	The use of the band 2 900-3 100 MHz by the aeronautical radionavigation service is limited to ground-based radars.
5.427	In the bands 2 900-3 100 MHz and 9 300-9 500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons (racons) and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. 4.9.
5.428	<i>Additional allocation:</i> in Kyrgyzstan and Turkmenistan, the frequency band 3 100-3 300 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
5.429	<i>Additional allocation:</i> in Saudi Arabia, Bahrain, Bangladesh, Benin, Brunei Darussalam, Cambodia, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, India, Indonesia, Iran (Islamic

Footnotes

	<i>Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lao P.D.R., Lebanon, Libya, Malaysia, Mongolia, Myanmar, New Zealand, Oman, Uganda, Pakistan, Palestine*, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Thailand, Viet Nam and Yemen, the frequency band 3 300-3 400 MHz is also allocated to the fixed and mobile services on a primary basis. Mongolia, New Zealand and the countries bordering the Mediterranean shall not claim protection for their fixed and mobile services from the radiolocation service. (WRC-23)</i>
5.429A	<i>Additional allocation: in Angola, Botswana, Burkina Faso, Burundi, Cabo Verde, Central African Republic, Comoros, Djibouti, Eritrea, Eswatini, Ethiopia, Gambia, Ghana, Guinea, Guinea-Bissau, Equatorial Guinea, Lesotho, Liberia, Madagascar, Malawi, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Palestine*, the Dem. Rep. of the Congo, Rwanda, Sao Tomé and Príncipe, Senegal, Seychelles, Sierra Leone, Somalia, South Sudan, South Africa, Tanzania, Chad, Togo, Zambia and Zimbabwe, the frequency band 3 300-3 400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. Stations in the mobile service operating in the frequency band 3 300-3 400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-23)</i>
5.429B	<i>In the following countries of Region 1: Angola, Benin, Botswana, Burkina Faso, Burundi, Cabo Verde, Cameroon, Central African Republic, Comoros, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, Eritrea, Eswatini, Ethiopia, Gambia, Ghana, Guinea, Guinea-Bissau, Equatorial Guinea, Kenya, Lesotho, Liberia, Madagascar, Malawi, Mauritius, Mauritania, Mongolia, Mozambique, Namibia, Niger, Nigeria, Uganda, the Dem. Rep. of the Congo, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Zambia and Zimbabwe, the frequency band 3 300-3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). The use of this frequency band shall be in accordance with Resolution 223 (Rev.WRC-23). The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service, and administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to protect operations within the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-23)</i>
5.429C	<i>Different category of service: in Argentina, Brazil, Cuba, the Dominican Republic, Guatemala, Mexico, Paraguay and Uruguay, the frequency band 3 300-3 400 MHz is allocated to the fixed service on a primary basis. Stations in the fixed service operating in the frequency band 3 300-3 400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-23)</i>
5.429D	<i>In Region 2, the use of the mobile, except aeronautical mobile, service in the frequency band 3 300-3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). Such use shall be in accordance with Resolution 223 (Rev.WRC-23). The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service, and administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to protect operations within the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-23)</i>
5.429E	<i>Additional allocation: in Papua New Guinea, the frequency band 3 300-3 400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. Stations in the mobile service operating in the frequency band 3 300-3 400 MHz shall not cause</i>

Footnotes

	harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-15)
5.429F	In the following countries in Region 3: Cambodia, India, Indonesia, Lao P.D.R., Pakistan, the Philippines, Singapore and Viet Nam, the use of the frequency band 3 300-3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). Such use shall be in accordance with Resolution 223 (Rev.WRC-23) . The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service. Before an administration brings into use a base or mobile station of an IMT system in this frequency band, it shall seek agreement under No. 9.21 with neighbouring countries to protect the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-23)
5.429G	Stations in the mobile, except aeronautical mobile, service operating in the frequency band 3 300-3 400 MHz in Region 2 shall not cause harmful interference to, or claim protection from, systems operating in the radiolocation service. (WRC-23)
5.430	<i>Additional allocation:</i> in Kyrgyzstan and Turkmenistan, the frequency band 3 300-3 400 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
5.430A	The allocation of the frequency band 3 400-3 600 MHz to the mobile, except aeronautical mobile, service is subject to agreement obtained under No. 9.21. This frequency band is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The provisions of Nos. 9.17 and 9.18 shall also apply in the coordination phase. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band, it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed -154.5 dB(W/(m ² · 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station) and with the assistance of the Bureau if so requested. In case of disagreement, calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-15)
5.431	<i>Additional allocation:</i> in Germany, the frequency band 3 400-3 475 MHz is also allocated to the amateur service on a secondary basis. (WRC-19)
5.431A	In Region 2, the allocation of the frequency band 3 400-3 500 MHz to the mobile, except aeronautical mobile, service on a primary basis is subject to agreement obtained under No. 9.21. (WRC-15)
5.431B	In Region 2, the frequency band 3 400-3 600 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a base or mobile station of an IMT system, it shall seek agreement under No. 9.21 with other administrations and ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed +154.5 dB(W/(m ² · 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose

Footnotes

	administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service, including IMT systems, in the frequency band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-15) (Edition of 2004). (WRC-15)
5.432	<i>Different category of service:</i> in Korea (Rep. of), Japan, Pakistan and the Dem. People's Rep. of Korea, the allocation of the frequency band 3 400-3 500 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-19)
5.432A	In Korea (Rep. of), Japan, Pakistan and the Dem. People's Rep. of Korea, the frequency band 3 400-3 500 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-19)
5.432B	<i>Different category of service:</i> in Australia, Bangladesh, Brunei Darussalam, China, French overseas communities of Region 3, India, Indonesia, Iran (Islamic Republic of), Malaysia, New Zealand, the Philippines, Singapore and Thailand, the frequency band 3 400-3 500 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. 9.21 with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination, the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 500 MHz

Footnotes

	shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-19)
5.433	In Regions 2 and 3, in the band 3 400-3 600 MHz the radiolocation service is allocated on a primary basis. However, all administrations operating radiolocation systems in this band are urged to cease operations by 1985. Thereafter, administrations shall take all practicable steps to protect the fixed-satellite service and coordination requirements shall not be imposed on the fixed-satellite service.
5.433A	In Australia, Bangladesh, Brunei Darussalam, China, French overseas communities of Region 3, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, New Zealand, Pakistan, the Philippines, the Dem. People's Rep. of Korea and Singapore, the frequency band 3 500-3 600 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 500-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-23)
5.433B	In Angola, Botswana, Guinea, Lesotho, Malawi and South Sudan, the frequency band 3 600-3 700 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of the frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The conditions of No. 5.434A shall apply. (WRC-23)
5.434	In Region 2, the frequency band 3 600-3 700 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to ensure the protection of the fixed-satellite service (space-to-Earth). (WRC-23)
5.434A	The use of the frequency band 3 600-3 800 MHz by the mobile, except aeronautical mobile, service on a primary basis in Region 1 is subject to agreement obtained under No. 9.21 if the power flux-density (pfd) limit below is exceeded. The provisions of Nos. 9.17 and 9.18 shall also apply in the coordination phase. Before an administration in Region 1 brings into use a station in the mobile service in the frequency band 3 600-3 800 MHz, for the protection of stations in the fixed and fixed-satellite services, it shall ensure that the pfd produced at 3 m above ground does not exceed $-154.5 \text{ dB (W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of the time at the border of the territory of any other administration. Stations in the mobile service operating in the frequency band 3 600-3 800 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations. (WRC-23)
5.434B	In Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, Benin, Burkina Faso, Burundi, Cameroon, Central African Rep., Comoros, Congo (Rep. of the), Côte d'Ivoire, Djibouti,

Footnotes

	Egypt, United Arab Emirates, Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Liberia, Libya, Madagascar, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Uzbekistan, Palestine*, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sao Tome and Principe, Senegal, Sierra Leone, Somalia, Sudan, South Africa, Tanzania, Chad, Togo, Tunisia, Yemen, Zambia and Zimbabwe, the frequency band 3 600-3 800 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of the frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The conditions of No. 5.434A shall apply. (WRC-23)
5.435	In Japan, in the band 3 620-3 700 MHz, the radiolocation service is excluded.
5.435A	<i>Different category of service:</i> In Angola, Botswana, Guinea, Lesotho, Malawi and South Sudan, the frequency band 3 700-3 800 MHz is allocated to the mobile service on a secondary basis. (WRC-23)
5.435B	In the Bahamas, Belize, Brazil, Canada, Colombia, Costa Rica, United States, Guatemala, the French overseas departments and communities in Region 2, Greenland, the overseas countries and territories within the Kingdom of the Netherlands in Region 2, Paraguay, Peru, Trinidad and Tobago and Uruguay, the frequency band 3 700-3 800 MHz is identified for use by any of these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to ensure the protection of the fixed-satellite service (space-to-Earth). (WRC-23)
5.436	Use of the frequency band 4 200-4 400 MHz by stations in the aeronautical mobile (R) service is reserved exclusively for wireless avionics intra-communication systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 424 (Rev.WRC-23) . (WRC-23)
5.437	Passive sensing in the Earth exploration-satellite and space research services may be authorized in the frequency band 4 200-4 400 MHz on a secondary basis. (WRC-15)
5.438	Use of the frequency band 4 200-4 400 MHz by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. (WRC-15)
5.439	<i>Additional allocation:</i> in Iran (Islamic Republic of), the band 4 200-4 400 MHz is also allocated to the fixed service on a secondary basis. (WRC-12)
5.440	The standard frequency and time signal-satellite service may be authorized to use the frequency 4 202 MHz for space- to-Earth transmissions and the frequency 6 427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of ± 2 MHz of these frequencies, subject to agreement obtained under No. 9.21 .
5.440A	In Region 2 (except Brazil, Cuba, French overseas departments and communities, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 400-4 940 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. 1.83). Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of these bands by other mobile service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-07)
5.441	The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix 30B . The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2- 11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed- satellite service shall be in accordance with the provisions of Appendix 30B . The use of the bands 10.7-10.95 GHz (space- to-Earth), 11.2-11.45 GHz

Page | 351

Footnotes

	(space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)
5.441A	In Brazil, Paraguay and Uruguay, the frequency band 4 800-4 900 MHz, or portions thereof, is identified for the implementation of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of this frequency band for the implementation of IMT is subject to agreement obtained with neighbouring countries, and IMT stations shall not claim protection from stations of other applications of the mobile service. Such use shall be in accordance with Resolution 223 (Rev.WRC-19). (WRC-19)
5.441B	In Angola, Argentina, Armenia, Azerbaijan, Benin, Botswana, Brazil, Burkina Faso, Burundi, Cabo Verde, Cambodia, Cameroon, Chile, China, Colombia, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Eswatini, Russian Federation, Gabon, Ghana, Guinea, Iran (Islamic Republic of), Iraq, Kazakhstan, Lao P.D.R., Lesotho, Liberia, Madagascar, Malawi, Mali, Mongolia, Namibia, Niger, Uganda, Uzbekistan, the Dem. Rep. of the Congo, Kyrgyzstan, the Dem. People's Rep. of Korea, South Sudan, South Africa, Chad, Togo, Viet Nam, Zambia and Zimbabwe, the frequency band 4 800-4 990 MHz, or portions thereof, is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of IMT stations is subject to agreement obtained under No. 9.21 with concerned administrations, and IMT stations shall not claim protection from stations of other applications of the mobile service. In addition, before an administration brings into use an IMT station in the mobile service, it shall ensure that the power flux-density (pfd) produced by this station does not exceed $-155 \text{ dB(W/(m}^2 \cdot 1 \text{ MHz))}$ produced up to 19 km above sea level at 20 km from the coast, defined as the low-water mark, as officially recognized by the coastal State. Resolution 223 (Rev.WRC-23) applies. (WRC-23)
5.442	In the frequency bands 4 825-4 835 MHz and 4 950-4 990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service. In Region 2 (except Brazil, Cuba, Guatemala, Mexico, Paraguay, Uruguay, and Venezuela), and in Australia, the frequency band 4 825-4 835 MHz is also allocated to the aeronautical mobile service, limited to aeronautical mobile telemetry for flight testing by aircraft stations. Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to the fixed service. (WRC-15)
5.443	Different category of service: in Argentina, Australia and Canada, the allocation of the bands 4 825-4 835 MHz and 4 950-4 990 MHz to the radio astronomy service is on a primary basis (see No. 5.33).
5.443A	SUP (WRC-03)
5.443AA	In the frequency bands 5 000-5 030 MHz and 5 091-5 150 MHz, the aeronautical mobile-satellite (R) service is subject to agreement obtained under No. 9.21. The use of these

Footnotes

	bands by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems. (WRC-12)
5.443B	In order not to cause harmful interference to the microwave landing system operating above 5 030 MHz, the aggregate power flux-density produced at the Earth's surface in the frequency band 5 030-5 150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the frequency band 5 010-5 030 MHz shall not exceed -124.5 dB(W/m ²) in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the frequency band 4 990-5 000 MHz, radionavigation-satellite service systems operating in the frequency band 5 010-5 030 MHz shall comply with the limits in the frequency band 4 990-5 000 MHz defined in Resolution 741 (Rev.WRC-15). (WRC-15)
5.443C	The use of the frequency band 5 030-5 091 MHz by the aeronautical mobile (R) service is limited to internationally standardized aeronautical systems. Unwanted emissions from the aeronautical mobile (R) service in the frequency band 5 030-5 091 MHz shall be limited to protect RNSS system downlinks in the adjacent 5 010-5 030 MHz band. Until such time that an appropriate value is established in a relevant ITU-R Recommendation, the e.i.r.p. density limit of -75 dBW/MHz in the frequency band 5 010-5 030 MHz for any AM(R)S station unwanted emission should be used. (WRC-12)
5.443D	In the frequency band 5 030-5 091 MHz, the aeronautical mobile-satellite (R) service is subject to coordination under No. 9.11A. The use of this frequency band by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems. (WRC-12)
5.444	The frequency band 5 030-5 150 MHz is to be used for the operation of the international standard system (microwave landing system) for precision approach and landing. In the frequency band 5 030-5 091 MHz, the requirements of this system shall have priority over other uses of this frequency band. For the use of the frequency band 5 091-5 150 MHz, No. 5.444A and Resolution 114 (Rev.WRC-15) apply. (WRC-15)
5.444A	The use of the allocation to the fixed-satellite service (Earth-to-space) in the frequency band 5 091-5 150 MHz is limited to feeder links of non-geostationary satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A. The use of the frequency band 5 091-5 150 MHz by feeder links of non-geostationary satellite systems in the mobile-satellite service shall be subject to application of Resolution 114 (Rev.WRC-15). Moreover, to ensure that the aeronautical radionavigation service is protected from harmful interference, coordination is required for feeder-link earth stations of the non-geostationary satellite systems in the mobile-satellite service which are separated by less than 450 km from the territory of an administration operating ground stations in the aeronautical radionavigation service. (WRC-15)
5.444B	The use of the frequency band 5 091-5 150 MHz by the aeronautical mobile service is limited to: – systems operating in the aeronautical mobile (R) service and in accordance with international aeronautical standards, limited to surface applications at airports. Such use shall be in accordance with Resolution 748 (Rev.WRC-19); – aeronautical telemetry transmissions from aircraft stations (see No. 1.83) in accordance with Resolution 418 (Rev.WRC-19). (WRC-19)
5.445	Not used.
5.446	<i>Additional allocation:</i> in the countries listed in No. 5.369, the frequency band 5 150-5 216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis, subject to agreement obtained under No. 9.21. In Region 2 (except in Mexico), the frequency band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis. In Regions 1 and 3, except those countries listed in No. 5.369 and Bangladesh, the frequency band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the frequency bands 1 610-1 626.5

Footnotes

	MHz and/or 2 483.5-2 500 MHz. The total power flux-density at the Earth's surface shall in no case exceed -159 dB(W/m ²) in any 4 kHz band for all angles of arrival. (WRC-15)
5.446A	The use of the frequency bands 5 150-5 350 MHz and 5 470-5 725 MHz by the stations in the mobile, except aeronautical mobile, service shall be in accordance with Resolution 229 (Rev.WRC-23). (WRC-23)
5.446B	In the band 5 150-5 250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixed- satellite service. No. 5.43A does not apply to the mobile service with respect to fixed-satellite service earth stations. (WRC-03)
5.446C	Additional allocation: in Region 1 (except in Algeria, Saudi Arabia, Bahrain, Egypt, United Arab Emirates, Iraq, Jordan, Kuwait, Lebanon, Morocco, Oman, Qatar, Syrian Arab Republic, Sudan, South Sudan and Tunisia), the frequency band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. 1.83), in accordance with Resolution 418 (Rev.WRC-19). These stations shall not claim protection from other stations operating in accordance with Article 5. No. 5.43A does not apply. (WRC-19)
5.446D	Additional allocation: in Brazil, the band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. 1.83), in accordance with Resolution 418 (Rev.WRC-19). (WRC-19)
5.447	Additional allocation: in Côte d'Ivoire, Egypt, Lebanon, the Syrian Arab Republic and Tunisia, the frequency band 5 150-5 250 MHz is also allocated to the mobile service, on a primary basis, subject to agreement obtained under No. 9.21. In this case, the provisions of Resolution 229 (Rev.WRC-23) do not apply. (WRC-23)
5.447A	The allocation to the fixed-satellite service (Earth-to-space) in the band 5 150-5 250 MHz is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A.
5.447B	<i>Additional allocation:</i> the band 5 150-5 216 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to provisions of No. 9.11A. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5 150-5 216 MHz shall in no case exceed -164 dB(W/m ²) in any 4 kHz band for all angles of arrival.
5.447C	Administrations responsible for fixed-satellite service networks in the band 5 150-5 250 MHz operated under Nos. 5.447A and 5.447B shall coordinate on an equal basis in accordance with No. 9.11A with administrations responsible for non-geostationary-satellite networks operated under No. 5.446 and brought into use prior to 17 November 1995. Satellite networks operated under No. 5.446 brought into use after 17 November 1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service operated under Nos. 5.447A and 5.447B.
5.447D	The allocation of the band 5 250-5 255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)
5.447E	Additional allocation: The frequency band 5 250-5 350 MHz is also allocated to the fixed service on a primary basis in the following countries in Region 3: Australia, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, Malaysia, Papua New Guinea, the Philippines, Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam. The use of this frequency band by the fixed service is intended for the implementation of fixed wireless access systems and shall comply with Recommendation ITU-R F.1613-0. In addition, the fixed service shall not claim protection from the radiodetermination, Earth exploration-satellite (active) and space research (active) services, but the provisions of No. 5.43A do not apply to the fixed

Footnotes

	service with respect to the Earth exploration-satellite (active) and space research (active) services. After implementation of fixed wireless access systems in the fixed service with protection for the existing radiodetermination systems, no more stringent constraints should be imposed on the fixed wireless access systems by future radiodetermination implementations. (WRC-15)
5.447F	In the frequency band 5 250-5 350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). The radiolocation service, the Earth exploration-satellite service (active) and the space research service (active) shall not impose more stringent conditions upon the mobile service than those stipulated in Resolution 229 (Rev.WRC-23). (WRC-23)
5.448	Additional allocation: in Kyrgyzstan, Romania and Turkmenistan, the frequency band 5 250-5 350 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
5.448A	The Earth exploration-satellite (active) and space research (active) services in the frequency band 5 250-5 350 MHz shall not claim protection from the radiolocation service. No. 5.43A does not apply. (WRC-03)
5.448B	The Earth exploration-satellite service (active) operating in the band 5 350-5 570 MHz and space research service (active) operating in the band 5 460-5 570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5 350-5 460 MHz, the radionavigation service in the band 5 460-5 470 MHz and the maritime radionavigation service in the band 5 470-5 570 MHz. (WRC-03)
5.448C	The space research service (active) operating in the band 5 350-5 460 MHz shall not cause harmful interference to nor claim protection from other services to which this band is allocated. (WRC-03)
5.448D	In the frequency band 5 350-5 470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with No. 5.449. (WRC-03)
5.449	The use of the band 5 350-5 470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.
5.450	<i>Additional allocation:</i> in Austria, Azerbaijan, Iran (Islamic Republic of), Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 5 470-5 650 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)
5.450A	In the frequency band 5 470-5 725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. The radiodetermination services shall not impose more stringent conditions upon the mobile service than those stipulated in Resolution 229 (Rev.WRC-23). (WRC-23)
5.450B	In the frequency band 5 470-5 650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5 600-5 650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service. (WRC-03)
5.451	Additional allocation: in the United Kingdom, the band 5 470-5 850 MHz is also allocated to the land mobile service on a secondary basis. The power limits specified in Nos. 21.2, 21.3, 21.4 and 21.5 shall apply in the band 5 725-5 850 MHz.
5.452	Between 5 600 MHz and 5 650 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the maritime radionavigation service.
5.453	<i>Additional allocation:</i> in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guinea, Equatorial Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lebanon, Libya, Madagascar, Malaysia, Niger, Nigeria, Oman, Uganda, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia,

Footnotes

	Sri Lanka, Tanzania, Chad, Thailand, Togo, Viet Nam and Yemen, the frequency band 5 650-5 850 MHz is also allocated to the fixed and mobile services on a primary basis. In this case, the provisions of Resolution 229 (Rev.WRC-23) do not apply. In addition, in Afghanistan, Angola, Benin, Bhutan, Botswana, Burkina Faso, Burundi, Dem. Rep. of the Congo, Fiji, Ghana, Kiribati, Lesotho, Malawi, Maldives, Mauritius, Micronesia, Mongolia, Mozambique, Myanmar, Namibia, Nauru, New Zealand, Papua New Guinea, Rwanda, Solomon Islands, South Sudan, South Africa, Tonga, Vanuatu, Zambia and Zimbabwe, the frequency band 5 725-5 850 MHz is allocated to the fixed service on a primary basis, and stations operating in the fixed service shall not cause harmful interference to and shall not claim protection from other primary services in the frequency band. (WRC-23)
5.454	<i>Different category of service:</i> in Azerbaijan, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 5 670-5 725 MHz to the space research service is on a primary basis (see No. 5.33). (WRC-12)
5.455	<i>Additional allocation:</i> in Armenia, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the frequency band 5 670-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC-19)
5.456	SUP (WRC-15)
5.457	In Australia, Burkina Faso, Cote d'Ivoire, Mali and Nigeria, the allocation to the fixed service in the bands 6 440-6 520 MHz (HAPS-to-ground direction) and 6 560-6 640 MHz (ground-to- HAPS direction) may also be used by gateway links for high-altitude platform stations (HAPS) within the territory of these countries. Such use is limited to operation in HAPS gateway links and shall not cause harmful interference to, and shall not claim protection from, existing services, and shall be in compliance with Resolution 150 (WRC-12) . Existing services shall not be constrained in future development by HAPS gateway links. The use of HAPS gateway links in these bands requires explicit agreement with other administrations whose territories are located within 1 000 kilometres from the border of an administration intending to use the HAPS gateway links. (WRC-12)
5.457A	In the frequency bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution 902 (Rev.WRC-23) . In the frequency band 5 925-6 425 MHz, earth stations located on board vessels and communicating with space stations of the fixed-satellite service may employ transmit antennas with minimum diameter of 1.2 m and operate without prior agreement of any administration if located at least 330 km away from the low-water mark as officially recognized by the coastal State. All other provisions of Resolution 902 (Rev.WRC-23) shall apply. (WRC-23)
5.457B	In the frequency bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may operate with the characteristics and under the conditions contained in Resolution 902 (Rev.WRC-23) in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Jordan, Kuwait, Libya, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, Tunisia and Yemen, in the maritime mobile-satellite service on a secondary basis. Such use shall be in accordance with Resolution 902 (Rev.WRC-23) . (WRC-23)
5.457C	In Region 2 (except Brazil, Cuba, French overseas departments and communities, Guatemala, Mexico, Paraguay, Uruguay, and Venezuela), the frequency band 5 925-6 700 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. 1.83). Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to, or claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of this frequency band by other mobile service applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-15)

Footnotes

5.457D	In Cambodia, Lao P.D.R. and the Maldives, the frequency band 6 425-7 025 MHz is identified for the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 220 (WRC-23) applies. (WRC-23)
5.457E	The frequency bands 6 425-7 125 MHz in Region 1 and 7 025-7 125 MHz in Region 3 are identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 220 (WRC-23) applies. The frequency bands are also used for the implementation of wireless access systems (WAS), including radio local area networks (RLANs). (WRC-23)
5.457F	In Brazil and Mexico, the frequency band 6 425-7 125 MHz is identified for the terrestrial component of International Mobile Telecommunications (IMT). The use of this frequency band for the implementation of IMT is subject to seeking agreement under No. 9.21 with neighbouring countries. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 220 (WRC-23) applies. The frequency band is also used for the implementation of wireless access systems (WAS), including radio local area networks (RLANs). (WRC-23)
5.458	In the band 6 425-7 075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7 075-7 250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6 425-7 075 MHz and 7 075-7 250 MHz.
5.458A	In making assignments in the band 6 700-7 075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6 650- 6 675.2 MHz from harmful interference from unwanted emissions.
5.458B	The space-to-Earth allocation to the fixed-satellite service in the band 6 700-7 075 MHz is limited to feeder links for non- geostationary satellite systems of the mobile-satellite service and is subject to coordination under No. 9.11A . The use of the band 6 700-7 075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile- satellite service is not subject to No. 22.2 .
5.458C	SUP (WRC-15)
5.459	<i>Additional allocation:</i> in the Russian Federation, the frequency bands 7 100-7 155 MHz and 7 190-7 235 MHz are also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21 . In the frequency band 7 190-7 235 MHz, with respect to the Earth exploration satellite service (Earth-to-space), No. 9.21 does not apply. (WRC-15)
5.460	No emissions from space research service (Earth-to-space) systems intended for deep space shall be effected in the frequency band 7 190-7 235 MHz. Geostationary satellites in the space research service operating in the frequency band 7 190-7 235 MHz shall not claim protection from existing and future stations of the fixed and mobile services and No. 5.43A does not apply. (WRC-15)
5.460A	The use of the frequency band 7 190-7 250 MHz (Earth-to-space) by the Earth exploration-satellite service shall be limited to tracking, telemetry and command for the operation of spacecraft. Space stations operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7 190-7 250 MHz shall not claim protection from existing and future stations in the fixed and mobile services, and No. 5.43A does not apply. No. 9.17 applies. Additionally, to ensure protection of the existing and future deployment of fixed and mobile services, the location of earth stations supporting spacecraft in the Earth exploration-satellite service in non-geostationary

Footnotes

	orbits or geostationary orbit shall maintain a separation distance of at least 10 km and 50 km, respectively, from the respective border(s) of neighbouring countries, unless a shorter distance is otherwise agreed between the corresponding administrations. (WRC-15)
5.460B	Space stations on the geostationary orbit operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7 190-7 235 MHz shall not claim protection from existing and future stations of the space research service, and No. 5.43A does not apply. (WRC-15)
5.461	<i>Additional allocation:</i> the frequency bands 7 250-7 375 MHz (space-to-Earth) and 7 900-8 025 MHz (Earth-to-space) are also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. 9.21, with the exception that No. 9.21 shall not apply to the geostationary-satellite networks in the mobile-satellite service for which complete coordination information is received by the Bureau as of 1 January 2025 with respect to nongeostationary-satellite systems for which complete coordination or notification information, according to the case, is received by the Bureau as of 1 January 2025. Non-geostationary-satellite systems for which complete coordination or notification information, according to the case, is received by the Bureau as of 1 January 2025 shall not cause unacceptable interference to and shall not claim protection from geostationary-satellite networks in the mobile-satellite service operating in accordance with these Regulations. No. 5.43A does not apply. (WRC-23)
5.461A	The use of the band 7 450-7 550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary-satellite systems. (WRC-23)
5.461AA	The use of the frequency band 7 375-7 750 MHz by the maritime mobile-satellite service is limited to geostationary-satellite networks. (WRC-15)
5.461AB	In the frequency band 7 375-7 750 MHz, earth stations in the maritime mobile-satellite service shall not claim protection from, nor constrain the use and development of, stations in the fixed and mobile, except aeronautical mobile, services. No. 5.43A does not apply. (WRC-15)
5.461AC	In the frequency band 7 375-7 750 MHz, non-geostationary-satellite systems operating in the fixed-satellite service for which complete coordination or notification information, according to the case, is received by the Bureau as of 1 January 2025 shall not cause unacceptable interference to and shall not claim protection from geostationary-satellite networks in the maritime mobile-satellite service operating in accordance with these Regulations. No. 5.43A does not apply. (WRC-23)
5.461B	The use of the band 7 750-7 900 MHz by the meteorological-satellite service (space-to-Earth) is limited to non-geostationary satellite systems. (WRC-12)
5.462	SUP (WRC-97)
5.462A	In Regions 1 and 3 (except for Japan), in the band 8 025-8 400 MHz, the Earth exploration-satellite service using geostationary satellites shall not produce a power flux-density in excess of the following provisional values for angles of arrival (θ), without the consent of the affected administration: $-135 \text{ dB(W/m}^2\text{)}$ in a 4 kHz band for $0^\circ \leq \theta < 5^\circ$ $-135 + 0.5 (\theta - 5) \text{ dB(W/m}^2\text{)}$ in a 4 kHz band for $5^\circ \leq \theta < 25^\circ$ $-125 \text{ dB(W/m}^2\text{)}$ in a 1 MHz band for $25^\circ \leq \theta \leq 90^\circ$ (WRC-12)
5.463	Aircraft stations are not permitted to transmit in the band 8025-8 400 MHz. (WRC-97)
5.464	SUP (WRC-97)
5.465	In the space research service, the use of the band 8 400-8 450 MHz is limited to deep space.

Footnotes

5.466	<i>Different category of service:</i> in Singapore and Sri Lanka, the allocation of the band 8 400-8 500 MHz to the space research service is on a secondary basis (see No. 5.32). (WRC-12)
5.467	SUP (WRC-03)
5.468	<i>Additional allocation:</i> in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burundi, Cameroon, China, Congo (Rep. of the), Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guyana, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Senegal, Singapore, Somalia, Sudan, Chad, Togo, Tunisia and Yemen, the frequency band 8 500-8 750 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-19)
5.469	<i>Additional allocation:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Lithuania, Uzbekistan, Poland, Kyrgyzstan, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the frequency band 8 500-8 750 MHz is also allocated to the land mobile and radionavigation services on a primary basis. (WRC-23)
5.469A	In the band 8 550-8 650 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service. (WRC-97)
5.470	The use of the band 8 750-8 850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8 800 MHz.
5.471	Additional allocation: in Algeria, Germany, Bahrain, Belgium, China, Egypt, the United Arab Emirates, France, Greece, Indonesia, Iran (Islamic Republic of), Libya, the Netherlands, Qatar and Sudan, the frequency bands 8 825-8 850 MHz and 9 000-9 200 MHz are also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars only. (WRC-15)
5.472	In the bands 8 850-9 000 MHz and 9 200-9 225 MHz, the maritime radionavigation service is limited to shore-based radars.
5.473	<i>Additional allocation:</i> in Armenia, Austria, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the bands 8 850-9 000 MHz and 9 200-9 300 MHz are also allocated to the radionavigation service on a primary basis. (WRC-19)
5.473A	In the band 9 000-9 200 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, systems identified in No. 5.337 operating in the aeronautical radionavigation service, or radar systems in the maritime radionavigation service operating in this band on a primary basis in the countries listed in No. 5.471. (WRC-07)
5.474	In the band 9 200-9 500 MHz, search and rescue transponders (SART) may be used, having due regard to the appropriate ITU-R Recommendation (see also Article 31).
5.474A	The use of the frequency bands 9 200-9 300 MHz and 9 900-10 400 MHz by the Earth exploration-satellite service (active) is limited to systems requiring necessary bandwidth greater than 600 MHz that cannot be fully accommodated within the frequency band 9 300-9 900 MHz. Such use is subject to agreement to be obtained under No. 9.21 from Algeria, Saudi Arabia, Bahrain, Egypt, Indonesia, Iran (Islamic Republic of), Lebanon, and Tunisia. An administration that has not replied under No. 9.52 is considered as not having agreed to the coordination request. In this case, the notifying administration of the satellite system operating in the Earth exploration-satellite service (active) may request the assistance of the Bureau under Sub-Section IID of Article 9. (WRC-15)
5.474B	Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2066- 0. (WRC-15)
5.474C	Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2065- 0. (WRC-15)

Footnotes

5.474D	Stations in the Earth exploration-satellite service (active) shall not cause harmful interference to, or claim protection from, stations of the maritime radionavigation and radiolocation services in the frequency band 9 200-9 300 MHz, the radionavigation and radiolocation services in the frequency band 9 900-10 000 MHz and the radiolocation service in the frequency band 10.0-10.4 GHz. (WRC-15)
5.475	The use of the band 9 300-9 500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the aeronautical radionavigation service are permitted in the band 9 300-9 320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. (WRC-07)
5.475A	The use of the band 9 300-9 500 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 300 MHz that cannot be fully accommodated within the 9 500-9 800 MHz band. (WRC-07)
5.475B	In the band 9 300-9 500 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, radars operating in the radionavigation service in conformity with the Radio Regulations. Ground-based radars used for meteorological purposes have priority over other radiolocation uses. (WRC-07)
5.476	SUP (WRC-07)
5.476A	In the band 9 300-9 800 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from, stations of the radionavigation and radiolocation services. (WRC-07)
5.477	<i>Different category of service:</i> in Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Japan, Jordan, Kuwait, Lebanon, Liberia, Malaysia, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Trinidad and Tobago, and Yemen, the allocation of the frequency band 9 800-10 000 MHz to the fixed service is on a primary basis (see No. 5.33). (WRC-15)
5.478	<i>Additional allocation:</i> in Azerbaijan, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the frequency band 9 800-10 000 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
5.478A	The use of the band 9 800-9 900 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 500 MHz that cannot be fully accommodated within the 9 300-9 800 MHz band. (WRC-07)
5.478B	In the band 9 800-9 900 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from stations of the fixed service to which this band is allocated on a secondary basis. (WRC-07)
5.479	The band 9 975-10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.
5.480	<i>Additional allocation:</i> in Argentina, Brazil, Chile, Colombia, Costa Rica, Cuba, the Dominican Republic, El Salvador, Ecuador, Guatemala, Honduras, Jamaica, Mexico, Paraguay, the overseas countries and territories within the Kingdom of the Netherlands in Region 2, Peru, Suriname and Uruguay, the frequency band 10-10.45 GHz is also allocated to the fixed and mobile services on a primary basis. In Venezuela, the frequency band 10-10.45 GHz is also allocated to the fixed service on a primary basis. (WRC-23)
5.480A	In the following countries in Region 2: Brazil, Colombia, Costa Rica, Cuba, the Dominican Republic, Ecuador, Guatemala, Jamaica, Mexico, Paraguay, Peru and Uruguay, the frequency band 10-10.5 GHz is identified for the implementation of the terrestrial component of International Mobile Telecommunications (IMT). The implementation of this identification in Mexico is subject to seeking agreement with the

Footnotes

	United States under No. 9.21. The use of the frequency band 10-10.5 GHz by IMT stations in the mobile service shall not claim protection from systems in the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 219 (WRC-23) applies. (WRC-23)
5.481	<i>Additional allocation:</i> in Algeria, Germany, Angola, Brazil, China, Colombia, Costa Rica, Côte d'Ivoire, Cuba, Djibouti, the Dominican Republic, Egypt, El Salvador, Ecuador, Spain, Guatemala, Hungary, Jamaica, Japan, Kenya, Morocco, Mexico, Nigeria, Oman, Uzbekistan, Pakistan, Palestine*, Paraguay, Peru, the Dem. People's Rep. of Korea, Romania, Somalia, Suriname, Tunisia and Uruguay, the frequency band 10.45-10.5 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-23)
5.482	In the band 10.6-10.68 GHz, the power delivered to the antenna of stations of the fixed and mobile, except aeronautical mobile, services shall not exceed -3 dBW. This limit may be exceeded, subject to agreement obtained under No. 9.21. However, in Algeria, Saudi Arabia, Armenia, Azerbaijan, Bahrain, Bangladesh, Belarus, Egypt, United Arab Emirates, Georgia, India, Indonesia, Iran (Islamic Republic of), Iraq, Jordan, Libyan Arab Jamahiriya, Kazakhstan, Kuwait, Lebanon, Morocco, Mauritania, Moldova, Nigeria, Oman, Uzbekistan, Pakistan, Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, Singapore, Tajikistan, Tunisia, Turkmenistan and Viet Nam, this restriction on the fixed and mobile, except aeronautical mobile, service is not applicable. (WRC-07)
5.482A	For sharing of the band 10.6-10.68 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile, except aeronautical mobile, services, Resolution 751 (WRC-07) applies. (WRC-07)
5.483	<i>Additional allocation:</i> in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, China, Colombia, Korea (Rep. of), Egypt, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Mongolia, Qatar, Kyrgyzstan, the Dem People's Rep. of Korea, Tajikistan, Turkmenistan and Yemen, the frequency band 10.68-10.7 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-19)
5.484	In Region 1, the use of the band 10.7-11.7 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service.
5.484A	The use of the frequency bands 10.95-11.2 GHz (space-to-Earth), 11.45-11.7 GHz (space-to-Earth), 11.7- 12.2 GHz (space-to-Earth) in Region 2, 12.2-12.75 GHz (space-to-Earth) in Region 3, 12.5-12.75 GHz (space-to-Earth) in Region 1, 13.75-14.5 GHz (Earth-to-space), 17.3-17.7 GHz (space-to-Earth) in Region 2, 17.8-18.6 GHz (space-to- Earth), 19.7-20.2 GHz (space-to-Earth), 27.5-28.6 GHz (Earth-to-space), 29.5-30 GHz (Earth-to-space) by a nongeostationary- satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellites systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. In Region 2, No. 22.2 shall continue to apply in the frequency band 17.3-17.7 GHz. (WRC-23)
5.484B	Resolution 155 (WRC-15) shall apply. (WRC-15)

Footnotes

	* Note by the Secretariat: This Resolution was revised by WRC-19
5.485	In Region 2, in the band 11.7-12.2 GHz, transponders on space stations in the fixed-satellite service may be used additionally for transmissions in the broadcasting-satellite service, provided that such transmissions do not have a maximum e.i.r.p. greater than 53 dBW per television channel and do not cause greater interference or require more protection from interference than the coordinated fixed-satellite service frequency assignments. With respect to the space services, this band shall be used principally for the fixed-satellite service.
5.486	<i>Different category of service:</i> in the United States, the allocation of the frequency band 11.7-12.1 GHz to the fixed service is on a secondary basis (see No. 5.32). (WRC-15)
5.487	In the band 11.7-12.5 GHz in Regions 1 and 3, the fixed, fixed-satellite, mobile, except aeronautical mobile, and broadcasting services, in accordance with their respective allocations, shall not cause harmful interference to, or claim protection from, broadcasting-satellite stations operating in accordance with the Regions 1 and 3 Plan in Appendix 30. (WRC-03)
5.487A	<i>Additional allocation:</i> in Region 1, the band 11.7-12.5 GHz, in Region 2, the band 12.2-12.7 GHz and, in Region 3, the band 11.7-12.2 GHz, are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis, limited to non-geostationary systems and subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the broadcasting-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-03)
5.488	The use of the band 11.7-12.2 GHz by geostationary-satellite networks in the fixed-satellite service in Region 2 is subject to application of the provisions of No. 9.14 for coordination with stations of terrestrial services in Regions 1, 2 and 3. For the use of the band 12.2-12.7 GHz by the broadcasting-satellite service in Region 2, see Appendix 30. (WRC-03)
5.489	<i>Additional allocation:</i> in Peru, the band 12.1-12.2 GHz is also allocated to the fixed service on a primary basis.
5.490	In Region 2, in the band 12.2-12.7 GHz, existing and future terrestrial radiocommunication services shall not cause harmful interference to the space services operating in conformity with the broadcasting-satellite Plan for Region 2 contained in Appendix 30.
5.491	SUP (WRC-03)
5.492	Assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 and 3 List in Appendix 30 may also be used for transmissions in the fixed-satellite service (space-to-Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List, as appropriate. (WRC-2000)
5.493	The broadcasting-satellite service in the band 12.5-12.75 GHz in Region 3 is limited to a power flux-density not exceeding -111 dB (W/(m ² · 27 MHz)) for all conditions and for all methods of modulation at the edge of the service area. (WRC-97)
5.494	<i>Additional allocation:</i> in Algeria, Saudi Arabia, Bahrain, Cameroon, the Central African Rep., Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Iraq, Israel, Jordan, Kuwait,

Footnotes

	Lebanon, Libya, Madagascar, Mali, Morocco, Mongolia, Nigeria, Oman, Palestine*, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the frequency band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-23)
5.495	<i>Additional allocation:</i> in Greece, Monaco, Montenegro, Uganda and Tunisia, the frequency band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-19)
5.496	<i>Additional allocation:</i> in Austria, Azerbaijan, Kyrgyzstan and Turkmenistan, the band 12.5-12.75 GHz is also allocated to the fixed service and the mobile, except aeronautical mobile, service on a primary basis. However, stations in these services shall not cause harmful interference to fixed-satellite service earth stations of countries in Region 1 other than those listed in this footnote. Coordination of these earth stations is not required with stations of the fixed and mobile services of the countries listed in this footnote. The power flux-density limit at the Earth's surface given in Table 21-4 of Article 21, for the fixed-satellite service shall apply on the territory of the countries listed in this footnote. (WRC-2000)
5.496A	The frequency band 12.75-13.25 GHz (Earth-to-space) may be used by earth stations in motion, limited to earth stations on aircraft and vessels, communicating with geostationary space stations in the fixed-satellite service. Resolution 121 (WRC-23) shall apply. (WRC-23)
5.497	The use of the band 13.25-13.4 GHz by the aeronautical radionavigation service is limited to Doppler navigation aids.
5.498	SUP (WRC-97)
5.498A	The Earth exploration-satellite (active) and space research (active) services operating in the band 13.25-13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service. (WRC-97)
5.499	<i>Additional allocation:</i> in Bangladesh, and India, the band 13.25-14 GHz is also allocated to the fixed service on a primary basis. In Pakistan, the band 13.25-13.75 GHz is allocated to the fixed service on a primary basis. (WRC 12)
5.499A	The use of the frequency band 13.4-13.65 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary- satellite systems and is subject to agreement obtained under No. 9.21 with respect to satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary-satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015. (WRC-15)
5.499B	Administrations shall not preclude the deployment and operation of transmitting earth stations in the standard frequency and time signal-satellite service (Earth-to-space) allocated on a secondary basis in the frequency band 13.4-13.65 GHz due to the primary allocation to FSS (space-to-Earth). (WRC-15)
5.499C	The allocation of the frequency band 13.4-13.65 GHz to the space research service on a primary basis is limited to: – satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary-satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015, – active spaceborne sensors, – satellite systems operating in the space research service (space-to-Earth) to relay data from space stations in the geostationary-satellite orbit to associated earth stations. Other uses of the frequency band by the space research service are on a secondary basis. (WRC-15)
5.499D	In the frequency band 13.4-13.65 GHz, satellite systems in the space research service

Footnotes

	(space-to-Earth) and/or the space research service (space-to-space) shall not cause harmful interference to, nor claim protection from, stations in the fixed, mobile, radiolocation and Earth exploration-satellite (active) services. (WRC-15)
5.499E	In the frequency band 13.4-13.65 GHz, geostationary-satellite networks in the fixed-satellite service (space-to-Earth) shall not claim protection from space stations in the Earth exploration-satellite service (active) operating in accordance with these Regulations, and No. 5.43A does not apply. The provisions of No. 22.2 do not apply to the Earth exploration-satellite service (active) with respect to the fixed-satellite service (space-to-Earth) in this frequency band. (WRC-15)
5.500	<i>Additional allocation:</i> in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, Djibouti, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Madagascar, Malaysia, Mali, Morocco, Mauritania, Niger, Nigeria, Oman, Qatar, the Syrian Arab Republic, Singapore, Somalia, Sudan, South Sudan, Chad and Tunisia, the frequency band 13.4-14 GHz is also allocated to the fixed and mobile services on a primary basis. In Pakistan, the frequency band 13.4-13.75 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-23)
5.501	<i>Additional allocation:</i> in Hungary, Japan, Kyrgyzstan, Romania and Turkmenistan, the frequency band 13.4-14 GHz is also allocated to the radionavigation service on a primary basis. (WRC-23)
5.501A	The allocation of the frequency band 13.65-13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the frequency band by the space research service are on a secondary basis. (WRC-15)
5.501B	In the band 13.4-13.75 GHz, the Earth exploration-satellite (active) and space research (active) services shall not cause harmful interference to, or constrain the use and development of, the radiolocation service. (WRC-97)
5.502	In the band 13.75-14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non-geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the e.i.r.p., averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. Before an administration brings into use an earth station in a geostationary-satellite network in the fixed-satellite service in this band with an antenna diameter smaller than 4.5 m, it shall ensure that the power flux-density produced by this earth station does not exceed: – –115 dB(W/(m² · 10 MHz)) for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal State; – –115 dB(W/(m² · 10 MHz)) for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained. For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the e.i.r.p. of any emission should be at least 68 dBW and should not exceed 85 dBW. (WRC-03)
5.503	In the band 13.75-14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by

Footnotes

	the Bureau prior to 31 January 1992 cease to operate in this band: – in the band 13.77-13.78 GHz, the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in geostationary-satellite orbit shall not exceed: i) $4.7D + 28$ dB(W/40 kHz), where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m; ii) $49.2 + 20 \log(D/4.5)$ dB(W/40 kHz), where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m; iii) 66.2 dB(W/40 kHz) for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m; iv) 56.2 dB(W/4 kHz) for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater; – the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz. Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions. (WRC-03)
5.503A	SUP (WRC-03)
5.504	The use of the band 14-14.3 GHz by the radionavigation service shall be such as to provide sufficient protection to space stations of the fixed-satellite service.
5.504A	In the band 14-14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. 5.29 , 5.30 and 5.31 apply. (WRC-03)
5.504B	Aircraft earth stations operating in the aeronautical mobile-satellite service in the frequency band 14-14.5 GHz shall comply with the provisions of Annex 1, Part C of Recommendation ITU-R M.1643-0 , with respect to any radio astronomy station performing observations in the 14.47-14.5 GHz frequency band located on the territory of Spain, France, India, Italy, the United Kingdom and South Africa. (WRC-15)
5.504C	In the frequency band 14-14.25 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, Côte d'Ivoire, Egypt, Guinea, India, Iran (Islamic Republic of), Kuwait, Nigeria, Oman, the Syrian Arab Republic and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0 , unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29 . (WRC-15)
5.505	<i>Additional allocation:</i> in Algeria, Saudi Arabia, Bahrain, Botswana, Brunei, Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Oman, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Chad, Viet Nam and Yemen, the frequency band 14-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-19)

Footnotes

5.506	The band 14-14.5 GHz may be used, within the fixed-satellite service (Earth-to-space), for feeder links for the broadcasting-satellite service, subject to coordination with other networks in the fixed-satellite service. Such use of feeder links is reserved for countries outside Europe.
5.506A	In the frequency band 14-14.5 GHz, ship earth stations with an equivalent isotropically radiated power (e.i.r.p.) greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution 902 (Rev.WRC-23) . This footnote shall not apply to ship earth stations for which the complete Appendix 4 information has been received by the Bureau prior to 5 July 2003. (WRC-23)
5.506B	Earth stations located on board vessels communicating with space stations in the fixed-satellite service may operate in the frequency band 14-14.5 GHz without the need for prior agreement from Cyprus and Malta, within the minimum distance given in Resolution 902 (Rev.WRC-23) from these countries. (WRC-23)
5.507	Not used.
5.508	<i>Additional allocation: in Germany, Italy, Libya, North Macedonia and the United Kingdom, the frequency band 14.25-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-23)</i>
5.508A	In the frequency band 14.25-14.3 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, China, Côte d'Ivoire, Egypt, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0 , unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29 . (WRC-23)
5.509	SUP (WRC-07)
5.509A	In the frequency band 14.3-14.5 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, Cameroon, China, Côte d'Ivoire, Egypt, Gabon, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Morocco, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom, Sri Lanka, Tunisia and Viet Nam by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0 , unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29 . (WRC-23)
5.509B	The use of the frequency bands 14.5-14.75 GHz in countries listed in Resolution 163 (WRC-15) and 14.5-14.8 GHz in countries listed in Resolution 164 (WRC-15) by the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service is limited to geostationary-satellites. (WRC-15)
5.509C	For the use of the frequency bands 14.5-14.75 GHz in countries listed in Resolution 163 (WRC-15) and 14.5-14.8 GHz in countries listed in Resolution 164 (WRC-15) by the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service, the fixed-satellite service earth stations shall have a minimum antenna diameter of 6 m and a maximum power spectral density of -44.5 dBW/Hz at the input of the antenna. The earth stations shall be notified at known locations on land. (WRC-15)
5.509D	Before an administration brings into use an earth station in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service in the frequency bands 14.5-14.75 GHz (in countries listed in Resolution 163 (WRC-15)) and 14.5-14.8 GHz (in countries listed in Resolution 164 (WRC-15)), it shall ensure that the power flux-density produced by this earth station does not exceed -151.5 dB(W/(m ² · 4 kHz)) produced at all altitudes from 0 m to 19 000 m above sea level at 22 km seaward

Footnotes

	from all coasts, defined as the low-water mark, as officially recognized by each coastal State. (WRC-15)
5.509E	In the frequency bands 14.50-14.75 GHz in countries listed in Resolution 163 (WRC-15) and 14.50-14.8 GHz in countries listed in Resolution 164 (WRC-15) , the location of earth stations in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service shall maintain a separation distance of at least 500 km from the border(s) of other countries unless shorter distances are explicitly agreed by those administrations. No. 9.17 does not apply. When applying this provision, administrations should consider the relevant parts of these Regulations and the latest relevant ITU-R Recommendations. (WRC-15)
5.509F	In the frequency bands 14.50-14.75 GHz in countries listed in Resolution 163 (WRC-15) and 14.50-14.8 GHz in countries listed in Resolution 164 (WRC-15) , earth stations in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service shall not constrain the future deployment of the fixed and mobile services. (WRC-15)
5.509G	The frequency band 14.5-14.8 GHz is also allocated to the space research service on a primary basis. However, such use is limited to the satellite systems operating in the space research service (Earth-to-space) to relay data to space stations in the geostationary-satellite orbit from associated earth stations. Stations in the space research service shall not cause harmful interference to, or claim protection from, stations in the fixed and mobile services and in the fixed satellite service limited to feeder links for the broadcasting-satellite service and associated space operations functions using the guardbands under Appendix 30A and feeder links for the broadcasting-satellite service in Region 2. Other uses of this frequency band by the space research service are on a secondary basis. (WRC-15)
5.510	Except for use in accordance with Resolution 163 (WRC-15) and Resolution 164 (WRC-15) , the use of the frequency band 14.5-14.8 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. This use is reserved for countries outside Europe. Uses other than feeder links for the broadcasting-satellite service are not authorized in Regions 1 and 2 in the frequency band 14.75-14.8 GHz. (WRC-15)
5.510A	The allocation of the frequency band 14.8-15.35 GHz to the space research service on a primary basis is limited to satellite systems operating in the space-to-space, space-to-Earth and Earth-to-space directions at distances from the Earth of less than 2×10^6 km in accordance with Resolution 678 (WRC-23) . Other uses of the frequency band by the space research service are on a secondary basis. The use of the frequency band 14.8-15.35 GHz by the space research service (space-to-Earth) (Earth-to-space) is on a secondary basis with respect to the terrestrial services in Algeria, Saudi Arabia, Bahrain, Korea (Rep. of), Egypt, the United Arab Emirates, the United States, India, Iraq, Japan, Kuwait, Libya, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Tunisia, and Yemen. (WRC-23)
5.511	<i>Additional allocation:</i> in Saudi Arabia, Bahrain, Cameroon, Djibouti, Egypt, the United Arab Emirates, Guinea, Iran (Islamic Republic of), Iraq, Israel, Kuwait, Lebanon, Oman, Pakistan, Qatar, the Syrian Arab Republic and Somalia, the frequency band 15.35-15.4 GHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-23)
5.511A	Use of the frequency band 15.43-15.63 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary systems in the mobile-satellite service, subject to coordination under No. 9.11A . (WRC-15)
5.511B	SUP (WRC-97)
5.511C	Stations operating in the aeronautical radionavigation service shall limit the effective e.i.r.p. in accordance with Recommendation ITU-R S.1340-0. The minimum coordination distance required to protect the aeronautical radionavigation stations (No. 4.10 applies) from harmful interference from feeder-link earth stations and the maximum

Footnotes

	e.i.r.p. transmitted towards the local horizontal plane by a feeder-link earth station shall be in accordance with Recommendation ITU-R S.1340-0. (WRC-15)
5.511D	SUP (WRC-15)
5.511E	In the frequency band 15.4-15.7 GHz, stations operating in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the aeronautical radionavigation service. (WRC-12)
5.511F	In order to protect the radio astronomy service in the frequency band 15.35-15.4 GHz, radiolocation stations operating in the frequency band 15.4-15.7 GHz shall not exceed the power flux-density level of -156 dB(W/m ²) in a 50 MHz bandwidth in the frequency band 15.35-15.4 GHz, at any radio astronomy observatory site for more than 2 per cent of the time. (WRC-12)
5.511G	Stations in the aeronautical mobile (OR) service operating in the frequency band 15.41-15.7 GHz shall not cause harmful interference to the radio astronomy service operating in the frequency band 15.35-15.4 GHz. The aggregate power flux-density (pfd) received from stations in the aeronautical mobile (OR) service operating in the frequency band 15.41-15.7 GHz at any radio astronomy station operating in the frequency band 15.35-15.4 GHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, unless specifically agreed by the affected administration(s). (WRC-23)
5.511H	<i>Additional allocation:</i> in Indonesia, the frequency band 15.41-15.7 GHz is also allocated to the aeronautical mobile (OR) service on a secondary basis. Stations in the aeronautical mobile (OR) service operating in the frequency band 15.41-15.7 GHz shall not cause harmful interference to the radio astronomy service operating in the frequency band 15.35-15.4 GHz. The aggregate power flux-density (pfd) received from stations in the aeronautical mobile (OR) service operating in the frequency band 15.41-15.7 GHz at any radio astronomy station operating in the frequency band 15.35-15.4 GHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, unless specifically agreed by the affected administration(s). (WRC-23)
5.512	<i>Additional allocation:</i> in Algeria, Saudi Arabia, Austria, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Congo (Rep. of the), Egypt, El Salvador, the United Arab Emirates, Eritrea, Finland, Guatemala, India, Indonesia, Iran (Islamic Republic of), Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Montenegro, Nepal, Nicaragua, Niger, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the frequency band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)
5.513	<i>Additional allocation:</i> in Israel, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. These services shall not claim protection from or cause harmful interference to services operating in accordance with the Table in countries other than those included in No. 5.512.
5.513A	Spaceborne active sensors operating in the band 17.2-17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis. (WRC-97)
5.514	<i>Additional allocation:</i> in Algeria, Saudi Arabia, Bahrain, Bangladesh, Cameroon, Djibouti, El Salvador, the United Arab Emirates, Guatemala, India, Iran (Islamic Republic of), Iraq, Israel, Italy, Japan, Jordan, Kuwait, Libya, Lithuania, Nepal, Nicaragua, Nigeria, Oman, Uzbekistan, Pakistan, Qatar, Kyrgyzstan, Somalia, Sudan and South Sudan, the frequency band 17.3-17.7 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits given in Nos. 21.3 and 21.5 shall apply. (WRC-23)
5.515	In the band 17.3-17.8 GHz, sharing between the fixed-satellite service (Earth-to-space) and the broadcasting-satellite service shall also be in accordance with the provisions of § 1 of Annex 4 of Appendix 30A.

Footnotes

5.515A	In addition to the need to comply with the coordination criteria in Annex 4 to Appendix 30A , under assumed free-space propagation conditions, the power flux-density of an assignment in the fixed-satellite service (space-to-Earth) of a geostationary-satellite network in the frequency band 17.3-17.7 GHz in Region 2 shall not exceed the value of $-98 \text{ dB(W/(m}^2 \cdot 27 \text{ MHz))}$ at points in the geostationary-satellite orbit with geocentric orbital separation angles between 152.6° and 162.6° . (WRC-23)
5.515B	In the frequency band 17.3-17.7 GHz, the use of the fixed-satellite service (space-to-Earth) by geostationary-satellite space stations in Region 2 shall not cause harmful interference to space station receivers nor claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix 30A in all three Regions, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. The notifying administration for the fixed-satellite service (space-to-Earth), when submitting Appendix 4 information elements, shall provide a firm, objective, actionable, measurable and enforceable commitment that, in the event of harmful interference being reported to space station receivers in Appendix 30A , it shall take immediate action to eliminate the interference or reduce it to an acceptable level. (WRC-23)
5.516	The use of the band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the band 17.3-17.8 GHz in Region 2 by systems in the fixed-satellite service (Earth-to-space) is limited to geostationary satellites. For the use of the band 17.3-17.8 GHz in Region 2 by feeder links for the broadcasting-satellite service in the band 12.2-12.7 GHz, see Article 11 . The use of the bands 17.3-18.1 GHz (Earth-to-space) in Regions 1 and 3 and 17.8-18.1 GHz (Earth-to-space) in Region 2 by non-geostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)
5.516A	In the band 17.3-17.7 GHz, earth stations of the fixed-satellite service (space-to-Earth) in Region 1 shall not claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix 30A , nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. (WRC-03)
5.516B	The following bands are identified for use by high-density applications in the fixed-satellite service: 17.3-17.7 GHz (space-to-Earth) in Region 1, 18.3-19.3 GHz (space-to-Earth) in Region 2, 19.7-20.2 GHz (space-to-Earth) in all Regions, 39.5-40 GHz (space-to-Earth) in Region 1, 40-40.5 GHz (space-to-Earth) in all Regions, 40.5-42 GHz (space-to-Earth) in Region 2, 47.5-47.9 GHz (space-to-Earth) in Region 1,

Footnotes

	48.2-48.54 GHz (space-to-Earth) in Region 1 49.44-50.2 GHz (space-to-Earth) in Region 1, and 27.5-27.82 GHz (Earth-to-space) in Region 1, 28.35-28.45 GHz (Earth-to-space) in Region 2, 28.45-28.94 GHz (Earth-to-space) in all Regions, 28.94-29.1 GHz (Earth-to-space) in Region 2 and 3, 29.25-29.46 GHz (Earth-to-space) in Region 2, 29.46-30 GHz (Earth-to-space) in all Regions, 48.2-50.2 GHz (Earth-to-space) in Region 2. This identification does not preclude the use of these frequency bands by other fixed-satellite service applications or by other services to which these frequency bands are allocated on a co-primary basis and does not establish priority in these Radio Regulations among users of the frequency bands. Administrations should take this into account when considering regulatory provisions in relation to these frequency bands. See Resolution 143 (Rev.WRC-19). (WRC-19)
5.517	In Region 2, use of the fixed-satellite (space-to-Earth) service in the frequency band 17.3-17.8 GHz shall not cause harmful interference to nor claim protection from assignments in the broadcasting-satellite service operating in conformity with the Radio Regulations. (WRC-23)
5.517A	The operation of earth stations in motion communicating with geostationary fixed-satellite service space stations within the frequency bands 17.7-19.7 GHz (space-to-Earth) and 27.5-29.5 GHz (Earth-to-space) shall be subject to the application of Resolution 169 (Rev.WRC-23) . (WRC-23)
5.517B	The operation of aeronautical and maritime earth stations in motion communicating with non-geostationary space stations in the fixed-satellite service in the frequency bands 17.7-18.6 GHz, 18.8-19.3 GHz and 19.7-20.2 GHz (space-to-Earth) and 27.5-29.1 GHz and 29.5-30 GHz (Earth-to-space) shall be subject to the application of Resolution 123 (WRC-23) . (WRC-23)
5.518	SUP (WRC-07)
5.519	<i>Additional allocation:</i> the bands 18-18.3 GHz in Region 2 and 18.1-18.4 GHz in Regions 1 and 3 are also allocated to the meteorological-satellite service (space-to-Earth) on a primary basis. Their use is limited to geostationary satellites. (WRC-07)
5.520	The use of the band 18.1-18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of geostationary-satellite systems in the broadcasting-satellite service. (WRC-2000)
5.521	<i>Alternative allocation:</i> in the United Arab Emirates, the frequency band 18.1-18.4 GHz is allocated to the fixed, fixed-satellite (space-to-Earth) and mobile services on a primary basis (see No. 5.33). The provisions of No. 5.519 also apply. (WRC-23)
5.521A	For use of the frequency bands 18.1-18.6 GHz, 18.8-20.2 GHz and 27.5-30 GHz, or parts thereof, by space stations in the inter-satellite service, Resolution 679 (WRC-23) shall apply. Such use is limited to space research, space operation and/or Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space. When using these frequencies, administrations shall ensure that this inter-satellite service is used only for the aforementioned purposes and is not subject to coordination under No. 9.11A . For use of the frequency bands 18.1-18.6 GHz, 18.8-20.2 GHz, 27.5-29.1 GHz and 29.5-30 GHz by space stations, the allocation is

Footnotes

	limited to inter-satellite links between non-geostationary satellites or between non-geostationary satellites and geostationary satellites. For use of the frequency band 29.1-29.5 GHz by space stations, the allocation is limited to inter-satellite links between non-geostationary satellites and geostationary satellites. No. 4.10 does not apply. (WRC-23)
5.522	SUP (WRC-2000)
5.522A	The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. 21.5A and 21.16.2 , respectively. (WRC-2000)
5.522B	The use of the band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km. (WRC-2000)
5.522C	In the band 18.6-18.8 GHz, in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, Libya, Jordan, Lebanon, Morocco, Oman, Qatar, the Syrian Arab Republic, Tunisia and Yemen, fixed-service systems in operation at the date of entry into force of the Final Acts of WRC-2000 are not subject to the limits of No. 21.5A . (WRC-2000)
5.523	SUP (WRC-2000)
5.523A	The use of the bands 18.8-19.3 GHz (space-to-Earth) and 28.6-29.1 GHz (Earth-to-space) by geostationary and non-geostationary fixed-satellite service networks is subject to the application of the provisions of No. 9.11A and No. 22.2 does not apply. Non-geostationary-satellite networks shall not cause unacceptable interference to geostationary fixed-satellite service networks for which complete Appendix 4 notification information is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)
5.523B	The use of the band 19.3-19.6 GHz (Earth-to-space) by the fixed-satellite service is limited to feeder links for non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A , and No. 22.2 does not apply.
5.523C	No. 22.2 shall continue to apply in the bands 19.3-19.6 GHz and 29.1-29.4 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)
5.523D	The use of the band 19.3-19.7 GHz (space-to-Earth) by geostationary fixed-satellite service systems and by feeder links for non-geostationary-satellite systems in the mobile-satellite service is subject to the application of the provisions of No. 9.11A , but not subject to the provisions of No. 22.2 . The use of this band for other non-geostationary fixed-satellite service systems, or for the cases indicated in Nos. 5.523C and 5.523E , is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2 . (WRC-97)
5.523DA	In order to protect feeder links of non-geostationary networks in the mobile-satellite service in the frequency band 19.3-19.7 GHz, the power flux-density values produced at the surface of the Earth for all angles of arrival by a space station in the inter-satellite service operating in this band in accordance with Resolution 679 (WRC-23) shall not exceed -140 dB(W/m ²) in any 1 MHz within 150 km of any of the above feeder-link earth stations recorded in the Master International Frequency Register. (WRC-23)
5.523E	No. 22.2 shall continue to apply in the bands 19.6-19.7 GHz and 29.4-29.5 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau by 21 November 1997. (WRC-97)
5.524	<i>Additional allocation:</i> in Afghanistan, Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Costa Rica, Djibouti, Egypt, the United Arab Emirates, Gabon, Guatemala, Guinea, India, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania,

Footnotes

	Nepal, Nigeria, Oman, Pakistan, Palestine*, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Chad, Togo and Tunisia, the frequency band 19.7-21.2 GHz is also allocated to the fixed and mobile services on a primary basis. This additional use shall not impose any limitation on the power flux-density of space stations in the fixed-satellite service in the frequency band 19.7- 21.2 GHz and of space stations in the mobile-satellite service in the frequency band 19.7-20.2 GHz where the allocation to the mobile-satellite service is on a primary basis in the latter frequency band. (WRC-23)
5.525	In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7-20.2 GHz and 29.5-30 GHz.
5.526	In the bands 19.7-20.2 GHz and 29.5-30 GHz in Region 2, and in the bands 20.1-20.2 GHz and 29.9-30 GHz in Regions 1 and 3, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.
5.527	In the bands 19.7-20.2 GHz and 29.5-30 GHz, the provisions of No. 4.10 do not apply with respect to the mobile-satellite service.
5.527A	The operation of earth stations in motion communicating with the FSS is subject to Resolution 156 (Rev.WRC-23) . (WRC-23)
5.528	The allocation to the mobile-satellite service is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Administrations operating systems in the mobile-satellite service in the band 19.7-20.1 GHz in Region 2 and in the band 20.1-20.2 GHz shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of No. 5.524 .
5.529	The use of the bands 19.7-20.1 GHz and 29.5-29.9 GHz by the mobile-satellite service in Region 2 is limited to satellite networks which are both in the fixed-satellite service and in the mobile-satellite service as described in No. 5.526 .
5.529A	In the frequency bands 20.2-21.2 GHz and 30-31 GHz, non-geostationary-satellite systems for which complete coordination or notification information, according to the case, is received by the Bureau as of 1 January 2025 shall not cause unacceptable interference to and shall not claim protection from geostationary-satellite networks in the mobile-satellite service operating in accordance with these Regulations. No. 5.43A does not apply. (WRC-23)
5.530	SUP (WRC-12)
5.530A	Unless otherwise agreed between the administrations concerned, any station in the fixed or mobile services of an administration shall not produce a power flux-density in excess of -120.4 dB(W/(m ² · MHz)) at 3 m above the ground of any point of the territory of any other administration in Regions 1 and 3 for more than 20% of the time. In conducting the calculations, administrations should use the most recent version of Recommendation ITU-R P.452 (see also the most recent version of Recommendation ITU-R BO.1898). (WRC-15)
5.530B	In the band 21.4-22 GHz, in order to facilitate the development of the broadcasting satellite service, administrations in Regions 1 and 3 are encouraged not to deploy stations in the mobile service and are encouraged to limit the deployment of stations in the fixed service to point-to-point links. (WRC-12)
5.530C	SUP (WRC-15)
5.530D	SUP (WRC-19)
5.530E	The allocation to the fixed service in the frequency band 21.4-22 GHz is identified for use in Region 2 by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which it is allocated on a co-primary basis and does not establish priority in

Footnotes

	the Radio Regulations. Such use of the fixed-service allocation by HAPS is limited to the HAPS-to-ground direction and shall be in accordance with the provisions of Resolution 165 (Rev.WRC-23) . (WRC-23)
5.531	<i>Additional allocation:</i> in Japan, the band 21.4-22 GHz is also allocated to the broadcasting service on a primary basis.
5.531A	The use of the aeronautical mobile (OR) service in the frequency band 22-22.2 GHz is limited to non-safety applications. (WRC-23)
5.531B	Aircraft stations in the aeronautical mobile (OR) service operating in the frequency band 22-22.2 GHz are subject to agreement obtained under No. 9.21 with respect to the fixed service and shall not cause harmful interference to, nor claim protection from, the fixed service. The following power flux-density values shall be used as a threshold for coordination under No. 9.21 : $-110 \text{ dB (W/(m}^2 \cdot \text{MHz)) for } 0^\circ \leq \theta \leq 12.6^\circ$ $2.86 \theta - 146 \text{ dB (W/(m}^2 \cdot \text{MHz)) for } 12.6^\circ < \theta \leq 15^\circ$ $0.87 \theta - 116 \text{ dB (W/(m}^2 \cdot \text{MHz)) for } 15^\circ < \theta \leq 30^\circ$ $0.067 \theta - 92 \text{ dB (W/(m}^2 \cdot \text{MHz)) for } 30^\circ < \theta \leq 90^\circ$ where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. This criterion should be applied at the border of the territory of another administration for any aircraft station located at an altitude of up to 15 km above the ground. In conducting the calculations, the most recent version of Recommendation ITU-R P.525 should be used. (WRC-23)
5.531C	Stations in the aeronautical mobile (OR) service operating in the frequency band 22-22.2 GHz shall not cause harmful interference to the radio astronomy service operating in the frequency band 22.21-22.5 GHz. The aggregate power flux-density (pfd) received from these stations at any radio astronomy station operating in the frequency band 22.21-22.5 GHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, unless specifically agreed by the affected administration(s). (WRC-23)
5.531D	The use of the aeronautical mobile (OR) service in the frequency band 22-22.2 GHz outside national boundaries shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations. (WRC-23)
5.531E	<i>Alternative allocation:</i> in Brunei Darussalam, Iran (Islamic Republic of), Malaysia, Singapore and Thailand, the frequency band 22-22.2 GHz is allocated to the mobile, except aeronautical mobile (R), service on a primary basis. The use of the service is limited to non-safety applications within national boundaries. The use of the aeronautical mobile (OR) service in the frequency band 22-22.2 GHz shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations. Furthermore, stations in the aeronautical mobile (OR) service operating in the frequency band 22-22.2 GHz shall not cause harmful interference to the radio astronomy service operating in the frequency band 22.21-22.5 GHz in other countries in accordance with the Table of Frequency Allocations. The aggregate power flux-density (pfd) received from these stations at any radio astronomy station operating in the frequency band 22.21-22.5 GHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, unless specifically agreed by the affected administration(s). In order to protect stations of the Earth exploration-satellite service (passive) operating in the frequency band 22.21-22.5 GHz, the unwanted equivalent isotropically radiated power (e.i.r.p.) of stations operating in the aeronautical mobile (OR) service shall not exceed -23 dBW in any 100 MHz band in the frequency band 22.21-22.5 GHz. Aircraft stations in the aeronautical mobile (OR) service operating in the frequency band 22-22.2 GHz are subject to agreement obtained under No. 9.21 with respect to the fixed service and shall not cause harmful interference to, nor claim protection from, the fixed service. The following pfd values shall be used as a threshold for coordination under No. 9.21 :

Footnotes

	$-110 \text{ dB (W/(m}^2 \cdot \text{MHz)) for } 0^\circ \leq \theta \leq 12.6^\circ$ $2.86 \theta - 146 \text{ dB (W/(m}^2 \cdot \text{MHz)) for } 12.6^\circ < \theta \leq 15^\circ$ $0.87 \theta - 116 \text{ dB (W/(m}^2 \cdot \text{MHz)) for } 15^\circ < \theta \leq 30^\circ$ $0.067 \theta - 92 \text{ dB (W/(m}^2 \cdot \text{MHz)) for } 30^\circ < \theta \leq 90^\circ$ where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. This criterion should be applied at the border of the territory of another administration for any aircraft station located at an altitude of up to 15 km above the ground. In conducting the calculations, the most recent version of Recommendation ITU-R P.525 should be used. (WRC-23)
5.531F	In order to protect stations of the Earth exploration-satellite service (passive) operating in the frequency band 22.21-22.5 GHz, the unwanted equivalent isotropically radiated power (e.i.r.p.) of stations operating in the aeronautical mobile (OR) service shall not exceed -23 dBW in any 100 MHz band in the frequency band 22.21-22.5 GHz. (WRC-23)
5.532	The use of the band 22.21-22.5 GHz by the Earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.
5.532A	The location of earth stations in the space research service shall maintain a separation distance of at least 54 km from the respective border(s) of neighbouring countries to protect the existing and future deployment of fixed and mobile services unless a shorter distance is otherwise agreed between the corresponding administrations. Nos. 9.17 and 9.18 do not apply. (WRC-12)
5.532AA	The allocation to the fixed service in the frequency band 24.25-25.25 GHz is identified for use in Region 2 by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS is limited to the HAPS to- ground direction and shall be in accordance with the provisions of Resolution 166 (Rev.WRC-23) . (WRC-23)
5.532AB	The frequency band 24.25-27.5 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 242 (Rev.WRC-23) applies. (WRC-23)
5.532B	Use of the band 24.65-25.25 GHz in Region 1 and the band 24.65-24.75 GHz in Region 3 by the fixed-satellite service (Earth-to-space) is limited to earth stations using a minimum antenna diameter of 4.5m. (WRC-12)
5.533	The inter-satellite service shall not claim protection from harmful interference from airport surface detection equipment stations of the radionavigation service.
5.534	SUP (WRC-03)
5.534A	The allocation to the fixed service in the frequency band 25.25-27.5 GHz is identified in Region 2 for use by high-altitude platform stations (HAPS) in accordance with the provisions of Resolution 166 (Rev.WRC-23) . Such use of the fixed-service allocation by HAPS shall be limited to the ground-to-HAPS direction in the frequency band 25.25-27.0 GHz and to the HAPS-to-ground direction in the frequency band 27.0-27.5 GHz. Furthermore, the use of the frequency band 25.5-27.0 GHz by HAPS shall be limited to gateway links. This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-23)
5.535	In the band 24.75-25.25 GHz, feeder links to stations of the broadcasting-satellite service shall have priority over other uses in the fixed-satellite service (Earth-to-space). Such other uses shall protect and shall not claim protection from existing and future operating feeder-link networks to such broadcasting satellite stations.

Footnotes

5.535A	The use of the band 29.1-29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A , but not subject to the provisions of No. 22.2 , except as indicated in Nos. 5.523C and 5.523E where such use is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2 . (WRC-97)
5.536	Use of the 25.25-27.5 GHz band by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.
5.536A	Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account the most recent version of Recommendation ITU-R SA.1862. Resolution 242 (Rev.WRC-23) applies. (WRC-23)
5.536B	In Algeria, Saudi Arabia, Austria, Bahrain, Belgium, Brazil, China, Korea (Rep. of), Denmark, Egypt, United Arab Emirates, Estonia, Finland, Hungary, India, Iran (Islamic Republic of), Iraq, Ireland, Israel, Italy, Jordan, Kenya, Kuwait, Lebanon, Libya, Lithuania, Moldova, Norway, Oman, Uganda, Pakistan, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Türkiye, Dem. People's Rep. of Korea, Slovakia, the Czech Rep., Romania, the United Kingdom, Singapore, Slovenia, Somalia, Sudan, Sweden, Tanzania, Viet Nam and Zimbabwe, earth stations operating in the Earth exploration-satellite service in the frequency band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. Resolution 242 (Rev.WRC-23) applies. (WRC-23)
5.536C	In Algeria, Saudi Arabia, Bahrain, Botswana, Brazil, Cameroon, Comoros, Cuba, Djibouti, Egypt, United Arab Emirates, Estonia, Finland, Iran (Islamic Republic of), Israel, Jordan, Kenya, Kuwait, Lithuania, Malaysia, Morocco, Nigeria, Oman, Qatar, Syrian Arab Republic, Somalia, Sudan, South Sudan, Tanzania, Tunisia, Uruguay, Zambia and Zimbabwe, earth stations operating in the space research service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-12)
5.537	Space services using non-geostationary satellites operating in the inter-satellite service in the band 27-27.5 GHz are exempt from the provisions of No. 22.2 .
5.537A	In Bhutan, Cameroon, China, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Kazakhstan, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sudan, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 27.9- 28.2 GHz may also be used by high altitude platform stations (HAPS) within the territory of these countries. Such use of 300 MHz of the fixed-service allocation by HAPS in the above countries is further limited to operation in the HAPS-to- ground direction and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems or other co-primary services. Furthermore, the development of these other services shall not be constrained by HAPS. See Resolution 145 (Rev.WRC-19) . (WRC-19)
5.538	<i>Additional allocation:</i> the bands 27.500-27.501 GHz and 29.999-30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space- to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of ± 10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit. (WRC-07)
5.539	The band 27.5-30 GHz may be used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.

Footnotes

5.540	<i>Additional allocation:</i> the band 27.501-29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.
5.541	In the band 28.5-30 GHz, the earth exploration-satellite service is limited to the transfer of data between stations and not to the primary collection of information by means of active or passive sensors.
5.541A	Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the band 29.1-29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Administrations submitting Appendix 4 information for coordination before this date are encouraged to utilize these techniques to the extent practicable. (WRC-2000)
5.542	<i>Additional allocation:</i> in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Oman, Pakistan, Palestine*, Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Somalia, Sudan, South Sudan, Sri Lanka and Chad, the frequency band 29.5-31 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits specified in Nos. 21.3 and 21.5 shall apply. (WRC-23)
5.543	The band 29.95-30 GHz may be used for space-to-space links in the Earth exploration-satellite service for telemetry, tracking, and control purposes, on a secondary basis.
5.543A	SUP (WRC-19)
5.543B	The allocation to the fixed service in the frequency band 31-31.3 GHz is identified for worldwide use by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution 167 (Rev.WRC-23). (WRC-23)
5.544	In the band 31-31.3 GHz the power flux-density limits specified in Article 21, Table 21-4 shall apply to the space research service.
5.545	<i>Different category of service:</i> in Armenia, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 31-31.3 GHz to the space research service is on a primary basis (see No. 5.33). (WRC-12)
5.546	<i>Different category of service:</i> in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Djibouti, Egypt, the United Arab Emirates, Spain, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Israel, Jordan, Lebanon, Moldova, Mongolia, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Türkiye, Kyrgyzstan, Romania, the United Kingdom, Somalia, South Africa, Tajikistan and Turkmenistan, the allocation of the frequency band 31.5-31.8 GHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33). (WRC-23)
5.547	The frequency bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service. Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the frequency bands 39.5-40 GHz and 40.5-42 GHz (see No. 5.516B), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate. (WRC-23)

Footnotes

5.547A	Administrations should take practical measures to minimize the potential interference between stations in the fixed service and airborne stations in the radionavigation service in the 31.8-33.4 GHz band, taking into account the operational needs of the airborne radar systems. (WRC-2000)
5.547B	<i>Alternative allocation:</i> in the United States, the band 31.8-32 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-97)
5.547C	<i>Alternative allocation:</i> in the United States, the band 32-32.3 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-03)
5.547D	Alternative allocation: in the United States, the band 32.3-33 GHz is allocated to the inter-satellite and radionavigation services on a primary basis. (WRC-97)
5.547E	<i>Alternative allocation:</i> in the United States, the band 33-33.4 GHz is allocated to the radionavigation service on a primary basis. (WRC-97)
5.548	In designing systems for the inter-satellite service in the frequency band 32.3-33 GHz, for the radionavigation service in the frequency band 32-33 GHz, and for the space research service (deep space) in the frequency band 31.8-32.3 GHz, administrations shall take all necessary measures to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation 707 (Rev.WRC-23)). (WRC-23)
5.549	<i>Additional allocation:</i> in Saudi Arabia, Bahrain, Bangladesh, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Libya, Malaysia, Mali, , Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, South Sudan Sri Lanka, Togo, Tunisia and Yemen, the band 33.4-36 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)
5.549A	In the band 35.5-36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than 0.8° from the beam centre shall not exceed -73.3 dB(W/m ²) in this band. (WRC-03)
5.550	<i>Different category of service:</i> in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 34.7-35.2 GHz to the space research service is on a primary basis (see No. 5.33). (WRC-12)
5.550A	For sharing of the band 36-37 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile services, Resolution 752 (WRC-07) shall apply. (WRC-07)
5.550B	The frequency band 37-43.5 GHz, or portions thereof, is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Because of the potential deployment of FSS earth stations within the frequency range 37.5-42.5 GHz and high-density applications in the fixed-satellite service in the frequency bands 39.5-40 GHz in Region 1, 40-40.5 GHz in all Regions and 40.5-42 GHz in Region 2 (see No. 5.516B), administrations should further take into account potential constraints to IMT in these frequency bands, as appropriate. Resolution 243 (Rev.WRC-23) applies. (WRC-23)
5.550C	The use of the frequency bands 37.5-39.5 GHz (space-to-Earth), 39.5-42.5 GHz (space-to-Earth), 47.2-50.2 GHz (Earth- to-space) and 50.4-51.4 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to the application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service but not with non-geostationary-satellite systems in other services. Resolution 770 (Rev.WRC-23) shall also apply, and No. 22.2 shall continue to apply. (WRC-19)

Footnotes

5.550CA	Non-geostationary-satellite systems in the fixed-satellite service operating with an apogee altitude above 407 km and below 2 000 km in the frequency band 37.5-38 GHz shall not exceed an unwanted emission e.i.r.p. density of -21 dB(W/100 MHz) per space station for angles greater than 65.0° from nadir relative to the space station in the fixed satellite service in the frequency band 36-37 GHz in order to protect the Earth exploration-satellite service (passive) operating in the latter frequency band. (WRC-23)
5.550D	The allocation to the fixed service in the frequency band 38-39.5 GHz is identified for worldwide use by administrations wishing to implement high-altitude platform stations (HAPS). In the HAPS-to-ground direction, the HAPS ground station shall not claim protection from stations in the fixed, mobile and fixed-satellite services; and No. 5.43A does not apply. This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. Furthermore, the development of the fixed-satellite, fixed and mobile services shall not be unduly constrained by HAPS. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution 168 (Rev.WRC-23). (WRC-23)
5.550E	The use of the frequency bands 39.5-40 GHz and 40-40.5 GHz by non-geostationary-satellite systems in the mobile- satellite service (space-to-Earth) and by non-geostationary-satellite systems in the fixed-satellite service (space-to- Earth) is subject to the application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite and mobile-satellite services but not with non-geostationary-satellite systems in other services. No. 22.2 shall continue to apply for non-geostationary-satellite-systems. (WRC-19)
5.551	SUP (WRC-97)
5.551A	SUP (WRC-03)
5.551AA	SUP (WRC-03)
5.551B	SUP (WRC-2000)
5.551C	SUP (WRC-2000)
5.551D	SUP (WRC-2000)
5.551E	SUP (WRC-2000)
5.551F	<i>Different category of service:</i> in Japan, the allocation of the band 41.5-42.5 GHz to the mobile service is on a primary basis (see No. 5.33). (WRC-97)
5.551G	SUP (WRC-03)
5.551H	The equivalent power flux-density (epfd) produced in the frequency band 42.5-43.5 GHz by all space stations in any non-geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service operating in the frequency band 42-42.5 GHz, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time: – 230 dB(W/m²) in 1 GHz and -246 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and – 209 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station. These epfd values shall be evaluated using the methodology given in Recommendation ITU-R S.1586-1 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU-R RA.1631-0 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle θ_{min} of the radiotelescope (for which a default value of 5° should be adopted in the absence of notified information). These values shall apply at any radio astronomy station that either:

Footnotes

	– was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or – was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply. Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution 743 (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-23)
5.551I	The power flux-density in the band 42.5-43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station: – 137 dB(W/m²) in 1 GHz and –153 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and – 116 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station. These values shall apply at the site of any radio astronomy station that either: – was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or – was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply. Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution 743 (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)
5.552	The allocation of the spectrum for the fixed-satellite service in the bands 42.5-43.5 GHz and 47.2-50.2 GHz for Earth-to- space transmission is greater than that in the band 37.5-39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. Administrations are urged to take all practicable steps to reserve the band 47.2-49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5-42.5 GHz.
5.552A	The allocation to the fixed service in the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz is identified for use by high- altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation in the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz by HAPS shall be in accordance with the provisions of Resolution 122 (Rev.WRC-19). (WRC-19)
5.553	In the bands 43.5-47 GHz and 66-71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated (see No. 5.43). (WRC-2000)
5.553A	In Algeria, Angola, Bahrain, Belarus, Benin, Botswana, Brazil, Burkina Faso, Cabo Verde, Korea (Rep. of), Côte d'Ivoire, Croatia, Djibouti, Egypt, United Arab Emirates, Estonia, Eswatini, Gabon, Gambia, Ghana, Greece, Guinea, Guinea-Bissau, Hungary, Iran (Islamic Republic of), Iraq, Jordan, Kuwait, Lesotho, Latvia, Liberia, Lithuania, Madagascar, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia,

Footnotes

	Niger, Nigeria, Oman, Qatar, Senegal, Seychelles, Sierra Leone, Slovenia, Somalia, Sudan, South Africa, Sweden, Tanzania, Togo, Tunisia, Zambia and Zimbabwe, the frequency band 45.5-47 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT), taking into account No. 5.553. With respect to the aeronautical mobile service and radionavigation service, the use of this frequency band for the implementation of IMT is subject to agreement obtained under No. 9.21 with concerned administrations and shall not cause harmful interference to, or claim protection from these services. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 244 (Rev.WRC-23) applies. (WRC-23)
5.553B	In Region 2 and Algeria, Angola, Saudi Arabia, Australia, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Rep., Comoros, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Equatorial Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lesotho, Liberia, Libya, Lithuania, Madagascar, Malaysia, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Singapore, Slovenia, Somalia, Sudan, South Sudan, South Africa, Sweden, Tanzania, Chad, Togo, Tunisia, Zambia and Zimbabwe, the frequency band 47.2-48.2 GHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish any priority in the Radio Regulations. Resolution 243 (Rev.WRC-23) applies. (WRC-23)
5.554	In the bands 43.5-47 GHz, 66-71 GHz, 95-100 GHz, 123-130 GHz, 191.8-200 GHz and 252-265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service. (WRC-2000)
5.554A	The use of the bands 47.5-47.9 GHz, 48.2-48.54 GHz and 49.44-50.2 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary satellites. (WRC-03)
5.555	<i>Additional allocation:</i> the band 48.94-49.04 GHz is also allocated to the radio astronomy service on a primary basis. (WRC-2000)
5.555A	SUP (WRC-03)
5.555B	The power flux-density in the band 48.94-49.04 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth) operating in the bands 48.2-48.54 GHz and 49.44-50.2 GHz shall not exceed -151.8 dB(W/m ²) in any 500 kHz band at the site of any radio astronomy station. (WRC-03)
5.555C	The use of the frequency band 51.4-52.4 GHz by the fixed-satellite service (Earth-to-space) is limited to geostationary- satellite networks. The earth stations shall be limited to gateway earth stations with a minimum antenna diameter of 2.4 metres. (WRC-19)
5.556	In the bands 51.4-54.25 GHz, 58.2-59 GHz and 64-65 GHz, radio astronomy observations may be carried out under national arrangements. (WRC-2000)
5.556A	Use of the bands 54.25-56.9 GHz, 57-58.2 GHz and 59-59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, shall not exceed -147 dB (W/(m ² x 100 MHz)) for all angles of arrival. (WRC-97)
5.556B	<i>Additional allocation:</i> in Japan, the band 54.25-55.78 GHz is also allocated to the mobile service on a primary basis for low-density use. (WRC-97)
5.557	<i>Additional allocation:</i> in Japan, the band 55.78-58.2 GHz is also allocated to the radiolocation service on a primary basis. (WRC-97)

Footnotes

5.557A	In the band 55.78-56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to -26 dB(W/MHz). (WRC-2000)
5.558	In the bands 55.78-58.2 GHz, 59-64 GHz, 66-71 GHz, 122.25-123 GHz, 130-134 GHz, 167-174.8 GHz and 191.8-200 GHz, stations in the aeronautical mobile service may be operated subject to not causing harmful interference to the inter-satellite service (see No. 5.43). (WRC-2000)
5.558A	Use of the band 56.9-57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from non-geostationary satellites in high-Earth orbit to those in low-Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed -147 dB (W/(m ² x 100 MHz)) for all angles of arrival. (WRC-97)
5.559	In the band 59-64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. 5.43). (WRC-2000)
5.559A	SUP (WRC-07)
5.559AA	The frequency band 66-71 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which this frequency band is allocated and does not establish priority in the Radio Regulations. Resolution 241 (Rev.WRC-23) applies. (WRC-23)
5.559B	The use of the frequency band 77.5-78 GHz by the radiolocation service shall be limited to short-range radar for ground-based applications, including automotive radars. The technical characteristics of these radars are provided in the most recent version of Recommendation ITU-R M.2057. The provisions of No. 4.10 do not apply. (WRC-15)
5.560	In the band 78-79 GHz radars located on space stations may be operated on a primary basis in the Earth exploration-satellite service and in the space research service.
5.561	In the band 74-76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service. (WRC-2000)
5.561A	The 81-81.5 GHz band is also allocated to the amateur and amateur-satellite services on a secondary basis. (WRC-2000)
5.561B	In Japan, use of the band 84-86 GHz, by the fixed-satellite service (Earth-to-space) is limited to feeder links in the broadcasting-satellite service using the geostationary-satellite orbit. (WRC-2000)
5.562	The use of the band 94-94.1 GHz by the Earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars. (WRC-97)
5.562A	In the bands 94-94.1 GHz and 130-134 GHz, transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible. (WRC-2000)
5.562B	In the bands 105-109.5 GHz, 111.8-114.25 GHz and 217-226 GHz, the use of this allocation is limited to space-based radio astronomy only. (WRC-19)
5.562C	Use of the band 116-122.25 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth's surface and in the vicinity of all

Footnotes

	geostationary orbital positions occupied by passive sensors, shall not exceed $-148 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for all angles of arrival. (WRC-2000)
5.562D	Additional allocation: In Korea (Rep. of), the frequency bands 128-130 GHz, 171-171.6 GHz, 172.2-172.8 GHz and 173.3- 174 GHz are also allocated to the radio astronomy service on a primary basis. Radio astronomy stations in Korea (Rep. of) operating in the frequency bands referred to in this footnote shall not claim protection from, or constrain the use and development of, services in other countries operating in accordance with the Radio Regulations. (WRC-15)
5.562E	The allocation to the Earth exploration-satellite service (active) is limited to the band 133.5-134 GHz. (WRC-2000)
5.562F	SUP (WRC-19)
5.562G	SUP (WRC-19)
5.562H	Use of the bands 174.8-182 GHz and 185-190 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed $-144 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for all angles of arrival. (WRC-2000)
5.563	SUP (WRC-03)
5.563A	In the bands 200-209 GHz, 235-238 GHz, 250-252 GHz and 265-275 GHz, ground-based passive atmospheric sensing is carried out to monitor atmospheric constituents. (WRC-2000)
5.563AA	In the frequency band 235-238 GHz, stations in the Earth exploration-satellite service (passive) shall not claim protection from stations in the fixed and mobile services. (WRC-23)
5.563B	The band 237.9-238 GHz is also allocated to the Earth exploration-satellite service (active) and the space research service (active) for spaceborne cloud radars only. (WRC-2000)
5.564	SUP (WRC-2000)
5.564A	For the operation of fixed and land mobile service applications in frequency bands in the range 275-450 GHz: The frequency bands 275-296 GHz, 306-313 GHz, 318-333 GHz and 356-450 GHz are identified for use by administrations for the implementation of land mobile and fixed service applications, where no specific conditions are necessary to protect Earth exploration-satellite service (passive) applications. The frequency bands 296-306 GHz, 313-318 GHz and 333-356 GHz may only be used by fixed and land mobile service applications when specific conditions to ensure the protection of Earth exploration-satellite service (passive) applications are determined in accordance with Resolution 731 (Rev.WRC-23). In those portions of the frequency range 275-450 GHz where radio astronomy applications are used, specific conditions (e.g. minimum separation distances and/or avoidance angles) may be necessary to ensure protection of radio astronomy sites from land mobile and/or fixed service applications, on a case-by-case basis, in accordance with Resolution 731 (Rev.WRC-23). The use of the above-mentioned frequency bands by land mobile and fixed service applications does not preclude use by, and does not establish priority over, any other applications of radio services in the range of 275-450 GHz. (WRC-23)
5.565	The following frequency bands in the range 275-1 000 GHz are identified for use by administrations for passive service applications: – radio astronomy service: 275-323 GHz, 327-371 GHz, 388-424 GHz, 426-442 GHz, 453-510 GHz, 623-711 GHz, 795-909 GHz and 926-945 GHz; – Earth exploration-satellite service (passive) and space research service (passive): 275-286 GHz, 296-306 GHz, 313-356 GHz, 361-365 GHz, 369-392 GHz, 397-399 GHz, 409-411 GHz, 416-434 GHz, 439-467 GHz, 477-502 GHz, 523-527 GHz, 538-581 GHz, 611-630 GHz, 634-654 GHz, 657-692 GHz,

Footnotes

	713-718 GHz, 729-733 GHz, 750-754 GHz, 771-776 GHz, 823-846 GHz, 850-854 GHz, 857-862 GHz, 866-882 GHz, 905-928 GHz, 951-956 GHz, 968-973 GHz and 985-990 GHz. The use of the range 275-1 000 GHz by the passive services does not preclude use of this range by active services. Administrations wishing to make frequencies in the 275-1 000 GHz range available for active service applications are urged to take all practicable steps to protect these passive services from harmful interference until the date when the Table of Frequency Allocations is established in the above-mentioned 275-1 000 GHz frequency range. All frequencies in the range 1 000-3 000 GHz may be used by both active and passive services. (WRC-12)

8 LIST OF FREQUENCY BANDS USED FOR MARITIME SERVICES

Frequency Band	Frequency Used	Services
505-526.5 kHz	518 kHz	[Transmission of MSI (Appendix 15 of ITU RR) ¹² (Meteorological, navigational, and other urgent information)]
2 173.5-2 190.5 kHz	2 182 kHz	Distress, Urgency and Safety communications (traffic) by radio telephony (voice) (Appendix 15 of ITU RR)
	2 187 kHz	DSC Watchkeeping (Article 31) (Appendix 15 of ITU RR)
4 063-4 438 kHz		(Appendix 17) ¹³
		(Appendix 17)
	4 125 kHz	Distress, Urgency and Safety communications (traffic) by radio telephony (voice) (Appendix 15 of ITU RR)
	4 207.5 kHz	DSC watchkeeping (Article 31) (Appendix 15 of ITU RR)
	4 369 kHz	(Appendix 17)
	4 375 kHz	Transmission of meteorological bulletins; notices to navigators; (Appendix 17)
	4 417 kHz	Coast Station duplex transmission of Channel 421.
6 200-6 525 kHz	6 203 kHz	(Appendix 17)
	6 215 kHz	Distress, Urgency and Safety communications (traffic) by radio telephony (voice) (Appendix 15 of ITU RR)
	6 312 kHz	DSC watchkeeping (Article 31) (Appendix 15 of ITU RR)
	6 504 kHz	(Appendix 17)
8 195-8 815 kHz	8 207 kHz	(Appendix 17)
	8 216 kHz	(Appendix 17)
	8 255 kHz	(Appendix 17)
	8 291 kHz	Distress, Urgency and Safety communications (traffic) by radio telephony (voice) (Appendix 15 of ITU RR)

¹² Only distress and safety communications are provided, with MSI and Medical Assistance at sea. All MF/HF public correspondence ceased as it was no longer commercially viable and sustainable. Other technologies accommodate this type of communications. (Satellite, GSM, Trunked radio networks, etc.).

¹³ Public Correspondence facilities with effect from 1 September 2014 has been discontinued.

Frequency Band	Frequency Used	Services
	8 731 kHz	(Appendix 17)
	8 740 kHz	Transmission of meteorological bulletins; notices to navigators; (Appendix 17)
	8 779 kHz	(Appendix 17)
	8 414.5 kHz	DSC watchkeeping (Article 31)
12 230-13 200 kHz	12 254 kHz	(Appendix 17)
	12 290 kHz	(Appendix 17)
	12 299 kHz	(Appendix 17)
	12 359 kHz	(Appendix 17)
	12 577 kHz	DSC watchkeeping (Article 31) (Appendix 15 of ITU RR)
	13 101 kHz	(Appendix 17)
16 360-17 410 kHz	13 146 kHz	Transmission of meteorological bulletins; notices to navigators; (Appendix 17)
	16 381 kHz	(Appendix 17)
	16 420 kHz	Distress, Urgency and Safety communications (traffic) by radio telephony (voice) (Appendix 15 of ITU RR)
	16 456 kHz	(Appendix 17)
	16 537 kHz	(Appendix 17)
	16 804.5 kHz	DSC watchkeeping (Appendix 15 of ITU RR)
	17 263 kHz	(Appendix 17)
	17 338 kHz	(Appendix 17)

Frequency Band as per NRFP	Frequency Used	Services
154-156.4875 MHz	Several channels used within this range in accordance with Appendix 18 of the ITU RR Channel 2006-160.900 MHz	APPENDIX 18 Channel 2006 allocated for Man Overboard Devices used for search and rescue operations. New AIS technologies.
156.7875-156.8125 MHz	Channel 16 in accordance with Appendix 18 of the ITU RR 156.7750 156.8250	Appendix 18. Mobile Satellite Earth to Space for long range AIS broadcasts (ship stations)

156.8375-162.0250 MHz	Several channels used within this range in accordance with Appendix 18 of the ITU RR	
	Channel 28 in accordance with Appendix 18 of the ITU RR	APPENDIX 18 services allocated: Coast Station Analogue Maritime Safety Information (MSI) transmissions using Simplex configurations - 01 to 05; and 60 to 65. Priority to digital transmissions as per Footnote w) from 1 January 2017. Protection of Channel 70 for DSC and Channel 16 distress communications, AIS1 (161.970 MHz) and AIS2 (162.025) for navigational safety

Short Title and Commencement

This document shall be called the “*National Radio Frequency Plan 2026*” and will come into force upon publication in the Government Gazette.

Repeals

1. The National Radio Frequency Plan 2021.

9 REFERENCE INFORMATION SOURCES

ITU documents

- [SM.2015: Methods for determining national long-term strategies for spectrum utilization](#)
- Report [ITU-R SM.2012-7 \(06/2025\)](#)
- [Final Acts from WRC-2023](#)
- Report [ITU-R M.2290-0 \(12/2013\) Future spectrum requirements estimate for terrestrial IMT](#)
- Report [ITU-R M.2078, “Estimated Spectrum Bandwidth Requirements for the Future Development of IMT-2000 and IMT-Advanced,” 2006](#)
- The [Radio Regulations from 2016](#)
- The [Radio Regulations from 2020](#)
- The [Radio Regulations 2024](#)

The Authority published similar Documents

- [SABRE I](#)
- [SABRE II](#)
- [SATFA 1997](#)
- [NRFP 2010](#)
- [NRFP 2013](#)
- [NRFP 2018](#)
- [NRFP 2021](#)
- [ECA and associated documents](#)
- The [Frequency Migration Plan 2013](#)
- The [Frequency Migration Plan 2019](#)
- The Frequency Migration Plan 2019 as amended/The [Draft Frequency Migration Plan 2024](#) (still to be concluded)
- Reference [RFSAPs](#) will be included in the NRFP 2026.
- [IMT RoadMap 2014](#)
- [IMT Roadmaps 2019](#)