


DEPARTMENT OF WATER AND SANITATION

NO. 1019

25 SEPTEMBER 2020

**NATIONAL WATER ACT, 1998
(ACT NO. 36 OF 1998)****RESERVE DETERMINATION FOR THE WATER RESOURCES OF THE VAAL WATER
MANAGEMENT AREA**

I, Lindiwe Sisulu, Minister of Human Settlements, Water and Sanitation, in terms of section 16(1) of the National Water Act, 1998 (Act No. 36 of 1998), hereby determine the Reserve for the water resources in the the Vaal Water Management Area, as set out in the Schedule.

**L N SISULU (MP)****MINISTER OF HUMAN SETTLEMENTS, WATER AND SANITATION****DATE: 05/03/2020**

SCHEDULE

1. DESCRIPTION OF WATER RESOURCE

- 1.1 The Reserve is determined for all or part of every significant water resource within the Vaal Water Management Area as set out below:

Water Management Area: Vaal

Drainage Regions: C Primary Drainage Region:

C11, C12, C13, C21, C22, C23, C81, C82, C83, C24, C25, C41, C42, C43, C60, C70, C31, C32, C33, C91, C92, C41, C42

(excluding the Modder Riet catchment, C51 and C52; and excluding the Molopo catchment, D41 and D42 of the Vaal Water Management Area)

Rivers: Vaal, Wilge, Klip, Klein Vaal, Waterval, Suikerbosrand, Blesbokspruit, Mooi, Vals, Schoonspruit, Sand, Vet, Harts

2. ACRONYMS AND DEFINITIONS

2.1 Acronyms

BAS	Best Attainable State
BHN	Basic Human Needs
CAWC	Co-ordinated Water Bird Counts
CBA	Critical Biodiversity Areas
EC	Ecological Category
EcoSpecs	Ecological Specifications
EIA	Environmental Impact Assessment
EIS	Ecological Importance and Sensitivity
ESA	Ecological Support Areas
EWR	Ecological Water Requirement
GRAII	Groundwater Resource Assessment Phase II
GRDM	Groundwater Resource Directed Measures
GRUs	Groundwater Resource Units
IS	Importance and Sensitivity
MAR	Mean Annual Runoff
MCM	Million Cubic Metres
nMAR	Natural Mean Annual Runoff
PES	Present Ecological Status
REC	Recommended Ecological Category
TEC	Target Ecological Category
TPCs	Thresholds of Potential Concern
WUL	Water Use Licence

2.2 Definitions

In this Determination, unless the context otherwise indicates—

“Baseflow” means a sustained low flow in rivers during dry or fair weather conditions, but not necessarily all contributed by groundwater and includes contribution from delayed interflow and groundwater discharge;

“Class of a Water Resource” means a set of desired characteristics for use and ecological condition for significant water resources in a given catchment (integrated unit of analysis). The Class must describe the extent of use of the water resource; the Reserve; the resource quality objectives and the determination of the allocable portion of the water resource for use. Water resources must be classified into one of the three classes, Class I water resource Class II water resource and Class III water resource;

“Ecological Importance and Sensitivity” (EIS) means key indicators in the ecological classification of water resources. Ecological importance relates to the presence, representativeness and diversity of species of biota and habitat. Ecological sensitivity relates to the vulnerability of the habitat and biota to modifications that may occur in flows, water levels and physico-chemical conditions;

“Ecological Water Requirements” (EWR) means the flow patterns (magnitude, timing and duration) and water quality needed to maintain a riverine ecosystem in a particular condition. This term is used to refer to both the quantity and quality components;

“EWR Sites” means specific points on the river as determined through the site selection process. An EWR site consists of a length of river which may consist of various cross-sections for both hydraulic and ecological purposes. These sites provide sufficient indicators to assess environmental flows and assess the condition of biophysical components (drivers such as hydrology, geomorphology and physico-chemical) and biological responses (viz. fish, invertebrates and riparian vegetation);

“Present Ecological State” (PES) means a category indicating the current health or integrity of various biological attributes of the water resource, compared to the natural or close to natural reference conditions. The results of the process are provided as Ecological Categories (ECs) ranging from A (near natural) to F (completely modified) for the PES;

“Recharge” means the addition of water to the zone of saturation, either by downward percolation of precipitation or surface water and/ or the lateral migration of groundwater from adjacent aquifers;

“Recommended Ecological Category” (REC) means an ecological category indicating the ecological management target for a water resource based on its ecological classification that should be attained. Categories range from Category A (unmodified, natural) to Category D (largely modified);

“River Node” (biophysical node) means modelling points representative of an upstream reach or area of an aquatic eco-system (rivers, wetlands, estuaries and groundwater) for which a suite of relationships apply;

“Sub-quaternary catchments” means a finer subdivision of the quaternary catchments (the catchment areas of tributaries of main stem rivers in quaternary catchments);

“Target Ecological Category” (TEC) means the ecological condition assigned to a water resource by the Minister that reflects the ecological condition of that water resource in terms of the deviation of its biophysical components from the natural reference condition. The ultimate target to achieve a sustainable system both ecologically and economically taking into account the PES and REC.

3. RESERVE DETERMINATION

3.1 The Reserve which includes the Ecological Water Requirements (EWRs) and the Basic Human Needs Reserve (BHN) for the Rivers at EWR sites and selected biophysical nodes in the Vaal Water Management Area is set out in **section 4**. The Vaal Water Management Area locality and EWR sites are indicated in **Figure 1**.

3.2 The water quality component of the Reserve for the Rivers at the EWR sites in the Vaal catchment is set out in **section 5**.

3.3 The Groundwater Reserve for Water Quantity and Water Quality for the Vaal Water Management Area is set out in **section 6**.

3.4 The ecological specifications for the Wetlands of the Vaal Water Management Area is set out in **section 7**.

4. RESERVE DETERMINATION FOR RIVERS

The Reserve determination and ecological categorisation for the rivers of the Vaal catchment area, where the Reserve is expressed as a percentage of the natural MAR (NMAR) for the respective catchments (cumulative):

Table 4.1: The Reserve for the Rivers at the EWR sites which include the EWRs to protect the aquatic ecosystem and the BHN requirements

Quaternary Catchment	Water Resource	Water Resource Class	PES	EIS	TEC ⁵	MAR (MCM) ¹	Reserve ² (%MAR)	Ecological Reserve ³ (%MAR)	Basic human needs (BHN) Reserve ⁴ (%MAR)
C11J	Vaal River – EWR 1	II	B/C	High	B/C	332.3*	39.411	39.41	0.001
C11M	Vaal River – EWR 2	II	C	Moderate	C	457.7 [#]	13.610	13.61	0.00022
C12F	Waterval – EWR WA1	III	D	Low	D	76.71 [#]	3.501	3.5	0.0007
C12G	Waterval – EWR WA2	III	D	Low	D	147.43 [#]	6.4003	6.4	0.00027
C12H	Vaal River – EWR 3	II	C	Moderate	C	858.1 [#]	14.300	14.3	0.00004
C22F	Vaal River – EWR 4	III	C	High	B/C	1977.3*	21.550	21.55	0.00015
C23L	Vaal River – EWR 5	III	C/D	High	C	2288*	34.100	34.1	0.00004
C13D	Klip River – EWR 6	II	B/C	Moderate	B/C	95.3 [#]	26.542	26.54	0.0021
C81A	Wilge River – EWR 7	II	A/B	High	A/B	23.5 [#]	45.893	45.88	0.0128
C82C	Wilge River – EWR 8	II	C	Moderate	C	474.3 [#]	11.770	11.77	0.00006
C21C	Suikerbosrand – EWR 9	II	C	High	B/C	31.3 [#]	41.893	41.89	0.0032
C21G	Suikerbosrand – EWR 10	III	C/D	Moderate	C/D	149.27*	34.391	34.39	0.0007
C21F	Blesbokspruit – EWR 11	III	D	Low	D	100.69*	18.145	18.14	0.0050
C11C	Klein Vaal River – RE-EWR 1	II	C	Moderate	C	26.09 [#]	24.725	24.71	0.0153
C23G	Mooi River – RE-EWR 2	III	D	Low	D	37.7 [#]	19.061	19.05	0.0106
C24B	Vaal River – EWR 12	III	D	Moderate	D	1574.64*	28.280	28.28	0.00009
C24J	Vaal River – EWR 13	III	C/D	Moderate	C/D	1638.37*	35.800	35.8	0.00009
C60J	Vals River – EWR 14	III	C/D	Moderate	C/D	145.79 [#]	17.050	17.05	0.00034
C43A	Vet River – EWR 15	III	C/D	Moderate	C/D	253.15*	18.200	18.2	0.00028
C41E	Klein Vet – RE – EWR 3	II	C	Moderate	C	49.56 [#]	19.540	19.54	0.00028
C42J	Sand – EWR RD1	III	C/D	Moderate	B/C	140.76 [#]	23.820	23.82	0.00007
C42L	Sand – EWR RD2	III	C	Moderate	B/C	180.692 [#]	23.490	23.49	0.00011
C24E	Schoonspruit – EWR S1	III	C	Low	C	59.38 [#]	35.805	35.8	0.0049
C24G	Schoonspruit – EWR S3	III	C/D	Low	C/D	89.96 [#]	30.902	30.9	0.0018
C24H	Schoonspruit – EWR S4	III	C/D	Low	C/D	102.09 [#]	31.203	31.2	0.0034
C91A	Vaal – EWR 16	III	D	Moderate	D	3242.51*	13.020	13.02	0.00007
C33C	Harts – EWR 17	II	D	Moderate	D	147.85*	51.6034	51.60	0.0034
C92B	Vaal – EWR 18	III	C	Moderate	C	1177.28*	21.871	21.87	0.00060

1) MAR is the Mean Annual Runoff ([#] Based on natural flow at the EWR site; * Based on present day flow at the EWR site; * Based on observed flow at the EWR site).

2) The Reserve is the total requirement that accounts for both the Ecological Reserve and the Basic Human Needs Reserve (BHN).

3) Ecological Reserve requirement represents the long-term mean based on the MAR. If the MAR changes, this volume will also change.

4) Represents the BHN requirement as a percentage of the MAR. Basic human needs includes the population directly reliant on rivers, streams and springs for water supply (derived from 2011 Census data)

5) Target Ecological Category (TEC): The ultimate target to achieve a sustainable system both ecologically and economically taking into account the PES and REC.

ECOLOGICAL WATER REQUIREMENTS SITE INFORMATION

EWR Site	EWR site name	River	Sub-quaternary river reach	Coordinates		Quaternary catchment
				Latitude	Longitude	
EWR1	Uitkoms	Vaal	C11J-01838	S26.872800	E29.613840	C11J
EWR2	Grootdraai	Vaal	C11M-01894	S26.92110	E29.27929	C11M
EWR WA1	Waterval_1	Waterval	C12F-01722	S26.64608	E29.01857	C12F
EWR WA2	Waterval_2	Waterval	C12G-01896	S26.88543	E28.88357	C12G
EWR3	Gladdedrift	Vaal	C12C-01997	S26.99087	E28.72971	C12H
EWR4	De Neys	Vaal	C22F-01737	S26.84262	E28.11230	C22F
EWR5	Skandinavia	Vaal	C22L-01792	S26.93243	E27.01367	C23L
EWR6	Klip	Klip	C13D-02226	S27.36166	E29.48503	C13D
EWR7	Upper Wilge	Wilge	C81A-02790	S28.20185	E29.55827	C81A
EWR8	Bavaria	Wilge	C82C-2505	S27.80017	E28.76778	C82C
EWR9	Suikerbos Upstream	Suikerbosrand	C21C-01675	S26.64670	E28.38197	C21C
EWR10	Suikerbos Downstream	Suikerbosrand	C21G-01627	S26.68137	E28.16798	C21G
EWR11	Blesbokspruit	Blesbokspruit	C21F-01447	S26.47892	E28.42488	C21F
RE-EWR1	Klein Vaal	Klein Vaal	C11C-01846	S26.912750	E30.174970	C11C
RE-EWR2	Mooi River	Mooi	C23G-01250	S26.258670	E27.159730	C23G
EWR12	Vaal River: Vermaasdrift	Vaal	C24B-01817	S26.93615	E26.85025	C24B
EWR13	Vaal River: Regina bridge	Vaal	C24J-02016	S27.10413	E26.52185	C24J
EWR14	Vals River: Proklameersdrift	Vals	C60J-02262	S27.48685	E26.81320	C60J
EWR15	Vet River: Fisantkraal	Vet	C43A-02561	S27.93482	E26.12569	C43A
RE-EWR 3	Klein-Vet, just downstream of Winburg	Klein Vet	C41E-03132	S28.564708	E26.943946	C41E
EWR RD1	At Meloding	Sand	C42J-02716	S28.1131994	E26.9080556	C42J
EWR RD2	At Steel Bridge	Sand	C42L-02635	S28.1228333	E26.5855555	C42L
EWR S1	EWR S1	Schoonspruit	C24E-01164	S26.31172	E26.31172	C24E
EWR S3	EWR S3	Schoonspruit	C24G-01661	S26.67500	E26.586108	C24G
EWR S4	EWR S4	Schoonspruit	C24H-01860	S26.93333	E26.66528	C24H
EWR16	Downstream Bloemhof Dam	Vaal	C91A-02391	S27.65541	E25.59564	C91A
EWR17	Lloyds weir on Harts River	Harts	C33C-02836	S28.37694	E24.30305	C33C
EWR18	Schmidtsdrift	Vaal	C92B-02903	S28.70758	E24.07578	C92B

Table 4.2: The Reserve for the Rivers at the priority biophysical nodes with High Ecological importance

Quaternary catchment	Node	River	Sub-quaternary river reach	PES	Ecological Importance	REC	Ecological Reserve (%NMAR)	BHN Reserve (%NMAR)	Total Reserve (%NMAR)	NMAR (MCM/a)
C11A	UA.1	Vaal	C11A-01460	B/C	High	B/C	44.09	0.053	44.143	13.27
C13C	UB.1	Klip	C13C-02550	B	High	B	63.86	0.018	63.878	5.67
C13D	UB.2	Klip	C13D-02416	B/C	High	B/C	38.86	0.004	38.864	54
C13D	UB.3	Klip	C13D-02284	B/C	High	B	44.26	0.003	44.263	68.04
C13E	UB.6	Kommandospruit	C13E-02228	B/C	High	B	50.66	0.006	50.666	33.6
C81A	UC1.1	Wilge	C81A-02790	B	High	B	45.69	0.004	45.694	69.03
C81L	UC1.3	Meul	C81L-02594	B	High	B	57.25	0.008	57.258	26.49
C81G	UC2.3	Klerkspruit	C81G-02882	B	High	B	69.45	0.017	69.467	5.85
C83G	UD.4	Liebenbergsvlei	C83G-02364	B/C	High	B/C	62.48	0.006	62.486	4.74
C83H	UD.5	Liebenbergsvlei	C83H-02395	B/C	High	B	64.50	0.015	64.515	2.66
C12A	UH.1	Suikerbosrant	C12A-01567	B/C	High	B	47.17	0.002	47.172	28.65

5. WATER QUALITY COMPONENT OF THE ECOLOGICAL RESERVE FOR RIVERS

The ecological specifications for water quality for the maintenance of the Reserve target ecological category at each EWR site is detailed in Tables 5.1 to Table 5.18. These are the values of water quality parameters (threshold concentrations) that should not be exceeded in order to meet the water quality attribute of the TEC.

Table 5.1: EWR1: Water Quality Ecological Specifications

River: Vaal		EWR 1: at Uitkoms	Water quality monitoring site/gauge: C1H007/ VS4 GDDC11
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 28 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 38 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 36 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 69 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 243 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	Electrical Conductivity	The 95 th percentile of the data must be ≤ 70 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0, and the 95 th percentile 8.0 to 8.8	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 7.0 mg/L	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 0.7 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.020 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 20 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be < 21 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.044 mg/L	
	Atrazine	The 95 th percentile of the data must be ≤ 0.064 mg/l	
	Fluoride	The 95 th percentile of the data must be ≤ 2.5 mg/L	
	Endosulfan	The 95 th percentile of the data must be ≤ 0.13 µg/l	

Table 5.2: EWR2: Water Quality Ecological Specifications

River: Vaal		EWR 2: Downstream Grootdraai	Water quality monitoring site/gauge: C1H019
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 23 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 33 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 30 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 57 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 191 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 30 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0, and the 95 th percentile 8.0 to 8.8	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 7.5mg/L	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 0.25 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.025mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 18 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 16 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.044 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.3: EWR3: Water Quality Ecological Specifications

River: Vaal		EWR 3: at Gladdedrift	Water quality monitoring site/gauge: C1H012
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 33 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 30 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 57 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 191 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 55 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0 and the 95 th percentile 8.0 to 8.8	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 7.5 mg/L	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 0.25 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 20 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 21 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.1 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.4: EWR4: Water Quality Ecological Specifications

River: Vaal		EWR 4: at De Neys	Water quality monitoring site/gauge: C1H012
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 33 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 30 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 57 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 191 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 30 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0 and the 95 th percentile 8.0 to 8.8	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 7 mg/L	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 0.7 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 10 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 1.7 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.1 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.5: EWR5: Water Quality Ecological Specifications

River: Vaal		EWR 5: Skandinavia	Water quality monitoring site/gauge: C2H122
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 51 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 36 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 105 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 191 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 85 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0 and the 95 th percentile 8.8 to 9.2	
	Temperature	Temperatures should be close to natural range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 6 mg/L	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 1.0 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.025 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 20 µg/L	
Toxics	Chl-a periphyton	The 50 th percentile of the data must be ≤ 21 mg/m ²	
	Ammonia	The 95 th percentile of the data must be ≤ 0.073 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	
Inorganic ions	Sulphate	The 95 th percentile of the data must be ≤ 200 mg/L	

Table 5.6: EWR6: Water Quality Ecological Specifications

River: Klip		EWR 6: Klip	Water quality monitoring site/gauge: C1H002 (Downstream site in C13F)
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 28 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 20 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 15 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 21 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 45 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 55 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0 and the 95 th percentile 8.0 to 8.8	
	Temperature	Temperatures should be close to natural range	
	Dissolved oxygen	Must be between 7 and 8 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range, minor silting of instream habitats acceptable	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 0.75 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.020 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 15 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be < 12 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.044 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.7: EWR7: Water Quality Ecological Specifications

River: Wilge		EWR 7: Upper Wilge	Water quality monitoring site/gauge: No weir/WQ site in vicinity of EWR site
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be < 23 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be < 33 mg/L	
	MgCl ₂	The 95 th percentile of the data must be < 30 mg/L	
	CaCl ₂	The 95 th percentile of the data must be < 57 mg/L	
	NaCl	The 95 th percentile of the data must be < 191 mg/L	
	CaSO ₄	The 95 th percentile of the data must be < 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be < 55 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0, and the 95 th percentile 8.8 to 9.2	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 8 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range, minor silting of instream habitats acceptable	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be between < 0.7 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be < 0.025 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 15 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 12 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.044 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.8: EWR8: Water Quality Ecological Specifications

River: Wilge		EWR 8: Bavaria	Water quality monitoring site/gauge: C8H028
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be < 16 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be < 20 mg/L	
	MgCl ₂	The 95 th percentile of the data must be < 15 mg/L	
	CaCl ₂	The 95 th percentile of the data must be < 21 mg/L	
	NaCl	The 95 th percentile of the data must be < 45 mg/L	
	CaSO ₄	The 95 th percentile of the data must be < 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be < 55 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0 and the 95 th percentile 8.0 to 8.8	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 8 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range, minor silting of instream habitats acceptable	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be between < 0.7 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be < 0.025 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 20 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be < 21 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.073 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.9: EWR9: Water Quality Ecological Specifications

River: Suikerbosrand		EWR 9: Upstream	Water quality monitoring site/gauge: C2H131
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be < 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be < 51 mg/L	
	MgCl ₂	The 95 th percentile of the data must be < 30 mg/L	
	CaCl ₂	The 95 th percentile of the data must be < 57 mg/L	
	NaCl	The 95 th percentile of the data must be < 45 mg/L	
	CaSO ₄	The 95 th percentile of the data must be < 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be < 55 mS/m	
	pH	The 5 th percentile of the data must be 6.5 – 8.0 and the 95 th percentile 8.0 - 8.8	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 8 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range, minor silting of instream habitats acceptable	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be < 0.7 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be < 0.020 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 20 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must < 21 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.073 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.10: EWR10: Water Quality Ecological Specifications

River: Suikerbosrand		EWR 10: Downstream	Water quality monitoring site/gauge: C2H070
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be < 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be < 51 mg/L	
	MgCl ₂	The 95 th percentile of the data must be < 51 mg/L	
	CaCl ₂	The 95 th percentile of the data must be < 105 mg/L	
	NaCl	The 95 th percentile of the data must be < 191 mg/L	
	CaSO ₄	The 95 th percentile of the data must be < 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be < 85 mS/m	
	pH	The 5 th percentile of the data must be between 6.5 – 8.0 and the 95 th percentile 8.0 - 8.8	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 7 mg/L	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be < 0.7 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be < 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 30 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be < 21 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.100 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.11: EWR11: Water Quality Ecological Specifications

River: Blesbokspuit		EWR 11: Blesbokspuit	Water quality monitoring site/gauge: C2H185
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be < 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be < 51 mg/L	
	MgCl ₂	The 95 th percentile of the data must be < 36 mg/L	
	CaCl ₂	The 95 th percentile of the data must be < 105 mg/L	
	NaCl	The 95 th percentile of the data must be < 389 mg/L	
	CaSO ₄	The 95 th percentile of the data must be < 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be < 85 mS/m	
	pH	The 5 th percentile of the data must be 6.5 – 8.0 and the 95 th percentile 8.0 - 8.8	
	Temperature	Moderate change from the natural temperature range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 6.0 mg/L	
	Turbidity	Initiate baseline monitoring for this variable	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 0.70 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be < 20 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 21 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.100 mg/L	
	Atrazine	The 95 th percentile of the data must be ≤ 100 µg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 3.0 mg/L	
	Endosulfan	The 95 th percentile of the data must be ≤ 0.200 µg/L	

Table 5.12: EWR12: Water Quality Ecological Specifications

River: Vaal		EWR 12: at Vermaasdrift	Water quality monitoring site/gauge: C2H007
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 51 mg/L	
	MgCl ₂	The 5 th and 95 th percentile of the data must be ≤ 51 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 105 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 191 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 70 mS/m	
	pH	The 5 th percentile of the data must be 7.5 to 8.0 and the 95 th percentile 8.8 to 9.2	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 7.5 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range	
	TDS	The 95 th percentile data must be ≤ 560 mg/L	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 1.0 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 30 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.1 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	
	Cyanide	The 95 th percentile data must be ≤ 0.05 mg/L	
	Aluminium	The 95 th percentile data must be ≤ 0.1 mg/L	
	Uranium	The 95 th percentile data must be ≤ 0.030 mg/L	
Inorganic ions	Sulphate	The 95 th percentile data must be ≤ 160 mg/L	
	Magnesium	The 95 th percentile data must be ≤ 33 mg/L	

Table 5.13: EWR13: Water Quality Ecological Specifications

River: Vaal		EWR 13: At Regina Bridge	Water quality monitoring site/gauge: C2H022
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 51 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 51 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 191mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 105 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 70 mS/m	
	pH	The 5 th percentile of the data must be 7.5 to 8.0, and the 95 th percentile 8.0 to 8.8	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 6 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range	
	TDS	The 95 th percentile data must be ≤ 560 mg/L	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 4.0 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 30 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.0438 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	
	Aluminium	The 95 th percentile data must be ≤ 0.1 mg/L	
	Cyanide	The 95 th percentile data must be ≤ 0.05 mg/L	
	Uranium	The 95 th percentile data must be ≤ 0.030 mg/L	
Inorganic ions	Magnesium	The 95 th percentile data must be ≤ 33 mg/L	
	Sulphate	The 95 th percentile data must be ≤ 160 mg/L	

Table 5.14: EWR14: Water Quality Ecological Specifications

River: Vals		EWR 14: Proklameersdrift	Water quality monitoring site/gauge: C6H007
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 51 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 51 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 191mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 105 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 85 mS/m	
	pH	The 5 th percentile of the data must be 5.5 to 6.0 and the 95 th percentile 8.8 to 9.2	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 8 mg/L	
	Turbidity	Vary by a 10% from the natural turbidity range	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 0.7 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 30ug/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia	The 95 th percentile of the data must be ≤ 0.073 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.15: EWR15: Water Quality Ecological Specifications

River: Vet		EWR 15: at Fisantkraal	Water quality monitoring site/gauge: C4H004
Inorganic Salts	MgSO ₄	The 95th percentile of the data must be ≤ 37 mg/L	
	Na ₂ SO ₄	The 95th percentile of the data must be ≤ 51 mg/L	
	MgCl ₂	The 95th percentile of the data must be ≤ 36 mg/L	
	CaCl ₂	The 95th percentile of the data must be ≤ 69 mg/L	
	NaCl	The 95th percentile of the data must be ≤ 191 mg/L	
	CaSO ₄	The 95th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95th percentile of the data must be ≤ 80 mS/m	
	pH	The 5th percentile of the data must be 6.5 – 8.0, and the 95th percentile 8.0 – 8.8	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5th percentile of the data must be ≥ 6.0 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range	
Nutrients	Total inorganic Nitrogen (TIN)	The 50th percentile of the data must be ≤ 0.7 mg/L	
	PO ₄ -P	The 50th percentile of the data must be ≤ 0.058 mg/L	
Response variables	Chl-a phytoplankton	The 50th percentile of the data must be ≤ 25 µg/L	
	Chl-a periphyton	The 50th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia	The 95th percentile of the data must be ≤ 0.072 mg/L	
	Fluoride	The 95th percentile of the data must be ≤ 1.5 mg/L	
Inorganic ions	Sulphate	The 95th percentile data must be ≤ 120 mg/L	
	Chloride	The 95th percentile data must be ≤ 100 mg/L	

Table 5.16: EWR16: Water Quality Ecological Specifications

River: Vaal		EWR 16: Downstream Bloemhof Dam	Water quality monitoring site/gauge: C9H021
Inorganic Salts	MgSO ₄	The 95th percentile of the data must be ≤ 28 mg/L	
	Na ₂ SO ₄	The 95th percentile of the data must be ≤ 51 mg/L	
	MgCl ₂	The 95th percentile of the data must be ≤ 30 mg/L	
	CaCl ₂	- The 95th percentile of the data must be ≤ 69 mg/L	
	NaCl	The 95th percentile of the data must be ≤ 191mg/L	
	CaSO ₄	The 95th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95th percentile of the data must be ≤ 55 mS/m	
	pH	The 5th percentile of the data must be between 6.5 to 8.0, and the 95th percentile between 8.0 to 8.8	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	The 5th percentile of the data must be ≥ 6 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range	
Nutrients	Total inorganic Nitrogen (TIN)	The 50th percentile of the data must be ≤ 0.25 mg/L	
	PO ₄ -P	The 50th percentile of the data must be ≤ 0.025 mg/L	
Response variables	Chl-a phytoplankton	The 50th percentile of the data must be ≤ 30 µg/L	
	Chl-a periphyton	The 50th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia as Nitrogen	The 95th percentile of the data must be ≤ 0.073 mg/L	
	Fluoride	The 95th percentile of the data must be ≤ 3.0 mg/L	
	Atrazine	The 95th percentile data must be ≤ 0.100 mg/L	
	Endosulfan	The 95th percentile data must be ≤ 0.2 µg/L	

Table 5.17: EWR17: Water Quality Ecological Specifications

River: Harts		EWR 17: Lloyds weir	Water quality monitoring site/gauge: C3H016
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 37 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 51 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 51 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 105 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 389 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 111 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0 and the 95 th percentile 8.0 to 8.8	
	Temperature	Small deviation from the natural temperature range	
	Dissolved oxygen	5 th percentile of the data must be ≥ 6.0 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 1.0 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.025 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 30 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia as Nitrogen	The 95 th percentile of the data must be ≤ 0.073 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.18: EWR18: Water Quality Ecological Specifications

River: Vaal		EWR 18: at Schmidtsdrift	Water quality monitoring site/gauge: C9H024
Inorganic Salts	MgSO ₄	The 95 th percentile of the data must be ≤ 28 mg/L	
	Na ₂ SO ₄	The 95 th percentile of the data must be ≤ 51 mg/L	
	MgCl ₂	The 95 th percentile of the data must be ≤ 30 mg/L	
	CaCl ₂	The 95 th percentile of the data must be ≤ 105 mg/L	
	NaCl	The 95 th percentile of the data must be ≤ 191 mg/L	
	CaSO ₄	The 95 th percentile of the data must be ≤ 351 mg/L	
Physical variables	EC	The 95 th percentile of the data must be ≤ 85 mS/m	
	pH	The 5 th percentile of the data must be 6.5 to 8.0 and the 95 th percentile 8.0 to 8.8	
	Dissolved oxygen	The 5 th percentile of the data must be ≥ 4 mg/L	
	Turbidity	Vary by a small amount from the natural turbidity range	
Nutrients	Total inorganic Nitrogen (TIN)	The 50 th percentile of the data must be ≤ 0.7 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 30 µg/L	
	Chl-a periphyton	The 50 th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia as Nitrogen	The 95 th percentile of the data must be ≤ 0.073 mg/L	
	Fluoride	The 95 th percentile of the data must be ≤ 1.5 mg/L	

Table 5.19: EWR WA1: Water Quality Ecological Specifications

River: Waterval		EWR WA1: Waterval_1	Water quality monitoring site/gauge: C1H036
Physical variables	EC	The 95th percentile of the data must be ≤ 85 mS/m	
	pH	The 5th percentile of the data must be 5.0 to 5.6 and the 95th percentile 9.2 to 10.0	
	Dissolved oxygen	The 5th percentile of the data must be ≥ 6.5 mg/L	
Nutrients	Nitrate (NO ₃) + Nitrite (NO ₂)	The 50th percentile of the data must be ≤ 4.0 mg/L	
	PO ₄ -P	The 50th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50th percentile of the data must be ≤ 30 µg/L	
	Chl-a periphyton	The 50th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia as Nitrogen	The 95th percentile of the data must be ≤ 0.1 mg/L	
	Fluoride	The 95th percentile of the data must be ≤ 3.0 mg/L	
	Atrazine	The 95th percentile data must be ≤ 0.1 mg/L	
	Endosulfan	The 95th percentile data must be ≤ 0.20 µg/L	
	Cadmium (hard)	The 95th percentile data must be ≤ 0.005 mg/L	
	Chromium (VI)	The 95th percentile data must be ≤ 0.2 mg/L	
	Copper (hard)	The 95th percentile data must be ≤ 0.008 mg/L	
	Manganese	The 95th percentile data must be ≤ 1.3 mg/L	
	Lead (hard)	The 95th percentile data must be ≤ 0.013 mg/L	
	Mercury	The 95th percentile data must be ≤ 0.0017 mg/L	
	Selenium	The 95th percentile data must be ≤ 0.030 mg/L	
	Zinc	The 95th percentile data must be ≤ 0.036 mg/L	

Table 5.20: EWR WA2: Water Quality Ecological Specifications

River: Waterval		EWR WA2: Waterval_2	Water quality monitoring site/gauge: C1H030
Physical variables	EC	The 95th percentile of the data must be ≤ 85 mS/m	
	pH	The 5th percentile of the data must be 5.0 to 5.6 and the 95th percentile 9.2 to 10.0	
	Dissolved oxygen	The 5th percentile of the data must be ≥ 6.5 mg/L	
Nutrients	Nitrate (NO ₃) + Nitrite (NO ₂)	The 50th percentile of the data must be ≤ 4.0 mg/L	
	PO ₄ -P	The 50th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50th percentile of the data must be ≤ 30 µg/L	
	Chl-a periphyton	The 50th percentile of the data must be ≤ 84 mg/m ²	
Toxics	Ammonia as Nitrogen	The 95th percentile of the data must be ≤ 0.1 mg/L	
	Fluoride	The 95th percentile of the data must be ≤ 3.0 mg/L	
	Atrazine	The 95th percentile data must be ≤ 0.1 mg/L	
	Endosulfan	The 95th percentile data must be ≤ 0.20 µg/L	
	Cadmium (hard)	The 95th percentile data must be ≤ 0.005 mg/L	
	Chromium (VI)	The 95th percentile data must be ≤ 0.2 mg/L	
	Copper (hard)	The 95th percentile data must be ≤ 0.008 mg/L	
	Manganese	The 95th percentile data must be ≤ 1.3 mg/L	
	Lead (hard)	The 95th percentile data must be ≤ 0.013 mg/L	
	Mercury	The 95th percentile data must be ≤ 0.0017 mg/L	
	Selenium	The 95th percentile data must be ≤ 0.030 mg/L	
	Zinc	The 95th percentile data must be ≤ 0.036 mg/L	

Table 5.21: EWR S1: Water Quality Ecological Specifications

River: Schoonspruit		EWR S1: downstream Schoonspruit Eye	Water quality monitoring site/gauge: No site in vicinity
Physical variables	EC	The 95th percentile of the data must be ≤ 55 mS/m	
	pH	The 5th percentile of the data must be 5.6 to 6.0 and the 95th percentile 8.0 to 8.5	
	Dissolved oxygen	The 5th percentile of the data must be ≥ 7.0 mg/L	
Nutrients	Nitrate (NO ₃) + Nitrite (NO ₂)	The 50th percentile of the data must be ≤ 2.5 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.02 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 10 µg/L	
	Chl-a periphyton	The 50th percentile of the data must be ≤ 12 mg/m ²	

Table 5.22: EWR S3: Water Quality Ecological Specifications

River: Schoonspruit		EWR S3: downstream Taalbospruit and Rietspruit confluence	Water quality monitoring site/gauge: No active site
Physical variables	EC	The 95th percentile of the data must be ≤ 70 mS/m	
	pH	The 5th percentile of the data must be 5.2 to 5.4 and the 95th percentile 9.3 to 9.6	
	Dissolved oxygen	The 5th percentile of the data must be ≥ 6.5 mg/L	
Nutrients	Nitrate (NO ₃) + Nitrite (NO ₂)	The 50th percentile of the data must be ≤ 2.5 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 20 µg/L	
	Chl-a periphyton	The 50th percentile of the data must be ≤ 21 mg/m ²	

Table 5.23: EWR S4: Water Quality Ecological Specifications

River: Schoonspruit		EWR S4: downstream Johan Naser Dam	Water quality monitoring site/gauge: C2H073
Physical variables	EC	The 95th percentile of the data must be ≤ 85 mS/m	
	pH	The 5th percentile of the data must be 5.2 to 5.4 and the 95th percentile 9.3 to 9.6	
	Dissolved oxygen	The 5th percentile of the data must be ≥ 6.5 mg/L	
Nutrients	Nitrate (NO ₃) + Nitrite (NO ₂)	The 50th percentile of the data must be ≤ 2.5 mg/L	
	PO ₄ -P	The 50 th percentile of the data must be ≤ 0.125 mg/L	
Response variables	Chl-a phytoplankton	The 50 th percentile of the data must be ≤ 20 µg/L	
	Chl-a periphyton	The 50th percentile of the data must be ≤ 21 mg/m ²	
Inorganic ions	Sulphate	The 95th percentile of the data must be ≤ 200 mg/L	
Toxics	Ammonia as Nitrogen	The 95th percentile of the data must be ≤ 0.073 mg/L	
	Aluminium	The 95 th percentile of the data must be ≤ 0.1 mg/L	
	Manganese	The 95 th percentile of the data must be ≤ 0.250 mg/L	
	Uranium	The 95 th percentile of the data must be ≤ 0.03 mg/L	
	Iron	The 95 th percentile of the data must be ≤ 0.25 mg/L	
	Chromium (VI)	The 95 th percentile data must be ≤ 0.2 mg/L	
	Copper (hard)	The 95 th percentile data must be ≤ 0.008 mg/L	
	Cyanide (free)	The 95 th percentile data must be ≤ 0.050 mg/L	

6. RESERVE FOR GROUNDWATER

Table 6.1 below presents the Groundwater Reserve for the Vaal Catchment area derived using the Groundwater Resources Directed Measures (GRDM) methodology.

The prescribed GRDM algorithm was used and an “allocable groundwater” volume (MCM/annum) was calculated (Column K of Table 6.1). This algorithm as per the GRDM protocols, indicates the component of the annual recharge that is still available after Basic Human Needs, baseflow requirements and the current water use is subtracted from the calculated groundwater recharge.

The groundwater quality for each quaternary catchment, where available in a data count of >9, was applied and the ranking of the groundwater quality is according to the classification system as defined in the guideline: “Quality of Domestic Water Supplies Volume 1: Assessment Guide”. 1998. Water Research Commission, the Department of Water Affairs and Forestry & the Department of Health. Report No. TT 101/98.

NOTE: Water Quality Classification system for Domestic Water Supplies based on increasing effects

Class 0: Ideal water quality, suitable for lifetime use, with no effects on the user.

Class I: Water in this class is safe for lifetime use but falls short of the ideal water quality in that there may be instances of adverse health effects, but these are usually mild, and overt health effects are almost sub-clinical and difficult to demonstrate. Water in Class I does not cause health effects under normal circumstances. Aesthetic effects may, however, be apparent.

Class II: Water in this class is defined as that where adverse health effects are unusual for limited short-term use. Adverse health effects may become more common particularly with prolonged use over many years, or with lifetime use. This class represents water suitable for short-term or emergency use only, but not necessarily suitable for continuous use over a lifetime.

Class III: This water has constituents in a concentration range where serious health effects might be anticipated, particularly in infants or elderly people with short-term use, and even more so with longer term use. The water in this class is not suitable for use as drinking water without appropriate treatment.

Table 6.1: GRDM for the Vaal River Water Management Area

A	B	C	D	E	F	G	H	I	J	K
Quaternary Catchment	Area (km ²)	Mean Annual Precipitation (mm)	Recharge (Mm ³ /a)	% Mean Annual Precipitation	Population (minimum level)	Basic Human Needs (Mm ³ /a)	Groundwater Component of Baseflow (Mm ³ /a)	Total Reserve (Mm ³ /a)	Groundwater Use (Mm ³ /a)	Allocable Groundwater Total (Mm ³ /a)
UPPER VAAL CATCHMENT										
C11A	719	743	38.93	7.3	1955	0.02	6.46	6.48	0.00	32.45
C11B	535	705	26.49	7.0	2142	0.02	4.60	4.62	0.09	21.78
C11C	449	765	22.16	6.5	1277	0.01	4.39	4.40	0.14	17.62
C11D	372	702	17.05	6.5	965	0.01	3.17	3.18	0.17	13.70
C11E	1155	697	46.63	5.8	23889	0.22	9.74	9.96	1.26	35.41
C11F	929	705	39.67	6.1	31634	0.29	7.56	7.85	0.39	31.43
C11G	432	659	17.01	6.0	1460	0.01	3.00	3.01	0.22	13.78
C11H	1103	664	40.16	5.5	33924	0.31	6.76	7.07	1.38	31.71
C11J	1001	658	36.15	5.5	3106	0.03	6.76	6.79	0.48	28.88
C11K	340	633	11.47	5.3	2970	0.03	1.82	1.85	0.31	9.31
C11L	947	675	32.74	5.1	6416	0.06	6.77	6.83	0.49	25.42
C11M	795	637	23.38	4.6	38506	0.35	4.69	5.04	0.43	17.91
C12A	484	614	12.10	4.1	758	0.01	3.26	3.27	0.00	8.83
C12B	478	631	14.40	4.8	2461	0.02	3.18	3.20	0.13	11.07
C12C	666	605	18.66	4.6	4257	0.04	4.19	4.23	0.17	14.26
C12D	898	667	32.75	5.5	53555	0.49	5.27	5.76	3.78	23.21
C12E	497	641	16.87	5.3	1960	0.02	2.80	2.82	0.26	13.79
C12F	834	635	29.46	5.6	3241	0.03	4.43	4.46	0.36	24.64
C12G	570	640	21.20	5.8	6797	0.06	3.17	3.23	0.20	17.77
C12H	355	618	11.26	5.1	16104	0.15	1.54	1.69	0.08	9.49
C12J	344	615	9.67	4.6	627	0.01	1.49	1.50	0.17	8.00
C12K	479	657	19.93	6.3	2739	0.02	2.36	2.38	0.09	17.46
C12L	887	648	31.99	5.6	2116	0.02	4.12	4.14	3.77	24.08
C13A	594	779	27.18	5.9	2807	0.03	6.54	6.57	0.21	20.40
C13B	615	683	21.93	5.2	2395	0.02	5.42	5.44	0.27	16.22
C13C	836	724	35.96	5.9	5970	0.05	8.14	8.19	0.04	27.73
C13D	895	698	32.67	5.2	1742	0.02	8.23	8.25	0.11	24.31
C13E	602	699	21.94	5.2	1130	0.01	5.55	5.56	0.01	16.37
C13F	611	692	19.25	4.6	1525	0.01	5.16	5.17	0.03	14.05
C13G	434	674	14.14	4.8	15885	0.14	3.57	3.71	0.01	10.42
C13H	588	628	15.36	4.2	1688	0.02	3.99	4.01	0.02	11.33
C21A	707	674	26.89	5.6	4853	0.04	4.78	4.82	0.06	22.01
C21B	431	697	9.70	3.2	19019	0.17	4.16	4.33	0.23	5.14
C21C	438	674	9.85	3.3	8820	0.08	3.97	4.05	0.13	5.67
C21D	446	698	8.56	2.8	180660	1.65	4.20	5.85	0.84	1.87
C21E	628	691	9.21	2.1	40363	0.37	5.82	6.19	0.22	2.80
C21F	427	704	9.49	3.2	71170	0.65	4.04	4.69	0.59	4.21
C21G	462	667	9.38	3.0	2339	0.02	4.03	4.05	0.03	5.30
C22A	548	695	19.56	5.4	517617	4.73	5.37	11.77	1.41	6.38
C22B	391	691	11.22	4.7	237009	2.16	3.75	5.27	1.47	4.48
C22C	465	684	14.72	4.5	96073	0.88	4.38	11.05	0.03	3.64
C22D	345	701	12.24	9.2	30823	0.28	3.27	7.83	2.34	2.07
C22E	532	669	12.13	3.4	13549	0.12	4.81	4.93	0.91	6.29
C22F	440	655	7.01	2.4	109440	1.00	4.01	5.01	0.05	1.95
C22G	830	613	25.77	5.1	2596	0.02	6.93	6.95	0.47	18.35

A	B	C	D	E	F	G	H	I	J	K
Quaternary Catchment	Area (km ²)	Mean Annual Precipitation (mm)	Recharge (Mm ³ /a)	% Mean Annual Precipitation	Population (minimum level)	Basic Human Needs (Mm ³ /a)	Groundwater Component of Baseflow (Mm ³ /a)	Total Reserve (Mm ³ /a)	Groundwater Use (Mm ³ /a)	Allocable Groundwater Total (Mm ³ /a)
C22H	454	639	9.35	3.2	282162	2.57	3.89	6.46	0.07	2.82
C22J	669	633	15.25	3.6	14856	0.14	5.62	5.76	0.24	9.25
C22K	434	644	18.27	6.5	58152	0.53	3.91	4.44	0.34	13.49
C23A	258	612	7.39	4.7	1028	0.01	1.64	1.65	0.12	5.62
C23B	701	619	27.63	6.4	2152	0.02	4.54	4.56	0.40	22.67
C23C	1069	609	23.13	3.6	42653	0.39	6.27	6.66	0.60	15.87
C23D	510	664	25.79	7.6	99677	0.91	10.49	11.40	4.93	9.46
C23E	850	631	35.84	6.7	64933	0.59	15.97	11.93	34.23	0.00
C23F	1324	605	47.38	5.9	2373	0.01	22.97	15.89	0.28	31.21
C23G	613	597	27.18	7.4	1605	0.01	10.44	10.45	2.32	14.41
C23H	451	604	12.43	4.6	8385	0.08	7.69	7.77	0.27	4.39
C23J	890	620	19.05	3.5	25528	0.23	4.65	4.88	0.63	13.54
C23K	396	607	10.76	4.5	1605	0.01	1.97	1.98	0.26	8.52
C23L	1211	612	24.44	3.3	40749	0.37	6.10	17.07	0.73	6.64
C81A	382	882	22.72	6.7	323	0.00	3.52	3.52	0.05	19.15
C81B	576	763	26.44	6.0	1374	0.01	4.51	4.52	0.08	21.84
C81C	250	730	9.88	5.4	230	0.00	1.96	1.96	0.03	7.89
C81D	195	735	8.31	5.8	216	0.00	1.53	1.53	0.03	6.75
C81E	642	658	22.34	5.3	21029	0.19	4.61	4.80	0.10	17.44
C81F	892	892	46.15	7.5	236987	2.16	8.17	10.33	0.35	35.47
C81G	435	722	19.86	6.3	3855	0.04	4.25	4.29	0.09	15.48
C81H	358	638	12.37	5.4	1227	0.01	2.52	2.53	0.04	9.80
C81J	392	612	12.88	5.4	1496	0.01	2.51	2.52	0.06	10.30
C81K	359	623	12.34	5.5	793	0.01	2.34	2.35	0.05	9.94
C81L	793	740	35.97	6.1	689	0.01	6.18	6.19	0.11	29.67
C81M	1092	662	38.82	5.4	2936	0.03	7.82	7.85	0.16	30.81
C82A	582	670	21.75	5.6	1303	0.01	4.18	4.19	0.08	17.48
C82B	493	660	16.88	5.2	4736	0.04	3.48	3.52	0.07	13.29
C82C	353	646	12.39	5.4	978	0.01	2.42	2.43	0.07	9.89
C82D	572	623	19.50	5.5	1849	0.02	3.78	3.80	0.16	15.54
C82E	622	666	20.73	5.0	1725	0.02	4.37	4.39	0.04	16.30
C82F	483	639	14.02	4.5	827	0.01	3.25	3.26	0.01	10.75
C82G	580	655	18.14	4.8	1086	0.01	3.99	4.00	0.09	14.05
C82H	782	614	20.70	4.3	1537	0.01	4.89	4.90	0.19	15.61
C83A	746	692	31.27	6.1	3635	0.03	7.04	7.07	0.07	24.13
C83B	251	668	9.95	5.9	2141	0.02	2.27	2.29	0.03	7.63
C83C	828	663	30.60	5.6	39056	0.36	7.16	7.52	0.10	22.98
C83D	465	650	17.05	5.6	1761	0.02	4.04	4.06	0.05	12.94
C83E	426	654	15.46	5.6	1918	0.02	3.61	3.63	0.11	11.72
C83F	875	637	32.35	5.8	2266	0.02	5.72	5.74	11.23	15.38
C83G	695	647	24.23	5.4	14040	0.13	4.69	4.82	0.21	19.20
C83H	547	646	16.23	4.6	4173	0.04	3.50	3.54	0.24	12.45
C83J	222	641	6.68	4.7	18257	0.17	1.38	1.55	0.11	5.02
C83K	548	635	16.63	4.8	943	0.01	2.66	2.67	0.24	13.72
C83L	825	641	23.21	4.4	2014	0.02	3.96	3.98	0.05	19.18
C83M	1100	639	31.72	4.5	9691	0.09	5.14	5.23	0.39	26.10
MIDDLE VAAL CATCHMENT										
C24A	839	582.6	18.6	4.18	5 017	0.1	3.94	4.04	0.3	14.26

A	B	C	D	E	F	G	H	I	J	K
Quaternary Catchment	Area (km ²)	Mean Annual Precipitation (mm)	Recharge (Mm ³ /a)	% Mean Annual Precipitation	Population (minimum level)	Basic Human Needs (Mm ³ /a)	Groundwater Component of Baseflow (Mm ³ /a)	Total Reserve (Mm ³ /a)	Groundwater Use (Mm ³ /a)	Allocable Groundwater Total (Mm ³ /a)
C24B	530	561.0	16.31	5.49	31 256	0.29	2.28	2.57	5.1	8.64
C24C	1350	586.9	96.98	12.24	25 663	0.23	21.55	21.8	14.9	60.30
C24D	364	584.3	3.99	1.88	3 079	0.03	1.70	1.73	0.2	2.06
C24E	925	560.0	21.87	6.23	51389	0.47	3.75	4.22	7.51	10.14
C24F	2020	577.5	55.91	5.52	29827	0.27	8.86	9.13	1.30	45.48
C24G	985	581.6	11.75	2.05	20 852	0.19	4.42	4.61	0.3	6.84
C24H	840	574.9	10.81	2.24	5 225	0.05	0.74	0.79	1.4	8.62
C24J	2109	550.9	22.31	1.88	17403	0.16	1.62	1.78	0.80	19.73
C25A	863	542.8	12.49	2.67	2 998	0.03	0.67	0.70	0.5	11.29
C25B	1888	510.0	18.16	1.89	63 942	0.58	1.19	1.77	0.6	15.79
C25C	1210	523.0	7.02	1.84	5004	0.09	0.83	0.92	0.80	5.30
C25D	1202	526.1	8.74	1.21	60167	0.67	0.85	1.52	0.60	6.62
C25E	1536	510.7	8.3	1.01	10597	0.11	1.09	1.09	1.90	5.34
C25F	2218	481.9	10.48	0.96	3706	0.06	1.14	1.20	0.60	8.68
C41A	1078	598.2	9.04	1.41	54136	0.74	5.24	5.98	1.10	1.96
C41B	1005	598.2	9.51	1.58	20033	0.27	4.89	5.16	0.40	3.95
C41C	1095	594.7	10.09	1.55	21 292	0.19	5.28	5.47	0.3	4.32
C41D	1155	549.5	4.94	0.78	29 024	0.26	4.87	5.13	0.3	0.00
C41E	391	519.0	0.62	0.30	2 629	0.02	1.28	1.30	0.1	0.00
C41F	556	494.9	0.56	0.20	8 630	0.08	1.54	1.62	0.2	0.00
C41G	272	516.8	0.29	0.21	130.00	0.00	0.64	0.64	0.1	0.00
C41H	887	499.2	2.32	0.52	8 669	0.08	2.24	2.32	0.2	0.00
C41J	556	494.6	2.16	0.79	11 390	0.10	1.38	1.48	0.1	0.58
C42A	695	632.0	8.77	2.00	5 110	0.05	6.08	6.13	0.3	2.34
C42B	727	581.0	5.10	1.21	1 903	0.02	5.21	5.23	0.3	0.00
C42C	793	625.6	6.27	1.26	8 731	0.08	6.75	6.83	0.3	0.00
C42D	663	555.5	1.71	0.46	21 992	0.20	4.20	4.40	0.3	0.00
C42E	750	564.0	2.93	0.69	6 150	0.06	4.99	5.05	0.3	0.00
C42F	734	568.2	1.42	0.34	39 809	0.36	4.91	5.27	0.2	0.00
C42G	555	550.4	0.82	0.27	6 876	0.06	3.43	3.49	0.2	0.00
C42H	445	541.1	0.53	0.22	41 319	0.38	2.62	3.00	1.1	0.00
C42J	1014	530.8	1.99	0.37	12 391	0.11	5.69	5.80	0.4	0.00
C42K	668	522.1	0.67	0.19	587.00	0.01	3.59	3.60	0.9	0.00
C42L	511	505.2	0.96	0.37	1 182	0.01	2.33	2.34	0.1	0.00
C43A	1491	482.2	3.37	0.47	26 707	0.24	0.37	0.61	0.3	2.46
C43B	723	494.0	1.26	0.35	1 854	0.02	0.20	0.22	0.2	0.84
C43C	913	469.0	3.17	0.74	9 364	0.09	0.20	0.29	0.3	2.58
C43D	1475	464.0	3.95	0.58	24 645	0.22	0.31	0.53	0.4	3.02
C60A	859	632.8	10.01	1.84	2 340	0.02	5.74	5.76	0.2	4.05
C60B	1022	617.8	10.11	1.60	10 790	0.10	6.52	6.62	0.5	2.99
C60C	1047	578.4	5.51	0.91	8 469	0.08	5.69	5.77	0.4	0.00
C60D	645	552.7	2.53	0.71	2 567	0.02	3.05	3.07	0.2	0.00
C60E	664	563.9	2.76	0.74	7 788	0.07	3.50	3.57	0.6	0.00
C60F	659	558.2	1.94	0.53	96 217	0.88	3.23	4.11	0.2	0.00
C60G	782	539.2	2.28	0.59	1 300	0.01	3.45	3.46	2.1	0.00
C60H	1232	514.8	2.69	0.42	6 274	0.06	0.26	0.32	0.3	2.07
C60J	959	550.6	10.02	1.90	6 169	0.06	0.28	0.34	0.8	8.88
C70A	613	628.1	7.02	1.82	2 218	0.02	4.71	4.73	0.5	1.79

A	B	C	D	E	F	G	H	I	J	K
Quaternary Catchment	Area (km ²)	Mean Annual Precipitation (mm)	Recharge (Mm ³ /a)	% Mean Annual Precipitation	Population (minimum level)	Basic Human Needs (Mm ³ /a)	Groundwater Component of Baseflow (Mm ³ /a)	Total Reserve (Mm ³ /a)	Groundwater Use (Mm ³ /a)	Allocable Groundwater Total (Mm ³ /a)
C70B	660	612.6	4.74	1.17	6 715	0.06	4.70	4.76	0.4	0.00
C70C	887	616.0	5.92	1.08	4 114	0.04	6.28	6.32	0.4	0.00
C70D	675	586.6	3.82	0.96	2 012	0.02	4.20	4.22	0.6	0.00
C70E	693	580.4	7.67	1.91	13 034	0.12	4.16	4.28	0.2	3.19
C70F	564	576.4	4.95	1.52	2 141	0.03	3.36	3.36	0.2	1.39
C70G	901	579.1	7.15	1.37	2 745	0.03	5.34	5.37	0.3	1.48
C70H	251	570.4	1.92	1.34	3 081	0.03	1.43	1.46	0.1	0.36
C70J	521	577.3	6.45	2.14	3 602	0.03	3.05	3.08	0.2	3.17
C70K	891	567.4	9.39	1.86	3 050	0.03	4.92	4.95	0.7	3.74
LOWER VAAL CATCHMENT										
C31A	1402	330.00	32.68	7.00	28400	0.71	5.55	6.26	0.77	25.65
C31B	1743	230.00	20.59	5.00	4400	0.11	11.07	11.18	1.15	8.26
C31C	1635	280.00	21.79	5.00	800	0.02	9.33	9.35	1.45	10.99
C31D	1493	300.00	22.95	5.00	30400	0.76	5.55	6.31	0.57	16.07
C31E	2958	270.00	37.91	5.00	65600	1.64	20.31	21.95	2.33	13.64
C31F	1787	205.00	12.92	3.00	63600	1.59	9.92	11.51	1.41	0.00
C32A	1403	165.00	8.62	3.50	25200	0.63	6.91	7.54	1.08	0.00
C32B	2997	225.00	31.22	5.00	123200	3.08	25.63	28.71	2.52	0.00
C32C	1657	245.00	15.24	3.50	<1000	0.00	9.69	9.69	0.79	4.76
C32D	4134	240.00	60.26	6.00	40000	1.00	16.63	17.63	3.26	39.37
C33A	2855	245.00	35.29	5.00	57600	1.44	10.69	12.13	1.06	22.10
C33B	2830	230.00	36.55	5.00	17600	0.44	6.58	7.02	0.83	28.70
C33C	4141	190.00	35.06	4.50	2400	0.06	11.44	11.50	0.97	22.59
C91A	2545	170.00	16.81	3.50	11200	0.28	7.86	8.14	0.77	7.90
C91B	4675	270.00	59.66	4.50	2800	0.07	21.89	21.96	1.11	36.59
C91C	3133	240.00	33.55	4.00	10400	0.26	7.18	7.44	0.18	25.93
C91D	2694	265.00	27.83	4.00	22000	0.55	3.55	4.10	0.46	23.27
C91E	1506	190.00	9.32	3.00	36400	0.91	3.16	4.07	0.42	4.83
C92A	3913	180.00	27.50	4.00	24000	0.60	9.80	10.40	0.88	16.22
C92B (68%) ¹	1341	190.00	9.00	3.50	<1000	0.00	5.63	5.63	0.32	3.15
C92C (67%) ¹	1332	185.00	10.00	4.00	6600	0.17	5.38	5.55	0.65	3.90
D-Catchment Groundwater Classification and Resource Quality Objectives not undertaken										
Gw = Groundwater.										
¹ Only the upper parts (indicated as percentages of the total quaternary catchment area) falls in the Lower Vaal Water Management Area.										
Light grey scanned rows: Quaternary Catchments containing at least 25% Dolomite Water Areas (i.e. significant aquifer systems).										

Table 7.1: Ecological specifications for priority wetlands in the Vaal Water Management Area

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
UA	C11H	Headwaters of the Blesbokspruit (Upper Vaal)	Unchannelled Valley Bottom	C	High	B/C	C	Diffuse water distribution is required to optimise the water quality enhancement functions. The unchannelled nature of sections of the wetland must be maintained. Maintain existing vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of an Environmental Impact Assessment (EIA) and/or Water Use Licence (WUL) applications, and strict licensing conditions including monitoring of the systems should apply. Any application for development including mining likely to impact this system, besides going through the normal licensing processes, should also include as a minimum an Intermediate Level Wetland Reserve which includes flow modelling (surface and groundwater including interflow) of scenarios to establish the potential impact in terms of achieving the REC.
UB	C13C	Vanger	Unchannelled Valley Bottom	A	Very High	A	A	Diffuse water distribution is required to optimise hydrological and biodiversity support functions. Maintain in natural or near-natural ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the Critically Biodiversity Areas 1 and Ecological Support Areas 2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain the existing flow distribution and retention patterns in the system to maintain the existing vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply.

Ecological Specifications Protection, Maintenance and Management Requirements							
IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC
							Diffuse water distribution is required to optimise hydrological and biodiversity support functions. Implement measures to improve the state of the wetland towards a more natural ecological condition and manage per the protected area management plan objectives. Protect the wetland and its catchment for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the Critically Biodiversity Areas 1, Ecological Support Areas 1 and 2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem type and its associated biodiversity. Improve the existing flow distribution and retention patterns in the system to restore the some of the lost ecological and hydrological functionality of the system and improve vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply. Monitor effluent originating from the upstream urban areas which are known to cause frequent sewage spill, as well as runoff from the solid waste site. Identify and prioritise wetland rehabilitation requirements to be implemented by the already engaged Working for Wetlands programme.
							Implement measures to improve or at least maintain the ecological condition of the system for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the Critically Biodiversity Areas 1 and Ecological Support Areas 2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain the existing flow distribution and retention patterns in the system. Maintain existing vegetation structure and composition as well as low disturbance levels for continued support of threatened biodiversity. Currently unchannelled wetlands must be maintained as unchannelled systems. Flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply. Apply the precautionary principle for disturbance of unknown impact. Any application for development that is likely to impact this system, besides going through the normal licensing processes, should also include as a minimum an Intermediate Level Wetland Reserve which includes flow modelling (surface and groundwater including interflow) of scenarios to establish the potential impact in terms of achieving the REC.
UB	C13C	Seekoeivlei	Floodplain	E ¹	Very High	D	D
UC1	C81B	Murphy's Rust	Unchannelled and Channelled Valley Bottom	C	Very High	B	B/C

¹ The system is in a PES category of E (Seriously Modified) but has a Very High IS as it is a Ramsar Site (Designated as a Wetland of International Importance in terms of the Ramsar Convention). A PES category of E is not sustainable so the TEC is recommended to be the same as the REC and is set one category higher than the PES. Rehabilitation intervention would be required to improve the PES. Achieving an improvement in the PES of this system should thus be prioritised.

Ecological Specifications Protection, Maintenance and Management Requirements							
IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC
UC1	C81A	Bedford wetland complex	Unchannelled Valley Bottom	C	Very High	B	B/C
Maintain the naturally simulated water release from the Bedford Dam to ensure unaltered hydrological regime. Diffuse water distribution is required to optimise hydrological and biodiversity support functions. Maintain the near-natural ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the Critical Biodiversity Area (CBA1) and ESA2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain the existing flow distribution and retention patterns in the system. Maintain existing vegetation structure and composition as well as low disturbance levels for continued support of threatened biodiversity. Currently unchannelled wetlands must be maintained as unchannelled systems. No erosion gullies (no incision of channels or headcuts) can be permitted to develop within the wetland. This is an unchannelled wetland and is very sensitive to erosion and incision. Flow releases from the Bedford dam must simulate the natural hydrological regime required to maintain the wetland in its existing state. The approved Reserve for the wetland recommends both baseflow and flood releases for the wetland. The baseflows are required to ensure shallow inundation of the valley floor, particularly within those parts of the valley floor supporting mixed sedge marsh. This is required not only to provide potentially suitable habitat for the critically endangered White winged flufftail, and breeding habitat for Wattled cranes, but to ensure saturation of the peat in the system. This will also create favourable conditions for the functioning of the wetland and the provision of ecosystem services through maximizing contact between the water column and the wetland sediments. The function of these higher flows helps to achieve a level of wetland habitat maintenance (for the smaller inundation events) and to allow for some scour of the weakly developed channels (in the case of the larger, more infrequent flushing events). Monitoring should be aimed at determining whether or not the recommended baseflow and flood releases are achieving the desired objectives for the wetland and the REC. It should also be for detecting change, especially changes related to the hydrological regime to inform future water releases. Future potential impact of development applications must be determined as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply. Apply the precautionary principle for disturbance of unknown impact. Monitoring of existing wetland rehabilitation structures is required to ensure the continued performance of the structures.							
UC1	C81A	Upper Witje	Floodplain	B	High	A/B	B

GROUNDWATER RESERVE – WATER QUALITY COMPONENT

The groundwater quality of quaternary catchments with available hydrochemistry data was assessed against the domestic water target water quality ranges as shown in Table 6.2 and Table 6.3. A summary of the results for the groundwater quality classification at quaternary level in terms of the basic human needs requirement is included in the tables that follow (Tables 6.4 – 6.72).

Table 6.2: Chemical water quality

Chemical Parameter	Water Quality Ranges ¹				
	Units	Class 0	Class I	Class II	Class III
Calcium as Ca	mg/l	0 - 80	80 - 150	150 - 300	> 300
Magnesium as Mg	mg/l	0 - 30	30 - 70	70 - 100	> 100
Potassium as K	mg/l	0 - 25	25 - 50	50 - 100	> 100
Sodium as Na	mg/l	0 - 100	100 - 200	200 - 400	> 400
Chloride as Cl	mg/l	0 - 100	100 - 200	200 - 600	> 600
Sulphate as SO ₄	mg/l	0 - 200	200 - 400	400 - 600	> 600
Nitrate as NO _x -N	mg/l	0 - 6	6 - 10	10 - 20	> 20
Fluoride as F	mg/l	< 0.7	0.7 - 1.0	1.0 - 1.5	> 1.5
Total hardness as CaCO ₃ *	mg/l	0 - 200	200 - 300	300 - 600	> 600

1) Reference: Classification System in terms of - Water Research Commission: Quality of Domestic Water Supplies – Volume 1. Report No. TT 101/98, Second Edition, 1998.

2) * For catchments where the hydrochemistry for the chemical parameter total hardness only, exhibits elevated concentrations due to natural conditions, the water quality was categorised as one class range higher as no human health impacts are known to occur. Resulting impacts relate to scaling of domestic appliances.

Table 6.3: Physical water quality

Physical Parameter	Water Quality Ranges ²				
	Units	Class 0	Class I	Class II	Class III
pH (pH Units)		6 - 9	5 - 6 & 9 - 9.5	4.5 - 5 & 9.5 - 10	< 4 or > 10
Total Dissolved Solids	mg/l	0 - 450	450 - 1000	1000 - 2400	> 2400
Electrical Conductivity	mS/m	0 - 70	70 - 150	150 - 370	> 370

3) Reference: Classification System in terms of - Water Research Commission: Quality of Domestic Water Supplies – Volume 1. Report No. TT 101/98, Second Edition, 1998.

The water quality for the following quaternary catchments were not assessed due to insufficient information (lack of representable groundwater quality data):

- C11A; C11B; C11C; C11D; C11E; C11F; C11G; C11J; C11K; C11L; C11M
- C12A; C12B; C12C; C12E; C12F; C12G; C12H; C12J; C12K; C12L
- C13A; C13B; C13C; C13D; C13E; C13F; C13G
- C21A; C21B
- C22G; C22K
- C23A; C23C
- C25D
- C41B; C41C; C41E; C41F; C41G; C41H; C41J
- C42A; C42B; C42C; C42D; C42E; C42F; C42G; C42H; C42J; C42K; C42L
- C43C; C43D
- C60A; C60B; C60C; C60D; C60F; C60G; C60H; C60J
- C70A; C70B; C70C; C70E; C70F; C70G; C70H; C70J; C70K
- C81A; C81B; C81C; C81D; C81E; C81G; C81H; C81J; C81K; C81L; C81M
- C82A; C82C; C82D; C82E; C82F; C82G
- C83A; C83C; C83D; C83E; C83F; C83G; C83H; C83J; C83K; C83L; C83M

Table 6.4: Groundwater Quality Reserve – Quaternary catchment C11H

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: *C11H			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		37	8.20	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	37	79.70	<150	88
Calcium as Ca	mg/l	37	78.65	<150	87
Magnesium as Mg	mg/l	37	36.28	<70	39
Sodium as Na	mg/l	37	48.76	<200	54
Potassium as K	mg/l	37	4.24	<50	4.7
Total Hardness as CaCO ₃	mg/l	37	345.8	<300	380
Chloride as Cl	mg/l	37	32.32	<200	36
Sulphate as SO ₄	mg/l	37	61.58	<400	68
Nitrate as NO _x -N	mg/l	37	4.75	<10	5.2
Fluoride as F	mg/l	37	0.35	<1.0	0.39
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC *et al.* 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Indicates that only post-1995 hydrochemical datasets for the specific quaternary catchment were used.

Table 6.5: Groundwater Quality Reserve – Quaternary catchment C12D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: *C12D			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		34	8.13	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	34	89.25	<150	98
Calcium as Ca	mg/l	34	84.75	<150	93
Magnesium as Mg	mg/l	34	48.91	<70	54
Sodium as Na	mg/l	34	29.33	<200	32
Potassium as K	mg/l	34	8.34	<50	9
Total Hardness as CaCO ₃	mg/l	34	413	<300	454
Chloride as Cl	mg/l	34	44.61	<200	49
Sulphate as SO ₄	mg/l	34	96.36	<400	106
Nitrate as NO _x -N	mg/l	34	3.63	<10	4
Fluoride as F	mg/l	34	0.28	<1.0	0.3
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC *et al.* 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Indicates that only post-1995 hydrochemical datasets for the specific quaternary catchment were used

Table 6.6: Groundwater Quality Reserve – Quaternary catchment C21C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C21C			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		67	7.65	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	67	57.20	<150	63
Calcium as Ca	mg/l	67	40.10	<150	44
Magnesium as Mg	mg/l	67	19.40	<70	21
Sodium as Na	mg/l	67	39.10	<200	43
Potassium as K	mg/l	67	4.98	<50	5
Total Hardness as CaCO ₃	mg/l	67	180	<300	198
Chloride as Cl	mg/l	67	43.40	<200	48
Sulphate as SO ₄	mg/l	67	31.60	<400	35
Nitrate as NO _x -N	mg/l	67	0.10	<10	0.11
Fluoride as F	mg/l	67	0.71	<1.0	0.78
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.7: Groundwater Quality Reserve – Quaternary catchment C21D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C21D*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		17	7.37	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	17	27.50	<150	30
Calcium as Ca	mg/l	17	19.10	<150	21
Magnesium as Mg	mg/l	17	11	<70	12
Sodium as Na	mg/l	17	13.40	<200	15
Potassium as K	mg/l	17	2.20	<50	2.4
Total Hardness as CaCO ₃	mg/l	17	101.60	<300	112
Chloride as Cl	mg/l	17	8.50	<200	9
Sulphate as SO ₄	mg/l	17	6.10	<400	7
Nitrate as NO _x -N	mg/l	17	0.23	<10	0.25
Fluoride as F	mg/l	17	0.12	<1.0	0.13
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.8: Groundwater Quality Reserve – Quaternary catchment C21E

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C21E*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		11	7.52	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	11	51.90	<150	57
Calcium as Ca	mg/l	11	39.70	<150	44
Magnesium as Mg	mg/l	11	20.90	<70	23
Sodium as Na	mg/l	11	26.00	<200	29
Potassium as K	mg/l	11	10.43	<50	11
Total Hardness as CaCO ₃	mg/l	11	185.2	<300	203
Chloride as Cl	mg/l	11	29.50	<200	32
Sulphate as SO ₄	mg/l	11	32.30	<400	36
Nitrate as NO _x -N	mg/l	11	1.73	<10	1.9
Fluoride as F	mg/l	11	0.17	<1.0	0.19
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.9: Groundwater Quality Reserve – Quaternary catchment C21F

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: *C21F			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		31	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	31	41.80	<150	46
Calcium as Ca	mg/l	31	39.34	<150	43
Magnesium as Mg	mg/l	31	19.71	<70	22
Sodium as Na	mg/l	31	10.72	<200	12
Potassium as K	mg/l	31	0.50	<50	1
Total Hardness as CaCO ₃	mg/l	31	179.5	<300	198
Chloride as Cl	mg/l	31	25.60	<200	28
Sulphate as SO ₄	mg/l	31	12.87	<400	14
Nitrate as NO _x -N	mg/l	31	2.88	<10	3.21
Fluoride as F	mg/l	31	0.13	<1.0	0.15
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Indicates that only post-1995 hydrochemical datasets for the specific quaternary catchment were used

Table 6.10: Groundwater Quality Reserve – Quaternary catchment C21G

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C21G*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		15	7.58	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	15	48.30	<150	53
Calcium as Ca	mg/l	15	32	<150	35
Magnesium as Mg	mg/l	15	20.80	<70	23
Sodium as Na	mg/l	15	23.80	<200	26
Potassium as K	mg/l	15	3.23	<50	4
Total Hardness as CaCO ₃	mg/l	15	165.6	<300	182
Chloride as Cl	mg/l	15	12.409	<200	14
Sulphate as SO ₄	mg/l	15	12.40	<400	14
Nitrate as NO _x -N	mg/l	15	1.52	<10	2
Fluoride as F	mg/l	15	0.21	<1.0	0.23
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.11: Groundwater Quality Reserve – Quaternary catchment C22A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C22A			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		45	8.00	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	45	46.5	<150	51
Calcium as Ca	mg/l	45	38.6	<150	43
Magnesium as Mg	mg/l	45	29.0	<70	32
Sodium as Na	mg/l	45	8.00	<200	8.8
Potassium as K	mg/l	45	0.96	<50	1.1
Total Hardness as CaCO ₃	mg/l	45	215.8	<300	237
Chloride as Cl	mg/l	45	5.8	<200	6.4
Sulphate as SO ₄	mg/l	45	90.0	<400	99
Nitrate as NO _x -N	mg/l	45	4.07	<10	4.5
Fluoride as F	mg/l	45	0.10	<1.0	0.11
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH).					

Table 6.12: Groundwater Quality Reserve – Quaternary catchment C22B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C22B*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		53	7.70	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	53	134.10	<150	148
Calcium as Ca	mg/l	53	106.45	<150	117
Magnesium as Mg	mg/l	53	58.70	<70	65
Sodium as Na	mg/l	53	46.25	<200	51
Potassium as K	mg/l	53	3.75	<50	4
Total Hardness as CaCO ₃	mg/l	53	507.5	<300	558
Chloride as Cl	mg/l	53	55.10	<200	61
Sulphate as SO ₄	mg/l	53	308.70	<400	340
Nitrate as NO _x -N	mg/l	53	2.40	<10	2.6
Fluoride as F	mg/l	53	0.15	<1.0	0.17
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.13: Groundwater Quality Reserve – Quaternary catchment C22C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C22C			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		123	7.79	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	123	57	<150	63
Calcium as Ca	mg/l	123	44.0	<150	50
Magnesium as Mg	mg/l	123	32.0	<70	35
Sodium as Na	mg/l	123	14.8	<200	16
Potassium as K	mg/l	123	1.84	<50	2
Total Hardness as CaCO ₃	mg/l	123	241.6	<300	266
Chloride as Cl	mg/l	123	16.8	<200	19
Sulphate as SO ₄	mg/l	123	23.2	<400	26
Nitrate as NO _x -N	mg/l	123	2.38	<10	2.6
Fluoride as F	mg/l	123	0.10	<1.0	0.11
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH).					

Table 6.14: Groundwater Quality Reserve – Quaternary catchment C22D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C22D*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		182	7.60	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	182	38.15	<150	42
Calcium as Ca	mg/l	182	35.90	<150	39
Magnesium as Mg	mg/l	182	22.85	<70	25
Sodium as Na	mg/l	182	6.30	<200	7
Potassium as K	mg/l	182	0.84	<50	1
Total Hardness as CaCO ₃	mg/l	182	182	<300	200
Chloride as Cl	mg/l	182	6.25	<200	7
Sulphate as SO ₄	mg/l	182	9	<400	10
Nitrate as NO _x -N	mg/l	182	1.20	<10	1.3
Fluoride as F	mg/l	182	0.10	<1.0	0.11
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.15: Groundwater Quality Reserve – Quaternary catchment C22E

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C22E*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		181	7.68	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	181	38.70	<150	43
Calcium as Ca	mg/l	181	33.80	<150	37
Magnesium as Mg	mg/l	181	22.90	<70	25
Sodium as Na	mg/l	181	10.10	<200	11
Potassium as K	mg/l	181	0.94	<50	1
Total Hardness as CaCO ₃	mg/l	181	178.70	<300	197
Chloride as Cl	mg/l	181	7.10	<200	8
Sulphate as SO ₄	mg/l	181	9.70	<400	11
Nitrate as NO _x -N	mg/l	181	1.05	<10	1.2
Fluoride as F	mg/l	181	0.13	<1.0	0.14
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.16: Groundwater Quality Reserve – Quaternary catchment C22F

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C22F*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		39	7.60	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	39	48.30	<150	53
Calcium as Ca	mg/l	39	42.70	<150	47
Magnesium as Mg	mg/l	39	22.30	<70	25
Sodium as Na	mg/l	39	18	<200	20
Potassium as K	mg/l	39	1.61	<50	2
Total Hardness as CaCO ₃	mg/l	39	198.5	<300	218
Chloride as Cl	mg/l	39	14.40	<200	16
Sulphate as SO ₄	mg/l	39	10.30	<400	11
Nitrate as NO _x -N	mg/l	39	0.50	<10	0.55
Fluoride as F	mg/l	39	0.20	<1.0	0.22
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
 * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.17: Groundwater Quality Reserve – Quaternary catchment C22H

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C22H*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		30	7.21	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	30	18.30	<150	20
Calcium as Ca	mg/l	30	14.50	<150	16
Magnesium as Mg	mg/l	30	6	<70	7
Sodium as Na	mg/l	30	7.05	<200	8
Potassium as K	mg/l	30	0.91	<50	1
Total Hardness as CaCO ₃	mg/l	30	60.9	<300	67
Chloride as Cl	mg/l	30	4.45	<200	5
Sulphate as SO ₄	mg/l	30	4.70	<400	5
Nitrate as NO _x -N	mg/l	30	0.11	<10	0.12
Fluoride as F	mg/l	30	0.14	<1.0	0.15
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
 * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.18: Groundwater Quality Reserve – Quaternary catchment C22J

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C22J*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		30	7.40	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	30	56.10	<150	62
Calcium as Ca	mg/l	30	47.70	<150	52
Magnesium as Mg	mg/l	30	27.65	<70	30
Sodium as Na	mg/l	30	23.75	<200	26
Potassium as K	mg/l	30	1.17	<50	1.3
Total Hardness as CaCO ₃	mg/l	30	233.0	<300	256
Chloride as Cl	mg/l	30	17.35	<200	19
Sulphate as SO ₄	mg/l	30	21.85	<400	24
Nitrate as NO _x -N	mg/l	30	4.29	<10	5
Fluoride as F	mg/l	30	0.21	<1.0	0.23
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.19: Groundwater Quality Reserve – Quaternary catchment C23B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23B*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		16	7.64	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	16	43.10	<150	47
Calcium as Ca	mg/l	16	31.05	<150	34
Magnesium as Mg	mg/l	16	20.45	<70	23
Sodium as Na	mg/l	16	15.95	<200	18
Potassium as K	mg/l	16	2.37	<50	3
Total Hardness as CaCO ₃	mg/l	16	161.7	>300	178
Chloride as Cl	mg/l	16	13.30	<200	15
Sulphate as SO ₄	mg/l	16	10.25	<400	11
Nitrate as NO _x -N	mg/l	16	2.44	<10	3
Fluoride as F	mg/l	16	0.23	<1.0	0.25
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.20: Groundwater Quality Reserve – Quaternary catchment C23C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: *C23C			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		35	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	35	64.80	<150	71
Calcium as Ca	mg/l	35	42.45	<150	47
Magnesium as Mg	mg/l	35	27.76	<70	31
Sodium as Na	mg/l	35	53.10	<200	58
Potassium as K	mg/l	35	4.61	<50	5
Total Hardness as CaCO ₃	mg/l	35	220.3	<300	242
Chloride as Cl	mg/l	35	24.50	<200	26
Sulphate as SO ₄	mg/l	35	19.40	<400	21
Nitrate as NO _x -N	mg/l	35	4.07	<10	5
Fluoride as F	mg/l	35	0.42	<1.0	0.46
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
* Indicates that only post-1995 hydrochemical datasets for the specific quaternary catchment were used.

Table 6.21: Groundwater Quality Reserve – Quaternary catchment C23D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23D*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		74	7.08	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	74	20.40	<150	22
Calcium as Ca	mg/l	74	16	<150	18
Magnesium as Mg	mg/l	74	10.70	<70	12
Sodium as Na	mg/l	74	3.80	<200	4
Potassium as K	mg/l	74	0.78	<50	1
Total Hardness as CaCO ₃	mg/l	74	84.0	<300	92
Chloride as Cl	mg/l	74	2.25	<200	2.5
Sulphate as SO ₄	mg/l	74	12.90	<400	14
Nitrate as NO _x -N	mg/l	74	0.53	<10	1
Fluoride as F	mg/l	74	0.05	<1.0	0.06
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.22: Groundwater Quality Reserve – Quaternary catchment C23E

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23E*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		34	7.56	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	34	50.4	<150	55
Calcium as Ca	mg/l	34	51.1	<150	56
Magnesium as Mg	mg/l	34	33.7	<70	37
Sodium as Na	mg/l	34	9.9	<200	11
Potassium as K	mg/l	34	1.29	<50	1.4
Total Hardness as CaCO ₃	mg/l	34	266.4	<300	293
Chloride as Cl	mg/l	34	5.15	<200	6
Sulphate as SO ₄	mg/l	34	24.6	<400	27
Nitrate as NO _x -N	mg/l	34	1.96	<10	2
Fluoride as F	mg/l	34	0.05	<1.0	0.06
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.23: Groundwater Quality Reserve – Quaternary catchment C23F

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23F*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		14	7.72	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	14	31.20	<150	34
Calcium as Ca	mg/l	14	30.90	<150	34
Magnesium as Mg	mg/l	14	16.75	<70	18
Sodium as Na	mg/l	14	3.40	<200	4
Potassium as K	mg/l	14	0.90	<50	1
Total Hardness as CaCO ₃	mg/l	14	146.1	<300	161
Chloride as Cl	mg/l	14	3.35	<200	3.7
Sulphate as SO ₄	mg/l	14	2	<400	2.2
Nitrate as NO _x -N	mg/l	14	1	<10	1.1
Fluoride as F	mg/l	14	0.12	<1.0	0.13
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.24: Groundwater Quality Reserve – Quaternary catchment C23G

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23G ⁴			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		196	7.78	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	196	88.95	<150	98
Calcium as Ca	mg/l	196	79.95	<150	88
Magnesium as Mg	mg/l	196	44.55	<70	49
Sodium as Na	mg/l	196	44.35	<200	48
Potassium as K	mg/l	196	1.88	<50	2
Total Hardness as CaCO ₃	mg/l	196	383.1	<300	421
Chloride as Cl	mg/l	196	45.40	<200	50
Sulphate as SO ₄	mg/l	196	228.05	<400	251
Nitrate as NO ₃ -N	mg/l	196	2.11	<10	2.3
Fluoride as F	mg/l	196	0.11	<1.0	0.12
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

⁴ Based on long-term hydrochemistry dataset from only one monitoring (spring/eye) site in the quaternary catchment

Table 6.25: Groundwater Quality Reserve – Quaternary catchment C23H

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23H			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		19	7.91	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	19	43.70	<150	48
Calcium as Ca	mg/l	19	44	<150	48
Magnesium as Mg	mg/l	19	24.60	<70	27
Sodium as Na	mg/l	19	11.40	<200	13
Potassium as K	mg/l	19	1.14	<50	1.25
Total Hardness as CaCO ₃	mg/l	19	211.3	<300	232
Chloride as Cl	mg/l	19	7.20	<200	8
Sulphate as SO ₄	mg/l	19	5.20	<400	6
Nitrate as NO ₃ -N	mg/l	19	3.11	<10	3.4
Fluoride as F	mg/l	19	0.13	<1.0	0.14
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.26: Groundwater Quality Reserve – Quaternary catchment C23J

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23J*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		20	7.73	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	20	44.2	<150	49
Calcium as Ca	mg/l	20	28.3	<150	31
Magnesium as Mg	mg/l	20	31.0	<70	34
Sodium as Na	mg/l	20	14.3	<200	16
Potassium as K	mg/l	20	1.50	<50	1.65
Total Hardness as CaCO ₃	mg/l	20	198.3	<300	218
Chloride as Cl	mg/l	20	8.40	<200	9.0
Sulphate as SO ₄	mg/l	20	7.45	<400	8.20
Nitrate as NO _x -N	mg/l	20	0.79	<10	0.87
Fluoride as F	mg/l	20	0.22	<1.0	0.24
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.27: Groundwater Quality Reserve – Quaternary catchment C23K

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23K*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		9	7.76	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	9	39.50	<150	43
Calcium as Ca	mg/l	9	44.50	<150	49
Magnesium as Mg	mg/l	9	19.20	<70	21
Sodium as Na	mg/l	9	15.70	<200	17
Potassium as K	mg/l	9	1.07	<50	1.1
Total Hardness as CaCO ₃	mg/l	9	190.2	<300	209
Chloride as Cl	mg/l	9	6.10	<200	7
Sulphate as SO ₄	mg/l	9	4	<400	4.5
Nitrate as NO _x -N	mg/l	9	2.32	<10	3
Fluoride as F	mg/l	9	0.18	<1.0	0.2
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.28: Groundwater Quality Reserve – Quaternary catchment C23L

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C23L*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		26	7.20	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	26	34.70	<150	38
Calcium as Ca	mg/l	26	33.55	<150	37
Magnesium as Mg	mg/l	26	16.80	<70	18
Sodium as Na	mg/l	26	10.25	<200	11
Potassium as K	mg/l	26	1.47	<50	2
Total Hardness as CaCO ₃	mg/l	26	153	<300	168
Chloride as Cl	mg/l	26	5.90	<200	6
Sulphate as SO ₄	mg/l	26	2	<400	2.2
Nitrate as NO _x -N	mg/l	26	0.87	<10	1
Fluoride as F	mg/l	26	0.13	<1.0	0.14
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.29 Groundwater Quality Reserve – Quaternary catchment C24A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24A			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		112	7.40	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	112	108.05	<150	119
Calcium as Ca	mg/l	112	89.95	<150	99
Magnesium as Mg	mg/l	112	74.30	<70	82
Sodium as Na	mg/l	112	70.35	<200	77
Potassium as K	mg/l	112	7.74	<50	9
Total Hardness as CaCO ₃	mg/l	112	529.3	<300	582
Chloride as Cl	mg/l	112	67.05	<200	74
Sulphate as SO ₄	mg/l	112	323.45	<400	356
Nitrate as NO _x -N	mg/l	112	1.99	<10	2
Fluoride as F	mg/l	112	0.16	<1.0	0.18
Water Quality Class					Class 2

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.30: Groundwater Quality Reserve – Quaternary catchment C24B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24B*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		13	7.17	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	13	361.20	<150	397
Calcium as Ca	mg/l	13	458.60	<150	504
Magnesium as Mg	mg/l	13	225.40	<70	248
Sodium as Na	mg/l	13	118.90	<200	131
Potassium as K	mg/l	13	20.14	<50	22
Total Hardness as CaCO ₃	mg/l	13	2073.3	<300	2281
Chloride as Cl	mg/l	13	143.40	<200	158
Sulphate as SO ₄	mg/l	13	2109.90	<400	2321
Nitrate as NO _x -N	mg/l	13	4.82	<10	5.3
Fluoride as F	mg/l	13	0.22	<1.0	0.24
Water Quality Class					Class 3
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.31: Groundwater Quality Reserve – Quaternary catchment C24C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24C			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		161	7.95	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	161	40.70	<150	45
Calcium as Ca	mg/l	161	34	<150	37
Magnesium as Mg	mg/l	161	29.20	<70	32
Sodium as Na	mg/l	161	4.60	<200	5
Potassium as K	mg/l	161	1.43	<50	2
Total Hardness as CaCO ₃	mg/l	161	205.1	<300	226
Chloride as Cl	mg/l	161	5.70	<200	6
Sulphate as SO ₄	mg/l	161	2	<400	2.2
Nitrate as NO _x -N	mg/l	161	1.97	<10	2.2
Fluoride as F	mg/l	161	0.05	<1.0	0.06
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH).					

Table 6.32: Groundwater Quality Reserve – Quaternary catchment C24D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24D			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		10	7.70	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	10	24.30	<150	27
Calcium as Ca	mg/l	10	16.95	<150	19
Magnesium as Mg	mg/l	10	10.10	<70	11
Sodium as Na	mg/l	10	13.90	<200	15
Potassium as K	mg/l	10	3.03	<50	3.3
Total Hardness as CaCO ₃	mg/l	10	83.9	<300	92
Chloride as Cl	mg/l	10	5.05	<200	6
Sulphate as SO ₄	mg/l	10	7.05	<400	8
Nitrate as NO _x -N	mg/l	10	3.46	<10	3.8
Fluoride as F	mg/l	10	0.13	<1.0	0.15
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).

Table 6.33: Groundwater Quality Reserve – Quaternary catchment C24E

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24E			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		48	7.89	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	48	48.80	<150	54
Calcium as Ca	mg/l	48	35.45	<150	39
Magnesium as Mg	mg/l	48	35.75	<70	39
Sodium as Na	mg/l	48	7.20	<200	8
Potassium as K	mg/l	48	1.37	<50	2
Total Hardness as CaCO ₃	mg/l	48	235.7	<300	259
Chloride as Cl	mg/l	48	12.15	<200	13
Sulphate as SO ₄	mg/l	48	2	<400	2.2
Nitrate as NO _x -N	mg/l	48	5.21	<10	6
Fluoride as F	mg/l	48	0.13	<1.0	0.14
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).

Table 6.34: Groundwater Quality Reserve – Quaternary catchment C24F

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24F			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		175	7.84	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	175	46.30	<150	51
Calcium as Ca	mg/l	175	40	<150	44
Magnesium as Mg	mg/l	175	26.90	<70	30
Sodium as Na	mg/l	175	7.70	<200	8
Potassium as K	mg/l	175	1.80	<50	2
Total Hardness as CaCO ₃	mg/l	175	211	<300	232
Chloride as Cl	mg/l	175	30.50	<200	34
Sulphate as SO ₄	mg/l	175	2	<400	2.2
Nitrate as NO _x -N	mg/l	175	6.62	<10	7
Fluoride as F	mg/l	175	0.05	<1.0	0.06
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).

Table 6.35: Groundwater Quality Reserve – Quaternary catchment C24G

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24G			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		23	7.80	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	23	38	<150	42
Calcium as Ca	mg/l	23	33.70	<150	37
Magnesium as Mg	mg/l	23	15.70	<70	17
Sodium as Na	mg/l	23	14.70	<200	16
Potassium as K	mg/l	23	1.99	<50	2.2
Total Hardness as CaCO ₃	mg/l	23	148.8	<300	164
Chloride as Cl	mg/l	23	7.60	<200	8.4
Sulphate as SO ₄	mg/l	23	11.80	<400	13
Nitrate as NO _x -N	mg/l	23	3.21	<10	3.5
Fluoride as F	mg/l	23	0.31	<1.0	0.34
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).

Table 6.36: Groundwater Quality Reserve – Quaternary catchment C24H

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24H*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		42	7.80	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	42	51.40	<150	57
Calcium as Ca	mg/l	42	46.10	<150	51
Magnesium as Mg	mg/l	42	25.80	<70	28
Sodium as Na	mg/l	42	14.85	<200	16
Potassium as K	mg/l	42	1.59	<50	1.75
Total Hardness as CaCO ₃	mg/l	42	221.4	<300	244
Chloride as Cl	mg/l	42	15.40	<200	17
Sulphate as SO ₄	mg/l	42	11.55	<400	13
Nitrate as NO _x -N	mg/l	42	3.67	<10	4.0
Fluoride as F	mg/l	42	0.27	<1.0	0.29
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.37: Groundwater Quality Reserve – Quaternary catchment C24J

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C24J			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		22	7.64	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	22	42.60	<150	43
Calcium as Ca	mg/l	22	36.30	<150	37
Magnesium as Mg	mg/l	22	16.30	<70	17
Sodium as Na	mg/l	22	24.85	<200	26
Potassium as K	mg/l	22	1.06	<50	2
Total Hardness as CaCO ₃	mg/l	22	157.3	<300	173.5
Chloride as Cl	mg/l	22	10.45	<200	11
Sulphate as SO ₄	mg/l	22	7.55	<400	8
Nitrate as NO _x -N	mg/l	22	1.62	<10	2
Fluoride as F	mg/l	22	0.22	<1.0	0.24
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.38: Groundwater Quality Reserve – Quaternary catchment C25A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C25A*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		9	7.84	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	9	53.60	<150	59
Calcium as Ca	mg/l	9	30	<150	33
Magnesium as Mg	mg/l	9	24.90	<70	27
Sodium as Na	mg/l	9	33.40	<200	37
Potassium as K	mg/l	9	1.37	<50	2
Total Hardness as CaCO ₃	mg/l	9	177.4	<300	195
Chloride as Cl	mg/l	9	17	<200	19
Sulphate as SO ₄	mg/l	9	14.20	<400	16
Nitrate as NO _x -N	mg/l	9	3.10	<10	3.4
Fluoride as F	mg/l	9	0.82	<1.0	0.9
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.39: Groundwater Quality Reserve – Quaternary catchment QC C25B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: *C25B			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		16	8.29	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	16	136.95	<150	151
Calcium as Ca	mg/l	16	27.32	<150	30
Magnesium as Mg	mg/l	16	15.25	<70	17
Sodium as Na	mg/l	16	267.18	<200	294
Potassium as K	mg/l	16	5.03	<50	6.0
Total Hardness as CaCO ₃	mg/l	16	131.0	<300	144
Chloride as Cl	mg/l	16	117.83	<200	130
Sulphate as SO ₄	mg/l	16	33.93	<400	37
Nitrate as NO _x -N	mg/l	16	0.35	<10	0.4
Fluoride as F	mg/l	16	2.38	<1.0	2.62
Water Quality Class					Class 3
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Indicates that only post-1995 hydrochemical datasets for the specific quaternary catchment were used.					

Table 6.40: Groundwater Quality Reserve – Quaternary catchment C25C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C25C			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		28	8.13	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	28	50.45	<150	56
Calcium as Ca	mg/l	28	46.63	<150	51
Magnesium as Mg	mg/l	28	27.52	<70	30
Sodium as Na	mg/l	28	14.95	<200	16
Potassium as K	mg/l	28	1.93	<50	2
Total Hardness as CaCO ₃	mg/l	28	229.8	<300	253
Chloride as Cl	mg/l	28	8.77	<200	10
Sulphate as SO ₄	mg/l	28	4.32	<400	5
Nitrate as NO _x -N	mg/l	28	9.57	<10	11
Fluoride as F	mg/l	28	0.13	<1.0	0.15
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).

Table 6.41: Groundwater Quality Reserve – Quaternary catchment C25E

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C25E			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		11	7.99	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	11	67.70	<150	74
Calcium as Ca	mg/l	11	48.30	<150	53
Magnesium as Mg	mg/l	11	20.70	<70	23
Sodium as Na	mg/l	11	19.80	<200	22
Potassium as K	mg/l	11	2.75	<50	3
Total Hardness as CaCO ₃	mg/l	11	205.8	<300	226
Chloride as Cl	mg/l	11	17.80	<200	20
Sulphate as SO ₄	mg/l	11	8.90	<400	10
Nitrate as NO _x -N	mg/l	11	13.07	<10	14
Fluoride as F	mg/l	11	0.18	<1.0	0.2
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).

Table 6.42: Groundwater Quality Reserve – Quaternary catchment C25F

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C25F*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		22	7.75	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	22	27.20	<150	30
Calcium as Ca	mg/l	22	20.92	<150	23
Magnesium as Mg	mg/l	22	12.30	<70	14
Sodium as Na	mg/l	22	4.10	<200	5
Potassium as K	mg/l	22	1	<50	1.1
Total Hardness as CaCO ₃	mg/l	22	102.9	<300	113
Chloride as Cl	mg/l	22	1.50	<200	2
Sulphate as SO ₄	mg/l	22	11.45	<400	13
Nitrate as NO _x -N	mg/l	22	0.84	<10	1.0
Fluoride as F	mg/l	22	0.05	<1.0	0.06
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.43: Groundwater Quality Reserve – Quaternary catchment QC C31A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C31A			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		187	7.82	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	187	60.90	<150	67
Calcium as Ca	mg/l	187	59	<150	65
Magnesium as Mg	mg/l	187	34.30	<70	38
Sodium as Na	mg/l	187	13.10	<200	14
Potassium as K	mg/l	187	2.19	<50	2.4
Total Hardness as CaCO ₃	mg/l	187	288.6	<300	317
Chloride as Cl	mg/l	187	27	<200	30
Sulphate as SO ₄	mg/l	187	2	<400	2.2
Nitrate as NO _x -N	mg/l	187	4.96	<10	5.5
Fluoride as F	mg/l	187	0.12	<1.0	0.13
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH).					

Table 6.44: Groundwater Quality Reserve – Quaternary catchment C31B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C31B*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		69	7.87	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	69	74.80	<150	82
Calcium as Ca	mg/l	69	80.80	<150	89
Magnesium as Mg	mg/l	69	36.90	<70	41
Sodium as Na	mg/l	69	23.30	<200	26
Potassium as K	mg/l	69	3.10	<50	3.3
Total Hardness as CaCO ₃	mg/l	69	353.7	<300	389
Chloride as Cl	mg/l	69	35.70	<200	39
Sulphate as SO ₄	mg/l	69	11.30	<400	12
Nitrate as NO _x -N	mg/l	69	14.05	<10	15
Fluoride as F	mg/l	69	0.23	<1.0	0.25
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.45: Groundwater Quality Reserve – Quaternary catchment C31C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C31C*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		41	7.61	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	41	42.90	<150	47
Calcium as Ca	mg/l	41	30.1	<150	33.1
Magnesium as Mg	mg/l	41	18.10	<70	20
Sodium as Na	mg/l	41	24.80	<200	27
Potassium as K	mg/l	41	2.73	<50	3
Total Hardness as CaCO ₃	mg/l	41	154.2	<300	169
Chloride as Cl	mg/l	41	11.60	<200	13
Sulphate as SO ₄	mg/l	41	10.10	<400	11
Nitrate as NO _x -N	mg/l	41	9.76	<10	11
Fluoride as F	mg/l	41	0.25	<1.0	0.28
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.46: Groundwater Quality Reserve – Quaternary catchment C31D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C31D*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		23	8.05	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	23	83	<150	91
Calcium as Ca	mg/l	23	83.20	<150	92
Magnesium as Mg	mg/l	23	41.30	<70	45
Sodium as Na	mg/l	23	49.60	<200	55
Potassium as K	mg/l	23	4.43	<50	5
Total Hardness as CaCO ₃	mg/l	23	377.8	<300	416
Chloride as Cl	mg/l	23	56.20	<200	62
Sulphate as SO ₄	mg/l	23	19	<400	21
Nitrate as NO _x -N	mg/l	23	10.56	<10	12
Fluoride as F	mg/l	23	0.42	<1.0	0.46
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.47: Groundwater Quality Reserve – Quaternary catchment C31E

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C31E*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		82	7.88	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	82	74.85	<150	82
Calcium as Ca	mg/l	82	70.85	<150	78
Magnesium as Mg	mg/l	82	30.50	<70	34
Sodium as Na	mg/l	82	44.50	<200	49
Potassium as K	mg/l	82	3.57	<50	4
Total Hardness as CaCO ₃	mg/l	82	302.5	<300	333
Chloride as Cl	mg/l	82	42.95	<200	47
Sulphate as SO ₄	mg/l	82	18.95	<400	21
Nitrate as NO _x -N	mg/l	82	14.37	<10	16
Fluoride as F	mg/l	82	0.34	<1.0	0.37
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.48: Groundwater Quality Reserve – Quaternary catchment C31F

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C31F*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		35	7.28	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	35	57.20	<150	63
Calcium as Ca	mg/l	35	43.30	<150	48
Magnesium as Mg	mg/l	35	21.90	<70	24
Sodium as Na	mg/l	35	43.20	<200	48
Potassium as K	mg/l	35	2.97	<50	3.3
Total Hardness as CaCO ₃	mg/l	35	198.3	<300	218
Chloride as Cl	mg/l	35	26.90	<200	30
Sulphate as SO ₄	mg/l	35	23.60	<400	26
Nitrate as NO _x -N	mg/l	35	13.28	<10	15
Fluoride as F	mg/l	35	0.35	<1.0	0.39
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.49: Groundwater Quality Reserve – Quaternary catchment C32A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C32A*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		135	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	135	88.30	<150	97
Calcium as Ca	mg/l	135	69.90	<150	77
Magnesium as Mg	mg/l	135	34.60	<70	38
Sodium as Na	mg/l	135	71.70	<200	79
Potassium as K	mg/l	135	3.10	<50	3.4
Total Hardness as CaCO ₃	mg/l	135	316.00	<300	349
Chloride as Cl	mg/l	135	45.20	<200	50
Sulphate as SO ₄	mg/l	135	18.80	<400	21
Nitrate as NO _x -N	mg/l	135	15.87	<10	17
Fluoride as F	mg/l	135	0.55	<1.0	0.61
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.50: Groundwater Quality Reserve – Quaternary catchment C32B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C32B			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		896	7.91	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	896	80.95	<150	89
Calcium as Ca	mg/l	896	56	<150	62
Magnesium as Mg	mg/l	896	44.60	<70	49
Sodium as Na	mg/l	896	39.70	<200	44
Potassium as K	mg/l	896	3.18	<50	3.5
Total Hardness as CaCO ₃	mg/l	896	323.5	<300	356
Chloride as Cl	mg/l	896	43.90	<200	48
Sulphate as SO ₄	mg/l	896	18.40	<400	20
Nitrate as NO _x -N	mg/l	896	7.05	<10	7.8
Fluoride as F	mg/l	896	0.40	<1.0	0.44
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.51: Groundwater Quality Reserve – Quaternary catchment C32C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C32C			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		98	7.94	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	98	71.80	<150	79
Calcium as Ca	mg/l	98	58	<150	64
Magnesium as Mg	mg/l	98	43.35	<70	48
Sodium as Na	mg/l	98	37.35	<200	41
Potassium as K	mg/l	98	2.70	<50	3.0
Total Hardness as CaCO ₃	mg/l	98	323.3	<300	356
Chloride as Cl	mg/l	98	29.30	<200	32
Sulphate as SO ₄	mg/l	98	22.70	<400	25
Nitrate as NO _x -N	mg/l	98	5.90	<10	6.5
Fluoride as F	mg/l	98	0.40	<1.0	0.44
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.52: Groundwater Quality Reserve – Quaternary catchment C32D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C32D			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		148	8.14	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	148	85.65	<150	94
Calcium as Ca	mg/l	148	76.09	<150	84
Magnesium as Mg	mg/l	148	64.0	<70	70
Sodium as Na	mg/l	148	13.30	<200	15
Potassium as K	mg/l	148	0.67	<50	0.74
Total Hardness as CaCO ₃	mg/l	148	455.4	<300	501
Chloride as Cl	mg/l	148	33.08	<200	36
Sulphate as SO ₄	mg/l	148	44.35	<400	49
Nitrate as NO _x -N	mg/l	148	7.51	<10	8.3
Fluoride as F	mg/l	148	0.29	<1.0	0.32
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.53: Groundwater Quality Reserve – Quaternary catchment C33A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C33A*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		264	8	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	264	85.95	<150	95
Calcium as Ca	mg/l	264	69.05	<150	76
Magnesium as Mg	mg/l	264	69.20	<70	76
Sodium as Na	mg/l	264	13.40	<200	15
Potassium as K	mg/l	264	0.95	<50	1.1
Total Hardness as CaCO ₃	mg/l	264	457.4	<300	503
Chloride as Cl	mg/l	264	36	<200	40
Sulphate as SO ₄	mg/l	264	31.30	<400	34
Nitrate as NO _x -N	mg/l	264	5.80	<10	6.4
Fluoride as F	mg/l	264	0.33	<1.0	0.36
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.54: Groundwater Quality Reserve – Quaternary catchment C33B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C33B*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		388	7.97	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	388	80.15	<150	88
Calcium as Ca	mg/l	388	59.60	<150	66
Magnesium as Mg	mg/l	388	62.45	<70	69
Sodium as Na	mg/l	388	14.40	<200	16
Potassium as K	mg/l	388	1.21	<50	1.3
Total Hardness as CaCO ₃	mg/l	388	406.0	<300	447
Chloride as Cl	mg/l	388	31.40	<200	35
Sulphate as SO ₄	mg/l	388	21.30	<400	23
Nitrate as NO _x -N	mg/l	388	5.67	<10	6.2
Fluoride as F	mg/l	388	0.24	<1.0	0.26
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.55: Groundwater Quality Reserve – Quaternary catchment C33C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C33C*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		290	7.99	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	290	71.80	<150	79
Calcium as Ca	mg/l	290	65.10	<150	72
Magnesium as Mg	mg/l	290	44.30	<70	49
Sodium as Na	mg/l	290	13	<200	14
Potassium as K	mg/l	290	2.07	<50	2.3
Total Hardness as CaCO ₃	mg/l	290	345.0	<300	380
Chloride as Cl	mg/l	290	30.65	<200	34
Sulphate as SO ₄	mg/l	290	16.35	<400	18
Nitrate as NO _x -N	mg/l	290	3.99	<10	4.4
Fluoride as F	mg/l	290	0.21	<1.0	0.23
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.56: Groundwater Quality Reserve – Quaternary catchment C41A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C41A			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		17	7.97	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	17	71.50	<150	79
Calcium as Ca	mg/l	17	74.90	<150	82
Magnesium as Mg	mg/l	17	29.20	<70	32
Sodium as Na	mg/l	17	56.10	<200	62
Potassium as K	mg/l	17	2.62	<50	2.9
Total Hardness as CaCO ₃	mg/l	17	307.3	<300	338
Chloride as Cl	mg/l	17	11.80	<200	13
Sulphate as SO ₄	mg/l	17	25.18	<400	28
Nitrate as NO _x -N	mg/l	17	2.51	<10	2.8
Fluoride as F	mg/l	17	0.28	<1.0	0.31
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).

Table 6.57: Groundwater Quality Reserve – Quaternary catchment C41D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C41D*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		14	8.18	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	14	82.35	<150	91
Calcium as Ca	mg/l	14	65	<150	72
Magnesium as Mg	mg/l	14	26.50	<70	29
Sodium as Na	mg/l	14	65.15	<200	72
Potassium as K	mg/l	14	2.30	<50	2.5
Total Hardness as CaCO ₃	mg/l	14	271.4	<300	299
Chloride as Cl	mg/l	14	30.05	<200	33
Sulphate as SO ₄	mg/l	14	21.40	<400	24
Nitrate as NO _x -N	mg/l	14	4.50	<10	5.0
Fluoride as F	mg/l	14	0.40	<1.0	0.43
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.58: Groundwater Quality Reserve – Quaternary catchment C43B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C43B*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		15	7.60	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	15	70	<150	77
Calcium as Ca	mg/l	15	69.30	<150	76
Magnesium as Mg	mg/l	15	39.90	<70	44
Sodium as Na	mg/l	15	22.70	<200	25
Potassium as K	mg/l	15	2.32	<50	2.6
Total Hardness as CaCO ₃	mg/l	15	337.4	<300	371
Chloride as Cl	mg/l	15	25.50	<200	28
Sulphate as SO ₄	mg/l	15	41.90	<400	46
Nitrate as NO _x -N	mg/l	15	0.07	<10	0.08
Fluoride as F	mg/l	15	0.20	<1.0	0.22
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.59: Groundwater Quality Reserve – Quaternary catchment C60E

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C60E			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		12	7.90	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	12	64.30	<150	71
Calcium as Ca	mg/l	12	43.90	<150	48
Magnesium as Mg	mg/l	12	15.80	<70	17
Sodium as Na	mg/l	12	42.30	<200	47
Potassium as K	mg/l	12	1.01	<50	1.1
Total Hardness as CaCO ₃	mg/l	12	174.7	<300	192
Chloride as Cl	mg/l	12	20.50	<200	23
Sulphate as SO ₄	mg/l	12	12	<400	13.2
Nitrate as NO _x -N	mg/l	12	1.91	<10	2.10
Fluoride as F	mg/l	12	0.24	<1.0	0.26
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH).					

Table 6.60: Groundwater Quality Reserve – Quaternary catchment C70D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: * C70D			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		21	8.11	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	21	77.50	<150	85
Calcium as Ca	mg/l	21	62.72	<150	69
Magnesium as Mg	mg/l	21	23.75	<70	26
Sodium as Na	mg/l	21	70.50	<200	78
Potassium as K	mg/l	21	4.93	<50	5
Total Hardness as CaCO ₃	mg/l	21	254.4	<300	280
Chloride as Cl	mg/l	21	29.17	<200	32
Sulphate as SO ₄	mg/l	21	68.34	<400	75
Nitrate as NO _x -N	mg/l	21	1.76	<10	1.9
Fluoride as F	mg/l	21	0.60	<1.0	0.66
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Indicates that only post-1995 hydrochemical datasets for the specific quaternary catchment were used.					

Table 6.61: Groundwater Quality Reserve – Quaternary catchment C81F

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C81F*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		18	7.25	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	18	28.90	<150	32
Calcium as Ca	mg/l	18	24.75	<150	27
Magnesium as Mg	mg/l	18	6.30	<70	6.9
Sodium as Na	mg/l	18	20	<200	22
Potassium as K	mg/l	18	1.30	<50	1.4
Total Hardness as CaCO ₃	mg/l	18	87.7	<300	97
Chloride as Cl	mg/l	18	1.50	<200	1.7
Sulphate as SO ₄	mg/l	18	2	<400	2.2
Nitrate as NO _x -N	mg/l	18	0.31	<10	0.34
Fluoride as F	mg/l	18	0.21	<1.0	0.23
Water Quality Class					Class 0
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Samples only from monitoring done in 1976.					

Table 6.62: Groundwater Quality Reserve – Quaternary catchment C82B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: *C82B			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		29	8.21	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	29	39.90	<150	44
Calcium as Ca	mg/l	29	32.23	<150	35
Magnesium as Mg	mg/l	29	13.98	<70	15
Sodium as Na	mg/l	29	27.60	<200	30
Potassium as K	mg/l	29	3.39	<50	3.7
Total Hardness as CaCO ₃	mg/l	29	138.0	<300	152
Chloride as Cl	mg/l	29	25.24	<200	28
Sulphate as SO ₄	mg/l	29	22.16	<400	24
Nitrate as NO _x -N	mg/l	29	0.17	<10	0.19
Fluoride as F	mg/l	29	0.32	<1.0	0.35
Water Quality Class					Class 0

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Indicates that only post-1995 hydrochemical datasets for the specific quaternary catchment were used.

Table 6.63: Groundwater Quality Reserve – Quaternary catchment C82H

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C82H			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		18	8.07	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	18	85.15	<150	94
Calcium as Ca	mg/l	18	65.77	<150	72
Magnesium as Mg	mg/l	18	27.34	<100	30
Sodium as Na	mg/l	18	89.79	<200	99
Potassium as K	mg/l	18	1.08	<50	1.2
Total Hardness as CaCO ₃	mg/l	18	276.8	<300	305
Chloride as Cl	mg/l	18	20.71	<200	23
Sulphate as SO ₄	mg/l	18	22.56	<400	25
Nitrate as NO _x -N	mg/l	18	0.38	<10	0.41
Fluoride as F	mg/l	18	0.78	<1.0	0.85
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.64: Groundwater Quality Reserve – Quaternary catchment C83B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: *C83B			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		33	7.98	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	33	60	<150	66
Calcium as Ca	mg/l	33	52.12	<150	57
Magnesium as Mg	mg/l	33	27.20	<70	30
Sodium as Na	mg/l	33	33.50	<200	37
Potassium as K	mg/l	33	0.85	<50	0.9
Total Hardness as CaCO ₃	mg/l	33	242.82	<300	267
Chloride as Cl	mg/l	33	28.89	<200	32
Sulphate as SO ₄	mg/l	33	35.06	<400	39
Nitrate as NO _x -N	mg/l	33	0.79	<10	0.9
Fluoride as F	mg/l	33	0.29	<1.0	0.32
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
 * Indicates that only post-1995 hydrochemical datasets for the specific quaternary catchment were used.

Table 6.65: Groundwater Quality Reserve – Quaternary catchment C91A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C91A*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		14	8.41	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	14	70.10	<150	77
Calcium as Ca	mg/l	14	27.45	<150	30
Magnesium as Mg	mg/l	14	36.85	<70	41
Sodium as Na	mg/l	14	59.70	<200	66
Potassium as K	mg/l	14	4.02	<50	4.4
Total Hardness as CaCO ₃	mg/l	14	220.3	<300	242
Chloride as Cl	mg/l	14	44.40	<200	49
Sulphate as SO ₄	mg/l	14	60.20	<400	66
Nitrate as NO _x -N	mg/l	14	3.05	<10	3.4
Fluoride as F	mg/l	14	0.28	<1.0	0.30
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
 * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.66: Groundwater Quality Reserve – Quaternary catchment C91B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C91B*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		41	7.90	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	41	96.00	<150	106
Calcium as Ca	mg/l	41	50.50	<150	56
Magnesium as Mg	mg/l	41	46.40	<70	51
Sodium as Na	mg/l	41	70.40	<200	77
Potassium as K	mg/l	41	2.30	<50	2.5
Total Hardness as CaCO ₃	mg/l	41	317.2	<300	349
Chloride as Cl	mg/l	41	68.50	<200	75
Sulphate as SO ₄	mg/l	41	60.20	<400	66
Nitrate as NO _x -N	mg/l	41	7.02	<10	7.7
Fluoride as F	mg/l	41	0.56	<1.0	0.62
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.67: Groundwater Quality Reserve – Quaternary catchment C91C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C91C			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		33	8.12	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	33	98.90	<150	109
Calcium as Ca	mg/l	33	82.90	<150	91
Magnesium as Mg	mg/l	33	62.57	<70	69
Sodium as Na	mg/l	33	25.81	<200	28
Potassium as K	mg/l	33	3.33	<50	3.7
Total Hardness as CaCO ₃	mg/l	33	464.7	<300	511
Chloride as Cl	mg/l	33	92.36	<200	102
Sulphate as SO ₄	mg/l	33	54.36	<400	60
Nitrate as NO _x -N	mg/l	33	14.42	<10	16
Fluoride as F	mg/l	33	0.41	<1.0	0.45
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);

² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and

³ Median value plus 10% (with the exception of pH).

Table 6.68: Groundwater Quality Reserve – Quaternary catchment C91D

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C91D*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		15	7.90	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	15	71.30	<150	78
Calcium as Ca	mg/l	15	49.60	<150	55
Magnesium as Mg	mg/l	15	38.80	<70	43
Sodium as Na	mg/l	15	30.30	<200	33
Potassium as K	mg/l	15	2.91	<50	3.2
Total Hardness as CaCO ₃	mg/l	15	283.6	<300	312
Chloride as Cl	mg/l	15	35.00	<200	39
Sulphate as SO ₄	mg/l	15	36.50	<400	40
Nitrate as NO _x -N	mg/l	15	2.55	<10	2.8
Fluoride as F	mg/l	15	0.64	<1.0	0.7
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.69: Groundwater Quality Reserve – Quaternary catchment C91E

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C91E*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		29	8.00	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	29	113.20	<150	125
Calcium as Ca	mg/l	29	78.20	<150	86
Magnesium as Mg	mg/l	29	61.10	<70	67
Sodium as Na	mg/l	29	53.90	<200	59
Potassium as K	mg/l	29	1.80	<50	2.0
Total Hardness as CaCO ₃	mg/l	29	446.9	<300	492
Chloride as Cl	mg/l	29	69.50	<200	76
Sulphate as SO ₄	mg/l	29	116.80	<400	128
Nitrate as NO _x -N	mg/l	29	7.45	<10	8.2
Fluoride as F	mg/l	29	0.58	<1.0	0.64
Water Quality Class					Class 1

¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9);
² Upper limit of Class I water quality [Drinking] (WRC et al. 2nd Edition, 1998, Volume 1: Assessment Guide); and
³ Median value plus 10% (with the exception of pH).
* Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)

Table 6.70: Groundwater Quality Reserve – Quaternary catchment C92A

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C92A*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		298	8.09	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	298	49.10	<150	54
Calcium as Ca	mg/l	298	51.35	<150	56
Magnesium as Mg	mg/l	298	19.20	<70	21
Sodium as Na	mg/l	298	10.58	<200	12
Potassium as K	mg/l	298	2.29	<50	2.5
Total Hardness as CaCO ₃	mg/l	298	207.3	<300	228
Chloride as Cl	mg/l	298	20.35	<200	22
Sulphate as SO ₄	mg/l	298	20.45	<400	23
Nitrate as NO _x -N	mg/l	298	2.31	<10	2.5
Fluoride as F	mg/l	298	0.17	<1.0	0.19
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.71: Groundwater Quality Reserve – Quaternary catchment C92B

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C92B*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		46	8.22	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Electrical Conductivity	mS/m	46	100.20	<150	110
Calcium as Ca	mg/l	46	82.85	<150	91
Magnesium as Mg	mg/l	46	73.40	<70	81
Sodium as Na	mg/l	46	29.05	<200	32
Potassium as K	mg/l	46	3.28	<50	3.6
Total Hardness as CaCO ₃	mg/l	46	509.1	<300	560
Chloride as Cl	mg/l	46	55.55	<200	61
Sulphate as SO ₄	mg/l	46	42.25	<400	46
Nitrate as NO _x -N	mg/l	46	6.14	<10	6.8
Fluoride as F	mg/l	46	0.31	<1.0	0.34
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

Table 6.72: Groundwater Quality Reserve – Quaternary catchment C92C

Chemical Parameter	Unit	Vaal WMA – Quaternary catchment: C92C*			
		[A]	[B]	[C]	[D]
		No. of Samples	GW quality (median value) ¹	BHN Limit ²	Groundwater Quality Reserve ³
pH		100	8.27	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Electrical Conductivity	mS/m	100	87.60	<150	96
Calcium as Ca	mg/l	100	83.55	<150	92
Magnesium as Mg	mg/l	100	56.10	<70	62
Sodium as Na	mg/l	100	20.95	<200	23
Potassium as K	mg/l	100	4.13	<50	4.5
Total Hardness as CaCO ₃	mg/l	100	439.6	<300	484
Chloride as Cl	mg/l	100	50.85	<200	56
Sulphate as SO ₄	mg/l	100	32.30	<400	36
Nitrate as NO _x -N	mg/l	100	4.29	<10	4.7
Fluoride as F	mg/l	100	0.33	<1.0	0.36
Water Quality Class					Class 1
¹ Based on long-term groundwater quality datasets (DWS Water Management System). Minimum number of analyses used for the statistical evaluation is nine (9); ² Upper limit of Class I water quality [Drinking] (WRC et al. 2 nd Edition, 1998, Volume 1: Assessment Guide); and ³ Median value plus 10% (with the exception of pH). * Based on pre-1995 hydrochemistry dataset (most representative spatial dataset)					

7. PROTECTION AND MANAGEMENT REQUIREMENTS FOR PRIORITY WETLANDS

Priority wetlands in the Vaal River catchment area includes those wetlands which display an ecological sensitivity of High or Very High. Additional priority wetlands were identified taking cognisance of inter alia unique features, red data species and peat wetlands. Recommended ecological categories (REC) and ecological specifications for the priority wetlands in the Vaal Water Management Area are presented in Table 7.1. The Present Ecological State (PES), Importance and Sensitivity (IS) for the identified priority wetlands are also presented.

Note:

Acronyms referred to in Table 7-1:

- CBA: Critical Biodiversity Area
- ESA: Ecological Support Areas
- EIA: Environmental Impact Assessment
- REC: Recommended Ecological Category
- TEC: Target Ecological Category
- WUL: Water Use Licence

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
								Maintain in natural or near-natural ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the CBA1 and ESA2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain the existing flow distribution and retention patterns in the system to maintain the existing vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply.
UC1	C81L	Meul	Floodplain	B	High	A/B	B	Floods are needed to inundate the floodplain thereby providing the wetting regime required for supporting the floodplain vegetation that are dependent on flooding for their life cycles Maintain in natural or near-natural ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the ESA1 and ESA2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain the existing flow distribution and retention patterns in the system to maintain the existing vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply.
UI	C21E	Blesbospruit ²	Flooded Valley Bottom (artificially supported)	D	High	C/D	D	In order to improve the state of the wetland, the following should be considered: • Management interventions to re-establish certain habitat types necessary for certain bird species; • Improved treatment of mine water, waste water and effluent discharges at source prior to release in to the wetland areas; • Engineering of some sections of the wetland to create oxidation zones to effect improved water quality. This will also recreate some of the open water habitats that were associated with high waterfowl numbers in the 1970s and 1980's; • Prioritisation and protection of the few reaches where the species rich, seasonally wet grassland still occurs; and • Monitoring to ensure that the specified water quality standards in terms of discharge are adhered to and enforced.

² The system is a Ramsar Site (Designated as a Wetland of International Importance in terms of the Ramsar Convention) and is regarded as being important from both a wildlife and hydro-functional perspective

Ecological Specifications Protection, Maintenance and Management Requirements							
IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC
							Furthermore these previous studies recommended further work to understand the effects of changing the flows through the system. There has been concern that introducing variability in flow to the system could result in some of the sediments undergoing chemical changes resulting in the mobilization of certain heavy metals and uranium, thereby creating health risks. More clarity on this issue would be required before any recommendation related to changing the flows through the system could be made with any confidence that it would not result in health risks.
							Liaise with interested and affected parties to develop and implement a collaborative Management, Rehabilitation and Monitoring Plan for the wetland
							Historically the flows in this system were much lower than present day, but due to the altered channel geometry – the incision of the channel in to the wetland – larger flows are now required to inundate the floodplain than would have been necessary under the Reference channel condition. Even so, the present day flows are much higher than the estimated ecological water requirements for the reach. The present day wet season baseflows even exceed the estimated annual flood requirement for the D REC. If the TEC is to be improved from the current D/E to a D or higher, then baseflows need to be reduced. If the flows cannot be reduced then it is very unlikely that the improved D condition of the wetland reach will be achieved.
UI	C22D	Klip River wetland	Unchannelled and Channelled Valley Bottom	D/E	Moderate	D	D
							If the flows are reduced then this would open up opportunities for some rehabilitation actions, such as small weirs that could be used to reinstate local baselevels to counteract the impacts of the incised channels. These sorts of structures in the mainstem would be able to raise the water and rewet the valley bottom and associated peat substrates.
							Rehabilitation actions in the Klip River catchment should focus on: • Attenuating urban stormwater peaks (in the smaller tributaries); • Stabilising headcuts in the mainstem and larger tributaries; and • Raising the watertable and rewetting the valley bottom peats of the main tributaries.
							Liaise with interested and affected parties to develop and implement a collaborative Management, Rehabilitation and Monitoring Plan for the wetland.
							Diffuse water distribution is required to optimise the water quality enhancement functions. Therefore it is important to maintain and if possible enhance the existing flow distribution and retention patterns in the system.
UI	C22B	Natalspruit	Unchannelled and Channelled Valley Bottom	D	High	C/D	D
							Unchannelled sections of the wetland must be maintained as unchannelled and existing vegetation structure and composition should at least be retained or improved.
							Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply.
							The wetland should be assessed to identify potential rehabilitation measures that will improve its current state and the functions it is performing.

Ecological Specifications Protection, Maintenance and Management Requirements							
IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC
							Liaise with interested and affected parties to develop and implement a collaborative Management, Rehabilitation and Monitoring Plan for the wetland.
UK	C23B	Kromelmspruit	Floodplain and Channelled Valley Bottom	C	High	B/C	C
							Maintain in natural or near-natural ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the ESA1 and ESA2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain and enhance the existing flow distribution and retention patterns in the system. Currently unchannelled wetlands must be maintained as unchannelled systems. Maintain existing vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply. The wetland should be assessed to identify potential rehabilitation measures that will improve its current state.
UL	C23F	Boovenste Oog	Peat wetland (dolomitic eye)	B/C	High	B	B
							Maintaining the perennial nature of the system and a diffuse water distribution pattern across the system are key features which determine it's ecological as well as functional importance. Maintain in natural or near-natural ecological condition for the purpose of the long-term protection of important biodiversity, flow regulation function, and as an important and unique landscape feature. Maintain good water quality normally associated with dolomitic aquifers and associated eyes/springs. Prevent over-abstraction from the associated dolomitic aquifer. Maintain the natural fish and macro-invertebrate diversity of the system and prevent the introduction of exotic taxa. A management plan should be developed and implemented for the system. It has previously been suggested that reclaiming peripheral shallow open water habitats with adequate reed corridors left between the open water areas would enhance the biodiversity of the system. It was also suggested that infilling of some of the excavated canals in the system would allow for an improvement in the PES. In developing the management plan, these suggestions should be investigated further. Determine a Preliminary Wetland and Groundwater Reserve for the system as well as protection and management requirements for the groundwater to protect the associated dolomitic aquifer and flows into the system.

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
UL	C23F	Mooi	Unchannelled Valley Bottom	D	High	C/D	C/D	Diffuse water distribution is required to optimise hydrological and biodiversity support functions. Maintain and where possible improve the ecological condition for the purpose of the long-term protection of hydrological functions, biodiversity and as an important landscape feature. Maintain a viable representative sample of this ecosystem type and its associated biodiversity. Implement measures to improve the existing flow distribution and retention patterns in the system to maintain the existing vegetation structure and composition. Maintaining the perennial nature of the system and a diffuse water distribution pattern across the system are key features which determine its ecological as well as functional importance. Maintain the current ecological condition for the purpose of the long-term protection of the remaining peat, important biodiversity, flow regulation and water quality enhancement functions, and as an important and unique landscape feature. Maintain and where possible improve the natural flow distribution and retention patterns in the system. Maintain good water quality normally associated with dolomitic aquifers and associated peat wetlands. Since peatlands require low energy flow with permanent saturation and anaerobic conditions for peat to be able to accumulate or at least not decompose, it is important that these conditions are met in order to maintain the system. At worst, maintaining the system based on a TEC of C would mean that it would be important to maintain a daily flow as recommended in the Preliminary Reserve in order to constantly replenish the peat and keep it saturated, thus preventing any chance of it drying out, oxidizing and decomposing or burning. On the other hand, improving the system based on an REC of B/C would mean that it would be important to increase the daily flow into the peatland as indicated in the Preliminary Reserve. This would allow inundation of the system thus facilitating the accretion or accumulation of peat via the creation of anaerobic conditions within the rhizomatous zone, thus creating conditions favourable for accumulation of organic matter derived from the seasonal die off of rhizomes. This would result in an improvement in the system via the re-wetting of lateral habitats, the inundation of currently exposed peat, and the re-establishment of the natural peat accumulation process, particularly in those areas where peat has previously been mined. Prevent over-abstraction from the associated dolomitic aquifer. Ensure implementation of the rehabilitation measures recommended for the peat mining that has taken place in the system. A management and rehabilitation plan should be developed and implemented for the system. Update the existing Preliminary Wetland Reserve and determine a Preliminary Groundwater Reserve for the system as well as protection and management requirements for the groundwater to protect the associated dolomitic aquifer and flows into the system.
UL	C23G	Gerhard Minnebron	Peat wetland	C	High	B/C	C	

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
UL	C23E	Abe Bailey Nature Reserve Wetlands	Unchannelled and Channelled Valley Bottom	D ³	High	C	C	Implement measures to improve the ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the CBA and ESA landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain and where possible enhance the existing flow distribution and retention patterns in the system. Excessive nutrient inputs should be identified and addressed.
UL	C23H and C23L	O.P.M. Prozesky Bird Sanctuary	Floodplain	E ⁴	High	D	D	Implement measures to improve the current ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the CBA landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain and enhance the existing flow distribution and retention patterns in the system. Excessive nutrient inputs should be identified and addressed.
MA	C70K	Wilpan	Pan	F ⁵	High	D	D	Implement measures to improve the current state (ecological condition) of the system for it to continue to provide existing services. Excessive nutrient inputs to the system should be identified and addressed.
MC	C24C	Pan and wetland complex - Leliefontein	Pan, Seeps and Unchannelled Valley Bottom	C	High	B/C	C	Maintain in the current ecological condition for the purpose of the long-term protection of the biodiversity and as an important landscape feature. Maintain or improve existing ecological diversity and interconnectivity of the pan and associated wetland system. Water quantity and quality impacts must be managed so as not to undermine the ecological value of the pan and its associated wetland.

³ As this system is associated with a Nature Reserve, the TEC is recommended to be the same as the REC and is set one category higher than the PES

⁴ The system is in a PES category of E (Seriously Modified) but has a High IS as it is regarded as an important sanctuary for birdlife. A PES category of E is not sustainable so the TEC is recommended to be the same as the REC and is set one category higher than the PES

⁵ The system is in a PES category of F (Critically Modified) but has a High IS as it is regarded as an important sanctuary for birdlife. A PES category of F is not sustainable so the TEC is recommended to be the same as the REC and is set two categories higher than the PES

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
MC	C24C	Velpan	Pan	C	High	B/C	C	Maintain in the current ecological condition for the purpose of the long-term protection of the biodiversity and as an important landscape feature. Maintain or improve existing ecological diversity and interconnectivity of the pan and associated drainage system and surrounding natural habitats. Water quantity and quality impacts must be managed so as not to undermine the ecological value of the pan and its associated wetland.
MC	C24C	Klippan and wetland system associated with Klippan	Pan and Unchannelled Valley Bottom	C	High	B/C	C	Maintain in current ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the CBA and ESA landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Water quantity and quality impacts must be managed so as not to undermine the ecological value of the pan and its associated wetland. Maintain and enhance the existing flow distribution and retention patterns in the system. Currently unchannelled wetlands must be maintained as unchannelled systems. Maintain existing vegetation structure and composition. The wetland should be assessed to identify potential rehabilitation measures that will improve its current state. Maintaining the perennial nature of the system and a diffuse water distribution pattern across the system are key features which determine its ecological as well as functional importance. Maintain in natural or near-natural ecological condition for the purpose of the long-term protection of important biodiversity, peat, flow regulation function, and as an important and unique landscape feature. Maintain the natural flow distribution and retention patterns in the system. Maintain good water quality normally associated with dolomitic aquifers and associated eyes/springs. Prevent over-abstraction from the associated dolomitic aquifer. Maintain the natural fish and macro-invertebrate diversity of the system and prevent the introduction of exotic taxa. A management plan should be developed and implemented for the system in consultation with interested and affected parties. Determine a Preliminary Wetland and Groundwater Reserve for the system as well as protection and management requirements for the groundwater to protect the associated dolomitic aquifer and flows into the system.
MC	C24C	Upper section of the Schoonspruit peatland and the Schoonspruit eye	Peat wetland and dolomitic eye	B	Very High	A	B	

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
MC	C24F	Floodplain and lower section of the Taaibospruit	Floodplain and Unchannelled Valley Bottom	C	High	B/C	C	Floods are needed to inundate the floodplain thereby providing the wetting regime required for supporting the floodplain vegetation that are dependent on flooding for their life cycles. The lower section of the wetland is unchannelled and should remain as such as it is likely to provide water quality enhancement functions and habitat that is different from the rest of the system. This enhances the biodiversity of the wetland. Maintain in the current ecological condition and where possible improve the condition of the system for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Maintain the existing flow distribution and retention patterns in the system to maintain the existing vegetation structure and composition. Unchannelled sections of the wetland must be maintained as unchannelled and existing vegetation structure and composition should at least be retained or improved. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply. The wetland should be assessed to identify potential rehabilitation measures that will improve its current state and the functions it is performing.
MC	C24G	Floodplain of the Schoonspruit including Mahemsvlei	Floodplain	C	High	B/C	C	Floods are needed to inundate the floodplain thereby providing the wetting regime required for supporting the floodplain vegetation that are dependent on flooding for their life cycles. Maintain in the current ecological condition and where possible improve the condition of the system for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Maintain the existing flow distribution and retention patterns in the system to maintain the existing vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply. The wetland should be assessed to identify potential rehabilitation measures that will improve its current state and the functions it is performing.

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
MC	C24C and C24E	Lower section of the Schoonspruit peatland	Peat wetland	D	Very High	C	C	Maintaining the perennial nature of the system and a diffuse water distribution pattern across the system are key features which determine its ecological as well as functional importance. Improve the ecological condition of the system for the purpose of the long-term protection of important biodiversity, peat, flow regulation function, and as an important and unique landscape feature. Maintain the natural flow distribution and retention patterns in the system. Maintain good water quality normally associated with dolomitic aquifers and associated eyes/springs. Prevent over-abstraction from the associated dolomitic aquifer. Prevent and manage over-abstraction/diversion of flows/water from the peatland. Maintain the natural fish and macro-invertebrate diversity of the system and prevent the introduction of exotic taxa. A management plan should be developed and implemented for the system in consultation with interested and affected parties. Determine a Preliminary Wetland and Groundwater Reserve for the system as well as protection and management requirements for the groundwater to protect the associated dolomitic aquifer and flows into the system.
MA	C70G	Grootvlei in a tributary of the Heuningspruit and on the Heuningspruit	Unchannelled and Channelled Valley Bottom	D	High	C/D	D	Maintain and where possible improve the current ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the CBA1, ESA1 and ESA2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain and enhance the existing flow distribution and retention patterns in the system. Currently unchannelled wetlands must be maintained as unchannelled systems. Maintain existing vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply. The wetland should be assessed to identify potential rehabilitation measures that will improve its current state. Maintain and enhance the existing flow distribution and retention patterns in the system.
MA	C70K	Wetland system adjacent to Viljoenskroon	Unchannelled and Channelled Valley Bottom	E ⁶	High	D	D	Pressure from sewage spills, physical obstruction, informal settlements and other in upstream area needs to be attended to.

⁶ The system is in a PES category of E (Seriously Modified) but has a High IS due to its hydro-functional importance. A PES category of E is not sustainable so the TEC is recommended to be the same as the REC and is set one category higher than the PES

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
								Currently unchannelled wetlands must be maintained as unchannelled systems. Maintain or improve existing vegetation structure and composition. The wetland should be assessed to identify potential rehabilitation measures that will improve its current state and ability to improve water quality.
MA	C70K	Groot Rietpan	Pan	D	High	C/D	C/D	Implement measures to improve the current ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contribute towards the CBA2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain and enhance the existing flow distribution and retention patterns in the system. Monitor nutrient and sediment inputs from immediate catchments area. The wetland should be assessed to identify potential rehabilitation measures to restore the hydrology to a more natural state. Maintain and where possible improve the current ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature.
MF	C25B	Upper reaches of the Sandspruit (immediately north of Kufloanong)	Unchannelled and Channelled Valley Bottom	D	High	C/D	D	Ensure that the site and its catchment contributes towards the CBA1 and ESA1 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain and where possible enhance the existing flow distribution and retention patterns in the system. Pressure from sewage spills, physical obstruction, informal settlements and other in upstream area needs to be attended to. Currently unchannelled wetlands must be maintained as unchannelled systems. Maintain or improve existing vegetation structure and composition. Lateral flow inputs to the wetland must be protected through application of hydrological buffers determined via hydro-pedological assessments undertaken as part of EIA and/or WUL applications, and strict licensing conditions including monitoring of the systems should apply. The wetland should be assessed to identify potential rehabilitation measures that will improve its ability to enhance water quality.
MF and MD2	C25B, C25F and C43B	Pan cluster around Wesselbron including Volstruispan to the north	Pan cluster	C	High	B/C	B/C	Maintain in near-natural ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the ESA1 and ESA2 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity.

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
								Protect the water quality and ecological characteristics of the different pans associated with the cluster to ensure that they continue to provide the biodiversity support functions typically associated with the different pan types present.
MD2	C43B	Flamingo Pan	Pan	F ⁷	High	D	D	Maintain or improve existing ecological diversity and interconnectivity of individual depression wetlands (pans). Implement measures to improve the current state of the pan for it to continue to provide existing services. Excessive nutrient and pollution inputs should be identified and addressed. Propose and implement physical and management interventions where required.
ME2	C43A	Bultfontein Pan	Pan	D	High	C/D	C/D	In consultation with interested and affected parties explore and where feasible implement measures to improve the hydrological regime towards a more natural state. Prevent sewage effluent from flowing into the wetland system. Assess and monitor the impact of salt works and other activities on the hydrology and the biodiversity support function of the wetland. Propose and implement physical and management interventions where required.
MD2	C43B	Toronto Pan	Pan	F ⁸	High	D	D	Implement measures to improve the current state of the pan for it to continue to provide existing services. Excessive nutrient and pollution inputs should be identified and addressed. Propose and implement physical and management interventions where required.
LA1	C31D	Barberspan ⁹	Pan	C	Very High	B	B/C	Maintain and if possible improve the current ecological condition for the purpose of the long-term protection of important biodiversity and as an important wetland and landscape feature. Excessive nutrient and sediment inputs should be identified and addressed. Liaise with interested and affected parties to develop a collaborative management and monitoring plan together with that for Leeupan.

⁷ The system is in a PES category of F (Critically Modified) but has a High IS as it is regarded as an important sanctuary for birdlife. A PES category of F is not sustainable so the TEC is recommended to be the same as the REC and is set two categories higher than the PES

⁸ The system is in a PES category of F (Critically Modified) but has a High IS as it is regarded as an important sanctuary for birdlife. A PES category of F is not sustainable so the TEC is recommended to be the same as the REC and is set two categories higher than the PES


⁹ The system is a Ramsar Site (Designated as a Wetland of International Importance in terms of the Ramsar Convention)

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
LA1	C31D	Leeupan	Pan	C ¹⁰	High	B/C	B/C	Implement measures to improve the ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Excessive nutrient and/or sediment inputs should be identified and addressed. Liaise with interested and affected parties to develop a collaborative management and monitoring plan together with that for Barberspan.
LA2	C31E	Harts River Floodplain	Floodplain	C	High	B/C	B/C	Erosion and channel incision threaten to undermine the flood attenuation functions of the wetland. It is also important to ensure the protection and maintenance of the floodplain habitats which support biodiversity. Implement measures to improve the current condition of the wetland for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Maintain a viable representative sample of this ecosystem types and its associated biodiversity. Maintain and enhance the existing flow distribution and retention patterns in the system and maintain the hydrological and ecological link to Barberspan. Maintain existing vegetation structure and composition.
LB	C91E	Kamferpan ¹¹	Pan	C	Very High	B	B/C	Maintain and where possible improve the state of the pan for it to continue to provide existing hydrological and biodiversity support services. Excessive nutrient and pollution inputs should be identified and addressed. Continuation of existing efforts to prevent sewage input and managing of water levels to prevent flooding of breeding areas. Monitor threats such as eutrophication and reed encroachment. Liaise with interested and affected parties to develop a collaborative management and monitoring plan for the pan.
LB	C91B	Gannapan	Pan	C	High	B/C	B/C	Maintain and where possible improve the current ecological condition for the purpose of the long-term protection of important biodiversity and as an important landscape feature. Ensure that the site and its catchment contributes towards the CBA1, CBA2 and ESA1 landscape level purpose for the site to represent and maintain a viable representative sample of this ecosystem types and its associated biodiversity.

¹⁰ As this system is associated with the Barberspan Ramsar Site, the TEC is recommended to be the same as the REC and is set half a category higher than the PES

¹¹ Although largely artificially maintained, this system is a critical breeding site for Lesser Flamingo and strict protection requirements should be applied to ensure it remains a successful breeding site for this species

IUA	Quaternary Catchment	Wetland Name	Wetland Type	PES	IS	REC	TEC	Ecological Specifications Protection, Maintenance and Management Requirements
LB	C92A	Silverstreams Pan (The Great Pan) and associated Wetland Complex	Pans, Unchannelled Valley Bottom and Springs	B	High	A/B	B	Maintain existing hydrological regime and ecological processes to protect the pans and springs and associated wetland habitats in current ecological state. Maintain the natural flow distribution and retention patterns in the system. Maintain good water quality normally associated with dolomitic aquifers and associated eyes/springs. Prevent over-abstraction from the associated dolomitic aquifer. A management plan should be developed and implemented for the system in consultation with interested and affected parties. Determine a Preliminary Wetland and Groundwater Reserve for the system as well as protection and management requirements for the groundwater to protect the associated dolomitic aquifer, associated springs and flows into the system.



DEPARTEMENT VAN WATER EN SANITASIE

NO. 1019

25 SEPTEMBER 2020

**NASIONALE WATERWET, 1998
(WETNR 36 VAN 1998)****RESERWEBEPALING VIR DIE WATERHULPBRONNE VAN DIE VAAL-
WATERBESTUURSAREA**

Ek, Lindiwe Sisulu, Minister van Menslike Nedersettings, Water en Sanitasie, kragtens artikel 16 (1) van die Nasionale Waterwet, 1998 (Wetnr 36 van 1998), publiseer hiermee die Reserwebepaling vir die waterhulpbronne van die Vaal-waterbestuursarea, soos in die bylae uiteengesit.

**L N SISULU (LP)****MINISTER VAN MENSLIKE NEDERSETTINGS, WATER EN SANITASIE****DATUM:** 05/03/2020

BYLAE**1. BESKRYWING VAN WATERHULPBRON**

- 1.1 Die Reserwe word vir alle of 'n gedeelte van elke belangrike waterhulpbron binne die Vaal-waterbestuursarea bepaal, soos hier onder uiteengesit:

Waterbestuursarea: Vaal

Dreineringsgebiede: C Primêre dreineringsgebied:

C11, C12, C13, C21, C22, C23, C81, C82, C83, C24, C25, C41, C42, C43, C60, C70, C31, C32, C33, C91, C92, C41, C42

(met uitsondering van die Modder Riet-opvanggebied, C51 en C52; en met uitsondering van die Molopo-opvanggebied, D41 en D42 van die Vaal-waterbestuursarea)

Riviere: Vaal, Wilge, Klip, Klein Vaal, Waterval, Suikerbosrand, Blesbokspruit, Mooi, Vals, Schoonspruit, Sand, Vet, Harts

2. AFKORTINGS EN WOORDOMSKRYWINGS**2.1 Afkortings**

BBT	Beste Bereikbare Toestand
BMB	Basiese Menslike Behoeftes
GWT	Gekoördineerde Watervoël Telling
CBA	Kritiese Biodiversiteitsgebiede
EK	Ekologiese Kategorie
ES	Ekologiese Spesifikasie
OIA	Omgewingsimpakassessering
EBS	Ekologiese Belang en Sensitiwiteit
EOG	Ekologiese Ondersteuningsgebiede
EWV	Ekologiese Waterveeste
GHAI	Grondwaterhulpbron-assessering Fase II
GHGM	Grondwaterhulpbrongerigte Maatreëls
GHE	Grondwaterhulpbron-eenheid
BS	Belang en Sensitiwiteit
GJA	Gemiddelde Jaarlikse Afvloe
MKM	Miljoen Kubieke Meter
nGJA	Natuurlike Gemiddelde Jaarlikse Afvloe
HES	Huidige Ekologiese Status
AEK	Aanbevole Ekologiese Kategorie
TEK	Teiken Ekologiese Kategorie
DPB	Drumpel van Potensiële Belang
WGL	Watergebruiklisensie

2.2 Woordomskrywings

Basisvloei is 'n volgehoue lae vloei in riviere gedurende droë of redelike weertoestande, maar nie noodwendig alles deur grondwater bygedra nie; insluitend bydrae van vertraagde intervloei en grondwaterafvoer.

Klas waterhulpbron: Die klasvoorskrywe is 'n stel gewenste kenmerke vir gebruik en ekologiese toestand vir belangrike waterhulpbronne in 'n geëgte opvanggebied (geïntegreerde eenheid van analise). Die klas moet die gebruiksomvang van die waterhulpbron; die reserwe; die hulpbrongehaltemikpunte en die bepaling van die allokeerbare gebruiksporsie van die waterhulpbron beskryf. Waterhulpbronne moet in een van die drie klasse geklassifiseer word; Klas I-waterhulpbron, Klas II-waterhulpbron en Klas III-waterhulpbron.

Ekologiese Belang en Sensitiwiteit (EBS): Sleutel aanwysers in die ekologiese klassifikasie van waterhulpbronne. Ekologiese belang is verwant aan die teenwoordigheid, verteenwoordigheid en diversiteit van spesie van biota en habitat. Ekologiese sensitiwiteit is verwant aan die kwesbaarheid van die habitat en biota vir veranderings wat in vloei, watervlakke en fisio-chemiese toestande mag plaasvind.

Ekologiese Watereise (EWV): Die vloeioptrone (grootte, tydsberekening en duur) en watergehalte benodig om 'n vlei-ekosisteem in 'n spesifieke toestand in stand te hou. Hierdie term word gebruik om te verwys na beide die hoeveelheid- en gehaltekomponente.

Ekologiese Watereise (EWV)-terreine: Spesifieke plekke op die rivier soos bepaal deur die terrein seleksieproses. 'n EWV-terrein bestaan uit 'n lengte van rivier wat uit verskeie dwarsdeursnee vir beide hidrouliese en ekologiese doeleindes mag bestaan. Hierdie terreine voorsien genoeg aanwysers om omgewingsvloei te assesser en die toestand van biofisiese komponente te assesser (aandrywers soos hidrologie, geomorfologie en fisies-chemies) en biologiese gedrag (naamlik vis, ongewerwelde diere en oewerplantegroei).

Huidige Ekologiese Status (HES): 'n Kategorie wat die huidige gesondheid of integriteit van verskeie biologiese attribute van die waterhulpbron Eenheid, in vergelyking met die natuurlike of naby aan natuurlike verwysingstoestande. Die uitslae van die proses word as Ekologiese Kategorieë (EK'e) voorsien en wissel van A (naby natuurlik) tot F (heeltemal verander) vir die HES.

Hervulling is die byvoeging van water tot die versadigingszone, óf deur afwaarts deursyfering van neerslag óf oppervlaktwater en/of die laterale migrasie van grondwater uit aangrensende waterdraers.

Aanbevole Ekologiese Kategorie (AEK): 'n Ekologiese kategorie wat die ekologiese bestuur teiken vir 'n waterhulpbron Eenheid gebaseer op sy ekologiese klassifikasie wat verkry moet word. Kategorieë wissel van Kategorie A (onveranderd, natuurlik) tot Kategorie D (grootliks verander).

Rivierodus (biofisiese nodus): Dit is boetseerplekke wat 'n stroomop bloop of area van 'n akwatiese ekosisteem (riviere, vleiende, riviermonde en grondwater) verteenwoordig, waarvoor 'n reeks verhouding van toepassing is.

Subkwartêr opvanggebiede: 'n Fyner onderafdeling van die kwartêr opvanggebiede (die opvanggebiede van byriviere van hooftriviere in kwartêr opvanggebiede).

Teiken Ekologiese Kategorie (TEK): Beteken die aangetekende ekologiese toestand deur die Minister aan 'n waterhulpbron wat die ekologiese toestand van daardie waterhulpbron reflekteer in terme van die afwyking van sy biofisiese komponente van die natuurlike verwysingstoestand. Die uiterste teiken om 'n volhoubare sisteem, beide ekologies en ekonomies, te bereik in agneming van die HES en AEK.

3. RE SERWEBEPALING

3.1 Die reserwe wat die Ekologiese Watervereistes (EWV's) en die Basiese Menslike Behoeftes (BMB) Reserwe vir die riviere by EWV-terreine en geselekteerde biofisiese nodusse in die Vaal-waterbestuursarea insluit, word in **afdeling 4** uiteengesit. Die Vaal-waterbestuursarea lokaliteit en EWV-terreine word in **Figuur 1** aangedui.

3.2 Die watergehaltekomponent van die reserwe vir die riviere by die EWV-terreine in die Vaal-opvanggebied kragtens artikel 16(1) van die Wet word in **afdeling 5** uiteengesit.

3.3 Die Grondwater Reserwe vir Waterhoeveelheid en Watergehalte kragtens artikel 16(1) van die Wet vir die Vaal-waterbestuursarea word in **afdeling 6** uiteengesit.

3.4 Die ekologiese spesifikasies vir die vleilande kragtens artikel 16(1) van die Wet vir die Vaal-waterbestuursarea word in **afdeling 7** uiteengesit.

4. RESERWEBEPALING VIR RIVIERE

Die reserwebepaling en ekologiese kategorisering kragtens artikel (16)(1) vir die riviere van die Vaal-opvanggebied, waar die Reserwe weergegee word as 'n persentasie van die natuurlike gemiddelde jaarlikse afvloeï (NGJA) vir die onderskeie opvanggebiede (kumulatief):

Tabel 4.1: Die Reserwe vir die riviere by die EWV-terreine wat die EWV's insluit om die akwatiese ekosisteme te beskerm en die BMB-vereistes

Kwartier Opvanggebied	Waterhulpbron	Waterhulp bronklas	HES	EBS	TEK ⁵	GJA (MKM) ¹	Reserwe ² (%GJA)	Ekologiese Reserwe ³ (%GJA)	Basiese Menslike Behoeftes (BMB) Reserwe ⁴ (%GJA)
C11J	Vaalrivier – EWV 1	II	B/C	Hoog	B/C	332.3*	39.411	39.41	0.001
C11M	Vaalrivier – EWV 2	II	C	Matig	C	457.7 [#]	13.610	13.61	0.00022
C12F	Waterval – EWV WA1	III	D	Laag	D	76.71 [#]	3.501	3.5	0.0007
C12G	Waterval – EWV WA2	III	D	Laag	D	147.43 [#]	6.4003	6.4	0.00027
C12H	Vaalrivier – EWV 3	II	C	Matig	C	858.1 [#]	14.300	14.3	0.00004
C22F	Vaalrivier – EWV 4	III	C	Hoog	B/C	1977.3*	21.550	21.55	0.00015
C23L	Vaalrivier – EWV 5	III	C/D	Hoog	C	2288*	34.100	34.1	0.00004
C13D	Kliprivier – EWV 6	II	B/C	Matig	B/C	95.3 [#]	26.542	26.54	0.0021
C81A	Wilgerivier – EWV 7	II	A/B	Hoog	A/B	23.5 [#]	45.893	45.88	0.0128
C82C	Wilgerivier – EWV 8	II	C	Matig	C	474.3 [#]	11.770	11.77	0.00006
C21C	Suikerbosrand – EWV 9	II	C	Hoog	B/C	31.3 [#]	41.893	41.89	0.0032
C21G	Suikerbosrand – EWV 10	III	C/D	Matig	C/D	149.27*	34.391	34.39	0.0007
C21F	Blesbokspruit – EWV 11	III	D	Laag	D	100.69*	18.145	18.14	0.0050
C11C	Klein Vaalrivier – RE-EWV 1	II	C	Matig	C	26.09 [#]	24.725	24.71	0.0153
C23G	Moorivier – RE-EWV 2	III	D	Laag	D	37.7 [#]	19.061	19.05	0.0106
C24B	Vaalrivier – EWV 12	III	D	Matig	D	1574.64*	28.280	28.28	0.00009
C24J	Vaalrivier – EWV 13	III	C/D	Matig	C/D	1638.37*	35.800	35.8	0.00009
C60J	Valsrivier – EWV 14	III	C/D	Matig	C/D	145.79 [#]	17.050	17.05	0.00034
C43A	Vetrivier – EWV 15	III	C/D	Matig	C/D	253.15*	18.200	18.2	0.00028
C41E	Klein Vet – RE – EWV 3	II	C	Matig	C	49.56 [#]	19.540	19.54	0.00028
C42J	Sand – EWV RD1	III	C/D	Matig	B/C	140.76 [#]	23.820	23.82	0.00007
C42L	Sand – EWV RD2	III	C	Matig	B/C	180.692 [#]	23.490	23.49	0.00011
C24E	Schoonspruit – EWV S1	III	C	Laag	C	59.38 [#]	35.805	35.8	0.0049
C24G	Schoonspruit – EWV S3	III	C/D	Laag	C/D	89.96 [#]	30.902	30.9	0.0018
C24H	Schoonspruit – EWV S4	III	C/D	Laag	C/D	102.09 [#]	31.203	31.2	0.0034
C91A	Vaal – EWV 16	III	D	Matig	D	3242.51*	13.020	13.02	0.00007
C33C	Harts – EWV 17	II	D	Matig	D	147.85*	51.6034	51.60	0.0034
C92B	Vaal – EWV 18	III	C	Matig	C	1177.28*	21.871	21.87	0.00060

1) GJA is the Gemiddelde Jaarlikse Afvloeï ([#]Gebaseer op natuurlike vloei by die EWV-terrein; * Gebaseer op hedendaagse vloei by die EWV-terrein; [#] Gebaseer op geobserveerde vloei by die EWV-terrein).

2) Die reserwe is die totale vereiste wat rekenskap gee vir beide die ekologiese reserwe en die basiese menslike behoeftes (BMB) reserwe.

3) Ekologiese Reserwe-vereiste verteenwoordig die langtermyn gemiddeld gebaseer op die GJA. Indien die GJA verander, sal hierdie volume ook verander.

4) Verteenwoordig die BMB-vereiste as 'n persentasie van die GJA. Basiese menslike behoeftes sluit in die bevolking wat direk op riviere, strome en waterbronne vir watervoorsiening staat maak (afkomstig van 2011 sensus-data)

5) Teiken Ekologiese Kategorie (TEK): Die uiterste teiken om 'n volhoubare sisteem, beide ekologies en ekonomies, te bereik in agneming van die HES en AEK.

EKOLOGIESE WATERVEREISTES-TERREININLIGTING

EWV-terrein	Naam van EWV-terrein	Rivier	Subkwartêr rivier boloop	Koördinate		Kwartêr opvanggebied
				Breedtegraad	Lengtegraad	
EWV1	Uitkoms	Vaal	C11J-01838	S26.872800	E29.613840	C11J
EWV2	Grootdraai	Vaal	C11M-01894	S26.92110	E29.27929	C11M
EWV WA1	Waterval_1	Waterval	C12F-01722	S26.64608	E29.01857	C12F
EWV WA2	Waterval_2	Waterval	C12G-01896	S26.88543	E28.88357	C12G
EWV3	Gladdedrift	Vaal	C12C-01997	S26.99087	E28.72971	C12H
EWV4	De Neys	Vaal	C22F-01737	S26.84262	E28.11230	C22F
EWV5	Skandinavia	Vaal	C22L-01792	S26.93243	E27.01367	C23L
EWV6	Klip	Klip	C13D-02226	S27.36166	E29.48503	C13D
EWV7	Boonste Wilge	Wilge	C81A-02790	S28.20185	E29.55827	C81A
EWV8	Bavaria	Wilge	C82C-2505	S27.80017	E28.76778	C82C
EWV9	Suikerbos Stroomop	Suikerbosrand	C21C-01675	S26.64670	E28.38197	C21C
EWV10	Suikerbos Stroomaf	Suikerbosrand	C21G-01627	S26.68137	E28.16798	C21G
EWV11	Blesbokspruit	Blesbokspruit	C21F-01447	S26.47892	E28.42488	C21F
RE-EWV1	Klein Vaal	Klein Vaal	C11C-01846	S26.912750	E30.174970	C11C
RE-EWV2	Moorivier	Mooi	C23G-01250	S26.258670	E27.159730	C23G
EWV12	Vaalrivier: Vermaasdrift	Vaal	C24B-01817	S26.93615	E26.85025	C24B
EWV13	Vaalrivier: Regina bridge	Vaal	C24J-02016	S27.10413	E26.52185	C24J
EWV14	Valsrivier: Proklameersdrift	Vals	C60J-02262	S27.48685	E26.81320	C60J
EWV15	Vetriver: Fisantkraal	Vet	C43A-02561	S27.93482	E26.12569	C43A
RE-EWV 3	Klein-Vet, net stroomaf vanaf Winburg	Klein Vet	C41E-03132	S28.564708	E26.943946	C41E
EWV RD1	By Meloding	Sand	C42J-02716	S28.1131994	E26.9080556	C42J
EWV RD2	By Steel Bridge	Sand	C42L-02635	S28.1228333	E26.5855555	C42L
EWV S1	EWV S1	Schoonspruit	C24E-01164	S26.31172	E26.31172	C24E
EWV S3	EWV S3	Schoonspruit	C24G-01661	S26.67500	E26.586108	C24G
EWV S4	EWV S4	Schoonspruit	C24H-01860	S26.93333	E26.66528	C24H
EWV16	Stroomaf Bloemhof Dam	Vaal	C91A-02391	S27.65541	E25.59564	C91A
EWV17	Lloyds Stuwal op Hartsrivier	Harts	C33C-02836	S28.37694	E24.30305	C33C
EWV18	Schmidtsdrift	Vaal	C92B-02903	S28.70758	E24.07578	C92B

Tabel 4.2: Die reserve vir die riviere by die prioriteit biofisiese nodusse met hoë ekologiese belang

Kwartêr Opvanggebied	Nodus	Rivier	Subkwartêr rivier baloop	HES	Ekologiese Belang	AEK	Ekologiese Reserve (%NGJA)	BMB Reserve (%NGJA)	Totale Reserve (%NGJA)	NGJA (MKM/a)
C11A	UA.1	Vaal	C11A-01460	B/C	Hoog	B/C	44.09	0.053	44.143	13.27
C13C	UB.1	Klip	C13C-02550	B	Hoog	B	63.86	0.018	63.878	5.67
C13D	UB.2	Klip	C13D-02416	B/C	Hoog	B/C	38.86	0.004	38.864	54
C13D	UB.3	Klip	C13D-02284	B/C	Hoog	B	44.26	0.003	44.263	68.04
C13E	UB.6	Kommandospruit	C13E-02228	B/C	Hoog	B	50.66	0.006	50.666	33.6
C81A	UC1.1	Wilge	C81A-02790	B	Hoog	B	45.69	0.004	45.694	69.03
C81L	UC1.3	Meul	C81L-02594	B	Hoog	B	57.25	0.008	57.258	26.49
C81G	UC2.3	Klerkspruit	C81G-02882	B	Hoog	B	69.45	0.017	69.467	5.85
C83G	UD.4	Liebenbergsvlei	C83G-02364	B/C	Hoog	B/C	62.48	0.006	62.486	4.74
C83H	UD.5	Liebenbergsvlei	C83H-02395	B/C	Hoog	B	64.50	0.015	64.515	2.66
C12A	UH.1	Suikerbosrant	C12A-01567	B/C	Hoog	B	47.17	0.002	47.172	28.65

5. WATERGEHALTE KOMPONENT VAN DIE EKOLOGIESE RESERWE VIR RIVIERE

Die ekologiese spesifikasies vir watergehalte vir die handhawing van die reserwe teiken ekologiese kategorie by elke EWW-terrein word in Tabela 5.1 to Table 5.18 gedetailleer. Dit is die waardes van watergehalte parameters (drumpelkonsentrasies) wat nie oorskry moet word nie om aan die watergehalte-attribut van die TEK te voldoen.

Tabel 5.1: EWW1: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWW 1: by Uitkoms	Watergehalte monitoring terrein/standaard: C1H007/VS4 GDDC11
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 28 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 38 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 36 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 69 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 243 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	Elektriese geleidingsvermoë	Die 95 ^{ste} persentiel van die data moet ≤ 70 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 7.0 mg/l wees	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.7 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.020 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet < 20 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet < 21 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.044 mg/l wees	
	Atrasien	Die 95 ^{ste} persentiel van die data moet ≤ 0.064 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 2.5 mg/l wees	
	Endosulfaan	Die 95 ^{ste} persentiel van die data moet ≤ 0.13 µg/l wees	

Tabel 5.2: EWW2: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWW 2: Stroomaf Grootdraai	Watergehalte monitoring terrein/standaard: C1H019
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 23 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 33 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 30 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 57 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 30 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 7.5mg/l wees	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.25 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.025mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet < 18 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 16 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.044 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.3: EWW3: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWV 3: by Gladdedrift	Watergehalte monitoring terrein/standaard: C1H012
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 33 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 30 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 57 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 55 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 7.5 mg/l wees	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.25 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet < 20 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 21 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.4: EWW4: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWV 4: by De Neys	Watergehalte monitoring terrein/standaard: C1H012
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 33 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 30 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 57 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 30 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 7 mg/l wees	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.7 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet <10 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 1.7 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.5: EWW5: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWV 5: Skandinavia	Watergehalte monitoring terrein/standaard: C2H122
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 36 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 105 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 85 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.8 tot 9.2 wees	

	Temperatuur	Temperatuur moet naby die natuurlike reeks wees
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6 mg/l wees
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 1.0 mg/l wees
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.025 mg/l wees
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 20 µg/l wees
Gifstowwe	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 21 mg/m ² wees
	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.073 mg/l wees
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees
Anorganiese ione	Vitriool	Die 95 ^{ste} persentiel van die data moet ≤ 200 mg/l wees

Tabel 5.6: EWW6: Watergehalte ekologiese spesifikasies

Rivier: Klip		EWW 6: Klip	Watergehalte monitoring terrein/standaard: C1H002 (Stroomaf-terrein in C13F)
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 28 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 20 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 15 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 21 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 45 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 55 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Temperatuur	Temperatuur moet naby aan natuurlike reeks wees	
	Opgeloste suurstof	Moet tussen 7 en 8 mg/l wees	
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidsreeks, mindere versanding van instroomhabitatte aanvaarbaar	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.75 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.020 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet < 15 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet < 12 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.044 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.7: EWW7: Watergehalte ekologiese spesifikasies

Rivier: Wilge		EWW 7: Boonste Wilge	Watergehalte monitoring terrein/standaard: Geen dam/WG-terrein in omgewing van EWW-terrein
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet < 23 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet < 33 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet < 30 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet < 57 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet < 191 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet < 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet < 55 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.8 tot 9.2 wees	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 8 mg/l wees	
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidsreeks, mindere versanding van instroomhabitatte aanvaarbaar	
Voedingstowwe	Total anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet tussen < 0.7 mg/l wees	

	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet < 0.025 mg/l wees
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 15 µg/l wees
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 12 mg/m ² wees
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.044 mg/l wees
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees

Tabel 5.8: EWW8: Watergehalte ekologiese spesifikasies

Rivier: Wilge		EWW 8: Bavaria	Watergehalte monitoring terrein/standaard: C8H028
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet < 16 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet < 20 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet < 15 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet < 21 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet < 45 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet < 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet < 55 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 8 mg/l wees	
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidreeks, mindere versanding van instroomhabitate aanvaarbaar	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet tussen < 0.7 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet < 0.025 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet < 20 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet < 21 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.073 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.9: EWW9: Watergehalte ekologiese spesifikasies

Rivier: Suikerbosrand		EWW 9: Stroomop	Watergehalte monitoring terrein/standaard: C2H131
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet < 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet < 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet < 30 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet < 57 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet < 45 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet < 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet < 55 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 8 mg/l wees	
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidreeks, mindere versanding van instroomhabitate aanvaarbaar	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet < 0.7 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet < 0.020 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet < 20 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet < 21 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.073 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.10: EWV10: Watergehalte ekologiese spesifikasies

Rivier: Suikerbosrand		EWV 10: Stroomaf	Watergehalte monitoring terrein/standaard: C2H070
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet < 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet < 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet < 51 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet < 105 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet < 191 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet < 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet < 85 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet tussen 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 7 mg/l wees	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet < 0.7 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet < 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet < 30 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet < 21 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.100 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.11: EWV11: Watergehalte ekologiese spesifikasies

Rivier: Blesbokspruit		EWV 11: Blesbokspruit	Watergehalte monitoring terrein/standaard: C2H185
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet < 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet < 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet < 36 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet < 105 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet < 389 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet < 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet < 85 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Temperature	Matige verandering vanaf die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6.0 mg/l wees	
	Troebelheid	Inisieer grondlynmonitoring vir hierdie veranderlike	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.70 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/L wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet < 20 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 21 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.100 mg/l wees	
	Atrasien	Die 95 ^{ste} persentiel van die data moet ≤ 100 µg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 3.0 mg/l wees	
	Endosulfan	Die 95 ^{ste} persentiel van die data moet ≤ 0.200 µg/l wees	

Tabel 5.12: EWW12: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWW 12: by Vermaasdrift	Watergehalte C2H007	monitering	terrein/standaard:
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 37 mg/l wees			
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees			
	MgCl ₂	Die 5 ^{de} en 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees			
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 105 mg/l wees			
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees			
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees			
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 70 mS/m wees			
	pH	Die 5 ^{de} persentiel van die data moet 7.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.8 tot 9.2 wees			
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 7.5 mg/l wees			
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidreeks			
	TDS	Die 95 ^{ste} persentiel van die data moet ≤ 560 mg/l wees			
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 1.0 mg/l wees			
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees			
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 30 µg/l wees			
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees			
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees			
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees			
	Sianied	Die 95 ^{ste} persentiel van die data moet ≤ 0.05 mg/l wees			
	Aluminium	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees			
	Uraan	Die 95 ^{ste} persentiel van die data moet ≤ 0.030 mg/l wees			
Anorganiese ione	Vitriool	Die 95 ^{ste} persentiel van die data moet ≤ 160 mg/l wees			
	Magnesium	Die 95 ^{ste} persentiel van die data moet ≤ 33 mg/l wees			

Tabel 5.13: EWW13: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWW 13: By Regina Bridge	Watergehalte C2H022	monitering	terrein/standaard:
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 37 mg/l wees			
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees			
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees			
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees			
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 105 mg/l wees			
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees			
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 70 mS/m wees			
	pH	Die 5 ^{de} persentiel van die data moet 7.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees			
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks			
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6 mg/l wees			
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidreeks			
	TDS	Die 95 ^{ste} persentiel van die data moet ≤ 560 mg/l wees			
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 4.0 mg/l wees			
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees			
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 30 µg/l wees			
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees			
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.0438 mg/l wees			
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees			
	Aluminium	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees			
	Sianied	Die 95 ^{ste} persentiel van die data moet ≤ 0.05 mg/l wees			
	Uraan	Die 95 ^{ste} persentiel van die data moet ≤ 0.030 mg/l wees			

Anorganiese ione	Magnesium	Die 95 ^{ste} persentiel van die data moet ≤ 33 mg/l wees
	Vitriool	Die 95 ^{ste} persentiel van die data moet ≤ 160 mg/l wees

Tabel 5.14: EWV14: Watergehalte ekologiese spesifikasies

Rivier: Vals		EWV 14: Proklameersdrift	Watergehalte monitoring terrein/standaard: C6H007
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 105 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 85 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 5.5 tot 6.0 en the 95th percentile 8.8 to 9.2	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 8 mg/l wees	
	Troebelheid	Wissel met 10% van die natuurlike troebelheidreeks	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.7 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 30 ug/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.073 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.15: EWV15: Watergehalte ekologiese spesifikasies

Rivier: Vet		EWV 15: by Fisantkraal	Watergehalte monitoring terrein/standaard: C4H004
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 36 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 69 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 80 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95ste persentiel moet 8.0 tot 8.8 wees	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6.0 mg/l wees	
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidreeks	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.7 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.058 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 25 ug/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees	
Gifstowwe	Ammoniak	Die 95 ^{ste} persentiel van die data moet ≤ 0.072 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	
Anorganiese ione	Vitriool	Die 95 ^{ste} persentiel van die data moet ≤ 120 mg/l wees	
	Chloried	Die 95 ^{ste} persentiel van die data moet ≤ 100 mg/l wees	

Tabel 5.16: EWW16: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWW 16: Stroomaf Bloemhof Dam	Watergehalte monitoring terrein/standaard: C9H021
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 28 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 30 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 69 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 55 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet tussen 6.5 en 8.0 wees en die 95 ^{ste} persentiel moet tussen 8.0 en 8.8 wees	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6 mg/l wees	
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidsreeks	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.25 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.025 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 30 µg/l wees	
	Chl-a perifitoon	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees	
Gifstowwe	Ammoniak as stikstof	Die 95 ^{ste} persentiel van die data moet ≤ 0.073 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 3.0 mg/l wees	
	Atrasien	Die 95 ^{ste} persentiel van die data moet ≤ 0.100 mg/l wees	
	Endosulfaan	Die 95 ^{ste} persentiel van die data moet ≤ 0.2 µg/l wees	

Tabel 5.17: EWW17: Watergehalte ekologiese spesifikasies

Rivier: Harts		EWW 17: Lloyds Stuwal	Watergehalte monitoring terrein/standaard: C3H016
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 37 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 105 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 389 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 111 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Temperatuur	Klein afwyking van die natuurlike temperatuurreeks	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6.0 mg/l wees	
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidsreeks	
Voedingstowwe	Totaal anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 1.0 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.025 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 30µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees	
Gifstowwe	Ammoniak as stikstof	Die 95 ^{ste} persentiel van die data moet ≤ 0.073 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.18: EWW18: Watergehalte ekologiese spesifikasies

Rivier: Vaal		EWW 18: by Schmidtsdrift	Watergehalte monitoring terrein/standaard: C9H024
Anorganiese soute	MgSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 28 mg/l wees	
	Na ₂ SO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 51 mg/l wees	
	MgCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 30 mg/l wees	
	CaCl ₂	Die 95 ^{ste} persentiel van die data moet ≤ 105 mg/l wees	
	NaCl	Die 95 ^{ste} persentiel van die data moet ≤ 191 mg/l wees	
	CaSO ₄	Die 95 ^{ste} persentiel van die data moet ≤ 351 mg/l wees	
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 85 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 6.5 tot 8.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.8 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 4 mg/l wees	
	Troebelheid	Wissel met 'n klein getal van die natuurlike troebelheidreeks	
Voedingstowwe	Totale anorganiese stikstof (TIN)	Die 50 ^{ste} persentiel van die data moet ≤ 0.7 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 30 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees	
Gifstowwe	Ammoniak as stikstof	Die 95 ^{ste} persentiel van die data moet ≤ 0.073 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 1.5 mg/l wees	

Tabel 5.19: EWV WA1: Watergehalte ekologiese spesifikasies

Rivier: Waterval		EWV WA1: Waterval_1	Watergehalte monitoring terrein/standaard: C1H036
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 85 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 5.0 tot 5.6 wees en die 95 ^{ste} persentiel moet 9.2 tot 10.0 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6.5 mg/l wees	
Voedingstowwe	Nitraat (NO ₃) + Nitriet (NO ₂)	Die 50 ^{ste} persentiel van die data moet ≤ 4.0 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 30 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees	
Gifstowwe	Ammoniak as stikstof	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 3.0 mg/l wees	
	Atrasien	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees	
	Endosulfaan	Die 95 ^{ste} persentiel van die data moet ≤ 0.20 µg/l wees	
	Kadmium (hard)	Die 95 ^{ste} persentiel van die data moet ≤ 0.005 mg/l wees	
	Chroom (VI)	Die 95 ^{ste} persentiel van die data moet ≤ 0.2 mg/l wees	
	Koper (hard)	Die 95 ^{ste} persentiel van die data moet ≤ 0.008 mg/l wees	
	Mangaan	Die 95 ^{ste} persentiel van die data moet ≤ 1.3 mg/l wees	
	Lood (hard)	Die 95 ^{ste} persentiel van die data moet ≤ 0.013 mg/l wees	
	Kwiksilwer	Die 95 ^{ste} persentiel van die data moet ≤ 0.0017 mg/l wees	
	Selenium	Die 95 ^{ste} persentiel van die data moet ≤ 0.030 mg/l wees	
	Sink	Die 95 ^{ste} persentiel van die data moet ≤ 0.036 mg/l wees	

Tabel 5.20: EWV WA2: Watergehalte ekologiese spesifikasies

Rivier: Waterval		EWV WA2: Waterval_2	Watergehalte monitoring terrein/standaard: C1H030
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 85 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 5.0 tot 5.6 wees en die 95 ^{ste} persentiel moet 9.2 tot 10.0 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6.5 mg/l wees	
Voedingstowwe	Nitraat (NO ₃) + Nitriet (NO ₂)	Die 50 ^{ste} persentiel van die data moet ≤ 4.0 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 30 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 84 mg/m ² wees	
Gifstowwe	Ammoniak as stikstof	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees	
	Fluoried	Die 95 ^{ste} persentiel van die data moet ≤ 3.0 mg/l wees	
	Atrasien	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees	
	Endosulfaan	Die 95 ^{ste} persentiel van die data moet ≤ 0.20 µg/l wees	
	Kadmium (hard)	Die 95 ^{ste} persentiel van die data moet ≤ 0.005 mg/l wees	
	Chroom (VI)	Die 95 ^{ste} persentiel van die data moet ≤ 0.2 mg/l wees	
	Koper (hard)	Die 95 ^{ste} persentiel van die data moet ≤ 0.008 mg/l wees	
	Mangaan	Die 95 ^{ste} persentiel van die data moet ≤ 1.3 mg/l wees	
	Lood (hard)	Die 95 ^{ste} persentiel van die data moet ≤ 0.013 mg/l wees	
	Kwiksilver	Die 95 ^{ste} persentiel van die data moet ≤ 0.0017 mg/l wees	
	Selenium	Die 95 ^{ste} persentiel van die data moet ≤ 0.030 mg/l wees	
	Sink	Die 95 ^{ste} persentiel van die data moet ≤ 0.036 mg/l wees	

Tabel 5.21: EWV S1: Watergehalte ekologiese spesifikasies

Rivier: Schoonspruit		EWV S1: Stroomaf Schoonspruit Eye	Watergehalte monitoring terrein/standaard: Geen terrein in omgewing
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 55 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 5.6 tot 6.0 wees en die 95 ^{ste} persentiel moet 8.0 tot 8.5 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 7.0 mg/l wees	
Voedingstowwe	Nitraat (NO ₃) + Nitriet (NO ₂)	Die 50 ^{ste} persentiel van die data moet ≤ 2.5 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.02 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 10 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 12 mg/m ² wees	

Tabel 5.22: EWV S3: Watergehalte ekologiese spesifikasies

Rivier: Schoonspruit		EWV S3: Stroomaf Taaibosspruit en Rietspruit-sameloop	Watergehalte monitoring terrein/standaard: Geen aktiewe terrein nie
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 70 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 5.2 tot 5.4 wees en die 95 ^{ste} persentiel moet 9.3 tot 9.6 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6.5 mg/l wees	
Voedingstowwe	Nitraat (NO ₃) + Nitriet (NO ₂)	Die 50 ^{ste} persentiel van die data moet ≤ 2.5 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 20 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 21 mg/m ² wees	

Tabel 5.23: EWV S4: Watergehalte ekologiese spesifikasies

Rivier: Schoonspruit		EWV S4: Stroomaf Johan Naser Dam	Watergehalte monitoring terrein/standaard: C2H073
Fisiese veranderlikes	EK	Die 95 ^{ste} persentiel van die data moet ≤ 85 mS/m wees	
	pH	Die 5 ^{de} persentiel van die data moet 5.2 tot 5.4 wees en die 95 ^{ste} persentiel moet 9.3 tot 9.6 wees	
	Opgeloste suurstof	Die 5 ^{de} persentiel van die data moet ≥ 6.5 mg/l wees	
Voedingstowwe	Nitraat (NO ₃) + Nitriet (NO ₂)	Die 50 ^{ste} persentiel van die data moet ≤ 2.5 mg/l wees	
	PO ₄ -P	Die 50 ^{ste} persentiel van die data moet ≤ 0.125 mg/l wees	
Gedrag veranderlikes	Chl-a fitoplankton	Die 50 ^{ste} persentiel van die data moet ≤ 20 µg/l wees	
	Chl-a perifiton	Die 50 ^{ste} persentiel van die data moet ≤ 21 mg/m ² wees	
Anorganiese ione	Vitriool	Die 95 ^{ste} persentiel van die data moet ≤ 200 mg/l wees	
Gifstowwe	Ammoniak as stikstof	Die 95 ^{ste} persentiel van die data moet ≤ 0.073 mg/l wees	
	Aluminium	Die 95 ^{ste} persentiel van die data moet ≤ 0.1 mg/l wees	
	Manganees	Die 95 ^{ste} persentiel van die data moet ≤ 0.250 mg/l wees	
	Uraan	Die 95 ^{ste} persentiel van die data moet ≤ 0.03 mg/l wees	
	Yster	Die 95 ^{ste} persentiel van die data moet ≤ 0.25 mg/l wees	
	Chroom (VI)	Die 95 ^{ste} persentiel van die data moet ≤ 0.2 mg/l wees	
	Koper (hard)	Die 95 ^{ste} persentiel van die data moet ≤ 0.008 mg/l wees	
	Sianied (vrye)	Die 95 ^{ste} persentiel van die data moet ≤ 0.050 mg/l wees	

6. RESERWE VIR GRONDWATER

Tabel 6.1 hier onder wys the Grondwater Reserwe vir die Vaal-opvanggebied afkomstig van die gebruik van die Grondwaterhulpbrongerigte Maatreëls (GHGM)-metodologie.

Die voorgeskrewe GHGM-algoritme is gebruik en 'n "alokeerbare grondwater" volume (MKM/annum) is bereken (Kolom K van Tabel 6.1). Hierdie algoritme volgens die GHGM-protokolle, dui aan die komponent van die jaarlikse hervulling wat nogsteeds beskikbaar is nadat Basiese Menslike Behoeftes, basisvloei vereistes en die huidige watergebruik van die berekende grondwaterhervulling afgetrek is.

Die grondwatergehalte vir elke kwartêr opvanggebied, waar beskikbaar in 'n datatelling van >9, is toegepas en die rangskikking van die grondwatergehalte volgens die klassifikasiesetel soos omskryf in die riglyn: "Quality of Domestic Water Supplies Volume 1: Assessment Guide". 1998. Water Navorsingskommissie, die Departement van Waterwese en Bosbou en die Departement van Gesondheid. Verslag nr TT 101/98.

LET WEL: Watergehalteklassifikasiesetel vir plaaslike watervoorsiening gebaseer op toenemende effekte

- Klas 0:** Ideale watergehalte, geskik vir leeftydgebruik, met geen effekte op die gebruiker nie.
- Klas I:** Water in hierdie klas is veilig vir leeftydgebruik, maar skiet tekort aan die ideale watergehalte deurdat daar gevalle van teenspoedige gesondheidseffekte mag wees, maar dit is gewoonlik matig, en duidelike gesondheidseffekte is amper subklinies en moeilik om te demonstreer. Water in Klas I veroorsaak nie gesondheidseffekte onder normale omstandighede nie. Estetiese effekte mag dus dalk duidelik wees.
- Klas II:** Water in hierdie klas word omskryf as dié waar teenstrydige gesondheidseffekte ongewoon is vir beperkte korttermyn gebruik. Teenspoedige gesondheidseffekte mag dalk meer algemeen word veral met verlengde gebruik oor baie jare, of met leeftydgebruik. Hierdie klas verteenwoordig water slegs geskik vir korttermyn of noodgebruik, maar nie noodwendig geskik vir aanhoudende gebruik oor 'n leeftyd nie.
- Klas III:** Hierdie water het kiesers in 'n konsentrasiereeks waar ernstige gesondheidseffekte dalk verwag mag word, veral in kinders of ouer mense met korttermyn gebruik, en selfs meer met langer termyn gebruik. Die water in hierdie klas is nie geskik vir gebruik as drinkwater sonder toepaslike behandeling nie.

Tabel 6.1: GHGM vir die Vaalrivier-waterbestuursarea

A	B	C	D	E	F	G	H	I	J	K
Kwarter Opvanggebied	Area (km ²)	Gemiddelde Jaarlikse Neerslag (mm)	Hervulling (Mm ³ /a)	Gemiddelde Jaarlikse Neerslag (%)	Bevolking (minimum vlak)	Basiese Menslike Behoeftes (Mm ³ /a)	Grondwaterkomponent van Basisvoel (Mm ³ /a)	Totale Reserwe (Mm ³ /a)	Grondwatergebruik (Mm ³ /a)	Allokeerbare Grondwater Totaal (Mm ³ /a)
BOONSTE VAAL-OPVANGGEBIED										
C11A	719	743	38.93	7.3	1955	0.02	6.46	6.48	0.00	32.45
C11B	535	705	26.49	7.0	2142	0.02	4.60	4.62	0.09	21.78
C11C	449	765	22.16	6.5	1277	0.01	4.39	4.40	0.14	17.62
C11D	372	702	17.05	6.5	965	0.01	3.17	3.18	0.17	13.70
C11E	1155	697	46.63	5.8	23889	0.22	9.74	9.96	1.26	35.41
C11F	929	705	39.67	6.1	31634	0.29	7.56	7.85	0.39	31.43
C11G	432	659	17.01	6.0	1460	0.01	3.00	3.01	0.22	13.78
C11H	1103	664	40.16	5.5	33924	0.31	6.76	7.07	1.38	31.71
C11J	1001	658	36.15	5.5	3106	0.03	6.76	6.79	0.48	28.88
C11K	340	633	11.47	5.3	2970	0.03	1.82	1.85	0.31	9.31
C11L	947	675	32.74	5.1	6416	0.06	6.77	6.83	0.49	25.42
C11M	795	637	23.38	4.6	38506	0.35	4.69	5.04	0.43	17.91
C12A	484	614	12.10	4.1	758	0.01	3.26	3.27	0.00	8.83
C12B	478	631	14.40	4.8	2461	0.02	3.18	3.20	0.13	11.07
C12C	605	666	18.66	4.6	4257	0.04	4.19	4.23	0.17	14.26
C12D	898	667	32.75	5.5	53555	0.49	5.27	5.76	3.78	23.21
C12E	497	641	16.87	5.3	1960	0.02	2.80	2.82	0.26	13.79
C12F	834	635	29.46	5.6	3241	0.03	4.43	4.46	0.36	24.64
C12G	570	640	21.20	5.8	6797	0.06	3.17	3.23	0.20	17.77
C12H	355	618	11.26	5.1	16104	0.15	1.54	1.69	0.08	9.49
C12J	344	615	9.67	4.6	627	0.01	1.49	1.50	0.17	8.00
C12K	479	657	19.93	6.3	2739	0.02	2.36	2.38	0.09	17.46
C12L	887	648	31.99	5.6	2116	0.02	4.12	4.14	3.77	24.08
C13A	594	779	27.18	5.9	2807	0.03	6.54	6.57	0.21	20.40
C13B	615	683	21.93	5.2	2395	0.02	5.42	5.44	0.27	16.22
C13C	836	724	35.96	5.9	5970	0.05	8.14	8.19	0.04	27.73
C13D	895	698	32.67	5.2	1742	0.02	8.23	8.25	0.11	24.31
C13E	602	699	21.94	5.2	1130	0.01	5.55	5.56	0.01	16.37
C13F	611	692	19.25	4.6	1525	0.01	5.16	5.17	0.03	14.05
C13G	434	674	14.14	4.8	15885	0.14	3.57	3.71	0.01	10.42
C13H	588	628	15.36	4.2	1688	0.02	3.99	4.01	0.02	11.33
C21A	707	674	26.89	5.6	4853	0.04	4.78	4.82	0.06	22.01
C21B	431	697	9.70	3.2	19019	0.17	4.16	4.33	0.23	5.14
C21C	438	674	9.85	3.3	8820	0.08	3.97	4.05	0.13	5.67
C21D	446	698	8.56	2.8	180660	1.65	4.20	5.85	0.84	1.87
C21E	628	691	9.21	2.1	40363	0.37	5.82	6.19	0.22	2.80
C21F	427	704	9.49	3.2	71170	0.65	4.04	4.69	0.59	4.21
C21G	462	667	9.38	3.0	2339	0.02	4.03	4.05	0.03	5.30
C22A	548	695	19.56	5.4	517617	4.73	5.37	11.77	1.41	6.38
C22B	391	691	11.22	4.7	237009	2.16	3.75	5.27	1.47	4.48
C22C	465	684	14.72	4.5	96073	0.88	4.38	11.05	0.03	3.64
C22D	345	701	12.24	9.2	30823	0.28	3.27	7.83	2.34	2.07
C22E	532	669	12.13	3.4	13549	0.12	4.81	4.93	0.91	6.29
C22F	440	655	7.01	2.4	109440	1.00	4.01	5.01	0.05	1.95
C22G	830	613	25.77	5.1	2596	0.02	6.93	6.95	0.47	18.35

A	B	C	D	E	F	G	H	I	J	K
Kwartêr Opvanggebied	Area (km ²)	Gemiddelde Jaarlikse Neerslag (mm)	Hervulling (Mm ³ /a)	% Gemiddelde Jaarlikse Neerslag	Bevolking (minimum vlak)	Basiese Menslike Behoeftes (Mm ³ /a)	Grondwaterkomponent van Basisvloei (Mm ³ /a)	Totale Reserwe (Mm ³ /a)	Grondwatergebruik (Mm ³ /a)	Allokeerbare Grondwater Totaal (Mm ³ /a)
C22H	454	639	9.35	3.2	282162	2.57	3.89	6.46	0.07	2.82
C22J	669	633	15.25	3.6	14856	5.76	5.62	5.76	0.24	9.25
C22K	434	644	18.27	6.5	58152	0.53	3.91	4.44	0.34	13.49
C23A	258	612	7.39	4.7	1028	0.01	1.64	1.65	0.12	5.62
C23B	701	619	27.63	6.4	2152	0.02	4.54	4.56	0.40	22.67
C23C	1069	609	23.13	3.6	42653	0.39	6.27	6.66	0.60	15.87
C23D	510	664	25.79	7.6	99677	0.91	10.49	11.40	4.93	9.46
C23E	850	631	35.84	6.7	64933	0.59	15.97	11.93	34.23	0.00
C23F	1324	605	47.38	5.9	2373	0.01	22.97	15.89	0.28	31.21
C23G	613	597	27.18	7.4	1605	0.01	10.44	10.45	2.32	14.41
C23H	451	604	12.43	4.6	8385	0.08	7.69	7.77	0.27	4.39
C23J	890	620	19.05	3.5	25528	0.23	4.65	4.88	0.63	13.54
C23K	396	607	10.76	4.5	1605	0.01	1.97	1.98	0.26	8.52
C23L	1211	612	24.44	3.3	40749	0.37	6.10	17.07	0.73	6.64
C81A	382	882	22.72	6.7	323	0.00	3.52	3.52	0.05	19.15
C81B	576	763	26.44	6.0	1374	0.01	4.51	4.52	0.08	21.84
C81C	250	730	9.88	5.4	230	0.00	1.96	1.96	0.03	7.89
C81D	195	735	8.31	5.8	216	0.00	1.53	1.53	0.03	6.75
C81E	642	658	22.34	5.3	21029	0.19	4.61	4.80	0.10	17.44
C81F	688	892	46.15	7.5	236987	2.16	8.17	10.33	0.35	35.47
C81G	435	722	19.86	6.3	3855	0.04	4.29	4.29	0.09	15.48
C81H	358	638	12.37	5.4	1227	0.01	2.52	2.53	0.04	9.80
C81J	392	612	12.88	5.4	1496	0.01	2.51	2.52	0.06	10.30
C81K	359	623	12.34	5.5	793	0.01	2.34	2.35	0.05	9.94
C81L	793	740	35.97	6.1	689	0.01	6.18	6.19	0.11	29.67
C81M	1092	662	38.82	5.4	2936	0.03	7.82	7.85	0.16	30.81
C82A	582	670	21.75	5.6	1303	0.01	4.18	4.19	0.08	17.48
C82B	493	660	16.88	5.2	4736	0.04	3.48	3.52	0.07	13.29
C82C	353	646	12.39	5.4	978	0.01	2.42	2.43	0.07	9.89
C82D	572	623	19.50	5.5	1849	0.02	3.78	3.80	0.16	15.54
C82E	622	666	20.73	5.0	1725	0.02	4.37	4.39	0.04	16.30
C82F	483	639	14.02	4.5	827	0.01	3.25	3.26	0.01	10.75
C82G	580	655	18.14	4.8	1086	0.01	3.99	4.00	0.09	14.05
C82H	782	614	20.70	4.3	1537	0.01	4.89	4.90	0.19	15.61
C83A	746	692	31.27	6.1	3635	0.03	7.04	7.07	0.07	24.13
C83B	251	668	9.95	5.9	2141	0.02	2.27	2.29	0.03	7.63
C83C	828	663	30.60	5.6	39056	0.36	7.16	7.52	0.10	22.98
C83D	465	650	17.05	5.6	1761	0.02	4.04	4.06	0.05	12.94
C83E	426	654	15.46	5.6	1918	0.02	3.61	3.63	0.11	11.72
C83F	875	637	32.35	5.8	2266	0.02	5.72	5.74	11.23	15.38
C83G	695	647	24.23	5.4	14040	0.13	4.69	4.82	0.21	19.20
C83H	547	646	16.23	4.6	4173	0.04	3.50	3.54	0.24	12.45
C83J	222	641	6.68	4.7	18257	0.17	1.38	1.55	0.11	5.02
C83K	548	635	16.63	4.8	943	0.01	2.66	2.67	0.24	13.72
C83L	825	641	23.21	4.4	2014	0.02	3.96	3.98	0.05	19.18
C83M	1100	639	31.72	4.5	9691	0.09	5.14	5.23	0.39	26.10
MIDDEL VAAL-OPVANGGEBIED										
C24A	839	582.6	18.6	4.18	5 017	0.1	3.94	4.04	0.3	14.26

A	B	C	D	E	F	G	H	I	J	K
Kwartêr Opvanggebied	Area (km ²)	Gemiddelde Jaarlikse Neerslag (mm)	Hervulling (Mm ³ /a)	% Gemiddelde Jaarlikse Neerslag	Bevolking (minimum vlak)	Basiese Menslike Behoeftes (Mm ³ /a)	Grondwaterkomponent van Basisvloei (Mm ³ /a)	Totale Reserwe (Mm ³ /a)	Grondwatergebruik (Mm ³ /a)	Allokeerbare Grondwater Totaal (Mm ³ /a)
C24B	530	561.0	16.31	5.49	31 256	0.29	2.28	2.57	5.1	8.64
C24C	1350	586.9	96.98	12.24	25 663	0.23	21.55	21.8	14.9	60.30
C24D	364	584.3	3.99	1.88	3 079	0.03	1.70	1.73	0.2	2.06
C24E	925	560.0	21.87	6.23	51 389	0.47	3.75	4.22	7.51	10.14
C24F	2020	577.5	55.91	5.52	29 827	0.27	8.86	9.13	1.30	45.48
C24G	985	581.6	11.75	2.05	20 852	0.19	4.42	4.61	0.3	6.84
C24H	840	574.9	10.81	2.24	5 225	0.05	0.74	0.79	1.4	8.62
C24J	2109	550.9	22.31	1.88	17 403	0.16	1.62	1.78	0.80	19.73
C25A	863	542.8	12.49	2.67	2 998	0.03	0.70	0.73	0.5	11.29
C25B	1888	510.0	18.16	1.89	63 942	0.58	1.19	1.77	0.6	15.79
C25C	1210	523.0	7.02	1.84	5004	0.09	0.83	0.92	0.80	5.30
C25D	1202	526.1	8.74	1.21	60 167	0.67	0.85	1.52	0.60	6.62
C25E	1536	510.7	8.3	1.01	10 597	0.11	0.98	1.09	1.90	5.34
C25F	2218	481.9	10.48	0.96	3706	0.06	1.14	1.20	0.60	8.68
C41A	1078	598.2	9.04	1.41	54 136	0.74	5.24	5.98	1.10	1.96
C41B	1005	598.2	9.51	1.58	20 033	0.27	4.89	5.16	0.40	3.95
C41C	1095	594.7	10.09	1.55	21 292	0.19	5.28	5.47	0.3	4.32
C41D	1155	549.5	4.94	0.78	29 024	0.26	4.87	5.13	0.3	0.00
C41E	391	519.0	0.62	0.30	2 629	0.02	1.28	1.30	0.1	0.00
C41F	556	494.9	0.56	0.20	8 630	0.08	1.54	1.62	0.2	0.00
C41G	272	516.8	0.29	0.21	130.00	0.00	0.64	0.64	0.1	0.00
C41H	887	499.2	2.32	0.52	8 669	0.08	2.24	2.32	0.2	0.00
C41J	556	494.6	2.16	0.79	11 390	0.10	1.38	1.48	0.1	0.58
C42A	695	632.0	8.77	2.00	5 110	0.05	6.08	6.13	0.3	2.34
C42B	727	581.0	5.10	1.21	1 903	0.02	5.21	5.23	0.3	0.00
C42C	793	625.6	6.27	1.26	8 731	0.08	6.75	6.83	0.3	0.00
C42D	663	555.5	1.71	0.46	21 992	0.20	4.20	4.40	0.3	0.00
C42E	750	564.0	2.93	0.69	6 150	0.06	4.99	5.05	0.3	0.00
C42F	734	568.2	1.42	0.34	39 809	0.36	4.91	5.27	0.2	0.00
C42G	555	550.4	0.82	0.27	6 876	0.06	3.43	3.49	0.2	0.00
C42H	445	541.1	0.53	0.22	41 319	0.38	2.62	3.00	1.1	0.00
C42J	1014	530.8	1.99	0.37	12 391	0.11	5.69	5.80	0.4	0.00
C42K	668	522.1	0.67	0.19	587.00	0.01	3.59	3.60	0.9	0.00
C42L	511	505.2	0.96	0.37	1 182	0.01	2.33	2.34	0.1	0.00
C43A	1491	482.2	3.37	0.47	26 707	0.24	0.37	0.61	0.3	2.46
C43B	723	494.0	1.26	0.35	1 854	0.02	0.20	0.22	0.2	0.84
C43C	913	469.0	3.17	0.74	9 364	0.09	0.20	0.29	0.3	2.58
C43D	1475	464.0	3.95	0.58	24 645	0.22	0.31	0.53	0.4	3.02
C60A	859	632.8	10.01	1.84	2 340	0.02	5.74	5.76	0.2	4.05
C60B	1022	617.8	10.11	1.60	10 790	0.10	6.52	6.62	0.5	2.99
C60C	1047	578.4	5.51	0.91	8 469	0.08	5.69	5.77	0.4	0.00
C60D	645	552.7	2.53	0.71	2 567	0.02	3.05	3.07	0.2	0.00
C60E	664	563.9	2.76	0.74	7 788	0.07	3.50	3.57	0.6	0.00
C60F	659	558.2	1.94	0.53	96 217	0.88	3.23	4.11	0.2	0.00
C60G	782	539.2	2.28	0.54	1 300	0.01	3.45	3.46	2.1	0.00
C60H	1232	514.8	2.69	0.42	6 274	0.06	0.26	0.32	0.3	2.07
C60J	959	550.6	10.02	1.90	6 169	0.06	0.28	0.34	0.8	8.88
C70A	613	628.1	7.02	1.82	2 218	0.02	4.71	4.73	0.5	1.79

A	B	C	D	E	F	G	H	I	J	K
Kwartêr Opvanggebied	Area (km ²)	Gemiddelde Jaarlikse Neerslag (mm)	Hervulling (Mm ³ /a)	% Gemiddelde Jaarlikse Neerslag	Bevolking (minimum vlak)	Basiese Menslike Behoeftes (Mm ³ /a)	Grondwaterkomponent van Basisvloei (Mm ³ /a)	Totale Reserwe (Mm ³ /a)	Grondwatergebruik (Mm ³ /a)	Allokeerbare Grondwater Totaal (Mm ³ /a)
C70B	660	612.6	4.74	1.17	6 715	0.06	4.70	4.76	0.4	0.00
C70C	887	616.0	5.92	1.08	4 114	0.04	6.28	6.32	0.4	0.00
C70D	675	586.6	3.82	0.96	2 012	0.02	4.20	4.22	0.6	0.00
C70E	693	580.4	7.67	1.91	13 034	0.12	4.16	4.28	0.2	3.19
C70F	564	576.4	4.95	1.52	2 141	0.02	3.34	3.36	0.2	1.39
C70G	901	579.1	7.15	1.37	2 745	0.03	5.34	5.37	0.3	1.48
C70H	251	570.4	1.92	1.34	3 081	0.03	1.43	1.46	0.1	0.36
C70J	521	577.3	6.45	2.14	3 602	0.03	3.05	3.08	0.2	3.17
C70K	891	567.4	9.39	1.86	3 050	0.03	4.92	4.95	0.7	3.74
LAER VAAL-OPVANGGEBIED										
C31A	1402	330.00	32.68	7.00	28400	0.71	5.55	6.26	0.77	25.65
C31B	1743	230.00	20.59	5.00	4400	0.11	11.07	11.18	1.15	8.26
C31C	1635	280.00	21.79	5.00	800	0.02	9.33	9.35	1.45	10.99
C31D	1493	300.00	22.95	5.00	30400	0.76	5.55	6.31	0.57	16.07
C31E	2958	270.00	37.91	5.00	65600	1.64	20.31	21.95	2.33	13.64
C31F	1787	205.00	12.92	3.00	63600	1.59	9.92	11.51	1.41	0.00
C32A	1403	165.00	8.62	3.50	25200	0.63	6.91	7.54	1.08	0.00
C32B	2997	225.00	31.22	5.00	123200	3.08	25.63	28.71	2.52	0.00
C32C	1657	245.00	15.24	3.50	<1000	0.00	9.69	9.69	0.79	4.76
C32D	4134	240.00	60.26	6.00	40000	1.00	16.63	17.63	3.26	39.37
C33A	2855	245.00	35.29	5.00	57600	1.44	10.69	12.13	1.06	22.10
C33B	2830	230.00	36.55	5.00	17600	0.44	6.58	7.02	0.83	28.70
C33C	4141	190.00	35.06	4.50	2400	0.06	11.44	11.50	0.97	22.59
C91A	2545	170.00	16.81	3.50	11200	0.28	7.86	8.14	0.77	7.90
C91B	4675	270.00	59.66	4.50	2800	0.07	21.89	21.96	1.11	36.59
C91C	3133	240.00	33.55	4.00	10400	0.26	7.18	7.44	0.18	25.93
C91D	2694	265.00	27.83	4.00	22000	0.55	3.55	4.10	0.46	23.27
C91E	1506	190.00	9.32	3.00	36400	0.91	3.16	4.07	0.42	4.83
C92A	3913	180.00	27.50	4.00	24000	0.60	9.80	10.40	0.88	16.22
C92B (68%) ¹	1341	190.00	9.00	3.50	<1000	0.00	5.63	5.63	0.32	3.15
C92C (67%) ¹	1332	185.00	10.00	4.00	6600	0.17	5.38	5.55	0.65	3.90
D- Opvanggebied	Grondwaterklassifikasie en hulpbrongehalte doelwitte nie onderneem nie									
Gw = Grondwater.										
¹ Slegs die boonste gedeeltes (aangedui as persentasies van die totale kwartêr opvanggebied) val binne die Laer Vaal-waterbestuursarea.										
Ligte grys geskandeerde rye: Kwartêr Opvanggebiede wat ten minste 25% dolomiet watergebiede bevat (m.a.w. belangrike waterdraerstelsels)										

GRONDWATER RESERWE – WATERGEHALTE KOMPONENT

Die grondwatergehalte van kwartêr opvanggebiede met beskikbare hidroskeikunde-data is geassesseer teen die plaaslike waterteiken- watergehaltereeke soos gewys in Tabel 6.2 en Tabel 6.3. 'n Opsomming van die uitslae vir die grondwatergehalteklassifikasie by kwartêr vlak in terme van die basiese menslike behoefte vereiste word ingesluit in die tabelle wat volg (Tabelle 6.4 – 6.72).

Tabel 6.2: Chemiese watergehalte

Chemiese Parameter	Watergehaltereeke ¹				
	Eenhede	Klas 0	Klas I	Klas II	Klas III
Kalsium as Ca	mg/l	0 - 80	80 - 150	150 - 300	> 300
Magnesium as Mg	mg/l	0 - 30	30 - 70	70 - 100	> 100
Kalium as K	mg/l	0 - 25	25 - 50	50 - 100	> 100
Natrium as Na	mg/l	0 - 100	100 - 200	200 - 400	> 400
Chloried as Cl	mg/l	0 - 100	100 - 200	200 - 600	> 600
Vitriool as SO ₄	mg/l	0 - 200	200 - 400	400 - 600	> 600
Nitrat as NO _x -N	mg/l	0 - 6	6 - 10	10 - 20	> 20
Fluoried as F	mg/l	< 0.7	0.7 - 1.0	1.0 - 1.5	> 1.5
Totale hardheid as CaCO ₃ *	mg/l	0 - 200	200 - 300	300 - 600	> 600

1) Verwysing: Klassifikasiesistels in terme van - Waternavorsingskommissie: Gahalte van Huishoudelike Watervoorsiening – Volume 1. Verslagnr. TT 101/98, Tweede Uitgawe, 1998.

2) * Vir opvanggebiede waar die hidrochemie slegs vir die chemiese parameter totale hardheid is, vertoon verhewe konsentrasies weens natuurlike toestande, die watergehalte word hoër as een klasreeks gekategoriseer aangesien geen menslike gesondheidsimpakte bekend is om te gebeur nie. Gevolglike impakte hou verband met skaling van huishoudelike instrumente.

Tabel 6.3: Fisiese watergehalte

Fisiese Parameter	Watergehaltereeke ²				
	Eenhede	Klas 0	Klas I	Klas II	Klas III
pH (pH-eenhede)		6 - 9	5 - 6 & 9 - 9.5	4.5 - 5 & 9.5 - 10	< 4 or > 10
Totale Opgeloste Vaste Kos	mg/l	0 - 450	450 - 1000	1000 - 2400	> 2400
Elektriese geleidingsvermoë	mS/m	0 - 70	70 - 150	150 - 370	> 370

3) Verwysing: Klassifikasiesistels in terme van - Waternavorsingskommissie: Gahalte van Huishoudelike Watervoorsiening – Volume 1. Verslagnr. TT 101/98, Tweede Uitgawe, 1998.

Die watergehalte vir die volgende kwartêr opvanggebiede is nie geassesseer nie weens ongenoegsame inligting (gebrek aan verteenwoordigbare grondwatergehaltesdata):

- C11A; C11B; C11C; C11D; C11E; C11F; C11G; C11J; C11K; C11L; C11M
- C12A; C12B; C12C; C12E; C12F; C12G; C12H; C12J; C12K; C12L
- C13A; C13B; C13C; C13D; C13E; C13F; C13G
- C21A; C21B
- C22G; C22K
- C23A; C23C
- C25D
- C41B; C41C; C41E; C41F; C41G; C41H; C41J
- C42A; C42B; C42C; C42D; C42E; C42F; C42G; C42H; C42J; C42K; C42L
- C43C; C43D
- C60A; C60B; C60C; C60D; C60F; C60G; C60H; C60J
- C70A; C70B; C70C; C70E; C70F; C70G; C70H; C70J; C70K

- C81A; C81B; C81C; C81D; C81E; C81G; C81H; C81J; C81K; C81L; C81M
- C82A; C82C; C82D; C82E; C82F; C82G
- C83A; C83C; C83D; C83E; C83F; C83G; C83H; C83JC83K; C83L; C83M

Tabel 6.4: Grondwatergehalte Reserve – Kwartêr opvanggebied C11H

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: *C11H			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserve ³
pH		37	8.20	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	37	79.70	<150	88
Kalsium as Ca	mg/l	37	78.65	<150	87
Magnesium as Mg	mg/l	37	36.28	<70	39
Natrium as Na	mg/l	37	48.76	<200	54
Atrium as K	mg/l	37	4.24	<50	4.7
Totale hardheid as CaCO ₃	mg/l	37	345.8	<300	380
Chloried as Cl	mg/l	37	32.32	<200	36
Vitriool as SO ₄	mg/l	37	61.58	<400	68
Nitrat as NO _x -N	mg/l	37	4.75	<10	5.2
Fluoried as F	mg/l	37	0.35	<1.0	0.39
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehalte datastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);					
² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en					
³ Middelwaarde plus 10% (met die uitsondering van pH).					
* Dui aan dat slegs na-1995 hidrochemiese datastelle vir die spesifieke kwartêr-opvanggebied gebruik is.					

Tabel 6.5: Grondwatergehalte Reserve – Kwartêr opvanggebied C12D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: *C12D			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserve ³
pH		34	8.13	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	34	89.25	<150	98
Kalsium as Ca	mg/l	34	84.75	<150	93
Magnesium as Mg	mg/l	34	48.91	<70	54
Natrium as Na	mg/l	34	29.33	<200	32
Atrium as K	mg/l	34	8.34	<50	9
Totale hardheid as CaCO ₃	mg/l	34	413	<300	454
Chloried as Cl	mg/l	34	44.61	<200	49
Vitriool as SO ₄	mg/l	34	96.36	<400	106
Nitrat as NO _x -N	mg/l	34	3.63	<10	4
Fluoried as F	mg/l	34	0.28	<1.0	0.3
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehalte datastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);					
² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en					
³ Middelwaarde plus 10% (met die uitsondering van pH).					
* Dui aan dat slegs na-1995 hidrochemiese datastelle vir die spesifieke kwartêr-opvanggebied gebruik is.					

Tabel 6.6: Grondwatergehalte Reserve – Kwartêr opvanggebied C21C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C21C			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserve ³
pH		67	7.65	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	67	57.20	<150	63
Kalsium as Ca	mg/l	67	40.10	<150	44
Magnesium as Mg	mg/l	67	19.40	<70	21
Natrium as Na	mg/l	67	39.10	<200	43
Atrium as K	mg/l	67	4.98	<50	5
Totale hardheid as CaCO ₃	mg/l	67	180	<300	198
Chloried as Cl	mg/l	67	43.40	<200	48
Vitriool as SO ₄	mg/l	67	31.60	<400	35
Nitrat as NO _x -N	mg/l	67	0.10	<10	0.11
Fluoried as F	mg/l	67	0.71	<1.0	0.78
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.7: Grondwatergehalte Reserve – Kwartêr opvanggebied C21D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C21D*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserve ³
pH		17	7.37	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	17	27.50	<150	30
Kalsium as Ca	mg/l	17	19.10	<150	21
Magnesium as Mg	mg/l	17	11	<70	12
Natrium as Na	mg/l	17	13.40	<200	15
Atrium as K	mg/l	17	2.20	<50	2.4
Totale hardheid as CaCO ₃	mg/l	17	101.60	<300	112
Chloried as Cl	mg/l	17	8.50	<200	9
Vitriool as SO ₄	mg/l	17	6.10	<400	7
Nitrat as NO _x -N	mg/l	17	0.23	<10	0.25
Fluoried as F	mg/l	17	0.12	<1.0	0.13
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datstel (mees verteenwoordigende ruimtedatstel)

Tabel 6.8: Grondwatergehalte Reserve – Kwartêr opvanggebied C21E

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C21E*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserve ³
pH		11	7.52	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	11	51.90	<150	57
Kalsium as Ca	mg/l	11	39.70	<150	44
Magnesium as Mg	mg/l	11	20.90	<70	23
Natrium as Na	mg/l	11	26.00	<200	29
Atrium as K	mg/l	11	10.43	<50	11
Totale hardheid as CaCO ₃	mg/l	11	185.2	<300	203
Chloried as Cl	mg/l	11	29.50	<200	32
Vitriool as SO ₄	mg/l	11	32.30	<400	36
Nitrat as NO _x -N	mg/l	11	1.73	<10	1.9
Fluoried as F	mg/l	11	0.17	<1.0	0.19
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehalte-datastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatastel)

Tabel 6.9: Grondwatergehalte Reserve – Kwartêr opvanggebied C21F

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: *C21F			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserve ³
pH		31	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	31	41.80	<150	46
Kalsium as Ca	mg/l	31	39.34	<150	43
Magnesium as Mg	mg/l	31	19.71	<70	22
Natrium as Na	mg/l	31	10.72	<200	12
Atrium as K	mg/l	31	0.50	<50	1
Totale hardheid as CaCO ₃	mg/l	31	179.5	<300	198
Chloried as Cl	mg/l	31	25.60	<200	28
Vitriool as SO ₄	mg/l	31	12.87	<400	14
Nitrat as NO _x -N	mg/l	31	2.88	<10	3.21
Fluoried as F	mg/l	31	0.13	<1.0	0.15
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehalte-datastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Dui aan dat slegs na-1995 hidrochemiese datastelle vir die spesifieke kwartêr-opvanggebied gebruik is.

CONTINUES ON PAGE 130 - PART 2



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 663

25 September 2020
September

No. 43734

PART 2 OF 3

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5843



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

Tabel 6.10: Grondwatergehalte Reserwe – Kwartêr opvanggebied C21G

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C21G*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		15	7.58	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	15	48.30	<150	53
Kalsium as Ca	mg/l	15	32	<150	35
Magnesium as Mg	mg/l	15	20.80	<70	23
Natrium as Na	mg/l	15	23.80	<200	26
Atrium as K	mg/l	15	3.23	<50	4
Totale hardheid as CaCO ₃	mg/l	15	165.6	<300	182
Chloried as Cl	mg/l	15	12.409	<200	14
Vitrioel as SO ₄	mg/l	15	12.40	<400	14
Nitrat as NO _x -N	mg/l	15	1.52	<10	2
Fluoried as F	mg/l	15	0.21	<1.0	0.23
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese dataset (mees verteenwoordigende ruimtedataset)

Table 6.11: Grondwatergehalte Reserwe – Kwartêr opvanggebied C22A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C22A			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		45	8.00	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	45	46.5	<150	51
Kalsium as Ca	mg/l	45	38.6	<150	43
Magnesium as Mg	mg/l	45	29.0	<70	32
Natrium as Na	mg/l	45	8.00	<200	8.8
Atrium as K	mg/l	45	0.96	<50	1.1
Totale hardheid as CaCO ₃	mg/l	45	215.8	<300	237
Chloried as Cl	mg/l	45	5.8	<200	6.4
Vitrioel as SO ₄	mg/l	45	90.0	<400	99
Nitrat as NO _x -N	mg/l	45	4.07	<10	4.5
Fluoried as F	mg/l	45	0.10	<1.0	0.11
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.12: Grondwatergehalte Reserwe – Kwartêr opvanggebied C22B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C22B*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		53	7.70	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	53	134.10	<150	148
Kalsium as Ca	mg/l	53	106.45	<150	117
Magnesium as Mg	mg/l	53	58.70	<70	65
Natrium as Na	mg/l	53	46.25	<200	51
Atrium as K	mg/l	53	3.75	<50	4
Totale hardheid as CaCO ₃	mg/l	53	507.5	<300	558
Chloried as Cl	mg/l	53	55.10	<200	61
Vitriool as SO ₄	mg/l	53	308.70	<400	340
Nitraat as NO _x -N	mg/l	53	2.40	<10	2.6
Fluoried as F	mg/l	53	0.15	<1.0	0.17
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Table 6.13: Grondwatergehalte Reserwe – Kwartêr opvanggebied C22C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C22C			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		123	7.79	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	123	57	<150	63
Kalsium as Ca	mg/l	123	44.0	<150	50
Magnesium as Mg	mg/l	123	32.0	<70	35
Natrium as Na	mg/l	123	14.8	<200	16
Atrium as K	mg/l	123	1.84	<50	2
Totale hardheid as CaCO ₃	mg/l	123	241.6	<300	266
Chloried as Cl	mg/l	123	16.8	<200	19
Vitriool as SO ₄	mg/l	123	23.2	<400	26
Nitraat as NO _x -N	mg/l	123	2.38	<10	2.6
Fluoried as F	mg/l	123	0.10	<1.0	0.11
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH).					

Table 6.14: Grondwatergehalte Reserwe – Kwartêr opvanggebied C22D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C22D*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		182	7.60	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	182	38.15	<150	42
Kalsium as Ca	mg/l	182	35.90	<150	39
Magnesium as Mg	mg/l	182	22.85	<70	25
Natrium as Na	mg/l	182	6.30	<200	7
Atrium as K	mg/l	182	0.84	<50	1
Totale hardheid as CaCO ₃	mg/l	182	182	<300	200
Chloried as Cl	mg/l	182	6.25	<200	7
Vitriool as SO ₄	mg/l	182	9	<400	10
Nitrat as NO _x -N	mg/l	182	1.20	<10	1.3
Fluoried as F	mg/l	182	0.10	<1.0	0.11
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese dataset (mees verteenwoordigende ruimtedataset)

Tabel 6.15: Grondwatergehalte Reserwe – Kwartêr opvanggebied C22E

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C22E*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		181	7.68	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	181	38.70	<150	43
Kalsium as Ca	mg/l	181	33.80	<150	37
Magnesium as Mg	mg/l	181	22.90	<70	25
Natrium as Na	mg/l	181	10.10	<200	11
Atrium as K	mg/l	181	0.94	<50	1
Totale hardheid as CaCO ₃	mg/l	181	178.70	<300	197
Chloried as Cl	mg/l	181	7.10	<200	8
Vitriool as SO ₄	mg/l	181	9.70	<400	11
Nitrat as NO _x -N	mg/l	181	1.05	<10	1.2
Fluoried as F	mg/l	181	0.13	<1.0	0.14
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese dataset (mees verteenwoordigende ruimtedataset)

Tabel 6.16: Grondwatergehalte Reserwe – Kwartêr opvanggebied C22F

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C22F*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		39	7.60	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mg/l	39	48.30	<150	53
Kalsium as Ca	mg/l	39	42.70	<150	47
Magnesium as Mg	mg/l	39	22.30	<70	25
Natrium as Na	mg/l	39	18	<200	20
Atrium as K	mg/l	39	1.61	<50	2
Totale hardheid as CaCO ₃	mg/l	39	198.5	<300	218
Chloried as Cl	mg/l	39	14.40	<200	16
Vitriool as SO ₄	mg/l	39	10.30	<400	11
Nitraat as NO _x -N	mg/l	39	0.50	<10	0.55
Fluoried as F	mg/l	39	0.20	<1.0	0.22
Watergehalteklas					Klas 0
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Tabel 6.17: Grondwatergehalte Reserwe – Kwartêr opvanggebied C22H

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C22H*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		30	7.21	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	30	18.30	<150	20
Kalsium as Ca	mg/l	30	14.50	<150	16
Magnesium as Mg	mg/l	30	6	<70	7
Natrium as Na	mg/l	30	7.05	<200	8
Atrium as K	mg/l	30	0.91	<50	1
Totale hardheid as CaCO ₃	mg/l	30	60.9	<300	67
Chloried as Cl	mg/l	30	4.45	<200	5
Vitriool as SO ₄	mg/l	30	4.70	<400	5
Nitraat as NO _x -N	mg/l	30	0.11	<10	0.12
Fluoried as F	mg/l	30	0.14	<1.0	0.15
Watergehalteklas					Klas 0
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Tabel 6.18: Grondwatergehalte Reserwe – Kwartêr opvanggebied C22J

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C22J*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		30	7.40	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	30	56.10	<150	62
Kalsium as Ca	mg/l	30	47.70	<150	52
Magnesium as Mg	mg/l	30	27.65	<70	30
Natrium as Na	mg/l	30	23.75	<200	26
Atrium as K	mg/l	30	1.17	<50	1.3
Totale hardheid as CaCO ₃	mg/l	30	233.0	<300	256
Chloried as Cl	mg/l	30	17.35	<200	19
Vitriool as SO ₄	mg/l	30	21.85	<400	24
Nitrat as NO _x -N	mg/l	30	4.29	<10	5
Fluoried as F	mg/l	30	0.21	<1.0	0.23
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datstel (mees verteenwoordigende ruimtedatstel)

Tabel 6.19: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23B*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		16	7.64	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	16	43.10	<150	47
Kalsium as Ca	mg/l	16	31.05	<150	34
Magnesium as Mg	mg/l	16	20.45	<70	23
Natrium as Na	mg/l	16	15.95	<200	18
Atrium as K	mg/l	16	2.37	<50	3
Totale hardheid as CaCO ₃	mg/l	16	161.7	>300	178
Chloried as Cl	mg/l	16	13.30	<200	15
Vitriool as SO ₄	mg/l	16	10.25	<400	11
Nitrat as NO _x -N	mg/l	16	2.44	<10	3
Fluoried as F	mg/l	16	0.23	<1.0	0.25
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datstel (mees verteenwoordigende ruimtedatstel)

Table 6.20: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: *C23C			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		35	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	35	64.80	<150	71
Kalsium as Ca	mg/l	35	42.45	<150	47
Magnesium as Mg	mg/l	35	27.76	<70	31
Natrium as Na	mg/l	35	53.10	<200	58
Atrium as K	mg/l	35	4.61	<50	5
Totale hardheid as CaCO ₃	mg/l	35	220.3	<300	242
Chloried as Cl	mg/l	35	24.50	<200	26
Vitriool as SO ₄	mg/l	35	19.40	<400	21
Nitrat as NO _x -N	mg/l	35	4.07	<10	5
Fluoried as F	mg/l	35	0.42	<1.0	0.46
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Dui aan dat slegs na-1995 hidrochemiese datstelle vir die spesifieke kwartêr-opvanggebied gebruik is.

Table 6.21: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23D*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		74	7.08	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	74	20.40	<150	22
Kalsium as Ca	mg/l	74	16	<150	18
Magnesium as Mg	mg/l	74	10.70	<70	12
Natrium as Na	mg/l	74	3.80	<200	4
Atrium as K	mg/l	74	0.78	<50	1
Totale hardheid as CaCO ₃	mg/l	74	84.0	<300	92
Chloried as Cl	mg/l	74	2.25	<200	2.5
Vitriool as SO ₄	mg/l	74	12.90	<400	14
Nitrat as NO _x -N	mg/l	74	0.53	<10	1
Fluoried as F	mg/l	74	0.05	<1.0	0.06
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatastel)

Table 6.22: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23E

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23E*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		34	7.56	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	34	50.4	<150	55
Kalsium as Ca	mg/l	34	51.1	<150	56
Magnesium as Mg	mg/l	34	33.7	<70	37
Natrium as Na	mg/l	34	9.9	<200	11
Atrium as K	mg/l	34	1.29	<50	1.4
Totale hardheid as CaCO ₃	mg/l	34	266.4	<300	293
Chloried as Cl	mg/l	34	5.15	<200	6
Vitriool as SO ₄	mg/l	34	24.6	<400	27
Nitrat as NO _x -N	mg/l	34	1.96	<10	2
Fluoried as F	mg/l	34	0.05	<1.0	0.06
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatabelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese dataset (mees verteenwoordigende ruimtedataset)

Table 6.23: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23F

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23F*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		14	7.72	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	14	31.20	<150	34
Kalsium as Ca	mg/l	14	30.90	<150	34
Magnesium as Mg	mg/l	14	16.75	<70	18
Natrium as Na	mg/l	14	3.40	<200	4
Atrium as K	mg/l	14	0.90	<50	1
Totale hardheid as CaCO ₃	mg/l	14	146.1	<300	161
Chloried as Cl	mg/l	14	3.35	<200	3.7
Vitriool as SO ₄	mg/l	14	2	<400	2.2
Nitrat as NO _x -N	mg/l	14	1	<10	1.1
Fluoried as F	mg/l	14	0.12	<1.0	0.13
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatabelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese dataset (mees verteenwoordigende ruimtedataset)

Table 6.24: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23G

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23G*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		196	7.78	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	196	88.95	<150	98
Kalsium as Ca	mg/l	196	79.95	<150	88
Magnesium as Mg	mg/l	196	44.55	<70	49
Natrium as Na	mg/l	196	44.35	<200	48
Atrium as K	mg/l	196	1.88	<50	2
Totale hardheid as CaCO ₃	mg/l	196	383.1	<300	421
Chloried as Cl	mg/l	196	45.40	<200	50
Vitriool as SO ₄	mg/l	196	228.05	<400	251
Nitraat as NO _x -N	mg/l	196	2.11	<10	2.3
Fluoried as F	mg/l	196	0.11	<1.0	0.12
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op langtermyn hidroskeikunde-datstel vanaf slegs een moniteringsterrein (veer/oog) in die kwartêr opvanggebied

Table 6.25: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23H

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23H			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		19	7.91	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	19	43.70	<150	48
Kalsium as Ca	mg/l	19	44	<150	48
Magnesium as Mg	mg/l	19	24.60	<70	27
Natrium as Na	mg/l	19	11.40	<200	13
Atrium as K	mg/l	19	1.14	<50	1.25
Totale hardheid as CaCO ₃	mg/l	19	211.3	<300	232
Chloried as Cl	mg/l	19	7.20	<200	8
Vitriool as SO ₄	mg/l	19	5.20	<400	6
Nitraat as NO _x -N	mg/l	19	3.11	<10	3.4
Fluoried as F	mg/l	19	0.13	<1.0	0.14
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.26: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23J

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23J*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		20	7.73	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	20	44.2	<150	49
Kalsium as Ca	mg/l	20	28.3	<150	31
Magnesium as Mg	mg/l	20	31.0	<70	34
Natrium as Na	mg/l	20	14.3	<200	16
Atrium as K	mg/l	20	1.50	<50	1.65
Totale hardheid as CaCO ₃	mg/l	20	198.3	<300	218
Chloried as Cl	mg/l	20	8.40	<200	9.0
Vitriool as SO ₄	mg/l	20	7.45	<400	8.20
Nitrat as NO _x -N	mg/l	20	0.79	<10	0.87
Fluoried as F	mg/l	20	0.22	<1.0	0.24
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Tabel 6.27: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23K

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23K*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		9	7.76	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	9	39.50	<150	43
Kalsium as Ca	mg/l	9	44.50	<150	49
Magnesium as Mg	mg/l	9	19.20	<70	21
Natrium as Na	mg/l	9	15.70	<200	17
Atrium as K	mg/l	9	1.07	<50	1.1
Totale hardheid as CaCO ₃	mg/l	9	190.2	<300	209
Chloried as Cl	mg/l	9	6.10	<200	7
Vitriool as SO ₄	mg/l	9	4	<400	4.5
Nitrat as NO _x -N	mg/l	9	2.32	<10	3
Fluoried as F	mg/l	9	0.18	<1.0	0.2
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Table 6.28: Grondwatergehalte Reserwe – Kwartêr opvanggebied C23L

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C23L*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		26	7.20	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	26	34.70	<150	38
Kalsium as Ca	mg/l	26	33.55	<150	37
Magnesium as Mg	mg/l	26	16.80	<70	18
Natrium as Na	mg/l	26	10.25	<200	11
Atrium as K	mg/l	26	1.47	<50	2
Totale hardheid as CaCO ₃	mg/l	26	153	<300	168
Chloried as Cl	mg/l	26	5.90	<200	6
Vitriool as SO ₄	mg/l	26	2	<400	2.2
Nitraat as NO _x -N	mg/l	26	0.87	<10	1
Fluoried as F	mg/l	26	0.13	<1.0	0.14
Watergehalteklas					Klas 0
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Tabel 6.29 Grondwatergehalte Reserwe – Kwartêr opvanggebied C24A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24A			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		112	7.40	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	112	108.05	<150	119
Kalsium as Ca	mg/l	112	89.95	<150	99
Magnesium as Mg	mg/l	112	74.30	<70	82
Natrium as Na	mg/l	112	70.35	<200	77
Atrium as K	mg/l	112	7.74	<50	9
Totale hardheid as CaCO ₃	mg/l	112	529.3	<300	582
Chloried as Cl	mg/l	112	67.05	<200	74
Vitriool as SO ₄	mg/l	112	323.45	<400	356
Nitraat as NO _x -N	mg/l	112	1.99	<10	2
Fluoried as F	mg/l	112	0.16	<1.0	0.18
Watergehalteklas					Class 2
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH).					

Table 6.30: Grondwatergehalte Reserwe – Kwartêr opvanggebied C24B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24B*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		13	7.17	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	13	361.20	<150	397
Kalsium as Ca	mg/l	13	458.60	<150	504
Magnesium as Mg	mg/l	13	225.40	<70	248
Natrium as Na	mg/l	13	118.90	<200	131
Atrium as K	mg/l	13	20.14	<50	22
Totale hardheid as CaCO ₃	mg/l	13	2073.3	<300	2281
Chloried as Cl	mg/l	13	143.40	<200	158
Vitriool as SO ₄	mg/l	13	2109.90	<400	2321
Nitrat as NO _x -N	mg/l	13	4.82	<10	5.3
Fluoried as F	mg/l	13	0.22	<1.0	0.24
Watergehalteklas					Class 3

¹ Gebaseer op langtermyn grondwatergehalte datastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatastel)

Table 6.31: Grondwatergehalte Reserwe – Kwartêr opvanggebied C24C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24C			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		161	7.95	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	161	40.70	<150	45
Kalsium as Ca	mg/l	161	34	<150	37
Magnesium as Mg	mg/l	161	29.20	<70	32
Natrium as Na	mg/l	161	4.60	<200	5
Atrium as K	mg/l	161	1.43	<50	2
Totale hardheid as CaCO ₃	mg/l	161	205.1	<300	226
Chloried as Cl	mg/l	161	5.70	<200	6
Vitriool as SO ₄	mg/l	161	2	<400	2.2
Nitrat as NO _x -N	mg/l	161	1.97	<10	2.2
Fluoried as F	mg/l	161	0.05	<1.0	0.06
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehalte datastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.32: Grondwatergehalte Reserwe – Kwartêr opvanggebied C24D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24D			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		10	7.70	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	10	24.30	<150	27
Kalsium as Ca	mg/l	10	16.95	<150	19
Magnesium as Mg	mg/l	10	10.10	<70	11
Natrium as Na	mg/l	10	13.90	<200	15
Atrium as K	mg/l	10	3.03	<50	3.3
Totale hardheid as CaCO ₃	mg/l	10	83.9	<300	92
Chloried as Cl	mg/l	10	5.05	<200	6
Vitriool as SO ₄	mg/l	10	7.05	<400	8
Nitraat as NO _x -N	mg/l	10	3.46	<10	3.8
Fluoried as F	mg/l	10	0.13	<1.0	0.15
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.33: Grondwatergehalte Reserwe – Kwartêr opvanggebied C24E

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24E			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		48	7.89	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	48	48.80	<150	54
Kalsium as Ca	mg/l	48	35.45	<150	39
Magnesium as Mg	mg/l	48	35.75	<70	39
Natrium as Na	mg/l	48	7.20	<200	8
Atrium as K	mg/l	48	1.37	<50	2
Totale hardheid as CaCO ₃	mg/l	48	235.7	<300	259
Chloried as Cl	mg/l	48	12.15	<200	13
Vitriool as SO ₄	mg/l	48	2	<400	2.2
Nitraat as NO _x -N	mg/l	48	5.21	<10	6
Fluoried as F	mg/l	48	0.13	<1.0	0.14
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.34: Grondwatergehalte Reserwe – Kwartêr opvanggebied C24F

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24F			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		175	7.84	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	175	46.30	<150	51
Kalsium as Ca	mg/l	175	40	<150	44
Magnesium as Mg	mg/l	175	26.90	<70	30
Natrium as Na	mg/l	175	7.70	<200	8
Atrium as K	mg/l	175	1.80	<50	2
Totale hardheid as CaCO ₃	mg/l	175	211	<300	232
Chloried as Cl	mg/l	175	30.50	<200	34
Vitriool as SO ₄	mg/l	175	2	<400	2.2
Nitrat as NO _x -N	mg/l	175	6.62	<10	7
Fluoried as F	mg/l	175	0.05	<1.0	0.06
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.35: Grondwatergehalte Reserwe – Kwartêr opvanggebied C24G

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24G			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		23	7.80	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	23	38	<150	42
Kalsium as Ca	mg/l	23	33.70	<150	37
Magnesium as Mg	mg/l	23	15.70	<70	17
Natrium as Na	mg/l	23	14.70	<200	16
Atrium as K	mg/l	23	1.99	<50	2.2
Totale hardheid as CaCO ₃	mg/l	23	148.8	<300	164
Chloried as Cl	mg/l	23	7.60	<200	8.4
Vitriool as SO ₄	mg/l	23	11.80	<400	13
Nitrat as NO _x -N	mg/l	23	3.21	<10	3.5
Fluoried as F	mg/l	23	0.31	<1.0	0.34
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.36: Grondwatergehalte Reserwe – Kwartêr opvanggebied C24H

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24H*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		42	7.80	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	42	51.40	<150	57
Kalsium as Ca	mg/l	42	46.10	<150	51
Magnesium as Mg	mg/l	42	25.80	<70	28
Natrium as Na	mg/l	42	14.85	<200	16
Atrium as K	mg/l	42	1.59	<50	1.75
Totale hardheid as CaCO ₃	mg/l	42	221.4	<300	244
Chloried as Cl	mg/l	42	15.40	<200	17
Vitriool as SO ₄	mg/l	42	11.55	<400	13
Nitrat as NO _x -N	mg/l	42	3.67	<10	4.0
Fluoried as F	mg/l	42	0.27	<1.0	0.29
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Table 6.37: Grondwatergehalte Reserwe – Kwartêr opvanggebied C24J

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C24J			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		22	7.64	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	22	42.60	<150	43
Kalsium as Ca	mg/l	22	36.30	<150	37
Magnesium as Mg	mg/l	22	16.30	<70	17
Natrium as Na	mg/l	22	24.85	<200	26
Atrium as K	mg/l	22	1.06	<50	2
Totale hardheid as CaCO ₃	mg/l	22	157.3	<300	173.5
Chloried as Cl	mg/l	22	10.45	<200	11
Vitriool as SO ₄	mg/l	22	7.55	<400	8
Nitrat as NO _x -N	mg/l	22	1.62	<10	2
Fluoried as F	mg/l	22	0.22	<1.0	0.24
Watergehalteklas					Klas 0
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH).					

Table 6.38: Grondwatergehalte Reserwe – Kwartêr opvanggebied C25A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C25A*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		9	7.84	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	9	53.60	<150	59
Kalsium as Ca	mg/l	9	30	<150	33
Magnesium as Mg	mg/l	9	24.90	<70	27
Natrium as Na	mg/l	9	33.40	<200	37
Atrium as K	mg/l	9	1.37	<50	2
Totale hardheid as CaCO ₃	mg/l	9	177.4	<300	195
Chloried as Cl	mg/l	9	17	<200	19
Vitriool as SO ₄	mg/l	9	14.20	<400	16
Nitrat as NO _x -N	mg/l	9	3.10	<10	3.4
Fluoried as F	mg/l	9	0.82	<1.0	0.9
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Tabel 6.39: Grondwatergehalte Reserwe – Kwartêr opvanggebied QC C25B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: *C25B			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		16	8.29	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	16	136.95	<150	151
Kalsium as Ca	mg/l	16	27.32	<150	30
Magnesium as Mg	mg/l	16	15.25	<70	17
Natrium as Na	mg/l	16	267.18	<200	294
Atrium as K	mg/l	16	5.03	<50	6.0
Totale hardheid as CaCO ₃	mg/l	16	131.0	<300	144
Chloried as Cl	mg/l	16	117.83	<200	130
Vitriool as SO ₄	mg/l	16	33.93	<400	37
Nitrat as NO _x -N	mg/l	16	0.35	<10	0.4
Fluoried as F	mg/l	16	2.38	<1.0	2.62
Watergehalteklas					Class 3

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Dui aan dat slegs na-1995 hidrochemiese datstelle vir die spesifieke kwartêr-opvanggebied gebruik is.

Tabel 6.40: Grondwatergehalte Reserwe – Kwartêr opvanggebied C25C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C25C			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		28	8.13	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	28	50.45	<150	56
Kalsium as Ca	mg/l	28	46.63	<150	51
Magnesium as Mg	mg/l	28	27.52	<70	30
Natrium as Na	mg/l	28	14.95	<200	16
Atrium as K	mg/l	28	1.93	<50	2
Totale hardheid as CaCO ₃	mg/l	28	229.8	<300	253
Chloried as Cl	mg/l	28	8.77	<200	10
Vitriool as SO ₄	mg/l	28	4.32	<400	5
Nitraat as NO _x -N	mg/l	28	9.57	<10	11
Fluoried as F	mg/l	28	0.13	<1.0	0.15
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.41: Grondwatergehalte Reserwe – Kwartêr opvanggebied C25E

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C25E			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		11	7.99	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	11	67.70	<150	74
Kalsium as Ca	mg/l	11	48.30	<150	53
Magnesium as Mg	mg/l	11	20.70	<70	23
Natrium as Na	mg/l	11	19.80	<200	22
Atrium as K	mg/l	11	2.75	<50	3
Totale hardheid as CaCO ₃	mg/l	11	205.8	<300	226
Chloried as Cl	mg/l	11	17.80	<200	20
Vitriool as SO ₄	mg/l	11	8.90	<400	10
Nitraat as NO _x -N	mg/l	11	13.07	<10	14
Fluoried as F	mg/l	11	0.18	<1.0	0.2
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.42: Grondwatergehalte Reserwe – Kwartêr opvanggebied C25F

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C25F*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		22	7.75	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	22	27.20	<150	30
Kalsium as Ca	mg/l	22	20.92	<150	23
Magnesium as Mg	mg/l	22	12.30	<70	14
Natrium as Na	mg/l	22	4.10	<200	5
Atrium as K	mg/l	22	1	<50	1.1
Totale hardheid as CaCO ₃	mg/l	22	102.9	<300	113
Chloried as Cl	mg/l	22	1.50	<200	2
Vitriool as SO ₄	mg/l	22	11.45	<400	13
Nitrat as NO _x -N	mg/l	22	0.84	<10	1.0
Fluoried as F	mg/l	22	0.05	<1.0	0.06
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datstel (mees verteenwoordigende ruimtedatstel)

Table 6.43: Grondwatergehalte Reserwe – Kwartêr opvanggebied KO C31A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C31A			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		187	7.82	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	187	60.90	<150	67
Kalsium as Ca	mg/l	187	59	<150	65
Magnesium as Mg	mg/l	187	34.30	<70	38
Natrium as Na	mg/l	187	13.10	<200	14
Atrium as K	mg/l	187	2.19	<50	2.4
Totale hardheid as CaCO ₃	mg/l	187	288.6	<300	317
Chloried as Cl	mg/l	187	27	<200	30
Vitriool as SO ₄	mg/l	187	2	<400	2.2
Nitrat as NO _x -N	mg/l	187	4.96	<10	5.5
Fluoried as F	mg/l	187	0.12	<1.0	0.13
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Tabel 6.44: Grondwatergehalte Reserwe – Kwartêr opvanggebied C31B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C31B*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		69	7.87	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	69	74.80	<150	82
Kalsium as Ca	mg/l	69	80.80	<150	89
Magnesium as Mg	mg/l	69	36.90	<70	41
Natrium as Na	mg/l	69	23.30	<200	26
Atrium as K	mg/l	69	3.10	<50	3.3
Totale hardheid as CaCO ₃	mg/l	69	353.7	<300	389
Chloried as Cl	mg/l	69	35.70	<200	39
Vitriool as SO ₄	mg/l	69	11.30	<400	12
Nitraat as NO _x -N	mg/l	69	14.05	<10	15
Fluoried as F	mg/l	69	0.23	<1.0	0.25
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Tabel 6.45: Grondwatergehalte Reserwe – Kwartêr opvanggebied C31C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C31C*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		41	7.61	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	41	42.90	<150	47
Kalsium as Ca	mg/l	41	30.1	<150	33.1
Magnesium as Mg	mg/l	41	18.10	<70	20
Natrium as Na	mg/l	41	24.80	<200	27
Atrium as K	mg/l	41	2.73	<50	3
Totale hardheid as CaCO ₃	mg/l	41	154.2	<300	169
Chloried as Cl	mg/l	41	11.60	<200	13
Vitriool as SO ₄	mg/l	41	10.10	<400	11
Nitraat as NO _x -N	mg/l	41	9.76	<10	11
Fluoried as F	mg/l	41	0.25	<1.0	0.28
Watergehalteklas					Klas 0
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Table 6.46: Grondwatergehalte Reserwe – Kwartêr opvanggebied C31D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C31D*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		23	8.05	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	23	83	<150	91
Kalsium as Ca	mg/l	23	83.20	<150	92
Magnesium as Mg	mg/l	23	41.30	<70	45
Natrium as Na	mg/l	23	49.60	<200	55
Atrium as K	mg/l	23	4.43	<50	5
Totale hardheid as CaCO ₃	mg/l	23	377.8	<300	416
Chloried as Cl	mg/l	23	56.20	<200	62
Vitriool as SO ₄	mg/l	23	19	<400	21
Nitrat as NO _x -N	mg/l	23	10.56	<10	12
Fluoried as F	mg/l	23	0.42	<1.0	0.46
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Tabel 6.47: Grondwatergehalte Reserwe – Kwartêr opvanggebied C31E

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C31E*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		82	7.88	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	82	74.85	<150	82
Kalsium as Ca	mg/l	82	70.85	<150	78
Magnesium as Mg	mg/l	82	30.50	<70	34
Natrium as Na	mg/l	82	44.50	<200	49
Atrium as K	mg/l	82	3.57	<50	4
Totale hardheid as CaCO ₃	mg/l	82	302.5	<300	333
Chloried as Cl	mg/l	82	42.95	<200	47
Vitriool as SO ₄	mg/l	82	18.95	<400	21
Nitrat as NO _x -N	mg/l	82	14.37	<10	16
Fluoried as F	mg/l	82	0.34	<1.0	0.37
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Table 6.48: Grondwatergehalte Reserwe – Kwartêr opvanggebied C31F

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C31F*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		35	7.28	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	35	57.20	<150	63
Kalsium as Ca	mg/l	35	43.30	<150	48
Magnesium as Mg	mg/l	35	21.90	<70	24
Natrium as Na	mg/l	35	43.20	<200	48
Atrium as K	mg/l	35	2.97	<50	3.3
Totale hardheid as CaCO ₃	mg/l	35	198.3	<300	218
Chloried as Cl	mg/l	35	26.90	<200	30
Vitriool as SO ₄	mg/l	35	23.60	<400	26
Nitraat as NO _x -N	mg/l	35	13.28	<10	15
Fluoried as F	mg/l	35	0.35	<1.0	0.39
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Table 6.49: Grondwatergehalte Reserwe – Kwartêr opvanggebied C32A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C32A*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		135	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	135	88.30	<150	97
Kalsium as Ca	mg/l	135	69.90	<150	77
Magnesium as Mg	mg/l	135	34.60	<70	38
Natrium as Na	mg/l	135	71.70	<200	79
Atrium as K	mg/l	135	3.10	<50	3.4
Totale hardheid as CaCO ₃	mg/l	135	316.00	<300	349
Chloried as Cl	mg/l	135	45.20	<200	50
Vitriool as SO ₄	mg/l	135	18.80	<400	21
Nitraat as NO _x -N	mg/l	135	15.87	<10	17
Fluoried as F	mg/l	135	0.55	<1.0	0.61
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Table 6.50: Grondwatergehalte Reserwe – Kwartêr opvanggebied C32B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C32B			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		896	7.91	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	896	80.95	<150	89
Kalsium as Ca	mg/l	896	56	<150	62
Magnesium as Mg	mg/l	896	44.60	<70	49
Natrium as Na	mg/l	896	39.70	<200	44
Atrium as K	mg/l	896	3.18	<50	3.5
Totale hardheid as CaCO ₃	mg/l	896	323.5	<300	356
Chloried as Cl	mg/l	896	43.90	<200	48
Vitriool as SO ₄	mg/l	896	18.40	<400	20
Nitrat as NO _x -N	mg/l	896	7.05	<10	7.8
Fluoried as F	mg/l	896	0.40	<1.0	0.44
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.51: Grondwatergehalte Reserwe – Kwartêr opvanggebied C32C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C32C			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		98	7.94	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	98	71.80	<150	79
Kalsium as Ca	mg/l	98	58	<150	64
Magnesium as Mg	mg/l	98	43.35	<70	48
Natrium as Na	mg/l	98	37.35	<200	41
Atrium as K	mg/l	98	2.70	<50	3.0
Totale hardheid as CaCO ₃	mg/l	98	323.3	<300	356
Chloried as Cl	mg/l	98	29.30	<200	32
Vitriool as SO ₄	mg/l	98	22.70	<400	25
Nitrat as NO _x -N	mg/l	98	5.90	<10	6.5
Fluoried as F	mg/l	98	0.40	<1.0	0.44
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.52: Grondwatergehalte Reserwe – Kwartêr opvanggebied C32D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C32D			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		148	8.14	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	148	85.65	<150	94
Kalsium as Ca	mg/l	148	76.09	<150	84
Magnesium as Mg	mg/l	148	64.0	<70	70
Natrium as Na	mg/l	148	13.30	<200	15
Atrium as K	mg/l	148	0.67	<50	0.74
Totale hardheid as CaCO ₃	mg/l	148	455.4	<300	501
Chloried as Cl	mg/l	148	33.08	<200	36
Vitriool as SO ₄	mg/l	148	44.35	<400	49
Nitrat as NO _x -N	mg/l	148	7.51	<10	8.3
Fluoried as F	mg/l	148	0.29	<1.0	0.32
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.53: Grondwatergehalte Reserwe – Kwartêr opvanggebied C33A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C33A*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		264	8	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	264	85.95	<150	95
Kalsium as Ca	mg/l	264	69.05	<150	76
Magnesium as Mg	mg/l	264	69.20	<70	76
Natrium as Na	mg/l	264	13.40	<200	15
Atrium as K	mg/l	264	0.95	<50	1.1
Totale hardheid as CaCO ₃	mg/l	264	457.4	<300	503
Chloried as Cl	mg/l	264	36	<200	40
Vitriool as SO ₄	mg/l	264	31.30	<400	34
Nitrat as NO _x -N	mg/l	264	5.80	<10	6.4
Fluoried as F	mg/l	264	0.33	<1.0	0.36
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatastel)

Table 6.54: Grondwatergehalte Reserwe – Kwartêr opvanggebied C33B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C33B*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		388	7.97	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	388	80.15	<150	88
Kalsium as Ca	mg/l	388	59.60	<150	66
Magnesium as Mg	mg/l	388	62.45	<70	69
Natrium as Na	mg/l	388	14.40	<200	16
Atrium as K	mg/l	388	1.21	<50	1.3
Totale hardheid as CaCO ₃	mg/l	388	406.0	<300	447
Chloried as Cl	mg/l	388	31.40	<200	35
Vitriool as SO ₄	mg/l	388	21.30	<400	23
Nitrat as NO _x -N	mg/l	388	5.67	<10	6.2
Fluoried as F	mg/l	388	0.24	<1.0	0.26
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datstel (mees verteenwoordigende ruimtedatstel)

Table 6.55: Grondwatergehalte Reserwe – Kwartêr opvanggebied C33C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C33C*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		290	7.99	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	290	71.80	<150	79
Kalsium as Ca	mg/l	290	65.10	<150	72
Magnesium as Mg	mg/l	290	44.30	<70	49
Natrium as Na	mg/l	290	13	<200	14
Atrium as K	mg/l	290	2.07	<50	2.3
Totale hardheid as CaCO ₃	mg/l	290	345.0	<300	380
Chloried as Cl	mg/l	290	30.65	<200	34
Vitriool as SO ₄	mg/l	290	16.35	<400	18
Nitrat as NO _x -N	mg/l	290	3.99	<10	4.4
Fluoried as F	mg/l	290	0.21	<1.0	0.23
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datstel (mees verteenwoordigende ruimtedatstel)

Table 6.56: Grondwatergehalte Reserwe – Kwartêr opvanggebied C41A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C41A			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		17	7.97	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	17	71.50	<150	79
Kalsium as Ca	mg/l	17	74.90	<150	82
Magnesium as Mg	mg/l	17	29.20	<70	32
Natrium as Na	mg/l	17	56.10	<200	62
Atrium as K	mg/l	17	2.62	<50	2.9
Totale hardheid as CaCO ₃	mg/l	17	307.3	<300	338
Chloried as Cl	mg/l	17	11.80	<200	13
Vitriool as SO ₄	mg/l	17	25.18	<400	28
Nitrat as NO _x -N	mg/l	17	2.51	<10	2.8
Fluoried as F	mg/l	17	0.28	<1.0	0.31
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Table 6.57: Grondwatergehalte Reserwe – Kwartêr opvanggebied C41D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C41D*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		14	8.18	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	14	82.35	<150	91
Kalsium as Ca	mg/l	14	65	<150	72
Magnesium as Mg	mg/l	14	26.50	<70	29
Natrium as Na	mg/l	14	65.15	<200	72
Atrium as K	mg/l	14	2.30	<50	2.5
Totale hardheid as CaCO ₃	mg/l	14	271.4	<300	299
Chloried as Cl	mg/l	14	30.05	<200	33
Vitriool as SO ₄	mg/l	14	21.40	<400	24
Nitrat as NO _x -N	mg/l	14	4.50	<10	5.0
Fluoried as F	mg/l	14	0.40	<1.0	0.43
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Table 6.58: Grondwatergehalte Reserwe – Kwartêr opvanggebied C43B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C43B*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		15	7.60	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	15	70	<150	77
Kalsium as Ca	mg/l	15	69.30	<150	76
Magnesium as Mg	mg/l	15	39.90	<70	44
Natrium as Na	mg/l	15	22.70	<200	25
Atrium as K	mg/l	15	2.32	<50	2.6
Totale hardheid as CaCO ₃	mg/l	15	337.4	<300	371
Chloried as Cl	mg/l	15	25.50	<200	28
Vitriool as SO ₄	mg/l	15	41.90	<400	46
Nitraat as NO _x -N	mg/l	15	0.07	<10	0.08
Fluoried as F	mg/l	15	0.20	<1.0	0.22
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Table 6.59: Grondwatergehalte Reserwe – Kwartêr opvanggebied C60E

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C60E			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		12	7.90	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	12	64.30	<150	71
Kalsium as Ca	mg/l	12	43.90	<150	48
Magnesium as Mg	mg/l	12	15.80	<70	17
Natrium as Na	mg/l	12	42.30	<200	47
Atrium as K	mg/l	12	1.01	<50	1.1
Totale hardheid as CaCO ₃	mg/l	12	174.7	<300	192
Chloried as Cl	mg/l	12	20.50	<200	23
Vitriool as SO ₄	mg/l	12	12	<400	13.2
Nitraat as NO _x -N	mg/l	12	1.91	<10	2.10
Fluoried as F	mg/l	12	0.24	<1.0	0.26
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Tabel 6.60: Grondwatergehalte Reserwe – Kwartêr opvanggebied C70D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: * C70D			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		21	8.11	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	21	77.50	<150	85
Kalsium as Ca	mg/l	21	62.72	<150	69
Magnesium as Mg	mg/l	21	23.75	<70	26
Natrium as Na	mg/l	21	70.50	<200	78
Atrium as K	mg/l	21	4.93	<50	5
Totale hardheid as CaCO ₃	mg/l	21	254.4	<300	280
Chloried as Cl	mg/l	21	29.17	<200	32
Vitriool as SO ₄	mg/l	21	68.34	<400	75
Nitrat as NO _x -N	mg/l	21	1.76	<10	1.9
Fluoried as F	mg/l	21	0.60	<1.0	0.66
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Dui aan dat slegs na-1995 hidrochemiese datstelle vir die spesifieke kwartêr-opvanggebied gebruik is.					

Tabel 6.61: Grondwatergehalte Reserwe – Kwartêr opvanggebied C81F

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C81F*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		18	7.25	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	18	28.90	<150	32
Kalsium as Ca	mg/l	18	24.75	<150	27
Magnesium as Mg	mg/l	18	6.30	<70	6.9
Natrium as Na	mg/l	18	20	<200	22
Atrium as K	mg/l	18	1.30	<50	1.4
Totale hardheid as CaCO ₃	mg/l	18	87.7	<300	97
Chloried as Cl	mg/l	18	1.50	<200	1.7
Vitriool as SO ₄	mg/l	18	2	<400	2.2
Nitrat as NO _x -N	mg/l	18	0.31	<10	0.34
Fluoried as F	mg/l	18	0.21	<1.0	0.23
Watergehalteklas					Klas 0
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Monsters slegs vanaf monitering gedoen in 1976.					

Table 6.62: Grondwatergehalte Reserwe – Kwartêr opvanggebied C82B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: *C82B			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		29	8.21	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	29	39.90	<150	44
Kalsium as Ca	mg/l	29	32.23	<150	35
Magnesium as Mg	mg/l	29	13.98	<70	15
Natrium as Na	mg/l	29	27.60	<200	30
Atrium as K	mg/l	29	3.39	<50	3.7
Totale hardheid as CaCO ₃	mg/l	29	138.0	<300	152
Chloried as Cl	mg/l	29	25.24	<200	28
Vitriool as SO ₄	mg/l	29	22.16	<400	24
Nitrat as NO _x -N	mg/l	29	0.17	<10	0.19
Fluoried as F	mg/l	29	0.32	<1.0	0.35
Watergehalteklas					Klas 0

¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Dui aan dat slegs na-1995 hidrochemiese datastelle vir die spesifieke kwartêr-opvanggebied gebruik is.

Tabel 6.63: Grondwatergehalte Reserwe – Kwartêr opvanggebied C82H

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C82H			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		18	8.07	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	18	85.15	<150	94
Kalsium as Ca	mg/l	18	65.77	<150	72
Magnesium as Mg	mg/l	18	27.34	<100	30
Natrium as Na	mg/l	18	89.79	<200	99
Atrium as K	mg/l	18	1.08	<50	1.2
Totale hardheid as CaCO ₃	mg/l	18	276.8	<300	305
Chloried as Cl	mg/l	18	20.71	<200	23
Vitriool as SO ₄	mg/l	18	22.56	<400	25
Nitrat as NO _x -N	mg/l	18	0.38	<10	0.41
Fluoried as F	mg/l	18	0.78	<1.0	0.85
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

Table 6.64: Grondwatergehalte Reserwe – Kwartêr opvanggebied C83B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: *C83B			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		33	7.98	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	33	60	<150	66
Kalsium as Ca	mg/l	33	52.12	<150	57
Magnesium as Mg	mg/l	33	27.20	<70	30
Natrium as Na	mg/l	33	33.50	<200	37
Atrium as K	mg/l	33	0.85	<50	0.9
Totale hardheid as CaCO ₃	mg/l	33	242.82	<300	267
Chloried as Cl	mg/l	33	28.89	<200	32
Vitriool as SO ₄	mg/l	33	35.06	<400	39
Nitrat as NO _x -N	mg/l	33	0.79	<10	0.9
Fluoried as F	mg/l	33	0.29	<1.0	0.32
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Dui aan dat slegs na-1995 hidrochemiese datstelle vir die spesifieke kwartêr-opvanggebied gebruik is.

Tabel 6.65: Grondwatergehalte Reserwe – Kwartêr opvanggebied C91A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C91A*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		14	8.41	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	14	70.10	<150	77
Kalsium as Ca	mg/l	14	27.45	<150	30
Magnesium as Mg	mg/l	14	36.85	<70	41
Natrium as Na	mg/l	14	59.70	<200	66
Atrium as K	mg/l	14	4.02	<50	4.4
Totale hardheid as CaCO ₃	mg/l	14	220.3	<300	242
Chloried as Cl	mg/l	14	44.40	<200	49
Vitriool as SO ₄	mg/l	14	60.20	<400	66
Nitrat as NO _x -N	mg/l	14	3.05	<10	3.4
Fluoried as F	mg/l	14	0.28	<1.0	0.30
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Tabel 6.66: Grondwatergehalte Reserwe – Kwartêr opvanggebied C91B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C91B*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		41	7.90	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	41	96.00	<150	106
Kalsium as Ca	mg/l	41	50.50	<150	56
Magnesium as Mg	mg/l	41	46.40	<70	51
Natrium as Na	mg/l	41	70.40	<200	77
Atrium as K	mg/l	41	2.30	<50	2.5
Totale hardheid as CaCO ₃	mg/l	41	317.2	<300	349
Chloried as Cl	mg/l	41	68.50	<200	75
Vitriool as SO ₄	mg/l	41	60.20	<400	66
Nitraat as NO _x -N	mg/l	41	7.02	<10	7.7
Fluoried as F	mg/l	41	0.56	<1.0	0.62
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datstel (mees verteenwoordigende ruimtedatstel)					

Tabel 6.67: Grondwatergehalte Reserwe – Kwartêr opvanggebied C91C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C91C			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		33	8.12	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	33	98.90	<150	109
Kalsium as Ca	mg/l	33	82.90	<150	91
Magnesium as Mg	mg/l	33	62.57	<70	69
Natrium as Na	mg/l	33	25.81	<200	28
Atrium as K	mg/l	33	3.33	<50	3.7
Totale hardheid as CaCO ₃	mg/l	33	464.7	<300	511
Chloried as Cl	mg/l	33	92.36	<200	102
Vitriool as SO ₄	mg/l	33	54.36	<400	60
Nitraat as NO _x -N	mg/l	33	14.42	<10	16
Fluoried as F	mg/l	33	0.41	<1.0	0.45
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH).					

Tabel 6.68: Grondwatergehalte Reserwe – Kwartêr opvanggebied C91D

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C91D*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		15	7.90	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	15	71.30	<150	78
Kalsium as Ca	mg/l	15	49.60	<150	55
Magnesium as Mg	mg/l	15	38.80	<70	43
Natrium as Na	mg/l	15	30.30	<200	33
Atrium as K	mg/l	15	2.91	<50	3.2
Totale hardheid as CaCO ₃	mg/l	15	283.6	<300	312
Chloried as Cl	mg/l	15	35.00	<200	39
Vitriool as SO ₄	mg/l	15	36.50	<400	40
Nitrat as NO _x -N	mg/l	15	2.55	<10	2.8
Fluoried as F	mg/l	15	0.64	<1.0	0.7
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Tabel 6.69: Grondwatergehalte Reserwe – Kwartêr opvanggebied C91E

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C91E*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		29	8.00	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	29	113.20	<150	125
Kalsium as Ca	mg/l	29	78.20	<150	86
Magnesium as Mg	mg/l	29	61.10	<70	67
Natrium as Na	mg/l	29	53.90	<200	59
Atrium as K	mg/l	29	1.80	<50	2.0
Totale hardheid as CaCO ₃	mg/l	29	446.9	<300	492
Chloried as Cl	mg/l	29	69.50	<200	76
Vitriool as SO ₄	mg/l	29	116.80	<400	128
Nitrat as NO _x -N	mg/l	29	7.45	<10	8.2
Fluoried as F	mg/l	29	0.58	<1.0	0.64
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)					

Tabel 6.70: Grondwatergehalte Reserwe – Kwartêr opvanggebied C92A

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C92A*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		298	8.09	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	298	49.10	<150	54
Kalsium as Ca	mg/l	298	51.35	<150	56
Magnesium as Mg	mg/l	298	19.20	<70	21
Natrium as Na	mg/l	298	10.58	<200	12
Atrium as K	mg/l	298	2.29	<50	2.5
Totale hardheid as CaCO ₃	mg/l	298	207.3	<300	228
Chloried as Cl	mg/l	298	20.35	<200	22
Vitriool as SO ₄	mg/l	298	20.45	<400	23
Nitraat as NO _x -N	mg/l	298	2.31	<10	2.5
Fluoried as F	mg/l	298	0.17	<1.0	0.19
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Tabel 6.71: Grondwatergehalte Reserwe – Kwartêr opvanggebied C92B

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C92B*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperking ²	Grondwatergehalte Reserwe ³
pH		46	8.22	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Elektriese geleidingsvermoë	mS/m	46	100.20	<150	110
Kalsium as Ca	mg/l	46	82.85	<150	91
Magnesium as Mg	mg/l	46	73.40	<70	81
Natrium as Na	mg/l	46	29.05	<200	32
Atrium as K	mg/l	46	3.28	<50	3.6
Totale hardheid as CaCO ₃	mg/l	46	509.1	<300	560
Chloried as Cl	mg/l	46	55.55	<200	61
Vitriool as SO ₄	mg/l	46	42.25	<400	46
Nitraat as NO _x -N	mg/l	46	6.14	<10	6.8
Fluoried as F	mg/l	46	0.31	<1.0	0.34
Watergehalteklas					Klas 1

¹ Gebaseer op langtermyn grondwatergehaltedatstelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9);

² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC *et al.* 2^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en

³ Middelwaarde plus 10% (met die uitsondering van pH).

* Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatstel)

Tabel 6.72: Grondwatergehalte Reserwe – Kwartêr opvanggebied C92C

Chemiese Parameter	Eenheid	Vaal WMA – Kwartêr opvanggebied: C92C*			
		[A]	[B]	[C]	[D]
		Aantal monsters	GW-gehalte (middelwaarde) ¹	BMB Beperk ²	Grondwatergehalte Reserwe ³
pH		100	8.27	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Elektriese geleidingsvermoë	mS/m	100	87.60	<150	96
Calciu m as Ca	mg/l	100	83.55	<150	92
Magnesium as Mg	mg/l	100	56.10	<70	62
Natrium as Na	mg/l	100	20.95	<200	23
Atrium as K	mg/l	100	4.13	<50	4.5
Totale hardheid as CaCO ₃	mg/l	100	439.6	<300	484
Chloried as Cl	mg/l	100	50.85	<200	56
Vitriool as SO ₄	mg/l	100	32.30	<400	36
Nitrat as NO _x -N	mg/l	100	4.29	<10	4.7
Fluoried as F	mg/l	100	0.33	<1.0	0.36
Watergehalteklas					Klas 1
¹ Gebaseer op langtermyn grondwatergehaltedatastelle (DWS Waterbestuurstelsel). Minimum aantal analise gebruik vir die statistiese evaluering is nege (9); ² Boonste beperking van Klas I-watergehalte (drinkwater) (WRC <i>et al.</i> 2 ^{de} Weergawe, 1998, Volume 1: Assesseringsgids); en ³ Middelwaarde plus 10% (met die uitsondering van pH). * Gebaseer op voor-1995 hidrochemiese datastel (mees verteenwoordigende ruimtedatastel)					

7. BESKERMINGS- EN BESTUURSVEREISTES VIR PRIORITEITVLEILANDE

Prioriteitvleilande in die Vaalrivier-opvanggebied sluit in daardie vleilande wat 'n hoë of baie hoë ekologiese sensitiwiteit vertoon. Addisionele prioriteitvleilande is geïdentifiseer met inagneming van, onder andere, unieke wesenstrekke, rooi data spesie en veenvleilande. Aanbevole ekologiese kategorieë (AEK) en ekologiese spesifikasies vir die prioriteitvleilande in die Vaalwaterbestuursgebied word in Tabel 7.1 voorgelê. Die huidige ekologiese status (HES) en die Belang en Sensitiwiteit (BS) van die geïdentifiseerde prioriteitvleilande word ook voorgelê.

Let wel:

Afkortings verwys na in Tabel 7-1:

- CBA: Kritiese Biodiversiteitsgebied
- EOG: Ekologiese Ondersteuningsgebied
- OIA: Omgewingsimpakassessering
- AEK: Aanbevole Ekologiese Kategorie
- TEK: Teiken Ekologiese Kategorie
- WGL: Watergebruiklisensie

Tabel 7.1: Ekologiese spesifikasies vir prioriteitvleilande in die Vaal-waterbestuursarea

IUA	Kwartier Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
UA	C11H	Hoofwater van die Blesbokspruit (Boonste Vaal)	Ongekanaliseerde valleibodem	C	Hoog	B/C	C	Diffuse waterverspreiding word vereis om die watergehalte verbeteringsfunksies te optimaliseer. Die ongekanaliseerde aard van gedeeltes van die vleiland moet in stand gehou word. Hou bestaande plantegroeistruktuur en -samestelling in stand. Laterale vloei-ingange tot die vleiland moet beskerm word deur aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van Omgewingsimpakassessering- (OIA) en/of Watergebruiklisensie- (WGL) aansoeke en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees. Enige aansoek vir ontwikkeling insluitend mynweese wat waarskynlik 'n impak op hierdie sisteem sal hê, derhalwe om deur die normale lisensieringsprosesse te gaan, moet ook as 'n minimum 'n Intermediêre vlak Vleiland Reserwe insluit wat vloei modelering (oppervlak en grondwater insluitend intervloei) van scenarios insluit om die potensiele impak vas te stel om die AEK te bereik. Diffuse waterverspreiding word vereis om hidrologiese en biodiversiteitsondersteuningsfunksies te optimaliseer.
UB	C13C	Vanger	Ongekanaliseerde valleibodem	A	Baie hoog	A	A	In 'n natuurlike of naby-natuurlike ekologiese toestand vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk in stand te hou. Maak seker dat die terrein en die opvanggebied bydra tot die Kritiese Biodiversiteitsgebiede 1- en Ekologiese Ondersteuningsgebiede 2-landskaplakoel vir die terrein om 'n lewensvatbare verteenwoordigende monstervan hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Instandhouding van die bestaande vloei-verdeling en retensiepatrone in die sisteem om die bestaande plantegroeistruktuur en -samestelling in stand te hou. Laterale vloei-ingange tot die vleiland moet beskerm word deur aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van OIA- en/of WGL-aansoeke en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees.

Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes							
IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK
							Diffuse waterverspreiding word vereis om hidrologiese en biodiversiteitsondersteuningsfunksies te optimaliseer.
UB	C13C	Seekoelvlei	Vloedvlakte	E ¹	Baie hoog	D	Implimenteer maatreëls om die toestand van die vleiland tot 'n meer natuurlike ekologiese toestand te verbeter en bestuur volgens die beskermde gebied bestuursplan-doelwitte. Beskerm die vleiland en die opvanggebied vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Maak seker dat die terrein en die opvanggebied bydra tot die Kritiese Biodiversiteitsgebiede 1, Ekologiese Ondersteuningsgebiede 1 en 2 landskapvlakdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Verbeter die bestaande vloei-verspreiding en retensiepatrone in die sisteem om van die verlore ekologiese en hidrologiese funksionaliteit van die sisteem en plantegroei-struktuur en –samestelling te herstel. Laterale vloei-ingange tot die vleiland moet beskerm word deur aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van Omgewingsimpakassessering- (OIA) en/of Watergebruiklisensie- (WGL) aansoek en streng lisensieringsbestande, insluitend monitoring van die sisteme, moet van toepassing wees. Monitor afstroming afkomstig vanaf die stroomop stedelike gebiede wat bekend daarvoor staan om gedung rioolwateroortloop, asook afloop van die soliede verspillingsterrein, te veroorsaak. Identifiseer en prioritiseer vleilandrehabilitasievereistes om geïmplementeer te word deur die reeds doernige Werk vir Vleilande-program.
							Implimenteer maatreëls om die ekologiese toestand van die sisteem te verbeter of ten minste in stand te hou vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Maak seker dat die terrein en die opvanggebied bydra tot die Kritiese Biodiversiteitsgebiede 1- en Ekologiese Ondersteuningsgebiede 2- landskapvlakdoel vir die terrein om 'n lewensvatbare monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou.
UC1	C81B	Murphy's Rust	Ongekanaliseerde en gekanaliseerde vallei-bodem	C	Baie hoog	B	Hou die bestaande vloei-verdeling en retensiepatrone in die sisteem in stand. Hou bestaande plantegroei-strukture en -samestelling asook lae steuringsvlakke in stand vir aanhoudende ondersteuning van bedreigde biodiversiteit. Huidige ongekanaliseerde vleilande moet soos ongekanaliseerde sisteme in stand gehou word. Vloei-ingange tot die vleiland moet beskerm word deur aanwending van hidrologiese buffers bepaal deur hidro-pedologiese assesserings onderneem as deel van OIA- en/of WGL-aansoek en streng lisensieringsstoestande, insluitend monitoring van die sisteme, moet van toepassing wees. Pas die veiligheidsbeginsel vir sturing van onbekende impak toe. Enige aansoek vir ontwikkeling wat waarskynlik 'n impak op hierdie sisteem sal hê, derhalwe om deur die normale lisensieringsprosesse te gaan, moet ook as 'n minimum 'n Intermediêrvlak Vleiland Reserve insluit wat vloei

¹ Die sisteem is in 'n HES-kategorie van E (ernstig veranderd), maar het 'n baie hoë BS aangesien dit 'n Ramsar-terrein is (aangewys as 'n Vleiland van Internasionale Belang in terme van die Ramsar-konvensie). 'n HES-kategorie van E is nie voldoende nie so die TEC word aanbeveel om dieselfde as AEK te wees en is een kategorie hoër as die HES gestel. Rehabilitasie-ingryping sal benodig word om verbetering in die HES van hierdie sisteem te bereik moet dit dus geprioritiseer word.

IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
								modelering (oppervlak en grondwater insluitend intervloei) van scenarios insluit om die potensiele impak vas te stel om die AEK te bereik.
								Hou die natuurlike voorgewende watervruijng van die Bedford Dam in stand om onveranderde hidrologiese regime te verseker. Diffuse waterverspreiding word vereis om hidrologiese en biodiversiteitsondersteuningsfunksies te optimaliseer.
								Hou die naby-natuurlike ekologiese toestand in stand vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Maak seker dat die terrein en die opvanggebied bydra tot die Kritiese Biodiversiteitsgebied- (CBA1) en EOG2-landskapvlakdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou.
								Hou die bestaande vloei-verdeling en retensiepatrone in die sisteem in stand. Hou bestaande plantegroei-struktuur en –samestelling asook lae steuringsvlakke in stand vir aanhoudende ondersteuning van bedreigde biodiversiteit.
UC1	C81A	Bedford- vleilandkompleks	Ongekanaliseerde valleibodem	C	Baie hoog	B	B/C	Huidige ongekanaliseerde vleilande moet soos ongekanaliseerde sisteme in stand gehou word. Geen erosie-aflope (geen insnyding van kanale of hoofsnêe nie) kan toegelaat word om binne die vleiland te ontwikkel nie. Dit is 'n ongekanaliseerde vleiland en is baie sensitief vir erosie en insnyding. Vloei-vruijlings van die Bedford Dam moet die natuurlike hidrologiese regime simuleer wat 'n vereiste is om die vleiland in sy bestaande toestand in stand te hou. Die goedgekeurde Reserwe vir die Vleiland beveel beide basisvloei en vloei-vruijlings vir die Vleiland aan. Die basisvloei word benodig om die vlak inondasie van die valleihoër te verseker, veral in daardie gedeeltes van die valleihoër wat gemengde watergrasmoeras ondersteun. Dit word vereis nie net om potensiese toepaslike habitat vir die kritiese bedreigde Witvlerk-vleikuiken en aandeelhabitat vir Leikrane te verskaf nie, maar om versadiging van die veen in die sisteem te verseker. Dit sal ook gunstige toestande vir die funksionering van die Vleiland en die voorsiening van ekosisteedienste skep deur kontak tussen die waterkolom en die vleilandseimente te maksimaliseer.
								Die funksie van hierdie hoër vloei help om 'n vlak van vleilandhabitat-instandhouding te bereik (vir die kleiner inondasiegebeurtenisse) en om toe te laat vir spoeling van die swak ontwikkelde kanale (in die geval van die groter, meer seldsame deurspoeling-gebeurtenisse). Monitoring moet gemik word op die bepaling of die aanbevole basisvloei en vloei-vruijlings die gewenste mikpunt vir die vleiland en die AEK bereik of nie. Dit moet ook vir die bespeuring van verandering wees, veral veranderinge verwant aan die hidrologiese regime om toekomstige watervruijlings in te lig. Toekomstige potensiele impak van ontwikkelingsaansoeke moet bepaal word as deel van OIA- en/of WGL-aansoeke en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees. Pas die veiligheidsbeginsel vir steuring van onbekende impak toe.
								Monitoring van bestaande vleilandrehabilitasiestrukture word vereis om die voortdurende uitvoering van die struktuur te verseker.
UC1	C81A	Boonste Wlge	Vloedvlakte	B	Hoog	A/B	B	Vloede word benodig om die vloedvlakte te inundeer en verskaf daardeur die benutting regime wat vereis word om die vloedvlakteplantegroei te ondersteun wat afhanklik is van onderwaterseifing vir hulle lewensklusse.

IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
								In 'n natuurlike of naby-natuurlike ekologiese toestand in stand te hou vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Maak seker dat die terrein en die opvanggebied bydra tot die CBA1- en EOG2-landskapdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Hou die bestaande vloei-verdeling en retensiepatrone in die sisteem in stand om die bestaande plantegroei-strukture en -samestelling in stand te hou. Laterale vloei-ingange tot die vleiland moet beskerm word deur die aanwending van hidrologiese buffers bepaal deur hidro-pedologiese assesserings te onderneem as deel van OIA- en/of WGL-aansoek en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees. Vloede word benodig om die vloedvlakte te inundeer en verskaf daardeur die benutting regime wat vereis word om die vloedvlakteplantegroei te ondersteun wat afhanklik is van onderwatersetting vir hulle lewensiklusse.
UC1	C81L	Meul	Vloedvlakte	B	Hoog	A/B	B	Om 'n natuurlike of naby-natuurlike ekologiese bestand in stand te hou vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Maak seker dat die terrein en die opvanggebied bydra tot die EOG1- en EOG2-landskapdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Hou die bestaande vloei-verdeling en retensiepatrone in die sisteem in stand om die bestaande plantegroei-strukture en -samestelling in stand te hou. Laterale vloei-ingange tot die vleiland moet beskerm word deur die aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van OIA- en/of WGL-aansoek en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees. Om die toestand van die vleiland te verbeter, moet die volgende oorweeg word:
UI	C21E	Biesbokspruit ²	Oorstroomde valleibodem (kunstmatig ondersteun)	D	Hoog	C/D	D	- Bestuursintervensies om sekere soorte habitatte wat vir sekere voëlspesies nodig is, weer vas te stel; - Verbeterde behandeling van mynwater, afloopwater en uitloop afvoere per bron voordat dit in vleilandgebiede vrygestel word; - Ingenieurswese van sommige gedeeltes van die vleiland om oksidasiesone te skep om verbeterde watergehalte te implimiteer. Dit sal ook sommige van die oopwaterhabitate herskep wat met hoë watervloeigetalle in die 1970's en 1980's geassosieer is; - Vooropstelling en beskerming van die paar bolope waar die spesies ryk, seisoenale nat grasveld nog steeds voorkom, en - Monitoring om te verseker dat die gespesifiseerde watergehaltestandaarde in terme van afvoer nagekom en uitgevoer is. Hierdie voorafgaande studies het dus verdere werk aanbeveel om die effekte van die verandering van die

² Die sisteem is 'n Ramsar-terrein (aangewys as 'n Vleiland van Internasionale Belang in terme van die Ramsar-konvensie) en word belangrik geag vanaf beide 'n voëllewe en hidro-funksionele perspektief

Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes							
IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK
							vloei deur die stelsel te verstaan. Daar is besorgtheid gewees dat die inleiding van variabiliteit in vloei tot die sisteem tot gevolg kon hê dat sommige van die afsettings chemiese veranderinge kon ondergaan wat die mobilisering van sekere swaar metale en uraan wat gesondheidsrisiko's skep, tot gevolg kon hê. Meer duidelikheid oor hierdie kwessie sal vereis word voordat enige aanbeveling verwant aan die verandering van die vloei deur die sisteem met enige vertroue gemaak kon word dat dit nie in gesondheidsrisiko's sal ontaard nie.
							Skakel met geïnteresseerde en geëffekteerde partye om 'n samewerkende bestuurs-, rehabilitasie- en moniteringsplan vir die vleiland te ontwikkel.
							Histories, is die vloei in hierdie sisteem baie laer as hedendaags, maar weens die veranderde kanaalgeometrie – die insnyding van die kanaal tot in die vleiland – word groter vloei nou vereis om die vloedvlakte te inundeer as wat nodig sou gewees het onder die Verwysingskanaal-toestand. Selfs dan, is die hedendaagse vloei baie hoër as die geraamde ekologiese watervereistes vir die bloop. Die hedendaagse natseisoen-basisvloei oorskry selfs die geraamde jaarlikse vloeivereiste vir die D AEK. As die TEK verbeter moet word van die huidige D/E na 'n D of hoër, dan moet basisvloei verminder word. As die vloei nie verminder kan word nie, dan is dit hoogs onwaarskynlik dat die verbeterde D-toestand van die vleilandbloop bereik sal word.
UI	C22D	Kliprivier-vleiland	Ongekanaliseerde en gekanaliseerde valleibodem	D/E	Matg	D	As die vloei verminder word, sal dit dan geleenthede oopmaak vir rehabilitasie-aksies, soos klein damme wat gebruik kan word om plaaslike basisvlakke terug te plaas om die impakte van die gegrifte kanale op te weeg. Hierdie soort strukture in die hoof stam sal die water kan verhoog en die valleibodem en geassosieerde veen substate.
							Rehabilitasie-aksies in die Kliprivier-opvanggebied moet fokus op: • Verskraling van stedelike stormwaterplekke (in die kleiner byriviere); • Stabilisering van hoofstree in die hoof stam en groter byriviere; en • Verhoging van die watertabel en herbenutting van die valleibodem-vene van die hoof byriviere.
							Skakel met geïnteresseerde en geëffekteerde partye om 'n samewerkende bestuurs-, rehabilitasie- en moniteringsplan vir die vleiland te ontwikkel en te implimenter.
							Diffuse waterverspreiding word vereis om die watergehalte verbeteringsfunksies te optimaliseer. Dit is dus belangrik om die bestaande vloei verspreiding en retensiepatrone in die sisteem in stand te hou en, indien moontlik, te verbeter.
UI	C22B	Natalspruit	Ongekanaliseerde en gekanaliseerde valleibodem	D	Hoog	C/D	Ongekanaliseerde gedeeltes van die vleiland moet as ongekanaliseerde in stand gehou word en bestaande plantegroei- en -samestelling moet ten minste teruggehou of verbeter word. Laterale vloei-ingange tot die vleiland moet beskerm word deur die aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van OJA- en/of WGL-aansoek en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees. Die vleiland moet geassesseer word om potensiële rehabilitasiemaatreëls te identifiseer wat die huidige toestand en die funksies wat dit uitvoer, sal verbeter.
							Skakel met geïnteresseerde en geëffekteerde partye om 'n samewerkende bestuurs-, rehabilitasie- en

IJA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
								moneringsplan vir die vleiland te ontwikkel.
UK	C23B	Kromelboog- spruit	Vloedvlakte en gekanaliseerde valleibodem	C	Hoog	B/C	C	In 'n natuurlike of naby-natuurlike ekologiese toestand in stand te hou vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Verseker dat die terrein en die opvanggebied bydra tot die EOG1- en EOG2-landskapvlakdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteem en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Hou in stand en verhoog die bestaande vloeiverdeling en retensiepatrone in die sisteem. Huidige ongekanaliseerde vleilande moet soos ongekanaliseerde sisteme in stand gehou word. Hou bestaande plantegroeistruktuur en -samestelling in stand. Laterale vloei-ingange tot die vleiland moet beskerm word deur die aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van OJA- en/of WGL-aansoek en streng lisensieringsbestande, insluitend monitering van die sisteme, moet van toepassing wees. Die vleiland moet geassesseer word om potensiële rehabilitasiemaatreëls te identifiseer wat die huidige toestand sal verbeter. Instandhouding van die altydgroeiende aard van die sisteem en 'n diffuse waterverspreidingspatroon regoor die sisteem is sleutel kenmerke wat die ekologiese asook funksionele belang bepaal. In 'n natuurlike of naby-natuurlike ekologiese toestand in stand te hou vir die langtermyn beskerming van belangrike biodiversiteit, vloei-regulasie-funksie, en as 'n belangrike en unieke landskapkenmerk. Hou goeie watergehalte gewoonlik geassosieer met dolomitiese waterdraers en geassosieerde oëwaterbronne in stand. Voorkom oorabstraksie van die geassosieerde dolomitiese waterdraer. Hou die natuurlike vis en makro-ongewerwde diversiteit van die sisteem in stand en voorkom die inleiding van eksotiese taksa. 'n Bestuursplan moet vir die sisteem ontwikkel en geïmplementeer word. Dit is voorheen al voorgestel dat die herwinning van perifere vlak oopwaterhabitate met voldoende rielgange gelaat tussen die oopwater-gebiede die biodiversiteit van die sisteem sal verbeter. Daar is ook voorgestel dat om sommige van die opgegrawe kanale in die sisteem in te vul, 'n verbetering in die HES sal toelaat. Wanneer die bestuursplan ontwikkel word, moet hierdie voorstelle verder ondersoek word. Bepaal 'n Preliminêre Vleiland en Grondwater Reserwe vir die sisteem asook beskermings- en bestuursvereistes vir die grondwater om die geassosieerde dolomiet waterdraer en vloei in die sisteem te beskerm. Diffuse waterverspreiding word vereis om hidrologiese en biodiversiteitsondersteuningsfunksies te optimaliseer.
UL	C23F	Boovenste Oog	Veenvleiland (dolomitiese oog)	B/C	Hoog	B	B	Hou in stand en waar moontlik verbeter die ekologiese toestand vir die langtermyn beskerming van hidrologiese
UL		Mooi	Ongekanaliseerde valleibodem	D	Hoog	C/D	C/D	

IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
								funksies, biodiversiteit en as 'n belangrike landskapkenmerk. Hou 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme in stand om die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Implementeer maatreëls om die bestaande vloeierverspreiding en retensiepatrone in die sisteem te verbeter en om die bestaande plantegroeiestruktuur en –samestelling in stand te hou. Instandhouding van die altydgroeiende aard van die sisteem en 'n diffuse waterverspreidingspatroon regoor die sisteem is sleutel kenmerke wat die ekologiese asook funksionele belang bepaal. Hou die huidige ekologiese toestande in stand vir die langtermyn beskerming van die oorblywende veen, belangrike biodiversiteit, vloeiregulering en watergehalte verbeteringsfunksies, en as 'n belangrike en unieke landskapkenmerk. Hou in stand en waar moontlik verbeter die natuurlike vloeiervdeling en retensiepatrone in die sisteem. Hou goeie watergehalte gewoonlik geassosieer met huishoudelike waterdraers en geassosieerde veenvleilande in stand. Aangesien veenlande lae energievloei met permanente versadiging en anaërobie se toestande vereis, vir veen om te kan vernieuwingsvuldig of ten minste nie vergaan nie, is dit belangrik dat hierdie toestande aan voldoen moet word om die sisteem in stand te hou. Die ergste wat kan gebeur is om die sisteem in stand te hou gebaseer op 'n TEK of K wat sou beteken het dat dit belangrik sou wees om 'n daaglikse vloei in stand te hou soos voorgestel in die Preliminêre Reserve om die veen voortdurend aan te vul en dit versadig te hou en op dié manier enige kans te verhoed dat dit uitdroog, oksideer en verrot of brand. Aan die ander kant, deur die stelsel te verbeter gebaseer op 'n AEK of B/C sou beteken dat dit belangrik sou wees om die daaglikse vloei en die veenland te verhoog, soos aangedui in die Preliminêre Reserve. Dit sal inundasie van die sisteem toelaat en op dié manier die vermeerdering of akkumulering van veen deur die skepping van anaërobie se toestande binne die rhizomatus sone fasiliteer en dus toestande skep gunstige vir akkumulering van organiese matter afkomstig van die seisoenale afsterwe van onderstokke. Dit sou ontlaas 'n verbetering in die stelsel deur die herbenutting van laterale habitatte, die inundasie van huidige blootgestelde veen, en die hervestiging van die natuurlike veen akkumulasieproses, veral in daardie gebiede waar veen voorheen al gemyn is. Voorkom oorabstraksie van die geassosieerde dolomitiese waterdraer. Verseker volbrenging van die rehabilitasiemaatreëls voorgestel vir die veen mynweese wat in die sisteem plaasgevind het. 'n Bestuurs- en rehabilitasieplan moet vir die sisteem ontwikkel en geïmplementeer word. Werk die bestaande Preliminêre Vleiland Reserve by en bepaal 'n Preliminêre Grondwater Reserve vir die sisteem asook beskermings- en bestuursvereistes vir die grondwater om die geassosieerde dolomiet waterdraer en vloei in die sisteem te beskerm.
UL	C23G	Gerhard Minnebron	Veevleiland	C	Hoog	B/C	C	
UL	C23E	Abe Bailey- natuurservaat	Ongekanaliseerde en gekanaliseerde	D ³	Hoog	C	C	Implementeer maatreëls om die ekologiese toestand te verbeter vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk

³ Aangesien hierdie sisteem met 'n natuurservaat geassosieer word, word die TEK aanbeveel om dieselfde as die AEK te wees en word een kategorie hoër as die HES gestel

IUA	Kwartier Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
		vleilande	valliebodem					Verseker dat die terrein en die opvanggebied bydra tot die CBA- en EOG-landskapdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou.
								Hou in stand en waar moontlik verbeter die bestaande vloei-verdeling en retensiepatrone in die sisteem. Oortollige voedingsinsette moet geïdentifiseer en aangespreek word.
UL	C23H en C23L	O.P.M. Prozesky- voëlpark	Vloedvakte	E ⁴	Hoog	D	D	Implementeer maatreëls om die huidige ekologiese toestand te verbeter vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk.
MA	C70K	Witpan	Pan	F ⁵	Hoog	D	D	Verseker dat die terrein en die opvanggebied bydra tot die CBA- landskapdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou.
								Hou in stand en vermeerder die bestaande vloei-verspreiding en retensiepatrone in die sisteem. Oortollige voedingsinsette moet geïdentifiseer en aangespreek word.
								Implementeer maatreëls om die huidige toestand te verbeter (ekologiese toestand) van die sisteem vir dit om bestaande dienste te verskaf.
								Oortollige voedingsinsette moet geïdentifiseer en aangespreek word.
MC	C24C	Pan- en vleilandkompleks - Leliefontein	Pan, Sepe en ongekanaliseerde valliebodem	C	Hoog	B/C	C	Om die huidige ekologiese toestand in stand te hou vir die langtermyn beskerming van die biodiversiteit en as 'n belangrike landskapkenmerk.
								Hou in stand of verbeter bestaande ekologiese diversiteit en onderlinge verbinding van die pan en geassosieerde vleilandstelsel.
								Watergehalte en -kwaliteit impakte moet bestuur word sodat dit nie die ekologiese waarde van die pan en die geassosieerde vleiland ondermyn nie.
								Om die huidige ekologiese toestand in stand te hou vir die langtermyn beskerming van die biodiversiteit en as 'n belangrike landskapkenmerk.
MC	C24C	Velpan	Pan	C	Hoog	B/C	C	Hou in stand of verbeter bestaande ekologiese diversiteit en onderlinge verbinding van die pan en geassosieerde dreineringsstelsel en omliggende natuurlike habitatte.
								Watergehalte en -kwaliteit impakte moet bestuur word sodat dit nie die ekologiese waarde van die pan en die geassosieerde vleiland ondermyn nie.

⁴ Die sisteem is in 'n HES-kategorie van E (Ernstig Veranderd), maar het 'n hoë BS aangesien dit as 'n belangrike voëlpark beskou word. 'n HES-kategorie van E is nie volhoubaar nie so die TEK word aanbeveel om dieselfde as die AEK te wees en word twee kategorieë hoër as die HES gestel

⁵ Die sisteem is in 'n HES-kategorie van F (Krities Veranderd), maar het 'n hoë BS aangesien dit as 'n belangrike voëlpark beskou word. 'n HES-kategorie van F is nie volhoubaar nie so die TEK word aanbeveel om dieselfde as die AEK te wees en word twee kategorieë hoër as die HES gestel

IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
MC	C24C	Klippan en vleilandstelsel geassosieer met Klippan	Pan en ongekanaliseerde valleibodem	C	Hoog	B/C	C	Om die huidige ekologiese toestand in stand te hou vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Maak seker dat die terrein en die opvanggebied bydra tot die CBA- en EOG-landskapvlakdoel vir die terrein om 'n lewensvatbare verteenwoordigende monstertipe van hierdie soort ekosisteem en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Watergehalte en -kwaliteit impakte moet bestuur word sodat dit nie die ekologiese waarde van die pan en die geassosieerde vleiland ondermyn nie. Hou in stand en vermeerder die bestaande vloeiervindings en retensiepatrone in die sisteem. Huidige ongekanaliseerde vleilande moet soos ongekanaliseerde sisteme in stand gehou word. Hou bestaande plantegroeistruktuur en -samestelling in stand. Die vleiland moet geassosieer word om potensieel rehabilitasiemaatreëls te identifiseer wat die huidige toestand sal verbeter. Instandhouding van die altydgroeiende aard van die sisteem en 'n diffuse waterspreidingspatroon regoor die sisteem is sleutelkenmerke wat die ekologiese asook funksionele belang bepaal. In 'n natuurlike of naby-natuurlike ekologiese toestand in stand te hou vir die langtermyn beskerming van belangrike biodiversiteit, veen, vloeiervindingsfunksie, en as 'n belangrike en unieke landskapkenmerk. Hou die natuurlike vloeiervindings en retensiepatrone in die sisteem in stand. Hou goeie watergehalte in stand wat gewoonlik geassosieer word met dolomitiese waterdraers en geassosieerde oë/waterbronne. Voorkom oorabstraksie van die geassosieerde dolomitiese waterdraer. Hou die natuurlike vis en makro-ongewerweld diversiteit van die sisteem in stand en voorkom die inleiding van eksotiese taksa. 'n Bestuursplan moet vir die sisteem ontwikkel en geïmplementeer word in ooreenstemming met geïnteresseerde en geaffekteerde partye.
MC	C24C	Boonste gedeelte van die Schoonspruit- veenland en die Schoonspruit- oog	Veenvleiland en dolomitiese oog	B	Baie hoog	A	B	Bepaal 'n Preliminêre Vleiland en Grondwater Reserwe vir die sisteem asook beskermings- en bestuursvereistes vir die grondwater om die geassosieerde dolomiet waterdraer en vloei in die sisteem te beskerm. Vloede word benodig om die vloedivakte te inundeer en verskaf daardeur die benutting regime wat vereis word om die vloedivakteplantegroei te ondersteun wat afhanklik is van onderwaterstelling vir hulle lewensiklusse. Die laer gedeelte van die vleiland is ongekanaliseer en moet so bly aangesien dit heel moontlik watergehalte verbeteringsfunksies en habitat verskaf wat anders as die res van die sisteem is. Dit verbeter die biodiversiteit van die vleiland. Hou die huidige ekologiese toestand in stand en waar moontlik verbeter die toestand van die sisteem vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk.
MC	C24F	Vloedivakte en laer gedeelte van die Taabosspruit	Vloedivakte en ongekanaliseerde valleibodem	C	Hoog	B/C	C	

IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
								Hou die bestaande vloei-verdeling en retensiepatrone in die sisteem in stand om die bestaande plantegroei-strukture en –samestelling in stand te hou. Ongekanaliseerde gedeeltes van die vleiland moet as ongekanaliseerd in stand gehou word en bestaande plantegroei-strukture en –samestelling moet ten minste teruggehou of verbeter word. Laterale vloei-ingange tot die Vleiland moet beskerm word deur die aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van OIA- en/of WGL-aansoek en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees. Die vleiland moet geassesseer word om potensiese rehabilitasiemaatreeks te identifiseer wat die huidige toestand en die funksies wat dit uitvoer, sal verbeter.
MC	C24G	Vloedvlakte van die Schoonspruit insluitend Mahemsvlei	Vloedvlakte	C	Hoog	B/C	C	Vloede word benodig om die vloedvlakte te inundeer en verskaf daardeur die benutting regime wat vereis word om die vloedvlakteplantegroei te ondersteun wat afhanklik is van onderwatersetting vir hulle lewensiklusse. Om die huidige ekologiese toestand in stand te hou en waar moontlik die toestand van die sisteem vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk te verbeter. Hou die bestaande vloei-verdeling en retensiepatrone in die sisteem in stand om die bestaande plantegroei-strukture en –samestelling in stand te hou. Laterale vloei-ingange tot die vleiland moet beskerm word deur die aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van OIA- en/of WGL-aansoek en streng lisensieringstoestande, insluitend monitoring van die sisteme moet van toepassing wees. Die vleiland moet geassesseer word om potensiese rehabilitasiemaatreeks te identifiseer wat die huidige toestand en die funksies wat dit uitvoer, sal verbeter. Instandhouding van die altydgroeiende aard van die sisteem en 'n diffuse waterspreidingspatroon regoor die sisteem is sleutel kenmerke wat die ekologiese asook funksionele belang bepaal.
MC	C24C en C24E	Laer gedeelte van die Schoonspruit-vaanland	Veenveiland	D	Baie hoog	C	C	Verbeter die ekologiese toestand van die sisteem vir die langtermyn beskerming van belangrike biodiversiteit, veen, vloei-regulasiefunksie, en as 'n belangrike en unieke landskapkenmerk. Hou die natuurlike vloei-verspreiding en retensiepatrone in die sisteem in stand. Hou goeie watergehalte gewoonlik geassosieer met dolomitiese waterdraers en geassosieerde oë/waterbronne in stand. Voorkom oorabstraksie van die geassosieerde dolomitiese waterdraer. Voorkom en bestuur oorabstraksie/afleiding van vloei/water vanaf die veenland. Hou die natuurlike vis en makro-ongewerwelde diversiteit van die sisteem in stand en voorkom die inleiding van

Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes							
IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK
							eksotiese taksa. 'n Bestuursplan moet vir die sisteem ontwikkel en geïmplementeer word in ooreenstemming met geïnteresseerde en geaffekteerde partye.
							Bepaal 'n Preliminêre Vleiland en Grondwater Reserve vir die sisteem asook beskermings- en bestuursvereistes vir die grondwater om die geassosieerde dolomiet waterdraer en vloei in die sisteem te beskerm.
							Hou in stand en waar moontlik verbeter die huidige ekologiese toestand vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Verseker dat die terrein en die opvanggebied bydra tot die CBA1-, EOG1- en EOG2-landskapvlakdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou.
MA	C70G	Grootvlei in 'n byrivier van die Heuningspruit en op die Heuningspruit	Ongekanaliseerde en gekanaliseerde vallei-bodem	D	Hoog	C/D	D
							Hou in stand en verhoog die bestaande vloei-verspreiding en retensiepatrone in die sisteem.
							Huidige ongekanaliseerde vleilande moet soos ongekanaliseerde sisteme in stand gehou word.
							Hou bestaande plantegroei-struktuur en -samestelling in stand.
							Laterale vloei-ingange tot die vleiland moet beskerm word deur die aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings onderneem as deel van OIA- en/of WGL-aansoek en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees.
							Die vleiland moet geassesseer word om potensiele rehabilitasiemaatreëls te identifiseer wat die huidige toestand sal verbeter.
							Hou in stand en vermeerder die bestaande vloei-verdeling en retensiepatrone in die sisteem.
MA	C70K	Vleilandstelsel aangrensend Vrijensdijk	Ongekanaliseerde en gekanaliseerde vallei-bodem	E ⁶	Hoog	D	D
							Druk vanaf riooluitloopwater, fisiese obstruksie, informele nedersettings en ander in stroomopgebiede moet aandag geniet.
							Huidige ongekanaliseerde vleilande moet soos ongekanaliseerde sisteme in stand gehou word.
							Hou in stand of verbeter bestaande plantegroei-struktuur en -samestelling.
							Die vleiland moet geassesseer word om potensiele rehabilitasiemaatreëls te identifiseer wat die huidige toestand en vermoë om watergehalte te verbeter, sal verbeter.
							Implementeer maatreëls om die huidige ekologiese toestand te verbeter vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk.
MA	C70K	Groot Rietpan	Pan	D	Hoog	C/D	C/D
							Verseker dat die terrein en die opvanggebied bydra tot die CBA2-landskapvlakdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou.
							Hou in stand en vermeerder die bestaande vloei-verdeling en retensiepatrone in die sisteem.
							Monitor voedings- en sedimentingange van onmiddellike opvanggebiede.

⁶ Die sisteem is in 'n HES-kategorie van E (Ernstig Veranderend), maar het 'n hoë BS weens die hidro-funksionele belang. 'n HES-kategorie van E is nie volhoubaar nie so die TEK word aanbeveel om dieselfde as die AEK te wees en word een kategorie hoër as die HES gestel

IUA	Kwantêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
								Die vleiland moet geassesseer word om potensiele rehabilitasiemaatreefs te identifiseer om die hidrologie na 'n meer natuurlike toestand te herstel.
MF	C25B	Boonste bolope van die Sandspruit (onmiddellik noord van Kutloanong)	Ongekanaliseerde en gekanaliseerde valleibodem	D	Hoog	C/D	D	Hou in stand en waar moontlik verbeter die huidige ekologiese toestand vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Maak seker dat die terrein en sy opvanggebied bydra tot die CBA1- en EOG1- landskapvlakdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Hou in stand en waar moontlik vermeerder die bestaande vloei verspreiding en retensiepatrone in die sisteem. Druk vanaf riooluitloopwater, fisiese obstruksie, informele nedersettings en ander in stroomopgebiede moet aandag geniet. Huidige ongekanaliseerde vleilande moet soos ongekanaliseerde sisteme in stand gehou word. Hou in stand of verbeter bestaande plantegroeistruktuur en -samestelling. Laterale vloei-ingange tot die vleiland moet beskerm word deur die aanwending van hidrologiese buffers te bepaal deur hidro-pedologiese assesserings te onderneem as deel van OIA- en/of WGL-aansoek en streng lisensieringstoestande, insluitend monitoring van die sisteme, moet van toepassing wees. Die vleiland moet geassesseer word om potensiele rehabilitasiemaatreefs te identifiseer wat die vermoë sal verbeter om watergehalte te verbeter.
MF en MD2	C25B, C25F en C43B	Groepie panne rondom Wesselbron insluitend Volstruispan na die noorde	Groepie panne	C	Hoog	B/C	B/C	Hou die naby-natuurlike ekologiese toestand in stand vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Maak seker dat die terrein en die opvanggebied bydra tot die EOG1- en EOG2-landskapvlakdoel vir die terrein om 'n lewensvatbare verteenwoordigende monster van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Beskerm die watergehalte en ekologiese karakteristieke van die verskillende panne geassosieer met die groepie om te verseker dat hulle aanhou om die biodiversiteitsondersteuningsfunksies tipies geassosieer met die verskillende pansoorte wat teenwoordig is, te verskaf.
MD2	C43B	Flamingo Pan	Pan	F7	Hoog	D	D	Hou in stand of verbeter bestaande ekologiese diversiteit en onderlinge verbinding van individuele verlaagde vleilande (panne). Implementeer maatreefs om die huidige toestand van die pan te verbeter vir dit om voort te gaan om bestaande dienste te verskaf.

⁷ Die sisteem is in 'n HES-kategorie van F (Krities Veranderd), maar het 'n hoë BS aangesien dit 'n belangrike voëlpark beskou word. 'n HES-kategorie van F is nie volhoubaar nie so die TEK word aanbeveel om dieselfde as die AEK te wees en word twee kategorieë hoër as die HES gestel

IUA	Kwartêr Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
								Oortollige voedings- en besoedelingsinsette moet geïdentifiseer en aangespreek word. Stel voor en implimenter fisiese en bestuursintervensies wat vereis word.
ME2	C43A	Bultfontein Pan	Pan	D	Hoog	C/D	C/D	In oorlog met geïnteresseerde en geaffekteerde partye verken en waar doenlik implimenter maatreeks om die hidrologiese regime tot 'n meer natuurlike toestand te verbeter. Verhoed riooluitloopwater om in die vleilandsisteem in te vloei. Assesseer en monitor die impak van soute werke en ander aktiwiteite op die hidrologie en die biodiversiteitsondersteuningsfunksie van die vleiland. Stel voor en implimenter fisiese en bestuursintervensies wat vereis word.
MD2	C43B	Toronto Pan	Pan	F ⁸	Hoog	D	D	Implimenter maatreeks om die huidige toestand van die pan te verbeter vir dit om voort te gaan om bestaande dienste te verskaf. Oortollige voedings- en besoedelingsinsette moet geïdentifiseer en aangespreek word. Stel voor en implimenter fisiese en bestuursintervensies wat vereis word.
LA1	C31D	Barberspan ⁹	Pan	C	Bale hoog	B	B/C	Hou in stand en indien moontlik verbeter die huidige ekologiese toestand vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike vleiland en landskapkenmerk. Oortollige voedings- en sedimentingange moet geïdentifiseer en aangespreek word. Skakel met geïnteresseerde en geaffekteerde partye om 'n samewerkende bestuurs- en moniteringsplan saam met dié vir Leeupan te ontwikkel.
LA1	C31D	Leeupan	Pan	C ¹⁰	Hoog	B/C	B/C	Implimenter maatreeks om die huidige ekologiese toestand van die vleiland te verbeter vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Oortollige voedings- en/of sedimentingange moet geïdentifiseer en aangespreek word. Skakel met geïnteresseerde en geaffekteerde partye om 'n samewerkende bestuurs- en moniteringsplan saam met dié vir Barberspan te ontwikkel.
LA2	C31E	Harts River- vloedvakte	Vloedvakte	C	Hoog	B/C	B/C	Erosie en kanaalinsnyding dreig om die vloeddempfunksies van die vleiland te ondermyn. Dit is ook belangrik om die beskerming en handhawing van die vloedvaktehabitatte wat biodiversiteit ondersteun, te verseker. Implimenter maatreeks om die huidige toestand van die vleiland te verbeter vir die langtermyn beskerming van


⁸ Die sisteem is in 'n HES-kategorie van F (Krities Veranderd), maar het 'n hoë BS aangesien dit 'n belangrike voëlpark beskou word. 'n HES-kategorie van F is nie volhoubaar nie so die TEK word aanbeveel om dieselfde as die AEK te wees en word twee kategorieë hoër as die HES gestel.

⁹ Die sisteem is 'n Ramsar-terrein (aangewys as 'n Vleiland van Internasionale Belang in terme van die Ramsar-konvensie).

¹⁰ Aangesien hierdie sisteem geassosieer word met die Barberspan Ramsar-terrein, word die TEK aanbeveel om dieselfde te wees as die AEK en word dit 'n halwe kategorie hoër as die HES gestel.

IUA	Kwartier Opvanggebied	Naam van vleiland	Soort vleiland	HES	BS	AEK	TEK	Ekologiese Spesifikasies Beskermings-, Handhawing- en Bestuursvereistes
								belangrike biodiversiteit en as 'n belangrike landskapkenmerk. Hou 'n lewensvatbare verteenwoordigende monstert van hierdie soort ekosisteme en die geassosieerde biodiversiteit in stand. Hou in stand en vermeerder die bestaande vloei-verdeling en retensiepatrone in die sisteem en hou die hidrologiese en ekologiese skakel na Barberspan. Hou die bestaande plantegroei-struktuur en -samestelling in stand. Hou in stand en waar moontlik verbeter die toestand van die pan vir dit om voort te gaan om bestaande hidrologiese en biodiversiteit-ondersteuningsdienste te verskat.
LB	C91E	Kamferpan ¹¹	Pan	C	Baie hoog	B	B/C	Oortollige voedings- en besoedlingsinsette moet geïdentifiseer en aangespreek word. Voortsetting van bestaande pogings om riool ingang te verhoed en watervlakke te bestuur om onderwatersetting van aanteelgebiede te verhoed. Monitor dreigemente soos eutrofisering en rietinbreukmaking. Skakel met geïnteresseerde en geaffekteerde partye om 'n samewerkende bestuurs- en moniteringsplan vir die pan te ontwikkel. Hou in stand en waar moontlik verbeter die huidige ekologiese toestand vir die langtermyn beskerming van belangrike biodiversiteit en as 'n belangrike landskapkenmerk.
LB	C91B	Gannapan	Pan	C	Hoog	B/C	B/C	Verseker dat die terrein en die opvanggebied bydra tot die CBA1-, CBA2- en EOG1-landskapdoel vir die terrein om 'n lewensvatbare verteenwoordigende monstert van hierdie soort ekosisteme en die geassosieerde biodiversiteit te verteenwoordig en in stand te hou. Hou bestaande hidrologiese regime in stand en ekologiese prosesse om die panne, waterbronne en geassosieerde vleilandhabitate in die huidige ekologiese toestand te beskerm.
LB	C92A	Silverstreams-pan (Die Groot Pan) en geassosieerde vleilandkompleks	Panne, ongekanaliseerde vallei-bodem en waterbronne	B	Hoog	A/B	B	Hou die natuurlike vloei-verdeling en retensiepatrone in die sisteem in stand. Hou goeie watergehalte wat gewoonlik geassosieer word met dolomiet waterdraers en geassosieerde oë/waterbronne in stand. Voorkom oorabstraksie van die geassosieerde dolomitiese waterdraer. 'n Bestuursplan moet vir die sisteem ontwikkel en geïmplementeer word in ooreenstemming met geïnteresseerde en geaffekteerde partye. Bepaal 'n Preiminêre Vleiland en Grondwater Reserwe vir die sisteem asook beskermings- en bestuursvereistes vir die grondwater om die geassosieerde dolomiet waterdraer, geassosieerde waterbronne en vloei in die sisteem te beskerm.

¹¹ Alhoewel dit meerendeels kunsmatig in stand gehou is, is hierdie sisteem 'n kritiese aanteelterrein vir Kleinflamink en streng beskermingsvereistes moet toegepas word om te verseker dat dit vir hierdie spesie 'n suksesvolle aanteelterrein bly




Figuur 1: Kaart van die Vaal-waterbestuursarea wat die kwartêr opvanggebiede, EWR en nodusterreine illustreer

**MOLAO WA BOTSETŠHABA WA METSI WA 1998
(MOLAO WA NO. YA 36 WA 1998)**

**TLHOMAMISO YA RASEFE YA METSWEDI YA METSI YA LEFELO LA TAOLO YA METSI A
VAAL**

Nna, Lindiwe Sisulu, Tona ya Manno a Batho, Metsi le Kgeleloleswe, go ya ka karolo ya 16 (1) ya Molao wa Bosetšhaba wa Metsi wa 1998 (Molao wa No. ya 36 wa 1998), jaanong ke phasalatsa Tshomarelo ya Rasefe e e tlhomamisitsweng ya metswedi ya metsi a Lefelo ya Taolo ya Metsi la Vaal, jaaka simolola loêtô mo ka Mametlelelo.



L N SISULU (MP)

TONA YA MANNO A BATHO, METSI LE KGELELOLESWE

LETLHA: 05/03/2020

MAMETLELELO**1. TLHALOSO YA MOTSWEDI WA METSI**

- 1.1 Rasefe e tihomamisiwa ka motswedi otlhe wa metsi kgotsa karolo nngwe le nngwe e e bothokwa mo Lefelong la Taolo la Metsi la Vaal jaaka go tihalositswe fa tlase:

Lefelo la Taolo la Metsi: Vaal

Dikgaolo tsa Meselo: C Kgaolo ya Moselomogolo:

C11, C12, C13, C21, C22, C23, C81, C82, C83, C24, C25, C41, C42, C43, C60, C70, C31, C32, C33, C91, C92, C41, C42

(go sa akarediwa Bodutiso jwa Modder Riet, C51 le C52, gape go sa akarediwa modutelo wa Molopo, D41 le D42 le Lefelo ya Taolo ya Metsi a Vaal)

Dinoka: Vaal, Wilge, Klip, Klein Vaal, Waterval, Suikerbosrand, Blesbokspruit, Mooi, Vals, Schoonspruit, Sand, Vet, Harts

2. TLHALOSO YA DIAKERONIMI**2.1 Diakeronimi**

BAS	Puso e e Fitlhelesegang Sentle
BHN	Dithoko tsa Motheo tsa Batho
CAWC	Palo e e gokagantswehng ya Dinonyane tsa Metsi
CBA	Mafelo a a Bothokwa a a Mefutafuta
EC	Setlhophsa sa Ekholoji
EcoSpecs	Dithulaganyo tsa Ekholoji
EIA	Tlathobho ya Kutlwalo ya Tikogolo
EIS	Bothokwa le bosisi jwa Ekholoji
ESA	Mafelo a Tshegetso a Ekholoji
EWR	Tlhokego ya Metsi ya Ekholoji
GRAII	Ditekanyetso tse di Laetsweng tsa Motswedi wa Metsi a a ka fa Tlase ga Lefatshe
GRDM	Ditekanyetso tse di Laetsweng tsa Motswedi wa Metsi a a ka fa Tlase ga Lefatshe
GRUs	Diyuniti tsa Motswedi wa Metsi a a ka fa tlase ga Lefatshe
IS	Bothokwa le Bosisi
MAR	Kelelo e Nnye ya Ngwaga
MCM	Dikubimitara di le milione
nMAR	Kelelo e Nnye ya Tlhago ya Ngwaga
PES	Maemo a Gajaana a Ekholoji
REC	Setlhophsa se se Atlanegisitsweng sa Ekholoji
TEC	Setlhophsa se se Totilweng sa Ekholoji
TPCs	Direpodi tsa Kgonagalo ya Matshwenyego
WUL	Laesense ya Tiriso ya Metsi

2.2 Ditlhaloso

Kelelo ya kwa tlase e e tswelediwang ke kelelo ya mo dinokeng ka nako ya maemo a bosa a a omileng le a a siameng, fela a sa abelwa otlhe ke metsi a a kwa tlase ga lefatshe, go akaretsa kabelo go tswa mo kelelong ya ka fa gare e e diegileng le go tswa ga metsi a a ka fa tlase ga lefatshe.

Setlhopha sa Motswedi wa Metsi: Ditaelo tsa Setlhopha ke setlhopha sa dimelo tse di elediwang tsa tiriso le maemo a ekholoji a motswedi e e bothokwa ya metsi mo bodutisong jo bo rileng (yuniti e e tshwaraganeng ya tshekatsheko) Setlhopha se tshwanetse go tshalosa bogolo jwa tiriso ya motswedi wa metsi: Rasefe; maitlomo a boleng jwa motswedi le tlhomamiso ya karolo e e abiwang ya motswedi wa metsi o o dirisiwang. Motswedi wa metsi o tshwanetse go farologanngwa ka e le nngwe ya ditlhopha di le tharo, Setlhopha I motswedi wa metsi le Setlhopha II motswedi wa metsi le Setlhopha III motswedi wa metsi.

Bothokwa le Bosisi jwa Ekholoji (EIS): Dibotshidigolo mo tlhophelong ya ekholoji ya motswedi wa metsi. Bothokwa jwa Ekholoji bo amana le go nna teng, go emelwa le mefutafuta ya ditshedi tsa mo lefelong le le rileng le bonno. Bosisi jwa ekholoji bo amana le ketsaetsego ya bonno le ditshedi mo lefelong le le rileng mo diphetogong tse di ka diragalang mo dikelelong, maemo a metsi le maemo a lefatshe a a nang le dikhemikale.

Ditlhokego tsa Metsi tsa Ekholoji (EWR): Mekgwa ya Kelelo (Bogolo, nako le lobaka) le metsi a a boleng a a tlhokegang go tshola tikologo ya dinoka mo maamong a a rileng. Lereo le le dirisiwa go kaya dikarolo tsa bakanakang le boleng ka bobedi.

Dibaka tsa Tlhogelo ya Metsi ya Ekholoji (EWR): Dintlha tse di totobetseng tsa noka jaaka go tlhomamisitswe ka tswetso ya tlhopho ya sebaka. Sebaka sa EWR se na le bolelele jwa noka e e ka nnang le mefuta ya dikarolo tse di farologaneng ka maikemisetso a metsi le ekholoji. Dibaka tse di tlamela dibontshi tse di lekaneng go tlhatlhoba dikelelo tsa tikogolo le go tlhatlhoba maemo a dikarolo tsa saense ya tiriso ya melao ya fisika mo baelojing (thutatshelelong) (ditlhotlheletsi tse di jaaka haeteroloji, jeomofoloji, le dikhemikale tsa fisika) le ditsibogo tsa baeoloji) (viz. ditlhapi, ditshedi tse di senang mokwatla, le dimela tse di mo lotshitshing).

Maemo a Gajaana a Ekholoji (PES): Setlhopha se se bontshang boitekanelo jwa gajaana ja mefuta ya boleng jwa baeoloji jwa motswedi wa metsi, fa go bapisiwa le maemo a tlhago kgotsa a a tshwanang le kaelo ya tlhago. Dipholo tsa tswetso di tlamelwa jaaka Ditlhopha tsa Ekholoji (ECs) tse di simololang go A (gaufi le tlhago) go fitlha go F (tse di fetotsweng gotlhelele) mo PES.

Go tlatsa ke koketso ya metsi mo lefelong le le kolobileng, nwelelo ya kwa tlase ya pula kgotsa metsi a a mo boalong le/kgotsa go elela ga metsi a a ka fa tlase ga lefatshe a a gaufi le matlapa a a monang metsi.

Setlhopha se se Atlanegisitsweng sa Ekholoji (REC): Setlhopha sa ekholoji se se bontshang taolo e e totilweng ya motswedi wa metsi e e ka ga tlhophelo ya ona ya ekholoji e e tshwanetseng go fitlhelwa. Ditlhopha di tloga ka Setlhopha A (se se sa fetolwang, tlhago) go fitlha go Setlhopha D (se se fetotsweng thata).

Mo noka e kopanang le enngwe teng (kopano ya baeofisikale): Tse ke dintlha tsa sekao tse di emetseng kelelo godimo kgotsa lefelo la metsi la thulaganyotikologo (dinoka, meraga, kgwelo le metsi a a ka fa tlase ga lefatshe) mo setlhopha sa dikamano se dirang teng.

Bodutiso jwa seka-kwatanari: Karolwana e nngwe ya bodutiso jwa kwatenari (mafelo a bodutiso a medutela ya dinoka kwa bodutisong jwa kwatenari).

Setlhopha se se Totilweng la Ekholoji (TEC): Se kaya maemo a a dirisitsweng a ekholoji a motswedi oo wa metsi go ya ka phapogo ya dikarolo tsa yona tsa baeyofisikale go tswa mo maamong a kaelo a tlhago. Setotwa sa bofelo sa go fitlhelela thulaganyo e e tswelelang ya ekholoji le ikomoni go tsewa tsia PES le REC.

3. TLHOMAMISO YA RASEFE

3.1 Rasefe e e akaretsang Ditlhokego tsa Metsi a Ekholoji (EWRs) le Rasefe ya Ditlhoko tsa Motheo tsa Batho (BHN) mo Dinokeng kwa dibakeng tsa EWR le dipumpunyego tsa biofisikale tse di tlhophilweng kwa Lefelong la Taolo ya Metsi a Vaal e tlhalositswe mo **karolong ya 4**. Lefelo la Taolo ya Metsi a Vaal le dibaka tsa EWR di supilwe mo **Popegong ya 1**.

3.2 Karolo ya boleng jwa metsi ya Rasefe ya Dinoka kwa dibakeng tsa EWR kwa bodutisong jwa Vaal e tlhagisitswe mo **karolong ya 5**.

3.3 Rasefe ya Metsi a a ka fa tlase ga Lefatshe ya Bokalo le Boleng jwa Metsi a Vaal e tlhagisitswe mo **karolong ya 6**.

3.4 Ditlhokego tsa ekholoji tsa Moraga wa Lefelo la Taolo ya Metsi a Vaal di tlhagisitswe mo **karolo 7**.

4. TLHOMAMISO YA RASEFE YA DINOKA

Tlhomamiso ya Rasefe le tlhophiso ya ekholoji go ya ka karolo ya 16(1) ya dinoka tsa lefelo la bodutiso la Vaal, kwa Resefe e tlhalositsweng e le phesente ya kelelo e nnye ya tlhago (NMAR) mo bodutisong (koketsego):

Lenaneo 4.1: Rasefe ya Dinoka kwa dibakeng tsa EWR e e akaretisa diEWR go sireletsa tikologo ya metsi le ditlhoko tsa BHN

Bodutiso jwa Kwatenari	Motswedi wa Metse	Setlhopha sa Motswedi wa Metsi	PES	EIS	TEC ⁵	MAR (MCM) ¹	Rasefe ² (%MAR)	Rasefe ya Ekholoji ³ (%MAR)	Ditlhoko tsa Motheo tsa Batho (BHN) Rasefe ⁴ (%MAR)
C11J	Noka ya Vaal – EWR 1	II	B/C	Kwa godimo	B/C	332.3*	39.411	39.41	0.001
C11M	Noka ya Vaal – EWR 2	II	C	Mo bogareng	C	457.7 [#]	13.610	13.61	0.00022
C12F	Waterval – EWR WA1	III	D	Kwa tlase	D	76.71 [#]	3.501	3.5	0.0007
C12G	Waterval – EWR WA2	III	D	Kwa tlase	D	147.43 [#]	6.4003	6.4	0.00027
C12H	Noka ya Vaal – EWR 3	II	C	Mo bogareng	C	858.1 [#]	14.300	14.3	0.00004
C22F	Noka ya Vaal – EWR 4	III	C	Kwa godimo	B/C	1977.3*	21.550	21.55	0.00015
C23L	Noka ya Vaal – EWR 5	III	C/D	Kwa godimo	C	2288*	34.100	34.1	0.00004
C13D	Noka ya Klip – EWR 6	II	B/C	Mo bogareng	B/C	95.3 [#]	26.542	26.54	0.0021
C81A	Noka ya Wilge – EWR 7	II	A/B	Kwa godimo	A/B	23.5 [#]	45.893	45.88	0.0128
C82C	Noka ya Wilge – EWR 8	II	C	Mo bogareng	C	474.3 [#]	11.770	11.77	0.00006
C21C	Suikerbosrand – EWR 9	II	C	Kwa godimo	B/C	31.3 [#]	41.893	41.89	0.0032
C21G	Suikerbosrand – EWR 10	III	C/D	Mo bogareng	C/D	149.27*	34.391	34.39	0.0007
C21F	Blesbokspruit – EWR 11	III	D	Kwa tlase	D	100.69*	18.145	18.14	0.0050
C11C	Noka ya Vaal e Nnye – RE-EWR 1	II	C	Mo bogareng	C	26.09 [#]	24.725	24.71	0.0153
C23G	Noka ya Mooi – RE-EWR 2	III	D	Kwa tlase	D	37.7 [#]	19.061	19.05	0.0106
C24B	Noka ya Vaal – EWR 12	III	D	Mo bogareng	D	1574.64*	28.280	28.28	0.00009
C24J	Noka ya Vaal – EWR 13	III	C/D	Mo bogareng	C/D	1638.37*	35.800	35.8	0.00009
C60J	Noka ya Vals – EWR 14	III	C/D	Mo bogareng	C/D	145.79 [#]	17.050	17.05	0.00034
C43A	Noka ya Vet – EWR 15	III	C/D	Mo bogareng	C/D	253.15*	18.200	18.2	0.00028
C41E	Klein Vet – RE – EWR 3	II	C	Mo bogareng	C	49.56 [#]	19.540	19.54	0.00028
C42J	Sand – EWR RD1	III	C/D	Mo bogareng	B/C	140.76 [#]	23.820	23.82	0.00007
C42L	Sand – EWR RD2	III	C	Mo bogareng	B/C	180.692 [#]	23.490	23.49	0.00011
C24E	Schoonspruit – EWR S1	III	C	Kwa tlase	C	59.38 [#]	35.805	35.8	0.0049
C24G	Schoonspruit – EWR S3	III	C/D	Kwa tlase	C/D	89.96 [#]	30.902	30.9	0.0018
C24H	Schoonspruit – EWR S4	III	C/D	Kwa tlase	C/D	102.09 [#]	31.203	31.2	0.0034
C91A	Vaal – EWR 16	III	D	Mo bogareng	D	3242.51*	13.020	13.02	0.00007
C33C	Harts – EWR 17	II	D	Mo bogareng	D	147.85*	51.6034	51.60	0.0034
C92B	Vaal – EWR 18	III	C	Mo bogareng	C	1177.28*	21.871	21.87	0.00060

- 1) MAR ke Palogare ya Kelelo ya Metsi ka Ngwaga (# E e ka ga kelelo ya tlhago kwa sebakeng sa EWR; * E ka ga kelelo ya gajaana kwa sebakeng sa EWR; • E ka ga kelelo e e etsweng tlhoko kwa sebakeng sa EWR).
- 2) Rasefe ke palogothle ya tlhoko e e ikarabelang mo Rasefeng ya Ekholoji le Ditlhoko tsa Motheo tsa Batho ka bobedi (BHN).
- 3) Tlhoko ya Rasefe ya Ekholoji e emetse palogare ya kelelo ya pakatelele ya MAR. Fa MAR e fetoga, bogolo le bona bo a fetoga.
- 4) E emela tlhoko ya BHN e le phesente ya MAR. Ditlhoko tsa motheo tsa batho di akaretisa baagi ba ba ikaegileng mo dinokeng, melapo kgotsa thebolo ya motswedi wa metsi (e tswa mo tshedimosetsong ya Palobatho ya 2011).
- 5) Setlhopha se se Totilweng sa Ekholoji (TEC): Setotwa sa bofelo sa go fitlhelela thulaganyo e e tsweleng ya ekholoji le ikonomi ka bobedi go tsewa tsia PES le REC.

TSHEDIMOSETSO YA SEBAKA SA DITLHOKEGO TSA EKHOLOJI TSA METSI

Sebaka sa EWR	Leina la sebaka sa EWR	Noka	Tshimologo ya noka ya seka-kwatenari	Dikgokaganyo		Bodutelo jwa Kwatenari
				Latitšhutu	Lonkitšhutu	
EW1	Uitkoms	Vaal	C11J-01838	S26.872800	E29.613840	C11J
EW2	Grootdraai	Vaal	C11M-01894	S26.92110	E29.27929	C11M
EW WA1	Waternal_1	Waternal	C12F-01722	S26.64608	E29.01857	C12F
EW WA2	Waternal_2	Waternal	C12G-01896	S26.88543	E28.88357	C12G
EW3	Gladdedrift	Vaal	C12C-01997	S26.99087	E28.72971	C12H
EW4	De Neys	Vaal	C22F-01737	S26.84262	E28.11230	C22F
EW5	Skandinavia	Vaal	C22L-01792	S26.93243	E27.01367	C23L
EW6	Klip	Klip	C13D-02226	S27.36166	E29.48503	C13D
EW7	Wilge e e kwa Godimo	Wilge	C81A-02790	S28.20185	E29.55827	C81A
EW8	Bavaria	Wilge	C82C-2505	S27.80017	E28.76778	C82C
EW9	Kelelogodimo ya Suikerbos	Suikerbosrand	C21C-01675	S26.64670	E28.38197	C21C
EW10	Kelelotlase ya Suikerbos	Suikerbosrand	C21G-01627	S26.68137	E28.16798	C21G
EW11	Blesbokspruit	Blesbokspruit	C21F-01447	S26.47892	E28.42488	C21F
RE-EW1	Vaal e Nnye	Vaal e Nnye	C11C-01846	S26.912750	E30.174970	C11C
RE-EW2	Noka ya Mooi	Mooi	C23G-01250	S26.258670	E27.159730	C23G
EW12	Noka ya Vaal: Vermaasdrift	Vaal	C24B-01817	S26.93615	E26.85025	C24B
EW13	Noka ya Vaal: Moratho wa Regina	Vaal	C24J-02016	S27.10413	E26.52185	C24J
EW14	Noka ya Vals: Proklameersdrift	Vals	C60J-02262	S27.48685	E26.81320	C60J
EW15	Noka ya Vet: Fisantkraal	Vet	C43A-02561	S27.93482	E26.12569	C43A
RE-EW 3	Klein-Vet, kelelotlase ya Winburg	Vet e Nnye	C41E-03132	S28.564708	E26.943946	C41E
EW RD1	Kwa Meloding	Sand	C42J-02716	S28.1131994	E26.9080556	C42J
EW RD2	Kwa Steel Bridge	Sand	C42L-02635	S28.1228333	E26.5855555	C42L
EW S1	EW S1	Schoonspruit	C24E-01164	S26.31172	E26.31172	C24E
EW S3	EW S3	Schoonspruit	C24G-01661	S26.67500	E26.586108	C24G
EW S4	EW S4	Schoonspruit	C24H-01860	S26.93333	E26.66528	C24H
EW16	Kelelotlase ya letamo la Bloemhof	Vaal	C91A-02391	S27.65541	E25.59564	C91A
EW17	Lebotakganelo la Lloyds kwa Nokeng ya Harts	Harts	C33C-02836	S28.37694	E24.30305	C33C
EW18	Schmidt'sdrift	Vaal	C92B-02903	S28.70758	E24.07578	C92B

Lenaneo 4.2: Rasefe ya Dinoka kwa dipumpunegong tsa baeofikale ka botlhokwa jo bo kwa Godimo tsa Ekholoji

Bodutelo jwa kwatenari	Mo dinoka di kopanang teng	Noka	Tshimolog o ya noka ya seka- kwatenari	PES	Botlhokwa jwa Ekholoji	REC	Rasefe ya Ekholoji (%NMAR)	Rasefe ya BNH (%NMAR)	Palogotlhe ya Rasefe (%NMAR)	NMAR (MCM/a)
C11A	UA.1	Vaal	C11A-01460	B/C	Kwa godimo	B/C	44.09	0.053	44.143	13.27
C13C	UB.1	Klip	C13C-02550	B	Kwa godimo	B	63.86	0.018	63.878	5.67
C13D	UB.2	Klip	C13D-02416	B/C	Kwa godimo	B/C	38.86	0.004	38.864	54
C13D	UB.3	Klip	C13D-02284	B/C	Kwa godimo	B	44.26	0.003	44.263	68.04
C13E	UB.6	Kommandospruit	C13E-02228	B/C	Kwa godimo	B	50.66	0.006	50.666	33.6
C81A	UC1.1	Wilge	C81A-02790	B	Kwa godimo	B	45.69	0.004	45.694	69.03
C81L	UC1.3	Meul	C81L-02594	B	Kwa godimo	B	57.25	0.008	57.258	26.49
C81G	UC2.3	Klerkspruit	C81G-02882	B	Kwa godimo	B	69.45	0.017	69.467	5.85
C83G	UD.4	Liebenbergsvlei	C83G-02364	B/C	Kwa godimo	B/C	62.48	0.006	62.486	4.74
C83H	UD.5	Liebenbergsvlei	C83H-02395	B/C	Kwa godimo	B	64.50	0.015	64.515	2.66
C12A	UH.1	Suikerbosrant	C12A-01567	B/C	Kwa godimo	B	47.17	0.002	47.172	28.65

5. KAROLO YA BOLENG JWA METSI YA RASEFE YA EKHOLOJI YA DINOKA

Ditlhokego tsa ekholoji tsa boleng jwa metsi a tlamelo ya setlhopha se se totilweng sa Rasefe ya ekholoji kwa sebakeng sengwe le sengwe di tlhalositswe mo Mananeong a 5.1 go fitlha go Lenaneo la 5.18. Tse ke diparameta tsa mesola ya boleng jwa metsi (serepodi sa botlalo) tse di sa tshwanelang go fetiwa gore go fitlhelwe boleng jwa metsi jwa TEC.

Lenaneo 5.1: EWR1: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 1: kwa Uitkoms	Sebaka/selekanyo ya tebelelo ya boleng jwa metsi: C1H007/ VS4 GDDC11
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 28 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 38 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 36 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 69 mg/L	
	NaCl	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 243 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	Phetiso ya Motlakase	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 70 mS/m	
	pH	Phesentile ya 5 ya tshedimotsetso e tshwanetse go nna 6.5 to 8.0, le phesentile ya 95 8.0 to 8.8	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimotsetso e tshwanetse go nna ≥ 7.0 mg/L	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimotsetso e tshwanetse go nna ≤ 0.7 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimotsetso e tshwanetse go nna ≤ 0.020 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimotsetso e tshwanetse go nna < 20 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimotsetso e tshwanetse go nna < 21 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 0.044 mg/L	
	Ateresine	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 0.064 mg/l	
	Foloraete	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 2.5 mg/L	
	Endosulfan	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 0.13 µg/l	

Lenaneo 5.2: EWR2: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 2: Kelelotlase ya Grootdraai	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C1H019
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 23 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 33 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 30 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 57 mg/L	
	NaCl	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 191 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 30 mS/m	
	pH	Phesentile ya 5 ya tshedimotsetso e tshwanetse go nna 6.5 to 8.0, le phesentile ya 95 8.0 to 8.8	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimotsetso e tshwanetse go nna ≥ 7.5mg/L	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimotsetso e tshwanetse go nna ≤ 0.25 mg/L	
	PO ₄ -P	Phesentile ya 50th ya tshedimotsetso e tshwanetse go nna ≤ 0.025mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimotsetso e tshwanetse go nna <18 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimotsetso e tshwanetse go nna ≤ 16 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 0.044 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimotsetso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.3: EWR3: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 3: kwa Gladdedrift	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C1H012
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 33 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 30 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 57 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 55 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 to 8.0 le phesentile ya 95 ya 8.0 to 8.8	
	Okosijene e e tshaoletsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 7.5 mg/L	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.25 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 20 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 21 mg/m ²	
Botlhole	Amonia	Phesentile 95 ya tshedimose tso e tshwanetse go nna ≤ 0.1 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.4: EWR4: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 4: kwa De Neys	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C1H012
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 33 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 30 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 57 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 30 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 to 8.0 le phesentile ya 95 ya 8.0 to 8.8	
	Okosijene e e tshaoletsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 7 mg/L	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.7 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 10 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 1.7 mg/m ²	
Botlhole	Amonia	Phesentile 95 ya tshedimose tso e tshwanetse go nna ≤ 0.1 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.5: EWR5: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 5: Skandinavia	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C2H122
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 36 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 105 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 85 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 to 8.0 le phesentile ya 95 ya 8.8 to 9.2	
	Thempereitšha	Dithempereitšha di tshwanetse go nna gau fi le kelo ya tlhago	
	Okosijene e e tlhaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 6 mg/L	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 1.0 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.025 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 20 µg/L	
Botlhole	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 21 mg/m ²	
	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.073 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	
Diione tse di sa boleng	Salafate	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 200 mg/L	

Lenaneo 5.6: EWR6: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Klip		EWR 6: Klip	Sebaka/Selekanyo sa tebelelo ya boleng jwa metsi: C1H002 (Sebaka sa kelelotlase kwa C13F)
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 28 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 20 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 15 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 21 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 45 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 55 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 to 8.0 le phesentile ya 95 ya 8.0 to 8.8	
	Thempereitšha	Dithempereitšha di tshwanetse go nna gau fi le kelo ya tlhago	
	Okosijene e e tlhaolotsweng	E tshwanetse go nna gareng ga 7 le 8 mg/L	
	kgoberego	Farologane ka bokanakang jo bonnye go tswa mo kelong ya tlhago ya kgoberego, kamogelo ya mmukgogodi ya bonno jwa ka fa gare ga metsi	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50th ya tshedimose tso e tshwanetse go nna ≤ 0.75 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.020 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50th ya tshedimose tso e tshwanetse go nna < 15 µg/L	
	Chl-a periphyton	Phesentile ya 50th ya tshedimose tso e tshwanetse go nna < 12 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.044 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.7: EWR7: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Wilge		EWR 7: Wilge e e kwa godimo	Sebaka/selekanyo tsa tebelelo ya boleng jwa metsi: Ga go lebotakganelo/sebaka sa WQ mo tikologong ya sebaka sa EWR
Matswai a a sa Boleng	MgSO ₄	Phesente ya 95th ya tshedimisetso e tshwanetse go nna < 23 mg/L	
	Na ₂ SO ₄	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 33 mg/L	
	MgCl ₂	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 30 mg/L	
	CaCl ₂	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 57 mg/L	
	NaCl	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 191 mg/L	
	CaSO ₄	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 55 mS/m	
	pH	Phesente ya 5 ya tshedimisetso e tshwanetse go nna 6.5 go fitlha go 8.0, phesente ya 95th ya 8.8 to 9.2	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlhaolotsweng	Phesente ya 5 ya tshedimisetso e tshwanetse go nna ≥ 8 mg/L	
	kgoberego	Farologane ka bokanakang jo bonnye go tswa mo kelong ya tlhago ya kgoberego, kamogelo ya mmukgogodi ya bonno jwa ka fa gare ga metsi	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesente ya 50 ya tshedimisetso e tshwanetse go nna gareng ga < 0.7 mg/L	
	PO ₄ -P	Phesente ya 50 ya tshedimisetso e tshwanetse go nna < 0.025 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesente ya 50 ya tshedimisetso e tshwanetse go nna ≤ 15 µg/L	
	Chl-a periphyton	Phesente ya 50 ya tshedimisetso e tshwanetse go nna ≤ 12 mg/m ²	
Botlhole	Amonia	Phesente ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.044 mg/L	
	Foloraete	Phesente ya 95 ya tshedimisetso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.8: EWR8: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Wilge		EWR 8: Bavaria	Sebaka/selekanyo tsa tebelelo ya boleng jwa metsi: C8H028
Matswai a a sa Boleng	MgSO ₄	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 16 mg/L	
	Na ₂ SO ₄	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 20 mg/L	
	MgCl ₂	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 15 mg/L	
	CaCl ₂	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 21 mg/L	
	NaCl	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 45 mg/L	
	CaSO ₄	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesente ya 95 ya tshedimisetso e tshwanetse go nna < 55 mS/m	
	pH	Phesente ya 5 ya tshedimisetso e tshwanetse go nna 6.5 to 8.0 le phesente ya 95 ya 8.0 to 8.8	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlhaolotsweng	Phesente ya 5 ya tshedimisetso e tshwanetse go nna ≥ 8 mg/L	
	kgoberego	Farologane ka bokanakang jo bonnye go tswa mo kelong ya tlhago ya kgoberego, kamogelo ya mmukgogodi ya bonno jwa ka fa gare ga metsi	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesente ya 50 ya tshedimisetso e tshwanetse go nna gareng ga < 0.7 mg/L	
	PO ₄ -P	Phesente ya 50 ya tshedimisetso e tshwanetse go nna < 0.025 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesente ya 50 ya tshedimisetso e tshwanetse go nna < 20 µg/L	
	Chl-a periphyton	Phesente ya 50 ya tshedimisetso e tshwanetse go nna < 21 mg/m ²	
Botlhole	Amonia	Phesente ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.073 mg/L	
	Foloraete	Phesente ya 95 ya tshedimisetso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.9: EWR9: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Suikerbosrand		EWR 9: Kelelogodimo	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C2H131
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 30 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 57 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 45 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 55 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 – 8.0 le phesentile ya 95 ya 8.0 - 8.8	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 8 mg/L	
	kgoberego	Farologane ka bakanakang jo bonnye go tswa mo kelong ya tlhago ya kgoberego, kamogelo ya mmukgogodi ya bonno jwa ka fa gare ga metsi	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 0.7 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 0.020 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 20 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 21 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.073 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.10 EWR10: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Suikerbosrand		EWR 10: Kelelotlase	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C2H070
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 51 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 105 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 191 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 85 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna gareng ga 6.5 – 8.0 le phesentile ya 95 ya 8.0 - 8.8	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 7 mg/L	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 0.7 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 30 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 21 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.100 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.11: EWR11: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Blesbokspruit		EWR 11: Blesbokspruit	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C2H185
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 36 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 105 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 389 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna < 85 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 – 8.0 le phesentile ya 95 ya 8.0 - 8.8	
	Thempereitšha	Phetogo e e mo bogareng go tswa mo tekanyong ya thempereitšha	
	Okosijene e e tlhaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 6.0 mg/L	
	kgoberego	Tshimololo ya tebelelo ya pharologano kwa tlase	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.70 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna < 20 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 21 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.100 mg/L	
	Ateresine	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 100 µg/L	
	Floraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 3.0 mg/L	
	Endosulfan	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.200 µg/L	

Lenaneo 5.12: EWR12: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 12: kwa Vermaasdrift	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C2H007
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	MgCl ₂	Phesentile ya 5th le 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 105 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 70 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 7.5 go fitlha go 8.0 le phesentile ya 95 ya 8.8 to 9.2	
	Okosijene e e tlhaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 7.5 mg/L	
	kgoberego	Farologana ka bokanakang jo bonnye go tswa mo tekanyong ya kgoberego ya tlholego	
	TDS	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 560 mg/L	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 1.0 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 30 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 84 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.1 mg/L	
	Floraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	
	Cyanide	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.05 mg/L	
	Aluminiamo	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.1 mg/L	
	Yureniamo	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.030 mg/L	

Diione tse di sa boleng	Salafate	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 160 mg/L
	Magenesiamo	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 33 mg/L

Lenaneo 5.13: EWR13: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 13: Kwa Morathong wa Regina	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C2H022
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 105 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 70 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 7.5 go fitlha go 8.0, le phesentile ya 95 ya 8.0 to 8.8	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlhaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 6 mg/L	
	kgoberego	Farologana ka bakanakang jo bonnye go tswa mo tekanyong ya kgoberego ya tlhologo	
	TDS	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 560 mg/L	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 4.0 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 30 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 84 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.0438 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	
	Aluminiamo	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.1 mg/L	
	Cyanide	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.05 mg/L	
	Yureniamo	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.030 mg/L	
Diione tse di sa boleng	Magenesiamo	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 33 mg/L	
	Salafate	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 160 mg/L	

Lenaneo 5.14: EWR14: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vals		EWR 14: Proklameersdrift	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C6H007
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 105 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 85 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 5.5 go fitlha go 6.0 le phesentile 95 ya 8.8 go fitlha go 9.2	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlhaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 8 mg/L	
	kgoberego	Farologana ka 10% go tloga mo tekanyong ya kgoberego ya tlhago	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.7 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 30 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 84 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.073 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.15: EWR15: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vet		EWR 15: kwa Fisantkraal	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C4H004
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 36 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 69 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 80 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 – 8.0, le phesentile ya 95 ya 8.0 – 8.8	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlhaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 6.0 mg/L	
	kgoberego	Farologana ka bakanakang jo bonnye go tswa mo tekanyong ya kgoberego ya tlholego	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.7 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.058 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50th ya tshedimose tso e tshwanetse go nna ≤ 25 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 84 mg/m ²	
Botlhole	Amonia	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.072 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	
Diione tse di sa boleng	Salafate	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 120 mg/L	
	Tloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 100 mg/L	

Lenaneo 5.16: EWR16: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 16: Kelelotlase ya Letamo la Bloemhof	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C9H021
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 28 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 30 mg/L	
	CaCl ₂	- Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 69 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 55 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna gareng ga 6.5 go fitlha go 8.0, le phesentile ya 95 gareng ga 8.0 go fitlha go 8.8	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 6 mg/L	
	kgoberego	Farologana ka bakanakang jo bonnye go tswa mo tekanyong ya kgoberego ya tlhologo	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.25 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.025 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 30 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 84 mg/m ²	
Botlhole	Amonia Naeterojene jaaka	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.073 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 3.0 mg/L	
	Aterasine	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.100 mg/L	
	Endosulfan	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.2 µg/L	

Lenaneo 5.17: EWR17: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Harts		EWR 17: Lebotakganelo la Lloyds	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C3H016
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 37 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 105 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 389 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 111 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 to 8.0 le phesentile ya 95 ya 8.0 to 8.8	
	Thempereitšha	Phapogo e nnye go tswa mo kelong ya tlhago ya thempereitšha	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 6.0 mg/L	
	kgoberego	Farologana ka bakanakang jo bonnye go tswa mo tekanyong ya kgoberego ya tlhologo	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 1.0 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.025 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 30µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 84 mg/m ²	
Botlhole	Amonia Naeterojene jaaka	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.073 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.18: EWR18: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Vaal		EWR 18: Schmidt-drift	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C9H024
Matswai a a sa Boleng	MgSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 28 mg/L	
	Na ₂ SO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 51 mg/L	
	MgCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 30 mg/L	
	CaCl ₂	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 105 mg/L	
	NaCl	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 191 mg/L	
	CaSO ₄	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 351 mg/L	
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 85 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 6.5 to 8.0 le phesentile ya 95 ya 8.0 to 8.8	
	Okosijene e e tlaolotsweng	Phesentile ya 5th ya tshedimose tso e tshwanetse go nna ≥ 4 mg/L	
	kgoberego	Farologana ka bokanakang jo bonnye go tswa mo tekanyong ya kgoberego ya tlhologo	
Dikotlo	Palogotlhe ya Naeterojene e e sa boleng (TIN)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.7 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 30 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 84 mg/m ²	
Botlhole	Amonia jaaka Naeterojene	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.073 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.5 mg/L	

Lenaneo 5.19: EWR WA1: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Waterval		EWR WA1: Waterval_1	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C1H036
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 85 mS/m	
	pH	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna 5.0 go fitlha go 5.6 le phesentile ya 95 ya 9.2 go fitlha go 10.0	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimose tso e tshwanetse go nna ≥ 6.5 mg/L	
Dikotlo	Naetereiti (NO ₃) + Niteriete (NO ₂)	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 4.0 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 30 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimose tso e tshwanetse go nna ≤ 84 mg/m ²	
Botlhole	Amonia jaaka Naeterojene	Phesentile 95 ya tshedimose tso e tshwanetse go nna ≤ 0.1 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 3.0 mg/L	
	Ateresine	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.1 mg/L	
	Endosulfan	Phesentile 95 ya tshedimose tso e tshwanetse go nna ≤ 0.20 µg/L	
	Cadmium (popota)	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.005 mg/L	
	Keromiamo (VI)	Phesentile 95 ya tshedimose tso ya e tshwanetse go nna ≤ 0.2 mg/L	
	Koporo (popota)	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.008 mg/L	
	Mankanese	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 1.3 mg/L	
	Lloto (popota)	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.013 mg/L	
	Mekhuri	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.0017 mg/L	
	Seleniamo	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.030 mg/L	
	Senke	Phesentile ya 95 ya tshedimose tso e tshwanetse go nna ≤ 0.036 mg/L	

Lenaneo 5.20: EWR WA2: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Waterval		EWR WA2: Waterval_2	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C1H030
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 85 mS/m	
	pH	Phesentile ya 5 ya tshedimisetso e tshwanetse go nna 5.0 go fitlha go 5.6 le phesentile ya 95 ya 9.2 go fitlha go 10.0	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimisetso e tshwanetse go nna ≥ 6.5 mg/L	
Dikotlo	Naetereiti (NO ₃) + Niteriete (NO ₂)	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 4.0 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 30 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 84 mg/m ²	
Botthole	Amonia jaaka Naeterojene	Phesentile 95 ya tshedimisetso e tshwanetse go nna ≤ 0.1 mg/L	
	Foloraete	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 3.0 mg/L	
	Ateresine	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.1 mg/L	
	Endosulfan	Phesentile 95 ya tshedimisetso e tshwanetse go nna ≤ 0.20 µg/L	
	Cadmium (popota)	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.005 mg/L	
	Keromiamo (VI)	Phesentile 95 ya tshedimisetso e tshwanetse go nna ≤ 0.2 mg/L	
	Koporo (popota)	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.008 mg/L	
	Mankanese	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 1.3 mg/L	
	Lloto (popota)	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.013 mg/L	
	Mekhuri	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.0017 mg/L	
	Seleniamo	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.030 mg/L	
	Senke	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 0.036 mg/L	

Lenaneo 5.21: EWR S1: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Schoonspruit		EWR S1: Kelelotlase ya Leitlho la Schoonspruit	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: Ga go sebaka mo tikogolong
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 55 mS/m	
	pH	Phesentile ya 5 ya tshedimisetso e tshwanetse go nna 5.6 go fitlha 6.0 le phesentile ya 95 ya 8.0 go fitlha go 8.5	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimisetso e tshwanetse go nna ≥ 7.0 mg/L	
Dikotlo	Naetereiti (NO ₃) + Niteriete (NO ₂)	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 2.5 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 0.02 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 10 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 12 mg/m ²	

Lenaneo 5.22: EWR S3: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Schoonspruit		EWR S3: kelelotlase dikgatlho tsa Taaibosspuit le Rietspruit	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: Ga go sebaka se se dirang
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimisetso e tshwanetse go nna ≤ 70 mS/m	
	pH	Phesentile ya 5 ya tshedimisetso e tshwanetse go nna 5.2 go fitlha go 5.4 le phesentile ya 95 ya 9.3 go fitlha go 9.6	
	Okosijene e e tlaolotsweng	Phesentile ya 5 ya tshedimisetso e tshwanetse go nna ≥ 6.5 mg/L	
Dikotlo	Naetereiti (NO ₃) + Niteriete (NO ₂)	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 2.5 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 20 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimisetso e tshwanetse go nna ≤ 21 mg/m ²	

Lenaneo 5.23: EWR S4: Ditlhokego tsa Ekholoji tsa Boleng jwa Metsi

Noka: Schoonspruit		EWR S4: Kelelotlase ya Letamo la Johan Naser	Sebaka/selekanyo sa tebelelo ya boleng jwa metsi: C2H073
Dipharologantsho tsa lefelo	EC	Phesentile ya 95 ya tshedimosetso e tshwanetse go nna ≤ 85 mS/m	
	pH	Phesentile ya 5 ya tshedimosetso e tshwanetse go nna 5.2 go fitlha go 5.4 le phesentile ya 95 ya 9.3 go fitlha go 9.6	
	Okosijene e e tihlotsweng	Phesentile ya 5 ya tshedimosetso e tshwanetse go nna ≥ 6.5 mg/L	
Dikotlo	Naetereiti (NO ₃) + Niteriete (NO ₂)	Phesentile ya 50 ya tshedimosetso e tshwanetse go nna ≤ 2.5 mg/L	
	PO ₄ -P	Phesentile ya 50 ya tshedimosetso e tshwanetse go nna ≤ 0.125 mg/L	
Dipharologantsho tsa tsibogo	Chl-a phytoplankton	Phesentile ya 50 ya tshedimosetso e tshwanetse go nna ≤ 20 µg/L	
	Chl-a periphyton	Phesentile ya 50 ya tshedimosetso e tshwanetse go nna ≤ 21 mg/m ²	
Diione tse di sa boleng	Salafate	Phesentile ya 95 ya tshedimosetso e tshwanetse go nna ≤ 200 mg/L	
Botlhole	Amonia jaaka Naeterojene	Phesentile ya 95 ya tshedimosetso e tshwanetse go nna ≤ 0.073 mg/L	
	Aluminiamo	Phesentile 95 ya tshedimosetso e tshwanetse go nna ≤ 0.1 mg/L	
	Mankanese	Phesentile ya 95 ya tshedimosetso e tshwanetse go nna ≤ 0.250 mg/L	
	Yureniamo	Phesentile ya 95 ya tshedimosetso e tshwanetse go nna ≤ 0.03 mg/L	
	Tshipi	Phesentile ya 95 ya tshedimosetso e tshwanetse go nna ≤ 0.25 mg/L	
	Keromiamo (VI)	Phesentile 95 ya tshedimosetso ya e tshwanetse go nna ≤ 0.2 mg/L	
	Koporo (popota)	Phesentile ya 95 ya tshedimosetso e tshwanetse go nna ≤ 0.008 mg/L	
	Cyanide (ga e teng)	Phesentile ya 95 ya tshedimosetso e tshwanetse go nna ≤ 0.050 mg/L	

6. RASEFE YA METSI A A KA FA TLASE GA LEFATSHE

Lenaneo 6.1 fa tlase le thagisa Rasefe ya Metsi a a ka fa Tlase ga Lefatshe a Lefelo la Bodutiso la Vaal a a tswang mo go diriseng mokgwa wa Ditekanyatsego tse di Laetsweng tsa Metswedi ya Metsi a a ka fa Tlase ga Lefatshe (GRDM).

Alegoritheme e e beilweng ya GRDM e ne ya dirisiwa mme bolumo ya "metsi a a ka abiwang a metsi a a ka fa tlase ga lefatshe" (MCM/ka ngwaga) e ne ya balelwa mo (kholomong ya K ya Lenaneo 6.1). Alegoritheme go ya ka diporotokolo tsa GRDM, e supa karolo ya ngwaga ya go tlatsa gape go go leng teng morago ga Ditlhoko tsa Motheo tsa Batho, ditlhokego tsa keletlase le tiriso ya gajaana ya metsi e ntshiwa mo go tlatsa gape ga metsi a a ka fa tlase ga lefatshe go baletsweng ka teng.

Boleng jwa metsi a a ka fa tlase ga lefatshe mo kwatenaring nngwe le nngwe ya bodutiso, a ne a le teng mo palong ya tshedimosego ya >9, e ne ya diriwa le kelo ya boleng jwa metsi a a ka fa tlase ga lefatshe go ya ka thulaganyo ya tlhophelo jaaka go tlhalositswe mo kaelong: Boleng jwa Dithebole tsa Metsi a fa Gae Bolumo ya 1: Kaedi ya Tlathobho". 1998. Khomishene ya Patlisiso ya Metsi, Lefapha la Merero ya metsi le Jalo ya Dikgwa & Lefapha la Boitekanelo. Pegelo No. TT 101/98.

TLHOKOMELA: Thulaganyo ya Tlhophelo ya Boleng jwa Metsi a Dithebole tsa Metsi a fa Gae go ya ka diphetho tse di oketsegang

Setlhophsa sa 0: Boleng jo bo siameng jwa metsi, a siametse go dirisiwa botshelo jotlhe, kwa ntle ga diphetho go modirisi.

Setlhophsa sa I: Metsi a a mo setlhopheng se a bolokesegile go dirisiwa nako e telele fela ga a fithelele boleng jo bo siameng jwa metsi gone go ka nna le mo a ka nnang le diphetho tse di kotsi mo boitekanelong, fela ka gale di nna bori, mme diphetho tse di bonalang tsa boitekanelo ga di bontshe matshwaobolwetsi mme go nna boima go a bontsha. Metsi a a mo Setlhophsa I ga a tlhole diphetho tsa boitekanelo mo maamong a a tlwaelegileng. Fela, diphetho tse dintle di ka bonala.

Setlhophsa sa II: Metsi a a mo setlhopheng se a tlhalosiwa e le a mo diphetho tsa boitekanelo tse di kotsi di sa tlwaelegang mo tirisong e e lekanyeditsweng ya pakakhutshwane. Diphetho tse di kotsi tsa boitekanelo di ka nna teng bogolo mo tirisong e e telele mo dingwageng di le dintsi, kgotsa mo tirisong ya nako e e telele. Setlhophsa se emela metsi a a siametseng tiriso ya phakakhutshwane kgotsa tiriso ya tshoganyetso fela, fela a sa siamela tiriso e e tsweleng ya nako e e telele.

Setlhophsa sa III: Metsi a a na le dikarolo mo mofuteng o o kokoantsweng mo diphetho tse di masisi tsa boitekanelo di ka solofelwang teng, bogolo mo maseeng kgotsa mo batsofeng ka tiriso ya pakakhutshwane, mme le go feta fao ka tiriso ya pakatelele. Metsi a a mo setlhopheng se ga a siamela go dirisiwa e le metsi a a nowang kwa ntle ga go phepatso e e maleba.

Lenaneo 6.1: GRDM a Lefelo la Taolo la Metsi a Noka ya Vaal

A	B	C	D	E	F	G	H	I	J	K
Kwatenari Bodutelo	Lefelo (km ²)	Dipula tse di Bokoa ka Ngwaga (mm)	Go tiatsa (Mm ³ /a)	% Ya Dipula tse di Bokoa ka Ngwaga	Bontsi (maemo a palotlase)	Ditlhoko tsa Motheo tsa Batho (Mm ³ /a)	Karolo ya Keletlase ya Metsi a ka fa Tlase ga Lefatshe (Mm ³ /a)	Palogotho ya Rasefe (Mm ³ /a)	Tiriso ya Metsi a ka fa Tlase ga Lefatshe (Mm ³ /a)	Metsi a a ka abwang a a ka fa Tlase ga Lefatshe Palogotho (Mm ³ /a)
BODUTISO JO BO KWA GODIMO JWA VAAL										
C11A	719	743	38.93	7.3	1955	0.02	6.46	6.48	0.00	32.45
C11B	535	705	26.49	7.0	2142	0.02	4.60	4.62	0.09	21.78
C11C	449	765	22.16	6.5	1277	0.01	4.39	4.40	0.14	17.62
C11D	372	702	17.05	6.5	965	0.01	3.17	3.18	0.17	13.70
C11E	1155	697	46.63	5.8	23889	0.22	9.74	9.96	1.26	35.41
C11F	929	705	39.67	6.1	31634	0.29	7.56	7.85	0.39	31.43
C11G	432	659	17.01	6.0	1460	0.01	3.00	3.01	0.22	13.78
C11H	1103	664	40.16	5.5	33924	0.31	6.76	7.07	1.38	31.71
C11J	1001	658	36.15	5.5	3106	0.03	6.76	6.79	0.48	28.88
C11K	340	633	11.47	5.3	2970	0.03	1.82	1.85	0.31	9.31
C11L	947	675	32.74	5.1	6416	0.06	6.77	6.83	0.49	25.42
C11M	795	637	23.38	4.6	38506	0.35	4.69	5.04	0.43	17.91
C12A	484	614	12.10	4.1	758	0.01	3.26	3.27	0.00	8.83
C12B	478	631	14.40	4.8	2461	0.02	3.18	3.20	0.13	11.07
C12C	666	605	18.66	4.6	4257	0.04	4.19	4.23	0.17	14.26
C12D	898	667	32.75	5.5	53555	0.49	5.27	5.76	3.78	23.21
C12E	497	641	16.87	5.3	1960	0.02	2.80	2.82	0.26	13.79
C12F	834	635	29.46	5.6	3241	0.03	4.43	4.46	0.36	24.64
C12G	570	640	21.20	5.8	6797	0.06	3.17	3.23	0.20	17.77
C12H	355	618	11.26	5.1	16104	0.15	1.54	1.69	0.08	9.49
C12J	344	615	9.67	4.6	627	0.01	1.49	1.50	0.17	8.00
C12K	479	657	19.93	6.3	2739	0.02	2.36	2.38	0.09	17.46
C12L	887	648	31.99	5.6	2116	0.02	4.12	4.14	3.77	24.08
C13A	594	779	27.18	5.9	2807	0.03	6.54	6.57	0.21	20.40
C13B	615	683	21.93	5.2	2395	0.02	5.42	5.44	0.27	16.22
C13C	836	724	35.96	5.9	5970	0.05	8.14	8.19	0.04	27.73
C13D	895	698	32.67	5.2	1742	0.02	8.23	8.25	0.11	24.31
C13E	602	699	21.94	5.2	1130	0.01	5.55	5.56	0.01	16.37
C13F	611	692	19.25	4.6	1525	0.01	5.16	5.17	0.03	14.05
C13G	434	674	14.14	4.8	15885	0.14	3.57	3.71	0.01	10.42
C13H	588	628	15.36	4.2	1888	0.02	3.99	4.01	0.02	11.33
C21A	707	674	26.89	5.6	4853	0.04	4.78	4.82	0.06	22.01
C21B	431	697	9.70	3.2	19019	0.17	4.16	4.33	0.23	5.14
C21C	438	674	9.85	3.3	8820	0.08	3.97	4.05	0.13	5.67
C21D	446	698	8.56	2.8	180660	1.65	4.20	5.85	0.84	1.87
C21E	628	691	9.21	2.1	40363	0.37	5.82	6.19	0.22	2.80
C21F	427	704	9.49	3.2	71170	0.65	4.04	4.69	0.59	4.21
C21G	462	667	9.38	3.0	2339	0.02	4.03	4.05	0.03	5.30
C22A	548	695	19.56	5.4	517617	4.73	5.37	11.77	1.41	6.38
C22B	391	691	11.22	4.7	237009	2.16	3.75	5.27	1.47	4.48
C22C	465	684	14.72	4.5	96073	0.88	4.38	11.05	0.03	3.64
C22D	345	701	12.24	9.2	30823	0.28	3.27	7.83	2.34	2.07
C22E	532	669	12.13	3.4	13549	0.12	4.81	4.93	0.91	6.29

A	B	C	D	E	F	G	H	I	J	K
Kwaternari Bodutelo	Lefelo (km ²)	Dipula tse di Bokoa ka Ngwaga (mm)	Go tiatsa (Mm ³ /a)	% Ya Dipula tse di Bokoa ka Ngwaga	Bontsi (maemo a palotlase)	Dithoko tsa Motheo tsa Batho (Mm ³ /a)	Karolo ya Kelelotlase ya Metsi a a ka fa Tlase ga Lefatshe (Mm ³ /a)	Palogotho ya Rasefe (Mm ³ /a)	Tiriso ya Metsi a a ka fa Tlase ga Lefatshe (Mm ³ /a)	Metsi a a ka abiwang a a ka fa Tlase ga Lefatshe Palogotho (Mm ³ /a)
C22F	440	655	7.01	2.4	109440	1.00	4.01	5.01	0.05	1.95
C22G	830	613	25.77	5.1	2596	0.02	6.93	6.95	0.47	18.35
C22H	454	639	9.35	3.2	282162	2.57	3.89	6.46	0.07	2.82
C22J	669	633	15.25	3.6	14856	0.14	5.62	5.76	0.24	9.25
C22K	434	644	18.27	6.5	58152	0.53	3.91	4.44	0.34	13.49
C23A	258	612	7.39	4.7	1028	0.01	1.64	1.65	0.12	5.62
C23B	701	619	27.63	6.4	2152	0.02	4.54	4.56	0.40	22.67
C23C	1069	609	23.13	3.6	42653	0.39	6.27	6.66	0.60	15.87
C23D	510	664	25.79	7.6	99677	0.91	10.49	11.40	4.93	9.46
C23E	850	631	35.84	6.7	64933	0.59	15.97	11.93	34.23	0.00
C23F	1324	605	47.38	5.9	2373	0.01	22.97	15.89	0.28	31.21
C23G	613	597	27.18	7.4	1605	0.01	10.44	10.45	2.32	14.41
C23H	451	604	12.43	4.6	8385	0.08	7.69	7.77	0.27	4.39
C23J	890	620	19.05	3.5	25528	0.23	4.65	4.88	0.63	13.54
C23K	396	607	10.76	4.5	1605	0.01	1.97	1.98	0.26	8.52
C23L	1211	612	24.44	3.3	40749	0.37	6.10	17.07	0.73	6.64
C81A	382	882	22.72	6.7	323	0.00	3.52	3.52	0.05	19.15
C81B	576	763	26.44	6.0	1374	0.01	4.51	4.52	0.08	21.84
C81C	250	730	9.88	5.4	230	0.00	1.96	1.96	0.03	7.89
C81D	195	735	8.31	5.8	216	0.00	1.53	1.53	0.03	6.75
C81E	642	658	22.34	5.3	21029	0.19	4.61	4.80	0.10	17.44
C81F	688	892	46.15	7.5	236987	2.16	8.17	10.33	0.35	35.47
C81G	435	722	19.86	6.3	3855	0.04	4.25	4.29	0.09	15.48
C81H	358	638	12.37	5.4	1227	0.01	2.52	2.53	0.04	9.80
C81J	392	612	12.88	5.4	1496	0.01	2.51	2.52	0.06	10.30
C81K	359	623	12.34	5.5	793	0.01	2.34	2.35	0.05	9.94
C81L	793	740	35.97	6.1	689	0.01	6.18	6.19	0.11	29.67
C81M	1092	662	38.82	5.4	2936	0.03	7.82	7.85	0.16	30.81
C82A	582	670	21.75	5.6	1303	0.01	4.18	4.19	0.08	17.48
C82B	493	660	16.88	5.2	4736	0.04	3.48	3.52	0.07	13.29
C82C	353	646	12.39	5.4	978	0.01	2.42	2.43	0.07	9.89
C82D	572	623	19.50	5.5	1849	0.02	3.78	3.80	0.16	15.54
C82E	622	666	20.73	5.0	1725	0.02	4.37	4.39	0.04	16.30
C82F	483	639	14.02	4.5	827	0.01	3.25	3.26	0.01	10.75
C82G	580	655	18.14	4.8	1086	0.01	3.99	4.00	0.09	14.05
C82H	782	614	20.70	4.3	1537	0.01	4.89	4.90	0.19	15.61
C83A	746	692	31.27	6.1	3635	0.03	7.04	7.07	0.07	24.13
C83B	251	668	9.95	5.9	2141	0.02	2.27	2.29	0.03	7.63
C83C	828	663	30.60	5.6	39056	0.36	7.16	7.52	0.10	22.98
C83D	465	650	17.05	5.6	1761	0.02	4.04	4.06	0.05	12.94
C83E	426	654	15.46	5.6	1918	0.02	3.61	3.63	0.11	11.72
C83F	875	637	32.35	5.8	2266	0.02	5.72	5.74	11.23	15.38
C83G	695	647	24.23	5.4	14040	0.13	4.69	4.82	0.21	19.20
C83H	547	646	16.23	4.6	4173	0.04	3.50	3.54	0.24	12.45
C83J	222	641	6.68	4.7	18257	0.17	1.38	1.55	0.11	5.02
C83K	548	635	16.63	4.8	943	0.01	2.66	2.67	0.24	13.72
C83L	825	641	23.21	4.4	2014	0.02	3.96	3.98	0.05	19.18

A	B	C	D	E	F	G	H	I	J	K
Kwaternari Bodutelo	Lefelo (km ²)	Dipula tse di Bokoa ka Ngwaga (mm)	Go tlatsa (Mm ³ /a)	% Ya Dipula tse di Bokoa ka Ngwaga	Bontsi (maemo a palotlase)	Dithoko tsa Motheo tsa Batho (Mm ³ /a)	Karolo ya Kelelotlase ya Metsi a ka fa Tlase ga Lefatshe (Mm ³ /a)	Palogotho ya Rasefe (Mm ³ /a)	Tiriso ya Metsi a ka fa Tlase ga Lefatshe (Mm ³ /a)	Metsi a ka abiwang a ka fa Tlase ga Lefatshe Palogotho (Mm ³ /a)
C83M	1100	639	31.72	4.5	9691	0.09	5.14	5.23	0.39	26.10
BODUTISO JO BO MO BOGARENG JWA VAAL										
C24A	839	582.6	18.6	4.18	5 017	0.1	3.94	4.04	0.3	14.26
C24B	530	561.0	16.31	5.49	31 256	0.29	2.28	2.57	5.1	8.64
C24C	1350	586.9	96.98	12.24	25 663	0.23	21.55	21.8	14.9	60.30
C24D	364	584.3	3.99	1.88	3 079	0.03	1.70	1.73	0.2	2.06
C24E	925	560.0	21.87	6.23	51 389	0.47	3.75	4.22	7.51	10.14
C24F	2020	577.5	55.91	5.52	29827	0.27	8.86	9.13	1.30	45.48
C24G	985	581.6	11.75	2.05	20 852	0.19	4.42	4.61	0.3	6.84
C24H	840	574.9	10.81	2.24	5 225	0.05	0.74	0.79	1.4	8.62
C24J	2109	550.9	22.31	1.88	17 403	0.16	1.62	1.78	0.80	19.73
C25A	863	542.8	12.49	2.67	2 998	0.03	0.67	0.70	0.5	11.29
C25B	1888	510.0	18.16	1.89	63 942	0.58	1.19	1.77	0.6	15.79
C25C	1210	523.0	7.02	1.84	5004	0.09	0.83	0.92	0.80	5.30
C25D	1202	526.1	8.74	1.21	60 167	0.67	0.85	1.52	0.60	6.62
C25E	1536	510.7	8.3	1.01	10 597	0.11	0.98	1.09	1.90	5.34
C25F	2218	481.9	10.48	0.96	3706	0.06	1.14	1.20	0.60	8.68
C41A	1078	598.2	9.04	1.41	54 136	0.74	5.24	5.98	1.10	1.96
C41B	1005	598.2	9.51	1.58	20 033	0.27	4.89	5.16	0.40	3.95
C41C	1095	594.7	10.09	1.55	21 292	0.19	5.28	5.47	0.3	4.32
C41D	1155	549.5	4.94	0.78	29 024	0.26	4.87	5.13	0.3	0.00
C41E	391	519.0	0.62	0.30	2 629	0.02	1.28	1.30	0.1	0.00
C41F	556	494.9	0.56	0.20	8 630	0.08	1.54	1.62	0.2	0.00
C41G	272	516.8	0.29	0.21	130.00	0.00	0.64	0.64	0.1	0.00
C41H	887	499.2	2.32	0.52	8 669	0.08	2.24	2.32	0.2	0.00
C41J	556	494.6	2.16	0.79	11 390	0.10	1.38	1.48	0.1	0.58
C42A	695	632.0	8.77	2.00	5 110	0.05	6.08	6.13	0.3	2.34
C42B	727	581.0	5.10	1.21	1 903	0.02	5.21	5.23	0.3	0.00
C42C	793	625.6	6.27	1.26	8 731	0.08	6.75	6.83	0.3	0.00
C42D	663	555.5	1.71	0.46	21 992	0.20	4.20	4.40	0.3	0.00
C42E	750	564.0	2.93	0.69	6 150	0.06	4.99	5.05	0.3	0.00
C42F	734	568.2	1.42	0.34	39 809	0.36	4.91	5.27	0.2	0.00
C42G	555	550.4	0.82	0.27	6 876	0.06	3.43	3.49	0.2	0.00
C42H	445	541.1	0.53	0.22	41 319	0.38	2.62	3.00	1.1	0.00
C42J	1014	530.8	1.99	0.37	12 391	0.11	5.69	5.80	0.4	0.00
C42K	668	522.1	0.67	0.19	587.00	0.01	3.59	3.60	0.9	0.00
C42L	511	505.2	0.96	0.37	1 182	0.01	2.33	2.34	0.1	0.00
C43A	1491	482.2	3.37	0.47	26 707	0.24	0.37	0.61	0.3	2.46
C43B	723	494.0	1.26	0.35	1 854	0.02	0.20	0.22	0.2	0.84
C43C	913	469.0	3.17	0.74	9 364	0.09	0.20	0.29	0.3	2.58
C43D	1475	464.0	3.95	0.58	24 645	0.22	0.31	0.53	0.4	3.02
C60A	859	632.8	10.01	1.84	2 340	0.02	5.74	5.76	0.2	4.05
C60B	1022	617.8	10.11	1.60	10 790	0.10	6.52	6.62	0.5	2.99
C60C	1047	578.4	5.51	0.91	8 469	0.08	5.69	5.77	0.4	0.00
C60D	645	552.7	2.53	0.71	2 567	0.02	3.05	3.07	0.2	0.00
C60E	664	563.9	2.76	0.74	7 788	0.07	3.50	3.57	0.6	0.00
C60F	659	558.2	1.94	0.53	96 217	0.88	3.23	4.11	0.2	0.00

A	B	C	D	E	F	G	H	I	J	K
Kwaternari Bodutelo	Lefelo (km ²)	Dipula tse di Bokoa ka Ngwaga (mm)	Go tiatsa (Mm ³ /a)	% Ya Dipula tse di Bokoa ka Ngwaga	Bontsi (maemo a palotlase)	Dithoko tsa Motheo tsa Batho (Mm ³ /a)	Karolo ya Kelelotlase ya Metsi a ka fa Tlase ga Lefatshe (Mm ³ /a)	Palogotho ya Rasefe (Mm ³ /a)	Tiriso ya Metsi a ka fa Tlase ga Lefatshe (Mm ³ /a)	Metsi a a ka abiwang a a ka fa Tlase ga Lefatshe Palogotho (Mm ³ /a)
C60G	782	539.2	2.28	0.54	1 300	0.01	3.45	3.46	2.1	0.00
C60H	1232	514.8	2.69	0.42	6 274	0.06	0.26	0.32	0.3	2.07
C60J	959	550.6	10.02	1.90	6 169	0.06	0.28	0.34	0.8	8.88
C70A	613	628.1	7.02	1.82	2 218	0.02	4.71	4.73	0.5	1.79
C70B	660	612.6	4.74	1.17	6 715	0.06	4.70	4.76	0.4	0.00
C70C	887	616.0	5.92	1.08	4 114	0.04	6.28	6.32	0.4	0.00
C70D	675	586.6	3.82	0.96	2 012	0.02	4.20	4.22	0.6	0.00
C70E	693	580.4	7.67	1.91	13 034	0.12	4.16	4.28	0.2	3.19
C70F	564	576.4	4.95	1.52	2 141	0.02	3.34	3.36	0.2	1.39
C70G	901	579.1	7.15	1.37	2 745	0.03	5.34	5.37	0.3	1.48
C70H	251	570.4	1.92	1.34	3 081	0.03	1.43	1.46	0.1	0.36
C70J	521	577.3	6.45	2.14	3 602	0.03	3.05	3.08	0.2	3.17
C70K	891	567.4	9.39	1.86	3 050	0.03	4.92	4.95	0.7	3.74
BODUTISO JO BO KWA TLASE JWA VAAL										
C31A	1402	330.00	32.68	7.00	28400	0.71	5.55	6.26	0.77	25.65
C31B	1743	230.00	20.59	5.00	4400	0.11	11.07	11.18	1.15	8.26
C31C	1635	280.00	21.79	5.00	800	0.02	9.33	9.35	1.45	10.99
C31D	1493	300.00	22.95	5.00	30400	0.76	5.55	6.31	0.57	16.07
C31E	2958	270.00	37.91	5.00	65600	1.64	20.31	21.95	2.33	13.64
C31F	1787	205.00	12.92	3.00	63600	1.59	9.92	11.51	1.41	0.00
C32A	1403	165.00	8.62	3.50	25200	0.63	6.91	7.54	1.08	0.00
C32B	2997	225.00	31.22	5.00	123200	3.08	25.63	28.71	2.52	0.00
C32C	1657	245.00	15.24	3.50	<1000	0.00	9.69	9.69	0.79	4.76
C32D	4134	240.00	60.26	6.00	40000	1.00	16.63	17.63	3.26	39.37
C33A	2855	245.00	35.29	5.00	57600	1.44	10.69	12.13	1.06	22.10
C33B	2830	230.00	36.55	5.00	17600	0.44	6.58	7.02	0.83	28.70
C33C	4141	190.00	35.06	4.50	2400	0.06	11.44	11.50	0.97	22.59
C91A	2545	170.00	16.81	3.50	11200	0.28	7.86	8.14	0.77	7.90
C91B	4675	270.00	59.66	4.50	2800	0.07	21.89	21.96	1.11	36.59
C91C	3133	240.00	33.55	4.00	10400	0.26	7.18	7.44	0.18	25.93
C91D	2694	265.00	27.83	4.00	22000	0.55	3.55	4.10	0.46	23.27
C91E	1506	190.00	9.32	3.00	36400	0.91	3.16	4.07	0.42	4.83
C92A	3913	180.00	27.50	4.00	24000	0.60	9.80	10.40	0.88	16.22
C92B (68%) ¹	1341	190.00	9.00	3.50	<1000	0.00	5.63	5.63	0.32	3.15
C92C (67%) ¹	1332	185.00	10.00	4.00	6600	0.17	5.38	5.55	0.65	3.90
D-Bodutiso Mailithomo a Tihophelo ya Boleng jwa Motsweddi wa Metsi a a ka fa Tlase ga Lefatshe										

Gw = Metsi a a ka fa Tlase ga Lefatshe.

¹ Ke feila dikarolo tse di kwa godimo (tse di bontshitsweng e le diphesente tsa palogotho ya lefelo la bodutelo la kwaternari) tse di welang mo Lefelong la Taolo ya Metsi a a ka fa Tlase a Vaal.

Mela e kwebu e e lebeletsweng: Bodutelo jwa Kwaternari jo bo nang le bobotlana 25% ya Mafelo a Metsi a a nang le Dolomaete (ke gore, difhulaganyo tse di bothokwa tsa matlapa a a kwa tlase ga lefatshe a a tshotseng metsi).

RASEFE YA METSI A A FA TLASE GA LEFATSHE - KAROLO YA BOLENG JWA METSI

Boleng jwa metsi a a ka fa tlase ga lefatshe a bodutiso jwa kwatenari a tshedimosetso e e teng ya haeterokhemisi a ne a tlathlobiwa kgatlanong le ditotwa tsa metsi a fa gae le mefuta ya boleng jwa metsi jaaka go bontshitswe mo Lenaneong 6.2 le Lenaneo 6.3 Khutshwafatso ya dipholo tsa boleng tlhophelo ya boleng jwa metsi a a ka fa tlase ga lefatshe kwa boemong jwa kwatenari go ya ka tlhokego ya ditlhoko tsa motheo tsa batho e akareditswe mo mananeong a a latelang (Mananeo 6.4 - 6.72).

Lenaneo 6.2: Boleng jwa metsi a Dikhemikale

Diparameta tsa Dikhemikale	Mefuta ya Boleng jwa Metsi ¹				
	Diyuniti	Setlhophsa sa 0	Setlhophsa sa I	Setlhophsa sa II	Setlhophsa sa III
Khalesiamo ke Ca	mg/l	0 - 80	80 - 150	150 - 300	> 300
Makenesiamo ke Mg	mg/l	0 - 30	30 - 70	70 - 100	> 100
Potasiome ke K	mg/l	0 - 25	25 - 50	50 - 100	> 100
Sodiamo ke Na	mg/l	0 - 100	100 - 200	200 - 400	> 400
Tleloraete ke Cl	mg/l	0 - 100	100 - 200	200 - 600	> 600
Salafate ke SO ₄	mg/l	0 - 200	200 - 400	400 - 600	> 600
Naetereiti jaaka NO _x - N	mg/l	0 - 6	6 - 10	10 - 20	> 20
Folaraete ke F	mg/l	< 0.7	0.7 - 1.0	1.0 - 1.5	> 1.5
Palogotlhe ya bopopota jaaka CaCO ₃ *	mg/l	0 - 200	200 - 300	300 - 600	> 600

1) Kaelo: Thulaganyo ya Tlhophelo goya ka - Khomišene ya Patlisiso ya Metsi: Dithebolo tsa Boleng jwa Metsi a fa Gae - Bolumo ya 1. Pegelo No. TT 101/98, Kgatiso ya Bobedi, 1998.

2) * Mo bodutisong fa haeterokhemisi ya paramita ya dikhemikale e le popota gotlhe fela, e bontsha dikokoanyo tse di kwa godimo ka ntlha ya maemo a tlhago, boleng jwa metsi bo ne bo a tlhophiwa e le mofuta wa setlhophsa sa nngwe se se kwa godimo ka go ne go se na dikutlwalo mo boitekanolong jwa batho tse di diragetseng tse di itsiweng. Dikutlwalo tse di teng di amana le go lekanya didirisiwa tsa fa gae.

Lenaneo 6.3: Boleng jwa Metsi a a Teng

Paramita e e Teng	Mefuta ya Boleng jwa Metsi ²				
	Diyuniti	Setlhophsa sa 0	Setlhophsa sa I	Setlhophsa sa II	Setlhophsa sa III
pH (Diyuniti tsa pH)		6 - 9	5 - 6 & 9 - 9.5	4.5 - 5 & 9.5 - 10	< 4 or > 10
Palogotlhe ya Dikomota tse di Tlhaolotsweng	mg/l	0 - 450	450 - 1000	1000 - 2400	> 2400
Phetiso ya Motlakase	mS/m	0 - 70	70 - 150	150 - 370	> 370

3) Kaelo: Thulaganyo ya Tlhophelo goya ka - Khomišene ya Patlisiso ya Metsi: Dithebolo tsa Boleng jwa Metsi a fa Gae - Bolumo ya 1. Pegelo No. TT 101/98, Kgatiso ya Bobedi, 1998.

Boleng jwa metsi jwa bodutelo jo bo latelang jwa kwatenari ga bo a tlhatlhabiwa ka ntlha ya tshedimosetso e e sa lekanang (tlhalelo ya tshedimosetso e e emetseng boleng jwa metsi a a ka fa tlase ga lefatshe):

- C11A; C11B; C11C; C11D; C11E; C11F; C11G; C11J; C11K; C11L; C11M
- C12A; C12B; C12C; C12E; C12F; C12G; C12H; C12J; C12K; C12L
- C13A; C13B; C13C; C13D; C13E; C13F; C13G
- C21A; C21B
- C22G; C22K
- C23A; C23C
- C25D
- C41B; C41C; C41E; C41F; C41G; C41H; C41J
- C42A; C42B; C42C; C42D; C42E; C42F; C42G; C42H; C42J; C42K; C42L
- C43C; C43D
- C60A; C60B; C60C; C60D; C60F; C60G; C60H; C60J
- C70A; C70B; C70C; C70E; C70F; C70G; C70H; C70J; C70K
- C81A; C81B; C81C; C81D; C81E; C81G; C81H; C81J; C81K; C81L; C81M
- C82A; C82C; C82D; C82E; C82F; C82G
- C83A; C83C; C83D; C83E; C83F; C83G; C83H; C83J; C83K; C83L; C83M

Lenaneo 6.4: Rasefe ya Boleng jwa Metsi a a ka fa tlase ga Lefatshe- Bodutiso jwa Kwatenari C11H

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: *C11H			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT ²	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		37	8.20	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	37	79.70	<150	88
Khalesiamo ke Ca	mg/l	37	78.65	<150	87
Makenesiamo ke Mg	mg/l	37	36.28	<70	39
Sodiamo ke Na	mg/l	37	48.76	<200	54
Potasiome ke K	mg/l	37	4.24	<50	4.7
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	37	345.8	<300	380
Teloraete ke Cl	mg/l	37	32.32	<200	36
Salafate ke SO ₄	mg/l	37	61.58	<400	68
Naetereite ke NO _x -N	mg/l	37	4.75	<10	5.2
Folaraete ke F	mg/l	37	0.35	<1.0	0.39
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlhatlhobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlhatlhobo (Kaedi)); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Supa gore ke fela morago ga 1995 gore tshedimosetso ya haeterokhimise ya bodutiso jwa kwatenari e neng ya dirisiwa.					

Lenaneo 6.5: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe - Bodutiso jwa kwatenari C12D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: *C12D			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		34	8.13	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	34	89.25	<150	98
Khalesiamo ke Ca	mg/l	34	84.75	<150	93
Makenesiamo ke Mg	mg/l	34	48.91	<70	54
Sodiamo ke Na	mg/l	34	29.33	<200	32
Potasiome ke K	mg/l	34	8.34	<50	9
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	34	413	<300	454
Teloraete ke Cl	mg/l	34	44.61	<200	49
Salafate ke SO ₄	mg/l	34	96.36	<400	106
Naetereite ke NO _x -N	mg/l	34	3.63	<10	4
Folaraete ke F	mg/l	34	0.28	<1.0	0.3
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Supa gore ke fela morago ga 1995 gore tshedimisetso ya haeterokhimise ya bodutiso jwa kwatenari e neng ya dirisiwa					

Lenaneo 6.6: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C21C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C21C			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		67	7.65	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	67	57.20	<150	63
Khalesiamo ke Ca	mg/l	67	40.10	<150	44
Makenesiamo ke Mg	mg/l	67	19.40	<70	21
Sodiamo ke Na	mg/l	67	39.10	<200	43
Potasiome ke K	mg/l	67	4.98	<50	5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	67	180	<300	198
Teloraete ke Cl	mg/l	67	43.40	<200	48
Salafate ke SO ₄	mg/l	67	31.60	<400	35
Naetereite ke NO _x -N	mg/l	67	0.10	<10	0.11
Folaraete ke F	mg/l	67	0.71	<1.0	0.78
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.7: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe: – Bodutiso jwa kwatenari C21D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C21D*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		17	7.37	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	17	27.50	<150	30
Khalesiamo ke Ca	mg/l	17	19.10	<150	21
Makenesiamo ke Mg	mg/l	17	11	<70	12
Sodiamo ke Na	mg/l	17	13.40	<200	15
Potasiome ke K	mg/l	17	2.20	<50	2.4
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	17	101.60	<300	112
Tleloraete ke Cl	mg/l	17	8.50	<200	9
Salafate ke SO ₄	mg/l	17	6.10	<400	7
Naetereite ke NO _x -N	mg/l	17	0.23	<10	0.25
Folaraete ke F	mg/l	17	0.12	<1.0	0.13
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlhatlhobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlhatlhobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 6.8 Rasefe ya Boleng jwa Metsi a a ka fa tlase ga Lefatshe – Bodutiso jwa kwatenari C21E

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C21E*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		11	7.52	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	11	51.90	<150	57
Khalesiamo ke Ca	mg/l	11	39.70	<150	44
Makenesiamo ke Mg	mg/l	11	20.90	<70	23
Sodiamo ke Na	mg/l	11	26.00	<200	29
Potasiome ke K	mg/l	11	10.43	<50	11
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	11	185.2	<300	203
Tleloraete ke Cl	mg/l	11	29.50	<200	32
Salafate ke SO ₄	mg/l	11	32.30	<400	36
Naetereite ke NO _x -N	mg/l	11	1.73	<10	1.9
Folaraete ke F	mg/l	11	0.17	<1.0	0.19
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlhatlhobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlhatlhobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 6.9 Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C21F

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: *C21F			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		31	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	31	41.80	<150	46
Khalesiamo ke Ca	mg/l	31	39.34	<150	43
Makenesiamo ke Mg	mg/l	31	19.71	<70	22
Sodiamo ke Na	mg/l	31	10.72	<200	12
Potasiome ke K	mg/l	31	0.50	<50	1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	31	179.5	<300	198
Teloraete ke Cl	mg/l	31	25.60	<200	28
Salafate ke SO ₄	mg/l	31	12.87	<400	14
Naetereite ke NO _x -N	mg/l	31	2.88	<10	3.21
Folaraete ke F	mg/l	31	0.13	<1.0	0.15
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Supa gore ke fela morago ga 1995 gore tshedimisetso ya haeterokhimise ya bodutiso jwa kwatenari e neng ya dirisiwa					

Lenaneo 6.10 Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C21G

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C21G*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		15	7.58	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	15	48.30	<150	53
Khalesiamo ke Ca	mg/l	15	32	<150	35
Makenesiamo ke Mg	mg/l	15	20.80	<70	23
Sodiamo ke Na	mg/l	15	23.80	<200	26
Potasiome ke K	mg/l	15	3.23	<50	4
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	15	165.6	<300	182
Teloraete ke Cl	mg/l	15	12.409	<200	14
Salafate ke SO ₄	mg/l	15	12.40	<400	14
Naetereite ke NO _x -N	mg/l	15	1.52	<10	2
Folaraete ke F	mg/l	15	0.21	<1.0	0.23
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 6.11: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C22A

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C22A			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		45	8.00	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	45	46.5	<150	51
Khalesiamo ke Ca	mg/l	45	38.6	<150	43
Makenesiamo ke Mg	mg/l	45	29.0	<70	32
Sodiamo ke Na	mg/l	45	8.00	<200	8.8
Potasiome ke K	mg/l	45	0.96	<50	1.1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	45	215.8	<300	237
Tleloraete ke Cl	mg/l	45	5.8	<200	6.4
Salafate ke SO ₄	mg/l	45	90.0	<400	99
Naetereite ke NO _x -N	mg/l	45	4.07	<10	4.5
Folaraete ke F	mg/l	45	0.10	<1.0	0.11
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.12: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga lefatshe – Bodutiso jwa kwatenari C22B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C22B*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		53	7.70	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	53	134.10	<150	148
Khalesiamo ke Ca	mg/l	53	106.45	<150	117
Makenesiamo ke Mg	mg/l	53	58.70	<70	65
Sodiamo ke Na	mg/l	53	46.25	<200	51
Potasiome ke K	mg/l	53	3.75	<50	4
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	53	507.5	<300	558
Tleloraete ke Cl	mg/l	53	55.10	<200	61
Salafate ke SO ₄	mg/l	53	308.70	<400	340
Naetereite ke NO _x -N	mg/l	53	2.40	<10	2.6
Folaraete ke F	mg/l	53	0.15	<1.0	0.17
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.13: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C22C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C22C			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		123	7.79	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	123	57	<150	63
Khalesiamo ke Ca	mg/l	123	44.0	<150	50
Makenesiamo ke Mg	mg/l	123	32.0	<70	35
Sodiamo ke Na	mg/l	123	14.8	<200	16
Potasiome ke K	mg/l	123	1.84	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	123	241.6	<300	266
Tloraete ke Cl	mg/l	123	16.8	<200	19
Salafate ke SO ₄	mg/l	123	23.2	<400	26
Naetereite ke NO _x -N	mg/l	123	2.38	<10	2.6
Folaraete ke F	mg/l	123	0.10	<1.0	0.11
Sethopha sa Boleng jwa Metsi					Sethopha sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.14: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C22D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C22D*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		182	7.60	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	182	38.15	<150	42
Khalesiamo ke Ca	mg/l	182	35.90	<150	39
Makenesiamo ke Mg	mg/l	182	22.85	<70	25
Sodiamo ke Na	mg/l	182	6.30	<200	7
Potasiome ke K	mg/l	182	0.84	<50	1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	182	182	<300	200
Tloraete ke Cl	mg/l	182	6.25	<200	7
Salafate ke SO ₄	mg/l	182	9	<400	10
Naetereite ke NO _x -N	mg/l	182	1.20	<10	1.3
Folaraete ke F	mg/l	182	0.10	<1.0	0.11
Sethopha sa Boleng jwa Metsi					Sethopha sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka					

Lenaneo 6.15: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C22E

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C22E*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		181	7.68	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	181	38.70	<150	43
Khalesiamo ke Ca	mg/l	181	33.80	<150	37
Makenesiamo ke Mg	mg/l	181	22.90	<70	25
Sodiamo ke Na	mg/l	181	10.10	<200	11
Potasiome ke K	mg/l	181	0.94	<50	1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	181	178.70	<300	197
Tleloraete ke Cl	mg/l	181	7.10	<200	8
Salafate ke SO ₄	mg/l	181	9.70	<400	11
Naetereite ke NO _x -N	mg/l	181	1.05	<10	1.2
Folaraete ke F	mg/l	181	0.13	<1.0	0.14
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka					

Lenaneo 616: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C22F

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C22F*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		39	7.60	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	39	48.30	<150	53
Khalesiamo ke Ca	mg/l	39	42.70	<150	47
Makenesiamo ke Mg	mg/l	39	22.30	<70	25
Sodiamo ke Na	mg/l	39	18	<200	20
Potasiome ke K	mg/l	39	1.61	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	39	198.5	<300	218
Tleloraete ke Cl	mg/l	39	14.40	<200	16
Salafate ke SO ₄	mg/l	39	10.30	<400	11
Naetereite ke NO _x -N	mg/l	39	0.50	<10	0.55
Folaraete ke F	mg/l	39	0.20	<1.0	0.22
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka					

Lenaneo 6.17: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C22H

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C22H*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		30	7.21	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	30	18.30	<150	20
Khalesiamo ke Ca	mg/l	30	14.50	<150	16
Makenesiamo ke Mg	mg/l	30	6	<70	7
Sodiamo ke Na	mg/l	30	7.05	<200	8
Potasiome ke K	mg/l	30	0.91	<50	1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	30	60.9	<300	67
Teloraete ke Cl	mg/l	30	4.45	<200	5
Salafate ke SO ₄	mg/l	30	4.70	<400	5
Naetereite ke NO _x -N	mg/l	30	0.11	<10	0.12
Folaraete ke F	mg/l	30	0.14	<1.0	0.15
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 0
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka					

Lenaneo 6.18: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C22J

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C22J*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		30	7.40	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	30	56.10	<150	62
Khalesiamo ke Ca	mg/l	30	47.70	<150	52
Makenesiamo ke Mg	mg/l	30	27.65	<70	30
Sodiamo ke Na	mg/l	30	23.75	<200	26
Potasiome ke K	mg/l	30	1.17	<50	1.3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	30	233.0	<300	256
Teloraete ke Cl	mg/l	30	17.35	<200	19
Salafate ke SO ₄	mg/l	30	21.85	<400	24
Naetereite ke NO _x -N	mg/l	30	4.29	<10	5
Folaraete ke F	mg/l	30	0.21	<1.0	0.23
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka					

Lenaneo 6.19: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23B*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		16	7.64	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	16	43.10	<150	47
Khalesiamo ke Ca	mg/l	16	31.05	<150	34
Makenesiamo ke Mg	mg/l	16	20.45	<70	23
Sodiamo ke Na	mg/l	16	15.95	<200	18
Potasiome ke K	mg/l	16	2.37	<50	3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	16	161.7	>300	178
Tleloraete ke Cl	mg/l	16	13.30	<200	15
Salafate ke SO ₄	mg/l	16	10.25	<400	11
Naetereite ke NO _x -N	mg/l	16	2.44	<10	3
Folaraete ke F	mg/l	16	0.23	<1.0	0.25
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka					

Lenaneo 6.20: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: *C23C			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		35	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	35	64.80	<150	71
Khalesiamo ke Ca	mg/l	35	42.45	<150	47
Makenesiamo ke Mg	mg/l	35	27.76	<70	31
Sodiamo ke Na	mg/l	35	53.10	<200	58
Potasiome ke K	mg/l	35	4.61	<50	5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	35	220.3	<300	242
Tleloraete ke Cl	mg/l	35	24.50	<200	26
Salafate ke SO ₄	mg/l	35	19.40	<400	21
Naetereite ke NO _x -N	mg/l	35	4.07	<10	5
Folaraete ke F	mg/l	35	0.42	<1.0	0.46
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Supa gore ke fela morago ga 1995 gore tshedimisetso ya haeterokhemisi ya bodutiso jwa kwatenari e neng ya dirisiwa.					

Lenaneo 6.21: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23D*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		74	7.08	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	74	20.40	<150	22
Khalesiamo ke Ca	mg/l	74	16	<150	18
Makenesiamo ke Mg	mg/l	74	10.70	<70	12
Sodiamo ke Na	mg/l	74	3.80	<200	4
Potasiome ke K	mg/l	74	0.78	<50	1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	74	84.0	<300	92
Tloraete ke Cl	mg/l	74	2.25	<200	2.5
Salafate ke SO ₄	mg/l	74	12.90	<400	14
Naetereite ke NO _x -N	mg/l	74	0.53	<10	1
Folaraete ke F	mg/l	74	0.05	<1.0	0.06
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 0
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobong (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka					

Lenaneo 6.22: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23E

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23E*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		34	7.56	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	34	50.4	<150	55
Khalesiamo ke Ca	mg/l	34	51.1	<150	56
Makenesiamo ke Mg	mg/l	34	33.7	<70	37
Sodiamo ke Na	mg/l	34	9.9	<200	11
Potasiome ke K	mg/l	34	1.29	<50	1.4
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	34	266.4	<300	293
Tloraete ke Cl	mg/l	34	5.15	<200	6
Salafate ke SO ₄	mg/l	34	24.6	<400	27
Naetereite ke NO _x -N	mg/l	34	1.96	<10	2
Folaraete ke F	mg/l	34	0.05	<1.0	0.06
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobong (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka					

Lenaneo 6.23: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23F

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23F*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		14	7.72	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	14	31.20	<150	34
Khalesiamo ke Ca	mg/l	14	30.90	<150	34
Makenesiamo ke Mg	mg/l	14	16.75	<70	18
Sodiamo ke Na	mg/l	14	3.40	<200	4
Potasiome ke K	mg/l	14	0.90	<50	1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	14	146.1	<300	161
Tleloraete ke Cl	mg/l	14	3.35	<200	3.7
Salafate ke SO ₄	mg/l	14	2	<400	2.2
Naetereite ke NO _x -N	mg/l	14	1	<10	1.1
Folaraete ke F	mg/l	14	0.12	<1.0	0.13
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka					

Lenaneo 6.24: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23G

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23G*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		196	7.78	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	196	88.95	<150	98
Khalesiamo ke Ca	mg/l	196	79.95	<150	88
Makenesiamo ke Mg	mg/l	196	44.55	<70	49
Sodiamo ke Na	mg/l	196	44.35	<200	48
Potasiome ke K	mg/l	196	1.88	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	196	383.1	<300	421
Tleloraete ke Cl	mg/l	196	45.40	<200	50
Salafate ke SO ₄	mg/l	196	228.05	<400	251
Naetereite ke NO _x -N	mg/l	196	2.11	<10	2.3
Folaraete ke F	mg/l	196	0.11	<1.0	0.12
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pakatelele ya haeterokhemisi go tswa mo sebakeng se le sengwe fela (motswedi/leitho) sa tebelelo kwa bodutisong jwa kwatenari					

Lenaneo 6.25: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23H

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23H			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		19	7.91	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	19	43.70	<150	48
Khalesiamo ke Ca	mg/l	19	44	<150	48
Makenesiamo ke Mg	mg/l	19	24.60	<70	27
Sodiamo ke Na	mg/l	19	11.40	<200	13
Potasiome ke K	mg/l	19	1.14	<50	1.25
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	19	211.3	<300	232
Teloraete ke Cl	mg/l	19	7.20	<200	8
Salafate ke SO ₄	mg/l	19	5.20	<400	6
Naetereite ke NO _x -N	mg/l	19	3.11	<10	3.4
Folaraete ke F	mg/l	19	0.13	<1.0	0.14
Sethopha sa Boleng jwa Metsi					Sethopha sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.26: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23J

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23J*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		20	7.73	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	20	44.2	<150	49
Khalesiamo ke Ca	mg/l	20	28.3	<150	31
Makenesiamo ke Mg	mg/l	20	31.0	<70	34
Sodiamo ke Na	mg/l	20	14.3	<200	16
Potasiome ke K	mg/l	20	1.50	<50	1.65
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	20	198.3	<300	218
Teloraete ke Cl	mg/l	20	8.40	<200	9.0
Salafate ke SO ₄	mg/l	20	7.45	<400	8.20
Naetereite ke NO _x -N	mg/l	20	0.79	<10	0.87
Folaraete ke F	mg/l	20	0.22	<1.0	0.24
Sethopha sa Boleng jwa Metsi					Sethopha sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 6.27: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23K

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23K*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		9	7.76	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	9	39.50	<150	43
Khalesiamo ke Ca	mg/l	9	44.50	<150	49
Makenesiamo ke Mg	mg/l	9	19.20	<70	21
Sodiamo ke Na	mg/l	9	15.70	<200	17
Potasiome ke K	mg/l	9	1.07	<50	1.1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	9	190.2	<300	209
Tleloraete ke Cl	mg/l	9	6.10	<200	7
Salafate ke SO ₄	mg/l	9	4	<400	4.5
Naetereite ke NO _x -N	mg/l	9	2.32	<10	3
Folaraete ke F	mg/l	9	0.18	<1.0	0.2
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihatthobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihatthobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka					

Lenaneo la 6.28: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C23L

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C23L*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		26	7.20	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	26	34.70	<150	38
Khalesiamo ke Ca	mg/l	26	33.55	<150	37
Makenesiamo ke Mg	mg/l	26	16.80	<70	18
Sodiamo ke Na	mg/l	26	10.25	<200	11
Potasiome ke K	mg/l	26	1.47	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	26	153	<300	168
Tleloraete ke Cl	mg/l	26	5.90	<200	6
Salafate ke SO ₄	mg/l	26	2	<400	2.2
Naetereite ke NO _x -N	mg/l	26	0.87	<10	1
Folaraete ke F	mg/l	26	0.13	<1.0	0.14
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihatthobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihatthobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka					

Lenaneo 6.29: Rasefe ya Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24A

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24A			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		112	7.40	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	112	108.05	<150	119
Khalesiamo ke Ca	mg/l	112	89.95	<150	99
Makenesiamo ke Mg	mg/l	112	74.30	<70	82
Sodiamo ke Na	mg/l	112	70.35	<200	77
Potasiome ke K	mg/l	112	7.74	<50	9
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	112	529.3	<300	582
Teloraete ke Cl	mg/l	112	67.05	<200	74
Salafate ke SO ₄	mg/l	112	323.45	<400	356
Naetereite ke NO _x -N	mg/l	112	1.99	<10	2
Folaraete ke F	mg/l	112	0.16	<1.0	0.18
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 2
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo la 6.30: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24B*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		13	7.17	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	13	361.20	<150	397
Khalesiamo ke Ca	mg/l	13	458.60	<150	504
Makenesiamo ke Mg	mg/l	13	225.40	<70	248
Sodiamo ke Na	mg/l	13	118.90	<200	131
Potasiome ke K	mg/l	13	20.14	<50	22
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	13	2073.3	<300	2281
Teloraete ke Cl	mg/l	13	143.40	<200	158
Salafate ke SO ₄	mg/l	13	2109.90	<400	2321
Naetereite ke NO _x -N	mg/l	13	4.82	<10	5.3
Folaraete ke F	mg/l	13	0.22	<1.0	0.24
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 3
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka					

Lenaneo 6.31: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24C			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		161	7.95	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	161	40.70	<150	45
Khalesiamo ke Ca	mg/l	161	34	<150	37
Makenesiamo ke Mg	mg/l	161	29.20	<70	32
Sodiamo ke Na	mg/l	161	4.60	<200	5
Potasiome ke K	mg/l	161	1.43	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	161	205.1	<300	226
Tleloraete ke Cl	mg/l	161	5.70	<200	6
Salafate ke SO ₄	mg/l	161	2	<400	2.2
Naetereite ke NO _x -N	mg/l	161	1.97	<10	2.2
Folaraete ke F	mg/l	161	0.05	<1.0	0.06
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihatthobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihatthobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.32: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24D			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		10	7.70	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	10	24.30	<150	27
Khalesiamo ke Ca	mg/l	10	16.95	<150	19
Makenesiamo ke Mg	mg/l	10	10.10	<70	11
Sodiamo ke Na	mg/l	10	13.90	<200	15
Potasiome ke K	mg/l	10	3.03	<50	3.3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	10	83.9	<300	92
Tleloraete ke Cl	mg/l	10	5.05	<200	6
Salafate ke SO ₄	mg/l	10	7.05	<400	8
Naetereite ke NO _x -N	mg/l	10	3.46	<10	3.8
Folaraete ke F	mg/l	10	0.13	<1.0	0.15
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihatthobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihatthobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.33: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24E

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24E			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		48	7.89	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	48	48.80	<150	54
Khalesiamo ke Ca	mg/l	48	35.45	<150	39
Makenesiamo ke Mg	mg/l	48	35.75	<70	39
Sodiamo ke Na	mg/l	48	7.20	<200	8
Potasiome ke K	mg/l	48	1.37	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	48	235.7	<300	259
Teloraete ke Cl	mg/l	48	12.15	<200	13
Salafate ke SO ₄	mg/l	48	2	<400	2.2
Naetereite ke NO _x -N	mg/l	48	5.21	<10	6
Folaraete ke F	mg/l	48	0.13	<1.0	0.14
Sethopha sa Boleng jwa Metsi					Sethopha sa 1
¹ Se ka ga tshedimoseetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.34: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24F

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24F			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		175	7.84	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	175	46.30	<150	51
Khalesiamo ke Ca	mg/l	175	40	<150	44
Makenesiamo ke Mg	mg/l	175	26.90	<70	30
Sodiamo ke Na	mg/l	175	7.70	<200	8
Potasiome ke K	mg/l	175	1.80	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	175	211	<300	232
Teloraete ke Cl	mg/l	175	30.50	<200	34
Salafate ke SO ₄	mg/l	175	2	<400	2.2
Naetereite ke NO _x -N	mg/l	175	6.62	<10	7
Folaraete ke F	mg/l	175	0.05	<1.0	0.06
Sethopha sa Boleng jwa Metsi					Sethopha sa 1
¹ Se ka ga tshedimoseetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.35: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24G

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24G			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		23	7.80	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	23	38	<150	42
Khalesiamo ke Ca	mg/l	23	33.70	<150	37
Makenesiamo ke Mg	mg/l	23	15.70	<70	17
Sodiamo ke Na	mg/l	23	14.70	<200	16
Potasiome ke K	mg/l	23	1.99	<50	2.2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	23	148.8	<300	164
Tleloraete ke Cl	mg/l	23	7.60	<200	8.4
Salafate ke SO ₄	mg/l	23	11.80	<400	13
Naetereite ke NO _x -N	mg/l	23	3.21	<10	3.5
Folaraete ke F	mg/l	23	0.31	<1.0	0.34
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihatthobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihatthobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.36: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24H

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24H*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		42	7.80	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	42	51.40	<150	57
Khalesiamo ke Ca	mg/l	42	46.10	<150	51
Makenesiamo ke Mg	mg/l	42	25.80	<70	28
Sodiamo ke Na	mg/l	42	14.85	<200	16
Potasiome ke K	mg/l	42	1.59	<50	1.75
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	42	221.4	<300	244
Tleloraete ke Cl	mg/l	42	15.40	<200	17
Salafate ke SO ₄	mg/l	42	11.55	<400	13
Naetereite ke NO _x -N	mg/l	42	3.67	<10	4.0
Folaraete ke F	mg/l	42	0.27	<1.0	0.29
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihatthobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihatthobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 6.37: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C24J

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C24J			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		22	7.64	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	22	42.60	<150	43
Khalesiamo ke Ca	mg/l	22	36.30	<150	37
Makenesiamo ke Mg	mg/l	22	16.30	<70	17
Sodiamo ke Na	mg/l	22	24.85	<200	26
Potasiome ke K	mg/l	22	1.06	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	22	157.3	<300	173.5
Tloraete ke Cl	mg/l	22	10.45	<200	11
Salafate ke SO ₄	mg/l	22	7.55	<400	8
Naetereite ke NO _x -N	mg/l	22	1.62	<10	2
Folaraete ke F	mg/l	22	0.22	<1.0	0.24
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 0
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.38: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C25A*

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C25A*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		9	7.84	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	9	53.60	<150	59
Khalesiamo ke Ca	mg/l	9	30	<150	33
Makenesiamo ke Mg	mg/l	9	24.90	<70	27
Sodiamo ke Na	mg/l	9	33.40	<200	37
Potasiome ke K	mg/l	9	1.37	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	9	177.4	<300	195
Tloraete ke Cl	mg/l	9	17	<200	19
Salafate ke SO ₄	mg/l	9	14.20	<400	16
Naetereite ke NO _x -N	mg/l	9	3.10	<10	3.4
Folaraete ke F	mg/l	9	0.82	<1.0	0.9
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 0
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.39: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari QC C25B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: *C25B			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		16	8.29	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	16	136.95	<150	151
Khalesiamo ke Ca	mg/l	16	27.32	<150	30
Makenesiamo ke Mg	mg/l	16	15.25	<70	17
Sodiamo ke Na	mg/l	16	267.18	<200	294
Potasiome ke K	mg/l	16	5.03	<50	6.0
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	16	131.0	<300	144
Tleloraete ke Cl	mg/l	16	117.83	<200	130
Salafate ke SO ₄	mg/l	16	33.93	<400	37
Naetereite ke NO _x -N	mg/l	16	0.35	<10	0.4
Folaraete ke F	mg/l	16	2.38	<1.0	2.62
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 3
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi)); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Supa gore ke fela morago ga 1995 gore tshedimisetso ya haeterokhimise ya bodutiso jwa kwatenari e neng ya dirisiwa.					

Lenaneo 6.40: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutelo jwa kwatenari C25C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C25C			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		28	8.13	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	28	50.45	<150	56
Khalesiamo ke Ca	mg/l	28	46.63	<150	51
Makenesiamo ke Mg	mg/l	28	27.52	<70	30
Sodiamo ke Na	mg/l	28	14.95	<200	16
Potasiome ke K	mg/l	28	1.93	<50	2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	28	229.8	<300	253
Tleloraete ke Cl	mg/l	28	8.77	<200	10
Salafate ke SO ₄	mg/l	28	4.32	<400	5
Naetereite ke NO _x -N	mg/l	28	9.57	<10	11
Folaraete ke F	mg/l	28	0.13	<1.0	0.15
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi)); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.41: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C25E

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C25E			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		11	7.99	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	11	67.70	<150	74
Khalesiamo ke Ca	mg/l	11	48.30	<150	53
Makenesiamo ke Mg	mg/l	11	20.70	<70	23
Sodiamo ke Na	mg/l	11	19.80	<200	22
Potasiome ke K	mg/l	11	2.75	<50	3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	11	205.8	<300	226
Teloraete ke Cl	mg/l	11	17.80	<200	20
Salafate ke SO ₄	mg/l	11	8.90	<400	10
Naetereite ke NO _x -N	mg/l	11	13.07	<10	14
Folaraete ke F	mg/l	11	0.18	<1.0	0.2
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.42: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe - Bodutiso jwa kwatenari C25F

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C25F*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		22	7.75	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	22	27.20	<150	30
Khalesiamo ke Ca	mg/l	22	20.92	<150	23
Makenesiamo ke Mg	mg/l	22	12.30	<70	14
Sodiamo ke Na	mg/l	22	4.10	<200	5
Potasiome ke K	mg/l	22	1	<50	1.1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	22	102.9	<300	113
Teloraete ke Cl	mg/l	22	1.50	<200	2
Salafate ke SO ₄	mg/l	22	11.45	<400	13
Naetereite ke NO _x -N	mg/l	22	0.84	<10	1.0
Folaraete ke F	mg/l	22	0.05	<1.0	0.06
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 0
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 6.43: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari QC C31A

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C31A			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		187	7.82	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	187	60.90	<150	67
Khalesiamo ke Ca	mg/l	187	59	<150	65
Makenesiamo ke Mg	mg/l	187	34.30	<70	38
Sodiamo ke Na	mg/l	187	13.10	<200	14
Potasiome ke K	mg/l	187	2.19	<50	2.4
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	187	288.6	<300	317
Tleloraete ke Cl	mg/l	187	27	<200	30
Salafate ke SO ₄	mg/l	187	2	<400	2.2
Naetereite ke NO _x -N	mg/l	187	4.96	<10	5.5
Folaraete ke F	mg/l	187	0.12	<1.0	0.13
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolomo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.44: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C31B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C31B*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		69	7.87	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	69	74.80	<150	82
Khalesiamo ke Ca	mg/l	69	80.80	<150	89
Makenesiamo ke Mg	mg/l	69	36.90	<70	41
Sodiamo ke Na	mg/l	69	23.30	<200	26
Potasiome ke K	mg/l	69	3.10	<50	3.3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	69	353.7	<300	389
Tleloraete ke Cl	mg/l	69	35.70	<200	39
Salafate ke SO ₄	mg/l	69	11.30	<400	12
Naetereite ke NO _x -N	mg/l	69	14.05	<10	15
Folaraete ke F	mg/l	69	0.23	<1.0	0.25
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolomo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo la 6.45: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C31C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C31C*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		41	7.61	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	41	42.90	<150	47
Khalesiamo ke Ca	mg/l	41	30.1	<150	33.1
Makenesiamo ke Mg	mg/l	41	18.10	<70	20
Sodiamo ke Na	mg/l	41	24.80	<200	27
Potasiome ke K	mg/l	41	2.73	<50	3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	41	154.2	<300	169
Tloraete ke Cl	mg/l	41	11.60	<200	13
Salafate ke SO ₄	mg/l	41	10.10	<400	11
Naetereite ke NO _x -N	mg/l	41	9.76	<10	11
Folaraete ke F	mg/l	41	0.25	<1.0	0.28
Sethopha sa Boleng jwa Metsi					Sethopha sa 0
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobong (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.46: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C31D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C31D*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		23	8.05	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	23	83	<150	91
Khalesiamo ke Ca	mg/l	23	83.20	<150	92
Makenesiamo ke Mg	mg/l	23	41.30	<70	45
Sodiamo ke Na	mg/l	23	49.60	<200	55
Potasiome ke K	mg/l	23	4.43	<50	5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	23	377.8	<300	416
Tloraete ke Cl	mg/l	23	56.20	<200	62
Salafate ke SO ₄	mg/l	23	19	<400	21
Naetereite ke NO _x -N	mg/l	23	10.56	<10	12
Folaraete ke F	mg/l	23	0.42	<1.0	0.46
Sethopha sa Boleng jwa Metsi					Sethopha sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobong (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.47: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C31E

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C31E*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		82	7.88	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	82	74.85	<150	82
Khalesiamo ke Ca	mg/l	82	70.85	<150	78
Makenesiamo ke Mg	mg/l	82	30.50	<70	34
Sodiamo ke Na	mg/l	82	44.50	<200	49
Potasiome ke K	mg/l	82	3.57	<50	4
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	82	302.5	<300	333
Tleloraete ke Cl	mg/l	82	42.95	<200	47
Salafate ke SO ₄	mg/l	82	18.95	<400	21
Naetereite ke NO _x -N	mg/l	82	14.37	<10	16
Folaraete ke F	mg/l	82	0.34	<1.0	0.37
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 4.48: Rasefe ya Boleng jwa Metsi a a ka Fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C31F

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C31F*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		35	7.28	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	35	57.20	<150	63
Khalesiamo ke Ca	mg/l	35	43.30	<150	48
Makenesiamo ke Mg	mg/l	35	21.90	<70	24
Sodiamo ke Na	mg/l	35	43.20	<200	48
Potasiome ke K	mg/l	35	2.97	<50	3.3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	35	198.3	<300	218
Tleloraete ke Cl	mg/l	35	26.90	<200	30
Salafate ke SO ₄	mg/l	35	23.60	<400	26
Naetereite ke NO _x -N	mg/l	35	13.28	<10	15
Folaraete ke F	mg/l	35	0.35	<1.0	0.39
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 4.49: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C32A

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C32A*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		135	7.92	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	135	88.30	<150	97
Khalesiamo ke Ca	mg/l	135	69.90	<150	77
Makenesiamo ke Mg	mg/l	135	34.60	<70	38
Sodiamo ke Na	mg/l	135	71.70	<200	79
Potasiome ke K	mg/l	135	3.10	<50	3.4
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	135	316.00	<300	349
Tloraete ke Cl	mg/l	135	45.20	<200	50
Salafate ke SO ₄	mg/l	135	18.80	<400	21
Naetereite ke NO _x -N	mg/l	135	15.87	<10	17
Folaraete ke F	mg/l	135	0.55	<1.0	0.61
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 4.50: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C32B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C32B			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		896	7.91	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	896	80.95	<150	89
Khalesiamo ke Ca	mg/l	896	56	<150	62
Makenesiamo ke Mg	mg/l	896	44.60	<70	49
Sodiamo ke Na	mg/l	896	39.70	<200	44
Potasiome ke K	mg/l	896	3.18	<50	3.5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	896	323.5	<300	356
Tloraete ke Cl	mg/l	896	43.90	<200	48
Salafate ke SO ₄	mg/l	896	18.40	<400	20
Naetereite ke NO _x -N	mg/l	896	7.05	<10	7.8
Folaraete ke F	mg/l	896	0.40	<1.0	0.44
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.51: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C32C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C32C			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		98	7.94	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	98	71.80	<150	79
Khalesiamo ke Ca	mg/l	98	58	<150	64
Makenesiamo ke Mg	mg/l	98	43.35	<70	48
Sodiamo ke Na	mg/l	98	37.35	<200	41
Potasiome ke K	mg/l	98	2.70	<50	3.0
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	98	323.3	<300	356
Tleloraete ke Cl	mg/l	98	29.30	<200	32
Salafate ke SO ₄	mg/l	98	22.70	<400	25
Naetereite ke NO _x -N	mg/l	98	5.90	<10	6.5
Folaraete ke F	mg/l	98	0.40	<1.0	0.44
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.52: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C32D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C32D			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		148	8.14	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	148	85.65	<150	94
Khalesiamo ke Ca	mg/l	148	76.09	<150	84
Makenesiamo ke Mg	mg/l	148	64.0	<70	70
Sodiamo ke Na	mg/l	148	13.30	<200	15
Potasiome ke K	mg/l	148	0.67	<50	0.74
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	148	455.4	<300	501
Tleloraete ke Cl	mg/l	148	33.08	<200	36
Salafate ke SO ₄	mg/l	148	44.35	<400	49
Naetereite ke NO _x -N	mg/l	148	7.51	<10	8.3
Folaraete ke F	mg/l	148	0.29	<1.0	0.32
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.53: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C33A

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C33A*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		264	8	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	264	85.95	<150	95
Khalesiamo ke Ca	mg/l	264	69.05	<150	76
Makenesiamo ke Mg	mg/l	264	69.20	<70	76
Sodiamo ke Na	mg/l	264	13.40	<200	15
Potasiome ke K	mg/l	264	0.95	<50	1.1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	264	457.4	<300	503
Teloraete ke Cl	mg/l	264	36	<200	40
Salafate ke SO ₄	mg/l	264	31.30	<400	34
Naetereite ke NO _x -N	mg/l	264	5.80	<10	6.4
Folaraete ke F	mg/l	264	0.33	<1.0	0.36
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.54: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C33B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C33B*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		388	7.97	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	388	80.15	<150	88
Khalesiamo ke Ca	mg/l	388	59.60	<150	66
Makenesiamo ke Mg	mg/l	388	62.45	<70	69
Sodiamo ke Na	mg/l	388	14.40	<200	16
Potasiome ke K	mg/l	388	1.21	<50	1.3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	388	406.0	<300	447
Teloraete ke Cl	mg/l	388	31.40	<200	35
Salafate ke SO ₄	mg/l	388	21.30	<400	23
Naetereite ke NO _x -N	mg/l	388	5.67	<10	6.2
Folaraete ke F	mg/l	388	0.24	<1.0	0.26
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 4.55: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C33C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C33C*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		290	7.99	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	290	71.80	<150	79
Khalesiamo ke Ca	mg/l	290	65.10	<150	72
Makenesiamo ke Mg	mg/l	290	44.30	<70	49
Sodiamo ke Na	mg/l	290	13	<200	14
Potasiome ke K	mg/l	290	2.07	<50	2.3
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	290	345.0	<300	380
Tleloraete ke Cl	mg/l	290	30.65	<200	34
Salafate ke SO ₄	mg/l	290	16.35	<400	18
Naetereite ke NO _x -N	mg/l	290	3.99	<10	4.4
Folaraete ke F	mg/l	290	0.21	<1.0	0.23
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimotsetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimotsetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimotsetso ya sebaka)					

Lenaneo 6.56: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C41A

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C41A			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		17	7.97	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	17	71.50	<150	79
Khalesiamo ke Ca	mg/l	17	74.90	<150	82
Makenesiamo ke Mg	mg/l	17	29.20	<70	32
Sodiamo ke Na	mg/l	17	56.10	<200	62
Potasiome ke K	mg/l	17	2.62	<50	2.9
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	17	307.3	<300	338
Tleloraete ke Cl	mg/l	17	11.80	<200	13
Salafate ke SO ₄	mg/l	17	25.18	<400	28
Naetereite ke NO _x -N	mg/l	17	2.51	<10	2.8
Folaraete ke F	mg/l	17	0.28	<1.0	0.31
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimotsetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.57: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C41D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C41D*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		14	8.18	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	14	82.35	<150	91
Khalesiamo ke Ca	mg/l	14	65	<150	72
Makenesiamo ke Mg	mg/l	14	26.50	<70	29
Sodiamo ke Na	mg/l	14	65.15	<200	72
Potasiome ke K	mg/l	14	2.30	<50	2.5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	14	271.4	<300	299
Teloraete ke Cl	mg/l	14	30.05	<200	33
Salafate ke SO ₄	mg/l	14	21.40	<400	24
Naetereite ke NO _x -N	mg/l	14	4.50	<10	5.0
Folaraete ke F	mg/l	14	0.40	<1.0	0.43
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.58: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C43B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C43B*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		15	7.60	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	15	70	<150	77
Khalesiamo ke Ca	mg/l	15	69.30	<150	76
Makenesiamo ke Mg	mg/l	15	39.90	<70	44
Sodiamo ke Na	mg/l	15	22.70	<200	25
Potasiome ke K	mg/l	15	2.32	<50	2.6
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	15	337.4	<300	371
Teloraete ke Cl	mg/l	15	25.50	<200	28
Salafate ke SO ₄	mg/l	15	41.90	<400	46
Naetereite ke NO _x -N	mg/l	15	0.07	<10	0.08
Folaraete ke F	mg/l	15	0.20	<1.0	0.22
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.59: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutelo jwa kwatenari C60E

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C60E			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		12	7.90	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	12	64.30	<150	71
Khalesiamo ke Ca	mg/l	12	43.90	<150	48
Makenesiamo ke Mg	mg/l	12	15.80	<70	17
Sodiamo ke Na	mg/l	12	42.30	<200	47
Potasiome ke K	mg/l	12	1.01	<50	1.1
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	12	174.7	<300	192
Tleloraete ke Cl	mg/l	12	20.50	<200	23
Salafate ke SO ₄	mg/l	12	12	<400	13.2
Naetereite ke NO _x -N	mg/l	12	1.91	<10	2.10
Folaraete ke F	mg/l	12	0.24	<1.0	0.26
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 0
¹ Se ka ga tshedimotsetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolomo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.60: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C70D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: * C70D			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		21	8.11	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	21	77.50	<150	85
Khalesiamo ke Ca	mg/l	21	62.72	<150	69
Makenesiamo ke Mg	mg/l	21	23.75	<70	26
Sodiamo ke Na	mg/l	21	70.50	<200	78
Potasiome ke K	mg/l	21	4.93	<50	5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	21	254.4	<300	280
Tleloraete ke Cl	mg/l	21	29.17	<200	32
Salafate ke SO ₄	mg/l	21	68.34	<400	75
Naetereite ke NO _x -N	mg/l	21	1.76	<10	1.9
Folaraete ke F	mg/l	21	0.60	<1.0	0.66
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimotsetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolomo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Supa gore ke fela morago ga 1995 gore tshedimotsetso ya haeterokhimise ya bodutiso jwa kwatenari e neng ya dirisiwa.					

Lenaneo 6.61: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C81F

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C81F*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		18	7.25	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	18	28.90	<150	32
Khalesiamo ke Ca	mg/l	18	24.75	<150	27
Makenesiamo ke Mg	mg/l	18	6.30	<70	6.9
Sodiamo ke Na	mg/l	18	20	<200	22
Potasiome ke K	mg/l	18	1.30	<50	1.4
Palogotihe ya Bopopota ke CaCO ₃	mg/l	18	87.7	<300	97
Teloraete ke Cl	mg/l	18	1.50	<200	1.7
Salafate ke SO ₄	mg/l	18	2	<400	2.2
Naetereite ke NO _x -N	mg/l	18	0.31	<10	0.34
Folaraete ke F	mg/l	18	0.21	<1.0	0.23
Sethopha sa Boleng jwa Metsi					Sethopha sa 0
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobong (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Disampole tse di tswang fela mo tebelelong e e dirilweng ka 1976.					

Lenaneo 6.62: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C82B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: *C82B			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		29	8.21	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	29	39.90	<150	44
Khalesiamo ke Ca	mg/l	29	32.23	<150	35
Makenesiamo ke Mg	mg/l	29	13.98	<70	15
Sodiamo ke Na	mg/l	29	27.60	<200	30
Potasiome ke K	mg/l	29	3.39	<50	3.7
Palogotihe ya Bopopota ke CaCO ₃	mg/l	29	138.0	<300	152
Teloraete ke Cl	mg/l	29	25.24	<200	28
Salafate ke SO ₄	mg/l	29	22.16	<400	24
Naetereite ke NO _x -N	mg/l	29	0.17	<10	0.19
Folaraete ke F	mg/l	29	0.32	<1.0	0.35
Sethopha sa Boleng jwa Metsi					Sethopha sa 0
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobong (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Supa gore ke fela morago ga 1995 gore tshedimosetso ya haeterokhimise ya bodutiso jwa kwatenari e neng ya dirisiwa.					

Lenaneo 6.63: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C82H

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C82H			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		18	8.07	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	18	85.15	<150	94
Khalesiamo ke Ca	mg/l	18	65.77	<150	72
Makenesiamo ke Mg	mg/l	18	27.34	<100	30
Sodiamo ke Na	mg/l	18	89.79	<200	99
Potasiome ke K	mg/l	18	1.08	<50	1.2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	18	276.8	<300	305
Tleloraete ke Cl	mg/l	18	20.71	<200	23
Salafate ke SO ₄	mg/l	18	22.56	<400	25
Naetereite ke NO _x -N	mg/l	18	0.38	<10	0.41
Folaraete ke F	mg/l	18	0.78	<1.0	0.85
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihatthobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolomo ya 1: Tihatthobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.64: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C83B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: *C83B			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		33	7.98	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	33	60	<150	66
Khalesiamo ke Ca	mg/l	33	52.12	<150	57
Makenesiamo ke Mg	mg/l	33	27.20	<70	30
Sodiamo ke Na	mg/l	33	33.50	<200	37
Potasiome ke K	mg/l	33	0.85	<50	0.9
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	33	242.82	<300	267
Tleloraete ke Cl	mg/l	33	28.89	<200	32
Salafate ke SO ₄	mg/l	33	35.06	<400	39
Naetereite ke NO _x -N	mg/l	33	0.79	<10	0.9
Folaraete ke F	mg/l	33	0.29	<1.0	0.32
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihatthobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolomo ya 1: Tihatthobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * Supa gore ke fela morago ga 1995 gore tshedimisetso ya haeterokhimise ya bodutiso jwa kwatenari e neng ya dirisiwa.					

Lenaneo 6.65: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C91A

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C91A*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		14	8.41	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	14	70.10	<150	77
Khalesiamo ke Ca	mg/l	14	27.45	<150	30
Makenesiamo ke Mg	mg/l	14	36.85	<70	41
Sodiamo ke Na	mg/l	14	59.70	<200	66
Potasiome ke K	mg/l	14	4.02	<50	4.4
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	14	220.3	<300	242
Tloraete ke Cl	mg/l	14	44.40	<200	49
Salafate ke SO ₄	mg/l	14	60.20	<400	66
Naetereite ke NO _x -N	mg/l	14	3.05	<10	3.4
Folaraete ke F	mg/l	14	0.28	<1.0	0.30
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobong (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.66: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C91B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C91B*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		41	7.90	9.5 – 5.0 (± 0.05)	9.5 – 5.0 (± 0.05)
Phetiso ya Motlakase	mS/m	41	96.00	<150	106
Khalesiamo ke Ca	mg/l	41	50.50	<150	56
Makenesiamo ke Mg	mg/l	41	46.40	<70	51
Sodiamo ke Na	mg/l	41	70.40	<200	77
Potasiome ke K	mg/l	41	2.30	<50	2.5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	41	317.2	<300	349
Tloraete ke Cl	mg/l	41	68.50	<200	75
Salafate ke SO ₄	mg/l	41	60.20	<400	66
Naetereite ke NO _x -N	mg/l	41	7.02	<10	7.7
Folaraete ke F	mg/l	41	0.56	<1.0	0.62
Sethlopha sa Boleng jwa Metsi					Sethlopha sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Sethlopha sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobong (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.67: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C91C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C91C			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		33	8.12	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	33	98.90	<150	109
Khalesiamo ke Ca	mg/l	33	82.90	<150	91
Makenesiamo ke Mg	mg/l	33	62.57	<70	69
Sodiamo ke Na	mg/l	33	25.81	<200	28
Potasiome ke K	mg/l	33	3.33	<50	3.7
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	33	464.7	<300	511
Tleloraete ke Cl	mg/l	33	92.36	<200	102
Salafate ke SO ₄	mg/l	33	54.36	<400	60
Naetereite ke NO _x -N	mg/l	33	14.42	<10	16
Folaraete ke F	mg/l	33	0.41	<1.0	0.45
Setlhopha sa Boleng jwa Metsi					Setlhopha sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH).					

Lenaneo 6.68: Rasefe ya Boleng jwa Metsi a a fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C91D

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C91D*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		15	7.90	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	15	71.30	<150	78
Khalesiamo ke Ca	mg/l	15	49.60	<150	55
Makenesiamo ke Mg	mg/l	15	38.80	<70	43
Sodiamo ke Na	mg/l	15	30.30	<200	33
Potasiome ke K	mg/l	15	2.91	<50	3.2
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	15	283.6	<300	312
Tleloraete ke Cl	mg/l	15	35.00	<200	39
Salafate ke SO ₄	mg/l	15	36.50	<400	40
Naetereite ke NO _x -N	mg/l	15	2.55	<10	2.8
Folaraete ke F	mg/l	15	0.64	<1.0	0.7
Setlhopha sa Boleng jwa Metsi					Setlhopha sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tihathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhopha sa 1 sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tihathobo (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). * E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 6.69: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C91E

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C91E*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		29	8.00	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	29	113.20	<150	125
Khalesiamo ke Ca	mg/l	29	78.20	<150	86
Makenesiamo ke Mg	mg/l	29	61.10	<70	67
Sodiamo ke Na	mg/l	29	53.90	<200	59
Potasiome ke K	mg/l	29	1.80	<50	2.0
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	29	446.9	<300	492
Teloraete ke Cl	mg/l	29	69.50	<200	76
Salafate ke SO ₄	mg/l	29	116.80	<400	128
Naetereite ke NO _x -N	mg/l	29	7.45	<10	8.2
Folaraete ke F	mg/l	29	0.58	<1.0	0.64
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.70: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C92A

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C92A*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		298	8.09	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	298	49.10	<150	54
Khalesiamo ke Ca	mg/l	298	51.35	<150	56
Makenesiamo ke Mg	mg/l	298	19.20	<70	21
Sodiamo ke Na	mg/l	298	10.58	<200	12
Potasiome ke K	mg/l	298	2.29	<50	2.5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	298	207.3	<300	228
Teloraete ke Cl	mg/l	298	20.35	<200	22
Salafate ke SO ₄	mg/l	298	20.45	<400	23
Naetereite ke NO _x -N	mg/l	298	2.31	<10	2.5
Folaraete ke F	mg/l	298	0.17	<1.0	0.19
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimosetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimosetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimosetso ya sebaka)					

Lenaneo 6.71: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C92B

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C92B*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		46	8.22	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	46	100.20	<150	110
Khalesiamo ke Ca	mg/l	46	82.85	<150	91
Makenesiamo ke Mg	mg/l	46	73.40	<70	81
Sodiamo ke Na	mg/l	46	29.05	<200	32
Potasiome ke K	mg/l	46	3.28	<50	3.6
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	46	509.1	<300	560
Tleloraete ke Cl	mg/l	46	55.55	<200	61
Salafate ke SO ₄	mg/l	46	42.25	<400	46
Naetereite ke NO _x -N	mg/l	46	6.14	<10	6.8
Folaraete ke F	mg/l	46	0.31	<1.0	0.34
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

Lenaneo 6.72: Rasefe ya Boleng jwa Metsi a a ka fa Tlase ga Lefatshe – Bodutiso jwa kwatenari C92C

Diparameta tsa Dikhemikale	Yuniti	Vaal WMA – Bodutiso jwa kwatenari: C92C*			
		[A]	[B]	[C]	[D]
		No. ya Disampole	Boleng jwa GW (boleng jo bo mo magareng) ¹	Tekanyetso ya BHNT2	Rasefe ya Boleng jwa Metsi a a ka fa tlase ga lefatshe ³
pH		100	8.27	9.5 – 5.0 (±0.05)	9.5 – 5.0 (±0.05)
Phetiso ya Motlakase	mS/m	100	87.60	<150	96
Khalesiamo ke Ca	mg/l	100	83.55	<150	92
Makenesiamo ke Mg	mg/l	100	56.10	<70	62
Sodiamo ke Na	mg/l	100	20.95	<200	23
Potasiome ke K	mg/l	100	4.13	<50	4.5
Palogotlhe ya Bopopota ke CaCO ₃	mg/l	100	439.6	<300	484
Tleloraete ke Cl	mg/l	100	50.85	<200	56
Salafate ke SO ₄	mg/l	100	32.30	<400	36
Naetereite ke NO _x -N	mg/l	100	4.29	<10	4.7
Folaraete ke F	mg/l	100	0.33	<1.0	0.36
Setlhophsa sa Boleng jwa Metsi					Setlhophsa sa 1
¹ Se ka ga tshedimisetso ya pakatelele ya boleng jwa metsi a a ka fa tlase ga lefatshe (Thulaganyo ya Taolo ya Metsi ya DWS). Palotlase ya palo ya ditshekatsheko tse di dirisitsweng mo tlathobong ya dipalopalo ke robongwe (9); ² Tekanyetso e e kwa godimo ya Setlhophsa sa I sa boleng jwa metsi [a a nowang] (WRC et al. Kgatiso ya 2nd, 1998, Bolumo ya 1: Tlathobho (Kaedi); le ³ Boleng jo bo mogareng le 10% (kwa ntle ga pH). ♦ E ka ga tshedimisetso ya pele ga 1995 ya haeterokhemisi (e e emetseng thata tshedimisetso ya sebaka)					

7. DITLHOKEGO TSA TSHIRELETSO LE TAOLO YA MERAGA YA DITLAPELE

Meraga ya ditlapele kwa bodutisong jwa Noka ya Vaal e akaretsa meraga eo e e bontshang bosisi jwa ekholoji jwa Kwa Godimo kgotsa Kwa Godimo Thata. Meraga ya tlaleletso ya ditlapele e ne ya supiwa go tsewa tsia gareng ga tse dingwe, dipopego tse di tshwanang di le dingwe, ditshedi tsa tshedimosetso e khibidu le meraga ya motshotelo. Ditlhopha tse di atlanegisitsweng tsa ekholoji (REC) le ditlhokego tsa ekholoji tsa moraga wa setlapele mo Lefelong la Taolo la Metsi a Vaal se tlhagisiwa mo Lenaneo 7.1 Maemo a Gajaana a Ekholoji (PES), Botlhokwa le Bosisi (IS) tse di supilweng e le meraga ya ditlapele le tsona di a tlhagisiwa.

Tlhokomela:

Diakeronimi tse di kailweng mo Lenaneong 7-1:

- CBA: Lefelo le le Botlhokwa la Mefutafuta ya Ditshedi
- ESA: Mafelo a Tshegetso ya Ekholoji
- EIA: Tlhatlhobo ya Kutlwalo ya Tikologo
- REC: Setlhopha se se Atlanegisitsweng sa Ekholoji
- TEC: Setlhopha se se Totilweng sa Ekholoji
- WUL: Laesense ya Tiriso ya Metsi

Thulaganyo 7.1: Ditlhokego tsa meraga ya ditlapele kwa Lefelong la Taolo ya Metsi la Vaal

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Ditlhokego tsa Tshireletso, Tiamelo le Taolo
UA	C11H	Moela o o elelang mo motswedeng wa noka wa Biesbokspruit (Vaal e e kwa Godimo)	Metsi a a sa elelang a a kwa tlase ga Mogorogoro	C	Kwa godimo	B/C	C	Kamaniso ya phatlalatso ya metsi e a tlhokega go tokafatsa ditiro tsa koketso ya boleng jwa metsi. Dikarolo tse metsi a sa elelang mo go tsona tsa moraga di tshwanetse go tiamelwa. Tiamelo ya thulaganyo ya dimela tse di teng le thamo. Disennngwa tsa kelelo ya mo mathakoreng a meraga di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di thomamisitsweng ka dithathobo tsa petagokigale ya metsi tse di dirilweng e le karolo ya Tshetatsheko ya Kutlwalo ya Tikologo (EIA) le/kgotsa Dikopo tsa Laesense ya Tiriso ya Metsi (WUL), le maemo a a gagametseng a tselelelo a a akaretsang tebelelo ya dithulaganyo a tshwanetse go dira. Kopo nngwe le nngwe ya thabololo go akaretsa le meepo e e ka anang thulaganyo e, kwa ntle ga go dira ditsweletso tse di tlhalegileng tsa tselelelo, e tshwanetse go akaretsa gape e le palotlase ya Rasene ya Nakwana ya Maemo a meraga e e akaretsang mekgwa ya kelelo (metsi a a fa godimo ga lefatsho le a a ka fa tlase ga lefatsho go akaretsa le kelelo e e kopantsweng mo moeleng o le mongwe) tsa ditragalo tse di thagisang dikutlwalo tse di ka mang teng go filhelela REC.
UB	C13C	Vanger	Metsi a a sa elelang a a kwa tlase ga Mogorogoro	A	Kwa Godimo thata	A	A	Kanamiso ya phatlalatso ya metsi e tlhokega go tokafatsa ditiro tsa tshetsetso tsa haeteroloji le mefutafuta ya ditshedi. Tshola maemo a ekholoji a tlhago kgotsa a a gaufl le tlhago ka maikemisetso a tshireletso ya pakatelele ya mefutafuta ya ditshedi e e bothokwa le popego e e bothokwa ya boalo. Neteletsa gore sebaka le bodutiso jwa sona bo abelana mo Mafelong a a Bothokwa a Mefutafuta ya Ditshedi 1 le Mafelo a Tshetsetso a Ekholoji 2 maikemisetso a maemo a boalo a sebaka go emela le go tshola sampole e e tswelelang ya kemedi ya metuta ya thulaganyotikologo le mefutafuta ya ditshedi e e amanang le yona. Tshola phatlalatso e e teng ya kelelo le mekgwa ya tshola mo thulaganyong go tshola thulaganyo e e teng ya dimela le thamo. Disennngwa tsa kelelo ya mo mathakoreng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di thomamisitsweng ka dithathobo tsa petakokale ya haeteroloji tse di dirilweng e le karolo ya ditshekatsheko tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tselelelo go akaretsa tebelelo ya dithulaganyo di tshwanetse go dira.

Dithulaganyo tsa Ekholoji Dithokego tsa Tshireletso, Tlamelo le Taolo						
IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC
UB	C13C	Seekoivlei	Mogorogoro	Ei	Kwa Godimo thata	D
Kanamiso ya phatlalatso ya metsi e tlhokega go tokafatsa diliro tsa tshetso tsa haeteroloji le mofutafuta ya ditshebi. Dirisa ditekanyetso tse di tofatsang maemo a meraga gore e nne mo maemong a thago a ekholoji le go lada go ya ka mathomo a thulaganyo ya taolo a a sireleditsweng. Sireletsa moraga le bodutiso jwa ona ka maikemisetso a tshireletso ya paketelele ya mofutafuta ya ditshebi e le poego e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona bo abelana mo Mafelo a a Bothokwa a Mefutafuta ya Ditshebi 1 le 2 Mafelo a Tshetso a Ekholoji 1 le 2 maikemisetso a maemo a boalo a sebaka go emela le go tshola sampole e e tsweleng ya kemedi ya mofuta wa thulaganyotikologo le mofutafuta ya ditshebi e e amanang le yona. Tokafatsa phatlalatso e e teng ya kelelo le mekgwa ya tsholo mo thulaganyong go busetsa dingwe tsa go dira go go lathegileng tsa ekholoji le haeteroloji tsa thulaganyo le tokafatsa go poego ya dimela le thamo. Ditsenngwa tsa kelelo ya mo mathakoreng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di thomamisitsweng ka dithathobo tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya ditshekatsheko tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tetelelo go akaretsa tebelelo ya dithulaganyo di tshwanetse go dira. Lebelela kelelo e e tswang kwa moeleng o o kwa godimo kwa mafelong a ditoporop a a tsegeng ka go tshola tshologelo ya mantle gangwe le gape, gammogo le kgogolego go tswa mo sebakeng sa mantle. Supa le go dira dithokego tsa tsosoloso ya meraga setapele e e tla diriwang ka manane a a setseng a Dirisa Meraga.						
UC1	C81B	Murphy's Rust	Metsi a a Elelelang le a sa Elelelang kwa Tlase ga Mogorogoro	C	Kwa Godimo thata	B
Dirisa ditekanyetso go tokafatsa kgotsa bobotlana go tshola maemo a ekholoji a thulaganyo ya maikemisetso a tshireletso ya paketelele ya mofutafuta e e bothokwa ya ditshebi le poego e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona bo abelana mo Mafelong a a Bothokwa a Mefutafuta ya Ditshebi 1 le Mafelo a Tshetso a Ekholoji 2 maikemisetso a maemo a boalo a sebaka go emela le go tshola sampole e e tsweleng ya kemedi ya mofuta wa thulaganyotikologo le mofutafuta ya ditshebi e e amanang le yona. Tshola phatlalatso e e teng ya kelelo le mekgwa ya tsholo mo thulaganyong. Tshola thulaganyo e e teng ya dimela le thamo le maemo a kwa tlase a kgoreletso go tswela go tshetso mofutafuta ya ditshebi e e nyeleng. Meraga ya gajana e e sa elelang e tshwanetse go tlamelwa e le dithulaganyo tse di sa elelang. Ditsenngwa tsa kelelo kwa merageng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di thomamisitsweng ka dithathobo tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya dikopo tsa EAI le/kgotsa WUL, le maemo a a gagametseng a tetelelo go akaretsa tebelelo ya dithulaganyo di tshwanetse go dira. Dirisa theo ya thokomelo mo kgoreletsong ya kutlwalo e e sa tsweng. Kopo nngwe le nngwe ya thabololo e ka ratang go ama thulaganyo e, kwa ntle ga go dira ditswetso tse di tsweleng tsa tetelelo, e tshwanetse gape go akaretsa palotlase ya Maemo a Nakwana a Rasefe ya Moraga e e						

¹ Thulaganyo e mo sethopheng sa PES (Fetotswe Thata) fela se na le IS e le kwa Godimo Thata ka e le Sebaka sa Ramsar (se se thelweng e le Moraga o o Bothokwa Boditshaba go ya ka Kgogolego ya Ramsar). Sethlopha sa PES sa E ga tsweleng ka jalo TEC e atlanngisiwa go tshwana le REC mme le sethloha se nngwe se se kwa godimo ga PES. Tsenogare ya tsosoloso e tla thokega go tokafatsa PES. Go fithelela tokafatsa PES. Go fithelela tokafatsa PES ya thulaganyo e ka jalo go tshwanetse go dirwa setapele.

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Ditlhokego tsa Tshireletso, Tlamelo le Taolo
								akaretsang mekgwa ya kelelo (metso a a fa godimo ga le fatse le a ka fa tlase ga lefatsho go akaretsa kelelo e e kopantsweng mo moeleng o le mongwe) tsa ditiragalo tse di thagisang dikutlwalo tse di ka mang teng go fitlhelela REC.
								Tshola kgololo e e itiretsweng ya metsi a tlhago go tswawa mo Letamong la Bedford go netefatsa taolo e e sa fetolwang ya haeteroloji. Kanamiso ya phatlalatsa ya metsi e tlhokega go tokafatsa ditiro tsa tshetso tsa haeteroloji le mofutafuta ya ditshedi.
								Tshola maemo a a batlileng go nna a tlhago ka maikemisetso a tshireletso ya pakatelele ya mofutafuta ya ditshedi e e bothokwa le jaaka popego e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona mo Lefelong le le Bothokwa la Mofutafuta ya Disheedi (CBA1) le ESA2 maikemisetso a maemo a boalo mo sebakeng go emela le go tshola sampole e e tsweleng ya kemedi ya mofuta e ya thulaganyotikologo le mofutafuta ya ditshedi e e amanang le yona.
								Tshola phatlalatsa e e teng ya kelelo le mekgwa ya tsholo mo thulaganyong. Tshola thulaganyo e e teng ya dimela le tlhomo le maemo a a kwa tlase a kgoreletso go tswela go tshetso mofutafuta ya ditshedi e e nyelelang.
UC1	C81A	Bedford wetland complex	Metsi a a elelang a a kwa tlase ga Mogorogoro	C	Kwa Godimo thata	B	B/C	Meraga ya gajana e e sa elelang e tshwanetse go tlamelwa e le dithulaganyo tse di sa elelang. Ga go mesele ya kgogolego (Ga go dikanala tse di epiwang kgotsa mogorogoro) e e ka dumelelwang go thagisiwa mo merageng. Se ka moraga o o sa elelang mme o ka kgogolega thata le go epega. Dikgololo tsa kelelo mo letamong la Bedford di tshwanetse go etsa mekgwa wa tlhago wa haeteroloji o o tlhokegang go tshola moraga go nna mo maemong a go nna teng. Rasene e e rebotsweng ya moraga e atlanegisa kelelo ya kwa tlase le dikgololo tsa morwalela ka bobedi mo merageng. Dikelele tsa kwa tlase di tlhokega go netefatsa kokotlolo e e seng boteng ya boalo jwa mogorogoro mo dikarolong tse tsa boalo jwa mogorogoro tse di tshetsoang tlhakanyo tsa dimela tsa moraga. Se se tlhokega e seng feila go tlamela bonno jo bo ka siamelang Dimela tse di Tshweu tsa fluffail tse di ka nyelelang, le bonno jwa thuluso ya megodoti, feila le go netefatsa kolobo ya borubu mo thulaganyong. Se se tla thola maemo a a siamelang a go dira ga meraga le tlamelo ya ditirelo tsa thulaganyotikologo ka go okeisa kamano gareng ga kholomo ya metsi le loreise lwa meraga.
								Tiro ya dikelele tse di kwa godimo di thusa go fitlhelela maemo a tlamelo ya bonno jwa moraga (ya ditiragalo tse dinnye tse di bonwang) le go letelelela phepafatso ya dikanala tse di sa thagisiwang sentle (mo ntlheng e ditiragalo tse dikgolo tse di sa diragaleng gangwe le gape tsa go tsholola). Tebelelo e tshwanetse go totisiwa mo thomamiseng gore a kelelo ya kwa tlase le dikgololo tsa morwalela di fitlhelela matlhomong a a eleditsweng a meraga le REC kgotsa nnyaa. E tshwanetse gape go nna ka go lemoga phegogo, bogolo diphegogo tse di amanang le mekgwa ya haeteroloji go itsise dikgololo tsa isago tsa metsi. Kutlwalo e e ka nnaeng teng ya isago ya dikopo tsa thabololo e tshwanetse go thomamisiwa e le karolo ya EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tefelelo go akaretsa tebelelo ya dithulaganyo e tshwanetse go dira. Dirisa theo ya tlhokomelo mo kgoreletsoeng ya kutlwalo e e sa itsiweng.
								Tebelelo va tsonloso e e teng va dithulaganyo tsa meraga e e tlhokanang mo netefatsa tlhokanang e e tsweleng va

IUA	Botutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithohego tsa Tshireletso, Tlamelo le Taolo
UC1	C81A	Wige e e kwa Godimo	Mogorogoro	B	Kwa godimo	A/B	B	dithulaganyo. Mervalela e a thokega go tlasa megorogoro ka jalo e tlamela kolobetso e e thokegany ya tshetso ya dimela tsa megorogoro tse di ikaegileng ka mervalela mo matshelelong a tsona. Tshola maemo a ekholoji a thago kgotsa a a gaufi le thago ka maikemisetso a tshireletso ya pakatelele ya metutafuta ya ditshedhi e e bothokwa le popego e e bothokwa ya boalo. Netetatsa gore sebaka le bodutiso jwa sona di abelana mo CBA1 le ESA2 mo maikemisetso a boalo mo sebakeng go emela le go tshola sampole e e tswelelang ya kemedi ya metuta e ya thulaganyotikologo le metutafuta ya ditshedhi e e amanang le yona. Tshola phatlalatsa e e teng ya kelelo le mekgwa ya tsholo mo thulaganyong go tshola thulaganyo e e teng ya dimela le tlhamo. Ditsemngwa tsa kelelo ya mo mathakoreng di tshwanetse go sireledwa ka tiriso ya dithibedi tsa haeteroloji tse di thioamamisitsweng ka dithathobo tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya ditshetshetso tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tetelelo go akaretisa tebelelo ya dithulaganyo di tshwanetse go dira.
UC1	C81L	Maul	Mogorogoro	B	Kwa godimo	A/B	B	Mervalela e a thokega go tlasa megorogoro ka jalo e tlamela kolobetso e e thokegany ya tshetso ya dimela tsa megorogoro tse di ikaegileng ka mervalela mo matshelelong a tsona. Tshola maemo a ekholoji a thago kgotsa a a gaufi le thago ka maikemisetso a tshireletso ya pakatelele ya metutafuta ya ditshedhi e e bothokwa le popego e e bothokwa ya boalo. Netetatsa gore sebaka le bodutiso jwa sona di abelana mo CBA1 le ESA2 mo maikemisetso a boalo mo sebakeng go emela le go tshola sampole e e tswelelang ya kemedi ya metuta e ya thulaganyotikologo le metutafuta ya ditshedhi e e amanang le yona. Tshola phatlalatsa e e teng ya kelelo le mekgwa ya tsholo mo thulaganyong go tshola thulaganyo e e teng ya dimela le tlhamo. Ditsemngwa tsa kelelo ya mo mathakoreng di tshwanetse go sireledwa ka tiriso ya dithibedi tsa haeteroloji tse di thioamamisitsweng ka dithathobo tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya ditshetshetso tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tetelelo go akaretisa tebelelo ya dithulaganyo di tshwanetse go dira.
UI	C21E	Biesbokspruit ²	Metsi a a sa eleleng kwa tlase ga mogorogoro (a a tshagediwa ka go tithela)	D	Kwa godimo	C/D	D	Go lokafatsa seemo sa meraga, tse di latelang di tshwanetse go tswa tsa: - Ditsenogare tsa tsamaiso go tithoma gape metuta e e rileng ya bonno e e thokegang mo dinonyaneng tse di rileng; - Phepato e e tokafaditsweng ya metsi a meepo, metsi a a leswe le ditshololo tsa kelelo kwa motsweng pele ga go nshetswa mo mafelong a meraga;

² Thulaganyo ke Sebaka sa Ramsar (se se Theilweng e le Moraga o o Bothokwa Botitshaba go ya ka Kgolagano ya Ramsar) mme e tswa e le bothokwa mo matshelelong a dinonyane le mo tirisong ya metsi.

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Ditlhokego tsa Tshireletso, Tlamele le Taolo
								- Kago ya dingwe tsa dikarolo tsa meraga go tlhola dikgaolo mo dikhemikale di feitogang ka ntlha ya gore go na le okosiine go simolola boleng jo bo tokafetseng jwa metsi. Se se tla thlola gape dingwe tsa mafelo a mangwe a metsi a a bulegileng a a neng a amanngwa le dipalo tse di kwa godimo tsa dipidipidi kwa dingwaga tsa bo 1970 le 1980; - Thulaganyo le tshireletso ya mafelo mo difishedi di humileng teng, naga ya majang e e metsi ka dipaka e santse e le teng. le - Tebelelo go netefatsa gore maemo a a totobaditsweng a boleng jwa metsi go ya ka go ntsa e a obamelwa le go diragadiwa. Gape dipatlisiso tse tsa maloba di ne di a atlanegisa tiro e nngwe go thaloganya ditlamorago tsa phetogo ya kelelo mo thulaganyong. Go ntile le matshwenyego a gore go tisa pharologano mo kelolong ya thulaganyo go tla dira gore dingwe tsa disedimente di fetolwe dikhemikale tse di tla dirang kokoanyo ya dimetale tse dingwe tse di bokete le yuraniamo, ka go dira jalo go thlola dikotsi tsa boitekanelo. Tshedimosetso e nngwe ka ga ntlha e tla thokega pele ga katanegiso nngwe le nngwe e amanang le go fetola kelelo ka thulaganyo e ka diriwa ka go tshepa gore ga e kitla e dira gore go nne le dikotsi tsa boitekanelo. Golagana le batho ba ba nang le kgathego le ba ba amegang go ithagisa le go dirisa taolo e e tshwaraganeng, Thulaganyo ya Tsosoloso le Tebelelo ya meraga Mo malobeng dikelelo mo thulaganyong e di ne di le kwa tiase thata gore feta gompieno, fela ka ntlha ya phetolo ya jeometri ya kelelo- pulogo ya kelelo mo morageng- dikelelo tse dikgolo ditlhokega go jaanong go tlatsa megorogoro go na le go thlokege mo Kaelong ya maemo a kelelo. Le fa go le jalo, dikelelo tsa gompieno di kwa godimo thata go feta le ditlhokego tse di lekanyeditsweng tsa metsi a ekholoji a dinthla. Dikelelo tsa gompieno ka seltha se se metsi di feta thokego e e lekanyeditsweng ya ngwaga ya morwalela ya D REC. Fa TEC e ka tofadiwa mo D/E ya gajaana go ya go D kgotsa kwa godimo, dikelelo tiase di tla thoka go fokodiwa. Fa dikelelo di sa kgone go fokodiwa go ka se diragale gore maemo a a tokafaditswe a D ya ntlha ya moraga a ka se fitlhelelwe. Fa dikelelo di ka fokodiwa se se tla bula ditshono tsa ditiro tsa dingwe tsa ditsoosoloso, tse di jaaka mabotakganelo a mannye a a ka dirisiwang go busetsa maemo a a kwa tiase a selegae go samagana le dikutiwalo tsa dikelelo tse di bulegileng. Mefuta e ya dithulaganyo mo moelamogolong di tla kgona go thatlosa metsi le go kolobetsa gape bokwatlase jwa mogorogoro le motshotelo wa disabosetereiti. Ditiro tsa tsosoloso kwa bodutisong jwa Noka ya Klip di tshwanetse go tsepa: - Fokotsa bogolo jwa metsi a difeto mo ditloropo (medutelo e mentye); - Nitamisa ntlha e e kwa godimo ya moelamogolo le medutelo e megolo; le - Tihatlosa boalo jo bo kwa godimo jwa metsi a a ka fa tiase ga lefatše le go kolobetsa motshotelo o o kwa tiase wa mogorogoro wa medutelomegolo. Golagana le batho ba ba nang le kgathego le ba ba amegang go ithagisa le go dirisa taolo e e tshwaraganeng, Thulaganyo ya Tsosoloso le Tebelelo ya meraga
UI	C22D	Moraga wa Noka ya Klip	Metsi a a eelang le a sa eelang kwa tiase ga mogorogoro	D/E	Mo bogareng	D	D	

Dithulaganyo tsa Ekholoji Ditlhokego tsa Tshireletso, Tlamelo le Taolo							
IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC
UI	C22B	Natalspruit	Metsi a a Elelelang le a a sa Elelelang kwa Tiase ga Mogorogoro	D	Kwa godimo	C/D	D
Kamaniso ya phatlalatso ya metsi e a tlhokega go tokafatsa ditiro tsa koketso ya boleng jwa metsi. Ka jalo go bothokwa go tshola mme fa go kgonegang teng go oketsa phatlalatso e e teng ya kelelo le mekgwa ya tsholo mo thulaganyong. Dikarolo tse di sa eleleng tsa meraga di tshwanetse go tsholwa e le thulaganyo ya dimela e e teng e e sa eleleng le thamo e tshwanetse go tshola kgotsa go tokafadiwa. Ditsengwa tsa kelelo ya mo mathlakoreng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di tshoamamisitsweng ka dithathobo tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya ditshekatsheko tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tefelelo go akaretsa tebelelo ya dithulaganyo di tshwanetse go dira. Moraga o tshwanetse go thathobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso tse di tla tokafatsang maemo a ona a gajaana le ditiro tse o di dirang. Golagana le batho ba ba nang le kgathhego le ba ba amegang go ithagisa le go dirisa taolo e e tshwaraganeng, Thulaganyo ya Tsosoloso le Tebelelo ya meraga.							
UK	C23B	Kromelmspruit	Mogorogoro le Bokwatase jo bo Elelelang jwa Mogorogoro	C	Kwa godimo	B/C	C
Tshola maemo a ekholoji a tlhago kgotsa a a gaufi le tlhago ka maikemisetso a tshireletso ya pakatelele ya mefutututa ya dishedi e e bothokwa le popego e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona di abelana mo CBA1 le ESA2 mo maikemisetso a boalo mo sekakeng go emela le go tshola sampole e e tsweleng ya kemedi ya mefuta e ya thulaganyotikologo le mefutututa ya dishedi e e amanang le yona. Tshola le go oketsa phatlalatso ya kelelo e e teng le mekgwa ya tsholo mo thulaganyong. Meraga ya gajaana e e sa eleleng e tshwanetse go tlamelwa e le dithulaganyo tse di sa eleleng. Tlamelo ya thulaganyo ya dimela tse di teng le thamo. Ditsengwa tsa kelelo ya mo mathlakoreng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di tshoamamisitsweng ka dithathobo tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya ditshekatsheko tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tefelelo go akaretsa tebelelo ya dithulaganyo di tshwanetse go dira. Moraga o tshwanetse go thathobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso tse di tla tokafatsang maemo a ona a gajaana.							
UL	C23F	Boovenste Oog	Moraga wa Motsholelo (leitho la dolomiti)	B/C	Kwa godimo	B	B
Tshola mekgwa wa kelelo ya ruri ya thulaganyo le go amanisa mekgwa wa phatlalatso ya metsi go ralala thulaganyo le dithahagole tse di thomamisang ekholoji ya yona le bothokwa jwa yona jwa go dira. Tshola maemo a tlhago kgotsa a a gaufi le tlhago ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa mefutututa ya dishedi, tiro ya taolo wa kelelo, le iaaka ntsha wa popego e e bothokwa le e e tshwanang e le nngwe.							

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Ditlhokego tsa Tshireletso, Tlamelole le Taolo
								Tshola boleng jo bo siameng jwa metsi jo ka gale bo tsamaelanang le matlapa a dolomitiki a a monang metsi le matlho/metswedi. Thibela go tlosa thata matlapa a dolomitiki a a tsamaelanang. Tshola ditlhapi tsa tlhago le mefutafuta ya ditshedhi tse di senang mokwatla tsa thulaganyo le go thibela go tsena ga selhophla sa ditshedhi tse e seng tsa fa gae. Thulaganyo ya taolo e tshwanetse go thagisiwa le go dirisiwa mo thulaganyong. Mo malibeng go ne ga tshitshingwa gore go bona gape bonno jo bonnye jwa metsi a a kwa tlase ka maparego a a lekaneng a mathhaka a tlhagetsweng mo gare ga mafelo a metsi a a bulegileng a tla oketsa mefutafuta ya ditshedhi ya thulaganyo. Go ne go a tshitshingwa gape gore go tlatsa dikanale tse di epilweng mo thulaganyong go tla letlelela tokafalo mo PES. Mo go thagiseng thulaganyo ya taolo, ditshitshinyo tse di tshwanetse go batlisiswa go ya pele. Thomamisa Rasefe ya Tshimologo ya Meraga le Metsi a a ka fa tlase ga Lefatshe mo thulaganyong le tshireletso le ditlhokego tsa taolo tsa metsi a a ka fa tlase ga lefatsho go sireletsa matlapa a a monang metsi a dolomitiki a a tsamaelang le ona le dikelelo mo thulaganyong.
UL	C23F	Mooi	Metsi a a sa eleleng a a kwa tlase ga Mogorogoro	D	Kwa godimo	C/D	C/D	Kanamiso ya phatlalatso ya metsi e thokega go tokafatsa ditiro tsa tshegetso tsa haeteroloji le mefutafuta ya ditshedhi. Tshola le go tokafatsa fa go kgonegang teng maemo a ekholoji ka maikemisetso a tshireletso ya pakatelele ya ditiro tsa haeteroloji. mefutafuta ya ditshedhi le jaaka ntsha ya popego e e bothokwa. Tshola sampole e e tsweleng ya kemedi ya mofuta wa thulaganyotikologo e le mefutafuta ya ditshedhi e amanang le yona. Dirisa ditkanyetso go tokafatsa phatlalatso e e tokafatseng ya kelelo le mekgwa ya tsholo mo thulaganyong go tshola popego ya dimela e e teng le tlhamo.
UL	C23G	Gerhard Minnebron	Moraga wa motsholelo	C	Kwa godimo	B/C	C	Tshola mokgwa wa kelelo ya ruri ya thulaganyo le go amanisa mokgwa wa phatlalatso ya metsi go ralala thulaganyo ke dintlhakgolo tse di thomamisang ekholoji ya yona le bothokwa jwa yona jwa go dira. Tshola maemo a gajana a ekholoji ka maikemisetso a tshireletso ya pakatelele ya motsholelo o o setseng, mefutafuta ya ditshedhi e e bothokwa, taolo ya kelelo le ditiro tsa koketso ya metsi a a boleng, le jaaka ntsha ya popego e e bothokwa le e e tshwanang le e nngwe. Tshola le fa go kgonegang teng tokafatsa phatlalatso ya kelelo ya tlhago le mekgwa ya tsholo mo thulaganyong. Tshola boleng jo bo siameng jwa metsi jo ka gale bo tsamaelanang le matlapa a dolomitiki a a monang metsi le meisholelo ya meraga e amanang le yona. Ea mafatshe, a motsholelo, a thoka matlha a a kwa tlase a kelelo ka go tlala na lenri le maemo a anemhiki a

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithokoego tsa Tshireletso, Tlamelo le Taolo
								motshotelo go kgona go kokoanya kgotsa bobotlana go se bole, go bothokwa gore maemo ao a filhelwe go tshola thulaganyo. Mo go maswe, go tshola thulaganyo ka TEC ya C go tla kaya gore go tla nna bothokwa go tshola kelelo ya leletsatsi lengwe le lengwe jaaka go atlanegitsweng mo Rasefeng ya Tshimologo go ntsiwafatsa go go tsweleng motshotelo le go o tlola go le metsi, ka jalo go thibela kgonagalo nngwe le nngwe ya go oma, go tsenwa ke dikhemikale ka nitha ya oksijine kgotsa go swa. Ka fa lehlakoreng le lengwe, go tokafatsa thulaganyo ka REC ya B/C go tla kaya gore go tla nna bothokwa go oketsa kelelo ya leletsatsi lengwe le lengwe mo mafatsheng a motshotelo jaaka go supilwe mo Rasefeng ya Tshimologo. Se se tla lefela go tala ga thulaganyo go tsamaisa ke kgolo kgotsa koketsego ya motshotelo ka go tshola maemo a anarobiki mo lefelong la raesomatouso, go tshola maemo a a siameng a kokoanyo ya dilo tse di bolang tse di tswang mo medithola e e suleng ya setha. Se se tla dira tokafalo mo thulaganyong ka go kolobetsa manno, go tlatisa le go thagisa motshotelo wa gajaana, bogolo mo mafelong ao mo motshotelo o epolotsweng teng mo malobeng. Thibela go tlosa thata matlapa a dolomitiki a a tsamaelanang. Netefatsa tiragatso ya ditekanyetso tsa tsosoloso tse di atlanegitsweng tsa go epa motshotelo go go diragetseng mo thulaganyong. Thulaganyo ya taolo le tsosoloso e tshwanetse go thagisiwa le go dirisiwa mo thulaganyong. Thibolola Rasefe e e teng ya Tshimologo ya Moraga le go thomamisa Rasefe ya Tshimologo ya Metsi a a ka fa Tlase ga Lefatshe a thulaganyo le dithokoego tsa tshireletso le taolo tsa metsi a a ka fa tlase ga lefatshe go sireletsa matlapa a dolomitiki a a amanang le ditekalelo mo thulaganyong.
UL	C23E	Rasefe ya Moraga wa Tlhago wa Abe Bailey	Metsi a a Elelelang le a sa Elelelang kwa Tlase ga Mogorogoro	D ³	Kwa godimo	C	C	Dirisa ditekanyetso go tokafatsa maemo a ekholoji ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa mefutututa ya ditshedi e e bothokwa le jaaka popego e e bothokwa ya boalo. Netefatsa gore sebala le bodutiso jwa sona di abelana mo boalong jwa CBA le ESA maemo a boalo ka maikemisetso a go emela le go tshola sampole ya kemedi e e tsweleng ya mefuta e ya thulaganyotikologo le mefutututa ya ditshedi e e amanang le yona. Tshola le fa go kgonegang teng tokafatsa phatlalatso ya kelelo ya tlhago le mekgwa ya tsholo mo thulaganyong. Ditsenngwa tse dintsi tsa kollo di tshwanetse go supilwa le go rarabololwa.
UL	C23H and C23L	O.P.M. Prozesky Bird Sanctuary	Mogorogoro	E ¹	Kwa godimo	D	D	Dirisa ditekanyetso go tokafatsa maemo a ekholoji ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa mefutututa ya ditshedi e e bothokwa le jaaka popego e e bothokwa ya boalo.

³ Fa thulaganyo e e amanang le Rasefe ya Tlhago, TEC e atlanegisiwa go tshwana le REC mme ke sethlopha sa nngwe kwa godimo ga PES

⁴ Thulaganyo e mo sethlopheng sa PES sa E (Se se Fetotsweng Thata) feila se na le IS e e kwa Godimo ka se tsewa e le botshabelo jwa dinyanyane. Sethlopha sa PES sa E ga se tswelwele ka jalo TEC e atlanegisiwa go tshwana le REC mme e bewa sethloha se le sengwe kwa godimo ga PES

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithokego tsa Tshireletso, Tlamelo le Taolo
								Netefatsa gore sebaka le bodutiso jwa sona se abelana mo maemong a CBA a popego ka maikemisetso a gore sebaka se emele le go tshola sampole e e tswelelang ya kemedi ya mofuta e ya thulaganyotikologo le mofutafuta ya ditshedi e e amanang le yona.
								Tshola le go oketsa phatlalatso ya kelelo e e teng le mekgwa ya tsholo mo thulaganyong. Ditsenngwa tse dintsi tsa kollo di tshwanetse go supwa le go rarabololwa.
MA	C70K	Witpan	Pane	F ⁵	Kwa godimo	D	D	Dirisa ditekanyetso go tokafatsa maemo a gajaana (maemo a ekholoji) a thulaganyo gore a tswelele go tlamela ditirelo tse di teng. Ditsenngwa tse dintsi tsa kollo di tshwanetse go supwa le go rarabololwa.
MC	C24C	Tharaano ya Pane le moraga - Lelilefontein	Pane, Mo metsi a Dullang teng le Bokwatase jwa Metsi a a sa Eleleng a Mogorogoro	C	Kwa godimo	B/C	C	Tshola mo maemong a gajaana a ekholoji ka maikemisetso a tshireletso ya pakatelele ya mofutafuta ya ditshedi le jaaka nthia e e bothokwa ya boalo.
								Tshola kgotisa tokafatsa mofutafuta ya ditshedi e e teng ya ekholoji le kopanyo ya pane le thulaganyo e e amanang le yona ya moraga.
								Dikutiwalo tsa Bokanakang le boleng jwa metsi di tshwanetse go laolwa gore di se ise kwa tlase boleng jwa ekholoji jwa pane le moraga o o amanang le ona.
MC	C24C	Velpan	Pane	C	Kwa godimo	B/C	C	Tshola mo maemong a gajaana a ekholoji ka maikemisetso a tshireletso ya pakatelele ya mofutafuta ya ditshedi le jaaka nthia e e bothokwa ya boalo.
								Tshola kgotisa tokafatsa mofutafuta ya ditshedi e e teng ya ekholoji le kopanyo ya pane le thulaganyo ya meselo e e amanang le yona le mammo a a mabapi a thago.
								Dikutiwalo tsa Bokanakang le boleng jwa metsi di tshwanetse go laolwa gore di se ise kwa tlase boleng jwa ekholoji jwa pane le moraga o o amanang le ona.
MC	C24C	Klippan le thulaganyo ya moraga e e amanang le Klippan	Pane le Kwatlase jo bo sa eleleng jwa Mogorogoro	C	Kwa godimo	B/C	C	Tshola maemo a gajaana a ekholoji ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa mofutafuta ya ditshedi le jaaka nthia e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona di abelana mo boalong jwa CBA le ESA maemo a boalo ka maikemisetso a go emela le go tshola sampole ya kemedi e e tswelelang ya mofuta e ya thulaganyotikologo le mofutafuta ya ditshedi e e amanang le yona.
								Dikutiwalo tsa Bokanakang le boleng jwa metsi di tshwanetse go laolwa gore di se ise kwa tlase boleng jwa ekholoji jwa pane le moraga o o amanang le ona.

⁵ Thulaganyo e mo sethopho sa PES sa F (Se se Fetotsweng Thata) fela se na le IS e e kwa Godimo ka e tswelelang le botshabelo jo bo bothokwa jwa dinyane. Sethopho sa PES sa F ga se tswelelwe ka jalo TEC e atlanegisa go tshwana le REC mme e bewa mo dithopheng di le pedi kwa godimo ga PES.

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithohego tsa Tshireletso, Tlamelo le Taolo
								Tshola le go oketsa phatlalatso ya kelelo e e teng le mekgwa ya tsholo mo thulaganyong. Meraga ya gajaana e e sa eleleng e tshwanetse go tlamelwa e le dithulaganyo tse di sa eleleng. Tlamelo ya thulaganyo ya dimela tse di teng le tlhamo. Moraga o tshwanetse go thathobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso tse di tla tokafatsang maemo a ona a gajaana.
MC	C24C	Karolo e e kwa godimo ya lefatšhe la motsholelo la Schoonspruit le leitho la Schoonspruit	Motsholelo wa Moraga le leitho la dolomitiki	B	Kwa Godimo thata	A	B	Tshola mokgwa wa kelelo ya rui ya thulaganyo le go amanisa mokgwa wa phatlalatso ya metsi go ralala thulaganyo ke dinthakgolo tse di thomamisang ekholoji ya yona le bothokwa jwa yona jwa go dira. Tshola maemo a tlhago kgotsa a a gaufi le tlhago ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa mefutafuta ya dishedi, tiro ya taolo ya kelelo, le jaaka nthla ya popego e e bothokwa le e e tshwanang e le nngwe. Tshola phatlalatso ya kelelo ya tlhago le mekgwa ya tsholo mo thulaganyong. Tshola boleng jo bo siameng jwa metsi jo ka gale bo tsamaelanang le matlapa a dolomitiki a a monang metsi le matlho/metswedi. Thibela go tlosa thata matlapa a dolomitiki a a tsamaelanang. Tshola dithapi tsa tlhago le mefutafuta ya dishedi tse di senang mokwala tsa thulaganyo le go thibela go tsena ga seithopha sa dishedi tse e seng tsa fa gae. Thulaganyo ya taolo e tshwanetse go thagisiwa le go dirisiwa mo thulaganyong ka thersano le batho ba ba nang le kgathhego le ba ba amegang. Thomamisa Rasefe ya Tshimologo ya Meraga le Metsi a a ka fa tlase ga Lefatšhe mo thulaganyong le tshireletso le dithohego tsa taolo tsa metsi a a ka fa tlase ga lefatšhe go sireletsa matlapa a a monang metsi a dolomitiki a a tsamaelang le ona le dkelelo mo thulaganyong.
MC	C24F	Mogorogoro le karolo e e kwa tlase ya Taalibosspruit	Mogorogoro le Bokwatlase jwa Metsi a a sa Eleleng a Mogorogoro	C	Kwa godimo	B/C	C	Mervalela e a tlhokega go tlasa megorogoro ka jalo e tlamela kolobetso e e tlhokegany ya tshetso ya dimela tsa megorogoro tse di ikaegileng ka mervalela mo matseleng a tsona. Karolo e e kwa tlase ya moraga ya metsi a a sa eleleng e tshwanetse go nna e le jalo ka gore e ka rata go tlamela ditiro tse di okeditsweng tsa boleng jwa metsi le manno a a farologaneng mo thulaganyong yotlhe. Se se oketsa mefutafuta ya dishedi ya moraga. Tshola mo maemong a gajaana a ekholoji e fa go kgonegang teng go tokafatsa maemo a thulaganyo ka maikemisetso a tshireletso ya pakatelele ya mefutafuta ya dishedi e e bothokwa jaaka nthla e e bothokwa ya boalo. Tshola phatlalatso e e teng ya kelelo le mekgwa ya tsholo mo thulaganyong go tshola thulaganyo e e teng ya dimela le tlhamo.

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithokego tsa Tshireletso, Tlamelo le Taolo
								Dikarolo tse di sa eleleng tsa meraga di tshwanetse go tsholwa e le thulaganyo ya dimela e e teng e e sa eleleng le thamo e tshwanetse go tshola kgotsa go tokafadiwa. Ditsengwa tsa kelelo ya mo mathakoreng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di thoamamisitsweng ka dithathobo tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya ditshekatsheko tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tettelelo go akareisa tebelelo ya dithulaganyo di tshwanetse go dira. Moraga o tshwanetse go tshathobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso tse di tia tokafatsang maemo a ona a gajana le ditiro tse o di dirang.
MC	C24G	Mogorogoro wa Schoonspruit go akareisa Mahensville	Mogorogoro	C	Kwa godimo	B/C	C	Merwalela e a tlhokega go tlisa megorogoro ka jalo e tlamela kolobeto e e tlhokegang ya tshetso ya dimela tsa megorogoro tse di ikagileng ka merwalela mo matsheleng a tsona. Tshola mo maemong a gajana a ekholoji e fa go kgonegang teng go tokafatsa maemo a thulaganyo ka maikemisetso a tshireletso ya pakatelele ya metufatuta ya ditshedhi e e bothokwa jaaka nthla e e bothokwa ya boalo. Tshola phatlalato e e teng ya kelelo le mekgwa ya tshola mo thulaganyong go tshola thulaganyo e e teng ya dimela le thamo. Ditsengwa tsa kelelo ya mo mathakoreng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di thoamamisitsweng ka dithathobo tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya ditshekatsheko tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tettelelo go akareisa tebelelo ya dithulaganyo di tshwanetse go dira. Moraga o tshwanetse go tshathobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso tse di tia tokafatsang maemo a ona a gajana le ditiro tse o di dirang. Tshola mekgwa wa kelelo ya tiri ya thulaganyo le go amanisa mekgwa wa phatlalato ya metsi go ralala thulaganyo ke dithakgolo tse di thomamisang ekholoji ya yona le bothokwa jwa yona jwa go dira. Tokafatsa maemo a ekholoji a thulaganyo ka maikemisetso a tshireletso ya pakatelele ya metufatuta ya ditshedhi e e bothokwa, motshotelo, tiro ya taolo ya kelelo, le jaaka nthla ya boalo e bothokwa e e tshwanang e le nngwe. Tshola phatlalato ya kelelo ya tlhago le mekgwa ya tshola mo thulaganyong. Tshola boleng jo bo siameng jwa metsi jo ka gale bo tsamaelanang le matlapa a dolomitiki a a monang metsi le matlho/metswedi. Thibela go tlosa thata matlapa a dolomitiki a a tsamaelanang.
MC	C24C and C24E	Karolo e e kwa tlase ya lefatše la motshotelo la Schoonspruit	Moraga wa motshotelo	D	Kwa Godimo thata	C	C	

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Ditlhokego tsa Tshireletso, Tlamelo le Taolo
								Thibela le go laola go tlosa thata/phaposo ya dikelelo/metsi mo lefatsheng la molsholelo. Tshola dithapi tsa thago le mofutafuta ya diishedi tse di senang mokwatla tsa thulaganyo le go thibela go tsena ga sethopho sa diishedi tse e seng tsa fa gae. Thulaganyo ya taolo e tshwanetse go thagisiwa le go diisiwa mo thulaganyong ka therisano le batho ba ba nang le kgathhego le ba ba amegang. Thomamisa Rasefe ya Tshimologo ya Meraga le Metsi a a ka fa tiase ga Lefatshe mo thulaganyong le tshireletso le ditlhokego tsa taolo tsa metsi a a ka fa tiase ga lefatsho go sireletsa matlapa a a monang metsi a dolomitiki a a tsamaelang le ona le dikelelo mo thulaganyong. Tshola le go mo kgonegang teng tokafatsa maemo a gajaana a ekholoji ka maikemisetso a tshireletso ya pakatelele ya mofutafuta ya diishedi e e botlhokwa jaaka ntha e e botlhokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona di abelana mo CBA1, ESA1 le ESA2 maemo a boalo a ka maikemisetso a seba go emela le go tshola sampole e e tswelelang ya kemedi ya mofuta e ya thulaganyotikologo le mofutafuta ya diishedi e e amanang le yona. Tshola le go oketsa phatlalatsa ya kelelo e e teng le mekgwa ya tsholo mo thulaganyong. Meraga ya gajaana e sa eeleng e tshwanetse go tlamelwa e le dithulaganyo tse di sa eeleng. Tlamelo ya thulaganyo ya dimela tse di teng le tlhano. Ditsenngwa tsa kelelo ya mo matlhakoreng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di tloamamisisweng ka ditlathobho tsa petakokikale ya haeteroloji tse di dirilweng e le karolo ya ditshekatsheko tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tsebelelo go akaretisa tebelelo ya dithulaganyo di tshwanetse go dira. Moraga o tshwanetse go thathobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso tse di tla tokafatsang maemo a ona a gajaana. Tshola le go oketsa phatlalatsa ya kelelo e e teng le mekgwa ya tsholo mo thulaganyong. Kgatelelo mo meselong e e dutlang, kgoreletso ya mafelo, manno a a sa tlhomamang le lefelo le lengwe la kelegodimo a tlhoka go lebelelwa. Meraga ya gajaana e sa eeleng e tshwanetse go tlamelwa e le dithulaganyo tse di sa eeleng. Tshola kgotsa tokafatsa thulaganyo e e teng ya dimela le tlhano. Moraga o tshwanetse go thathobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso tse di tla tokafatsang maemo a ona a gajaana le bokgoni jwa ona go tokafatsa boleng jwa metsi.
MA	C70G	Modutela wa Grootvlei wa Heuningspruit le mo Heuningspruit	Metsi a a Eielang le a sa Eieleng kwa Tiase ga Mogorogoro	D	Kwa godimo	C/D	D	
MA	C70K	Thulaganyo ya moraga e e gauji le Vrijpenskroon	Metsi a a Eielang le a sa Eieleng kwa Tiase ga Mogorogoro	E ⁶	Kwa godimo	D	D	

⁶ Thulaganyo e mo sethopheng sa PES (Se se Fetditsweng Thata) fela se na le IS e e kwa Godimo ka ntha ya bothokwa jwa yona jwa tiro ya metsi. Sethopho sa PES sa E ga se tswelelele ka jalo TEC e atlanegiwa go tshwana le REC mme e bewa sethoha se le sengwe kwa godimo ga PES

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithokego tsa Tshireletso, Tlamele le Taolo
MA	C70K	Groot Rietpan	Pane	D	Kwa godimo	C/D	C/D	Dirisa ditekanyetso go tokafatsa maemo a ekholoji ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa metutafuta ya ditshedi e e bothokwa le jaaka popego e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona di abelana mo maemong a boalo a CBA2 ka maikemisetso a sebaka go emela le go tshola sampole e e tswelelang ya kemedi ya mofuta e ya thulaganyotikologo le metutafuta ya ditshedi e e amanang le yona. Tshola le go oketsa phatlalatso ya kelele e e teng le mekgwa ya tsholo mo thulaganyong. Lebelela ditsenngwa tsa kotlo le sedimente mo lefelo le le gaufi la bodutiso. Moraga o tshwanetse go tlaththobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso go busetsa haeteroloji mo maemong a thago. Tshola le go mo kgonegang teng tokafatsa maemo a gajaana a ekholoji ka maikemisetso a tshireletso ya pakatelele ya metutafuta ya ditshedi e e bothokwa jaaka ntsha e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona di abelana mo CBA1 le ESA2 mo maikemisetso a boalo mo seabakeng go emela le go tshola sampole e e tswelelang ya kemedi ya mofuta e ya thulaganyotikologo le metutafuta ya ditshedi e e amanang le yona. Tshola le fa go kgonegang teng tokafatsa phatlalatso ya kelele ya thago le mekgwa ya tsholo mo thulaganyong. Kgatelelo mo meselong e e dutlang, kgoreletso ya mafelo, manno a a sa thomamang le lefelo le lengwe la kelelogodimo a thoka go lebelelwa. Meraga ya gajaana e e sa eileleng e tshwanetse go tlamelewa e le dithulaganyo tse di sa eileleng. Tshola kgotsa tokafatsa thulaganyo e e teng ya dimela le tlhamo. Ditsenngwa tsa kelele ya mo mathakoreng di tshwanetse go sirelediwa ka tiriso ya dithibedi tsa haeteroloji tse di tlhomanamisweng ka dithathobo tsa petakikale ya haeteroloji tse di dirilweng e le karolo ya ditshekatsheko tsa EIA le/kgotsa dikopo tsa WUL, le maemo a a gagametseng a tetelelo go akaretsa tebelelo ya dithulaganyo di tshwanetse go dira. Moraga o thanetse go tlaththobiwa go supa ditekanyetso tse di kgonegang tsa tsosoloso tse di tla tokafatsang bokgoni jwa ona go oketsa boleng jwa metsi.
MF	C25B	Dintsha tse di kwa godimo tsa Sandspruit (bokone jwa Kutoanong)	Metsi a a Eileleng le a sa Eileleng kwa Tlase ga Mogorogoro	D	Kwa godimo	C/D	D	Tshola maemo a a batileng go nna a thago a ekholoji ka maikemisetso a tshireletso ya pakatelele ya metutafuta ya ditshedi e e bothokwa le jaaka ntsha e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona di abelana mo CBA1 le ESA2 mo maikemisetso a boalo mo seabakeng go emela le go tshola sampole e e tswelelang ya kemedi ya mofuta e ya thulaganyotikologo le metutafuta ya ditshedi e e amanang le yona. Sireletsa boleng jwa metsi le dimelo tsa ekholoji tsa dipane tse di farologaneng tse di amanang le sethlopha go
MF le MD2	C25B, C25F le C43B	Sethlopha sa dipane go dikadika Wesselsbron go akaretsa Vostruispan kwa bokone	Sethlopha sa dipane	C	Kwa godimo	B/C	B/C	

74

IUA	Botliso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithokego tsa Tshireletso, Tlamelo le Taolo
								netefatsa gore di tswela go tlamela ditiro tsa tshetso tsa mofutafuta ya ditshedi e e amanang le mofuta e e farologaneng ya dipane tse di teng. Tshola kgotsa go tokafatsa mofutafuta ya ditshedi ya ekholoji e e teng le kopanyo ya phokotsego ya meraga ka borngwe (dipane).
MD2	C43B	Pane ya Flamingo	Pane	F7	Kwa godimo	D	D	Dirisa ditekanyetso go tokafatsa maemo a gajaana a pane gore e tswela go tlamela ditiro tse di teng. Ditsenngwa tse dintsi tsa kollo le kgotlego di tshwanetse go supuwa le go rarabololwa. Tshitshinywa le go dirisa ditsenogare tsa lefelo le taolo fa go thokegang teng.
ME2	C43A	Pane ya Bultfontein	Pane	D	Kwa godimo	C/D	C/D	Ka therisano le batho ba ba nang le kgathhego le ba ba anegang go thothomisa le fa go kgonegang teng dirisa ditekanyetso go tokafatsa haeteroloji go ya kwa maemo a thago. Thibela kelato ya kgeleloeswe mo tšeneng mo thulaganyong ya moraga. Thathoba le go lebelela kuliwalo ya ditiro tsa letswai le ditiro tse dingwe mo haeterolojeng le mo tirong ya tshetso ya mofutafuta ya ditshedi ya moraga. Tshitshinywa le go dirisa ditsenogare tsa lefelo le taolo fa go thokegang teng.
MD2	C43B	Pane ya Toronto	Pane	F8	Kwa godimo	D	D	Dirisa ditekanyetso go tokafatsa maemo a gajaana a pane gore e tswela go tlamela ditiro tse di teng. Ditsenngwa tse dintsi tsa kollo le kgotlego di tshwanetse go supuwa le go rarabololwa. Tshitshinywa le go dirisa ditsenogare tsa lefelo le taolo fa go thokegang teng.
LA1	C31D	Barberspan ⁹	Pane	C	Kwa Godimo thata	B	B/C	Tshola le fa go kgonegang teng go tokafatsa maemo a gajaana a ekholoji ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa mofutafuta ya ditshedi le jaaka ntho e e bothokwa ya moraga le boalo. Ditsenngwa tse dintsi tsa kollo le sedimente di tshwanetse go supuwa le go rarabololwa. Golagana le batho ba ba nang le kgathhego le ba ba anegang go thagisa thulaganyo ya tshwaragalo ya taolo le tebelelo gammogo le eo ya Leeupan.

⁷ Thulaganyo e mo seithopho sa PES sa F (Se se Fetotsiweng Thata) fela se na le IS e e kwa Godimo ka e tsewa e le botshabelo jo bo bothokwa jwa dinonyane. Seithopho sa PES sa F ga se tswelwele ka jalo TEC e atlanegisa go tshwana le REC mme e bewa mo dithopheng di le pedi kwa godimo ga PES.

⁸ Thulaganyo e mo seithopho sa PES sa F (Se se Fetotsiweng Thata) fela se na le IS e e kwa Godimo ka e tsewa e le botshabelo jo bo bothokwa jwa dinonyane. Seithopho sa PES sa F ga se tswelwele ka jalo TEC e atlanegisa go tshwana le REC mme e bewa mo dithopheng di le pedi kwa godimo ga PES.


⁹ Thulaganyo ke Sebaka sa Ramsar (Se se Theilweng e le Moraga wa Bothokwa Botlshaba go ya ka Kgolagano ya Ramsar)

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithokego tsa Tshireletso, Tlamelo le Taolo
LA1	C31D	Leeupan	Pane	C ¹⁰	Kwa godimo	B/C	B/C	Dirisa ditekanyetso go tokafatsa maemo a ekholoji ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa mefutafuta ya dishedi e e bothokwa le jaaka popego e e bothokwa ya boalo. Ditsengwa tse dintsi tsa kotlo le/kgotisa sedimente di tshwanetse go supuwa le go rarabololwa. Golagana le batho ba ba nang le kgatlhego le ba ba amegang go thagisa thulaganyo ya tshwaragalo ya taolo le tebelelo gammogo le eo ya Barberspan Kgogolego le pulego ya kelelo ya metsi e tshosetsa le go tsela kwa tlase ditiro tsa phokotso ya morwalela tsa moraga. Go bothokwa gape go netefatsa tshireletso le tlamelo ya bonno jwa megorogoro e e tshogetsang mefutafuta ya dishedi.
LA2	C31E	Mogorogoro wa Noka ya Hart's	Mogorogoro	C	Kwa godimo	B/C	B/C	Dirisa ditekanyetso tsa go tokafatsa maemo a gajaana a moraga ka maikemisetso a tshireletso ya pakatelele ya bothokwa jwa mefutafuta ya dishedi le jaaka nthla e bothokwa ya boalo. Tshola sampole e e tsweleng ya kemedi ya mefuta e ya thulaganyotikologo le mefutafuta ya dishedi e amanang le yona. Tshola le go okeisa phatlalatso e e teng ya kelelo le mekgwa ya tsholo mo thulaganyong le go tsholo kgolagano ya haeteroloji le ekholoji kwa Barberspan. Tlamelo ya thulaganyo ya dimela tse di teng le tlamelo.
LB	C91E	Kamferpan ¹¹	Pane	C	Kwa Godimo thala	B	B/C	Tshola le fa go kgonegang teng tokafatsa maemo a pane gore e tswelle go tlamela ditirelo tse di teng tsa tshogetsa tsa haeteroloji le mefutafuta ya dishedi. Ditsengwa tse dintsi tsa kotlo le kgotlelego di tshwanetse go supuwa le go rarabololwa. Tswelole ya maiteko a a teng a go thibela ditsengwa tsa kgeleloeswe le go laola maemo a metsi go thibela go nwalela mo mafelo a bothuthusetso. Lebelela dithosetso tse di jaaka eterofikašene le go tsenenela ga mathaka. Golagana le batho ba ba nang le kgatlhego le ba ba amegang go thagisa thulaganyo ya taolo e e tshwarageng le tebelelo tsa pane.
LB	C91B	Gannapan	Pane	C	Kwa godimo	B/C	B/C	Tshola le go mo kgonegang teng tokafatsa maemo a gajaana a ekholoji ka maikemisetso a tshireletso ya pakatelele ya mefutafuta ya dishedi e e bothokwa jaaka nthla e e bothokwa ya boalo. Netefatsa gore sebaka le bodutiso jwa sona di abelana mo CBA1 CBA2 le ESA1 mo maikemisetso a boalo mo

¹⁰ Fa thulaganyo e e amana le Sebaka sa Ramsar sa Barberspan, TEC e atlanegisiwa go tshwana le REC mme e beilwe mo halofong ya sethopho kwa godimo go feta PES

¹¹ Le fa e tlamelwa thata ka dilo tsa maitirelo, thulaganyo e ke sebaka se se bothokwa sa bothuthusetso sa Lesser Flamingo mme dithokego tsa tshireletso tse di gagametseng di tshwanetse go dirisiwa go netefatsa gore e nna sebaka se se atlegeng sa bothuthusetso sa dishedi tse

IUA	Bodutiso jwa Kwatenari	Leina la Moraga	Mofuta wa Moraga	PES	IS	REC	TEC	Dithulaganyo tsa Ekholoji Dithohokego tsa Tshireletso, Tlamelo le Taolo
								sebakeng go emela le go tshola sampole e e tswelelang ya kemedi ya mofuta e ya thulaganyotikologo le metlatuta ya ditshedi e e amanang le yona.
LB	C92A	Pane ya (Pane e Kgolo) le Moraga wa Complex o o amanang le yona	Dipane, Metsi a a sa Eleng jwa tiase ga Mogorogoro le Metswedi	B	Kwa godimo	A/B	B	Tshola haeteroloji e e teng le ditsweletso tsa ekholoji go sireletsa dipane le metswedi le mamo a a amanang le meraga mo maemo a gajana a ekholoji. Tshola phatlalatso ya kelelo ya thago le mekgwa ya tsholo mo thulaganyong. Tshola boleng jo bo siameng jwa metsi jo ka gale bo tsamaelanang le matlapa a dolomitiki a a monang metsi le matlho/metswedi. Thibela go tlosa thata matlapa a dolomitiki a a tsamaelanang. Thulaganyo ya taolo e tshwanetse go thagisiwa le go dirisiwa mo thulaganyong ka theisano le batho ba ba nang le kgathego le ba ba amegang. Thomamisa Rasefe ya Tshimologo ya Meraga le Metsi a a ka fa tiase ga Lefatshe mo thulaganyong le tshireletso le dithohokego tsa taolo tsa metsi a a ka fa tiase ga lefatshe go sireletsa matlapa a a monang metsi a dolomitiki a a tsamaelang le ona le dikelelo mo thulaganyong.



Popego 1: Mmapa wa Lefelo la Taolo la Metsi a Vaal o o bontshang bodutiso jwa kwatenari le mafelo a EWR

CONTINUES ON PAGE 258 - PART 3



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 663

25 September 2020
September

No. 43734

PART 3 OF 3

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5843



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

GAZETTING OF THE RESERVE IN THE VAAL WATER MANAGEMENT AREA

Comments and Responses Report

April 2019

This Comments and Responses Report (CRR) captures the issues raised by stakeholders after the Draft Notice of the proposed Reserve was published for comment in **Government Gazette No. 42127, Gazette Notice No. 1419 of 21 December 2018 (Vol. 642)**. The purpose of this report is to ensure that the concerns and comments raised by stakeholders are noted and adequately and satisfactorily addressed. This study has been commissioned by the Department of Water and Sanitation (DWS). This report will be presented to the Minister with the proposed final Reserve. Once the Minister is duly satisfied with the process and the handling of comments, the final Reserve will be gazetted.

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
1	What is the implication of the proposed Reserve on the annual demands and yield of the Vaal River System relative to the current (2018/2019) planning quantities?	Mr Kobie Maré, Rand Water	Email on January 2019	The Ecological Water Requirements (EWRs) will not influence the Vaal Balance as these are already part of the current operating releases. The EWRs are included in the Water Resources Planning Model used for the annual operating analysis and planning of the developed Vaal River System.
2	It appears that the Rietspruit (which flows into the Vaal River via Loch Vaal about 10 km west of Vanderbijlpark), has not been included as part of the Reserve. In fact, ALL tributaries of the Vaal River should be included in this draft. Am I incorrect or what is the reason for this exclusion?	Ms Maureen Stewart, Save the Vaal Environment	Email on January 2019	Unfortunately to cover all the tributaries at a high level of detail would not be cost effective, hence the Department looked at prioritization. During the initial stages of the study the Department looked at prioritization based on hotspot areas, areas of high impact and conservation areas.
3	There is mention of an Ingula Dam in the Gazette. Where exactly is this dam? You might know that Eskom has built the Ingula Pump Storage power plant in the Drakensberg. We were wondering if they were referring to this system?	Mr Anesh Surendra, Eskom	Email on January 2019	It does refer to the Eskom Ingula Pump Storage scheme in the Drakensberg. The point of confusion is noted. The Gazette will be revised to reflect Bedford Dam (the top dam) which is located in quaternary catchment C81A and not Ingula Dam (Braamhoek) (which is the bottom dam). However, the system is linked so the dams would need to be operated together to manage the releases from the Bedford Dam into the Wilge River.
4	With the groundwater quality Reserve that was done, what would the implication be for an owner of a water use license, for whom a quality baseline was already published as such in their license? Which one of the two documents will have to be adhered to? Is the purpose of this document to inform decisions in terms of licensing for future projects following the promulgation of this document?	Ms Elrina Cilliers, Finsch Diamond Mine	Email on January 2019	According to Section 17(2) of the National Water Act (NWA), the preliminary determination results will be superseded by the gazetted determination results. However, an owner of a water use license must continue to adhere to the specified water use license conditions until the license is reviewed and new conditions are set.

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
5	The 'Groundwater Contribution to Baseflow (GW _{bf})' values used in the gazette document are abstracted from intermediate Reserve studies reports produced by the Council for Scientific and Industrial Research (CSIR) for the DWS. However, the reports are not clear as to how these values were determined and they seem not to be aligned with other values obtained using known methods (also provided in the reports), and thus their correctness is questionable. Can this be clarified or rectified?	Mr. Fanus Fourie, Department of Water and Sanitation	Email on 16 January 2019	The Reserve is a component of the Resource Quality Objectives (RQOs). RQOs are a catchment management based approach and compliance to them is regulated for all users by the department. Initially, these values were used because they are applied throughout the technical documents referred to, and they were presumably accepted as they were part of the approved preliminary Reserve. However, after careful consideration of these values in correlation with the other tabulated values from known methods; a wide consultation with various experts in the field was undertaken. The aim of the consultation process was to ascertain the origin of these values in order to qualify their application in this gazette. The attempts to get clarity from the study team were unsuccessful because all of them were no longer at the CSIR and the study leader, deceased. Due to uncertainty in their origin and thus their correctness, it was decided that the Sami values (reflected in the technical documents) are used instead (Upper Vaal: Appendix C; Column 11) (Middle Vaal: Appendix B; Column 10).
6	Sasol prepared a letter for the Department highlighting various concerns and recommendations as summarised below.	Mr Martin Ginster, Sasol	Letter via Email on 21 February 2019	
6.1	The collation of Eco-classification summary was conducted through desktop assessments.			Yes, the collation, assimilation and synthesis of results for the purposes of gazetting were conducted through desktop assessments but it is important to note that these were derived from technical studies that were done at a comprehensive level.

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
6.2	Sasol expressed dissatisfaction that the proposed Reserve was gazetted late in the year when most offices were closed for the annual recess giving stakeholders very limited time to formulate comments on this important document.			The Department was compliant with Section 16 (3) (ii) of the NWA which prescribes a minimum period of 60 days and the Department advertised for a period of 60 days. Secondly the Promotion of Administrative Justice Act (PAJA) talks about reasonable time period of 30 days, in this instance the Department exceeded that. So, the Department is satisfied that the time period was adequate and that even though it coincided with the December period, there was still sufficient opportunity given the 60-day time period which ended on 22 February 2019. Furthermore, there was sufficient opportunity provided by the Department to participate in the entire Reserve, Classification and RQO studies in the Vaal catchment. These studies commenced as of 2009 and they comprised of numerous stakeholder engagement opportunities which included public, steering committee and technical meetings, at which representatives from Sasol were present.
6.3	Sasol recommends that the Department makes this information more accessible to a broader stakeholder base by simplifying the contents. A guidance document to accompany the Reserve values is recommended as well as awareness sessions and training to a broader stakeholder base on the application of the Reserve concept. In order to then ensure that all relevant parties fully appreciate the impact Sasol further recommends an additional phase for public consultation.			Yes, the Department acknowledges that the interpretation of some information is very difficult if one is not familiar with the processes. However, the doors of the department have always been open throughout the process and sufficient opportunity has been provided for all stakeholders to participate in numerous stakeholder engagements such as public, steering committee and technical meetings.

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
				The technical documents also contain all the necessary steps undertaken to get to the results that are seen in the Gazette Notice. These documents are accessible from the link www.dwa.gov.za/rdm/
6.4	Sasol's submission is focussed on the proposed Reserve values for Rivers, water quality component of the proposed Ecological Reserve for rivers, the Groundwater Reserve and protection and monitoring measures for priority wetlands specifically in the Upper-Vaal Catchment as being applicable to our operational footprint and our water supply needs. Further, and as previously explained this submission is preliminary in nature given the challenges experienced in translating the implications of the proposed Reserve on users like Sasol. This is notwithstanding the fact that the Reserve is largely a tool to be applied by the DWS and specifically Catchment Management Agencies (CMAs) to manage the catchment to agreed objectives. There is however an invariable link between SDCs (like waste water discharge limits) and the Resource Directed Measures (RDMs) expressed in the Reserve. It was generally assumed that a scientific basis was followed in proposing the Reserve.			Noted and agreed.
6.5	The Notice proposes that the ecological category for EWR4 and EWR5 needs to be improved by half a category, while those for the EWR WA1 (Waterval) and EWR 2 (Grootdraai Dam) remains unchanged. Sasol is in support of measures to protect EWR4 (namely Vaal Dam water) as it supplies water to Sasolburg			The ecological importance of this site is related to endangered and rare fish species. The proposed measure includes the improvement of seasonality (decrease base flows during dry seasons and increased wet season flows above base flows).

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
	Operations (SO) and is an alternative source of water to Sasol Secunda Operations (SSO) via the VRESAP transfer system. Considering that EWR4 is located downstream of Vaal Dam on the Vaal River system used to transfer water to downstream users (notably Midvaal Water, Sedibeng Water, Vaalharts irrigation scheme via Bloemhof Dam), i.e. it is significantly hydraulically altered, it is not clear what measures can be foreseen with which the ecological category of EWR4 can be improved. Recommendation: In order to provide a more meaningful response to this matter, Sasol would appreciate an explanation on the measures foreseen to improve EWR4.			
6.6	It is our understanding that the proposed Reserve will not negatively impact Sasol's bulk water allocation and assurance of supply from the Integrated Vaal River System (IVRS), for both raw and potable water allocations. The water allocation to high assurance users like Sasol is based on stored (Dam) water and inter-basin transfers which has already been accounted for in the planning and allocations from the IVRS. Further, this stored water allocated from the IVRS has no effect on the ecological characteristics of rivers unless a river is used to transfer such water. An example here is a section of the Heyshope Dam to Grootdraai Dam transfer which requires water to be transferred along the Little Vaal for which no alternative exists. Sasol's licensed allocation of supply is reliant on water supplied from both Grootdraai Dam and Vaal Dam.			Noted.

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
	Position: On the basis of the assumptions made above the Target Ecological Category (TEC) for the sites listed in Table 1 is supported.			
6.7	It is our understanding that the proposed Reserve water quality conditions are intended to be aligned to the matching published RQOs. In reviewing the water quality variables, a significant challenge arises when many of the Reserve conditions are present as concentrations of salts (MgSO_4, Na_2SO_4, MgCl_2, etc.) and not element concentrations. Recommendation: While, from the perspective of undertaking aquatic ecology assessments, the application of salts may be preferred it is not practical to apply this approach in practice and it is recommended that element concentration values be provided from which the implication of water quality objectives can be practically assessed.			Yes, it is true that the Reserve and RQO's are aligned. For instance, in the Upper Vaal, the Reserve consists of defined/specified salts (MgSO_4; Na_2SO_4; MgCl_2, etc.) while for the RQO's salts are considered under River Water Quality Sub-component. The Reserve as detailed as it is, cannot be implemented on its own and can only be implemented through RQOs. The implementation of RQOs can be done by measuring concentrations of the chosen/selected numerical indicators. In the case of the Upper Vaal, Electrical Conductivity (EC) was chosen as the numerical indicator for salts and therefore EC can be used to assess concentrations of salts defined in the Reserve.
6.8	In comparing the Reserve values with the RQO's to sites linked to Sasol's Operations it was found that in most cases they were identical as to be expected. One notable discrepancy is that the Electrical Conductivity (EC) value for the Reserve specifications for EWR WA1 site differs from the published RQO value; namely an EC value ≤ 85 mS/m for the 95th percentile for the Reserve compared with $\text{EC} \leq 79.1$ mS/m for the 95th percentile for the published RQO.			At EWR WA1 an EC specification of ≤ 85 mS/m for the Reserve has been set – as the PES is to be maintained. The $\text{EC} \leq 79.1$ mS/m is the status quo value that has been included with the RQOs published. Users are not required to meet the requirements of the RQOs, but they are required to meet the requirements of the license conditions for their respective activities. The Department is required to ensure that the

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
6.9	Recommendation: It is recommended that the Reserve values as a minimum be aligned to the published RQOs. It is our view that the ammonia and phosphate values proposed for the Waterval (EWR WA1 and EWR WA2) are unachievable, especially during the dry months of the year when the return flow from sewage plants are contributing significantly to flow in the catchments. Even if sewage plants operate within the special limit for phosphate discharges this would still pose a significant challenge to achieve. Recommendation: A far greater understanding to the approach taken in setting these Reserve values is required before it is possible to take a view on this and an engagement with the DWS is requested to discuss the broader implication for the sub-catchment on this matter			necessary regulatory and source controls are in place for all users in the catchment in order to achieve the RQOs. The concern is noted, this will require a comprehensive compliance and enforcement of waste discharges in the entire catchment to ensure compliance with the discharge standards. A nutrient balance for the Waterval catchment is required. A submission is being compiled within DWS for approval to initiate a planning study that, if successful, will <i>inter alia</i> develop phosphate load balances and also set up a nutrient module in the Water Resource Planning Model for the Integrated Vaal River System (IVRS). This will assist with future improvement iterations of the Reserve. The Department is open to a meeting, however it must be noted that this process is now concluded and will be submitted for the Minister's consideration.
6.10	Of key interest to Sasol is to establish how future water quality expectations as defined by the Reserve, are likely to influence future water use license conditions. Two examples are highlighted: namely water quality considerations downstream of Sasol Secunda complex on Waterval (EWR – WA1) as compared to the RESM 1 Sasol Secunda surface water compliance point and water quality expectation for Vaal Barrage (closest site is the EWR5), which has a bearing on Sasolburg Operations.			RQOs are overall water resource goals that need to be achieved by all users in the catchment and therefore using them as water use license conditions is not appropriate. The department supports the WRC Joint catchment study which was initiated due to challenges identified in the approaches used for setting applicable water use license conditions and discharge quality specifications.

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
	Recommendation: Sasol's recommendation is that load allocation assessments be undertaken to prevent RQO water quality limits being as default written into future water licenses. Sasol recommends that the DWS prioritise the WRC Joint catchment study recently kicked-off on the Vaal River in the region of the Leeu-Taaiboschspruit and Barrage Catchment which will provide the DWS and all other users a decision support tool for transparently setting scientifically defensible water use license conditions. Once developed these tools could be applied elsewhere in the catchment.			According to the Department's understanding this study will look at the linkages between Source Directed Controls (SDCs) and Resource Directed Measures (RDMs) and how they inform each other. This requires the availability of RQOs to establish the link between RQOs and water use license conditions, including discharge quality specifications. Therefore, if one needs to conduct a study to establish a link between SDCs and RDMs (RQOs and the Reserve forms part of RDM), then one needs to have the Reserve and RQOs determined. Thus waiting for the WRC Joint study to be completed before we gazette the Reserve is not necessary.
6.11	C12D which is proposed as a Class 2 defined as water suitable for short term or emergency use only and not for continuous use. The proposed ground water quality Reserve of the proposed ground water Reserve was compared to the values given in our Sasol Mining water use license conditions and found that there is no alignment with the stated values.			The Reserve and license conditions cannot be compared because they represent two different things. The Reserve is determined for the entire catchment and not for an individual water use license. When assessing the water use license application, the Reserve is just one of the components that are considered. Moreover, the Reserve is determined for the wellbeing of the resource (and in this case groundwater resource) and not as a license condition.
6.12	Greater clarity is required on how these conditions are included as Water Use License (WUL) conditions.			License conditions are established by using data supplied by the applicant in conjunction with baseline conditions and consideration of the Reserve. The Water Use Authorisation Directorate responsible for setting license conditions should incorporate the groundwater Reserve (present status of groundwater resources within a quaternary) and set conditions based on the two

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
				types of data sets (groundwater Reserve and data supplied by the applicant). The Reserve is determined based on the historical data from the DWS' comprehensive water quality database for each quaternary catchment, and not on localised data.
6.13	It is unclear what measures the DWS will initiate to improve the class should the ground water for this quaternary catchment deteriorate and greater clarity is sought on this matter.			Any changes in the Reserve and RQOs specifications would likely be due to the non-compliance by users to their license conditions, unless proven otherwise. There are various measures in place within the DWS to address such non-compliances.
6.14	Setting the Reserve as a compliance requirement for a water user make it impossible for a water user to comply.			The Reserve is never set as a compliance requirement for a water user. The Reserve is set for a water resource to allow the Department to monitor the health of the resource. License conditions are set based on individual water user activities and other relevant information and not solely on the Reserve.
6.15	At what point does the water user need to meet these requirements. Will it be at the fence line or any point within the property of the water user?			The need to meet the requirements of the Reserve lies with the Department. A water user is obliged to meet the requirements of the water use license conditions which are attributed to a specific water use activity and at a given location.
6.16	The groundwater Reserve values are based on limited historic water quality results. The appropriate criteria should be basic human needs and ecological requirements and not historical water quality results.			This recommendation is not acceptable. Water quality limits for basic human needs were established for human health as a user requirement. However, the use of all available historic data for a water resource including recent data is also considered in setting of the Reserve limits, as this more appropriate and meaningful as it reflects status quo conditions that need to either be maintained or improved. Therefore, the Reserve limits

10

April 2019

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
6.17	The groundwater quality Reserve in C12D catchment is indicated as a class II water. The only component that caused it to be in this category is total hardness. The numerical water quality values of the majority of components fall within the Class 0 range and the remaining ones in the Class I range. The scientific basis for the determination of these values are therefore questioned.			should be easily linked to current water resource conditions rather than just the basic human needs requirements. A similar concept applies when one considers ecological requirements. Therefore, if a Reserve was to be set based on basic human needs limits and ecological requirements, then there would be no need for an eco-status assessment, status quo monitoring and data generation, as the Department would just specify the basic human needs limits and ecological requirements limits as per the guidelines as the Reserve. The reason for classifying groundwater resources in terms of water quality class is to assist in decision making regarding the management of groundwater quality, especially for human health protection. The Department uses a procedure for classifying water as per the guideline titled "Quality of Domestic Water Supplies, Volume 1: Assessment Guide, 2nd Ed. 1998. Water Research Commission Report No: TT 101/98, Pretoria, South Africa", as the guideline for basic human needs. This approach sets the Reserve water quality based on the status quo conditions as compared to the domestic water quality range classes. The specification for C12D has been based on the parameter with the worst quality, which was total hardness. The Class has been specified as a Class I. However, should the groundwater be a source for domestic use, the drinking water standards would have to be complied with.

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
				The Resource Directed Measures are designed to protect the resource whilst allowing for socio-economic developments to take place where feasible.
6.18	C22K which is proposed as a Class 0 defined as ideal water quality suitable for lifetime use. According to SO's water use license ground water quality is not a Class 0. This is pristine water quality which is not possible for this area and is hence not supported.			Noted.
6.19	The number of water quality data sets for both C12D and C22K that were used to inform the classification is extremely limited, i.e. 9 data points. This data has been obtained from the DWS's Water Management Database. Using 9 data sets is not considered scientifically adequate to reflect the water quality variability that can be expected over time. Significantly more data (recent and geographical locations) is required to determine statistically acceptable water quality limits across catchments, specifically where any compliance is to be assessed against unjustified quality limits.			Noted. This was the number of verified water quality analyses for the quaternary catchments that were available. The Class of the water resource is determined in terms of the baseline background quality at a quaternary catchment scale. In this case, 9 were used as a minimum number of analyses used for statistical evaluations (as indicated in the document). Even though more datasets would be better than 9, this cannot be used as a reason by the DWS not to protect water resources whilst there is available minimum data to use. If possible in the future, with more data, the Reserve might be re-visited to ascertain its applicability at that time.
6.20	All role players are required to contribute to the data set including Sasol Mining, New Vaal, Eskom, agriculture etc. A significant shift in population densities were seen in the last 15 years. Deteriorating and absence of sewage infrastructure will negatively impact on groundwater. Informal waste disposal sites were started that can have a			All these aspects are considered during the resource Classification process, whereby rigorous stakeholder engagements take place and different scenarios are tested. Classification took place before the initiation of this Reserve gazetting process. Water resource Classes have been determined and RQOs set and gazetted based on, among other issues, such

12

April 2019

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
	negative impact on groundwater quality. Clarity is required to establish if this was considered.			information. Furthermore, high confidence Reserve studies were done for the Vaal and the results presented here are based on the outcomes of those studies. The Reserve is determined to ensure that a certain amount required for basic human needs and aquatic ecosystems is set aside before any allocation can take place in a specific catchment. Thus, any new developments in these catchments should consider the Reserve requirements, via the water use license application. It is accepted though that data from role players should find its way into the DWS' water quality system.
6.21	Clarity is also required on distinctions to be made between shallow and deep aquifers. Sasolburg has a low yielding, mostly confined, shallow aquifer which must be viewed differently when compared to deeper and more sustainable aquifers that have the ability to provide water for drinking, livestock, irrigation etc. A Class 0 Reserve on shallow, generally more impacted aquifers, would have vastly different implications than on the deep aquifer.			At present, the Reserve specifications by the DWS are not based on aquifer types, but based on quaternary catchments. Then water quality data obtained from geosites (e.g. boreholes which could be tapping shallow or deep aquifers, springs, eyes) found within a specified quaternary catchment is used to establish groundwater quality component of the Reserve irrespective of the aquifer type. However, the DWS is in the process of refining this approach/methodology (Groundwater Resource Directed Measures [GRDM] methodology).
6.22	For the groundwater Reserve a single value for pH is stated and we are of the view that a range should be provided.			Noted, a range has been specified.
6.23	It is recommended that the DWS obtain recent groundwater data. Most industries do have a WUL requirement to submit groundwater data to the DWS on an annual or bi-annual			It is accepted that data from role players should find its way into the DWS water quality system. Currently, that mechanism does not exist and the data supplied by the role-players for compliance purposes in report forms is

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
	basis. SO's most recently submitted report to DWS is dated August 2018.			not compatible with the WMS format and thus at this stage mainly not captured into the WMS. That data should also be subjected to quality checks but compliance monitoring section of the DWS does not yet cover all role-players.
6.24	If sufficient recent data is not available, the class determination must be postponed to allow for sufficient data gathering.			That was done but not for the whole WMA. The catchments where no groundwater quality data is available, or even insufficient (less than 9 datasets), were left out and they are listed in the document at the beginning of the Groundwater Quality Component section. But this does not warrant the postponement of Reserve determination in the whole WMA because the Reserves are determined per quaternary catchment.
6.25	There is no scientific evidence presented that the use of groundwater in any specific catchment is reasonably likely to be the sole, and life-long, source of drinking water which could potentially be used as an argument that pristine water guidelines could apply, which assume sole source life-time exposure. Where the groundwater is not reasonably likely to be sole source, lifetime supply, the risk to human health is not as significant, and quality can be relaxed. It is inappropriate to assume pristine water supply quality is required where the catchment is not utilised in such a way. This is especially relevant in the case of land use zoning for industrial activities having been applied with no use of groundwater for human needs.			The current approach to determining the Reserve does not allow for the relaxation of certain aspects. What's good for the BHN might not be good for ecosystem and vice versa. Thus, the Reserve is not only for sole source supply but also for the aquatic ecosystems. These issues are considered during the water resource Classification and RQO process, where stakeholders are requested to bring all the information they have to the fore for consideration in the process. The set RQOs and the WUL conditions should be adhered to in order to maintain or improve the Reserve. The bottom line is that the user must not deteriorate the quality of the resource any further than they found it, either it's maintained or improved for groundwater resource protection purposes.

Gazetting of the Reserve in the Vaal Water Management Area

Comments and Responses Report

	COMMENTS, QUESTIONS AND CONCERNS	COMMENTATOR(S)	SOURCE(S)	RESPONSE(S)
				According to the NWA, water resources must be protected, no matter what they are currently used for. This is for the benefit of the current and future generations. The determination of groundwater quality component of the Reserve is not based on assumptions of use. It is based on historical water quality data for the resource. Water users and their impacts on the environment are considered during the water resource classification process. The water quality component of the Reserve is based on the groundwater quality data of a given catchment.
6.26	In terms of the groundwater Reserve it will thus also be critical to understand what distinctions will be made between shallow and deep aquifers as well as for land use zoning having been applied.			The Reserve studies are undertaken for quaternary catchment and not for aquifer types and land use zoning. However, the DWS is initiating a process of reviewing the GRDM methodology and these parameters will be looked at. In the meantime, the resource has to be protected using the best scientific approaches available, i.e. the GRDM of 2013.
6.27	A preliminary implementation plan should be included in the proposed Reserve detailing how the DWS will track compliance.			The Reserve is monitored through RQOs, therefore, it is most appropriate for an implementation plan to come with RQOs implementation process.
6.28	The protection of headwaters remains a nascent area of effort in South Africa and Sasol would be willing to work with the DWS and other stakeholders to identify opportunities for intervention to improve the ecological functioning of critical habitats (including wetlands) to the benefit of the water supply from the IVRS (both reliability and quality).			The Department supports the project initiative from Sasol.